

This article was downloaded by:

On: 26 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Nucleosides, Nucleotides and Nucleic Acids

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713597286>

Erratum

Online publication date: 06 January 2004

To cite this Article (2004) 'Erratum', Nucleosides, Nucleotides and Nucleic Acids, 23: 5, 823

To link to this Article: DOI: 10.1081/NCN-120039796

URL: <http://dx.doi.org/10.1081/NCN-120039796>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

Erratum

“Effect of Imino Group of a Linker Arm at the C5 Position of a Pyrimidine Nucleoside on the Thermal Stabilities of DNA/DNA and DNA/RNA Duplexes,” H. Ozaki, M. Mine, K. Shinozuka, and H. Sawai, *Nucleosides, Nucleotides & Nucleic Acids*, Volume 23, Issues 1 & 2, 2004, pages 339–346.

Due to an error, the following Figure 1 is being reprinted.




Figure 1. HPLC profiles of crude ODN 15mer (a) and the hydorized ODN-1a (b) and ODN-1b (c) by nuclease. HPLC condition: column, Wakosil 5C18 (4 mm ϕ \times 250 mm); eluent, linear gradient of acetonitrile conc. in 50 mM TEAA (pH 7.0) in 35 min; flow rate, 1 mL/min.

Request Permission or Order Reprints Instantly!

Interested in copying and sharing this article? In most cases, U.S. Copyright Law requires that you get permission from the article's rightsholder before using copyrighted content.

All information and materials found in this article, including but not limited to text, trademarks, patents, logos, graphics and images (the "Materials"), are the copyrighted works and other forms of intellectual property of Marcel Dekker, Inc., or its licensors. All rights not expressly granted are reserved.

Get permission to lawfully reproduce and distribute the Materials or order reprints quickly and painlessly. Simply click on the "Request Permission/Order Reprints" link below and follow the instructions. Visit the [U.S. Copyright Office](#) for information on Fair Use limitations of U.S. copyright law. Please refer to The Association of American Publishers' (AAP) website for guidelines on [Fair Use in the Classroom](#).

The Materials are for your personal use only and cannot be reformatted, reposted, resold or distributed by electronic means or otherwise without permission from Marcel Dekker, Inc. Marcel Dekker, Inc. grants you the limited right to display the Materials only on your personal computer or personal wireless device, and to copy and download single copies of such Materials provided that any copyright, trademark or other notice appearing on such Materials is also retained by, displayed, copied or downloaded as part of the Materials and is not removed or obscured, and provided you do not edit, modify, alter or enhance the Materials. Please refer to our [Website User Agreement](#) for more details.

Request Permission/Order Reprints

Reprints of this article can also be ordered at

<http://www.dekker.com/servlet/product/DOI/101081NCN120039796>