

























[illegible]

Entry 21

683.031.17

56:100511406015
CDC13
06015

HOLDER
PRO128PP
passeur



Entry 22

683.038.05

HOLDER
PRO128PP

40:100511406013
CDC13


683.038.05

Chloras

[illegible]

42:100511406009 683.013.03 A
CDC13
06009

HOLDER
PRO128PP
passseur



Enty 26





Current Data Parameters
NAME 42:100511406009
EXPER 10
PROCNO 1

F1 - Acquisition Parameters

DATE_ 9/1/2007
TIME 15:18
INSTRUM spect
PROBHD 5 mm QNP 1H-
PULPROG zgpg30
TD 32768
SOLVENT CDC13
NS 2
DS 2
SWH 5163.389 Hz
FIDRES 0.159332 Hz
AQ 0.0177 sec
RG 655.360
WDW EM
SSB 0
GB 0
TE 300.2 K
DE 32.00 dB
PE 1.0000000000000000
F1 250.1315413 MHz
F2 250.1315413 MHz
F3 -3.00 dB

F2 - Processing parameters
SI 32768
SF 250.1300983 MHz
WDW EM
SSB 0
GB 0
TE 300.2 K
DE 32.00 dB
PE 1.00

1D NMR plot parameters
CH 14.00 cm
F2 250.1300983 MHz
F1 250.1300983 MHz
F2P 11.000 gpa
F1P 11.000 gpa
F2 8.35518 Hz/cm
F1 8.35518 Hz/cm
NUC1 13C



42:100511406014
CDC13
06014

HOLDER
PRO128PP
passseur



Enty 25



Current Data Parameters
NAME 42:100511406014
EXPER 10
PROCNO 1

F1 - Acquisition Parameters
DATE_ 9/1/2007
TIME 15:18
INSTRUM spect
PROBHD 5 mm QNP 1H-
PULPROG zgpg30
TD 32768
SOLVENT CDC13
NS 2
DS 2
SWH 5163.389 Hz
FIDRES 0.159332 Hz
AQ 0.0177 sec
RG 655.360
WDW EM
SSB 0
GB 0
TE 300.2 K
DE 32.00 dB
PE 1.0000000000000000
F1 250.1315413 MHz
F2 250.1315413 MHz
F3 -3.00 dB

F2 - Processing parameters
SI 32768
SF 250.1300983 MHz
WDW EM
SSB 0
GB 0
TE 300.2 K
DE 32.00 dB
PE 1.00

1D NMR plot parameters
CH 14.00 cm
F2 250.1300983 MHz
F1 250.1300983 MHz
F2P 11.000 gpa
F1P 11.000 gpa
F2 8.35518 Hz/cm
F1 8.35518 Hz/cm
NUC1 13C



CH 1700.20

HOLDER
PRO128PP
10:100511405002
CC13
00002



Entry 20

Current Data Parameters
NAME: 10:100511405002
EXPNO: 1
PROCNO: 1
F2 - Acquisition Parameters
Date_: 10/10/2002
Time: 10.10
INSTRUM: spect
PROBHD: 5 mm QNP 1H-
PULPROG: zgpg30
TD: 65536
SOLVENT: CDCl3
NS: 128
DS: 4
SWH: 5155.289 Hz
FIDRES: 0.157831 Hz
AQ: 3.1173925 sec
RG: 327.2
DE: 3.0000000 sec
TE: 300.2 K
D1: 1.00000000 sec
d11: 8.00 sec
F2 - Processing parameters
SI: 32768
SF: 250.1300794 MHz
WDW: EM
SSB: 0
LB: 0.10 Hz
GB: 0
PC: 1.00
CD: 1000000000 cm
F2P: 11.000 ppm
F2R: 2751.43 Hz
F2F: 2751.43 Hz
F2G: -250.13 Hz
PPH2: 0.35384 ppm/cm
PPHM: 61.33384 ppm/cm
SFO: 60.130130 Hz/cm





HOLDER
PRO128PP
25:100511405009
CC13
00009





Entry 27

Current Data Parameters
NAME: 25:100511405009
EXPNO: 1
PROCNO: 1
F2 - Acquisition Parameters
Date_: 10/10/2002
Time: 10.10
INSTRUM: spect
PROBHD: 5 mm QNP 1H-
PULPROG: zgpg30
TD: 65536
SOLVENT: CDCl3
NS: 128
DS: 4
SWH: 5155.289 Hz
FIDRES: 0.157831 Hz
AQ: 3.1173925 sec
RG: 327.2
DE: 3.0000000 sec
TE: 300.2 K
D1: 1.00000000 sec
d11: 8.00 sec
F2 - Processing parameters
SI: 32768
SF: 250.1300794 MHz
WDW: EM
SSB: 0
LB: 0.10 Hz
GB: 0
PC: 1.00
CD: 1000000000 cm
F2P: 11.000 ppm
F2R: 2751.43 Hz
F2F: 2751.43 Hz
F2G: -250.13 Hz
PPH2: 0.35384 ppm/cm
PPHM: 61.33384 ppm/cm
SFO: 60.130130 Hz/cm







Wlad

683.081.14

34:100511406014

PRO128PP

Passieur

CDC13

06014

Holder

34:100511406014



PRO128PP

Passieur

CDC13

06014

Holder



Current Data Parameters

NAME	PRO128PP
EXPNO	1
PROCNO	1
DATE_	2015.08.14
TIME	17.15
PROBHD	5 mm BBO 1H-13C
PULPROG	zgpg30
TD	65536
SF	400.146
WDW	EM
SSB	0
LB	0.3
GB	0
PC	1.00
CT	1.00
RG	327.68
DE	0.00000000
TE	300.2
F2 - Acquisition Parameters	
NAME	PRO128PP
EXPNO	1
PROCNO	1
DATE_	2015.08.14
TIME	17.15
PROBHD	5 mm BBO 1H-13C
PULPROG	zgpg30
TD	65536
SF	400.146
WDW	EM
SSB	0
LB	0.3
GB	0
PC	1.00
CT	1.00
RG	327.68
DE	0.00000000
TE	300.2
F2 - Processing Parameters	
NAME	PRO128PP
EXPNO	1
PROCNO	1
DATE_	2015.08.14
TIME	17.15
PROBHD	5 mm BBO 1H-13C
PULPROG	zgpg30
TD	65536
SF	400.146
WDW	EM
SSB	0
LB	0.3
GB	0
PC	1.00
CT	1.00
RG	327.68
DE	0.00000000
TE	300.2

Current Data Parameters

NAME	PRO128PP
EXPNO	1
PROCNO	1
DATE_	2015.08.14
TIME	17.15
PROBHD	5 mm BBO 1H-13C
PULPROG	zgpg30
TD	65536
SF	400.146
WDW	EM
SSB	0
LB	0.3
GB	0
PC	1.00
CT	1.00
RG	327.68
DE	0.00000000
TE	300.2
F2 - Acquisition Parameters	
NAME	PRO128PP
EXPNO	1
PROCNO	1
DATE_	2015.08.14
TIME	17.15
PROBHD	5 mm BBO 1H-13C
PULPROG	zgpg30
TD	65536
SF	400.146
WDW	EM
SSB	0
LB	0.3
GB	0
PC	1.00
CT	1.00
RG	327.68
DE	0.00000000
TE	300.2
F2 - Processing Parameters	
NAME	PRO128PP
EXPNO	1
PROCNO	1
DATE_	2015.08.14
TIME	17.15
PROBHD	5 mm BBO 1H-13C
PULPROG	zgpg30
TD	65536
SF	400.146
WDW	EM
SSB	0
LB	0.3
GB	0
PC	1.00
CT	1.00
RG	327.68
DE	0.00000000
TE	300.2

