(OPh)₃), each of which is thermally stable under these experimental conditions.

For the case of η^5 -cpRuCl(PPh₃)(P(OPh)₃), we propose that intramolecular attack occurs at the ruthenium center via the solvated coordination site, followed by base-induced deprotonation of the unobserved intermediate (eq 4).

$$Ph_3P$$

$$Pl_3P$$

$$Ph_3P$$

$$Ph_3$$

These observations provide a clear example of intramolecular C-H bond cleavage being induced by the proximal generation of a vacant coordination site at a cationic metal center. This approach to effecting cyclometalation is preferable to thermolysis routes, where high-temperature reflux conditions can frequently lead to undesirable side products. Mechanistically, we cannot differentiate between a pathway involving oxidative addition at ruthenium(II) or electrophilic attack by the cationic metal center.14 Either pathway is favored by the generation of a vacant coordination site, but electrophilic attack at the ortho C-H bond is further favored by the generation of a cationic ruthenium(II) center. Cyclometalation induced by thermolysis of η⁵-cpRuClL₂ is less favored because it requires either attack at a coordinatively saturated center or prior ligand dissociation for attack. In both procedures, the final deprotonation step is carried out by using an amine base.

Acknowledgment. We thank the Louisiana Board of Regents for support of the research. We thank Johnson Matthey, Inc., for a loan of hydrated ruthenium trichloride. We thank the Office of Naval Research for funds to purchase the FT-IR spectrometer.

Supplementary Material Available: Tables of positional parameters, bond distances and angles, calculated hydrogen atom positional parameters, general displacement parameters, anisotropic displacements, and torsion angles (14 pages); table of observed and calculated structure factors for [cpRuCl(PPh₃)(P-(OMe)₃)] (48 pages). Ordering information is given on any current masthead page.

Additions and Corrections

Peter B. Hitchcock, Michael F. Lappert,* and Michael J. McGeary*: Stannadesulfurization of a Bis(diethyldithiocarbamato)tungsten(II) Complex: Formation of an (Aminocarbyne)tungsten Complex. 1990, 9, 2645.

At the bottom of the second column of page 2645, complex 3 was incorrectly formulated and the bridging dithiocarbamato ligand was omitted. The formula should read

Robert W. Waymouth, Kristine S. Potter, William P. Schaefer, and Robert H. Grubbs*: Structure of a Trinuclear Zr₂Al μ -Ketone Complex with a Bridging Trigonal-Bipyramidal Methyl Group. 1990, 9, 2843.

The first partial sentence on page 2844 should read "...the bridging methyl located.4b"