This article was downloaded by:

On: 28 January 2011

Access details: Access Details: Free Access

Publisher Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-

41 Mortimer Street, London W1T 3JH, UK



### Phosphorus, Sulfur, and Silicon and the Related Elements

Publication details, including instructions for authors and subscription information: <a href="http://www.informaworld.com/smpp/title~content=t713618290">http://www.informaworld.com/smpp/title~content=t713618290</a>

## Asymmetric Induction by a Sulfinyl Group in the Thio-Claisen Rearrangement

Carole Alayrac; Stephanie Nowaczyk; Margareth Lemarie; Patrick Metzner

To cite this Article Alayrac, Carole , Nowaczyk, Stephanie , Lemarie, Margareth and Metzner, Patrick(1999) 'Asymmetric Induction by a Sulfinyl Group in the Thio-Claisen Rearrangement', Phosphorus, Sulfur, and Silicon and the Related Elements, 153: 1, 317-318

To link to this Article: DOI: 10.1080/10426509908546449 URL: http://dx.doi.org/10.1080/10426509908546449

#### PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

# Asymmetric Induction by a Sulfinyl Group in the Thio-Claisen Rearrangement

### CAROLE ALAYRAC, STEPHANIE NOWACZYK, MARGARETH LEMARIE and PATRICK METZNER

Laboratoire de Chimie Moléculaire`et Thio-organique (UMR n° 6507 CNRS) ISMRA – Université, 6 boulevard du Maréchal Juin, 14050 Caen, France

The first examples of an asymmetric thio-Claisen rearrangement induced by an enantiopure alkylsulfinyl group are reported.

Keywords: chiral auxiliaries; rearrangement; thiocarbonyl; sulfoxide

The Claisen rearrangement is well established as an important method for the stereoselective formation of C-C bonds in acyclic systems. However only a few asymmetric variants involving a removable chiral auxiliary are known. [1] We recently reported the first examples of an asymmetric [3,3] sigmatropic rearrangement stereocontrolled by a racemic alkylsulfinyl group: [2]

In order to apply our method to enantiopure substrates, we wished to synthesise optically active 2-alkylsulfinyl dithioesters and thioamides. The most straightforward route is the reaction of a chiral sulfinate with an enethiolate. Such reaction is not known with dithioester enolates. The diastereoselective synthesis of chiral alkyl sulfinates from diacetone-(D)-glucose (DAG) was recently reported. [3] By analogy, we prepared previously unreported (S)-DAG cyclohexanesulfinate 1 from racemic cyclohexanesulfinyl chloride (46%). Its reactivity towards enethiolates was examined. The sodium thioamide enolate proved to be much more reactive than the lithium one and afforded thioamide 2 with 91% yield and 98% ee.

Our attempts to prepare dithioester 4 under the same conditions failed. Finally it was obtained from enantiopure sulfoxide 3 resulting from the reaction of 1 with a Grignard reagent.<sup>[3]</sup>

The thio-Claisen rearrangement of the enantiopure substrates was achieved with similar diastereoselectivities as those observed with the racemic substrates. Thus, the control of relative and absolute stereochemistry is possible by this method.

#### References

- [1] D. Enders, M. Knopp, and R. Schiffers, Tetrahedron: Asymmetry, 7, 1847 (1996).
- [2] C. Alayrac, C. Fromont, P. Metzner, and N. T. Anh, Angew. Chem., Int. Ed. Engl., 36, 371 (1997).
- [3] I. Fernandez, N. Khiar, J. M. Llera, and F. Alcudia, J. Org. Chem., 57, 6789 (1992).