

This article was downloaded by:

On: 28 January 2011

Access details: Access Details: Free Access

Publisher Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Phosphorus, Sulfur, and Silicon and the Related Elements

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713618290>

Synthesis and Crystal Structure of Some Derivatives of 1-Oxa-2-phosphatriphenylene--The New Heterocycle Containing Phosphorus

Fedor F. Alekseev^a; Vladimir F. Mironov^a; Alfiya A. Shtyrlina^a; Igor A. Litvinov^a; Aidar T. Gubaidullin^a; Tamara A. Baronova^a; Aleksandr I. Kononov^a

^a A. E. Arbuzov Institute of Organic and Physical Chemistry, Russian Academy of Sciences, Russia

Online publication date: 27 October 2010

To cite this Article Alekseev, Fedor F. , Mironov, Vladimir F. , Shtyrlina, Alfiya A. , Litvinov, Igor A. , Gubaidullin, Aidar T. , Baronova, Tamara A. and Kononov, Aleksandr I.(2002) 'Synthesis and Crystal Structure of Some Derivatives of 1-Oxa-2-phosphatriphenylene--The New Heterocycle Containing Phosphorus', Phosphorus, Sulfur, and Silicon and the Related Elements, 177: 8, 2029 — 2030

To link to this Article: DOI: 10.1080/10426500213346

URL: <http://dx.doi.org/10.1080/10426500213346>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

SYNTHESIS AND CRYSTAL STRUCTURE OF SOME DERIVATIVES OF 1-OXA-2-PHOSPHATRIPHENYLENE—THE NEW HETEROCYCLE CONTAINING PHOSPHORUS

*Fedor F. Alekseev, Vladimir F. Mironov, Alfiya A. Shtyrlina,
 Igor A. Litvinov, Aidar T. Gubaidullin, Tamara A. Baronova,
 and Aleksandr I. Konovalov*

*A. E. Arbuzov Institute of Organic and Physical Chemistry,
 Russian Academy of Sciences, Russia*

(Received July 29, 2001; accepted December 25, 2001)

Phenanthrenequinone reacts with phenylacetylene and PCl_3 to form 2,7-dichloro-2-oxo-4-phenyl-1-oxa-2-phosphatriphenylene. Several 1-oxa-2-phosphatriphenylene derivatives **2,3** could be synthesized employing substituted phenanthrenequinones and PBr_3 as precursors. The corresponding morpholides **1,3** were examined by the single crystal x-ray diffraction (see Figures 1 and 2).




FIGURE 1

The work was supported by the Russian Foundation for the Basic Research (grant 00-03-32835).

Address correspondence to Fedor F. Alekseev, A. E. Arbuzov Institute of Organic and Physical Chemistry, Russian Academy of Sciences, Arbuzov Str, 8, Kazan, 420088 Russia. E-mail: mironov@iopc.kcn.ru




FIGURE 2