

***PHARMACOLOGY BIOCHEMISTRY
&
BEHAVIOR***

Index to
VOLUME 23 1985

CONTENTS

Articles

- Scopolamine degrades spatial working memory but spares spatial reference memory: Dissimilarity of anticholinergic effect and restriction of distal visual cues.**
BEATTY, W. W. and R. A. BIERLEY 1
- Effect of dopamine agonists and fenfluramine on discriminative behavior in obese and lean Zucker rats.**
SCHECHTER, M. D. and J. A. FINKELSTEIN 7
- The quasi-morphine withdrawal syndrome: Effect of cannabinal, cannabidiol and tetrahydrocannabinol.**
CHESHER, G. B. and D. M. JACKSON 13
- Benzodiazepine-receptor mediated inhibition of isolation-induced aggression in mice.**
SKOLNICK P., G. F. REED and S. M. PAUL 17
- Disregulation of hypothalamic-pituitary-adrenal axis in the mentally retarded.**
SANDMAN, C. A., J. BARRON and L. PARKER 21
- Blockade of peripheral beta-adrenergic receptors fails to suppress the cerebral spread of an engram in mice.**
CHURCH, A. C., J. B. FLEXNER, L. B. FLEXNER and T. C. RAINBOW .. 27
- Chlordiazepoxide enhances the anxiogenic action of CGS 8216 in the social interaction test: Evidence for benzodiazepine withdrawal?**
FILE, S. E. and S. PELLOW 33
- The conditioned place preference is affected by two independent reinforcement processes.**
WHITE, N. M. and G. D. CARR 37
- Reduced head-twitch response to quipazine of rats previously treated with methiothepin: Possible involvement of dopaminergic system.**
DALL'OLIO, R., A. VACCHERI and N. MONTANARO 43
- Age of testing as a factor in the behavioral effects of early lead exposure in rats.**
ROSEN, J. B., R. F. BERMAN, F. C. BEUTHIN and R. T. LOUIS-FERDINAND 49
- Reproductive physiology and behavior in the male rat following acute and chronic peripheral adrenergic depletion by guanethidine.**
STEFANICK, M. L., E. R. SMITH, D. A. SZUMOWSKI and J. M. DAVIDSON 55
- The role of central noradrenergic neurons in electroconvulsive shock-induced muricide inhibition in olfactory bulbectomized rats.**
LIOU, S. Y., S. SHIBATA and S. UEKI 65
- Prostanoid modulation (mediation?) of certain behavioral effects of ethanol.**
SEGARNICK, D. J., D. MANDIO CORDASCO and J. ROTROSEN 71
- Rate-dependency and hyperactivity: Methylphenidate effects on operant responding.**
RAPPORT, M. D., G. J. DuPAUL and N. F. SMITH 77
- Effects of tunnel maze complexity on caffeinic hyperactivity in the rat.**
OETTINGER, R., J. R. MARTIN, E. ROSENBERG and K. BÄTTIG 85

Genetic differences in daily rhythms of pain sensitivity in mice.	
CASTELLANO, C., S. PUGLISI-ALLEGRA, P. RENZI and A. OLIVERIO . . .	91
Suppressant effect of REM sleep deprivation on neophobia in normal rats and in rats with selective DSP-4 induced damage of locus coeruleus neurons.	
MOGILNICKA, E., C. G. BOISSARD, C. HUNN and A. DELINI-STULA	93
Acute and chronic behavioral interactions between phencyclidine (PCP) and amphetamine: Evidence for a dopaminergic role in some PCP-induced behaviors.	
GREENBERG, B. D. and D. S. SEGAL	99
Central serotonin neurones in avoidance learning: Interactions with noradrenaline and dopamine neurones.	
ÖGREN, S.-O.	107
Selective memory loss following nucleus basalis lesions: Long term behavioral recovery despite persistent cholinergic deficiencies.	
BARTUS, R. T., C. FLICKER, R. L. DEAN, M. PONTECORVO, J. C. FIGUEIREDO and S. K. FISHER	125
The role of trazodone metabolism in its inhibitory action on avoidance response.	
SANSONE, M., M. MELZACKA and J. VETULANI	137
Brief Communications	
Biphasic effects of chronic nicotine treatment on hypothalamic immunoreactive β-endorphin in the mouse.	
ROSECRANS, J. A., J. S. HENDRY and J.-S. HONG	141
Erythrocyte differentiation of naturally occurring isotopic lithium abundances.	
LIEBERMAN, K. W., C. CHEN, J. MANN and R. RUBINO	145
Effect of decapitation and stress on some plasma electrolyte levels in rats.	
CONAHAN, S. T., S. NARAYAN and W. H. VOGEL	147
Announcements	151

CONTENTS

Involvement of brain histamine in Δ^9-tetrahydrocannabinol tolerance and withdrawal.	
VERBERNE, A. J. M., M. R. FENNESSY, S. J. LEWIS and D. A. TAYLOR	153
Behavioral effects of pergolide mesylate on food intake and body weight.	
GREENE, S. B., D. MATHEWS, E. M. HOLLINGSWORTH and C. P. GARBIN	161
Benzodiazepine-induced hyperphagia in the nondeprived rat: Comparisons with CL 218,872, zopiclone, tracazolate and phenobarbital.	
COOPER, S. J. and W. R. MOORES	169
Stressor invoked exacerbation of amphetamine-elicited perseveration.	
ANISMAN, H., B. HAHN, D. HOFFMAN and R. M. ZACHARKO	173
Gammahydroxybutyric acid: Central biochemical and behavioral effects in neonatal rats.	
HEDNER, T., J. HEDNER, K. IVERSEN, P. WESSBERG and P. LUNDBORG	185
Changes in drug sensitivity following acute and chronic exercise.	
McMASTER, S. B. and J. M. CARNEY	191
Chronic administration of sulbutiamine improves long term memory formation in mice: Possible cholinergic mediation.	
MICHEAU, J., T. P. DURKIN, C. DESTRADE, Y. ROLLAND and R. JAFFARD	195
Differential effect of naloxone on food and self-stimulation rewarded acquisition of a behavioral response pattern.	
VAN WOLFSWINKEL, L. and J. M. VAN REE	199
Effects of neuroleptics displaying antidepressant activity on behavior of rats in the forced swimming test.	
GÓRKA, Z. and K. JANUS	203
Asymmetric behavior induced by enkephalinergic agents in the basal ganglia.	
GEULA, C. and D. ASDOURIAN	207
Studies on brain monoamine neurotransmitters in mice after prenatal exposure to barbiturate.	
YANAI, J., P. Y. SZE, C. ISER and E. MELAMED	215
Chronic ethanol intake modifies estrous cyclicity and alters prolactin and LH levels.	
SANCHIS, R., A. ESQUIFINO and C. GUERRI	221
Effects of subchronic administration of soman on acquisition of avoidance-escape behavior by laboratory rats.	
GELLER, I., R. J. HARTMANN, JR. and E. M. GAUSE	225
The effects of clozapine on shuttle-box avoidance responding in rats: Comparisons with haloperidol and chlordiazepoxide.	
SANGER, D. J.	231
Effects of caffeine and chlor-desmethyldiazepam on fighting behavior of mice with different reactivity baselines.	
TRAVERSA, U., L. DE ANGELIS, R. DELLA LOGGIA, M. BERTOLISSI, G. NARDINI and R. VERTUA	237
Role of dopaminergic system(s) in mediation of the behavioural effects of bombesin.	
MERALI, Z., S. JOHNSTON and J. SISTEK	243

Specific antagonism by RO 15-1788 of benzodiazepine-induced increases in food intake in rhesus monkeys. FOLTIN, R. W., S. ELLIS and C. R. SCHUSTER	249
Food-related stimuli increase the ratio of 3,4-dihydroxy-phenylacetic acid to dopamine in the hypothalamus. SIMANSKY, K. J., K. A. BOURBONNAIS and G. P. SMITH	253
Attenuation of cyclophosphamide-induced taste aversions in mice by prochlorperazine, Δ^9 - tetrahydrocannabinol, nabilone and levonantradol. LANDAUER, M. R., R. L. BALSTER and L. S. HARRIS	259
Sociosexual behaviors of female rats during and after chronic treatment with the sympatholytic agent guanethidine. EMERY, D. E.	267
A single gene difference determines relative susceptibility to caffeine-induced lethality in SWR and CBA inbred mice. SEALE, T. W., P. JOHNSON, T. H. RODERICK, J. M. CARNEY and O. M. RENNERT	275
Reduction of nicotine-induced hyperactivity by pCPA. FITZGERALD, R. E., R. OETTINGER and K. BÄTTIG	279
A possible role of a GABAergic mechanism in the convulsant action of RO5-4864. RASTOGI, S. K. and M. K. TICKU	285
Sensory blockade of smoking satisfaction. ROSE, J. E., D. P. TASHKIN, A. ERTLE, M. C. ZINSER and R. LAFER ...	289
Pharmacokinetics of morphine in striatum and nucleus accumbens: Relationship to pharmacological actions. MELZACKA, M., T. NEBELHUT, U. HAVEMANN, J. VETULANI and K. KUSCHINSKY	295
Separate neural substrates of the locomotor-activating properties of amphetamine, heroin, caffeine and corticotropin releasing factor (CRF) in the rat. SWERDLOW, N. R. and G. F. KOOB	303
Temperature dependence of ethanol depression: Linear models in male and female mice. ALKANA, R. L., D. C. BOONE and D. A. FINN	309
Pyrazoloquinoline benzodiazepine receptor ligands: Effects on schedule-controlled behavior in dogs. SHANNON, H. E. and W. A. THOMPSON	317
A test battery for measuring nicotine effects in mice. MARKS, M. J., E. ROMM, S. M. BEALER and A. C. COLLINS	325
Announcements	331

CONTENTS

Articles

- Effect of amygdaloid lesions on ethanol intake in rats.
KOLAKOWSKA, L., C. LARUE-ACHAGIOTIS and J. LE MAGNEN 333
- Ethanol withdrawal tremor does not interact with physostigmine-induced tremor in the rat.
GOTHONI, P. 339
- The effect of opiates and naloxone on food intake in virgin and lactating rats.
WAGER-SRDAR, S. A., B. A. GOSNELL, J. E. MORLEY and A. S. LEVINE 345
- Comparison of regional CNS ligand binding in two inbred rat strains: Effects of chronic morphine.
COOPER, D. O., K. R. CARLSON and J. W. McKEARNEY 349
- Comparative effects of cathinone and amphetamine on fixed-interval operant responding:
A rate-dependency analysis.
GOUDIE, A. J. 355
- Effects of an ACTH 4-9 analog on auditory evoked brainstem responses and middle latency responses.
BORN, J., G. FEHM-WOLFSDORF, D. J. NAGEL, K. H. VOIGT and
H. L. FEHM 367
- Inheritance of amphetamine-induced thermoregulatory responses in inbred mice.
SEALE, T. W., J. M. CARNEY, P. JOHNSON and O. M. RENNERT 373
- Methylphenidate effects on activity-stress gastric lesions and regional brain noradrenaline
metabolism in rats.
GLAVIN, G. B. 379
- REM sleep deprivation decreases the grooming and shaking behaviour induced by enkephalinase inhibitor
or opiate withdrawal.
UKPONMWAN, O. E., A. L. v. D. POEL-HEISTERKAMP and M. R. DZOLJIC 385
- Effects of 2% sodium chloride inhibition on various opiate related hyperphagic conditions.
BRYANT, H. U., M. T. LOWY, P. V. MALVEN, T. D. STEELE and
G. K. W. YIM 391
- Prenatal antiandrogen feminizes behavioral but not neurochemical response to estrogen.
DOHANICH, G. P., J. A. WITCHER and L. G. CLEMENS 397
- Interactions between toluene and alcohol.
PRYOR, G. T., R. A. HOWD, E. T. UYENO and A. B. THURBER 401
- Low doses of methylaloxonium in the nucleus accumbens antagonize hyperactivity induced by heroin in
the rat.
AMALRIC, M. and G. F. KOOB 411
- Behaviorally equivalent stressors differentially modify the monoamine altering property of
d-amphetamine.
KLAUENBERG, B. J., M. S. KLEVEN and S. B. SPARBER 417
- Drug discrimination and cross generalization between two methylxanthines.
MODROW, H. E. and F. A. HOLLOWAY 425

Hypothalamic sites sensitive to morphine and naloxone: Effects on feeding behavior.	
WOODS, J. S. and S. F. LEIBOWITZ	431
Prenatal nicotine affects fetal testosterone and sexual dimorphism of saccharin preference.	
LICHTENSTEIGER, W. and M. SCHLUMPF	439
Differential effects of selected dopaminergic agents on locomotor activity in normotensive and spontaneously hypertensive rats.	
HYNES, M. D., D. H. LANGER, D. L. HYMSON, D. V. PEARSON and R. W. FULLER	445
Discriminative stimulus properties and schedule effects of fencamfamine in rats.	
RISNER, M. E., P. A. JACKSON-SMITH and E. J. CONE	449
Comparison of abstinence syndromes following chronic administration of mu and kappa opioid agonists in the rat.	
YOUNG, G. A. and N. KHAZAN	457
Patterns of exploration in rats distinguish lisuride from lysergic acid diethylamide.	
ADAMS, L. M. and M. A. GEYER	461
Effects of valproic acid and ethosuximide on the responding of pigeons maintained under a multiple fixed-ratio fixed-interval schedule of food delivery.	
POLING, A., M. PICKER, D. GROSSETT and D. VANDE POLDER	469
Convulsive thresholds and severity and the anticonvulsant effect of phenobarbital and phenytoin in adult rats administered 6-hydroxydopamine or 5,7-dihydroxytryptamine during postnatal development.	
WALLER, S. B. and G. G. BUTERBAUGH	473
A rapid and simple behavioural screening method for simultaneous assessment of limbic and striatal blocking effects of neuroleptic drugs.	
LJUNGBERG, T. and U. UNGERSTEDT	479
Chlordiazepoxide and successive discrimination: Different effects on acquisition and performance.	
McNAUGHTON, N.	487
Brief Communications	
Effects of intracerebroventricular administration of methyl naloxonium chloride on heroin self-administration in the rat.	
VACCARINO, F. J., H. O. PETTIT, F. E. BLOOM and G. F. KOOB	495
Effects of naloxone on heroin-, amphetamine- and caffeine-stimulated locomotor activity in the rat.	
SWERDLOW, N. R., F. J. VACCARINO and G. F. KOOB	499
Announcements	503

CONTENTS

Articles

- Low-frequency septal stimulation increases tyrosine hydroxylase activity in the hippocampus.
GRAHAM-JONES, S., L. HOLT, J. A. GRAY and M. FILLENZ 489
- Operantly conditioned running:
Effects on brain catecholamine concentrations and receptor densities in the rat.
DE CASTRO, J. M. and G. DUNCAN 495
- Effect of progesterone upon adenylate cyclase activity and cAMP levels on brain areas.
COLLADO, M. L., G. RODRÍGUEZ-MANZO and M. L. CRUZ 501
- Intraseptal morphine potentiates pentobarbital narcosis and hypothermia in the rat.
FATHERAZI, S., H. LAI, S. KAZI and A. HORITA 505
- Effect of fenfluramine on GDP-binding to brown adipose tissue mitochondria.
LUPIEN, J. R. and G. A. BRAY 509
- Caffeine-induced taste aversion and mimetic responses.
WHITE, B. C. and F. D. MASON 515
- Effects of *d*-amphetamine and of β -phenylethylamine on fixed-interval responding maintained by self-regulated lateral hypothalamic stimulation in rats.
GREENSHAW, A. J., D. J. SANGER and D. E. BLACKMAN 519
- Residual quantities of streptomycin sulfate in haemolymph and tissue of *Heliothis virescens* reared on treated diet.
SIKOROWSKI, P. P. and A. C. THOMPSON 525
- One-way generalization of clonidine to the discriminative stimulus produced by cocaine.
WOOD, D. M., H. LAL, S. YADEN and M. W. EMMETT-OGLESBY 529
- The role of endogenous opioid peptides in the effects of constant illumination on reproductive function in the rat.
HULSE, G. K., G. J. COLEMAN, D. L. COPOLOV and V. W. K. LEE 535
- Norepinephrine, clonidine, and tricyclic antidepressants selectively stimulate carbohydrate ingestion through noradrenergic system of the paraventricular nucleus.
LEIBOWITZ, S. F., O. BROWN, J. R. TRETTER and A. KIRSCHGESSNER 541
- Effects of initial body weight on anorexia and tolerance to fenfluramine in rats.
CARLTON, J. and N. ROWLAND 551
- Different effects of apomorphine on climbing behavior and locomotor activity in three strains of mice.
CABIB, S. and S. PUGLISI-ALLEGRA 555
- The effect of intracerebroventricularly infused satietin on conditioned taste aversion and feeding in rats fasted different lengths.
BELLINGER, L. L. and V. E. MENDEL 559
- Altered development of responsiveness to clonidine in severely malnourished rats.
GOODLETT, C. R., M. L. VALENTINO, O. RESNICK and P. J. MORGANE 567
- Effect of cocaine and pentylentetrazol on cortical kindling.
STRIPLING, J. S. and R. D. RUSSELL 573
- Chin rub CRs are elicited by flavors associated with apomorphine, scopolamine, methscopolamine, physostigmine and neostigmine.
SMITH, R. J. and L. A. PARKER 583

Effects of pesticides and drugs on working memory in rats: Continuous delayed response.	
HEISE, G. A. and J. D. HUDSON	591
Effects of pesticides and drugs on working memory in rats: Continuous non-match.	
HEISE, G. A. and J. D. HUDSON	599
Discriminative stimulus properties and brain distribution of phencyclidine in rats following administration by injection and smoke inhalation.	
WESSINGER, W. D., B. R. MARTIN and R. L. BALSTER	607
Differences between calcium channel inhibitors in their effects on phencyclidine-induced behavioral stimulation in mice.	
GREBB, J. A., K. A. ELLSWORTH and W. J. FREED	613
Behavioral effects of xylamine-induced depletions of brain norepinephrine: Interaction with LSD.	
GEYER, M. A., J. GORDON and L. M. ADAMS	619
Effect of calmodulin antagonists on calcium and ethanol-induced sleeping time in mice.	
SUTOO, D., K. AKIYAMA and K. IIMURA	627
Brief Communication	
Caffeine effects: Interaction of drug and wheelrunning experience.	
MELISKA, C. J., R. E. LANDRUM and W. H. LOKE	633
Meeting Report	
Introduction	637
CGS 8216 and CGS 9896, novel pyrazoloquinoline benzodiazepine ligands with benzodiazepine agonist and antagonist properties.	
BOAST, C. A., E. W. SNOWHILL and J. P. SIMKE	639
Non-benzodiazepine anxiolytics: Potential activity of phenylpiperazines without ³H-diazepam displacing action.	
LLOYD, K. G., H. DEPOORTERE, B. SCATTON, H. SCHOEMAKER, B. ZIVKOVIC, PH. MANOURY, S. Z. LANGER, P. L. MORSELLI and G. BARTHOLINI	645
Pharmacological and clinical studies of cyclopyrrolones: Zopiclone and suriclone.	
JULOU, L., J. C. BLANCHARD and J. F. DREYFUS	653
Electroencephalographic investigations in rabbits of drugs acting at GABA-benzodiazepine-barbiturate/picrotoxin receptors complex.	
MASSOTTI, M.	661
Interaction of benzodiazepine receptor agonists and inverse agonists with the GABA benzodiazepine receptor complex.	
KAROBATH, M. and P. SUPAVILAI	671
Pharmacology of pyrazolopyridines.	
PATEL, J. B., J. B. MALICK, A. I. SALAMA and M. E. GOLDBERG	675
Heterogeneity of benzodiazepine binding sites: A review of recent research.	
HIRSCH, J. D., K. M. GARRETT and B. BEER	681
Pharmacological and clinical effects of buspirone.	
TAYLOR, D. P., M. S. EISON, L. A. RIBLET and C. P. VANDERMAELEN	687

CONTENTS

Articles

- Hypophysial GABA after ether stress, dexamethasone or inhibition of GABA catabolism.**
MANEV, H. and D. PERIČIĆ 697
- Opioid modulation of feeding behavior following forced swimming exercise in male rats.**
DAVIS, J. M., D. R. LAMB, M. T. LOWY, G. K. W. YIM and P. V. MALVEN 701
- Opioid modulation of feeding behavior following repeated exposure to forced swimming exercise in male rats.**
DAVIS, J. M., D. R. LAMB, G. K. W. YIM and P. V. MALVEN 709
- The effect of dopamine receptor agonist treatment on haloperidol-induced supersensitivity in mice.**
FAYLE, P., D. M. JACKSON, O. F. JENKINS and P. A. LAFFERTY 715
- Food intake suppression by histidine.**
SHEINER, J. B., P. MORRIS and G. H. ANDERSON 721
- Magnetic fields inhibit opioid-induced feeding in the slug, *Limax maximus*.**
KAVALIERS, M., K.-P. OSSENKOPP and A. MATHERS 727
- Intracerebroventricular drug administration in pigeons.**
FRANCE, C. P., J. U. ADAMS and J. H. WOODS 731
- The effects of PK 11195, a ligand for benzodiazepine binding sites, in animal tests of anxiety and stress.**
FILE, S. E. and S. PELLOW 737
- The effects of phencyclidine and ketamine on sensory thresholds and reaction times in the baboon.**
LUKAS, S. E., R. D. HIENZ and J. V. BRADY 743
- Potentiation of cold-water swim analgesia by acute, but not chronic desipramine administration.**
BODNAR, R. J., P. E. MANN and E. A. STONE 749
- Combined inhibition of serotonin uptake and oxidative deamination attenuates audiogenic seizures in DBA/2J mice.**
SPARKS, D. L. and N. S. BUCKHOLTZ 753
- Intravenous self-administration of pentobarbital and ethanol in rats.**
DENOBLE, V. J., P. C. MELE and J. H. PORTER 759
- Acute effects of marihuana on luteinizing hormone in menopausal women.**
MENDELSON, J. H., P. CRISTOFARO, J. ELLINGBOE, R. BENEDIKT and
N. K. MELLO 765
- Electric footshock-induced changes in behavior and opioid receptor function.**
NABESHIMA, T., K. MATSUNO, H. KAMEI, Y. NODA and T. KAMEYAMA 769
- Relative effectiveness of pimozide, haloperidol and trifluoperazine on self-stimulation rate-intensity functions.**
LYNCH, M. R. and R. A. WISE 777
- Methamphetamine, physostigmine, atropine and mecamylamine: Effects on force lever performance.**
PRESTON, K. L., C. R. SCHUSTER and L. S. SEIDEN 781
- Possible dissociation of central dopamine receptor antagonism and cataleptic behavior.**
HRUSKA, R. E. 789

Effects of opioid antagonists and their quaternary derivatives on locomotor activity and fixed ratio responding for brain self-stimulation in rats.	
SCHAEFER, G. J. and R. P. MICHAEL	797
Phencyclidine-induced dopamine-dependent behaviors in chronic haloperidol-treated rats.	
YAMAGUCHI, K., T. NABESHIMA, M. AMANO, S. YOSHIDA, H. FURUKAWA and T. KAMEYAMA	803
Effects of inhibitors of carbohydrate absorption or lipid metabolism on meal patterns of Zucker rats.	
DREWNOWSKI, A., J. A. GRINKER, R. GRUEN and A. C. SULLIVAN	811
Cocaine potentiates the disruptive effects of phencyclidine on repeated acquisition in monkeys.	
THOMPSON, D. M. and P. J. WINSAUER	823
Locomotor effects of cocaine, cocaine congeners, and local anesthetics in mice.	
REITH, M. E. A., B. E. MEISLER and A. LAJTHA	831
Concurrent heroin self-administration and intracranial self-stimulation in rats.	
GERBER, G. J., M. A. BOZARTH, J. E. SPINDLER and R. A. WISE	837
Effects of 6-OHDA lesions of the central medial nucleus accumbens on rat intravenous morphine self-administration.	
SMITH, J. E., G. F. GUERIN, C. CO, T. S. BARR and J. D. LANE	843
Brief Communication	
The role of physical activity in nicotine's effects on body weight.	
GRUNBERG, N. E. and D. J. BOWEN	851
Meeting Report	
Endorphins and behavioural processes	855
Introduction to symposium on endorphins and behavioural processes; Review of literature on endorphins and exercise.	
STEINBERG, H. and E. A. SYKES	857
Opiate dependence and withdrawal—A new synthesis?	
HENDRIE, C. A.	863
Mu and kappa opiate receptor involvement in agonistic behaviour in mice.	
BENTON, D.	871
Motivational effects of opioids: Evidence on the role of endorphins in mediating reward or aversion.	
STOLERMAN, I. P.	877
Social conflict analgesia: Studies on naloxone antagonism and morphine cross-tolerance in male DBA/2 mice.	
RODGERS, R. J. and J. I. RANDALL	883
Endorphins and food intake: <i>Kappa</i> opioid receptor agonists and hyperphagia.	
COOPER, S. J., A. JACKSON and T. C. KIRKHAM	889
Announcements	903

CONTENTS

Articles

Social behaviour in pairs of C57BL/6 mice of both sexes in the open field:**Effects of saline drinking and of naloxone.**

VICKERS, C. and A. T. PATERSON 905

Neuroleptic-induced catalepsy: A D₂ blockade phenomenon?

KLEMM, W. R. 911

Similarities in feeding behavior of chronic methamphetamine treated and withdrawn rats to VMH lesioned rats.

KRAEUCHI, K., K. RUDOLPH, A. WIRZ-JUSTICE and H. FEER 917

Chronic clorgyline and pargyline increase apomorphine-induced stereotypy in the rat.CAMPBELL, I. C., M. J. DURCAN, R. M. COHEN, D. PICKAR, D. CHUGANI
and D. L. MURPHY 921**Ethanol-chlordiazepoxide interactions in the rat.**

SCHECHTER, M. D. and D. M. LOVANO 927

Morphine applied to the ventral tegmentum differentially affects centrally and peripherally induced aversive effects.

MOREAU, J.-L., P. SCHMITT and P. KARLI 931

Mechanistic studies on DOM as a discriminative stimulus.

GLENNON, R. A. and A. E. HAUCK 937

Effects of quipazine and of tryptamine on self-stimulation of median raphe nucleus and of lateral hypothalamus in rats.

BROADBENT, J. and A. J. GREENSHAW 943

Amphetamine-haloperidol discrimination: Effects of chronic drug treatment.

HAENLEIN, M., W. F. CAUL and R. J. BARRETT 949

Effects of intracerebroventricular injection of delta sleep-inducing peptide (DSIP) and an analogue on sleep and brain temperature in rats at night.

OBÁL, F., JR., A. TÖRÖK, P. ALFÖLDI, G. SÁRY, M. HAJÓS and B. PENKE 953

Tolerance to alcohol's anticonvulsant effect is not under Pavlovian control.

PINEL, J. P. J. and S. PUTTASWAMIAH 959

[³H]-Flunitrazepam binding in the presence of β -phenylethylamine and its metabolites.

SMITH, T. M. 965

The effect of cold-restraint stress on gastric emptying in rats.

KOO, M. W. L., C. W. OGLE and C. H. CHO 969

Autoradiographic demonstration of the selectivity of two 1-N-trifluoroethyl benzodiazepines for the BZD-1 receptors in the rat brain.

WAMSLEY, J. K., J. S. GOLDEN, H. I. YAMAMURA and A. BARNETT ... 973

An ethological analysis of the effects of tifluadom on social encounters in male albino mice.

BRAIN, P. F., R. SMOOTHY and D. BENTON 979

Binding characteristics of (-)- and (+)-nicotine to the rat brain P₂ fraction.	
SLOAN, J. W., W. R. MARTIN, J. HERNANDEZ and R. HOOK	987
The effects of acute and repeated clonidine administration on fixed-interval performance in rhesus monkeys.	
WESSINGER, W. D. and R. L. BALSTER	995
Neurobehavioral effects of repeated sublethal soman in primates.	
GAUSE, E. M., R. J. HARTMANN, B. Z. LEAL and I. GELLER	1003
Effects of psychoactive drugs on conditioned avoidance response in Mongolian gerbils (<i>Meriones unguiculatus</i>): Comparison with Wistar rats and dd mice.	
KURIBARA, H. and S. TADOKORO	1013
The effects of Org 2766 on the performance of sham, neocortical, and hippocampal-lesioned rats in a food search task.	
HANNIGAN, J. H., JR. and R. L. ISAACSON	1019
Disruption of cocaine and heroin self-administration following kainic acid lesions of the nucleus accumbens.	
ZITO, K. A., G. VICKERS and D. C. S. ROBERTS	1029
Buprenorphine effects on food-maintained responding in Macaque monkeys.	
MELLO, N. K., M. P. BREE, S. E. LUKAS and J. H. MENDELSON	1037
Tyr-MIF-1, identified in brain tissue, and its analogs are active in two models of antinociception.	
KASTIN, A. J., E. STEPHENS, J. E. ZADINA, D. H. COY and A. J. FISCHMAN	1045
Delta-9-tetrahydrocannabinol potentiates the disruptive effects of phencyclidine on repeated acquisition in monkeys.	
THOMPSON, D. M. and P. J. WINSAUER	1051
Brief Communications	
Morphine dependence and protracted abstinence: Regional alterations in CNS radioligand binding.	
CARLSON, K. R. and D. O. COOPER	1059
Naloxone and fluid-consumption in rats: Dose-response relationships for 15 days.	
OLSON, G. A., S. W. DELATTE, A. J. KASTIN, J. H. McLEAN, D. F. PHILLPOTT and R. D. OLSON	1065
Chlordiazepoxide and morphine reduce pressor response to brain stimulation in awake rats.	
BRANDÃO, M. L., E. C. VASQUEZ, A. M. CABRAL and P. SCHMITT	1069
Index to Volume 23	1073

VOLUME 23 1985

SUBJECT INDEX

- Abstinence, 1059
 - CNS binding
 - morphine dependence
- Abstinence syndrome, 457
 - ethyl ketocyclazocine
 - morphine
- Acquisition
 - chlordiazepoxide, 487
 - discrimination, 487
 - drug interaction, 1051
 - food reward, 199
 - monkeys, 1051
 - naloxone, 199
 - opioids, 199
 - self-stimulation, 199
 - THC, 1051
- ACTH 4-9, 367
 - auditory evoked potentials
- Adenylate cyclase, 501
 - cAMP
 - lordosis response
 - progesterone
- α -Adrenergic agonist, 541
 - antidepressants
 - carbohydrate ingestion
 - paraventricular nucleus
- β -Adrenergic antagonist, 27
 - memory spread
 - propranolol
- Adrenergic receptors, 495
 - dopamine receptors
 - exercise
 - operant behavior
 - running
- Aggression
 - benzodiazepine-receptor, 17
 - diazepam, 17
 - isolation, 17
 - opiate receptors, 871
 - social interaction, 871
- Aging, 49
 - lead
 - passive avoidance
- Agonist/antagonist, 637
 - CGS 8216
 - CGS 9896
 - quantitative autoradiography
- Alcohol, 959
 - anticonvulsant
 - kindling
 - tolerance
- Alcohol withdrawal, 71
 - essential fatty acids
 - ethanol
 - prostaglandins
- cAMP, 501
 - adenylate cyclase
 - lordosis response
 - progesterone
- Amphetamine
 - aversion, 355
 - caffeine, 303, 499
 - cathinone, 355
 - chronic drug treatment, 949
 - corticotropin releasing factor, 303
 - drug discrimination, 949
 - fixed ratio schedule, 417
 - haloperidol, 949
 - heroin, 303, 499
 - locomotor activity, 99, 303, 499
 - naloxone, 499
 - operant behavior, 355
 - perseveration, 173
 - phencyclidine, 99
 - rate-dependency, 355
 - stereotypy, 99
 - stress, 173
 - thermal stressors, 417
- d*-Amphetamine, 519
 - fixed-interval self-stimulation
 - lateral hypothalamus
 - β -phenylethylamine
- Analgesia
 - animal model, 1045
 - antinociception, 1045
 - brain stimulation, electrical, 931
 - cold water swim, 749
 - desipramine, 749
 - electric shock, 769
 - morphine, 931
 - morphine cross tolerance, 883
 - motor suppression, 769
 - naloxone, 883
 - opioid peptides, 769
 - pain, 749
 - social conflict, 883
 - Tyr-MIF-1, 1045
- Animal model
 - analgesia, 1045
 - antinociception, 1045
 - anxiolytic activity, 645
 - compound IV, 645
 - exploration, 461
 - hallucinogens, 461
 - locomotor activity, 461
 - phenylpiperazines, 645
 - Tyr-MIF-1, 1045
- Anorexia
 - body weight, 161, 551
 - eating, 161
 - fenfluramine, 551
 - pergolide mesylate, 161
 - tolerance, 551
- Anticholinergic drugs, 1
 - distal visual cues
 - scopolamine
 - spatial memory
- Anticonvulsant, 959
 - alcohol
 - kindling
 - tolerance
- Antidepressants, 541
 - α -adrenergic agonist
 - carbohydrate injection
 - paraventricular nucleus
- Antiemetics, 259
 - cancer chemotherapy
 - conditioned taste aversion
- Antinociception, 1045
 - analgesia
 - animal model
 - Tyr-MIF-1
- Antiobesity drugs, 811
 - carbohydrate absorption
 - lipid metabolism
 - meal patterns
- Anxiety
 - busipirone, 687
 - benzodiazepine binding sites, 737
 - nonbenzodiazepine, 687
 - PK 11195, 737
 - stress, 737
- Anxiolytic activity
 - animal models, 645
 - compound IV, 645
 - phenylpiperazines, 645
 - pyrazolopyridines, 675
 - tracazolate, 675
- Apomorphine
 - climbing, 555
 - clorgyline, 921
 - drug interaction, 921
 - inbred mice, 555
 - locomotor activity, 555
 - pargyline, 921
 - [3 H]spiroperidol binding, 921
 - stereotypy, 921
- Apparatus
 - behavioral pattern monitor (BPM), 461
 - radial arm maze, 49
- Atropine, 781
 - forced lever
 - mecamylamine
 - methamphetamine
 - motor control
 - physostigmine
- Attention, 1019
 - lesions, hippocampal
 - lesions, neocortical
 - lesions, sham
 - Org 2766
- Auditory evoked potentials, 367
 - ACTH 4-9
- Autoradiography, 973
 - benzodiazepines
 - receptor sites
- Aversion
 - amphetamine, 355
 - cathinone, 355
 - drinking, 559
 - eating, 559
 - endorphins, 877
 - human studies, 559
 - memory, 37
 - operant behavior, 355
 - opioids, 877
 - place preference, 37
 - putative satiety glycoprotein, 559

- rate-dependency, 355
- reward, 877
- satiety, 559
- self-administration, 877
- Aversive brain stimulation, 1069
 - chlordiazepoxide
 - IC injections
 - morphine
- Avoidance
 - catecholamines, 107
 - chlordiazepoxide, 231
 - p-chloroamphetamine, 107
 - clozapine, 231
 - drug comparisons, 231
 - escape, 225, 231
 - haloperidol, 231
 - inhibition, 137
 - metabolism, 137
 - serotonin release, 107
 - soman, 225
 - trazodone, 137
- Baboons
 - ketamine, 743
 - neurobehavioral response, 1003
 - phencyclidine, 743
 - reaction times, 743
 - seizures, 1003
 - sensory thresholds, 743
 - soman, sublethal exposure, 1003
- Barbiturates
 - benzodiazepines, 285
 - convulsants, 285
 - GABAergic transmission, 285
 - monoamine neurotransmitters, 215
 - phenobarbital, 215
 - RO5-4864, 285
- Basal ganglia, 207
 - bodily asymmetry
 - enkephalins
 - rotational behavior
- Behavior, 857
 - endorphins
 - exercise
- Behavioral audiometry, 401
 - clinical blood chemistry
 - toluene/alcohol interaction
- Benzodiazepine binding sites, 737
 - anxiety
 - PK 11195
 - stress
- Benzodiazepine receptor, 17
 - aggression
 - diazepam
 - isolation
- Benzodiazepine receptor agonists, 671
 - binding studies
 - GABA benzodiazepine receptor complex
 - inverse benzodiazepine agonists
- Benzodiazepines
 - autoradiography, 973
 - barbiturates, 285
 - binding sites, 681
 - caffeine, 237
 - CGS 8216, 33
 - chlordiazepoxide, 33
 - convulsants, 285
 - drug interactions, 33
 - fighting behavior, 237
 - GABAergic transmission, 285
 - heterogeneity, 681
 - receptor sites, 973
 - RO5-4864, 285
 - social interaction, 33
- Binding sites, 681
 - benzodiazepines
 - heterogeneity
- Binding studies, 671
 - benzodiazepine receptor agonists
 - GABA benzodiazepine receptor complex
 - inverse benzodiazepine agonists
- Biodisposition, 607
 - drug discrimination
 - phencyclidine
 - smoking
- Body asymmetry, 207
 - basal ganglia
 - enkephalins
 - rotational behavior
- Body temperature
 - ethanol sensitivity, 309
 - heart rate, 325
 - morphine, 505
 - narcosis, 505
 - nicotine effects, 325
 - pentobarbital, 505
 - sex differences, mice, 309
 - startle response, 325
 - Y-maze, 325
- Body weight
 - anorexia, 161, 551
 - caloric expenditure, 851
 - eating, 161
 - fenfluramine, 551
 - nicotine, 851
 - pergolide mesylate, 161
 - physical activity, 851
 - tolerance, 551
- Bombesin, 243
 - dopamine receptor blockade
 - locomotor activity
 - mediation
- Brain
 - amygdala, 333, 379
 - anterior caudate nucleus-putamen, 843
 - autoradiography, 973
 - basal ganglia, 207
 - brainstem, 1059
 - caudate-putamen, 207
 - central nervous system, 185
 - cerebellum, 153, 637, 973
 - cerebral cortex, 501, 973
 - cingular cortex, 697
 - contralateral striatum, 295
 - cortex, 153, 573
 - dentate gyrus, 637
 - dorsal periaqueductal gray, 1069
 - dorsomedial nucleus, 431
 - dorsomedial subiculum, 489
 - frontal cortex, 1059
 - globus pallidus, 207
 - hippocampus, 27, 195, 379, 489, 619, 637, 1019, 1059
 - hypophysis, 697
 - hypothalamus, 21, 141, 215, 253, 379, 697
 - lateral hypothalamus, 519, 777, 943
 - lateral ventricle, 411
 - locus coeruleus, 65, 93
 - medial basal hypothalamus, 397
 - median raphe nucleus, 943
 - medulla oblongata/pons, 153
 - mesencephalic central gray, 931
 - midbrain, 153
 - midbrain central gray, 797
 - neostriatum, 479
 - nucleus accumbens, 295, 411, 479, 843, 1029
 - nucleus basalis, 125
 - paraventricular nucleus, 431, 541
 - perifornical hypothalamus, 431
 - preoptic area, 501
 - pyriform cortex, 843
 - septum, 505
 - striatum, 215, 295, 1059
 - substantia nigra, 65, 295, 973
 - thalamus, 379
 - ventral tegmental area, 411, 931
 - ventromedial hypothalamus, 501, 917
 - ventromedial nucleus, 431
 - zona incerta, 973
- Brain metabolism, 379
 - methylphenidate
 - stress
 - ulcer
- Brain self-stimulation, 797
 - fixed ratio responding
 - locomotor activity
 - opioid antagonists
- Brain stimulation, electrical, 931
 - analgesia
 - morphine
- Brain stimulation reward, 777
 - haloperidol
 - pimozide
 - self-stimulation
 - trifluoperazine
- Brain temperature, 953
 - DSIP
 - sleep-promoting substances
- Brown adipose tissue, 509
 - fenfluramine
 - GDP-binding
- Bulbectomy, 65
 - desipramine
 - 5,7-dihydroxytryptamine
 - ECS
 - locus coeruleus
 - muricide
 - 6-OHDA
 - substantia nigra
- Buprenorphine, 1037
 - eating
 - monkeys
- Busipirone, 687
 - anxiety
 - nonbenzodiazepine
- Caffeine
 - amphetamine, 303, 499
 - benzodiazepines, 237
 - corticotropin releasing factor, 303
 - drug interaction, 633
 - fighting behavior, 237
 - heroin, 303, 499
 - locomotor activity, 85, 303, 499, 515
 - mimetic responses, 515
 - naloxone, 499
 - neophobia, 515
 - spatial learning, 85
 - taste aversion, 515

- tolerance, 633
- tunnel maze, 85
- wheelrunning, 633
- Caffeine-induced lethality, 275
 - inbred mice
 - pharmacogenetics
- Calcium, 627
 - calmodulin antagonists
 - ethanol-induced sleep
- Calcium channel inhibitors, 613
 - phencyclidine
 - stimulation
- Calmodulin antagonists, 627
 - calcium
 - ethanol-induced sleep
- Caloric expenditure, 851
 - body weight
 - nicotine
 - physical activity
- Cancer chemotherapy, 259
 - antiemetics
 - conditioned taste aversion
- Cannabidiol, 13
 - cannabinol
 - naloxone
 - quasi-morphine withdrawal syndrome
 - Δ -9-THC
- Cannabinol, 13
 - cannabidiol
 - naloxone
 - quasi-morphine withdrawal syndrome
 - Δ -9-THC
- Carbohydrate absorption, 811
 - antiobesity drugs
 - lipid metabolism
 - meal patterns
- Carbohydrate ingestion, 541
 - α -adrenergic agonist
 - antidepressants
 - paraventricular nucleus
- Carbohydrates, 721
 - eating
 - histidine
 - protein
- Catalepsy, 911
 - haloperidol
 - molindone
 - neuroleptics
- Cataleptic behavior, 789
 - dopamine receptors
 - stereotyped behavior
- Catecholamines, 107
 - avoidance
 - p-chloroamphetamine
 - serotonin release
- Catheterization, 147
 - decapitation
 - plasma electrolytes
 - stress
- Cathinone, 355
 - amphetamine
 - aversion
 - operant behavior
 - rate-dependency
- CGS 8216
 - agonist/antagonist, 637
 - benzodiazepines, 33
 - chlordiazepoxide, 33
 - drug interactions, 33
 - CGS 9896, 637
 - quantitative autoradiography, 637
 - social interaction, 33
- CGS 9896, 637
 - agonist/antagonist
 - CGS 8216
 - quantitative autoradiography
- Chemosensory cues, 289
 - cigarette smoking
 - conditioned reinforcement
 - human studies
 - satiation
- Chlordiazepoxide
 - acquisition, 487
 - aversive brain stimulation, 1069
 - avoidance, 231
 - benzodiazepines, 33
 - CGS 8216, 33
 - clozapine, 231
 - discrimination, 487
 - drug comparisons, 231
 - drug discrimination, 927
 - drug interactions, 33, 927
 - escape, 231
 - ethanol, 927
 - haloperidol, 231
 - IC injections, 1069
 - morphine, 1069
 - social interaction, 33
- p-Chloroamphetamine, 107
 - avoidance
 - catecholamines
 - serotonin release
- Cholinergic neurons, 125
 - lesions, nucleus basalis
 - memory
 - recovery of function
- Chronic drug treatment, 949
 - amphetamine
 - drug discrimination
 - haloperidol
- Cigarette smoking, 289
 - chemosensory cues
 - conditioned reinforcement
 - human studies
 - satiation
- Circadian rhythm
 - genetic differences, 91
 - glucose-preference test, 917
 - lesions, ventromedial hypothalamic, 917
 - methamphetamine, chronic, 917
 - pain sensitivity, 91
 - withdrawal, 917
- CL 218,872, 169
 - drug interaction
 - hyperphagia
 - phenobarbital
 - tracazolate
 - zopiclone
- Climbing, 555
 - apomorphine
 - locomotor activity
 - inbred mice
- Clinical blood chemistry, 401
 - behavioral audiometry
 - toulene/alcohol interaction
- Clonidine
 - cocaine, 529
 - dependence, 995
 - developmental psychopharmacology, 567
 - discriminative stimulus, 529
 - fixed-interval schedule, 995
 - malnutrition, 567
- monkeys, 995
 - α -2 receptors, 529
 - tolerance, 995
- Clorgyline, 921
 - apomorphine
 - drug interaction
 - pargyline
 - [3 H]spiroperidol binding
 - stereotypy
- Clozapine, 231
 - avoidance
 - chlordiazepoxide
 - drug comparisons
 - escape
 - haloperidol
- CNS binding, 1059
 - abstinence
 - morphine dependence
- Cocaine
 - clonidine, 529
 - convulsion, 573
 - discriminative stimulus, 529
 - drug interaction, 823
 - heroin, 1029
 - kindling, 573
 - lesions, kainic acid, 1029
 - lesions, nucleus accumbens, 1029
 - local anesthetics, 831
 - locomotor activity, 831
 - monkeys, 823
 - pentylentetrazol, 573
 - phencyclidine, 823
 - α -2 receptors, 529
 - repeated acquisition, 823
 - self-administration, 1029
 - sensitization, 573
 - sodium channels, 831
- Cold water swim, 749
 - analgesia
 - desipramine
 - pain
- Compound IV, 645
 - animal models
 - anxiolytic activity
 - phenylpiperazines
- Conditioned avoidance response, 1013
 - gerbils
 - psychoactive drugs
 - strain differences
- Conditioned flavor aversion, 583
 - conditioned responses, chin rub
 - conditioned taste aversion
 - drug interaction
- Conditioned reinforcement, 289
 - chemosensory cues
 - cigarette smoking
 - human studies
 - satiation
- Conditioned responses, chin rub, 583
 - conditioned flavor aversion
 - conditioned taste aversion
 - drug interaction
- Conditioned taste aversion
 - antiemetics, 259
 - cancer chemotherapy, 259
 - conditioned flavor aversion, 583
 - conditioned responses, chin rub, 583
 - drug interaction, 583
- Constant illumination, 535
 - endogenous opioids
 - lordosis

- Continuous non-match, 599
 - discrimination
 - pesticides
 - working memory
- Convulsants, 285
 - barbiturates
 - benzodiazepines
 - GABAergic transmission
- Convulsions
 - cocaine, 573
 - electroshock, 473
 - [³H]-flunitrazepam binding, 965
 - kindling, 573
 - pentylentetrazol, 573
 - phenobarbital, 473
 - β -phenylethylamine, 965
 - phenytoin, 473
 - postnatal development, 473
 - sensitization, 573
- Corticotropin releasing factor, 303
 - amphetamine
 - caffeine
 - heroin
 - locomotor activity
- Cross-generalization, 425
 - drug discrimination
 - methylanthines
- DA receptor supersensitivity, 715
 - haloperidol
 - locomotor activity
- Decapitation, 147
 - catheterization
 - plasma electrolytes
 - stress
- 2-Deoxy-D-glucose, 391
 - food deprivation
 - hyperphagia
 - insulin
 - NaCl imbibition
- Dependence, 995
 - clonidine
 - fixed-interval schedule
 - monkeys
 - tolerance
- Depression, 21
 - human studies, mentally retarded
 - hypothalamic-pituitary-adrenal axis
 - MSH/ACTH fragments
 - stress
- Desipramine
 - analgesia, 749
 - bulbectomy, 65
 - cold water swim, 749
 - 5,7-dihydroxytryptamine, 65
 - ECS, 65
 - locus coeruleus, 65
 - muricide, 65
 - 6-OHDA, 65
 - pain, 749
 - substantia nigra, 65
- Developmental psychopharmacology, 567
 - clonidine
 - malnutrition
- Diazepam, 17
 - aggression
 - benzodiazepine-receptor
 - isolation
- 5,7-Dihydroxytryptamine, 65
 - bulbectomy
 - desipramine
- ECS
 - locus coeruleus
 - muricide
 - 6-OHDA
 - substantia nigra
- Discrimination
 - acquisition, 487
 - chlordiazepoxide, 487
 - continuous non-match, 599
 - drug interaction, 591
 - pesticides, 591, 599
 - spatial reversals, 591
 - working memory, 591, 599
- Discriminative stimulus
 - clonidine, 529
 - cocaine, 529
 - DOM, 937
 - α -2 receptors, 529
 - stimulus antagonist, 937
- Distal visual cues, 1
 - anticholinergic drugs
 - scopolamine
 - spatial memory
- Dogs, 317
 - pyrazoloquinolines
 - route of administration
 - schedule-controlled behavior
- DOM, 937
 - discriminative stimulus
 - stimulus antagonism
- DOPAC/DA ratio, 253
 - food related stimuli
 - schedule-induced feeding
- Dopamine agonists, 7
 - drug discrimination
 - fenfluramine
- Dopamine receptor blockade, 243
 - bombesin
 - locomotor activity
 - mediation
- Dopamine receptors
 - adrenergic receptors, 495
 - cataleptic behavior, 789
 - exercise, 495
 - head-twitches, 43
 - locomotor activity, 43
 - methiothepin, 43
 - operant behavior, 495
 - quipazine, 43
 - running, 495
 - stereotyped behavior, 789
- Dopaminergic agents, 445
 - locomotor activity
 - strain differences
- Drinking
 - aversion, 559
 - human studies, 559
 - naloxone, 1065
 - putative satiety glycoprotein, 559
 - satiety, 559
 - tolerance, 1065
- Drug
 - alcohol, 401, 959
 - amitriptyline, 541
 - amphetamine, 7, 37, 99, 173, 303, 355, 373, 425, 445, 499, 911
 - d-amphetamine, 417, 479, 519, 715
 - apomorphine, 7, 43, 259, 445, 583, 555, 911, 921
 - atropine, 781, 969
 - bethanechol, 969
 - bicuculline, 675
 - bromazepam, 249
 - buprenorphine, 1037
 - busipirone, 687
 - caffeine, 85, 237, 275, 303, 425, 499, 515, 633
 - calmodulin, 627
 - cannabidiol, 13
 - cannabinol, 13
 - carbaryl, 591, 599
 - 3-carboethoxy- β -carboline, 17
 - cathinone, 355
 - CGS 8216, 33, 317, 637
 - CGS 9895, 317
 - CGS 9896, 317, 937
 - p-chloroamphetamine, 107
 - chlordiazepoxide, 33, 169, 231, 487, 591, 599, 927, 965, 1069
 - chlordimeform, 591, 599
 - chlorimipramine, 541
 - 3-chlorophenylpiperazine, 137
 - chlorpromazine, 479, 1013
 - citalopram, 753
 - CL 218,872, 169
 - clomipramine, 153
 - clonazepam, 169, 285
 - clonidine, 529, 541, 567, 995
 - clorgyline, 921
 - clozapine, 203, 231, 479
 - cocaine, 449, 529, 573, 823, 831, 1013, 1029
 - CP-52,215, 937
 - p-CPA, 279
 - cyclophosphamide, 259
 - l-cycloserine, 697
 - DAGO, 871
 - deltamethrin, 591, 599
 - 2-deoxy-D-glucose, 701
 - desipramine, 65, 749
 - dexamethasone, 697
 - diazepam, 17, 249, 285, 317, 965, 1013
 - 3,4-dihydroxyphenylacetic acid, 253
 - 5,7-dihydroxytryptamine, 65, 473
 - DOM, 937
 - l-DOPA, 715
 - dopamine, 7, 253, 417, 495, 627, 803, 911
 - DSP-4, 93
 - eserine, 583
 - ethanol, 71, 221, 285, 309, 627, 759, 927
 - ethosuximide, 469
 - ethylketocyclazocine, 457
 - fencamfamine, 449
 - fenfluramine, 7, 509, 551
 - fluoxetine, 753
 - flunitrazepam, 637
 - fluphenazine, 243
 - flutamide, 397
 - gamma-hydroxybutyric acid, 185
 - glucose, 37
 - l-glutamic acid- γ -hydrazine, 697
 - guanethidine, 55, 267
 - halazepam, 973
 - haloperidol, 43, 231, 479, 715, 777, 789, 803, 911, 949, 1013
 - heroin, 303, 411, 495, 499, 1029
 - histidine, 721
 - 5-HTP, 279
 - 6-hydroxydopamine, 65, 243, 473
 - l-5-hydroxytryptophan, 43
 - imipramine, 203
 - insulin, 391, 701, 709
 - lead, 49

- levomepromazine, 203
- levonantradol, 259
- lidocaine, 573
- lisuride, 461, 937
- lithium, 145
- LSD, 619
- LY-53,857, 937
- marihuana, 765
- mecamylamine, 781
- 6-MeO-THBC, 753
- methamphetamine, 781, 917, 1013
- methiothepin, 43
- methscopolamine, 583
- methylaloxonium, 411
- methyl naloxonium chloride, 495
- methylphenidate, 77, 379
- methysergide, 355
- metrazol, 425
- MHPG-SO₁, 379
- MJ-13980, 789
- molindone, 911
- morphine, 295, 349, 431, 457, 505, 727, 731, 843, 863, 931, 1013, 1045, 1059, 1069
- nabilone, 259
- naloxone, 13, 199, 207, 345, 431, 499, 535, 769, 797, 883, 905, 1065
- naltrexone, 207, 385, 505, 701, 709, 731, 797
- neostigmine, 583
- nicotine, 141, 279, 289, 325, 439, 851, 987
- noradrenaline, 379
- norcocaine, 831
- norepinephrine, 215, 431, 495, 627, 749
- octopamine, 965
- Org 2766, 1019
- 8-OH DPAT, 937
- oxaprotiline, 93
- pargyline, 921
- pentobarbital, 249, 285, 505, 759, 1013
- pentyleneetetrazol, 573
- pergolide, 445
- pergolide mesylate, 161
- phencyclidine, 99, 607, 613, 743, 803, 823, 1051
- phenylacetic acid, 965
- phenobarbital, 21, 169, 215, 473
- phenylethanolamine, 965
- β -phenylethylamine, 519
- phenytoin, 473
- phosphoramidon, 385
- physostigmine, 339, 583, 599, 781, 1013
- picrotoxin, 675
- pilocarpine, 1013
- pimozide, 777
- PK 11195, 737
- proadifen, 137
- prochlorperazine, 259
- propoxur, 591, 599
- propranolol, 27
- (+)-pseudocaine, 831
- puromycin, 27
- quazepam, 973
- quipazine, 43, 943
- ritanserin, 937
- RO5-4864, 285
- Ro 15-1788, 17, 249
- scopolamine, 1, 583, 591
- serotonin, 417, 627
- soman, 225, 1003
- streptomycin sulfate, 525
- sulbutiamine, 195
- sulpiride, 479
- suriclone, 653
- THC, 607, 1051
- Δ -9-THC, 13, 153, 259
- theophylline, 425
- thioridazine, 203, 479
- THT, 937
- tifluadom, 979
- toluene, 401
- tracazolate, 169, 675
- trazodone, 137
- trifluoperazine, 627, 777
- tropacocaine, 831
- tryptamine, 943
- tryptophan hydroxylase, 215
- tyramine, 965
- U-50488, 871
- valproic acid, 469
- verapamil, 969
- W-7: [N-(6-Aminoheptyl)-5-chloro-1-naphthalenesulfonamide], 627
- xylamine, 619
- yohimbine, 529
- zopiclone, 169, 653
- Drug comparisons, 231
 - avoidance
 - chlordiazepoxide
 - clozapine
 - escape
 - haloperidol
- Drug discrimination
 - amphetamine, 949
 - biodisposition, 607
 - chlordiazepoxide, 927
 - chronic drug treatment, 949
 - cross-generalization, 425
 - dopamine agonists, 7
 - drug interactions, 927
 - ethanol, 927
 - fencamfamine, 449
 - fenfluramine, 7
 - haloperidol, 949
 - methylanthines, 425
 - phencyclidine, 607
 - schedule-controlled responding, 449
 - smoking, 607
- Drug interaction
 - acquisition, 1051
 - apomorphine, 921
 - benzodiazepines, 33
 - caffeine, 633
 - CGS 8216, 33
 - chlordiazepoxide, 33, 927
 - CL 218,872, 169
 - clorgyline, 921
 - cocaine, 823
 - conditioned flavor aversion, 583
 - conditioned responses, chin rub, 583
 - conditioned taste aversion, 583
 - discrimination, 591
 - drug discrimination, 927
 - ethanol, 759, 927
 - hyperphagia, 169
 - monkeys, 249, 823, 1051
 - monoamine oxidase, 753
 - pargyline, 921
 - pentobarbital, 759
 - pesticides, 591
 - phencyclidine, 823
 - phenobarbital, 169
 - repeated acquisition, 823
- RO 15-1788, 249
- seizures, audiogenic, 753
- self-administration, 759
- serotonin uptake, 753
- social interaction, 33
- spatial reversals, 591
- [³H]spiroperidol binding, 921
- stereotypy, 921
- THC, 1051
- tolerance, 633
- tracazolate, 169
- wheelrunning, 633
- working memory, 591
- zopiclone, 169
- Drug reinforcement, 837
 - heroin
 - intracranial self-stimulation
 - self-administration
- Drug sensitivity, 191
 - exercise
- DSIP, 953
 - brain temperature
 - sleep-promoting substances
- DSP-4, 93
 - locus coeruleus
 - neophobia
 - REM sleep deprivation
- Eating
 - anorexia, 161
 - aversion, 559
 - body weight, 161
 - buprenorphine, 1037
 - carbohydrates, 721
 - drug interaction, 249
 - endorphins, 889
 - exercise, 701, 709
 - histidine, 721
 - human studies, 559
 - hyperphagia, 345, 889
 - hypothalamic injections, 431
 - kappa agonists, 889
 - lactation, 345
 - monkeys, 249, 1037
 - morphine, 431
 - naloxone, 345, 431
 - opiate antagonists, 889
 - opiates, 345
 - opioid modulation, 709, 710
 - pergolide mesylate, 161
 - protein, 721
 - putative satiety glycoprotein, 559
 - RO 15-1788, 249
 - satiety, 559
 - satiety, 889
- Electric shock, 769
 - analgesia
 - motor suppression
 - opioid peptides
- Electroconvulsive shock (ECS), 65
 - bulbectomy
 - desipramine
 - 5,7-dihydroxytryptamine
 - locus coeruleus
 - muricide
 - 6-OHDA
 - substantia nigra
- Electroencephalography, 661
 - GABA receptor complex
 - rabbits
- Electroshock, 473

- convulsions
- phenobarbital
- phenytoin
- postnatal development
- Endogenous opioids, 535
 - constant illumination
 - lordosis
- β -Endorphin, 141
 - hypothalamus
 - neuropeptides
 - nicotine
- Endorphins
 - aversion, 877
 - behavior, 857
 - eating, 889
 - exercise, 857
 - hyperphagia, 889
 - kappa agonist, 889
 - opiate antagonists, 889
 - opioids, 877
 - reward, 877
 - satiety, 889
 - self-administration, 877
- Enkephalinase inhibition, 385
 - grooming
 - opiate withdrawal
 - REM sleep deprivation
- Enkephalins, 207
 - basal ganglia
 - bodily asymmetry
 - rotational behavior
- Erythrocytes, 145
 - human studies
 - isotope effect
 - lithium
 - mania
- Escape
 - avoidance, 225, 231
 - chlordiazepoxide, 231
 - clozapine, 231
 - drug comparisons, 231
 - haloperidol, 231
 - soman, 225
- Essential fatty acids, 71
 - alcohol withdrawal
 - ethanol
 - prostaglandins
- Estrogen, 397
 - female sexual behavior in male rats
 - prenatal exposure, antiandrogen
- Estrous cyclicity, 221
 - ethanol
 - luteinizing hormone levels
 - prolactin levels
- Ethanol
 - alcohol withdrawal, 71
 - chlordiazepoxide, 927
 - drug discrimination, 927
 - drug interactions, 759, 927
 - essential fatty acids, 71
 - estrous cyclicity, 221
 - luteinizing hormone levels, 221
 - pentobarbital, 759
 - prolactin levels, 221
 - prostaglandins, 71
 - self-administration, 759
- Ethanol-induced sleep, 627
 - calcium
 - calmodulin antagonists
- Ethanol intake, 333
 - lesions, amygdala
 - neophobia
- Ethanol sensitivity, 309
 - body temperature
 - sex differences, mice
- Ethanol withdrawal tremor, 339
 - physostigmine
- Ether stress, 697
 - GABA catabolism
 - post mortem changes
- Ethological analysis, 979
 - social investigation
 - tifluadom
- Ethosuximide, 469
 - fixed-ratio schedule
 - pigeons
 - valproic acid
- Ethylketocyclazocine, 457
 - abstinence syndrome
 - morphine
- Exercise
 - adrenergic receptors, 495
 - behavior, 857
 - dopamine receptors, 495
 - drug sensitivity, 191
 - eating, 701, 709
 - endorphins, 857
 - operant behavior, 495
 - opioid modulation, 701, 709
 - running, 495
- Exploration
 - animal model, 461
 - pCPA, 279
 - hallucinogens, 461
 - hyperactivity, 279
 - locomotor activity, 461
- Female sexual behavior in male rats, 397
 - estrogen
 - prenatal exposure, antiandrogen
- Fencamfamine, 449
 - drug discrimination
 - schedule-controlled responding
- Fenfluramine
 - anorexia, 551
 - body weight, 551
 - brown adipose tissue, 509
 - dopamine agonists, 7
 - drug discrimination, 7
 - GDP-binding, 509
 - tolerance, 551
- Fetus development, 439
 - nicotine
 - prenatal exposure, nicotine
 - saccharin preferences
- Fighting behavior, 237
 - benzodiazepines
 - caffeine
- Fixed-interval schedule, 995
 - clonidine
 - dependence
 - monkeys
 - tolerance
- Fixed-interval self-stimulation, 519
 - d*-amphetamine
 - lateral hypothalamus
 - β -phenylethylamine
- Fixed ratio responding, 797
 - brain self-stimulation
 - locomotor activity
 - opioid antagonists
- Fixed ratio schedule
 - amphetamine, 417
- ethosuximide, 469
 - pigeons, 469
 - thermal stressors, 417
 - valproic acid, 469
- [3 H]-Flunitrazepam binding, 965
 - convulsions
 - β -phenylethylamine
- Food deprivation, 391
 - 2-deoxy-D-glucose
 - hyperphagia
 - insulin
 - NaCl imbibition
- Food related stimuli, 253
 - DOPAC/DA ratio
 - schedule-induced feeding
- Food reward, 199
 - acquisition
 - naloxone
 - opioids
 - self-stimulation
- Forced lever, 781
 - atropine
 - mecamylamine
 - methamphetamine
 - motor control
 - physostigmine
- Forced swimming test, 203
 - imipramine
 - neuroleptics
- GABA benzodiazepine receptor complex, 671
 - benzodiazepine receptor agonists
 - binding studies
 - inverse benzodiazepine agonists
- GABA catabolism, 697
 - ether stress
 - post mortem changes
- GABA receptor complex, 661
 - electroencephalography
 - rabbis
- GABAergic transmission, 285
 - barbiturates
 - benzodiazepines
 - convulsants
 - R05-4864
- Gammahydroxybutyric acid, 185
 - locomotor activity
 - neonatal rats
- Gastric emptying, 969
 - stress, cold-restraint
 - vagal activity
- GDP-binding, 509
 - brown adipose tissue
 - fenfluramine
- Genetic differences, 91
 - circadian rhythms
 - pain sensitivity
- Gerbils, 1013
 - conditioned avoidance response
 - psychoactive drugs
 - strain differences
- Glucose-preference test, 917
 - circadian rhythm
 - lesions, ventromedial hypothalamic
 - methamphetamine, chronic
 - withdrawal
- Grooming, 385
 - enkephalinase inhibition
 - opiate withdrawal
 - REM sleep deprivation

- Guanethidine
 - penile reflexes, 55
 - sexual behavior, male rat, 55
 - sociosexual behavior, 267
 - sympathectomy, 267
- Hormone
 - ACTH 4-9, 367
 - luteinizing hormone, 55, 221, 765
 - progesterone, 501
 - prolactin, 221
 - prostaglandin, 71
 - testosterone, 55
- Haemolymph, 525
 - insects
 - streptomycin sulfate
 - tissues
- Hallucinogens, 461
 - animal model
 - exploration
 - locomotor activity
- Haloperidol
 - amphetamine, 949
 - avoidance, 231
 - brain stimulation reward, 777
 - catalepsy, 911
 - chlordiazepoxide, 231
 - chronic drug treatment, 949
 - clozapine, 231
 - DA receptor supersensitivity, 715
 - drug comparisons, 231
 - drug discrimination, 949
 - escape, 231
 - locomotor activity, 715
 - molindone, 911
 - neuroleptics, 911
 - phencyclidine, 803
 - pimozide, 777
 - self-stimulation, 777
 - stereotyped behavior, 803
 - trifluoperazine, 777
- Head-twitches, 43
 - dopamine receptors
 - locomotor activity
 - methiothepin
 - quipazine
- Heart rate, 325
 - body temperature
 - nicotine effects
 - startle response
 - Y-maze
- Heroin
 - amphetamine, 303, 499
 - caffeine, 303, 499
 - cocaine, 1029
 - corticotropin releasing factor, 303
 - drug reinforcement, 837
 - hyperactivity, 411
 - intracranial self-stimulation, 837
 - lesions, kainic acid, 1029
 - lesions, nucleus accumbens, 1029
 - locomotor activity, 303, 411, 499
 - methylnaloxonium, 411
 - methyl naloxonium chloride, 495
 - naloxone, 499
 - self-administration, 495, 837, 1029
- Heterogeneity, 681
 - benzodiazepines
 - binding sites
- High-affinity site, 987
 - low affinity site
- nicotine binding
 - very high affinity site
- Hippocampal cholinergic activity, 195
 - learning and memory
 - subbutamine
 - thiamine deficiency
- Hippocampal theta rhythm, 489
 - septal stimulation
 - tyrosine hydroxylase
- Histamine, 153
 - Δ^9 -THC
 - tolerance
 - withdrawal
- Histidine, 721
 - carbohydrates
 - eating
 - protein
- Holeboard, 479
 - neuroleptic drug screening
 - stereotyped behaviors
- Human studies
 - aversion, 559
 - chemosensory cues, 289
 - cigarette smoking, 289
 - conditioned reinforcement, 289
 - drinking, 559
 - eating, 559
 - erythrocytes, 145
 - isotope effect, 145
 - lithium, 145
 - mania, 145
 - putative satiety glycoprotein, 559
 - satiation, 289
 - satiating, 559
- Human studies, mentally retarded, 21
 - depression
 - hypothalamic-pituitary-adrenal axis
 - MSH/ACTH fragments
 - stress
- Human studies, women, 765
 - luteinizing hormone
 - marihuana
 - menopause
- 6-Hydroxydopamine (6-OHDA), 65
 - bulbectomy
 - desipramine
 - 5,7-dihydroxytryptamine
 - ECS
 - locus coeruleus
 - muricide
 - substantia nigra
- Hyperactivity
 - exploration, 279
 - heroin, 411
 - locomotor activity, 411
 - methylnaloxonium, 411
 - methylphenidate, 77
 - operant behavior, 77
 - pCPA, 279
 - rate-dependency, 77
- Hyperphagia
 - CL 218,872, 169
 - 2-deoxy-D-glucose, 391
 - drug interaction, 169
 - eating, 345, 889
 - endorphins, 889
 - food deprivation, 391
 - insulin, 391
 - Kappa agonists, 889
 - lactation, 345
 - NaCl imbibition, 391
 - naloxone, 345
- opiate antagonists, 889
- opiates, 345
- phenobarbital, 169
- satiety, 889
- tracazolate, 169
- zopiclone, 169
- Hyperthermia, 373
 - inbred mice
 - thermoregulation
- Hypothalamic injections, 431
 - morphine
 - naloxone
- Hypothalamic-pituitary-adrenal axis, 21
 - depression
 - human studies, mentally retarded
 - MSH/ACTH fragments
 - stress
- Hypothalamus, 141
 - β -endorphin
 - neuropeptides
 - nicotine
- IC injections, 1069
 - aversive brain stimulation
 - chlordiazepoxide
 - morphine
- Imipramine, 203
 - forced swimming test
 - neuroleptics
- Inbred mice
 - apomorphine, 555
 - caffeine-induced lethality, 275
 - climbing, 555
 - hyperthermia, 373
 - locomotor activity, 555
 - pharmacogenetics, 275
 - thermoregulation, 373
- Inhibition, 137
 - avoidance
 - metabolism
 - trazodone
- Insects, 525
 - haemolymph
 - streptomycin sulfate
 - tissues
- Insulin, 391
 - 2-deoxy-D-glucose
 - food deprivation
 - hyperphagia
 - NaCl imbibition
- Intracerebroventricular administration, 731
 - pigeons
- Intracranial self-stimulation, 837
 - drug reinforcement
 - heroin
 - self-administration
- Inverse benzodiazepine agonists, 671
 - benzodiazepine receptor agonists
 - binding studies
 - GABA benzodiazepine receptor complex
- Isolation, 17
 - aggression
 - benzodiazepine-receptor
 - diazepam
- Isotope effect, 145
 - erythrocytes
 - human studies
 - lithium
 - mania

- Kappa agonists, 889
 - eating
 - endorphins
 - hyperphagia
 - opiate antagonists
 - satiety
- Ketamine, 743
 - baboons
 - phencyclidine
 - reaction times
 - sensory thresholds
- Kindling
 - alcohol, 959
 - anticonvulsant, 959
 - cocaine, 573
 - convulsion, 573
 - pentyleneetetrazol, 573
 - sensitization, 573
 - tolerance, 959
- Lactation, 345
 - eating
 - hyperphagia
 - naloxone
 - opiates
- Lateral hypothalamus
 - d*-amphetamine, 519
 - fixed-interval self-stimulation, 519
 - median raphe nucleus, 943
 - β -phenylethylamine, 519
 - quipazine, 943
 - self-stimulation, 943
 - tryptamine, 943
- Lead, 49
 - aging
 - passive avoidance
- Learning and memory, 195
 - hippocampal cholinergic activity
 - sulbutiamine
 - thiamine deficiency
- Lesions, amygdala, 333
 - ethanol intake
 - neophobia
- Lesions, central medial nucleus accumbens, 843
 - morphine
 - neurotransmitter content
 - self-administration
- Lesions, hippocampal, 1019
 - attention
 - lesions, neocortical
 - lesions, sham
 - Org 2766
- Lesions, kainic acid, 1029
 - cocaine
 - heroin
 - lesions, nucleus accumbens
- Lesions, neocortical, 1019
 - attention
 - lesions, hippocampal
 - lesions, sham
 - Org 2766
- Lesions, nucleus accumbens, 1029
 - cocaine
 - heroin
 - lesions, kainic acid
 - self-administration
- Lesions, nucleus basalis, 125
 - cholinergic neurons
 - memory
 - recovery of function
- Lesions, sham, 1019
 - attention
 - lesions, hippocampal
 - lesions, neocortical
 - Org 2766
- Lesions, ventromedial hypothalamic, 917
 - circadian rhythm
 - glucose-preference test
 - methamphetamine, chronic
 - withdrawal
- Lipid metabolism, 811
 - antiobesity drugs
 - carbohydrate absorption
 - meal patterns
- Lithium, 145
 - erythrocytes
 - human studies
 - isotope effect
 - mania
- Local anesthetics, 831
 - cocaine
 - locomotor activity
 - sodium channels
- Locomotor activity
 - amphetamine, 99, 303, 499
 - animal model, 461
 - apomorphine, 555
 - bombesin, 243
 - brain self-stimulation, 797
 - caffeine, 85, 303, 499, 515
 - climbing, 555
 - cocaine, 831
 - corticotropin releasing factor, 303
 - DA receptor supersensitivity, 715
 - dopamine receptor blockade, 243
 - dopamine receptors, 43
 - dopaminergic agents, 445
 - exploration, 461
 - fixed ratio responding, 797
 - gammahydroxybutyric acid, 185
 - hallucinogens, 461
 - haloperidol, 715
 - head-twitches, 43
 - heroin, 303, 411, 499
 - hyperactivity, 411
 - inbred, 555
 - local anesthetics, 831
 - LSD, 619
 - mediation, 243
 - methiothepin, 43
 - methylnaloxonium, 411
 - mimetic responses, 515
 - naloxone, 499
 - neonatal rats, 185
 - neophobia, 515, 619
 - norepinephrine, 619
 - opioid antagonists, 797
 - phencyclidine, 99
 - quipazine, 43
 - sodium channels, 831
 - spatial learning, 85
 - stereotypy, 99
 - strain differences, 445
 - taste aversion, 515
 - tunnel maze, 85
 - xylamine, 619
- Locus coeruleus
 - bulbectomy, 65
 - desipramine, 65
 - 5,7-dihydroxytryptamine, 65
 - DSP-4, 93
 - ECS, 65
 - muricide, 65
 - neophobia, 93
 - 6-OHDA, 65
 - REM sleep deprivation, 93
 - substantia nigra, 65
- Lordosis, 535
 - constant illumination
 - endogenous opioids
- Lordosis response, 501
 - adenylate cyclase
 - cAMP
 - progesterone
- Low affinity site, 987
 - high affinity site
 - nicotine binding
 - very high affinity site
- LSD, 619
 - locomotor activity
 - neophobia
 - norepinephrine
 - tylamine
- Luteinizing hormone, 765
 - human studies, women
 - marihuana
 - menopause
- Luteinizing hormone levels, 221
 - estrous cyclicity
 - ethanol
 - prolactin levels
- Magnetic fields, 727
 - opioid-induced feeding
 - slugs
- Malnutrition, 567
 - clonidine
 - developmental psychopharmacology
- Mania, 145
 - erythrocytes
 - human studies
 - isotope effect
 - lithium
- Marihuana, 765
 - human studies, women
 - luteinizing hormone
 - menopause
- Meal patterns, 811
 - antiobesity drugs
 - carbohydrate absorption
 - lipid metabolism
- Mecamylamine, 781
 - atropine
 - forced lever
 - methamphetamine
 - motor control
 - physostigmine
- Median raphe nucleus, 943
 - lateral hypothalamus
 - quipazine
 - self-stimulation
 - tryptamine
- Mediation, 243
 - bombesin
 - dopamine receptor blockade
 - locomotor activity
- Memory
 - aversion, 37
 - cholinergic neurons, 125
 - lesions, nucleus basalis, 125
 - place preference, 37
 - recovery of function, 125

- Memory spread, 27
 - β -adrenergic antagonist
 - propranolol
- Menopause, 765
 - human studies, women
 - luteinizing hormone
 - marihuana
- Metabolism, 137
 - avoidance
 - inhibition
 - trazodone
- Methamphetamine, 781
 - atropine
 - forced lever
 - mecamylamine
 - motor control
 - physostigmine
- Methamphetamine, chronic, 917
 - circadian rhythm
 - glucose-preference test
 - lesions, ventromedial hypothalamic
 - withdrawal
- Methiothepin, 43
 - dopamine receptors
 - head-twitches
 - locomotor activity
 - quipazine
- Method
 - autoradiography, 637, 681
 - cold-restraint stress, 969
 - dexamethasone suppression test, 21
 - electroencephalography, 661
 - gel filtration, 1045
 - high performance liquid
 - chromatography, 1045, 1065
 - photo affinity labeling, 681
 - quantitative autoradiography, 27
 - radioimmunoassay, 1045
- Methylanthines, 425
 - cross-generalization
 - drug discrimination
- Methylnaloxonium, 411
 - heroin
 - hyperactivity
 - locomotor activity
- Methylnaloxonium chloride, 495
 - heroin
 - self-administration
- Methylphenidate
 - brain metabolism, 379
 - hyperactivity, 77
 - operant behavior, 77
 - rate-dependency, 77
 - stress, 379
 - ulcer, 379
- Mimetic responses, 515
 - caffeine
 - locomotor activity
 - neophobia
 - taste aversion
- Molindone, 911
 - catalepsy
 - haloperidol
 - neuroleptics
- Monkeys
 - acquisition, 1051
 - buprenorphine, 1037
 - clonidine, 995
 - cocaine, 823
 - dependence, 995
 - drug interaction, 249, 823, 1051
 - eating, 1037
 - fixed-interval schedule, 995
 - phencyclidine, 823
 - repeated acquisition, 823
 - RO 15-1788, 249
 - THC, 1051
 - tolerance, 995
- Monoamine neurotransmitters, 215
 - barbiturates
 - phenobarbital
- Monoamine oxidase, 753
 - drug interaction
 - seizures, audiogenic
 - serotonin uptake
- Morphine
 - abstinence syndrome, 457
 - analgesia, 931
 - aversive brain stimulation, 1069
 - body temperature, 505
 - brain stimulation electrical, 931
 - chlordiazepoxide, 1069
 - ethylketocyclazocine, 457
 - hypothalamic injections, 431
 - IC injections, 1069
 - lesions, central medial nucleus
 - accumbens, 843
 - naloxone, 431
 - narcosis, 505
 - neurotransmitter content, 843
 - opiate dependence, 863
 - opiate withdrawal, 863
 - pentobarbital, 505
 - receptor binding, 349
 - self-administration, 843
 - strain differences, 349
- Morphine cross tolerance, 883
 - analgesia
 - naloxone
 - social conflict
- Morphine dependence, 1059
 - abstinence
 - CNS binding
- Morphine pharmacokinetics, 295
 - muscular rigidity
 - nucleus accumbens
 - striatum
- Motor control, 781
 - atropine
 - forced lever
 - mecamylamine
 - methamphetamine
 - physostigmine
- Motor suppression, 769
 - analgesia
 - electric shock
 - opioid peptides
- MSH/ACTH fragments, 21
 - depression
 - human studies, mentally retarded
 - hypothalamic-pituitary-adrenal axis
 - stress
- Muricide, 65
 - bulbectomy
 - desipramine
 - 5,7-dihydroxytryptamine
 - ECS
 - locus coeruleus
 - 6-OHDA
 - substantia nigra
- Muscular rigidity, 295
 - morphine pharmacokinetics
 - nucleus accumbens
 - striatum
- NaCl imbibition, 391
 - 2-deoxy-D-glucose
 - food deprivation
 - hyperphagia
 - insulin
- Naloxone
 - acquisition, 199
 - amphetamine, 499
 - analgesia, 883
 - caffeine, 499
 - cannabidiol, 13
 - cannabinol, 13
 - drinking, 1065
 - eating, 345
 - food reward, 199
 - heroin, 499
 - hyperphagia, 345
 - hypothalamic injections, 431
 - lactation, 345
 - locomotor activity, 499
 - morphine, 431
 - morphine cross tolerance, 883
 - open field, 905
 - opiates, 345
 - opioids, 199
 - quasi-morphine withdrawal syndrome
 - 13
 - self-stimulation, 199
 - social behavior, 905
 - social conflict, 883
 - Δ -9-THC, 13
 - tolerance, 1065
- Narcosis, 505
 - body temperature
 - morphine
 - pentobarbital
- Neonatal rats, 185
 - gamma-hydroxybutyric acid
 - locomotor activity
- Neophobia
 - caffeine, 515
 - DSP-4, 93
 - ethanol intake, 333
 - lesions, amygdala, 333
 - locomotor activity, 515, 619
 - locus coeruleus, 93
 - LSD, 619
 - mimetic responses, 515
 - norepinephrine, 619
 - REM sleep deprivation, 93
 - taste aversion, 515
 - xylamine, 619
- Neurobehavioral response, 1003
 - baboons
 - seizures
 - soman, sublethal exposure
- Neuroleptic drug screening, 479
 - holeboard
 - stereotyped behaviors
- Neuroleptics
 - catalepsy, 911
 - forced swimming test, 203
 - haloperidol, 911
 - imipramine, 203
 - molindone, 911
- Neuropeptides, 141
 - β -endorphin
 - hypothalamus
 - nicotine
- Neurotransmitter content, 843
 - lesions, central medial nucleus
 - accumbens

- morphine
 - self-administration
- Nicotine
 - body weight, 851
 - caloric expenditure, 851
 - β -endorphin, 141
 - fetus development, 439
 - hypothalamus, 141
 - neuropeptides, 141
 - physical activity, 851
 - prenatal exposure, nicotine, 439
 - saccharin preferences, 439
- Nicotine binding, 987
 - high affinity site
 - low affinity site
 - very high affinity site
- Nicotine effects, 325
 - body temperature
 - heart rate
 - startle response
 - Y-maze
- Nonbenzodiazepine, 687
 - anxiety
 - busipirone
- Norepinephrine, 619
 - locomotor activity
 - LSD
 - neophobia
 - xylamine
- Nucleus accumbens, 295
 - morphine pharmacokinetics
 - muscular rigidity
 - striatum
- Open field, 905
 - naloxone
 - social behavior
- Operant behavior
 - adrenergic receptors, 495
 - amphetamine, 355
 - aversion, 355
 - cathinone, 355
 - dopamine receptors, 495
 - exercise, 495
 - hyperactivity, 77
 - methylphenidate, 77
 - rate-dependency, 77, 355
 - running, 495
- Opiate antagonists, 889
 - eating
 - endorphins
 - hyperphagia
 - Kappa agonists
 - satiety
- Opiate dependence, 863
 - opiate withdrawal
 - morphine
- Opiate receptors, 871
 - aggression
 - social interaction
- Opiates, 345
 - eating
 - hyperphagia
 - lactation
 - naloxone
- Opiate withdrawal
 - enkephalinase inhibition, 385
 - grooming, 385
 - morphine, 863
 - opiate dependence, 863
 - REM sleep deprivation, 385
- Opioid antagonists, 797
 - brain self-stimulation
 - fixed ratio responding
 - locomotor activity
- Opioid-induced feeding, 727
 - magnetic fields
 - slugs
- Opioid modulation
 - eating, 701, 709
 - exercise, 701, 709
- Opioid peptides, 769
 - analgesia
 - electric shock
 - motor suppression
- Opioids
 - acquisition, 199
 - aversion, 877
 - endorphins, 877
 - food reward, 199
 - naloxone, 199
 - reward, 877
 - self-administration, 877
 - self-stimulation, 199
- Org 2766, 1019
 - attention
 - lesions, hippocampal
 - lesions, neocortical
 - lesions, sham
- Pain, 749
 - analgesia
 - cold water swim
 - desipramine
- Pain sensitivity, 91
 - circadian rhythms
 - genetic differences
- Paraventricular nucleus, 541
 - α -adrenergic agonist
 - antidepressants
 - carbohydrate ingestion
- Pargyline, 921
 - apomorphine
 - clorgyline
 - drug interaction
 - [3 H]spiroperidol binding
 - stereotypy
- Passive avoidance, 49
 - aging
 - lead
- pCPA, 279
 - exploration
 - hyperactivity
- Penile reflexes, 55
 - guanethidine
 - sexual behavior, male rat
- Pentobarbital
 - body temperature, 505
 - drug interaction, 759
 - ethanol, 759
 - morphine, 505
 - narcosis, 505
 - self-administration, 759
- Pentylentetrazol, 573
 - cocaine
 - convulsion
 - kindling
 - sensitization
- Peptide
 - bombesin, 243
 - corticotropin releasing factor (CRF), 303
- delta sleep-inducing peptide, 953
- β -endorphin, 141, 535
- met 3 -enkephalin, 141
- enkephalins, 207
- Pergolide mesylate, 161
 - anorexia
 - body weight
 - eating
- Perseveration, 173
 - amphetamine
 - stress
- Pesticides
 - continuous non-match, 599
 - discrimination, 591, 599
 - drug interaction, 591
 - spatial reversals, 591
 - working memory, 591, 599
- Pharmacogenetics, 275
 - caffeine-induced lethality
 - inbred mice
- Pharmacological studies, 653
 - suriclone
 - zopiclone
- Phencyclidine
 - amphetamine, 99
 - baboons, 743
 - biodisposition, 607
 - calcium channel inhibitors, 613
 - cocaine, 823
 - drug discrimination, 607
 - drug interaction, 823
 - haloperidol, 803
 - ketamine, 743
 - locomotor activity, 99
 - monkeys, 823
 - reaction times, 743
 - repeated acquisition, 823
 - sensory thresholds, 743
 - smoking, 607
 - stereotyped behavior, 803
 - stereotypy, 99
 - stimulation, 613
- Phenobarbital
 - barbiturates, 215
 - CL 218,872, 169
 - convulsions, 473
 - drug interaction, 169
 - electroshock, 473
 - hyperphagia, 169
 - monoamine neurotransmitters, 215
 - phenytoin, 473
 - postnatal development, 473
 - tracazolate, 169
 - zopiclone, 169
- β -Phenylethylamine
 - d*-amphetamine, 519
 - convulsions, 965
 - fixed-interval self-stimulation, 519
 - [3 H]-flunitrazepam binding, 965
 - lateral hypothalamus, 519
- Phenylpiperazines, 645
 - animal models
 - anxiolytic activity
 - compound IV
- Phenytoin, 473
 - convulsions
 - electroshock
 - phenobarbital
 - postnatal development
- Physical activity, 851
 - body weight

- caloric expenditure
- nicotine
- Physostigmine
 - atropine, 781
 - ethanol withdrawal tremor, 339
 - forced lever, 781
 - mecamylamine, 781
 - methamphetamine, 781
 - motor control, 781
- Pigeons
 - ethosuximide, 469
 - fixed-ratio schedule, 469
 - intracerebroventricular administration, 731
 - valproic acid, 469
- Pimozide, 777
 - brain stimulation reward
 - haloperidol
 - self-stimulation
 - trifluoperazine
- PK 11195, 737
 - anxiety
 - benzodiazepine binding sites
 - stress
- Place preference, 37
 - aversion
 - memory
- Plasma electrolytes, 147
 - catheterization
 - decapitation
 - stress
- Postnatal development, 473
 - convulsions
 - electroshock
 - phenobarbital
 - phenytoin
- Post mortem changes, 697
 - ether stress
 - GABA catabolism
- Prenatal exposure, antiandrogen, 397
 - estrogen
 - female sexual behavior in male rats
- Prenatal exposure, nicotine, 439
 - fetus development
 - nicotine
 - saccharin preferences
- Progesterone, 501
 - adenylate cyclase
 - cAMP
 - lordosis response
- Prolactin levels, 221
 - estrous cyclicity
 - ethanol
 - luteinizing hormone levels
- Propranolol, 27
 - β -adrenergic antagonist
 - memory spread
- Prostaglandins, 71
 - alcohol withdrawal
 - essential fatty acids
 - ethanol
- Protein, 721
 - carbohydrates
 - eating
 - histidine
- Psychoactive drugs, 1013
 - conditioned avoidance response
 - gerbils
 - strain differences
- Putative satiety glycoprotein, 559
 - aversion
 - drinking
- eating
 - human studies
 - satiety
- Pyrazolopyridines, 675
 - anxiolytic activity
 - tracazolate
- Pyrazoloquinolines, 317
 - dogs
 - route of administration
 - schedule-controlled behavior
- Quantitative autoradiography, 637
 - agonist/antagonist
 - CGS 8216
 - CGS 9896
- Quasi-morphine withdrawal syndrome,
 - cannabidiol
 - cannabinol
 - naloxone
 - Δ -9-THC
- Quipazine
 - dopamine receptors, 43
 - head-twitches, 43
 - lateral hypothalamus, 943
 - locomotor activity, 43
 - median raphe nucleus, 943
 - methiothepin, 43
 - self-stimulation, 943
 - tryptamine, 943
- Rabbits, 661
 - electroencephalography
 - GABA receptor complex
- Rate-dependency
 - amphetamine, 355
 - aversion, 355
 - cathinone, 355
 - hyperactivity, 77
 - methylphenidate, 77
 - operant behavior, 77, 355
- Route of administration, 317
 - dogs
 - pyrazoloquinolines
 - schedule-controlled behavior
- Reaction times, 743
 - baboons
 - ketamine
 - phencyclidine
 - sensory thresholds
- Receptor binding, 349
 - morphine
 - strain differences
- Receptor sites, 973
 - autoradiography
 - benzodiazepines
- α -2 Receptors, 529
 - clonidine
 - cocaine
 - discriminative stimulus
- Recovery of function, 125
 - cholinergic neurons
 - lesions, nucleus basalis
 - memory
- REM sleep deprivation
 - DSP-4, 93
 - enkephalinase inhibition, 385
 - grooming, 385
 - locus coeruleus, 93
 - neophobia, 93
 - opiate withdrawal, 385
- Repeated acquisition, 823
 - cocaine
 - drug interaction
 - monkeys
 - phencyclidine
- Reward, 877
 - aversion
 - endorphins
 - opioids
 - self-administration
- RO5-4864, 285
 - barbiturates
 - benzodiazepines
 - convulsants
 - GABAergic transmission
- Ro 15-1788, 249
 - drug interaction
 - monkeys
- Rotational behavior, 207
 - basal ganglia
 - bodily asymmetry
 - enkephalins
- Running, 495
 - adrenergic receptors
 - dopamine receptors
 - exercise
 - operant behavior
- Saccharin preferences, 439
 - fetus development
 - nicotine
 - prenatal exposure, nicotine
- Satiation, 289
 - chemosensory cues
 - cigarette smoking
 - conditioned reinforcement
 - human studies
- Satiety, 559
 - aversion
 - drinking
 - eating
 - human studies
 - putative satiety glycoprotein
- Satiety, 889
 - eating
 - endorphins
 - hyperphagia
 - Kappa agonists
 - opiate antagonists
- Schedule-controlled behavior, 317
 - dogs
 - pyrazoloquinolines
 - route of administration
- Schedule-controlled responding, 449
 - drug discrimination
 - fencamfamine
- Schedule-induced feeding, 253
 - DOPAC/DA ratio
 - food related stimuli
- Scopolamine, 1
 - anticholinergic drugs
 - distal visual cues
 - spatial memory
- Seizures, 1003
 - baboons
 - neurobehavioral response
 - soman, sublethal exposure
- Seizures, audiogenic, 753
 - drug interaction
 - monoamine oxidase
 - serotonin uptake

- Self-administration
 - aversion, 879
 - cocaine, 1029
 - drug interaction, 759
 - drug reinforcement, 837
 - endorphins
 - ethanol, 759
 - heroin, 495, 837, 1029
 - intracranial self-stimulation, 837
 - lesions, central medial nucleus
 - accumbens, 843
 - lesions, kainic acid, 1029
 - lesions, nucleus accumbens, 1029
 - methyl naloxonium chloride, 495
 - morphine, 843
 - neurotransmitter content, 843
 - opioids, 879
 - pentobarbital, 759
 - reward, 877
- Self-stimulation
 - acquisition, 199
 - brain stimulation reward, 777
 - food reward, 199
 - haloperidol, 777
 - lateral hypothalamus, 943
 - median raphe nucleus, 943
 - naloxone, 199
 - opioids, 199
 - pimozide, 777
 - quipazine, 943
 - trifluoperazine, 777
 - tryptamine, 943
- Sensitization, 573
 - cocaine
 - convulsion
 - kindling
 - pentyleneetetrazol
- Sensory thresholds, 743
 - baboons
 - ketamine
 - phencyclidine
 - reaction times
- Septal stimulation, 489
 - hippocampal theta rhythm
 - tyrosine hydroxylase
- Serotonin release, 107
 - avoidance
 - catecholamines
 - p-chloroamphetamine
- Serotonin uptake, 753
 - drug interaction
 - monoamine oxidase
 - seizures, audiogenic
- Sex differences, mice, 309
 - body temperature
 - ethanol sensitivity
- Sexual behavior, male rat, 55
 - guanethidine
 - penile reflexes
- Sleep-promoting substances, 953
 - brain temperature
 - DSIP
- Slugs, 727
 - magnetic fields
 - opioid-induced feeding
- Smoking, 607
 - biodisposition
 - drug discrimination
 - phencyclidine
- Social behavior, 905
 - open field
 - naloxone
- Social conflict, 883
 - analgesia
 - morphine cross tolerance
 - naloxone
- Social interaction
 - aggression, 871
 - benzodiazepines, 33
 - CGS 8216, 33
 - chlordiazepoxide, 33
 - drug interactions, 33
 - opiate receptors, 871
- Social investigation, 979
 - ethological analysis
 - tifluodom
- Sociosexual behavior, 267
 - guanethidine
 - sympathectomy
- Sodium channels, 831
 - cocaine
 - local anesthetics
 - locomotor activity
- Soman, 225
 - avoidance
 - escape
- Soman, sublethal exposure, 1003
 - baboons
 - neurobehavioral response
 - seizures
- Spatial learning, 85
 - caffeine
 - locomotor activity
 - tunnel maze
- Spatial memory, 1
 - anticholinergic drugs
 - distal visual cues
 - scopolamine
- Spatial reversals, 591
 - discrimination
 - drug interaction
 - pesticides
 - working memory
- [³H]Spiroperidol binding, 921
 - apomorphine
 - clorgyline
 - drug interaction
 - pargyline
 - stereotypy
- Startle response, 325
 - body temperature
 - heart rate
 - nicotine effects
 - Y-maze
- Stereotyped behavior
 - cataleptic behavior, 789
 - dopamine receptors, 789
 - haloperidol, 803
 - holeboard, 479
 - neuroleptic drug screening, 479
 - phencyclidine, 803
- Stereotypy
 - amphetamine, 99
 - apomorphine, 921
 - clorgyline, 921
 - drug interaction, 921
 - locomotor activity, 99
 - pargyline, 921
 - phencyclidine, 99
 - [³H]spiroperidol binding, 921
- Stimulation, 613
 - calcium channel inhibitors
 - phencyclidine
- Stimulus antagonism, 937
 - DOM
 - discriminative stimulus
- Strain differences
 - conditioned avoidance response, 1013
 - dopaminergic agents, 445
 - gerbils, 1013
 - locomotor activity, 445
 - morphine, 349
 - psychoactive drugs, 1013
 - receptor binding, 349
- Streptomycin sulfate, 525
 - haemolymph
 - insects
 - tissues
- Stress
 - amphetamine, 173
 - anxiety, 737
 - benzodiazepine binding sites, 737
 - brain metabolism, 379
 - catheterization, 147
 - decapitation, 147
 - depression, 21
 - human studies, mentally retarded, 21
 - hypothalamic-pituitary-adrenal axis, 21
 - methylphenidate, 379
 - MSH/ACTH fragments, 21
 - perseveration, 173
 - PK 11195, 737
 - plasma electrolytes, 147
 - ulcer, 379
- Stress, cold-restraint, 969
 - gastric emptying
 - vagal activity
- Striatum, 295
 - morphine pharmacokinetics
 - muscular rigidity
 - nucleus accumbens
- Substantia nigra, 65
 - bulbectomy
 - desipramine
 - 5,7-dihydroxytryptamine
 - ECS
 - locus coeruleus
 - 6-OHDA
- Sulbutiamine, 195
 - hippocampal cholinergic activity
 - learning and memory
 - thiamine deficiency
- Suriclone, 653
 - pharmacological studies
 - zopiclone
- Sympathectomy, 267
 - guanethidine
 - sociosexual behavior
- Taste aversion, 515
 - caffeine
 - locomotor activity
 - mimetic responses
 - neophobia
- Δ-9-Tetrahydrocannabinol (THC), 13
 - cannabidiol
 - cannabinol
 - naloxone
 - quasi-morphine withdrawal syndrome
- THC, 1051
 - acquisition
 - drug interaction
 - monkeys

- Δ-9-THC, 153
 - histamine
 - tolerance
 - withdrawal
- Thermal stressors, 417
 - amphetamine
 - fixed ratio schedule
- Thermoregulation, 373
 - inbred mice
 - hyperthermia
- Thiamine deficiency, 195
 - hippocampal cholinergic activity
 - learning and memory
 - subbutiamine
- Tifluadom, 979
 - ethological analysis
 - social investigation
- Tissues, 525
 - haemolymph
 - insects
 - streptomycin sulfate
- Tolerance
 - alcohol, 959
 - anorexia, 551
 - anticonvulsant, 959
 - body weight, 551
 - caffeine, 633
 - clonidine, 995
 - dependence, 995
 - drinking, 1065
 - drug interaction, 633
 - fenfluramine, 551
 - fixed-interval schedule, 995
 - histamine, 153
 - kindling, 959
 - monkeys, 995
 - naloxone, 1065
 - Δ⁹-THC, 153
 - wheelrunning, 633
 - withdrawal, 153
- Toluene/alcohol interaction, 401
 - behavioral audiometry
 - clinical blood chemistry
- Tracazolate
 - anxiolytic activity, 675
 - CL 218,872, 169
 - drug interaction, 169
- hyperphagia, 169
 - phenobarbital, 169
 - pyrazolopyridines, 675
 - zopiclone, 169
- Trazodone, 137
 - avoidance
 - inhibition
 - metabolism
- Trifluoperazine, 777
 - brain stimulation reward
 - haloperidol
 - pimozide
 - self-stimulation
- Tyr-MIF-1, 1045
 - analgesia
 - animal model
 - antinociception
- Tryptamine, 943
 - lateral hypothalamus
 - median raphe nucleus
 - quipazine
 - self-stimulation
- Tunnel maze, 85
 - caffeine
 - locomotor activity
 - spatial learning
- Tyrosine hydroxylase, 489
 - hippocampal theta rhythm
 - septal stimulation
- Ulcer, 379
 - brain metabolism
 - methylphenidate
 - stress
- Vagal activity, 969
 - gastric emptying
 - stress, cold-restraint
- Valproic acid, 469
 - ethosuximide
 - fixed-ratio schedule
 - pigeons
- Very high affinity site, 987
 - high affinity site
- low affinity site
- nicotine binding
- Wheelrunning, 633
 - caffeine
 - drug interaction
 - tolerance
- Withdrawal
 - circadian rhythm, 917
 - glucose-preference test, 917
 - histamine, 153
 - lesions, ventromedial hypothalamic, 917
 - methamphetamine, chronic, 917
 - Δ⁹-THC, 153
 - tolerance, 153
- Working memory
 - continuous non-match, 599
 - discrimination, 591, 599
 - drug interaction, 591
 - pesticides, 591, 599
 - spatial reversals, 591
- Xylamine, 619
 - locomotor activity
 - LSD
 - neophobia
 - norepinephrine
- Y-maze, 325
 - body temperature
 - heart rate
 - nicotine effects
 - startle response
- Zopiclone
 - CL 218,872, 169
 - drug interaction, 169
 - hyperphagia, 169
 - pharmacological studies, 653
 - phenobarbital, 169
 - suriclone, 653
 - tracazolate, 169

AUTHOR INDEX

- | | | |
|---|--|---|
| Adams, J. U., 731
Adams, L. M., 461, 619
Akiyama, K., 627
Alföldi, P., 953
Alkana, R. L., 309
Amalric, M., 411
Amano, M., 803
Anderson, G. H., 721
Anisman, H., 173
Asdourian, D., 207

Balster, R. L., 259, 607, 995
Barnett, A., 973
Barr, T. S., 843
Barrett, R. J., 949
Barron, J., 21 | Bartholini, G., 645
Bartus, R. T., 125
Bättig, K., 85, 279
Bealer, S. M., 325
Beatty, W. W., 1
Beer, B., 681
Bellinger, L. L., 559
Benedikt, R., 765
Benton, D., 871, 979
Berman, R. F., 49
Bertolissi, M., 237
Beuthin, F. C., 49
Bierley, R. A., 1
Blackman, D. E., 519
Blanchard, J. C., 653
Bloom, F. E., 495 | Boast, C. A., 639
Bodnar, R. J., 749
Boissard, C. G., 93
Boone, D. C., 309
Born, J., 367
Bourbonais, K. A., 253
Bowen, D. J., 851
Bozarth, M. A., 837
Brady, J. V., 743
Brain, P. F., 979
Brandão, M. L., 1069
Bray, G. A., 509
Bree, M. P., 1037
Broadbent, J., 943
Brown, O., 541
Bryant, H. U., 391 |
| | | Buckholtz, N. S., 753
Buterbaugh, G. G., 473

Cabib, S., 555
Cabral, A. M., 1069
Campbell, I. C., 921
Carlson, K. R., 349, 1059
Carlton, J., 551
Carney, J. M., 191, 275, 373
Carr, G. D., 37
Castellano, C., 91
Caul, W. F., 949
Chen, C., 145
Chesher, G. B., 13
Cho, C. H., 969 |

- Chugani, D., 921
Church, A. C., 27
Clemens, L. G., 397
Co, C., 843
Cohen, R. M., 921
Coleman, G. J., 535
Collado, M. L., 501
Collins, A. C., 325
Conahan, S. T., 147
Cone, E. J., 449
Cook, L., 637
Cooper, D. O., 349, 1059
Cooper, S. J., 169, 889
Copolov, D. L., 535
Coy, D. H., 1045
Cristofaro, P., 765
Cruz, M. L., 501
- Dall'Olio, R., 43
Davidson, J. M., 55
Davis, J. M., 701, 709
Dean, R. L., 125
de Angelis, L., 237
de Castro, J. M., 495
Delatte, S. W., 1065
Delini-Stula, A., 93
Della Loggia, R., 237
DeNoble, V. J., 759
Depoortere, H., 645
Destrade, C., 195
Dohanich, G. P., 397
Drewnowski, A., 811
Dreyfus, J. F., 653
Duncan, G., 495
DuPaul, G. J., 77
Durcan, M. J., 921
Durkin, T. P., 195
Dzolic, M. R., 385
- Eison, M. S., 687
Ellingboe, J., 765
Ellis, S., 249
Ellsworth, K. A., 613
Emery, D. E., 267
Emmett-Oglesby, M. W., 529
Ertle, A., 289
Esquifino, A., 221
- Fatherazi, S., 505
Fayle, P., 715
Feer, H., 917
Fehm, H. L., 367
Fehm-Wolfsdorf, G., 367
Fennessy, M. R., 153
Figueiredo, J. C., 125
File, S. E., 33, 737
Fillenz, M., 489
Finkelstein, J. A., 7
Finn, D. A., 309
Fischman, A. J., 1045
Fisher, S. K., 125
FitzGerald, R. E., 279
Flexner, J. B., 27
Flexner, L. B., 27
Flicker, C., 125
Foltin, R. W., 249
France, C. P., 731
Freed, W. J., 613
Fuller, R. W., 445
Furukawa, H., 803
- Garbin, C. P., 161
Garrett, K. M., 681
Gause, E. M., 225, 1003
Geller, I., 225, 1003
Gerber, G. J., 837
Geula, C., 207
Geyer, M. A., 461, 619
Glavin, G. B., 379
Glennon, R. A., 937
Goldberg, M. E., 675
Golden, J. S., 973
Goodlett, C. R., 567
Gordon, J., 619
Górka, Z., 203
Gosnell, B. A., 345
Gothoni, P., 339
Goudie, A. J., 355
Graham-Jones, S., 489
Gray, J. A., 489
Grebb, J. A., 613
Greenberg, B. D., 99
Greene, S. B., 161
Greenshaw, A. J., 519, 943
Grinker, J. A., 811
Grossett, D., 469
Gruen, R., 811
Grunberg, N. E., 851
Guerin, G. F., 843
Guerri, C., 221
- Haenlein, M., 949
Hahn, B., 173
Hajós, M., 953
Hannigan, J. H., Jr., 1019
Harris, L. S., 259
Hartmann, R. J., Jr., 225, 1003
Hauck, A. E., 937
Havemann, U., 295
Hedner, J., 185
Hedner, T., 185
Heise, G. A., 591, 599
Hendrie, C. A., 863
Hendry, J. S., 141
Hernandez, J., 987
Hienz, R. D., 743
Hirsch, J. D., 681
Hoffman, D., 173
Hollingsworth, E. M., 161
Holloway, F. A., 425
Holt, L., 489
Hong, J.-S., 141
Hook, R., 987
Horita, A., 505
Howd, R. A., 401
Hruska, R. E., 789
Hudson, J. D., 591, 599
Hulse, G. K., 535
Hunn, C., 93
Hymson, D. L., 445
Hynes, M. D., 445
- Iimura, K., 627
Isaacson, R. L., 1019
Iser, C., 215
Iversen, K., 185
- Jackson, A., 889
Jackson, D. M., 13, 715
Jackson-Smith, P. A., 449
Jaffard, R., 195
Janus, K., 203
- Jenkins, O. F., 715
Johnson, P., 275, 373
Johnston, S., 243
Julou, L., 653
- Kamei, H., 769
Kameyama, T., 769, 803
Karli, P., 931
Karobath, M., 671
Kaston, A. J., 1045, 1065
Kavaliers, M., 727
Kazi, S., 505
Khazan, N., 457
Kirkham, T. C., 889
Kirschgessner, A., 541
Klaenberg, B. J., 417
Klemm, W. R., 911
Kleven, M. S., 417
Kolakowska, L., 333
Koo, M. W. L., 969
Koob, G. F., 303, 411, 495, 499
Kraeuchi, K., 917
Kuribara, H., 1013
Kuschinsky, K., 295
- Lafer, R., 289
Lafferty, P. A., 715
Lai, H., 505
Lajtha, A., 831
Lal, H., 529
Lamb, D. R., 701, 709
Landauer, M. R., 259
Landrum, R. E., 633
Lane, J. D., 843
Langer, D. H., 445
Langer, S. Z., 645
Larue-Achagiotis, C., 333
Leal, B. Z., 1003
Lee, V. W. K., 535
Leibowitz, S. F., 431, 541
Le Magnen, J., 333
Levine, A. S., 345
Lewis, S. J., 153
Lichtensteiger, W., 439
Lieberman, K. W., 145
Liou, S. Y., 65
Ljungberg, T., 479
Lloyd, K. G., 645
Loke, W. H., 633
Longo, V., 637
Louis-Ferdinand, R. T., 49
Lovano, D. M., 927
Lowy, M. T., 391, 701
Lukas, S. E., 743, 1037
Lundborg, P., 185
Lupien, J. R., 509
Lynch, M. R., 777
- McKearney, J. W., 349
McLean, J. H., 1065
McMaster, S. B., 191
McNaughton, N., 487
- Malick, J. B., 675
Malven, P. V., 391
Malven, P. W., 701, 709
Mandio Cordasco, D., 71
Manev, H., 697
Mann, J., 145
Mann, P. E., 749
- Manoury, Ph., 645
Marks, M. J., 325
Martin, B. R., 607
Martin, J. R., 85
Martin, W. R., 987
Mason, F. D., 515
Massotti, M., 661
Mathers, A., 727
Mathews, D., 161
Matsuno, K., 769
Meisler, B. E., 831
Melamed, E., 215
Mele, P. C., 759
Meliska, C. J., 633
Mello, N. K., 765, 1037
Melzacka, M., 137, 295
Mendel, V. E., 559
Mendelson, J. H., 765, 1037
Merali, Z., 243
Michael, R. P., 797
Micheau, J., 195
Modrow, H. E., 425
Mogilnicka, E., 93
Montanaro, N., 43
Moores, W. R., 169
Moreau, J.-L., 931
Morgane, P. J., 567
Morley, J. E., 345
Morris, P., 721
Morselli, P. L., 645
Murphy, D. L., 921
- Nabeshima, T., 769, 803
Nagel, D. J., 367
Narayan, S., 147
Nardini, G., 237
Neßelhut, T., 295
Noda, Y., 769
- Obál, F., Jr., 953
Oettinger, R., 85, 279
Ogle, C. W., 969
Ögren, S.-O., 107
Oliverio, A., 91
Olson, G. A., 1065
Olson, R. D., 1065
Ossenkopp, K.-P., 727
- Parker, L., 21
Parker, L. A., 583
Patel, J. B., 675
Paterson, A. T., 905
Paul, S. M., 17
Pearson, D. V., 445
Pellow, S., 33, 737
Penke, B., 953
Peričić, D., 697
Pettit, H. O., 495
Phillpott, D. F., 1065
Pickar, D., 921
Picker, M., 469
Pinel, J. P. J., 959
Poel-Heisterkamp, A. L. v. d.
385
Poling, A., 469
Pontecorvo, M., 125
Porter, J. H., 759
Preston, K. L., 781
Pryor, G. T., 401
Puglisi-Allegra, S., 91, 555
Puttaswamaiah, S., 959

- Rainbow, T. C., 27
 Randall, J. I., 883
 Rapport, M. D., 77
 Rastogi, S. K., 285
 Reed, G. F., 17
 Reith, M. E. A., 831
 Rennert, O. M., 275, 373
 Renzi, P., 91
 Resnick, O., 567
 Riblet, L. A., 687
 Risner, M. E., 449
 Roberts, D. C. S., 1029
 Roderick, T. H., 275
 Rodgers, R. J., 883
 Rodríguez-Manzo, G., 501
 Rolland, Y., 195
 Romm, E., 325
 Rose, J. E., 289
 Rosecrans, J. A., 141
 Rosen, J. B., 49
 Rosenberg, E., 85
 Rotrosen, J., 71
 Rowland, N., 551
 Rubino, R., 145
 Rudolph, K., 917
 Russell, R. D., 573
- Salama, A. I., 675
 Sanchis, R., 221
 Sandman, C. A., 21
 Sanger, D. J., 231, 519
 Sansone, M., 137
 Sárý, G., 953
 Scatton, B., 645
- Schaefer, G. J., 797
 Schechter, M. D., 7, 927
 Schlumpf, M., 439
 Schmitt, P., 931, 1069
 Schoemaker, H., 645
 Schuster, C. R., 249, 781
 Seale, T. W., 275, 373
 Segal, D. S., 99
 Segarnick, D. J., 71
 Seiden, L. S., 781
 Shannon, H. E., 317
 Sheiner, J. B., 721
 Shibata, S., 65
 Sikorowski, P. P., 525
 Simansky, K. J., 253
 Simke, J. P., 639
 Sisteck, J., 243
 Skolnick, P., 17
 Sloan, J. W., 987
 Smith, E. R., 55
 Smith, G. P., 253
 Smith, J. E., 843
 Smith, N. F., 77
 Smith, R. J., 583
 Smith, T. M., 965
 Smoothy, R., 979
 Snowhill, E. W., 639
 Sparber, S. B., 417
 Sparks, D. L., 753
 Spindler, J. E., 837
 Steele, T. D., 391
 Stefanick, M. L., 55
 Steinberg, H., 857
 Stephens, E., 1045
 Stolerman, I. P., 877
- Stone, E. A., 749
 Stripling, J. S., 573
 Sullivan, A. C., 811
 Supavilai, P., 671
 Sutoo, D., 627
 Swerdlow, N. R., 303, 499
 Sykes, E. A., 857
 Sze, P. Y., 215
 Szumowski, D. A., 55
- Tadokoro, S., 1013
 Tashkin, D. P., 289, 687
 Taylor, D. A., 153
 Thompson, A. C., 525
 Thompson, D. M., 823, 1051
 Thompson, W. A., 317
 Thurber, A. B., 401
 Ticku, M. K., 285
 Török, A., 953
 Traversa, U., 237
 Tretter, J. R., 541
- Ueki, S., 65
 Ukponmwan, O. E., 385
 Ungerstedt, U., 479
 Uyeno, E. T., 401
- Vaccarino, F. J., 495, 499
 Vaccheri, A., 43
 Valentino, M. L., 567
 Vande Polder, D., 469
 VanderMaelen, C. P., 687
 van Ree, J. M., 199
 van Wolfswinkel, L., 199
 Vasquez, E. C., 1069
- Verberne, A. J. M., 153
 Vertua, R., 237
 Vetulani, J., 137, 295
 Vickers, C., 905
 Vickers, G., 1029
 Vogel, W. H., 147
 Voigt, K. H., 367
- Wager-Srdar, S. A., 345
 Waller, S. B., 473
 Wamsley, J. K., 973
 Wessberg, P., 185
 Wessinger, W. D., 607, 995
 White, B. C., 515
 White, N. M., 37
 Winsauer, P. J., 823, 1051
 Wirz-Justice, A., 917
 Wise, R. A., 777, 837
 Witcher, J. A., 397
 Wood, D. M., 529
 Woods, J. H., 731
 Woods, J. S., 431
- Yaden, S., 529
 Yamaguchi, K., 803
 Yamamura, H. I., 973
 Yanai, J., 215
 Yim, G. K. W., 391, 701, 709
 Yoshida, S., 803
 Young, G. A., 457
- Zacharko, R. M., 173
 Zadina, J. E., 1045
 Zinser, M. C., 289
 Zito, K. A., 1029
 Zivkovic, B., 645