

CONTENTS OF VOLUME 38

Number 1

Announcements

ix

Growth and Metabolism

3-Epibberellin A₁: natural occurrence in plants and artefactual formation from gibberellin A₁

1 P. GASKIN, J. MACMILLAN,
C. R. SPRAY, Y. SUZUKI and
B. O. PHINNEY

The tryptophan content of pearl millet grains as a function of nitrogen content

5 J. LANDRY and S. DELHAYE

Metabolism of elemental sulphur and oxidation of sulphite by wheat and spinach chloroplasts

9 P. JOLIVET, E. BERGERON,
A. ZIMIERSKI and J.-C. MEUNIER

Target molecular size suggesting a dimeric structure for the red beet plasma membrane Ca²⁺-ATPase

15 S. BASU and D. P. BRISKIN

Effects of cinnamic acid derivatives on indole acetic acid oxidation by peroxidase

19 R. VOLPERT, W. OSSWALD
and E. F. ELSTNER

Amino oxidase from *Trigonella foenum-graecum* seedlings

23 L. LUHOVÁ, L. SLÁVÍK, I. FRÉBORT,
M. HALATA and P. PEČ

Molecular and enzymatic properties of an aspartic proteinase from *Rhizopus hangchow*

27 E. ICHISHIMA, M. OJIMA,
Y. YAMAGATA, S. HANZAWA
and T. NAKAMURA

Comparison of fatty acid epoxide hydrolase activity in seeds from different plant species

31 A. STARK, A.-K. LUNDHOLM and
J. MEIJER

Compartmentalization of phenolic constituents in *Sphagnum*

35 S. RASMUSSEN, C. WOLFF and
H. RUDOLPH

Ecological Biochemistry

Elicitin produced by an isolate of *Phytophthora parasitica* pathogenic to tobacco

41 F. MOUTON-PERONNET,
M. BRUNETEAU, L. DENOROY,
P. BOULITEAU, P. RICCI,
PH. BONNET and G. MICHEL

Epicuticular waxes of two Arctic species: compositional differences in relation to winter snow cover

45 G. RIELEY, J. M. WELKER,
T. V. CALLAGHAN and
G. EGLINTON

Identification of a yellow pigment formed in maize roots upon mycorrhizal colonization

53 A. KLINGNER, H. BOTHE, V. WRAY
and F.-J. MARNER

Dibenzofuran phytoalexins from the sapwood of *Cotoneaster acutifolius* and five related species

57 T. KOKUBUN, J. B. HARBORNE,
J. EAGLES and P. G. WATERMAN

Biosynthesis

Biosynthesis of nebularine (purine 9-β-D-ribofuranoside) involves enzymic release of hydroxylamine from adenosine

61 E. G. BROWN and M. KONUK

The incubation of 3α,16β-dihydroxyaphidicolane with *Cephalosporium aphidicola*

73 J. R. HANSON, A. G. JARVIS,
F. LABORET and J. TAKAHASHI

Formation of aromatic intermediates in the biosynthesis of bitter acids in *Humulus lupulus*

77 K. W. M. ZUURBIER,
SUEN-YING FUNG, J. J. C. SCHEFFER
and R. VERPOORTE

Biosynthesis of shikonin derivatives from L-phenylalanine via deoxyshikonin in *Lithospermum* cell cultures and cell-free extracts

83 T. OKAMOTO, K. YAZAKI and
M. TABATA

Cell Culture and Biotechnology

Separation and characterization of cytokinin-inducible (S)-tetrahydroberberine oxidases controlling berberine biosynthesis in *Thalictrum minus* cell cultures

89 M. HARA, H. MORIO, K. YAZAKI,
S. TANAKA and M. TABATA

Mannan glycopeptide elicits <i>p</i> -coumaroylamino acids in <i>Ephedra distachya</i> cultures	95	K.-S. SONG, M. TOMODA, N. SHIMIZU, U. SANKAWA and Y. EBIZUKA
An iridoid diester from <i>Valeriana officinalis</i> var. <i>sambucifolia</i> hairy roots	103	F. GRÄNICH, P. CHRISTEN, P. KAMALAPRIJA and U. BURGER
Novel anthraquinones from undifferentiated cell cultures of <i>Galium verum</i>	107	D. V. BANTHORPE and J. J. WHITE
Alkaloids from <i>Ceratocarpus heterocarpus</i> plants and <i>in vitro</i> cultures	113	M. VALPUESTA, N. POSADAS, I. RUIZ, M. V. SILVA, A. I. GOMEZ, R. SUAU, B. PEREZ, F. PLIEGO and B. CABEZUDO
Chemotaxonomy		
Epi-neoverrucosane- and <i>ent</i> -clerodane-type diterpenoids and <i>ent</i> -2,3-secoaromadendrane- and calamenene-type sesquiterpenoids from the liverwort <i>Heteroscyphus planus</i>	119	T. HASHIMOTO, I. NAKAMURA, M. TORI, S. TAKAOKA and Y. ASAKAWA
Analysis of flavonol glycosides of thirteen <i>Epilobium</i> species (Onagraceae) by LC-UV and thermospray LC-MS	129	B. DUCREY, J. L. WOLFENDER, A. MARSTON and K. HOSTETTMANN
Patterns of quinolizidine alkaloids in 56 species of the genus <i>Lupinus</i>	139	M. WINK, C. MEIBNER and L. WITTE
Plant Chemistry		
Cytotoxic metabolites from a fungal adherent of a marine alga	155	C. TAKAHASHI, Y. TAKAI, Y. KIMURA, A. NUMATA, N. SHIGEMATSU and H. TANAKA
Eudesmanolides from <i>Achillea pratensis</i>	159	S. GLASL, U. KASTNER, A. BAUMANN, W. ROBIEN, J. JURENITSCH and W. KUBELKA
Lantanoside, a monocyclic C ₁₀ iridoid glucoside from <i>Viburnum lantana</i>	163	İ. CALIŞ, A. YÜRÜKER, H. RÜEGGER, A. D. WRIGHT and O. STICHER
An antimicrobial abietane from the root of <i>Plectranthus hereroensis</i>	167	O. BATISTA, M. F. SIMÕES, A. DUARTE, M. L. VALDEIRA, M. C. DE LA TORRE and B. RODRÍGUEZ
Clerodane diterpenoids from <i>Salvia urolepis</i>	171	A. A. SANCHEZ, B. ESQUIVEL, T. P. RAMAMOORTHY and L. RODRIGUEZ-HAHN
Neo-clerodane diterpenoids from <i>Scutellaria drummondii</i>	175	B. ESQUIVAL, E. FLORES, S. HERNÁNDEZ-ORTEGA and R. A. TOSCANO
Neo-clerodane diterpenoids from <i>Scutellaria alpina</i>	181	M. C. DE LA TORRE, B. RODRÍGUEZ, M. BRUNO, F. PIOZZI, G. SAVONA, N. VASSALLO and O. SERVETTAZ
Clerodane and <i>ent</i> -halimane diterpenes from <i>Polyalthia longifolia</i>	189	N. HARA, H. ASAKI, Y. FUJIMOTO, Y. K. GUPTA, A. K. SINGH and M. SAHAI
The absolute configuration of coleon A: a <i>seco</i> diterpenoid pigment from <i>Coleus</i> spp.	195	R. L. BAXTER, A. J. BLAKE and R. O. GOULD
Abietane and icetexane diterpenoids from <i>Salvia candicans</i>	199	J. CÁRDENAS and L. RODRÍGUEZ-HAHN
Pentacyclic triterpenoids from <i>Mimusops elengi</i>	205	S. SEN, N. P. SAHU and S. B. MAHATO
Quinovic acid glycosides from <i>Nauclea diderrichii</i>	209	M. LAMIDI, E. OLLIVIER, R. FAURE, L. DEBRAUWER, L. NZE-EKEKANG and G. BALANSARD
Perforatinolone, a limonoid from <i>Harrisonia perforata</i>	213	T. V. SUNG, N. M. PHUONG, C. KAMPERDICK and G. ADAM

Fagaropsine, a degraded limonoid glucoside from <i>Fagaropsis glabra</i>	217	J. BOUSTIE, M.-J. RESPAUD, G. MOULIS, C. LAVAUD, J. GLEYE and I. FOURASTÉ
Triterpenoid saponins from <i>Verbascum songaricum</i>	221	I. HARTLEB and K. SEIFERT
Triterpenoid saponins from the root of <i>Sideroxylon foetidissimum</i>	225	G. NICOLAS, A. OULAD-ALI, D. GUILLAUME, A. LOBSTEIN, B. WENIGER and R. ANTON
A saponin conjugated with 2,3-dihydro-2,5-dihydroxy-6-methyl-4 <i>H</i> -pyran-4-one from <i>Dolichos lablab</i>	229	Y. YOSHIKI, J. H. KIM, K. OKUBO, I. NAGOYA, T. SAKABE and N. TAMURA
Three prenylated phenolic benzophenones from <i>Garcinia myrtifolia</i>	233	C. SPINO, J. LAL, S. SOTHEESWARAN and W. AALBERSBERG
The structure and synthesis of the first dimeric proteracacinidins from <i>Acacia galpinii</i>	237	E. MALAN and A. SIREEPARSAD
Kadsulignans L–N, three dibenzocyclooctadiene lignans from <i>Kadsura coccinea</i>	241	JIA-SEN LIU and LIANG LI
Three xanthenes from root bark of <i>Garcinia subelliptica</i>	247	M. IINUMA, H. TOSA, T. TANAKA, F. ASAI and R. SHIMANO
Prenylated flavanones from <i>Sorocea ilicifolia</i>	251	F. FERRARI and I. MESSANA
Flavonoids and chromenes from <i>Artemisia annua</i>	255	SHI-LIN YANG, M. F. ROBERTS, M. J. O'NEILL, F. BUCAR and J. D. PHILLIPSON
The revised structure of two flavonol 3- and 4'-monoglucosides from <i>Erica cinerea</i>	259	B. BENNINI, A. J. CHULIA and M. KAOUADJI
Flavonol glycosides from <i>Epimedium koreanum</i>	263	WEN-KUI LI, PEI-GEN XIAO, GUANG-ZHONG TU, LI-BIN MA and RU-YI ZHANG
A biologically active lipophilic flavonol from <i>Tanacetum parthenium</i>	267	C. A. WILLIAMS, J. R. S. HOULT, J. B. HARBORNE, J. GREENHAM and J. EAGLES
An <i>N</i> -formyl cyclopeptide alkaloid from <i>Zizyphus nummularia</i> bark	271	B. SINGH and V. B. PANDEY
Short Reports		
An ursane diol from the leaves of <i>Pristimera grahamii</i>	275	E. SUKUMAR, K. BALAKRISHNA, R. B. RAO and A. B. KUNDU
Dioclein, a flavanone from the roots of <i>Dioclea grandiflora</i>	277	J. BHATTACHARYYA, J. S. BATISTA and R. N. ALMEIDA
Book Reviews		
Dictionary of Natural Products: edited by J. BUCKINGHAM (with 15 others)	279	J. B. HARBORNE
Chemotaxonomie der Pflanzen, Volume 11a, Leguminosae: by R. HEGNAUER and M. HEGNAUER	280	J. B. HARBORNE
Concise Encyclopedia Chemistry: translated and revised by MARY EAGLESON	280	J. B. HARBORNE

Number 2

Announcements

ix

Growth and Metabolism

Purification of a lectin from *Parkia javanica* beans

281 P. UTARABHAND and P. AKKAYANONT

Synthesis of *enantio*-manoyl oxides: modifiers of the activity of adenylatecyclase enzyme

287 A. GARCÍA-GRANADOS, E. LIÑÁN, A. MARTÍNEZ, M. E. ONORATO, A. PARRA and J. M. ARIAS

Purification and characterization of <i>Opuntia</i> peroxidase	295	A. PADIGLIA, E. CRUCIANI, G. PAZZAGLIA, R. MEDDA and G. FLORIS
Purification and characterization of emodinanthrone oxygenase from <i>Aspergillus terreus</i>	299	ZHI-GANG CHEN, I. FUJII, Y. EBIZUKA and U. SANKAWA
Inhibition of signal-regulated protein kinases by plant-derived hydrolysable tannins	307	G. M. POLYA, BING HUI WANG and L. Y. FOO
A novel protein from mung bean hypocotyl cell walls with acetyl esterase activity	315	M. BORDENAVE, R. GOLDBERG, J. C. HUET and J. C. PERNOLLET
Purification and properties of the soluble acid invertase from <i>Oryza sativa</i>	321	M. I. ISLA, G. SALERNO, H. PONTIS, M. A. VATTUONE and A. R. SAMPIETRO
Isolation of dihydrofolate and folylpolyglutamate synthetase activities from <i>Neurospora</i>	327	D. McDONALD, I. J. ATKINSON, E. A. COSSINS and B. SHANE
Effects of pyrogallol on <i>O</i> -methylation of dopamine and salsolinol	335	K. IWASA, Y. KONDOH, M. KAMIGAUCHI, D. U. LEE, U. TANNER and W. WIEGREBE
Biotransformation of an acyclic neolignan in rats	343	H. KASAHARA, M. MIYAZAWA and H. KAMEOKA
Ecological Biochemistry		
Selective induction of glucosinolates in oilseed rape leaves by methyl jasmonate	347	K. J. DOUGHTY, G. A. KIDDLE, B. J. PYE, R. M. WALLSGROVE and J. A. PICKETT
Antifungal terpenoids produced by cypress after infection by <i>Diplodia pinea</i> f. sp. <i>cupressi</i>	351	Z. MADAR, H. E. GOTTLIEB, M. COJOCARU, J. RIOV, Z. SOLEI and A. SZTEJNBERG
Pyrrolizidine alkaloids from <i>Heliotropium bovei</i>	355	M. REINA, A. H. MERICLI, R. CABRERA and A. GONZÁLEZ-COLOMA
Cell Culture and Biotechnology		
Gibberellin metabolism in suspension cultured cells of <i>Raphanus sativus</i>	359	M. KOSHIOKA, T. NISHIJIMA, H. YAMAZAKI and L. N. MANDER
Isolation and metabolism of 3'-hydroxy- γ -ionylideneacetic acids in <i>Cercospora cruenta</i>	365	H. YAMAMOTO, T. ORITANI, T. MORITA and A. TANAKA
Phenolic and polyketide metabolites of the aspen blue stain fungus <i>Ophiostoma crassivaginata</i>	371	W. A. AYER and L. S. TRIFONOV
Rapid metabolism of isoflavonoids in elicitor-treated cell suspension cultures of <i>Pueraria lobata</i>	373	H.-H. PARK, T. HAKAMATSUKA, U. SANKAWA and Y. EBIZUKA
Chemotaxonomy		
Essential oils of <i>Baccharis salicifolia</i> , <i>B. latifolia</i> and <i>B. dracunculifolia</i>	381	I. LOAYZA, D. ABUJDER, R. ARANDA, J. JAKUPOVIC, G. COLLIN, H. DESLAURIERS and F.-I. JEAN
Chemical polymorphism of the essential oil of <i>Thymus carnosus</i> from Portugal	391	L. SALGUEIRO, R. VILA, X. TOMAS, F. TOMI, S. CAÑIGUERÁL, J. CASANOVA, A. PROENÇA DA CUNHA and T. ADZET
Limonoids from seeds of <i>Toona ciliata</i> and their chemosystematic significance	397	J. O. NETO, S. M. M. AGOSTINHO, M. F. DAS G. F. DA SILVA, P. C. VIEIRA, J. B. FERNANDES, A. L. PINHEIRO and E. F. VILELA
Plant Chemistry		
Cyclosporins from <i>Tolypocladium terricola</i>	403	A. JEGOROV, V. MAŤHA, P. SEDMERA, V. HAVLÍČEK, J. STUHLÍK, P. SEIDEL and P. ŠIMEK

Characterization of gum arabic fractions obtained by anion-exchange chromatography	409	M. E. OSMAN, A. R. MENZIES, B. A. MARTIN, P. A. WILLIAMS, G. O. PHILLIPS and T. C. BALDWIN
A new hydroxytetradecatrienoic acid and its glyceryl esters from <i>Valsa ambiens</i>	419	Y. JIAO, T. YOSHIHARA, M. AKIMOTO and A. ICHIHARA
Iridoid glucosides from <i>Viburnum tinus</i>	423	L. TOMASSINI, M. F. COMETA, S. FODDAI and M. NICOLETTI
Monoterpene, chromone and coumarin glucosides of <i>Diplolophium buchananii</i>	427	J. LEMMICH
Sesquiterpene lactones from <i>Enhydra fluctuans</i>	433	N. R. KRISHNASWAMY and N. RAMJI
Cytotoxic <i>ent</i> -kaurene diterpenoids from three <i>Isodon</i> species	437	HAN-DONG SUN, ZHONG-WEN LIN, FANG-DI NIU, LONG-ZE LIN, HEE-BYUNG CHAI, J. M. PEZZUTO and G. A. CORDELL
2 α ,3 β -Dihydroxy-4(18)- <i>neo</i> -cleroden-15-oic acid from <i>Cistus populifolius</i>	443	J. G. URONES, I. S. MARCOS, P. BASABE, A. JIMENEZ, A. GOMEZ and A. M. LITHGOW
Cordioside, a clerodane furano diterpene glucoside from <i>Tinospora cordifolia</i>	447	V. WAZIR, R. MAURYA and R. S. KAPIL
Diterpenes from <i>Solidago rugosa</i>	451	TIANSHENG LU, D. VARGAS, S. G. FRANZBLAU and N. H. FISCHER
Terpenoids and sterols in <i>Cladophora vagabunda</i>	457	I. ELENKOV, T. GEORGIEVA, P. HADJIEVA, S. DIMITROVA-KONAKLIEVA and S. POPOV
A <i>seco</i> -olean-18-ene triterpene acid from <i>Vahlia capensis</i>	461	R. R. T. MAJINDA, A. I. GRAY, R. D. WAIGH and P. G. WATERMAN
Dammarane glycosides from aerial parts of <i>Nealsomitra integrifoliola</i>	465	S. FUJITA, R. KASAI, K. OHTANI, K. YAMASAKI, MING-HUA CHIU, RUI-LIN NIE and O. TANAKA
Ecdysteroids from <i>Vitex canescens</i>	473	A. SUKSAMRARN, C. SOMMECHAI, P. CHARULPONG and B. CHITKUL
Bioactive anthraquinone glycosides from <i>Picramnia antidesma</i> ssp. <i>fessonia</i>	477	P. N. SOLIS, A. G. RAVELO, A. G. GONZALEZ, M. P. GUPTA and J. D. PHILLIPSON
Isocoumarins from <i>Xyris indica</i>	481	N. RUANGRUNGSI, T. SEKINE, T. PHADUNGCHAROEN, S. SURIYAGAN and I. MURAKOSHI
Citrans and cyclols from <i>Chusia multiflora</i>	485	J. G. GONZALEZ, E. M. OLIVARES and F. DELLE MONACHE
Syntheses of 2,4,6-trihydroxy-, 2,4,6-trihydroxy-5-methyl- and 2,4,5,6-tetrahydroxy-substituted 3-(3-phenylpropionyl)benzaldehydes and their bactericidal activity	491	S. SATO, H. OBARA, H. TAKEUCHI, T. TAWARAYA, A. ENDO and J.-I. ONODERA
Zinnimidine and 5-(3',3'-dimethylallyloxy)-7-methoxy-6-methyl-phthalide from <i>Alternaria porri</i>	495	R. SUEMITSU, K. OHNISHI, Y. MORIKAWA and S. NAGATOMO
Procyanidin trimers possessing a doubly linked structure from <i>Aesculus hippocastanum</i>	499	C. SANTOS-BUELGA, H. KOLODZIEJ and D. TREUTTER
Dodecaacetylprodelphinidin B3 from the dried leaves of <i>Ziziphus spina-christi</i>	505	K. WEINGES and H. SCHICK
Bischofianin, a dimeric dehydroellagitannin from <i>Bischofia javanica</i>	509	T. TANAKA, G.-I. NONAKA, I. NISHIOKA, I. KOUNO and FENG-CHI HO

Acylated anthocyanins in <i>Verbena</i> flowers	515	K. TOKI, N. SAITO, H. KUWANO, N. TERAHARA and T. HONDA
Six flavonostilbenes and a flavanone in roots of <i>Sophora alopecuroides</i>	519	M. IINUMA, M. OHYAMA and T. TANAKA
Three acylated flavone glycosides from <i>Sideritis syriaca</i>	527	P. VENTURELLA, A. BELLINO and M. L. MARINO
Flavonol glycosides from <i>Sedum telephium</i> subspecies <i>maximum</i> leaves	531	N. MULINACCI, F. F. VINCIERI, A. BALDI, M. BAMBAGIOTTI-ALBERTI, A. SENDL and H. WAGNER
Isoprenylated flavonols of formosan <i>Broussonetia papyrifera</i>	535	SONG-CHWAN FANG, BOR-JINN SHIEH, RU-RONG WU and CHUN-NAN LIN
Flavonoids in roots of <i>Sophora prostrata</i>	539	M. IINUMA, M. OHYAMA and T. TANAKA
Diterpene alkaloids from roots of <i>Spiraea japonica</i>	545	XIAO-JIANG HAO, XIN HONG, XIAO-SHENG YANG and BI-TAO ZHAO
Alkaloids from <i>Narcissus tortuosus</i>	549	J. BASTIDA, J. M. FERNÁNDEZ, F. VILADOMAT, C. CODINA and G. DE LA FUENTE
Short Reports		
A plant growth inhibitory sesquiterpenoid from <i>Heterotheca inuloides</i>	553	I. KUBO, K. ISHIGURO, S. K. CHAUDHURI, Y. KUBO, Y. SANCHEZ and T. OGURA
A diterpene xyloside from the resinous exudate of <i>Haplopappus diplopappus</i>	555	A. URZUA, E. TOJO and J. SOTO
Two C ₁₀ lactones from <i>Cephalosporium aphidicola</i>	557	A. FAROOQ, J. GORDON, J. R. HANSON and J. A. TAKAHASHI
Book Reviews		
Food Phytochemicals for Cancer Prevention, Volume 1, Fruits and Vegetables. Volume 2, Teas, Spices and Herbs: edited by M. T. HUANG, T. OSAWA, C. P. HO and R. T. ROSEN	559	J. B. HARBORNE
Vegetables and Vegetable Products: edited by H. F. LINSKENS and J. F. JACKSON	559	J. B. HARBORNE
Anti-cancer Drugs from Animals, Plants, and Micro-Organisms: by G. R. PETTIT, F. H. PIERSON and C. L. HERALD	560	J. B. HARBORNE

Number 3

Announcement	ix	
Growth and Metabolism		
8',8'-Difluoro- and 8',8',8'-trifluoroabscisic acids as highly potent, long-lasting analogues of abscisic acid	561	Y. TODOROKI, N. HIRAI and K. KOSHIMIZU
Jasmonates from pine pollen	569	H.-D. KNÖFEL and G. SEMBDNER
Dithiothreitol and cobalt effects on membrane-associated peroxidases oxidizing feruloyl-CoA	573	K. E. MYTON and S. C. FRY
Pectic polysaccharides of mesophyll cell walls of perennial ryegrass leaves	579	A. CHESSON, A. H. GORDON and L. SCOBIE
Lipid composition of microsomes of <i>Iris germanica</i> rhizomes	585	J.-P. BONFILS, C. BONFILS, C. LARROQUE, A. SURJUS, D. GLEIZE and Y. SAUVAIRE
The structural requirements of flavonols that induce pollen germination of conditionally male fertile <i>Petunia</i>	589	T. VOGT, E. WOLLENWEBER and L. P. TAYLOR

Ecological Biochemistry

- Azedarachin C, a limonoid antifeedant from *Melia azedarach* 593 RUO CHUN HUANG, H. OKAMURA, T. IWAGAWA, K. TADERA and M. NAKATANI
- Asteromine, a bioactive secondary metabolite from a strain of *Mycosphaerella asteroma* 595 A. ARNONE, G. ASSANTE, M. MONTORSI and G. NASINI
- Sensitivity of the fungus *Cytospora personii* to the flavonoids of *Prunus cerasus* 599 M. GEIBEL
- Biosynthesis**
- Folypolyglutamate synthesis in *Neurospora crassa*: transformation of polyglutamate-deficient mutants 603 I. J. ATKINSON, F. E. NARGANG and E. A. COSSINS
- 5-epi-Aristolochene 3-hydroxylase from green pepper 609 T. HOSHINO, T. YAMAURA, H. IMAISHI, M. CHIDA, Y. YOSHIZAWA, K. HIGASHI, H. OHKAWA and J. MIZUTANI
- Biosynthesis of secoiridoids in *Fontanesia* 615 S. DAMTOFT, H. FRANZYK and S. R. JENSEN
- Cell Culture and Biotechnology**
- Intracellular localization of geranylpyrophosphate synthase from cell cultures of *Lithospermum erythrorhizon* 623 S. SOMMER, K. SEVERIN, B. CAMARA and L. HEIDE
- Biotransformation of Δ^2 -carene by callus tissues 629 G. GIL, P. FERREIRA DOS SANTOS and C. BULLARD
- Acyl-conjugated metabolites of brassinosteroids in cell suspension cultures of *Ornithopus sativus* 633 A. KOLBE, B. SCHNEIDER, A. PORZEL, J. SCHMIDT and G. ADAM
- Chemotaxonomy**
- Five 8-C-benzylated flavonoids from *Thymus hirtus* (Labiatae) 637 R. MERGHEM, M. JAY, M.-R. VIRICEL, C. BAYET and B. VOIRIN
- Plant Chemistry**
- Reinvestigation of heterocyst glycolipids from the cyanobacterium, *Anabaena cylindrica* 641 A. SORIENTE, T. BISOGNO, A. GAMBACORTA, I. ROMANO, C. SILI, A. TRINCONE and G. SODANO
- Metabolites from a shake culture of *Botrytis cinerea* 647 I. G. COLLADO, R. HERNÁNDEZ-GALÁN, R. DURÁN-PATRÓN and J. M. CANTORAL
- Sesquiterpenes and a phenolic compound from the liverwort *Omphalanthus filiformis* 651 M. TORI, K. NAKASHIMA and Y. ASAKAWA
- Sesquiterpene lactones from *Centaurea alba* and *C. conifera* 655 I. FERNÁNDEZ, J. R. PEDRO and E. POLO
- Clerodane diterpenoids from *Tinospora cordifolia* 659 R. MAURYA, V. WAZIR, A. TYAGI and R. S. KAPIL
- Labdane diterpenes from *Halimium viscosum* 663 J. G. URONES, I. S. MARCOS, I. M. OLIVA, N. M. GARRIDO, J. HAGGET and V. M. HUMPHREYS
- Taxanes from *Taxus chinensis* 667 ZONG PING ZHANG, H. WIEDENFELD and E. RÖDER
- A taxoid from needles of Himalayan *Taxus baccata* 671 B. DAS, S. P. RAO, K. V. N. S. SRINIVAS, J. S. YADAV and R. DAS
- Glycosides from *Aster yunnanensis* 675 YU SHAO, BING-NAN ZHOU, JING-HAI GAO, LONG-ZE LIN and G. A. CORDELL

Pentacyclic triterpenoids from <i>Lantana camara</i>	681	B. S. SIDDIQUI, S. M. RAZA, S. BEGUM, S. SIDDIQUI and S. FIRDOUS
Triterpenoids and chalcone from <i>Syzygium samarangense</i>	687	R. SRIVASTAVA, A. K. SHAW and D. K. KULSHRESHTHA
Secomultiflorane-type triterpenoid acids from stem bark of <i>Sandoricum koetjape</i>	691	S. KOSELA, Y. YULIZAR, CHAIRUL, M. TORI and Y. ASAKAWA
Triterpenoid saponins from the bark of <i>Nothopanax davidii</i>	695	SHI SHAN YU, DE QUAN YU and XIAO TIAN LIANG
(20 <i>R</i>)- <i>O</i> -(3)- α -L-Arabinopyranosyl-pregn-5-en-3 β ,20-diol from <i>Brucea javanica</i>	699	C. KAMPERDICK, T. V. SUNG, T. T. THUY, M. V. TRI and G. ADAM
Belamcandones A–D, dioxotetrahydrodibenzofurans from <i>Belamcanda chinensis</i>	703	K. SEKI, K. HAGA and R. KANEKO
Bibenzyls from <i>Stemona tuberosa</i>	711	WEIMIN ZHAO, GUOWEI QIN, YANG YE, RENSHENG XU and XIUFANG LE
Lignans, biflavones and taxoids from Himalayan <i>Taxus baccata</i>	715	B. DAS, S. P. RAO, K. V. N. S. SRINIVAS and J. S. YADAV
Oligomeric proanthocyanidins possessing a doubly linked structure from <i>Pavetta owariensis</i>	719	A. M. BALDE, T. DE BRUYNE, L. PIETERS, H. KOLODZIEJ, D. VANDEN BERGHE, M. CLAEYS and A. VLIETINCK
Two xanthones from roots of <i>Calophyllum inophyllum</i>	725	M. IINUMA, H. TOSA, T. TANAKA and S. YONEMORI
A xanthone <i>C</i> -glycoside from <i>Iris nigricans</i>	729	A. AL-KHALIL, H. TOSA and M. IINUMA
Five resveratrol oligomers from roots of <i>Sophora leachiana</i>	733	M. OHYAMA, T. TANAKA and M. IINUMA
A phenylethanoid glycoside from <i>Plantago asiatica</i>	741	S. NISHIBE, Y. TAMAYAMA, M. SASAHARA and C. ANDARY
Flavonoids of dragon's blood from <i>Dracaena cinnabari</i>	745	M. MASAUD, H. RIPPERGER, A. PORZEL and G. ADAM
Cinnabarone, a biflavonoid from dragon's blood of <i>Dracaena cinnabari</i>	751	M. MASAUD, H. RIPPERGER, U. HIMMELREICH and G. ADAM
Acylated anthocyanins from fruits of <i>Sambucus canadensis</i>	755	N. NAKATANI, H. KIKUZAKI, J. HIKIDA, M. OHBA, O. INAMI and I. TAMURA
Isoprenoid-substituted flavonoids from roots of <i>Glycyrrhiza inflata</i>	759	T. FUKAI and T. NOMURA
Four cyclopeptide alkaloids from <i>Zizyphys lotus</i>	767	K. GHEDIRA, R. CHEMLI, C. CARON, J.-M. NUZILLARD, M. ZECHES and L. LE MEN-OLIVIER
Capillary gas chromatography-mass spectrometry of Amaryllidaceae alkaloids	773	M. KREH, R. MATUSCH and L. WITTE
A steroidal alkaloid from <i>Veratrum oblongum</i>	777	S. KADOTA, SHI ZHONG CHEN, JIAN XIN LI, GUO-JUN XU and T. NAMBA
Scutianine-J, a cyclopeptidic alkaloid isolated from <i>Scutia buxifolia</i>	783	A. S. MENEZES, M. A. MOSTARDEIRO, N. ZANATTA and A. F. MOREL

Carbazole alkaloid with antimicrobial activity from <i>Clausena heptaphylla</i>	787	A. CHAKRABORTY, C. SAHA, G. PODDER, B. K. CHOWDHURY and P. BHATTACHARYYA
Short Reports		
Structure of the 5,6-dihydro- α -pyrone, umuravumbolide	791	M. T. DAVIES-COLEMAN and D. E. A. RIVETT
Minor iridoids from <i>Thevetia peruviana</i>	793	F. ABE, T. YAMAUCHI, S. YAHARA and T. NOHARA
Sterols and triterpenoids from <i>Dracaena cinnabari</i>	795	M. MASAUD, J. SCHMIDT and G. ADAM
Sterols of <i>Polyneura hilliae</i>	797	M. BERT, J.-C. DAUGUET and J.-J. BERT
Rapisterone D, a phytoecdysteroid from <i>Rhaponticum carthamoides</i>	799	U. A. BALTAEV
Epoxyconiferyl alcohol from <i>Fraxinus oxycarpa</i> bark	801	I. KOSTOVA, D. DINCHEV, B. MIKHOVA and T. IOSSIFOVA
A coumarin glycoside from <i>Lonicera gracilipes</i> var. <i>glandulosa</i>	803	N. MATSUDA and M. KIKUCHI
Coumarins from stem bark of <i>Paramignya monophylla</i>	805	V. KUMAR, N. M. MOHAMED NIYAZ and D. B. MAHINDA WICKRAMARATNE
A difuranoflavone from <i>Epimedium koreanum</i>	807	WEN-KUI LI, PEI-GEN XIAO and RU-YI ZHANG
Flavonol glycosides from <i>Rhodiola crenulata</i>	809	MEI DU and JIAMIN XIE

Number 4

Announcement	ix	
Growth and Metabolism		
Caged plant hormones	811	J. L. WARD and M. H. BEALE
Auxin-like activity of 1,2-benzisoxazole-3-alkanoic acids	817	A. RICCI, S. AMOROSI, C. A. MAGGIALI, F. RONCHINI, M. BASSI and C. BRANCA
Biological activity of methyl 7-methyl-jasmonates	821	Y. KODA, J. L. WARD and M. H. BEALE
Cross-reaction with the pea lectin of a protein from protein body membranes	825	M. WENZEL, H. GERS-BARLAG and H. RÜDIGER
Secretion of an esterase from the cultured suspension cells of <i>Marchantia polymorpha</i>	831	S. IZUMI, Y. YAMAMOTO and T. HIRATA
Inhibition of kainic acid binding to glutamate receptors by extracts of <i>Gastrodia</i>	835	M. ANDERSSON, O. BERGENDORFF, M. NIELSEN, O. STERNER, R. WITT, JINGLU AI, AIPING LU and AN MIN WANG
Cell wall neutral sugar composition of chlorococcalean algae forming and not forming acetolysis resistant biopolymer	837	J. BURCZYK, K. TERMIŃSKA-PABIS and B. ŚMIETANA
Ecological Biochemistry		
Spirostaphylotrichins U and V from <i>Curvularia pallescens</i>	843	W.-R. ABRAHAM, H.-P. HANSEN and H.-A. ARFMANN
Asynchronous rhythms in the emission of volatiles from <i>Hesperis matronalis</i> flowers	847	J. K. NIELSEN, H. B. JAKOBSEN, P. FRIIS, K. HANSEN, J. MØLLER and C. E. OLSEN
15-Hydroperoxydehydroabietic acid—a contact allergen in colophony from <i>Pinus</i> species	853	LI P. SHAO, E. GÄFVERT, U. NILSSON, A.-T. KARLBERG and J. L. G. NILSSON

Cell Culture and Biotechnology

- Decarboxylation of L-tyrosine and L-dopa by immobilized cells of *Papaver somniferum* 859 110J. STANO, P. NEMEC, K. WEISSOVÁ, P. KOVÁCS, D. KÁKONIOVÁ and D. LISKOVÁ

- Saponins from root cultures of *Phytolacca acinosa* 861 A. STRAUSS, S. M. SPENGEL and W. SCHAFFNER

- Co-occurrence of prenylated xanthenes and their cyclization products in cell suspension cultures of *Hypericum patulum* 867 K. ISHIGURO, M. NAKAJIMA, H. FUKUMOTO and K. ISOI

Chemotaxonomy

- Seed galactomannan in the classification and evolution of the Leguminosae 871 M. S. BUCKERIDGE, V. R. PANEGASSI, D. C. ROCHA and S. M. C. DIETRICH

- Variation in composition of extractives from wood of *Pinus nigra* varieties 877 G. UÇAR and D. FENGEL

- Interspecific and intraspecific variation of phenolics in the genus *Equisetum* subgenus *Equisetum* 881 M. VEIT, C. BECKERT, C. HÖHNE, K. BAUER and H. GEIGER

Plant Chemistry

- Iridoid glucosides from *Avicennia germinans* 893 M.-T. FAUVEL, A. BOUSQUET-MELOU, C. MOULIS, J. GLEYE and S. R. JENSEN

- Iridoids from *Mentzelia cordifolia* 895 S. CATALANO, G. FLAMINI, A. R. BILIA, I. MORELLI and M. NICOLETTI

- Iridoidal glycosides from *Jasminum sambac* 899 YING-JUN ZHANG, YU-QING LIU, XIANG-YU PU and CHONG-REN YANG

- Revision of the structure of an aristolane sesquiterpene aldehyde isolated from the root of *Plectranthus hereroensis* and *Aristolochia debilis* 905 B. RODRÍGUEZ, M. C. DE LA TORRE, F. SIMOES, O. BATISTA, J. NASCIMENTO, A. DUARTE and R. MAYER

- Phytotoxic sesquiterpenoids from *Canella winterana* 909 BAI-PING YING, G. PEISER, YI-YUAN JI, K. MATHIAS, D. TUTKO and YIH-SHEN HWANG

- Diterpenoids from *Kyllinga erecta* 917 R. DOLMAZON, M. ALBRAND, J.-M. BESSIERE, Y. MAHMOUT, D. WERNEROWSKA and K. KOŁODZIEJCZYK

- Structures of macrocalyxin B, F, G and H, and maoyerabdosin from *Isodon macrocalyx* 921 WANG XIAN-RONG, WANG HONG-PING, HU HUI-PING, SUN HAN-DONG, WANG SU-QING, S. UEDA, Y. KURODA and T. FUJITA

- Triterpenoid saponins from *Aster batangensis* 927 YU SHAO, BING-NAN ZHOU, LONG-ZE LIN and G. A. CORDELL

- Triterpenoid and prenylated phenol glycosides from *Blumea lacera* 935 R. AGARWAL, R. SINGH, I. R. SIDDIQUI and J. SINGH

- Cycloartane-type glycosides from *Thalictri herba* 939 H. YOSHIMITSU, K. HAYASHI, M. KUMABE and T. NOHARA

- Cardenolide glycosides from *Gomphocarpus sinaicus* 943 H. EL-ASKARY, J. HÖLZL, S. HILAL and E.-S. EL-KASHOURY

- Two steroids from *Calvatia cyathiformis* 947 N. KAWAHARA, S. SEKITA and M. SATAKE

A benzoic acid ester from <i>Uvaria narum</i>	951	V. S. PARMAR, K. S. BISHT, A. MALHOTRA, A. JHA, W. ERRINGTON, O. W. HOWARTH, O. D. TYAGI, P. C. STEIN, S. JENSEN, P. M. BOLL and C. E. OLSEN
Fully acetylated carbamate and hypotensive thiocarbamate glycosides from <i>Moringa oleifera</i>	957	S. FAIZI, B. S. SIDDIQUI, R. SALEEM, S. SIDDIQUI, K. AFTAB and A.-U.-H. GILANI
Phenols and a dioxotetrahydrodibenzofuran from seeds of <i>Iris pallasii</i>	965	K. SEKI, K. HAGA and R. KANEKO
Phlorethols, fuhalols and their derivatives from the brown alga <i>Sargassum spinuligerum</i>	975	M. KEUSGEN and K.-W. GLOMBITZA
Fuhalols and deshydroxyfuhalols from the brown alga <i>Sargassum spinuligerum</i>	987	K.-W. GLOMBITZA and M. KEUSGEN
Phenylpropanoid esters from <i>Lamium album</i> flowers	997	J. BUDZIANOWSKI and L. SKRZYPCZAK
Three acyclic bis-phenylpropane lignanamides from fruits of <i>Cannabis sativa</i>	1003	I. SAKAKIBARA, Y. IKEYA, K. HAYASHI, M. OKADA and M. MARUNO
Schisantherins P and Q, two lignans from <i>Kadsura coccinea</i>	1009	JIA-SEN LIU and LIANG LI
Flavonolignoids from fruits of <i>Iryanthera grandis</i>	1013	D. H. S. SILVA, A. J. CAVALHEIRO, M. YOSHIDA and O. R. GOTTLIEB
Coumarins and a flavonoid from <i>Pterocaulon alopecuroides</i>	1017	W. VILEGAS, N. BORALLE, A. CABRERA, A. C. BERNARDI, G. L. POZETTI and S. F. ARANTES
Biflavonoids from <i>Daphne odora</i>	1021	K. BABA, M. YOSHIKAWA, M. TANIGUCHI and M. KOZAWA
Acylated cyanidin 3-sambubioside-5-glucosides in <i>Matthiola incana</i>	1027	N. SAITO, F. TATSUZAWA, A. NISHIYAMA, M. YOKOI, A. SHIGIHARA and T. HONDA
An antimicrobial kaempferol-diacyl-rhamnoside from <i>Pentachondra pumila</i>	1033	S. J. BLOOR
Aporphinoid alkaloids and terpenoids from <i>Piptostigma fugax</i>	1037	H. ACHENBACH and A. SCHWINN
(±)-8-Oxohypecorinine from <i>Hypecoum procumbens</i> var. <i>glaucescens</i>	1049	H.-E. A. SAAD
Alkaloids of <i>Erythroxylum monogynum</i> root-bark	1053	P. CHRISTEN, M. F. ROBERTS, J. D. PHILLIPSON and W. C. EVANS
Alkaloids from <i>Vinca major</i>	1057	ATTA-UR-RAHMAN, A. SULTANA, F. NIGHAT, M. K. BHATTI, S. KURUCU and M. KARTAL
Book Reviews		
Phytochemical Dictionary of the Leguminosae, Volume 1, Plants and their Constituents; Volume 2, Chemical Constituents: compiled by I. W. SOUTHON, edited by F. A. BISBY, J. BUCKINGHAM and J. B. HARBORNE	1063	E. A. BELL
Analysis of Phenolic Plant Metabolites: by P. G. WATERMAN and S. MOLE	1064	F. A. TOMÁS-BARBERÁN
Multilingual Dictionary of Agronomic Plants: edited by S. REHM	1064	J. B. HARBORNE

Number 5

Review Article Number 99

Errors and artifacts in coupled spectrophotometric assays of enzyme activity	1065	N. J. KRUGER
--	------	--------------

Review Article Number 100

Prenylated isoflavonoids—an update

1073 S. TAHARA and R. K. IBRAHIM

Growth and MetabolismSecasterone, the first naturally occurring 2,3-epoxybrassinosteroid from *Secale cereale*

1095 J. SCHMIDT, B. SPENGLER, T. YOKOTA, M. NAKAYAMA, S. TAKATSUTO, B. VOIGT and G. ADAM

Inhibition of diamine oxidase and its reversal by a naturally occurring protein

1099 P. JOSEPH and S. K. SRIVASTAVA

Corallina officinalis bromoperoxidase immobilized on agarose

1103 D. J. SHEFFIELD, T. R. HARRY, A. J. SMITH and L. J. ROGERS

 β -Galactosidase and its significance in ripening mango fruit

1109 Z. M. ALI, S. ARMUGAM and H. LAZAN

Effect of heat stress on ribulose 1,5-bisphosphate carboxylase in rice

1115 A. BOSE and B. GHOSH

Expression in *Escherichia coli* and partial characterization of two tyrosine/dopa decarboxylases from opium poppy

1119 P. J. FACCHINI and V. DE LUCA

Intracellular localization of UDPG: *p*-hydroxybenzoate glucosyl-transferase and its reaction product in *Lithospermum* cell cultures

1127 K. YAZAKI, K. INUSHIMA, M. KATAOKA and M. TABATA

S-Adenosyl-L-methionine:norcoclaurine 6-*O*-methyltransferase from *Thalictrum minus* cell cultures

1131 M. HARA, K. YAZAKI, S. TANAKA and M. TABATA

Comparative study of the inhibition of rat and tobacco squalene synthase by squalenestatsins

1137 D. C. FULTON, M. TAIT and D. R. THRELFALL

Glycinebetaine in oilseed rape and flax leaves: detection by liquid chromatography/continuous flow secondary ion-mass spectrometry

1143 G. SELVARAJ, R. K. JAIN, D. J. OLSON, R. HIRJI, S. JANA and L. R. HOGGE

Anaerobic accumulation of 4-aminobutyrate in rice seedlings; causes and significance

1147 N. AURISANO, A. BERTANI and R. REGGIANI

Developmental changes in the phenol concentrations of 'Golden Delicious' apple fruits and leaves

1151 U. MAYR, D. TREUTTER, C. SANTOS-BUELGA, H. BAUER and W. FEUCHT

Ecological BiochemistryPhytotoxins from shoot extracts and root exudates of *Agropyron repens* seedlings

1157 A. FRIEBE, M. SCHULZ, P. KÜCK and H. SCHNABL

Sesquiterpenes of *Lactarius* origin, antifeedant structure-activity relationships

1161 W. M. DANIEWSKI, M. GUMUŁKA, D. PRZESMYCKA, K. PTASZYŃSKA, E. BŁOSZYK and B. DROŹDŹ

Antimicrobial stress compounds from *Hypochoeris radicata*

1169 Y. MARUTA, Y. FUKUSHI, K. OHKAWA, Y. NAKANISHI, S. TAHARA and J. MIZUTANI

Changes in the chemical composition of volatiles released by the flowers and fruits of the red raspberry (*Rubus idaeus*) cultivar Glen Prosen

1175 G. W. ROBERTSON, D. W. GRIFFITHS, J. A. T. WOODFORD and A. N. E. BIRCH

A comparative study of the cardenolide content of different organs of *Gomphocarpus sinaicus*

1181 H. EL-ASKARY, J. HÖLZL, S. HILAL and EL-SAYEDA EL-KASHOURY

Abiotic elicitation of coumarin phytoalexins in sunflower

1185 M.-C. GUTIERREZ, A. PARRY, M. TENA, J. JORRIN and R. EDWARDS

BiosynthesisThiophene interconversions in *Tagetes patula* hairy-root cultures

1193 R. R. J. ARROO, J. J. M. R. JACOBS, E. A. H. DE KONING, M. DE WAARD, E. VAN DE WESTERLO, P. M. VAN GALEN, A. E. M. SWOLFS, A. J. H. KLUNDER, A. F. CROES and G. J. WULLEMS

Cell Culture and Biotechnology

- Cycasin formation in tissue cultures of Japanese cycad 1199 K. TADERA, H. GIN'YA, R. SAWADA, Y. MOTANI, Y. AIKAWA, A. NOZAKI, F. YAGI and Y. MINAMI

- Triterpenoids from callus tissue cultures of *Paeonia* species 1203 A. IKUTA, K. KAMIYA, T. SATAKE and Y. SAIKI

Chemotaxonomy

- Lipids from macrophytes of the Middle Volga 1209 O. A. ROZENTSVET, N. M. DEMBITSKY and V. S. ZHUICOVA
- Phomaligin A and other yellow pigments in *Phoma lingam* and *P. wasabiae* 1215 M. S. C. PEDRAS, J. L. TAYLOR and V. M. MORALES
- Flavonoid profiles of New Zealand kauri and other species of *Agathis* 1223 D. J. OFMAN, K. R. MARKHAM, C. VILAIN and B. P. J. MOLLOY

Plant Chemistry

- Pterins of the cyanobacterium *Aphanizomenon flos-aquae* 1229 M. IKAWA, J. J. SASNER, J. F. HANEY and T. L. FOXALL
- Diastereoselective syntheses of 2- β -D-glucopyranosyloxy-2H-1,4-benzoxazin-3(4H)-ones from Gramineae 1233 H. HARTENSTEIN, C. VOGT, I. FÖRTSCH and D. SICKER
- Preparation of polyoxygenated *ent*-13-*epi*-manoyl oxides by chemical-microbiological semisyntheses 1237 A. GARCÍA-GRANADOS, E. LIÑÁN, A. MARTÍNEZ, F. RIVAS and J. M. ARIAS
- Phenolic glycosides from *Adonis aleppica* 1245 G. F. PAULI and P. JUNIOR
- Sesquiterpene lactones and a seco-caryophyllene derivative from *Montanoa karwinskii* 1251 L. QUIJANO, A. VASQUEZ-C. and T. RÍOS
- Sesquiterpene dilactones from *Mikania ypacarayensis* 1257 G. ZAMORANO, C. A. N. CATALÁN, J. G. DÍAZ and W. HERZ
- Sesquiterpene lactones from *Tanacetum praeteritum* 1261 N. GÖREN
- Germacrolides from *Perymenium berlandieri* 1265 E. MALDONADO, C. MANCERA, G. FIALLEGA and A. ORTEGA
- Minor cleisthantane and tetranorfriedolabane from *Vellozia flavicans* 1269 A. C. PINTO, O. A. C. ANTUNES, C. M. REZENDE and C. R. D. CORREIA
- Triterpene from *Limnophila heterophylla* 1273 K. S. MUKHERJEE, G. BRAHMACHARI and T. K. MANNA
- Terpenoids, alkaloids and coumarins from *Boronia inornata* and *Boronia gracilipes* 1275 M. AHSAN, J. A. ARMSTRONG, A. I. GRAY and P. G. WATERMAN
- Steroidal saponins from the bulbs of *Triteleia lactea* and their inhibitory activity on cyclic AMP phosphodiesterase 1279 Y. MIMAKI, O. NAKAMURA, Y. SASHIDA, T. NIKAIIDO and T. OHMOTO
- Saponins from *Albizia lebbek* 1287 B. C. PAL, B. ACHARI, K. YOSHIKAWA and S. ARIHARA
- Seven acylated anthocyanins in the blue flowers of *Hyacinthus orientalis* 1293 K. HOSOKAWA, Y. FUKUNAGA, E. FUKUSHI and J. KAWABATA
- A flavone from leaves of *Arrabidaea chica* f. *cuprea* 1299 O. S. TAKEMURA, M. IINUMA, H. TOSA, O. G. MIGUEL, E. A. MOREIRA and Y. NOZAWA
- Flavonoid O-glycosides from the leaves of *Morinda morindoides* 1301 K. CIMANGA, T. DE BRUYNE, A. LASURE, QIMIN LI, L. PIETERS, M. CLAEYS, D. VANDEN BERGHE, K. KAMBU, L. TONA and A. VLIETINCK

Santoflavone, a 5-deoxyflavonoid from <i>Achillea santolina</i>	1305	V. U. AHMAD, M. A. KHAN, F. T. BAQAI and R. B. TAREEN
Prenylated isoflavonoids from <i>Erythrina senegalensis</i>	1309	J. WANDJI, S. S. AWANCHIRI, Z. T. FOMUM, F. TILLEQUIN and S. MICHEL-DANIWICZ
Direct analysis of aromatic diene <i>Erythrina</i> alkaloids by capillary GC-MS	1315	P. G. MANTLE
Book Review		
Medicinal and Aromatic Plants, Volume VI: edited by Y. P. S. BAJAJ	1317	J. B. HARBORNE

Number 6

Review Article Number 101

A matter of some sensitivity	1319	J. D. PHILLIPSON
------------------------------	------	------------------

Growth and Metabolism

3-epi-GA ₆₃ , antheridiogen in <i>Anemia phyllitidis</i>	1345	T. YAMAUCHI, N. OYAMA, H. YAMANE, N. MUROFUSHI, H. SCHRAUDOLF, D. OWEN and L. N. MANDER
Non-induced cyclic hydroxamic acids in wheat during juvenile stage of growth	1349	E. NAKAGAWA, T. AMANO, N. HIRAI and H. IWAMURA
Carbohydrate associated with broad bean polyphenol oxidase is resistant to enzymatic and chemical deglycosylation	1355	G. RAFFERT and W. H. FLURKEY
Separation and identification of lime cutin monomers by high performance liquid chromatography and mass spectrometry	1361	A. K. RAY, YONG Y. LIN, H. C. GERARD, ZHEN-JIA CHEN, S. F. OSMAN, W. F. FETT, R. A. MOREAU and R. E. STARK

Ecological Biochemistry

Tuliposides from <i>Alstroemeria revoluta</i>	1371	L. P. CHRISTENSEN
Volatile compounds of green microalgae grown on reused waste water	1375	A. RZAMA, A. BENHARREF, B. ARREGUY and E. J. DUFOURC

Biosynthesis

Stimulation of caffeine biosynthesis in suspension-cultured coffee cells and the <i>in situ</i> existence of 7-methylxanthosine	1381	B. H. SCHULTHESS and T. W. BAUMANN
S-Adenosyl-L-methionine: (S)-coclaurine-N-methyltransferase from <i>Tinospora cordifolia</i>	1387	S. LOEFFLER, B. DEUS-NEUMANN and M. H. ZENK

Cell Culture

Extracellular polysaccharides from suspension cultures of <i>Nicotiana plumbaginifolia</i>	1397	I. M. SIMS and A. BACIC
Two triglycosidic triterpene astragalosides from hairy root cultures of <i>Astragalus membranaceus</i>	1407	Y. ZHOU, M. HIROTANI, H. RUI and T. FURUYA

Chemotaxonomy

Uncommon 16:1 (n-5) acid from <i>Dictyota dichotoma</i> and fatty acids of some brown algae of dictyotaceae	1411	S. V. KHOTIMCHENKO
<i>Dorema aucheri</i> , the first umbelliferous plant found to produce exudate flavonoids	1417	E. WOLLENWEBER, M. DÖRR and A. RUSTIYAN

Plant Chemistry

Spiro-lactones, hyperolactone A–D from <i>Hypericum chinense</i>	1419	Y. ARAMAKI, K. CHIBA and M. TADA
Annoglaucin, an acetogenin from <i>Annona glauca</i>	1423	S. ETCHEVERRY, S. SAHPAZ, D. FALL, A. LAURENS and A. CAVÉ
5,6-Dihydro- α -pyrones and two bicyclic tetrahydro- α -pyrone derivatives from <i>Cryptocarya latifolia</i>	1427	S. E. DREWES, B. M. SEHLAPELO, M. M. HORN, R. SCOTT-SHAW and P. SANDOR

Alangionosides C–F, megastigmane glycosides from <i>Alangium premnifolium</i>	1431	H. OTSUKA, K. KAMADA, M. YAO, K. YUASA, I. KIDA and Y. TAKEDA
Longipinane derivatives from <i>Stevia viscida</i>	1437	L. U. ROMÁN, G. MORÁN, J. D. HERNÁNDEZ, C. M. CERDA-GARCÍA-ROJAS and P. JOSEPH-NATHAN
Germacranolides of <i>Mikania cordata</i>	1441	A. M. AGUINALDO, F. ABE, T. YAMAUCHI and W. G. PADOLINA
Diterpenoids from <i>Euphorbia micractina</i>	1445	JIAN-GONG SHI and ZHONG-JIAN JIA
A diterpene from <i>Bidens pilosa</i>	1449	MA. C. A. ZULUETA, M. TADA and C. Y. RAGASA
Diterpenoids from <i>Isodon eriocalyx</i> var. <i>laxiflora</i>	1451	HAN-DONG SUN, ZHONG-WEN LIN, FANG-DI NIU, PEI-QING SHEN, LU-TAI PAN, LONG-ZE LIN and G. A. CORDELL
Four diterpene esters from <i>Euphorbia myrsinites</i>	1457	S. ÖKSÜZ, F. GÜREK, R. R. GIL, T. PENGSUPARP, J. M. PEZZUTO and G. A. CORDELL
Polyandrol, a C ₁₉ quassinoid from <i>Castela polyandra</i>	1463	P. A. GRIECO, J. M. VANDER ROEST, M. M. PIÑEIRO-NUÑEZ, E. E. CAMPAIGNE and M. CARMACK
21 α -Hydroxy-3 β -methoxyserrat-14-en-30-al and other triterpenoids from the cuticle of <i>Picea jezoensis</i>	1467	R. TANAKA, H. SENBA, T. MINEMATSU, O. MURAOKA and S. MATSUNAGA
Triterpenoid saponins from <i>Clematis chinensis</i>	1473	BAOPING SHAO, GUOWEI QIN, RENSHENG XU, HOUMING WU and KAN MA
Isolation of triterpene saponins from <i>Gypsophila capillaris</i>	1481	M. H. A. ELGAMAL, H. S. M. SOLIMAN, M. S. KARAWYA, B. MIKHOVA and H. DUDDECK
Triterpene saponins from <i>Aster yunnanensis</i>	1487	YU SHAO, BING-NAN ZHOU, LONG-ZE LIN and G. A. CORDELL
A bidesmosidic triterpene saponin from <i>Cephalaria transsylvanica</i>	1493	Ö. ALANKUŞ-ÇALIŞKAN and H. ANIL
A ferulic acid ester of sucrose and other constituents of <i>Bhesa paniculata</i>	1497	L. J. HARRISON, G. L. SIA, K.-Y. SIM, H. T.-W. TAN, J. D. CONNOLLY, C. LAVAUD and G. MASSIOT
An oligostilbene from <i>Vitis</i> roots	1501	S. KORHAMMER, F. RENIERO and F. MATTIVI
Iso-ocobullenone and a neolignan ketone from <i>Ocotea bullata</i> bark	1505	S. E. DREWES, M. M. HORN, B. M. SEHLAPELO, N. RAMESAR, J. S. FIELD, R. SCOTT-SHAW and P. SANDOR
Acylated pelargonidin 3,7-glycosides from pink flowers of <i>senecio cruentus</i>	1509	K. TOKI, N. SAITO, H. KUWANO, A. SHIGIHARA and T. HONDA
Malvidin 3-(6-acetylglucoside)-5-glucoside and other anthocyanins from flowers of <i>Geranium sylvaticum</i>	1513	Ø. M. ANDERSEN, R. I. VIKSUND and A. T. PEDERSEN
A persicogenin 3'-glucoside from the stem bark of <i>Prunus amygdalus</i>	1519	M. S. M. RAWAT, G. PANT, R. KUKRETI, J. SAKAKIBARA and A. NAGATSU
Minor xanthenes from the bark of <i>Cratoxylum cochinchinense</i>	1521	G.-L. SIA, G. J. BENNETT, L. J. HARRISON and K.-Y. SIM

Kukoamine B, a spermine alkaloid from <i>Lycium chinense</i>	1529	S. FUNAYAMA, G.-R. ZHANG and S. NOZOE
<i>O</i> -Methyldoline and <i>N</i> -demethylmasonine, alkaloids from <i>Narcissus pseudonarcissus</i>	1533	M. KREH and R. MATUSCH
Alkaloids and other compounds from <i>Psychotria correae</i>	1537	H. ACHENBACH, M. LOTTES, R. WAIBEL, G. A. KARIKAS, M. D. CORREA A. and M. P. GUPTA
Two steroidal alkaloids from <i>Veratrum viride</i>	1547	K. A. EL SAYED, J. D. MCCHESENEY, A. F. HALIM, A. M. ZAGHLOUL and M. VOEHLER
Book Reviews		
Seeds: Physiology of Development and Germination: by J. D. BEWLEY and M. BLACK	1551	J. D. ROSS
Handbook of Natural Products Data, Vol. 2, Pentacyclic Triterpenoids: edited by V. U. AHMAD and ATTA-UR-RAHMAN	1551	J. B. HARBORNE
Genetic Engineering of Plant Secondary Metabolism: edited by B. E. ELLIS, G. W. KUROKI and H. A. STAFFORD	1552	G. P. BOLWELL
Monoterpene Indole Alkaloids: edited by J. E. SAXTON	1552	J. D. PHILLIPSON
Errata and corrigenda	1555	