

SUBJECT INDEX

A

Abscisic acid,
biosynthesis of, in *Cercospora* 365
highly potent long-lasting analogues of 561

Acacia galpinii, proteracacinidin dimers from 237

A. senegal, characterization of gum arabic fractions from 409

Acetogenin, from *Annona* 1423

Acetyl esterase, from mung bean hypocotyl cell walls 315

Acetylene glycoside, from *Aster* 675

Achillea pratensis, eudesmanolides from 159

A. santolina, 5-deoxyflavonoid from 1305

S-Adenosyl-L-methionine: (*S*)-coclaurine-*N*-methyltransferase, from *Tinospora* 1387

Adenylate cyclase, inhibition of, by *ent*-manoyl oxides 287

Adonis aleppica, phenolic glycosides from 1245

Aesculus hippocastanum, A-type procyanidin trimers from 499

Agathis, flavonoid profiles of 1223

Agavaceae 745, 751, 795

Agropyron repens, phytotoxins from 1157

Alangiaceae 1431

Alangium prennifolium, megastigmane glycosides from 1431

Albizia lebbeck, saponins from 1287

Algae 155, 457, 797, 837, 975, 987, 1103, 1375, 1411

Alkaloids,
aporphinoid, from *Piptostigma* 1037
carbazole, antimicrobial, from *Clausena* 787
cyclopeptide,
from *Scutia* 783
from *Ziziphus* 767

diterpene, from *Spiraea* roots 545

N-formyl cyclopeptide, from *Ziziphus* 271
from *Ceratocapnos* 113
from *Erthrina*, capillary GC-MS analysis of 1315
from *Narcissus* 549, 1533
capillary GC-MS of 773
from *Psychotria*
from *Vinca* 1057

furoquinoline, from *Boronia* 1275

isoquinoline, biosynthesis of 1387

pyrrolizidine, from *Heliotropium* 355

quinolizidine, from *Lupinus* 139

screening of herbarium samples for 1319

secoberberine, from *Hypecoum* 1049

spermine, from *Lycium* 1529

steroidal, from *Veratrum* 777, 1547
tropane, from *Erythroxylum* root bark 1053

Allergenic resin acid, from *Pinus* colophony 853

Alstroemeria revoluta, tuliposides from 1371

Alstroemeriaceae 1371

Alternaria porri, zinnimidine and methylphthalide from 495

Amaryllidaceae 549, 773, 1533

Amino oxidase, from *Trigonella* seedlings 23

4-Aminobutyrate, anaerobic accumulation of in rice seedlings 1147

Anabaena cylindrica, heterocyst glycolipids from 641

Anacardiaceae 1109

Anemia phyllitidis, antheridiogen from 1345

Annona glauca, acetogenin from 1423

Annonaceae 189, 951, 1037, 1423

Antheridiogen, from *Anemia* 1345

Anthocyanins,
acylated,
from blue *Hyacinthus* flowers 1293
from pink *Senecio* flowers 1509
from *Sambucus* fruits 755
from *Verbena* flowers 515
from *Geranium* flowers 1513

Anthraquinone glycosides, bioactive, from *Picramnia* 477

Anthraquinones, from *Galium* cell cultures 107

Antibiotic, biosynthesis of, in *Lepista* and *Streptomyces* 61

Antifeedant
limonoid, from *Melia* 593
sesquiterpenes, from *Lactarius*, structure-activity relationship of 1161

Antifungal pyrrolizidine alkaloid, from *Heliotropium* 355

Antimicrobial
abietane diterpene, from *Plectranthus* roots 167
carbazole alkaloid, from *Clausena* 787
flavonol, from *Pentachondra* 1033
stress compounds, from *Hypochoeris* 1169

Aphanizomenon flos-aquae, pterins from 1229

Aphidicolin, hydroxylation of by *Cephalosporium* 73

Apocynaceae 793, 1057

Araliaceae 695

Araucariaceae 1223

5-*epi*-Aristolochene 3-hydroxylase, from green pepper 609

Aristolochia debilis, sesquiterpene aldehyde from, structural revision of 905

Aristolochiaceae 905

Aromatics, as intermediates in bitter acid biosynthesis in hops 77

Arrabaciaea chica, flavone from 1299

Artemisia annua, flavonoids and chromenes from 255

Asclepiadaceae 335, 943, 1181

Aspartic proteinase, from *Rhizopus* 27

Aspergillus terreus, emodinanthrone oxygenase from 299

Aster batangensis, triterpenoid saponins from 927

A. yunnanensis,
triterpene saponin and acetylene glycoside from 675
triterpene saponins from 1487

Astragalus membranaceus, trglycosidic triterpene astragalosides from 1407

Avicennia germinans, iridoid glucosides from 893

Avicenniaceae 893

B

Baccharis, essential oils from 381

Bacteria 641, 1229

Belamcanda chinensis, dioxotetrahydrodibenzofurans from 703

1,2-Benzisoxazole-3-alkanoic acids, auxin-like activity of 817

Benzofurans, from *Belamcanda* 703

Benzoic acid ester, from *Uvaria* 951

Benzophenones, phenolic, prenylated, from *Garcinia* 233

Benzoxazinones, from Gramineae, diastereoselective syntheses of 1233

Berberidaceae 263, 807
 Berberine biosynthesis, in *Thalictrum*, oxidases involved in 89
Beta vulgaris, target molecular size of plasma membrane Ca^{2+} -ATPase in 15
Bhesa paniculata, ferulic acid ester of sucrose from 1497
Bibenzyls, from *Siemona* 711
Bidens pilosa, acyclic diterpene from 1449
Biflavones, from Himalayan *Taxus* 715
Biflavonoids,
 from *Daphne* 1021
 from *Dracaena* 751
Bignoniacae 1299
Biologically active alkaloids,
 antifungal and insect antifeedant, from *Heliotropium* 355
 antimicrobial, from *Clausena* 787
 alkenals, antimicrobial, from stressed *Hypochoeris* leaves 1169
 anthraquinone glycosides, cytotoxic, from *Picramnia* 477
 coumarins, phytoalexins, from sunflower 1185
 dibenzofurans, antifungal, from *Cotoneaster* sapwood 57
 diterpenoid hydroperoxide, contact allergenic, from *Pinus* colophony 853
diterpenoids,
 antimicrobial, from *Plectranthus* roots 167
 cytotoxic, from *Isodon* 437
 elicitin, produced by *Phytophthora* 41
 flavonoids, antifungal, from *Prunus* 599
 flavonol, anti-inflammatory, from *Tanacetum* 267
 flavonol glycoside, antimicrobial, from *Pentachondra* 1033
 fungal metabolites, cytotoxic, from *Leptosphaeria* 155
 hydroxamic acids, phytotoxic, from *Agropyron* root exudates 1157
 limonoids, insect antifeedant, from *Melia* 593
 naptho- α -pyrone, phytotoxic and lethal to *Artemia* shrimps, from *Mycosphaerella* 595
 3-(3-phenylpropionyl)benzaldehydes, bactericidal, synthesis of 491
 saponins, cyclic AMP phosphodiesterase inhibiting, from *Triteleia* 1279
sesquiterpenoids,
 antimicrobial, from stressed *Hypochoeris* leaves 1169
 from *Lactarius*, structure-activity relationships of 1161
 phytotoxic, from *Canella* 909
 plant growth inhibitory, from *Heterotheca* 553
 terpenoids, antifungal, produced by infected cypress 351
 thiocarbamate glycosides, hypotensive, from *Moringa* 957

Biosynthesis,
 of abscisic acid, in *Cercospora* 365
 of alkaloids, isoquinoline, in *Tinospora* 1387
 of aphidicolin, by *Cephalosporium* 73
 of berberine, in *Thalictrum* 89
 of bithienyls, in *Tagetes* 1193
 of bitter acids, in *Hulumus* 77
 of caffeine, in *Coffea* cells cultures, stimulation of 1381
 of capsidiol, in *Capsicum*, key enzymes of 609
 of nebularine, by *Lepista* and *Streptomyces* 61
 of polyglutamate, in *Neurospora* mutants and transformants 603
 of secoiridoides, in *Fontanesia* 615

Biotransformation,
 of acyclic neolignan, in rats 343
 of brassinosteroids, by *Ornithopus* cultures 633
 of Δ^2 -carene, by *Myrtillocactus* and *Nicotiana* callus 629
 of enantio-manoyl oxides, by *Rhizopus* 287
Bischofia javanica, dimeric dehydroellagittannin from 509

Blumea lacera, triterpenoid and prenylated phenol glycosides from 935
Boraginaceae 83, 355, 623, 1127
Boronia, terpenoids, alkaloids and coumarins from 1275
Botrydials, from *Botrytis* shake culture 647
Botrytis cinerea, botrydial derivatives from 647
Brassica napus,
 selective induction of glucosinolates in, by methyl jasmonate 347
 sensitive method for detection of glycine betaine in 1143
Brassinosteroids,
 acyl-conjugated, in *Ornithopus* cell cultures 633
 2,3-epoxy, from *Secale* 1095
Bromoperoxidase, from *Corallina*, immobilization of 1103
Broussonetia papyrifera, isoprenylated flavonols from 535
Brucea javanica, steroid glycoside from 699

C
 Ca^{2+} -ATPase, in beet plasma membrane 15
Cactaceae 295, 629
 Caffeine biosynthesis, stimulation of, in coffee suspension cultures 1381
Calophyllum inophyllum, xanthones from 725
Calvatia cyathiformis, steroids from 947
Canella winterana, phytotoxic sesquiterpenoids from 909
Canellaceae 909
Cannabaceae 77, 1003
Cannabis sativa, acyclic bis-phenylpropane lignanamides from 1003
Caprifoliaceae 163, 423, 755, 803
Capsicum annuum, 5-epi-aristolochene 3-hydroxylase from 609
 Carbamate glycosides, fully acetylated, from *Moringa* 957
 Carbohydrate, associated with *Vicia* polyphenol oxidase, resistance to deglycosylation of 1355
Cardenolide,
 content, of different organs of *Gomphocarpus* 1181
 glycosides, from *Gomphocarpus* 943
 Δ^2 -Carene, biotransformation of, by callus tissues 629
 Carotenoid acid, in maize roots, formed after mycorrhizal colonization 53
Caryophyllaceae 1481
Castela polyandra, quassinoïd from 1463
Celastraceae 1497
Centaurea, sesquiterpene lactones from 655
Cephalaria transylvanica, bidesmosidic triterpene saponin from 1493
Cephalosporium aphidicola,
 C_{10} lactones from 557
 incubation of $3\alpha,16\beta$ -dihydroxyaphidicolane with 73
Ceratocapnos heterocarpa, alkaloids from 113
Cercospora cruenta, 3'-hydroxy- γ -ionylideneacetic acids from 365
 Chalcone, from *Syzygium* 687
 Chemotaxonomic studies,
 of alkaloids, quinolizidine, in 56 *Lupinus* species 139
 of di- and sesquiterpenoids, in *Heteroscyphus* 119
 of essential oils,
 in *Baccharis* 381
 in *Thymus* 391
 of fatty acids, in *Dictyotaceae* 1411
 of flavonoids,
 8-C-benzylated, in *Thymus* 637
 exudate, in umbellifer 1417
 from *Agathis* 1223
 of flavonol glycosides, in *Epilobium* 129
 of iridoid glucosides, in *Avicennia* 893
 of limonoids, in *Toona* seeds 397
 of lipids, in Middle Volga macrophytes 1209
 of phenolics, in *Equisetum* subgenus *Equisetum* 881
 of seed galactomannans, in Leguminosae 871
 of woodextractives, from *Pinus nigra* varieties 887
 of yellow pigments, from *Phoma* 1215

Chenopodiaceae 9, 15
Chlorella vulgaris, grwon on resused waste water, volatiles from 1375
 Chlorococcales, cell wall neutral sugar composition in different strains of 837
 Chlorophyta 457, 837, 1375
 Chromenes, from *Artemisia* 255
 Chromone glucosides, from *Diplolophium* 427
Cicer arietinum, inhibition of diamine oxidase in 1099
 Cinnamic acids, effects of, on indole acetic acid oxidation by peroxidase 19
 Cistaceae 443, 663
Cistus populifolius, neo-clerodane diterpene from 443
 Citrans, from *Clusia* 485
Citrus aurantifolia, separation and identification of cutin monomers from 1361
Cladophora vagabunda, terpenoids and starch from 457
Clausena hepaticaphylla, antimicrobial carbazole alkaloid from 787
Clematis chinensis, triterpenoid saponins from 1473
Clusia multiflora, citrans and cycloids from 485
 Cobalt, effects of on maize membrane-associated peroxidases 573
Coffea arabica, stimulation of caffeine biosynthesis in 1381
Coix lachryma-jobi, diastereoselective syntheses of benzoxazinones from 1233
Coleus, absolute configuration of Coleon A from 195
 Compositae 159, 255, 267, 381, 433, 451, 553, 555, 655, 675, 799, 927, 935, 1017, 1169, 1185, 1193, 1215, 1257, 1261, 1265, 1305, 1437, 1441, 1449, 1487, 1509
Corallina officinalis, immobilization of bromoperoxidase from 1103
Corydalis pallida, effect of pyrogallol on *O*-methylation of dopamine and salsolinol in 335
Cotoneaster acutifolius, dibenzofuran phytoalexins from 57
 Coumarin glycosides, from *Diplolophium* 427
 from *Lonicera* 803
 phytoalexins, in sunflower, abiotic elicitation of 1185
 Coumarins, from *Boronia* 1275
 from *Paramignya* bark 805
 from *Pterocaulon* 1017
p-Coumaroyl amino acids, elicitation of in *Ephedra* cultures, by mannan glycopeptide 95
 Crassulaceae 531, 809
Cratoxylon cochinchinense, xanthones from 1521
 Cruciferae 1, 31, 347, 359, 847, 1027, 1143
Cryptocarya latifolia, α -pyrones from 1427
 Cucurbitaceae 465, 821
 Cypressaceae 351
Cupressus sempervirens, antifungal terpenoids, produced as phytoalexins by 351
Curvularia pallens, spirostaphylotrichins from 843
 Cutin monomers, from lime, separation of by HPLC 1361
 Cyanidin glycosides, acylated, from *Matthiola* 1027
 Cycadaceae 1199
Cycas revoluta, cycasin formation in tissue cultures of 1199
 Cycasin formation, in *Cycas* tissue cultures 1199
 Cycloids, from *Clusia* 485
 Cyclosporins, from *Tolypocladium* 403
Cynanchum vincetoxicum, effect of pyrogallol on *O*-methylation of dopamine and salsolinol in 335
 Cyperaceae 917
Cytospora persoonii, sensitivity of to *Prunus* flavonoids 599
 Cytotoxic
 ent-kaurene diterpenoids, from *Isodon* 437
 metabolites, from fungus adherent to marine alga 155

D
Daphne odora, biflavonoids from 1021
 Diamine oxidase, in legumes, inhibition of 1099
 Dibenzofuran phytoalexins, from *Cotoneaster* sapwood 57
Dictyota dichotoma, 16:1(n-5) fatty acid from 1411
 Dihydrofolate synthetase, from *Neurospora* 327
Dioclea grandiflora, flavanone from 277
 Dioxotetrahydrodibenzofuran, from *Iris* seeds 965
Diplodia pinea, phytoalexin production by cypress after infection with 351
Diplolophium buchananii, chromone and coumarin glucosides from 427
 Dipsacaceae 1493
 Diterpenoid
 biosynthesis, by *Cephalosporium* 73
 esters, from *Euphorbia* 1457
 glucoside, clerodane furano, from *Tinospora* 447
 resin acid, contact allergenic, from *Pinus* colophony 853
 xyloside, from *Haplopappus* resinous exudate 555
 Diterpenoids,
 abietane, antimicrobial, from *Plectranthus* roots 167
 seco-abietane, from *Coleus*, absolute configuration of 195
 antifungal, produced by *Cupressus* as phytoalexins 351
 clerodane,
 from *Salvia* 171
 from *Tinospora* 659
 neo-clerodane,
 from *Cistus* 443
 from *Scutellaria* 175, 181
 from *Bidens* 1449
 from *Euphorbia* 1445
 from *Heteroscyphus* 119
 from *Kyllinga* 917
 from *Polyalthia* 189
 from *Salvia* 199
 from *Solidago* 451
 from *Vellozia* 1269
 ent-kaurene, from *Isodon* 921
 seco-ent-kaurene, from *Isodon* 1451
 ent-kaurene, cytotoxic, from *Isodon* 437
 labdane, from *Halimium* 663
 taxane, from *Taxus* 667
 taxoid, from Himalaya *Taxus* 671, 715
 Dithiotreitol, effects on maize membrane-associated peroxidases 573
 Dodecaacetylprodelphinidin B3, from *Ziziphus* leaves 505
Dolichos lablab, conjugated saponin from 229
 L-DOPA, decarboxylation of, by *Papaver* immobilized cells 859
 Dopamine, effect of pyrogallol on *O*-methylation of 335
Dorema aucheri, flavonoids from exudate of 1417
Dracaena cinnabari,
 biflavonoids from 751
 flavonoids from 745
 sterols and triterpenoids from 795
Dryas octopetala, epicuticular wax composition of, in relation to snow cover 45

E
 Ecdysteroids,
 from *Rhaponticum* 799
 from *Vitex* 473
 Elicitin, from *Phytophthora* pathogenic to tobacco 41
 Ellagitannin, dimeric, from *Bischofia* 509
 Emodianthrone oxygenase, from *Aspergillus* 299
Enhydra fluctuans, sesquiterpene lactones from 433
 Enzyme activity, pitfalls in coupled spectrophotometric assays of 1065
 Enzymes,
 acetyl esterase, from mung bean hypocotyl cell walls 315
 acid invertase, soluble, from *Oryza* 321

S-adenosyl-L-methionine:norcoclaurine transferase, from *Thalictrum* cells 1131
 amino oxidase, from *Trigonella* 23
S-epi-aristolochene 3-hydroxylase, from green pepper 609
 aspartic proteinase, from *Rhizopus* 27
 ATPase, Ca^{2+} -, from red beet plasma membrane 15
 bromoperoxidase, from *Corallina*, immobilization of 1103
 diamine oxidase, inhibition of 1099
 dihydrofolate synthetase, from *Neurospora* 327
 emodinanthrone oxygenase, from *Aspergillus* 299
 esterase, from *Marchantia* cell cultures 831
 fatty acid epoxide hydrolase, from different seeds 31
 folylpolyglutamate synthetase, from *Neurospora* 327
 β -galactosidase, from ripening mango fruit 1109
 geranylpyrophosphate synthase, subcellular localization of in *Lithospermum* 623
 oxidases, controlling berberine biosynthesis in *Thalictrum* 89
 peroxidase
 from horseradish, effects of hydroxycinnamic acids on IAA oxidation by 19
 from *Opuntia* 295
 ribulose 1,5-bisphosphate carboxylase, from rice, effect of heat stress on 1115
 squalene synthase, from rat liver and tobacco, inhibition by squalenol 1137
 tyrosine/dopa carboxylases, from opium poppy 1119
 UDPG: p -hydroxybenzoate glucosyltransferase, intracellular localization of in *Lithospermum* 1127
Epacridaceae 1033
Ephedra distachya, *p*-coumaroyl amino acid elicitation by glycopeptide in 95
Ephedraceae 95
 Epicuticular wax composition, of *Dryas* and *Saxifraga*, relation of to snow cover 45
 3-Epigibberellin A₁, occurrence and artefactual formation of 1
Epilobium, flavonol glycosides from 129
Epimedium koreanum,
 difuranoflavone from 807
 flavonol glycosides from 263
 Epoxyconiferyl alcohol, from *Fraxinus* bark 801
Equisetaceae 881
Equisetum, inter- and intraspecific variation of phenolics in 881
Erica cinerea, revised structures of flavonol monoglycosides from 259
Ericaceae 259
Erythrina, analysis of alkaloids from, by capillary GC-MS 1315
E. senegalensis, prenylated isoflavones from 1309
Erythroxylaceae 1053
Erythroxylum manogynum, tropane alkaloids from 1053
Escherichia coli, expression of decarboxylases from *Papaver* in 1119
 Essential oil composition, in *Thymus*, infraspecific variability of 391
 Essential oils, from *Baccharis* 381
 Esterase, secretion of by *Marchantia* cultured cells 831
Euphorbia micratina, diterpenoids from 1445
E. myrsinites, diterpene esters from 1457
Euphorbiaceae 31, 307, 509, 1445, 1457

F
Fragaropsis glabra, degraded limonoid glucoside from 217
 Fatty acid epoxide hydrolase activity, in different plant seeds 31
 Fatty acids, from *Dictyotaceae* 1411
 Flavone glycoside, from *Prunus* stem bark 1519
 Flavones,
 from *Dioclea* roots 277

from *Sophora* roots 519
 prenylated, from *Sorocea* 251
Flavanonol, from *Pterocaulon* 1017
Flavone glycosides, acylated, from *Sideritis* 527
Flavone,
 difuran-, from *Epimedium* 807
 from *Arrabidaea* leaves 1299
Flavonoid
 glycosides, from *Morinda* leaves 1301
 profiles, of *Agathis* 1223
Flavonoids,
 8-C-benzylated, from *Thymus* 637
 5-deoxy-, from *Achillea* 1305
 from *Artemisia* 255
 from *Dorema* exudate 1417
 from *Dracaena* resin 745
 from *Prunus*, sensitivity of *Cytospora* to 599
 from *Sophora* roots 539
 prenylated, from *Glycyrrhiza* roots 759
Flavonol
 glycosides,
 antimicrobial, from *Pentachondra* 1033
 from *Epilobium*, analysis of by LC-UV and thermospray LG-MS 129
 from *Epimedium* 263
 from *Rhodiola* 809
 from *Sedum* leaves 531
 monoglycosides, from *Erica*, revised structures of 259
Flavonolignoids, from *Iryanthera* fruits 1013
Flavonols,
 effects of structure of, on *Petunia* pollen germination 589
 isoprenylated, from *Broussonetia* 535
 lipophilic, anti-inflammatory, from *Tanacetum* 267
Flavanostilbenes, from *Sophora* roots 519
Fluoroabscisic acids, activity of 561
Folylpolyglutamate synthetase, in *Neurospora* 603
Folylpolyglutamate synthetase, from *Neurospora* 327
Fontanesia, secoiridoid biosynthesis in 615
Fraxinus oxycarpa, epoxyconiferyl alcohol from 801
 Fungal pigments, from *Phoma* isolates 1215
 Fungi 27, 41, 61, 73, 155, 287, 299, 327, 351, 365, 371, 403, 419, 495, 557, 595, 599, 603, 647, 843, 947, 1161, 1215

G
 Galactomannans, from seeds, as chemotaxonomic markers in Leguminosae 871
 β -Galactosidase, role of in ripening mango fruit 1109
Galium verum, anthraquinones from cultures of 107
Garcinia myrtifolia, prenylated phenolic benzophenones from 233
G. subelliptica, xanthones from 247
Gastrodia elata, inhibition of kainic acid binding to glutamate receptors by 835
Geraniaceae 1513
Geranium sylvaticum, anthocyanins from 1513
Geranylpyrophosphate synthase, intracellular localization of, in *Lithospermum* 623
3-epi-Gibberellin A₆₁, from *Anemia* 1345
 Gibberellin metabolism, in radish suspension cultures 359
 Glucosinolates, in oilseed rape leaves, selective induction of by methyl jasmonate 347
 Glycinebetaine, detection of by LC/continuous flow secondary IMS 1143
 Glycolipids, from *Anabaena* heterocysts 641
Glycyrrhiza inflata, isoprenoid-substituted flavonoids from 759
Gomphocarpus sinicus,
 cardenolide content of different organs of 1181
 cardenolide glycosides from 943
Gramineae 1, 5, 9, 53, 321, 573, 579, 1095, 1115, 1147, 1157, 1233, 1349

Gum arabic fractions, obtained by anion-exchange chromatography 409

Guttiferae 233, 247, 485, 725, 867, 1419, 1521

Gypsophila capillaris, triterpene saponins from 1481

H

Halimium viscosum, labdane diterpenes from 663

Haplopappus diplopappus, diterpene xyloside from 555

Harrisonia perforata, limonoid from 213

Helianthus annuus, abiotic elicitation of coumarin phytoalexins in 1185

Heliotropium bovei, Pyrrolizidine alkaloids from 355

Hepaticae 119, 651, 831

Hesperis matronalis, asynchronous emission rhythms of volatiles from 847

Heteroscyphus planus, di- and sesquiterpenoids from 119

Heterotheca inuloides, plant growth inhibitory sesquiterpenoid from 553

Hippocastanaceae 499

Hippocrataceae 275

Humulus lupulus, aromatic intermediates in bitter acid biosynthesis in 77

Hyacinthus orientalis, acylated anthocyanins from 1293

15-Hydroxyerixydehydroabietic acid, contact allergenic, from *Pinus colophony* 853

Hydroxamic acids,

- cyclic, non-induced, in wheat seedlings 1349
- phytotoxic, from *Agropyron* seedlings 1157

p-Hydroxybenzoate glucosyltransferase, intracellular localization of in *Lithospermum* cultures 1127

3'-Hydroxy- γ -ionylideneacetic acids, from *Cercospora* 365

Hydroxytetradecatrienoic acid, from *Valsa* 419

Hypecoaceae 1049

Hypecom procumbens, secoberberine alkaloid from 1049

Hypericum chinense, spiro-lactones from 1419

H. patulum, xanthones and their cyclization products in cell cultures of 867

Hypochoeris radicata, antimicrobial stress compounds from 1169

Hypotensive thiocarbamate glycosides, from *Moringa* 957

I

Imidine, from *Alternaria* 495

Indole acetic acid oxidation, by peroxidase, effects of cinnamic acids on 355

Invertase, acid, soluble, from *Oryza* 321

Iridaceae 585, 703, 729, 965

Iridiod

- diester, from *Valeriana* hairy roots 103
- glycosides,

 - from *Avicennia* 893
 - from *Viburnum* 163, 423
 - oligomeric, from *Jasminum* 899

Iridioids,

- from *Mentzelia* 895
- from *Thevetia* 793

Iris germanica, lipid composition of rhizome microsomes of 585

I. nigricans, xanthone C-glycoside from 585

I. pallasiif, phenols and dioxotetrahydrodibenzofuran from 965

Iryanthera grandis, flavonolignoids from 1013

Isocoumarins, from *Xyris* 481

Isodon, cytotoxic ent-kaurene diterpenoids from 437

I. eriocalyx, seco-ent-kaurane diterpenoids from 1451

I. macrocalyx, ent-kauranoid diterpenoids from 921

Isoflavonoids,

- prenylated,

 - bioorganic chemical aspects of 1073
 - from *Erythrina* 1309
 - rapid metabolism of, in elicitor-treated *Pueraria* cultures 373

J

Jasminum sambac, oligomeric iridoidal glycosides from 899

Jasmonates,

- from pine pollen 569
- 7-methyl, biological activity of methyl ester of 821

K

Kadsura coccinea, lignans from 241, 1009

Kainic acid, inhibition of binding to glutamate receptors of, by *Gastrodia* extracts 835

Kyllinga erecta, diterpenoids from 917

L

Labiatae 167, 171, 175, 181, 195, 199, 391, 437, 527, 637, 791, 905, 921, 997, 1451

Lactarius, structure-activity relationships of antifeedant sesquiterpenes from 1161

Lactones, C₁₀, from *Cephalosporium* 557

Lactuca sativa, 3-epigibberellin A₁ from 1

Lamium album, phenylpropanoid esters from 997

Lantana camara, pentacyclic triterpenoids from 681

Lauraceae 1427, 1505

Lectin, from *Parkia* beans 281

Leguminosae 23, 31, 139, 229, 237, 277, 281, 315, 373, 409, 519, 539, 633, 733, 759, 825, 871, 1099, 1287, 1309, 1315, 1355, 1407

- seed galactomannans as chemotaxonomic markers in 871

Lens culinaris, inhibition of diamine oxidase in 1099

Lepista nebularis, nebularine biosynthesis in 61

Leptosphaeria, cytotoxic metabolites from 155

Lignans,

- dibenzocyclooctadiene, from *Kadsura* 241
- from Himalayan *Taxus* 715
- from *Kadsura* 1009

Lignanamides, bis-phenylpropane, acyclic, from *Cannabis* fruits 1003

Liliaceae 777, 1279, 1293, 1547

Limnophila heterophylla, triterpene from 1273

Liominoid glucoside, degraded, from *Fagaropsis* 217

Limonoids,

- antifeedant, from *Melia* 593
- from *Harrisonia* 213
- from *Toona* seeds, chemosystematic significance of 397

Linaceae 31, 1143

Linum usitatissimum, sensitive method for detection of glycinebetaine in 1143

Lipid composition, of *Iris* rhizome microsomes 585

Lipids, from Middle Volga macrophytes 1209

Lithospermum, intracellular localization of UDPG:*p*-hydroxybenzoate glucosyltransferase in cell cultures of 1127

L. erythrorhizon,

- intracellular localization of geranylpyrophosphate synthase in 623
- shikonin biosynthesis in 83

Loasaceae 895

Lolium perenne, pectic polysaccharides from mesophyll cell walls of 579

Longipinanes, from *Stevia* 1437

Lonicera gracilipes, coumarin glycoside from 803

Lupinus, quinolizidine alkaloids from 139

Lycium chinense, spermine alkaloids from 1529

M

Malus domestica, developmental changes in phenol concentrations of 1151

Mangifera indica, role of β -galactosidase in ripening fruit of 1109

Mannan glycopeptide, *p*-coumaroylaminic acid elicitation by, in *Ephedra* cultures of 95

eenantio-Manoyl oxides, biotransformation of, by *Rhizopus* cultures 287
ent-3-epi-Manoyl oxides, preparation of by semi-synthesis 1237
Marchantia polymorpha, esterase secretion by cultured cells of 831
Matthiola incana, acylated cyanidin glycosides from 1027
Megastigmene glycosides, from *Alangium* 1431
Melia azedarach, antifeedant limonoid from 593
Meliaceae 397, 593, 691
Menispermaceae 447, 659, 1387
Mentzelia cordifolia, iridoids from 895
Methyl jasmonate, selective induction of glucosinolates in oilseed rape leaves by 347
Methyl 7-methyl jasmonates, biological activity of 821
Mikania cordata, germacranolides from 1441
M. ypacareyensis, sesquiterpene dilactones from 1257
Mimusops elengi, pentacyclic triterpenoids from 205
Monoterpene glucosides, from *Diplopholium* 427
Montanoa karwinskii, germacranolides and secocaryophyllene from 1251
Moraceae 251, 535
Morinda morindoides, flavonoid O-glycosides from 1301
Moringa oleifera, carbamate and thiocarbamate glycosides from 957
Morigaceae 957
Musci 35
Mycosphaerella asteroma, phytotoxic α -pyrone from 595
Myristicaceae 1013
Myrtaceae 687
Myrtillocactus geometrizans, biotransformation of Δ^2 -carene by callus tissues of 629

N
Naphtho- α -pyrone, phytotoxic, from *Mycosphaerella* 595
Narcissus pseudonarcissus, alkaloids from 1533
capillary GC-MS of alkaloids from 773
N. tortuosus, alkaloids from 549
Nauclea diderrichii, quinovic acid glycosides from 209
Nebularine, biosynthesis of, in *Lepista* and *Streptomyces* 61
Neosolmsmitra integrifoliola, dammarane glycosides from 465
Neolignans, acyclic, biotransformation of in rats 343
from *Ocotea* bark 1505
Neospora crassa, dihydrofolate and folylpolyglutamate synthetase from 327
folylpolyglutamate synthesis in transformant strains of 603
Nicotiana plumbaginifolia, extracellular polysaccharides from 1397
N. tabacum, biotransformation of Δ^2 -carene by callus tissues of 629
inhibition of squalene synthesis in 1137
Norcoclaurine 6-O-methyltransferase, from *Thalictrum* cell cultures 1131
Nothopanax davidii, triterpenoid saponins from 695

O
Ocotea bullata, neolignans from 1505
Oleaceae 615, 801, 899
Oligostilbene, from *Vitis* roots 1501
Omphalanthus filiformis, sesquiterpenes and phenolic from 651
Onagraceae 129
Ophiostoma crassivaginata, phenolic and polyketide metabolites from 371
Opuntia ficus-indica, peroxidase from 295
Orchidaceae 835
Ornithopus sativus, acyl-conjugated brassinosteroids in cell cultures of 633
Oryza sativa, anaerobic accumulation of 4-aminobutyrate in seedlings of 1147
effect of heat stress on ribulose 1,5-bisphosphate carboxylase in 1115
soluble acid invertase from 321

P
Paeonia, triterpenoids from callus tissue cultures of 1203
Paeoniaceae 1203
Papaver somniferum, decarboxylation of L-tyrosine and L-DOPA by immobilized cells of 859
tyrosine/dopa decarboxylases from 1119
Papaveraceae 113, 335, 859, 1119
Paramignya monophylla, coumarins from 805
Parkia javanica, lectin from beans of 281
Pavetta ovariensis, oligomeric doubly-linked proanthocyanidins from 719
Pennisetum, tryptophan content of 5
Pentachondra pumila, antimicrobial acylated flavonol glycoside from 1033
Perforatinolone, from *Harrisonia* 213
Peroxidases, from *Opuntia* fruits 295
membrane-associated, oxidizing feryloyl-CoA 573
Persicogenin 3'-glucoside, from *Prunus* stem bark 1519
Perymenium berlandieri, germacranolides from 1265
Petunia hybrids, effects of flavonol structure on pollen germination in 589
Phaeophyta 155, 975, 987, 1411
Phenol concentrations, developmental changes of, in apple fruits and leaves 1151
glycosides, prenylated, from *Blumea* 935
Phenolic glycosides, from *Adonis* 1245
Phenolics, compartmentalization of, in *Sphagnum* 35
effects of, on indole acetic acid oxidation by peroxidase 19
from *Omphalanthus* 651
from *Ophiostoma* 371
inter- and intraspecific variation of, in *Equisetum* 881
Phenols, from *Iris* seeds 965
Phenylethanoid glycoside, from *Plantago* 741
Phenylpropanoid, from *Fraxinus* bark 801
Phenylpropanoid esters, from *Lamium* flowers 997
3-(3-Phenylpropionyl)benzaldehydes, synthesis and bactericidal activity of 491
Phlorotannins, from *Sargassum* 975, 987
Phoma, yellow pigments from isolates of 1215
Phthalide, from *Alternaria* 495
Phyllanthus amarus, hydrolysable tannins from, inhibiting protein kinases 307
Phytoalexins, coumarin, in sunflower, abiotic elicitation of 1185
dibenzo-furan, from *Cotoneaster* sapwood 57
from green pepper, key enzyme of biosynthesis of 609
terpenoid, from infected *Cupressus* 351
Phytolacca acinosa, triterpene saponins from root cultures of 861
Phytolaccaceae 861
Phytophthora parasitica, elicitin from 41
Phytotoxic binaphtho- α -pyrone, from *Mycosphaerella* 595
sesquiterpenoids, from *Canella* 909
Phytotoxins, from *Agropyron* seedlings 1157
Phytol heptanoate, from *Bidens* 1449
Picea jezoensis, triterpenoids from 1467
Picramnia antidesma, bioactive anthraquinone glycosides from 477

Pinaceae 569, 853, 877, 1476
Pinus, contact allergenic resin acid from 853
P. mugo, jasmonates from 569
P. nigra, composition of extractives from wood of 877
Piptostigma fugax, aporphinoid alkaloids and terpenoids from 1037
Pisum sativum,
 cross-reactivity of protein body membrane with lectin of 825
 inhibition of diamine oxidase in 1099
 Plant hormones, caged, synthesis of 811
 Plantaginaceae 741
Plantago asiatica, phenylethanoid glycosides from 741
Plectranthus hereroensis,
 antimicrobial abietane diterpene from 167
 aristolane sesquiterpene aldehyde from, structural revision of 905
Polyalthia longifolia, diterpenes from 189
 Polyketides, from *Ophiostoma* 371
Polyneura hilliae, sterols from 797
 Polyphenol oxidase, in broad bean, resistance to glycosylation of carbohydrate associated with 1355
 Polysaccharides,
 extracellular, from *Nicotiana* suspension cultures 1397
 from Leguminosae seeds, chemotaxonomic importance of 871
 pectic, from mesophyll cell walls of *Lolium* leaves 579
Populus tremuloides, phenolics and polyketides from fungal pathogen of 371
Pristimera grahamii, ursane triterpenoid from 275
 Proanthocyanins, oligomeric, from *Pavetta* 719
 Procyanidin trimers, A-type, from *Aesculus* 499
 Protein, from pea protein body membranes 825
 Protein kinases, inhibition of, by hydrolysable tannins from *Phyllanthus* 307
 Proteracacinidin dimers, from *Acacia* 237
Prunus amygdalus, flavanone glycoside from 1519
P. cerasus, sensitivity of *Cytospora* to flavonoids from 599
Psychotria correae, alkaloids from 1537
 Pteridophyta 1345
 Pterins, from *Aphanizomenon* 1229
Pterocaulon alopecuroides, courmarins and flavanol from 1017
Pueraria lobata, rapid metabolism of isoflavonoids in elicitor-treated cultures of 373
 Pyrogallol, effect of, on *O*-methylation of dopamine and salsolinol 335
 α -Pyrones,
 5,6-dihydro-, from *Tetradenia*, absolute stereochemistry of 791
 from *Cryptocarya* 1427

Q
 Quassinoïd, from *Castela* root bark 1463
 Quinovic acid glycosides, from *Nauclea* 209

R
 Ranunculaceae 89, 939, 1131, 1245, 1473
Raphanus sativus, giberellin metabolism in cultures of 359
 Rhamnaceae 271, 505, 767, 783
Rhaponticum carthamoides, ecdysteroid from 799
Rhizopus hangchow, aspartic proteinase from 27
R. nigricans, biotransformation of *enanti*-manoyl oxides by 287
Rhodiola crenulata, flavonol glycosides from 809
 Rhodophyta 797, 1103
 Ribulose 1,5-bisphosphate carboxylase, in rice, effect of heat stress on 1115
 Rosaceae 45, 57, 545, 599, 1151, 1175, 1519
 Rubiaceae 107, 209, 719, 1301, 1381, 1537
Rubus idaeus, changes in volatile composition of flowers and fruits of 1175
 Rutaceae 217, 787, 805, 1275, 1361

S
 Salsolinol, effect of pyrogallol on *O*-methylation of 335
Salvia candidans, diterpenoids from 199
S. urolepis, clerodane diterpenoids from 171
Sambucus canadensis, acylated anthocyanins from 755
Sandoricum koetjape, triterpenoid acids from 691
 Saponins,
 conjugated, from *Dolichos* 229
 steroid, from *Triteleia*, inhibiting cyclic AMP phosphodiesterase 1279
 triterpenoid,
 from *Albizia* 1287
 from *Aster* 675, 927, 1487
 from *Cephalaria* 1493
 from *Clematis* 1473
 from *Gypsophila* 1481
 from *Nothopanax* bark 695
 from *Phytolacca* root cultures 861
 from *Sideroxylon* roots 225
 from *Verbascum* 221
 Sapotaceae 205, 225
Sargassum spinuligerum, phlorotannins from 975, 987
S. tortile, cytotoxic metabolites from fungal adherent of 155
Saxifraga oppositifolia, epicuticular waxes of, in relation to snow cover 45
 Saxifragaceae 45
Scenedesmus, grown on reused waste water, volatiles from 1375
 Schisandraceae 241, 1009
 Scrophulariaceae 221, 1273
Scutellaria alpina, neo-clerodane diterpenoids from 181
S. drummondii, neo-clerodane diterpenoids from 175
Scutia buxifolia, cyclopeptide alkaloids from 783
Secale cereale,
 diastereoselective synthesis of benzoxazinones from 1233
 2,3-epoxybrassinosteroid from 1095
 Secoiridoid biosynthesis, in *Fontanesia* 615
Sedum telephium, flavonol glycosides from 531
Senecio cruentus, acylated anthocyanins from pink flowers of 1509
 Sensitivity, of physical, chemical and biological techniques, to the analysis of natural products 1319
 Sesquiterpene aldehyde, from *Plectranthus* and *Aristolochia*, structural revision of 905
 Sesquiterpene
 dilactones, from *Mikania* 1257
 lactones,
 eudesmanolides, from *Achillea* 159
 from *Centaurea* 655
 from *Enhydra* 433
 from *Tanacetum* 1261
 germacranolides,
 from *Mikania* 1441
 from *Montanoa* 1251
 from *Perymenium* 1265
 Sesquiterpenoid acid, from *Montanoa* 1251
 Sesquiterpenoids,
 antifeedant, from *Lactarius*, structure-activity relationships of 1161
 from *Heteroscyphus* 119
 from *Omphalanthus* 651
 phytotoxic, from *Canella* 909
 plant growth inhibitor, from *Heterotheca* 553
 Shikonin biosynthesis, from L-phenylalanine in *Lithospermum* 83
Sideritis syriaca, acylated flavone glycosides from 527
Sideroxylon foetidissimum, triterpenoid saponins from 225
 Simaroubaceae 213, 477, 699, 1463
 Solanaceae 31, 41, 589, 609, 629, 1137, 1397, 1529
Solidago rugosa, diterpenes from 451

Sophora alepocuroides, flavonostilbenes and flavone from 519
S. leachiana, oligostilbenoids from 733
S. prostrata, flavonoides from roots of 539
Soroea ilicifolia, prenylated flavones from 251
 Spectrophotometric assays, coupled, of enzyme activity, pitfalls in 1065
Spagnum, comparmetalization of phenolics in 35
Spinacia oleracea, sulphur metabolism by 9
Spiraea japonica, diterpene alkaloids from 545
 Spiro-lactones, from *Hypericum* 1419
 Spirostaphylotrichins, from *Curvularia* 843
 Squalene synthase, of rat liver and tobacco, inhibition of by squalenolates 1137
 Squalenolatins, inhibition of rat and tobacco squalene synthase by 1137
Stemona tuberosa, bibenzyls from 711
 Stemonaceae 711
 Steroid glycoside, from *Brucea* 699
 Steroids, from *Calvatia* 947
 Sterols, from *Cladophora* 457
 from *Dracaena* 795
 from *Polyneura* 797
Stevia viscidula, longipinanes from 1437
 Stilbene oligomers, from *Sophora* roots 733
Streptomyces yokosukanensis, nebularine biosynthesis in 61
 Stress compounds, antimicrobial, from *Hyperchoeris* 1169
 Sucrose, ferulic acid ester of, from *Bhesa* 1497
 Sugar composition, of cell walls of *Chlorococcales* strains 837
 Sulphite oxidation, by wheat and spinach chloroplasts 9
 Sulphur metabolism, by wheat and spinach chloroplasts 9
Syzygium samarangense, triterpenoids and chalcone from 687

clerodane diterpenoids from 659
 clerodane furano diterpene glucoside from 447
Tolypocladium terricola, cyclosporins from 403
Toona ciliata, chemosystematic significance of limonoids from 397
Trigonella foenum-graecum, amino oxidase from 23
 Triterpenoid acids, from *Sandorium* stem bark 691
 seco-oleanene, from *Vahlia* 461
 glycosides, cycloartane, from *Thalictrum* 939
 dammarane, from *Nealsomitra* 465
 from *Astragalus* hairy root cultures 1407
 from *Blumea* 935

Triterpenoids, from *Cladophora* 457
 from *Dracaena* 795
 from *Limnophila* 1273
 from *Paeonia* callus tissue cultures 1203
 from *Picea* cuticle 1467
 from *Syzygium* 687
 pentacyclic, from *Lantana* 681
 from *Mimusops* 205
 ursane, from *Pritimera* leaves 275

Triticum aestivum, non-induced cyclic hydroxamic acids in 1349
 sulphur metabolism by 9

Tryptophan content, of pearl millet, as a function of nitrogen content 5

Tuliposides, from *Alstroemeria* 1371

L-Tyrosine, decarboxylation of, by *Papaver* immobilized cells 859

Tyroside/dopa decarboxylases, from *Papaver*, expression of in *E. coli* 119

T

Tagetes patula, thiophene interconversions in hairy-root cultures of 1193
Tanacetum parthenium, biologically active lipophilic flavonol from 267
T. praeteritum, sesquiterpene lactones from 1261
 Tannins, from *Phyllanthus*, inhibiting signal-regulated protein kinases 307
 Taxaceae 667, 671, 715
Taxus baccata, lignans, biflavones and taxoids from 715
 taxoid from 671
T. chinensis, taxanes from 667
 Terpenoids, from *Boronia* 1275
 from *Piptostigma* 1037
Tetradenia riparia, structure of 5,6-dihydro- α -pyrone from 791
Thalictrum, cycloartane glycosides from 939
T. minus, oxidases controlling berberine biosynthesis in 89
 SAM:norcoclaurine 6-O-methyltransferase from cell cultures of 1131
Thevetia peruviana, iridoids from 793
 Thiocarbamate glycosides, hypotensive, from *Moringa* 957
 Thiophene interconversions, in *Tagetes* hairy-root cultures 1193
 Thymeliaceae 1021
Thymus carnosus, polymorphism of essential oils in 391
T. hirtus, 8-C-benzylated flavonoids from 637
Tinospora cordifolia, *S*-adenosyl-L-methionine:(*S*)-coclaurine-*N*-methyltransferase from 1387

U

Umbelliferae 427, 1417
 Umuravumbolide, from *Tetradenia*, absolute stereochemistry of 791
Uvaria narum, benzoic acid ester from 951

V

Vahlia capensis, seco-olean-18-ene triterpene acid from 461
 Vahliaeae 461
Valeriana officinalis, iridoid diester from hairy roots of 103
 Valerianaceae 103
Valsa ambiens, hydroxytetradecatrienoic acid from 419
Vellozia flavicans, diterpenes from 1269
 Velloziaceae 1269
Veratrum oblongum, steroidal alkaloid from 777
V. viride, steroidal alkaloids from 1547
Verbascum songaricum, triterpenoid saponins from 221
Verbena hybrida, acylated anthocyanins from 515
 Verbenaceae 473, 515, 681, 893
Viburnum lantana, monocyclic, C_{10} iridoid glucoside from 163
V. tinus, iridoid glucosides from 423
Vicia faba, resistance to deglycosylation of carbohydrate associated with polyphenol oxidase from 1355
Vigna radiata, acetyl esterase from 315
Vinca major, alkaloids from 1057
 Vitaceae 1501
Vitex canescens, ecdysteroids from 473
Vitis, oligostilbene from 1501
 Volatiles, from *Cladophora* 457
 from green microalgae grown on reused water 1375

from *Hesperis* flowers, asynchronous emission rhythms 847
from *Rubus*, changes in composition of 1175

X
Xanthone C-glycosides, from *Iris* 729
Xanthones, co-occurrence of, with their cyclization product, in *Hypericum* cell cultures 867
from *Calophyllum* roots 725
from *Cratoxylum* bark 1521
from *Garcinia* root bark 247
Xyridaceae 481
Xyris indica, isocoumarins from 481

Y
Yellow pigment, in *Zea* roots, due to mycorrhizal colonization 53

Z
Zea mays, dithiothreitol and cobalt effects on membrane-associated peroxidases from 573
formation of yellow pigment in, after mycorrhizal colonization 53
Ziziphus lotus, cyclopeptide alkaloids from 767
Z. nummularia, N-formyl cyclopeptide alkaloid from 271
Z. spina-christi, dodecaacetylprodelphinidin B3 from 505