

SUBJECT INDEX

A

Abscisic acid, UV-induced cross-linking of, to binding proteins 959

Acacia karroo, comparison of phenolics in different populations of 791

Acanthaceae 1249

Acanthopanax koreanum, ent-kauranes from 449

Acer nikoense, bioconversion of rhododendrol by 1085

Aceraceae 1085

Acetophenone, from *Chromolaena* 795

N-Acetyl- β -D-glucosaminidase, in *Euphorbia*, stimulation of by fatty acids 985

Actinidia deliciosa, effect of inhibition of cell wall galactose loss on fruit softening in 1319

Actinidiaceae 1319

Adina rubella, triterpenoid glycosides from 1241

Aeonium, systematic and evolutionary significance of exudate flavonoids in 805

Aeschynomene indica, trigonelline as leaf-closing factor in 817

Agaricus bisporus, comparison of native melanin from with analogues 49

Agavaceae 949

Agrostophyllum callosum, stilbenoids from 649

Ailanthus grandis, steroids and terpenoids from 1403

Albizzia lebbek, macrocyclic spermine alkaloids from 247

Algae 145, 351, 373, 1017, 1257, 1287
from Qatar, sterol composition of 373

Alkaloid
glycosides, steroid, from *Solanum* 1475
N-oxides, epimeric, from *Thalictrum* 683

Alkaloids
amide, from *Piper*, synthesis of 731
benzylisoquinoline, from *Ocotea* 815
cyclopeptide, from *Discaria* 431
cytotoxic, from *Nothopodytes* stems 383
dehydropileocarpine, from *Kopsia* 469
from *Brucea* 911
from *Erythrina* seeds 677
from *Galanthus* 1229
from *Incarvillea* 1485
from *Lycoris* 477
from *Peschiera* stem bark and leaves 1223
From *Picea* 1387

2-indolinone, from *Thomandersia* 1249

indoloquinoline, from *Cryptolepis* 735

isoquinoline,
from *Ancistrocladus* 701
from *Arcangelisia* stems 439
from *Corydalis* roots 435

norditerpenoid, from *Delphinium* 1459, 1467

phenanthroindolizidine, from *Tylophora* 695

piperidine, from *Pinus* seedlings 705

pyrrolizidine,
from *Cynoglossum*, distribution, biosynthesis and turnover 287
from *Heliotropium* 473

2-quinolone, from *Glycosmis* leaves 1453

4-quinolone, from *Boronia* 801

sesquiterpene, from *Tripterigium* 1219

spermidine, from *Oncinotis* 689

spermine, macrocyclic, from *Albizzia* seeds 247

terpenoid indole, effect of enzyme levels on biosynthesis of, in *Tabernaemontana* 341

tropane, toxic, from *Convolvulus* 301

Allelopathic glycoside, from germinated seed exudates 1031

Amaryllidaceae 477, 1229

Amidosulfoxides, from *Glycosmis* leaves 1453

1-Aminocyclopropane-1-carboxylate oxidase, CO₂-activated, effect of pH on activity of in apples 751
from banana fruit 15

Anabaena cylindrica, biosynthesis of heterocyst glycolipids in 771

Anacardiaceae 405, 537

Ancistrocladaceae 701

Ancistrocladus tectorius, isoquinoline alkaloids from 701

Anemoclema glaucifolium, triterpenoid glycosides from 1175

Angelica pubescens, platelet aggregation inhibitory coumarins from 1099

Annonaceae 443, 447

Anthocyanidin
3-glucoside succinyltransferase, in *Centaurea* flowers 311
triglycoside, from *Linum* petals 243

Anthocyanins, acylated,
from *Hyacinthus* 1437
from *Lobelia* purple-red flowers 423

Anthraniolate synthase, in micro-organisms and plants 263

Anthraquinone glycoside, dimeric, from *Cassia* 717

Anthraquinones,
from *Rhamnus* fruits 1411
from *Rumex* 1211

Antiallergic dimeric prenylbenzoquinones, from *Ehretia* 105

Antibodies, monoclonal, against 11S storage protein from peas 969

Antifungal
flavanones, from *Eriosema* 1049
hydroxymethyl-phenols, from *Verticillium* 1043
melampolide, from *Smallanthus* 845
phenylpropanoids, from *Cosmos* roots 409

Anti-platelet aggregation constituents, from *Zanthoxylum* 1091

Antirrhinum, antirrhinose biosynthesis in 549

Antiviral β -D-glucans, from fungi, structure-activity relationships of 57

Antrodia cinnamomea, sesquiterpene lactone, phenyl and biphenyl from 613

Aphid infestation, of barley, causing changes to ferulic acid and lipid content 1023

Apium graveolens, phytoalexin from, associated with pathogen resistance 1347

Apocynaceae 171, 341, 469, 689, 1223

Aralia armata, triterpenoid glucuronide saponins from 179

A. bipinnata,
lignans from 899
phenylpropanoids from 825

Araliaceae 179, 449, 825, 899

Araucaria araucana, cationic peroxidases from 29

Araucariaceae 29

Arcangelisia gusanlung, isoquinoline alkaloids from 439
Artocarpus heterophyllus, flavonoids from 1447
 Asclepiadaceae 199, 395, 695, 735
 Ascorbate, reactivity of, with different redox states of leghaemoglobin 1281
Aspergillus niger, biotransformation of the monoterpenoid, rose oxide, by 85
Aster batangensis, triterpene saponins from 875
 Azaphilone, from *Talaromyces* 719

B
 Bacteria 531, 631, 757, 771
 halophilic, dodecaene C₅₀-carotenoids from 631
Bartramia stricta, triflavanoid from 465
 Benzoic acids, chemiluminescence of, by Fenton reaction 225
 Berberidaceae 231
Beta vulgaris, enzymatic analysis of pectin from 821
 Bianthraquinone glycoside, from *Cassia* 717
Bifurcaria bifurcata, furanoditerpenes from 145
 Bignoniaceae 235, 1485
 Biogenic emissions, from wheat and lettuce, effect of crop development on 1351
 Biologically active
 alkaloids,
 cytotoxic, from *Nothapodytes* 383
 toxic, from *Convolvulus* 301
 bisbibenzyl, with antiplatelet activity, from *Reboulia* 91
 coumarins, inhibiting platelet aggregation, from *Angelica* 1099
 from *Zanthoxylum* 1091
 dibenzofurans, phytoalexins, from Rosaceae sapwood 1033, 1039
 flavanones, antifungal, from *Eriosema* 1049
 β -D-glucans, from fungi, inhibiting initiation of virus infections in *Nicotiana* 57
 glucoside, allelopathic, from germinated seed exudates 1031
 hydroxymethyl-phenols, antifungal, from *Verticillium* 1043
 phenylpropanoids, antifungal, from *Cosmos* roots 409
 prenylbenzoquinones, antiallergic, from *Ehretia* 105
 psoralen precursor, phytoalexin, from celery 1347
 saponins,
 inhibiting c-AMP phosphodiesterase, from *Dichelostemma* 1103
 molluscicidal, from *Catunaregam* 63
 sesquiterpene lactones, antifungal, from *Smallanthus* 845
 sesquiterpenoids, phytoalexins, from cotton 531
 triterpenoids,
 cytotoxic, from *Nerium* 171
 inhibiting secreted phospholipase A₂, from *Schinus* 537
 Biosynthesis,
 of acyclic homoterpenes, in leaves damaged by herbivores 785
 of alkaloids,
 in *Tabernaemontana* cell lines 341
 pyrrolizidine, in *Cynoglossum* 287
 tropane, acylated, in *Datura* 315
 of anthocyanins, acylated, in *Centaurea* 311
 of aromatic amino acids, in higher plants 737
 of caffeine, in *Coffea* 1363
 of cyanogenic glucosides, in cassava roots 323
 of cyclobrassinin, in Japanese radish 587
 of gibberellin A₁, in the fungus *Phaeosphaeria* 305
 of glycolipids, in *Anabaena heterocyst* 771
 of iridoids, in *Antirrhinum* 549
 of lanosterol, in *Euphorbia* 333
 of lignin, possible regulatory role of peroxide generation in 71
 of *cis*-polyisoprenes, initiation of 779
 of rishitin, in tomato cultures 69
 of sesquiterpenoid phytoalexins, in *Gossypium* 327, 553
 of sulphoquinovosyldiacylglycerol, in pea and lettuce chloroplasts 1071
 of xanthofusin, in *Fusicoccum* 1359
 Biotransformation,
 of (−)- α -bisabolol, by *Glomerella* 1077
 of (+)- and (−)-camphorquinones, by fungi 569
 of 8-epicedrol, by *Cephalosporium* 1081
 of lignans, in *Spodoptera* 1027
 of (−)-nopol, by *Glomerella* 337
 of rhododendrol, by *Acer* 1085
 of rose oxide, by *Aspergillus* 85
 Biphenyl, from *Antrodia* 613
 (−)- α -Bisabolol, biotransformation of by *Glomerella* 1077
 Bisbibenzyls, cyclic, from *Reboulia* 91
 Bis-iridoid glucosides, from *Lonicera* 111
 Boraginaceae 105, 287, 473, 659
Boronia algida, alkaloid, coumarins and triterpene from 801
Boswellia serrata, triterpenoids from 453
Brassica campestris, effect of salt stress on polyamine metabolism in 283
B. juncea, effect of zinc on free radicals and proline in 45
Bredemeyera floribunda, penta oxygenated xanthones from 1433
 Bromeliaceae 665
Brucea mollis, alkaloids and quassinoids from 911
Bryonia, flavone C-glycosides from 727
 Burseraceae 453
Byrsonima crassifolia, proanthocyanidins with (+)-epicatechin units from 635

C
 δ -Cadinene, enzymatic formation of in cotton extracts 327
 (+)- δ -Cadinene, as a product of sesquiterpene cyclase activity in cotton 553
 Caffeine,
 biosynthesis of, in *Coffea* 1363
 localization of, in *Paullinia* seed in relation to dispersal 1063
Cajanus cajan, effect of zinc on free radicals and proline in 45
Callicarpa macrophylla, NMR chemical shift correlations in 16,17-dihydroxykauranoids from 929
Calluna vulgaris, 2,3-dihydroflavonoid glucosides from 427
 Camphorquinones, fungal biotransformation of 569
 Cannabinoid, from *Cannabis* 457
Cannabis sativa, cannabinoid from 457
 Capparaceae 175
 Caprifoliaceae 111
Capsicum annuum, effect of Ti (IV) on Fe activity in 977
Caput nigrum, cucurbitacin glycosides from 205, 209
 Carnitine acyltransferase, from mung bean mitochondria 39
 C₅₀-Carotenoids, dodecaene, from halophilic bacteria 631
Caryodaphnopsis tonkinensis, polar eupomatenoids from 213
 Caryophyllaceae 709
 (+)- β -Caryophyllene, in liverwort essential oils, identification of by enantioselective GC 1119
Cassia torosa, bianthraquinone glycoside from 717
Catunaregam nilotica, molluscicidal saponins from 63
 Celastraceae 1153, 1159, 1219
Centaurea cyanus, anthocyanidin 3-glucoside succinyltransferase in 311
Cephalaria transsylvanica, triterpenoid glycosides from 1171
Cephalosporium aphidicola, biotransformation of 8-epicedrol by 1081

Chalcone synthase, in *Marchantia* 1007
 Chemiluminescence, of phenolics by Fenton reaction 225
 Chemotaxonomic studies, of alkaloids, benzylisoquinoline, in *Ocotea* 815
 in *Picea* 1387
 4-quinolone, in *Boronia* 801
 of fatty acids, in marine microalgae 351
 of flavonoids, exudate, in *Aeonium* 805
 of furanone, iridoid and phenylpropanoid glycosides, in *Rubiaceae* 375
 of hydroxycoumarins, in *Tetraphis* 379
 of marine brown algae of family Cystoseiraceae 1257
 of phenolics, in heartwood of *Acacia karroo* subspecies 791
 of polyprenol acetates of the betulaprenol type, in *Murraya* 1383
 of polysaccharides, in *Strychnos* seeds 1377
 of secoiridoids and sesquiterpenes, in *Poraqueiba* 835
 of sesquiterpene lactones, in *Helianthus* hybrid 367
 in *Urolepis* 795
 of sesquiterpenoids, in *Lactarius* species 363
 in *Reboulia*, infraspecific variation of 91
 of sterols, from Qatar algae 373
 of terpenoids, in liverworts 99
 of trisubstituted hydroxycinnamoyl spermidines, in *Quercus* 1371
 of triterpene methyl ethers, from Palmae epicuticular waxes 1381
 of volatiles, in *Pinus* needles 357
 Chenopodiaceae 821
 Chloranthaceae 121
Chloranthus japonicus, sesquiterpene dimers from 121
 Chlorophyll- α catabolism, ethylene-induced, in radish cotyledons, involvement of superoxide anion in 527
 Chlorophyta 373
Chondrus crispus, involvement of oxidized-semiquinone couple in photoreduction of flavodoxins from 1287
Chromolaena arnottiana, flavonoids and acetophenone from 795
Chrozophora obliqua, dolabellane diterpenes from 151
Chrysophyta 1017
Chymotrypsin inhibitor, from *Schizolobium* 521
Cinnamic acids, chemiluminescence of, by Fenton reaction 225
Cirsium japonicum, flavone diglycoside from 261
Citrus limon, limonoid glucoside β -glucosidase activity in seeds of 1305
Cleome amblyocarpa, dammarane triterpenes from 175
Cocos nucifera, lysophosphatidic acid acyltransferase from 989
Coelogyne flaccida, stilbenoids from 649
C. ochracea, pyrene from 1429
Coffea arabica, caffeine biosynthesis in 1363
Columbianetin, role of, in resistance of celery to pathogens 1347
 Compositae 127, 133, 261, 311, 367, 387, 409, 609, 775, 795, 845, 853, 875, 1071, 1127, 1133, 1201, 1351, 1395, 1479, 1489
Convolvulaceae 301, 981, 1001
Convolvulus arvensis, toxic tropane alkaloids from 301
Conyza linearis, diterpene acetylxylosides from 1489
Copper-amine oxidases, in plants 1
Corydalis decumbens, isoquinoline alkaloids from 435
Cosmos caudatus, antifungal phenylpropanoids from 409
Coumarins, from *Boronia* 801
 from *Zanthoxylum* 1091
 highly oxygenated, from *Pelargonium* 1181
 platelet aggregation inhibitory, from *Angelica* 1099
 tri- and tetrahydroxylated, from *Tetraphis* 379
Crassulaceae 805
Crataegus, dibenzofuran phytoalexins from 1033
Crepis pyrenaica, sesquiterpene lactone glycosides from 1395
 Cruciferae 45, 283, 481, 527, 581, 587, 919, 1031, 1301
Cryptolepis sanguinolenta, indoloquinoline alkaloid from 735
Cryptomeria japonica, sesquiterpenes from 603
 Cucurbitaceae 205, 209, 591, 727
 Cucurbitacin glycosides, from *Caput* 205, 209
Cunila spicata linalool and cineole glucosides from 1115
 Cupressaceae 391
Cuscuta reflexa, starch phosphorylase from 1001
 Cyanogenic glucosides, biosynthesis of, in cassava roots 323
 Cyanophyta 771
Cyathocalyx zeylanica, clerodane diterpenoids from 443
 Cyclobrassinin biosynthesis, in *Raphanus*, non-involvement of methoxybrassinin in 587
 Cyclohexylethanoids, from *Millingtonia* 235
Cynanchum caudatum, steroid glycosides from 199
Cynoglossum officinale, distribution, biosynthesis and turnover of pyrrolizidine alkaloids from 287
 Cysteine protease, from *Phytolacca*, comparison of with papain 997
 Cystoseiraceae, chemistry and chemotaxonomy of 1257
 Cytotoxic alkaloids and coumarin, from *Nothapodytes* 383
 triterpenoids, from *Nerium* 171

D
Datura stramonium, tigloyl-CoA: pseudotropine acyl transferase from 315
Daucus carota, dimer as active form of 6-hydroxymellein synthase in 515
 polyphenoloxidase from 33
Delphinium, norditerpenoid alkaloids from 1459, 1467
N-Demethyl budmunchiamines, from *Albizzia* seeds 247
 Diamine oxidase, from pea, loss of activity of by 1,3-diaminopropane 489
 1,3-Diaminopropane, as suicide substrate for pea diamine oxidase 489
 Dibenzofuran phytoalexins, from Rosaceae 1033, 1039
Dichelostemma multiflorum, c-AMP phosphodiesterase inhibitory steroid saponins from 1103
 3,4-Dichloroalanine *N*-glucosyl- and *N*-malonyl-transferase, activities of in soybean and wheat 81
 2,3-Dihydroflavonoid glucosides, from *Calluna* 427
 9,10-Dihydrophenanthrene, from *Epimedium* 231
 Diniconazole, effect of an sterol composition in *Trigonella* 883
 Dipsacaceae 1171
Discuria sebifuga, cyclopeptide alkaloids from 431
 Diterpenoid acetylxylosides, from *Conyza* exudate 1489
 dilactone glycosides, from *Podocarpus* 1143
 glycoside, *ent*-kaurane, from *Stevia* 1133
 lactones, from *Gynocardia* roots 1399
 Diterpenoids, clerodane, from *Cyathocalyx* 443
 from *Polyalthia* 447
 dihydroxykaurenoid, from *Callicarpa*, NMR chemical shift correlation in 929
 dolabellane, from *Chrozophora* 151
 from *Jamesoniella* cultures 859
 from *Salvia* 139, 931
 furano-, from *Bifurcaria* 145
ent-kaurane, from *Acanthopanax* 449
ent-kaurene, accumulation of in paclitaxel-treated wheat seedlings 11

labdane,
from *Symphyogyna* 99
from *Urolepis* 795

nor-, from *Juniperus* 391
rearranged abietane, from *Zhumeria* 163

Dorstenia contrajerva, structure revision of furanocoumarin from 645

Dracaena cinnabari, triflavanoid from resin of 949

Duranta erecta, iridoid glucosides from 829

E

Ecdysteroids, from *Penstemon* 941

Ehretia microphylla, antiallergic dimeric prenylbenzoquinones from 105

E. ovalifolia, phenolic glucosides and lignans from 659

Elaeis guinensis, lipids of developing kernel endosperm of 1325

Ellagitannins,
from *Phyllanthus* 217
from *Quercus*, structure simulation of 1193

Emmotins, sesquiterpenoid, from *Poraqueiba* 835

Emodianthrone rhamnoside acetates, from *Rhamnus* 1411

Endo-*N*-acetyl- β -D-glucosamidase, activities of during radish germination 481

Enterospermum pruinatum, triterpenoid diglucoside from 251

Enzymes,
1-aminocyclopropane-1-carboxylate oxidase, from banana fruit 15
carnitine acetyltransferase, from *Vigna* mitochondria 39
chalcone synthase, from *Marchantia* 1007
cysteine protease, from *Phytolacca*, comparison of with papain 997
diamine oxidase, from *Pisum*, loss of activity of by 1,3-diaminopropane 489
 β -1,3-glucanase isozymes, from *Hevea* latex 505
glutamate dehydrogenase, in maize, ammonium ion-dependent isomerization of 495
6-hydroxymellein synthase, dimer as active form of 515
limonoid glucoside β -glucosidase, from lemon seeds 1305
lysophosphatidic acid transferase, from immature coconut endosperm 989
myrosinase, from *Raphanus* roots 1301
pectinesterase activity, in heated Golden Delicious apples 491
pectinesterase forms, of tomato, kinetic properties of 277
peroxidases,
acidic, from sweet potato cultures 981
cationic, from *Araucaria* seed cell walls 29
phosphodiesterase, from *Mentha* cultured cells 1013
polyphenoloxidase, from carrot 33
protein deglycosylation enzyme activities, during *Raphanus* germination 481
proteinase, extracellular, from *Pseudomonas* 757
starch phosphorylase, from *Cuscuta* filaments 1001
tetrahydrofolate dehydrogenase:cyclohydrolase, from *Pisum* 1309

8-Epicedrol, biotransformation of, by *Cephalosporium* 1081

Epimedium koreanum, 9,10-dihydrophenanthrene from 231

Equistaceae 915

Equisetum, styrylpyrone glucosides from 915

Ericaceae 427, 463

Eriosema tuberosum, antifungal polyphenols from 1049

Erythrina senegalensis, isoflavones and alkaloids from 677

Euphorbia characias, stimulation of latex enzymes of 985

E. lathyris, lanosterol biosynthesis in 333

Euphorbiaceae 151, 217, 323, 333, 505, 985

Eupomatenoids, polar, from *Caryodaphnopsis* 213

F

Fagaceae 1193, 1371

Fatty acid
composition, of marine microalgae 351
synthesis, in peas, effect of thiolactomycin on 511

Ferulic acid
changes, in aphid-infested barley 1023
esters, *in vitro* peroxidase-catalyzed oxidation of 1293

Flacourtiaceae 1399, 1415

Flavanoid glucosides, from *Calluna* 427

Flavanones, antifungal, from *Eriosema* 1049

Flavodoxins, from algae, involvement of oxidized-semiquinone couple in photoreduction of 1287

Flavone diglycoside, from *Cirsium* 261

Flavone C-glycosides, from *Bryonia* 727

Flavones,
5,8-dihydroxy-6,7-dimethoxy-, synthesis of 1201
O-methylated, revised structures of 1201

Flavonoid glycosides,
from *Gonocaryum* 115
from *Rumex* 1211
production, in cell cultures and whole plant of *Machura* 575

Flavonoids,
chemiluminescence of, by Fenton reaction 225
exudate, in *Aeonium* species, systematic significance of 805
from *Artocarpus* 1447
from *Glycosmis* leaves 1453
from *Urolepis* and *Chromolaena* 795
trimeric, from dragon's blood 949

Flavonol glycosides,
acylated, from pea shoots 1443
from *Ocotea* 815
from *Zanthoxylum* pericarps 723

Flavonol, from *Rhododendron* 463

Free radicals, in *Brassica* and *Cajanus*, effect of zinc on 45

Frullania, oleanane triterpene ester from 99

Fungi 49, 57, 85, 293, 305, 337, 363, 569, 613, 719, 1043, 1077, 1081, 1165, 1359

Furanocoumarin, from *Dorstenia*, structure revision of 645

Furanone glucoside, from Rubiaceae 375

Fusicoccum, biosynthesis of xanthofusin from 1359

G

Galactose loss, from cell walls, effect of inhibition of on kiwifruit ripening 1319

Galanthus elwesii, alkaloids from 1229

Garcinia mangostana, xanthone from 943

G. subelliptica, prenylated xanthones from 945

Gastrodia elata, 2,4-bis(4-hydroxybenzyl)phenol from 1247

Geraniaceae 1181

Gibberellin A₁ biosynthesis, plant-like, in *Phaeosphaeria* 305

Glomerella cingulata,
biotransformation of (−)- α -bisabolol by 1077
biotransformation of (−)-nopol by 337

β -1,3-Glucanase isozymes, from rubber latex 505

β -D-Glucans, fungal, inhibition of virus infection initiation by, in *Nicotiana* 57

β -Glucosidase, of limonoid glucoside, activity of in lemon seeds 1305

Glutamate dehydroxygenase, from maize, ammonium ion-dependent isomerization of 495

Glycine max,
3,4-dichloroaniline N-glucosyl- and N-malonyltransferase activity in 81

reactivity of ascorbate with redox states of leghaemoglobin from 1281

Glycolipids, biosynthesis of, in *Anabaena heterocyst* 771

Glycosmis citrifolia, flavonoids, amidosulfoxides and alkaloid from 1453

Gonocaryum calleryanum, secoiridoid and flavonoid glycosides from 115

Gossypium barbadense, enzymatic formation of δ -cadinene in 327

G. hirsutum, cyclase activity in, catalyzing biosynthesis of sesquiterpene phytoalexins 553

induction of cadinane sesquiterpenes in, by bacterial inoculation 531

Gramineae 11, 81, 495, 1023, 1351

Guibourtia tessmannii, stilbene glycosides from 895

Guttiferae 903, 943, 945

Gynocardia odorata, diterpenoid lactones from 1399

H

Hacquetia epipactis, triterpene saponins from 195

Haplophyllum pilostylum, prenylated lignans from 417

Helianthus, effect of interspecific hybridization on sesquiterpene lactones of 367

Heliotropium scabrum, pyrrolizidine ester alkaloid from 473

Hemiterpene glucoside, from *Lamium* 923

Hepaticae 91, 99, 859, 1007, 1119

Hevea brasiliensis, β -1,3-glucanase isozymes from latex of 505

Homalium longifolium, 2,5-dihydroxybenzyl alcohol glucosides from 1415

Homoterpene, acyclic, biosynthesis of 785

Hordeum vulgare, ferulic acid and lipid changes in, by aphid infestation 1023

ent-kaurene accumulation in paclobutrazol-treated seedlings of 11

Hyacinthus orientalis, acylated anthocyanins from 1437

Hydroquinone diglycoside, from *Mitracarpus* 1483

Hydroxybenzyl alcohol glucosides, from *Homalium* 1415

Hydroxycinnamic acid amides, from *Quercus* pollen 1371

6-Hydroxymellein synthase, in carrot cell extracts, dimer as active form of 515

3-Hydroxy-3-methylglutaryl coenzyme A reductase, in lettuce seedlings 775

Hydroxymethyl-phenols, antifungal, from *Verticillium* 1043

4-(*p*-Hydroxyphenyl)-(2S)-butanol, from *Taxus* needles 259

Hymenoxys, sesquiterpene lactones from 1127

Hypericum patulum, substituted xanthone from 903

I

Icacinaceae 115, 383, 835

Incarvillea sinensis, alkaloids from 1485

Ipomoea batatas, acidic peroxidases from 981

Iridoid glycosides, from *Duranta* 829

from *Kickxia* 925

from *Lonicera* 111

from *Penstemon* 1391

from *Rubiaceae* 375

Iridoids, biosynthesis of, in *Antirrhinum* 549

glucose mono- and diesters of, from *Linaria* 1111

Isoflavones, from *Erythrina* stem bark 677

from *Laburnum* pods 673

pyrano- and dihydrofuran-, from *Millettia* 1215

Isoflavonoids, from *Sophora* roots 667, 907

J

Jamesoniella autumnalis, diterpenoids from cultures of 859

Juniperus chinensis, norditerpenes from 391

K

Kadsura japonica, dibenzocyclooctadiene lignans from 1187

ent-Kaurenes, accumulation of in paclobutrazol-treated cereal seedlings 11

Kickxia, iridoid glucosides from 925

Kopsia profunda, dehydropleiocarpine alkaloids from 469

Krameria grayi, neolignans and nor-neolignans from 413

Krameriaeae 413

L

Labiatae 139, 163, 617, 715, 923, 931, 1013, 1115, 1201

Laburnum anagyroides, isoflavones from 673

Lactarius, chemotaxonomic evidence for species division in 363

Lactuca sativa, biosynthesis of sulphoquinovosyldiacylglycerol by chloroplasts of 1071

effect of crop development on biogenic emissions from 1351

with red spot disorder, phytoalexin accumulation in 775

Lamium album, hemiterpene glucoside from 923

Lanosterol biosynthesis, in *Euphorbia* 333

Lauraceae 213, 815, 849

Leghaemoglobin, from soybean, reactivity of ascorbate with different redox states of 1281

Leguminosae 21, 39, 45, 81, 247, 489, 511, 521, 667, 673, 677, 717, 791, 817, 883, 895, 907, 969, 1049, 1071, 1215, 1281, 1309, 1335, 1443

Lepidimoide, from exudates of germinated seeds 1031

Lepidium sativum, allelopathic glycoside from 1031

Lettucenin A accumulation, in lettuce seedlings with red spot disorder 775

Lignans, biotransformation of, by *Spodoptera* 1027

dibenzocyclooctadiene, from *Kadsura* 1187

from *Aralia* wood 899

from *Ehretia* 659

from *Piper* 655

prenylated, from *Haplophyllum* 417

Lignin biosynthesis, in *Pinus*, possible regulatory role of H_2O_2 in 71

Liliaceae 1103, 1437

Limonoid glucoside β -glucosidase, activity of in lemon seeds 1305

Limonoids, from *Trichilia* 621

Linaceae 243

Linaria japonica, iridoid ester of D-glucopyranose from 1111

Linum grandiflorum, anthocyanidin triglycoside from 243

Lipase activity, in *Euphorbia*, stimulation of by fatty acids 985

Lipid changes, during development and ripening of peach fruits 1329

in aphid-infested barley 1023

composition, of $CaCl_2$ -infiltrated apples 763

of cytosolic particles from senescing bean cotyledons 1335

of *Skeletonema* 1017

Lipids, from *Stellaria* 709

in developing oil palm kernel endosperm 1325

Lobelia erinus, acylated anthocyanin from 423

L
Lobeliaceae 423
Lonicera caerulea, bis-iridoid glucosides from 111
Lychnophora rupestris, sesquiterpenes lactones from 387
Lycopersicon esculentum,
 kinetic properties of pectinesterase forms of 277
 rishitin biosynthesis in cultures of 69
Lycoreis sanguinea, alkaloids from 477
Lysophosphatidic acid acyltransferase, from immature coconut endosperm 989

M
Macfura pomifera, flavonoids in cell cultures and whole plants of 575
Magnoliaceae 839
Malpighiaceae 635
Malus domestica,
 effect of pH on CO₂-activated 1-aminocyclopropane-1-carboxylate oxidase activity in 751
 lipid composition of CaCl₂-infiltrated fruits of 763
 pectin methyl esterase activity in 491
Malvaceae 327, 531, 553
Manihot esculenta, biosynthesis of cyanogenic glucosides in 323
Marchantia polymorpha, chalcone synthase in 1007
Marine microalgae, fatty acid composition of 351
Mazus miquelianus, triterpene saponins from 185
Medicagenic acid saponins, from *Aster* 875
Melanin, from *Agaricus*, Fourier-transform infrared spectroscopy of 49
Melanoselinum decipiens, eudesmanolides from 1123
Meliaceae 167, 621
Menispermaceae 439, 1139
Mentha arvensis, phosphodiesterase I in cultured cells of 1013
Mespileus germanica, dibenzofuran phytoalexins from 1039
Michelia champaca, sesquiterpene lactones from 839
Milletia thonningii, isoflavones from 1215
Millingtonia hortensis, cyclohexylethanoids from 235
Mimusops elengi, lupene triterpene from 255
Mitracarpus scaber, pentalongin hydroquinone diglycoside from 1483
Molluscicidal saponins, from *Catunaregam* 63
Monoterpeneid glucosides, from *Cunila* 1115
Monoterpoids,
 biotransformation of,
 by *Aspergillus* 85
 by *Glomerella* 337
Moraceae 457, 575, 645, 1447
Murraya exotica, long-chain polypropenyl acetates from 1383
Musa, 1-aminocyclopropane-1-carboxylate oxidase from 15
Musaceae 15
Musci 379, 465
Mussaenda pubescens, triterpenoid saponins from 191
Myrosinase, from radish roots 1301

N
Neoolsomitra integrifolia, dammarane glycosides from 591
Neolignans,
 from *Krameria* roots 413
 from *Piper* 655
Nerium oleander, cytotoxic pentacyclic triterpenoids from 171
Neurolaena lobata, sesquiterpene lactones from 133
Nicotiana tabacum, inhibition of virus infection initiation in, by fungal β -D-glucans 57
 $(-)$ -Nopol, biotransformation of, by *Glomerella* 337
Norditerpene furan glycosides, from *Tinospora* 1139
Nothopodytes foetida, cytotoxic alkaloids and coumarin from 383

O
Ochrolone, from *Coelogyne* 1429
Ocotea corymbosa, rearranged eudesmane sesquiterpenoids from 849
O. velloziana, benzylisoquinoline alkaloids and flavonols from 815
Oncinotis tenuiloba, spermidine alkaloids from 689
Orbignya phalerata, triterpene methyl ethers from wax of 1381
Orchidaceae 649, 1247, 1429

P
Paclobutrazol, *ent*-kaurene accumulation in wheat seedlings treated with 11
Palmae 989, 1325, 1381
Papaveraceae 435
Paullinia cupana, role of caffeine in seed dispersal of 1063
Pectin, from sugar-beet, enzymatic analysis of 821
Pectin methyl esterase activity, in heated Golden Delicious apples 491
Pectinesterases, from tomato, kinetic properties of 277
Pelargonium sidoides, highly oxygenated coumarins from 1181
Penstemon crandallii, verbascosides and iridoid glycosides from 1391
P. venustus, ecdysteroids from 941
Pentalongin hydroquinone diglycoside, from *Mitracarpus* 1483
Peptide-N⁴-(N-acetyl-glucosaminyl) asparagine amidase, activities of during radish germination 481
Peroxidase-catalyzed oxidation, of ferulic acid esters 1293
Peroxidases,
 acidic, from *Ipomoea* suspension cultures 981
 cationic, from *Araucaria* seed cell walls 29
Peschiera buchtienii, alkaloids from 1223
Phaeophyta 145, 373, 1257
Phaeosphaeria, plant-like gibberellin A₁ biosynthesis in 305
Phaseolus vulgaris,
 lipid composition of cytosolic particles from 1335
 regulation of enzymes of UDP-sugar metabolism during differentiation of 21
Phenol, 2,4-bis(4-hydroxybenzyl)-, from *Gastrodia* 1247
Phenolic glycosides,
 from *Ehretia* 659
 from *Homalanthus* 1415
 from *Semecarpus* seeds 405
Phenolics,
 from *Acacia* heartwood of different localities 791
 from *Picea* root bark 1423
 from *Taxus* needles 259
Phenyl derivatives, from *Antrodia* 613
Phenylbutanoid monomers, from *Zingiber* rhizomes 459
Phenylethanoid glycosides, from *Penstemon* 1391
Phenylpropanoid glycosides, from *Rubiaceae* 375
Phenylpropanoids,
 antifungal, from *Cosmos* roots 409
 from *Aralia* 825
Phosphodiesterase I, in *Mentha* cultured cells 1013
Phospholipase A₂, triterpenoid inhibitors of, from *Schinus* berries 537
Photinia davidiiana, dibenzofuran phytoalexins from 1033
Phyllanthus amarus, ellagittannins from 217
Physalis minima, 13,14-seco-16,24-cyclosteroid from 1245
Phytoalexin accumulation, in lettuce seedlings with red spot disorder 775
Phytoalexins,
 associated with pathogen resistance of celery during storage 1347
dibenzofuran, from *Rosaceae* sapwood 1033, 1039

sesquiterpenoid,
 biosynthesis of in cotton 553
 enzymatic formation of in cotton 327
 induced in cotton by bacterial inoculation 531

Phytolacca, triterpenoid saponins from 625

P. americana, comparison of cysteine protease from, with
 papain 997

Phytolaccaceae 625, 997

Picea abies, phenolics from 1423

P. breweriana, alkaloids from 1387

Pinaceae 71, 357, 705, 1287, 1423

Pinidine biosynthesis, in *Pinus* 705

Pinus, volatiles from needles of 357

P. ponderosa, piperidine alkaloids and pinidine biosynthesis
 in 705

P. taeda, possible role of H_2O_2 in lignin biosynthesis in
 71

Piper clarkii, neolignans and lignan from 655

P. sarmentosum, synthesis of amide alkaloid from 731

Piperaceae 655, 731

Pisum sativum,
 acylated flavonol glycosides from 1443
 biosynthesis of sulphoquinovosyldiacylglycerol by
 chloroplasts of 1071
 1,3-diaminopropane as suicide substrate for diamine
 oxidase from 489
 effect of thiolactomycin on fatty acid synthesis in 511
 monoclonal antibodies against 11S storage protein
 from 969
 tetrahydrofolate dehydrogenase:cyclohydrolase protein
 from 1309

Podocarpaceae 1143

Podocarpus nagi, diterpene dilactone glycosides from 1143

Polyalthia cheliensis, clerodane diterpenes from 447

Polyamine metabolism, in *Brassica*, effect of salt stress
 on 283

Polygalaceae 1433

Polygonaceae 1211

cis-Polyisoprenes, initiation of biosynthesis of 779

Polyketide biosynthetic enzyme, in carrot cells, dimer as
 active form of 515

Polyphenoloxidase, from carrot cells 33

Polyphenols, antifungal from *Eriosema* 1049

Polyprenyl acetates, long-chain, from *Murraya* 1383

Polysaccharides, from *Strychnos* seeds 1377

Poraqueiba, sesquiterpenoid emmotins, triterpenes, lignans
 and secoiridoids from 835

Poria cocos, surface triterpenes from 1165

Porphyra umbilicalis, photoreduction of flavodoxins from
 1287

Pregnane glycosides, from *Stapelia* 395

Prenylbenzoquinones, dimeric, antiallergic, from *Ehretia*
 105

Proanthocyanins, with (+)-epicatechin units, from
 Byrsinima bark 635

Proline, in *Brassica* and *Cajanus*, effect of zinc on 45

Protein, exhibiting dehydrogenase:cyclohydrolase activities,
 from *Pisum* 1309

Proteinase, extracellular, from *Pseudomonas* 757

Prunus persica, lipid changes during fruit development
 in 1329

Pseudomonas tolaasii, extracellular proteinase from 757

Pulsatilla patens, saponin from 937

Pyracantha coccinea, dibenzofuran phytoalexins from
 1033

Pyrene, from *Coelogyne* 1429

Q

Quassinooids, from *Brucea* 911

Quercus dentata, trisubstituted hydroxycinnamic acid
 amides from 1371

Q. robur, structure simulation of ellagitannins from
 1193

R

Ranunculaceae 683, 937, 1175, 1459, 1467

Raphanus sativus,
 involvement of superoxide anion in ethylene-induced
 chlorophyll *a* catabolism in 527

myrosinase from 1301

non-involvement of methoxybrassinin in cyclobrassinin
 biosynthesis in 587

protein deglycosylation enzyme activities during
 germination of 481

sulphur-containing stress metabolites from 581

Reboulia hemisphaerica, sesquiterpenoids and cyclic
 bisbibenzyls from 91

Rhamnaceae 431, 1411

Rhamnus prinoides, anthraquinones from 1411

Rhododendrol, bioconversion of by *Acer* 1085

Rhododendron ellipticum, methylated flavonol from 463

Rhodophyta 373, 1287

Rishitin biosynthesis, in tomato cultures 69

Rorippa indica, sulphonylalkyl amine from 919

Rosaceae 491, 751, 763, 1033, 1039, 1329

Rubiaceae 63, 191, 251, 375, 1241, 1363, 1483
 furanone, iridoid and phenylpropanoid glycosides from
 375

Rumex chalepensis, flavonoid glycosides and anthraquinone
 from 1211

Rutaceae 417, 723, 801, 1091, 1305, 1383, 1453

S

Salt stress, effect of, on polyamine metabolism in
 Brassica 283

Salvia aspera, diterpenoids from roots of 139

S. regla, diterpenes from 931

S. sahendica, sesquiterpene from 715

Sapindaceae 1063

Saponins,
 from *Pulsatilla* 937
 molluscicidal, from *Catunaregam* 63
 steroidal, inhibiting c-AMP phosphodiesterase, from
 Dichelostemma 1103

triterpenoid,
 containing glucuronic acid, from *Aralia* root bark 179
 from *Aster* 875
 from *Hacquetia* 195
 from *Mazus* 185
 from *Mussaenda* 191
 from *Phytolacca* 625

Sapotaceae 255

Schinus terebinthifolius, triterpenoid inhibitors of
 phospholipase A₂ from 637

Schisandraceae 1187

Schizolobium parahyba, chymotrypsin inhibitor from 521

Schkuria pinnata, sesquiterpene lactones from 127

Scrophulariaceae 185, 549, 925, 941, 1111, 1391

Secoiridoid glycosides, from *Gonocaryum* 115

Secoiridoids, from *Poraqueiba* 835

Semecarpus anacardium, phenolic glycoside from 405

Sesquiterpene dimers, from *Chloranthus* roots 121

Sesquiterpene lactone glycosides, from *Crepis* 1395

Sesquiterpene lactones,
 elemaniolide, from *Zinnia* 1479
 eudesmanolides, from *Melanoselinum* 1123
 from *Antrodia* 613
 from *Hymenoxys* 1127
 from *Lychnophora* 387
 from *Michelia* 839
 from *Neurolema* 133
 from *Schkuria* 127
 from *Urolepis* 795
 in *Zaluzania*, on-line LC-NMR measurements of 609
 melampolides, antifungal, from *Smallanthus* 845
 resulting from interspecific hybridization in *Helianthus*
 367

Sesquiterpenoid phytoalexins, accumulation of, in lettuce seedlings with red spot disorder 775
in *Gossypium*, biosynthesis of 553 enzymatic formation of 327 induction of by bacterial inoculation 531

Sesquiterpenoids, eudesmane, rearranged, from *Ocotea* 849 from *Poraqueiba* 835 from *Cryptomeria* leaves 603 from *Reboulia* 91 in *Lactarius* species, chemotaxonomic relevance of 363 longipinene, from *Stevia* 853 nor-, from *Teucrium* 617 patchoulane, from *Valeriana* 713

Sesterterpene, from *Salvia* 715

Shikimate pathway, in higher plants, molecular organization of 737

Simaroubaceae 911, 1403

Skeletonema costatum, lipid composition of 1017

Smallanthus sonchifolius, antifungal melampolide from 845

Solanaceae 57, 69, 277, 315, 977, 1245, 1475

Solanum robustum, steroid alkaloid glycosides from 1475

Sophora secundiflora, isoflavanoids from 907

S. tetraptera, isoflavanoids from 667

Spermidines, trisubstituted with hydroxycinnamic acids, from *Quercus* pollen 1371

Spodoptera litura, biotransformation of lignans by 1027

Stapelia variegata, pregnane glycosides from 395

Starch phosphorylase, from *Cuscuta* filaments 1001

Stellaria media, lipids from 709

Steroidal glycosides, from *Cynanchum* 199

Steroids, from *Ailanthus* gum resin 1403 3,14-seco-16,24-cyclo-, from *Physalis* 1245

Sterol composition, in *Trigonella*, effect of diniconazole on 883 of algae from Qatar 373 of triadimenol-sensitive and resistant *Uncinula* strains 293

Sterol, *seco*-cycloartane, from *Tillandsia* 665

Stevia serrata, longipinenes from 853

S. subpubescens, *ent*-kaurene glycoside from 1133

Stilbene glycosides, from *Guibourtia* 895

Stilbenoids, from *Agrostophyllum* and *Coelogyne* 649

Stress metabolites, sulphur-containing, from Japanese radish 581

Strychnaceae 1377

Strychnos, polysaccharides from seeds of 1377

Styrylpyrone glucosides, from *Equisetum* 915

Sulphonylalkyl amine, from *Rorippa* 919

Sulphoquinovosyldiacylglycerol, biosynthesis of, by pea and lettuce chloroplasts 1071

Symphyogyna brasiliensis, labdane diterpene from 99

T

Tabernaemontana divaricata, terpenoid indole alkaloid biosynthesis in 341

Talaromyces tardifaciens, azaphilone from 719

Taxaceae 259, 869, 871, 935, 1147

Taxanes, from *Taxus* 869, 871, 935, 1147

Taxodiaceae 603

Taxus baccata, 4-(*p*-hydroxyphenyl)-(2S)-butanol from 259

T. wallichiana, taxanes from 869, 935

T. yunnanensis, taxanes from 871, 1147

Terpenoids, from *Ailanthus* gum resin 1403

Tetraphis pellucida, coumarins from 379

Tetronic acids, from *Fusicoccum*, biosynthesis of 1359

Teucrium heterophyllum, nor-sesquiterpenes from 617

Thalictrum simplex, epimeric pavine *N*-oxides from 683

Thiolactomycin, effect of on fatty acid synthesis in peas 511

Thomandersia laurifolia, 2-indolinone alkaloids from 1249

Ti(IV), effect of on Fe activity in *Capsicum* 977

Tigloyl-CoA:pseudotropine acyl transferase, from *Datura* 315

Tillandsia usneoides, *seco*-cycloartane from 665

Tinospora cordifolia, norditerpene furan glycosides from 1139

Trichilia rubra, limonoids from 621

Triflavanoid, from *Bartramia* 465 from dragon's blood 949

Trigonella foenum-graecum, effect of diniconazole on sterol composition of 883

Trigonelline, as leaf-closing factor in *Aeschynomene* 817

Tripterigium wilfordii, sesquiterpene alkaloids from 1219 triterpenoids from 1153, 1159

Triterpenoid, diglucoside, from *Enterospermum* 251 ester, oleanane, from *Frullania* 99 glycosides, dammarane, from *Neoalsomitra* 591 from *Adina* 1241 from *Anemoclema* 1175 from *Cephalaria* 1171 methyl ethers, from *Palmae* epicuticular waxes 1381

Triterpenoids, dammarane, from *Boronia* 801 from *Cleome* 175 from *Boswellia* gum resin 453 from *Poria* surface layer 1165 from *Schinus*, as competitive inhibitors of secreted phospholipase A₂ 537 from *Tripterigium* 1153, 1159 from *Walsura* 167 lupene, from *Mimusops* 255 pentacyclic, cytotoxic, from *Nerium* 171

Triticum aestivum, 3,4-dichloroaniline *N*-glucosyl- and *N*-malonyltransferase activities in 81 effect of crop development on biogenic emissions from 1351 *ent*-kaurene accumulation in paclobutrazol-treated seedlings of 11

Tylophora tanakae, phenanthroindolizidine alkaloids from 695

U

UDP-sugar metabolism, during differentiation of french bean 21

Umbelliferae 33, 195, 515, 1099, 1123, 1347

Uncinula necator, sterol composition of strains of 293

Urolepis hecatantha, sesquiterpene lactones and labdane from 795

V

Valeriana fauriei, patchoulane sesquiterpenoids from 713

Valerianaceae 713

Verbascosides, acetylated and methylated, from *Penstemon* 1391

Verbenaceae 829, 929

Verticillium biguttatum, antifungal hydroxymethyl-phenols from 1043

Vigna radiata, carnitine acyltransferase from 39

Vitaceae 293

Volatiles, emitted from plant leaves after insect damage, biosynthesis of 785 from *Pinus* needles 357

W

Walsura piscidia, triterpenoids from 167

X

Xanthofusin, biosynthesis of, in *Fusicoccum* 1359

Xanthones,

from *Garcinia* pericarps 943

pertaoxygenated, from *Bredemeyera* 1433

prenylated, from *Garcinia* root bark 945

substituted, from *Hypericum* cell cultures 903

Xanthosine, and caffeine biosynthesis in *Coffea* 1363

Z

Zaluzania grayana, on-line LC-NMR of sesquiterpene lactones from 609

Zanthoxylum bungeanum, flavonol glucosides from 723

Z. schinifolium, coumarins and anti-platelet aggregation

constituents from 1091

Zea mays, ammonium ion-dependent isomerization of glutamate dehydrogenase in 495

Zhumeria majdae, rearranged abietane diterpenes from 163

Zinc, effect of, on plant growth, free radicals and proline 45

Zingiber cassumunar, phenylbutenoid monomers from 459

Zingiberaceae 459

Zinnia citrea, elemadiolide from 1479