

|                                                                                                                                           |     |                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------|
| Alkene- $\gamma$ -lactones and avocadofurans from <i>Persea indica</i> : a revision of the structure of majorenolide and related lactones | 229 | B. M. FRAGA and D. TERRERO                                                                                                      |
| Two phthalides from <i>Ligusticum chuanxiong</i>                                                                                          | 233 | T. NAITO, Y. IKEYA, M. OKADA, H. MISTUHASHI and M. MARUNO                                                                       |
| Monoterpene glycosides from <i>Paeonia suffruticosa</i>                                                                                   | 237 | HANG-CHING LIN, HSIU-YU DING, TIAN-SHUNG WU and PEI-LIN WU                                                                      |
| Two guaiane and eudesmane-type sesquiterpenoids from <i>Neocallitropsis pancheri</i>                                                      | 243 | P. RAHARIVELOMANANA, J.-P. BIANCHINI, R. FAURE, A. CAMBON and M. AZZARO                                                         |
| <i>Neo</i> -clerodane diterpenoids from <i>Scutellaria galericulata</i>                                                                   | 247 | B. RODRÍGUEZ, M. C. DE LA TORRE, B. RODRÍGUEZ and P. GÓMEZ-SERRANILLOS                                                          |
| Diterpenoids from leaves of <i>Cryptomeria japonica</i>                                                                                   | 255 | WEN-CHIUNG SU, JIM-MIN FANG and YU-SHIA CHENG                                                                                   |
| Triterpenoids from <i>Antrodia cinnamomea</i>                                                                                             | 263 | I-HWA CHERNG, DE-PENG WU and HUNG-CHEH CHIANG                                                                                   |
| Triterpenoid saponins from <i>Maesa lanceolata</i>                                                                                        | 269 | J. B. SINDAMBIWE, A. M. BALDÉ, T. DE BRUYNE, L. PIETERS, H. VAN DEN HEUVEL, M. CLAEYS, D. A. VAN DEN BERGHE and A. J. VLIETINCK |
| A sterol glycoside from leaves of <i>Clerodendron colebrookianum</i>                                                                      | 279 | P. GOSWAMI, J. KOTOKY, ZE-NAI CHEN and YANG LU                                                                                  |
| Furostanol glycosides from bulbs of <i>Allium chinense</i>                                                                                | 283 | JUN-PENG PENG, XIN-SHENG YAO, Y. TEZUKA and T. KIKUCHI                                                                          |
| A neolignan and lignans from <i>Magnolia biondii</i>                                                                                      | 287 | YU-LIANG MA, QIULI HUANG and GUI-QIU HAN                                                                                        |
| An acetophenone glycoside from <i>Exacum affine</i>                                                                                       | 289 | H. KUWAJIMA, N. SHIBANO, T. BABA, K. TAKAISHI, K. INOUE and T. SHINGU                                                           |
| Acetophenones from <i>Cyanchum taiwanianum</i>                                                                                            | 293 | PAO-LIN HUANG, CHAI-MING LU, MING-HONG YEN, RU-RONG WU and CHUN-NAN LIN                                                         |
| Peroxides and other constituents from <i>Heterothalamus alienus</i>                                                                       | 297 | G. RÜCKER, E. SCHENKEL, D. MANNS, M. FALKENBERG and A. MAREK                                                                    |
| New aspects of anthocyanin complexation. Intramolecular copigmentation as a means for colour loss?                                        | 301 | P. FIGUEIREDO, M. ELHABIRI, K. TOKI, N. SAITO, O. DANGLES and R. BROUILLARD                                                     |
| A flavone C-glycoside and an aromatic glucoside from <i>Gentiana</i> species                                                              | 309 | SHIH-HSIEN KUO, MING-HONG YEN, MEI-ING CHUNG and CHUN-NAN LIN                                                                   |
| Oxindole alkaloids from <i>Alstonia macrophylla</i>                                                                                       | 313 | WAH-HUN WONG, PEK-BOON LIM and CHENG-HOCK CHUAH                                                                                 |
| Millingtonine, an unusual glucosidal alkaloid from <i>Millingtonia hortensis</i>                                                          | 317 | T. HASE, K. OHTANI, R. KASAI, K. YAMASAKI and C. PICHEANSOONTHON                                                                |
| Alkaloids from <i>Crinum firmifolium</i> var. <i>hygrophilum</i>                                                                          | 323 | J. RAZAFIMBELO, M. ANDRIANTSIFERANA, G. BAUDOUIN and F. TILLEQUIN                                                               |
| Isolation of paspaline B, an indole-diterpenoid from <i>Penicillium paxilli</i>                                                           | 327 | S. C. MUNDAY-FINCH, A. L. WILKINS and C. O. MILES                                                                               |

|                                                                                           |     |                                                                        |
|-------------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------|
| $\alpha$ -Pyrone from <i>Cryptocarya latifolia</i> —a structural isomer of umuravumbolide | 333 | S. E. DREWES, M. H. HORN and C. S. WIJEWARDENE                         |
| Sesquiterpene lactones and other constituents of <i>Centaurea nicaensis</i>               | 335 | M. BRUNO, M. P. PATERNOSTRO, T. E. GEDRIS and W. HERZ                  |
| Luteolin 7-O-sophoroside from <i>Pteris cretica</i>                                       | 337 | F. IMPERATO and R. NAZZARO                                             |
| Seco-isotetrandrine from <i>Laurelia sempervirens</i>                                     | 339 | G. SCHMEDA-HIRSCHMANN, M. DUTRA-BEHRENS, G. HABERMEHL and J. JAKUPOVIC |
| <b>Book Review</b>                                                                        | 343 |                                                                        |

## Number 2

### Growth and Metabolism

|                                                                                                                          |     |                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------|
| Properties of a polynucleotide synthesized by strain 74A of <i>Neurospora crassa</i>                                     | 345 | E. C. CARMONA, S. W. HAN, M. S. PALMA and A. ROSSI                               |
| Stability of ascorbate oxidase extracted from <i>Cucurbita pepo</i>                                                      | 349 | S. MARITANO, T. KOHZUMA, S. SUZUKI and A. MARCHESINI                             |
| Phosphatidate phosphatase from developing seeds and microspore-derived cultures of <i>Brassica napus</i>                 | 353 | M. G. KOCIS, R. I. WESELAKE, J. A. ENG, T. L. FURUKAWA-STOFFER and M. K. POMEROY |
| Purification and characterization of $\alpha$ -amylase from poplar leaves                                                | 365 | W. WITT and J. J. SAUTER                                                         |
| Properties of an arginase from the cotyledons of <i>Phaseolus vulgaris</i>                                               | 373 | N. CARVAJAL, N. OLAVE, M. SALAS, E. URIBE and S. ENRÍQUEZ                        |
| Endopeptidases during the development and senescence of <i>Lolium temulentum</i> leaves                                  | 377 | K. MORRIS, H. THOMAS and L. J. ROGERS                                            |
| Characterization of extracellular proteases from <i>Trametes trogii</i>                                                  | 385 | C. CAPORALE, A. M. V. GARZILLO, C. CARUSO and V. BUONOCORE                       |
| Anthranilate synthase from <i>Ailanthus altissima</i> cell suspension cultures                                           | 395 | R. M. ROMERO and M. F. ROBERTS                                                   |
| Purification of pectin methylesterase from <i>Orobancha aegyptiaca</i>                                                   | 403 | N. B. NUN, G. BEN-HOD, E. LAVI and A. M. MAYER                                   |
| Cell wall synthesis in kiwi fruit following postharvest ethylene treatment                                               | 407 | R. J. REDGWELL                                                                   |
| Accumulation of sterols and steroidal sapogenins in developing fenugreek pods: possible biosynthesis <i>in situ</i>      | 415 | P. BRENAC and Y. SAUVAIRE                                                        |
| Effect of tridemorph and fenpropimorph on sterol composition in fenugreek                                                | 423 | C. CERDON, A. RAHIER, M. TATON and Y. SAUVAIRE                                   |
| <b>Ecological Biochemistry</b>                                                                                           |     |                                                                                  |
| Volatile components of ripe fruits of <i>Morinda citrifolia</i> and their effects on <i>Drosophila</i>                   | 433 | J.-P. FARINE, L. LEGAL, B. MORETEAU, and J.-L. LE QUERE                          |
| Enantiomeric compositions of monoterpene hydrocarbons indifferent tissues of four individuals of <i>Pinus sylvestris</i> | 439 | K. SJÖDIN, M. PERSSON, A.-K. BORG-KARLSON and T. NORIN                           |
| 3-Hydroxyacetophenone in carnations is a phytoanticipin active against <i>Fusarium oxysporum</i> f. sp. <i>dianthi</i>   | 447 | P. CURIR, A. MARCHESINI, B. DANIELI and F. MARIANI                               |
| <b>Biosynthesis</b>                                                                                                      |     |                                                                                  |
| Biosynthesis of primin and miconidin and its derivatives                                                                 | 451 | W. HORPER and F.-J. MARNER                                                       |
| Cytochrome P450-dependent methylenedioxy bridge formation in <i>Cicer arietinum</i>                                      | 457 | S. CLEMENS and W. BARZ                                                           |

# CONTENTS OF VOLUME 41

## Number 1

### Review Article Number 110

- |                                                                                                                                     |                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Bioactive Acylphloroglucinol derivatives from <i>Eucalyptus</i> species                                                             | 7 E. L. GHISALBERTI                                                                                                                    |
| <br><b>Growth and Metabolism</b>                                                                                                    |                                                                                                                                        |
| Synthesis, metabolism and biological activity of a deuterated analogue of the plant hormone <i>S</i> -( + )-abscisic acid           | 23 N. LAMB, N. WAHAB, P. A. ROSE, A. C. SHAW, S. R. ABRAMS, A. J. CUTLER, P. J. SMITH, L. V. GUSTA and B. EWAN                         |
| $\delta$ -Acetylornithine as a major nitrogen storage compound in <i>Bistorta bistortoides</i>                                      | 29 D. A. LIPSON, T. K. RAAB and R. K. MONSON                                                                                           |
| Nitrogen recycling in phenylpropanoid metabolism                                                                                    | 31 R. RAZAL, S. ELLIS, S. SINGH, N. G. LEWIS and G. H. N. TOWERS                                                                       |
| Evidence for intramineral macromolecules containing protein from plant silicas                                                      | 37 C. C. HARRISON                                                                                                                      |
| Tyrosine residues enhance cross-linking of synthetic proteins into lignin-like dehydrogenation products                             | 43 G. J. McDOUGALL, D. STEWART and I. M. MORRISON                                                                                      |
| Inhibition of chloroplast protein phosphorylation by cAMP in <i>Lemna paucicostata</i> 6746                                         | 49 L. GANGWANI, J. P. KHURANA and S. C. MAHESHWARI                                                                                     |
| Selective inhibition of cyclic AMP-dependent protein kinase by amphiphilic triterpenoids and related compounds                      | 55 BING HUI WANG and G. M. POLYA                                                                                                       |
| Spinach chloroplast ATP-dependent endopeptidase: Ti-like protease                                                                   | 65 M. BENEŠOVÁ, G. ĎURČOVÁ, S. KUŽELA, E. KUTEJOVÁ and M. PŠENÁK                                                                       |
| Conidial alkaline phosphatase from <i>Neurospora crassa</i>                                                                         | 71 J. C. SAY, R. P. M. FURRIEL, P. CIANCAGLINI, J. A. JORGE, M. LOURDES, T. M. POLIZELI, J. M. PIZAURO, H. F. TERENCEZ and F. A. LEONE |
| Inhibition of chitinolytic activities from tree species and associated fungi                                                        | 77 A. HODGE, G. W. GOODAY and I. J. ALEXANDER                                                                                          |
| Cell cycle inhibition by sodium butyrate in legume root meristems                                                                   | 85 W. A. TRAMONTANO and C. SCANLON                                                                                                     |
| Platelet activating factor and lyso-phosphatidyl cholines from strawberry                                                           | 89 M. CALLIGEROU, A. SIAFAKA-KAPADAI, D. GALANOPOULOU, S. T. WEINTRAUB and M. MAVRI-VAYANNI                                            |
| Similarities of the biological activities of coronatine and coronaf acic acid to those of jasmonic acid                             | 93 Y. KODA, K. TAKAHASHI, Y. KIKUTA, F. GREULICH, H. TOSHIMA and A. ICHIHARA                                                           |
| Immunoquantitative analysis of artemisinin from <i>Artemisia annua</i> using polyclonal antibodies                                  | 97 J. F. S. FERREIRA and J. JANICK                                                                                                     |
| Effect of calcium chloride on heavy metal induced alteration in growth and nitrate assimilation of <i>Sesamum indicum</i> seedlings | 105 N. BHARTI, R. P. SINGH and S. K. SINHA                                                                                             |
| <br><b>Ecological Biochemistry</b>                                                                                                  |                                                                                                                                        |
| Secoiridoids and antifungal aromatic acids from <i>Gentiana algida</i>                                                              | 111 R. X. TAN, J.-L. WOLFENDER, W. G. MA, L. X. ZHANG and K. HOSTETTMANN                                                               |
| Limonoid antifeedants from <i>Melia toosendan</i>                                                                                   | 117 JIAN-BO ZHOU, H. OKAMURA, T. IWAGAWA and M. NAKATANI                                                                               |

|                                                                                                                                        |     |                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------|
| Structure–activity relationships of synthetic saponins                                                                                 | 121 | M. TAKECHI, C. UNO and Y. TANAKA                                                                     |
| Structure–activity relationships of synthetic cardiac glycosides                                                                       | 125 | M. TAKECHI, C. UNO and Y. TANAKA                                                                     |
| Insecticidal constituents from rhizomes of <i>Zingiber cassumunar</i> and <i>Kaempferia rotunda</i>                                    | 129 | B. W. NUGROHO, B. SCHWARZ, V. WRAY and P. PROKSCH                                                    |
| Release and ecological impact of algicidal hydrolysable polyphenols in <i>Myriophyllum spicatum</i>                                    | 133 | E. M. GROSS, H. MEYER and G. SCHILLING                                                               |
| Oviposition stimulants for the monarch butterfly: Flavonol glycosides from <i>Asclepias curassavica</i>                                | 139 | M. HARIBAL and J. A. A. RENWICK                                                                      |
| <b>Biosynthesis</b>                                                                                                                    |     |                                                                                                      |
| Formation of L-ascorbic acid and oxalic acid from D-glucosone in <i>Lemna minor</i>                                                    | 145 | K. SAITO                                                                                             |
| Presence of microthecin in the red alga <i>Gracilariopsis lemaneiformis</i> and its formation from 1,5-anhydro-D-fructose              | 151 | A. BROBERG, L. KENNE and M. PEDERSEN                                                                 |
| Sterol composition and synthesis in potato tuber discs in relation to glycoalkaloid synthesis                                          | 155 | A. BERGENSTRÄHLE, P. BORGÅ and L. M. V. JONSSON                                                      |
| Metabolism of 24- <i>epi</i> -castasterone and 24- <i>epi</i> -brassinolide in cell suspension cultures of <i>Ornithopus sativus</i>   | 163 | A. KOLBE, B. SCHNEIDER, A. PORZEL and G. ADAM                                                        |
| Caffeine biosynthesis starts with the metabolically channelled formation of 7-methyl-XMP—A new hypothesis                              | 169 | B. H. SCHULTHEISS, P. MORATH and T. W. BAUMANN                                                       |
| <b>Cell Culture and Biotechnology</b>                                                                                                  |     |                                                                                                      |
| Developmental changes of lipoxygenase and fatty acid hydro-peroxide lyase activities in cultured cells of <i>Marchantia polymorpha</i> | 177 | K. MATSUI, Y. KAJI, T. KAJIWARA and A. HATANAKA                                                      |
| Polyacetylene glucosides in hairy root cultures of <i>Lobelia cardinalis</i>                                                           | 183 | M. YAMANAKA, K. ISHIBASHI, K. SHIMOMURA and K. ISHIMARU                                              |
| Lipid composition of microsomes from heat-stressed cell suspension cultures                                                            | 187 | E. H. STYER, B. D. WHITAKER, S. L. KITTO and D. G. HOOVER                                            |
| Production of scopadulciol by cultured tissues of <i>Scoparia dulcis</i>                                                               | 193 | T. HAYASHI, K. GOTOH and K. KASAHARA                                                                 |
| Metabolism of 24- <i>epi</i> -castasterone in cell suspension cultures of <i>Lycopersicon esculentum</i>                               | 197 | T. HAI, B. SCHNEIDER, A. PORZEL and G. ADAM                                                          |
| <b>Chemotaxonomy</b>                                                                                                                   |     |                                                                                                      |
| Essential oil composition of four Turkish species of <i>Sideritis</i>                                                                  | 203 | N. EZER, R. VILA, S. CAÑIGUERAL and T. ADZET                                                         |
| Terpenoids and aromatic compounds from six liverworts                                                                                  | 207 | F. NAGASHIMA, S. MOMOSAKI, Y. WATANABE, M. TOYOTA, S. HUNECK and Y. ASAKAWA                          |
| <b>Bioactive Plant Products</b>                                                                                                        |     |                                                                                                      |
| Cytotoxic benzyl dihydroflavonols from <i>Cudrania tricuspidata</i>                                                                    | 213 | IN-KYOUNG LEE, CHANG-JIN KIM, KYUNG-SIK SONG, HWAN-MOOK KIM, H. KOSHINO, M. URAMOTO and ICK-DONG YOO |
| Biologically active flavonoids and terpenoids from <i>Egletes viscosa</i>                                                              | 217 | M. A. S. LIMA, E. R. SILVEIRA, M. S. L. MARQUES, R. H. A. SANTOS and M. T. P. GAMBARDELA             |
| <b>Plant Chemistry</b>                                                                                                                 |     |                                                                                                      |
| New pentapeptides from <i>Aster tataricus</i>                                                                                          | 225 | DONG-LIANG CHENG, YU SHAO, R. HARTMANN, E. ROEDER and K. ZHAO                                        |

## AUTHOR INDEX

- Abdel-Khalik S. M., 1175  
 Abegaz B. M., 919  
 Abraham T. W., 767  
 Abrams S. R., 23, 1251  
 Achenbach H., 907  
 Adam G., 163, 197, 1083  
 Adam K.-P., 611  
 Ade B. R., 719  
 Adzet T., 203  
 Agosin E., 675  
 Agrawal P. K., 879  
 Aik-Hwee E., 1501  
 Akita K., 1275  
 Alam M. S., 1197  
 Alemayehu G., 919  
 Alexander I. J., 77  
 Ali M., 1197  
 Ali N. A. A., 927  
 Allais D. P., 1329  
 Alpha T., 829  
 Anai T., 671  
 Anderson J. W., 1465  
 Andriantsiferana M., 323  
 Aoyama K., 461  
 Aqueveque P., 1149  
 Araujo M. S., 1017  
 Asakawa Y., 207, 575, 791, 821, 833, 977, 1129, 1347, 1373  
 Asano J., 815  
 Awang K., 1325  
 Awasthi S. B., 981  
 Azevedo R. A., 707  
 Azzaro M., 243  
  
 Baba T., 289  
 Babady-Bila, 1441  
 Babiano M. J., 681  
 Bai L., 625  
 Baldé A. M., 269  
 Bardón A., 845  
 Barrero A. F., 605  
 Barton D. L., 1251  
 Barua N. C., 557  
 Barz W., 457  
 Basabe P., 1155  
 Basu S., 685  
 Bates R., 759  
 Batista C. V. F., 969  
 Batista I. F. C., 1017  
 Batista O., 571  
 Baudouin G., 323  
 Baumann T. W., 169  
 Baumes R. L., 1497  
 Bayonove C. L., 1497  
 Becchi M., 887  
 Becker H., 611  
 Beecher C. W. W., 945, 1625  
 Bell M. V., 465  
 Benedetto R. di, 1377  
 Benešová M., 65  
 Ben-Hod G., 403  
 Benner J. P., 801  
 Bergensträhle A., 155  
  
 Berghe D. A. Van den, 269  
 Bertoli A., 1579  
 Beyer P., 729  
 Bhakuni R. S., 863  
 Bhandari S. P. S., 879  
 Bharti N., 105  
 Bianchini J.-P., 243, 829  
 Bilia A. R., 1579  
 Biswas B., 1457  
 Biswas T. K., 1457  
 Bittner M., 1149  
 Bloor S. J., 801  
 Bodo B., 591  
 Bolck A., 503  
 Boneva I. M., 855  
 Bonfils J.-P., 1281  
 Boother P., 801  
 Bordoloi M., 557  
 Borgå P., 155  
 Borg-Karlson A.-K., 439, 1477  
 Boschenok J., 1265  
 Botta B., 537  
 Bottalico A., 1035  
 Boyd M. R., 1205  
 Brenac P., 415  
 Brennecke K., 707  
 Brillouet J.-M., 1497  
 Briskin D. P., 685  
 Brisson L. F., 699  
 Britton G., 1201  
 Broberg A., 151  
 Brouillard R., 301, 1583  
 Brown E. G., 1491  
 Bruno M., 335  
 Bruyne T. De, 269  
 Buchanan M. S., 791, 821, 1373  
 Budzianowski J., 775  
 Buonocore V., 385  
 Butland S. L., 1259  
  
 Cai L., 1381  
 Caldera S., 759  
 Calis I., 1557  
 Calligerou M., 89  
 Cambon A., 243, 829  
 Canete S., 1293  
 Cañigueral S., 203  
 Capasso R., 1035  
 Caporale C., 385  
 Cardellina J. H. II, 1205  
 Cardona G., 753  
 Cardona L., 845  
 Carmona E. C., 345  
 Caron G., 803  
 Carotenuto A., 531  
 Carreras C. R., 473  
 Caruso C., 385  
 Carvajal N., 373  
 Carver J. A., 1265  
 Castro M. A., 995  
 Castro V., 851  
 Catalán C. A. N., 845

- Cerdon C., 423  
 Chakravarty A. K., 935  
 Chang Chin-Teng, 525  
 Charrouf Z., 989  
 Chassagne D., 1497  
 Chaudhuri S. K., 945, 1625  
 Chavant L., 1293  
 Chavasiri W., 903  
 Chávez J. P., 941  
 Chen Chieh-Fu, 549  
 Chen Chung-Hsiung, 1389  
 Chen Ih-Sheng, 525  
 Chen Ying-Chih, 1361  
 Chen Yue-Chih, 549  
 Chen Ze-Nai, 279  
 Chen Zhong-Liang, 657  
 Chen Zi-Li, 871  
 Cheng Dong-Liang, 225  
 Cheng L., 719  
 Cheng Yu-Shia, 255, 1361  
 Chérif M., 1523  
 Cherng I-Hwa, 263  
 Cherrah Y., 989  
 Chiang Hung-Cheh, 263  
 Chiappeta A. de Andrade, 537  
 Chiba K., 815  
 Chiba S., 1013  
 Chiou G. C. Y., 545  
 Chiu Pao-Hui, 1215  
 Chopra N., 1197  
 Chou Cheng-Jen, 549  
 Chuah Cheng-Hock, 313  
 Chulia A. J., 1329  
 Chung Mei-Ing, 309  
 Ciancaglini P., 71  
 Cicala C., 531  
 Claeys M., 269  
 Clemens S., 457  
 Cole M. D., 735  
 Collado I. G., 513  
 Comte G., 1329  
 Conserva L. M., 647  
 Cordell G. A., 1385  
 Corral J. M. Miguel Del, 995  
 Crouzet J., 1497  
 Cruz F. G., 941  
 Cuerva J. M., 605  
 Cullmann F., 611  
 Curir P., 447  
 Cutignano A., 1035  
 Cutler A. J., 23  
  
 Dagne E., 795  
 Dangles O., 301, 1583  
 Danieli B., 447  
 Daniewski W. M., 1093  
 Das B., 985  
 Das R., 985  
 David J. M., 941  
 Davies-Coleman M. T., 1085  
 Davies R., 863  
 Davis E. M., 1047  
 Davis G. D., 1047  
 Delage C., 1329  
 Dellar J. E., 735  
 Dembitsky V. M., 483  
 Demyttenaere J. C. R., 1079  
 Dhar K. L., 595, 947, 1097  
 Diez D., 1155  
 Ding Hsiou-Yu, 237  
 Dong-Zhe Jin, 545  
 Dorado M. M., 605  
 Drewes S. E., 333  
  
 Duarte A., 571  
 Duh Chang-Yih, 525  
 Ďurčová G., 65  
 Dutra-Behrens M., 339  
 Dyas L., 1275  
  
 Ebata N., 895  
 Ebizuka Y., 725  
 Eceizabarrena C. C., 1393  
 Echeverri F., 753  
 Elema E. T., 503  
 El-Gindi M. R., 1175  
 El-Gindi O. D., 1175  
 Elhabiri M., 301  
 Ellis B. E., 1259  
 Ellis S., 31  
 Eng J. A., 353  
 Englert G., 729  
 Enríquez S., 373  
 Eriş C., 1143  
 Escribano-Bailón T., 1583  
 Espinar L. A., 499  
 Essenberg M., 1047  
 Esteban M. D., 1573  
 Esumi Y., 1485  
 Evidente A., 1035  
 Ewan B., 23  
 Ezer N., 203  
  
 Falkenberg M., 297  
 Fang Jim-Min, 255, 1361  
 Fang Song-Chwan, 1215  
 Farine J.-P., 433  
 Fattorusso E., 531  
 Faure R., 243, 829  
 Feliciano A. San, 995  
 Feo V. De, 531  
 Fernandes J. B., 1159  
 Ferreira D., 1209  
 Ferreira J. F. S., 97  
 Figueiredo P., 301  
 Filho H. F. Leitão, 963  
 Fiorentino A., 1527  
 Fondekar K. P. Pai, 931  
 Foo L. Y., 617  
 Fournier D., 1293  
 Fraga B. M., 229  
 Frahm A. W., 1107  
 Frei B., 1191  
 Fritz H., 1017  
 Fronczek F. R., 779  
 Fu S., 1265  
 Fuente G. de la, 1235  
 Fuente J.R. de la, 499  
 Fujimoto Y., 923, 1057  
 Fukuda N., 1275  
 Fukunaga Y., 1531  
 Fukushi E., 1531  
 Fukuyama Y., 629, 1219  
 Fullas F., 945, 1625  
 Funayama S., 1231  
 Furlan M., 1159  
 Furriel R. P. M., 71  
 Furukawa H., 1433  
 Furukawa-Stoffer T. L., 353  
 Fuzzati N., 1287  
  
 Gaisser S., 1065  
 Galanopoulou D., 89  
 Galindo J. C. G., 1573  
 Gallardo-Guerrero L., 691  
 Gambardela M. T. P., 217

# SUBJECT INDEX

- A**
- Abies marocana*, sesquignans from 605
- Abrus precatorius*, sweet-tasting cycloartane glycoside from 1381
- Abscisic acid  
analogue, structure-activity studies of 1251  
levels, during chick-pea germination, effect of polyethylene-glycol on 681
- S-(+)-Abscisic acid, synthesis of deuterated analogue of 23
- Acalypha*, terpenoids from 851
- Acetophenone glycoside, from *Exacum* 289
- Acetophenones, from *Cynanchum* 293
- $\delta$ -Acetylmornithine, as nitrogen storage compound in *Bistorta* 29
- Acid phosphatase I, from *Vigna* germinating seeds 1457
- Aconitum orientale*, diterpenoid alkaloids from 957
- Actinidia deliciosa*, cell wall polysaccharide synthesis in 407
- Actinidiaceae 407
- Acylglycerols, from *Lycogala* 791
- Acylphloroglucinols, bioactive from *Eucalyptus* 7
- Agavaceae 1517
- Aglala argentea*, cytotoxic cycloartanes from 1325
- Ailanthus altissima*, anthranilate synthase from 395
- Ajuga reptans*, sterol biosynthesis in hairy roots of 1057
- Alangiaceae 651, 1351
- Alangium lamarckii*, tetrahydroisoquinoline-monoterpene glucosides from 651
- A. premnifolium*, sesquiterpene glycosides from 1351
- Albizia*, formation of albizziine in, from uracil 1491
- Aldehydes, lipoxygenase-mediated formation of in freshwater diatoms 1445
- Algae 151, 465, 749, 1101, 1315, 1367, 1445, 1527, 1535
- Algicidal hydrolysable polyphenols, from *Myriophyllum* 133
- Alginate composition, of brown seaweeds 1315
- Alkaloid glycosides, steroid, from *Solanum* 1633
- Alkaloids,  
*seco*-bisbenzylisoquinoline, from *Laurelia* 339  
carbazole, from *Murraya* leaves 1433  
diterpenoid,  
from *Aconitum* 957  
from *Delphinium* 1235  
from *Crinum* 323  
from *Esenbeckia* 647  
from *Sedum* 1319  
glucosidal, from *Millingtonia* 317  
homoerythrina, from *Lagarostrobos* 801  
indole,  
from *Aspidosperma* 963  
from *Rauwolfia* 969  
norsecurinine, from *Phyllanthus* 1441  
oxindole, from *Alstonia* 313  
purine, carbon isotope pattern of 1073  
pyrrolidine, from *Nierembergia* 1393  
quinoline, from *Orixa* 1231  
steroid, from *Solanum* 1629  
tropane, biosynthesis of in *Erythroxylum* and *Datura* 767
- Alkene  $\gamma$ -lactones, from *Persea* 229
- 5-Alkylresorcinol, antifungal, from etiolated rice seedlings 1485
- Alliaceae 283, 531
- Allium chinense*, furostanol glycosides from 283
- A. ursinum*, flavonoids from 531
- Aloe plicatilis*, naphthalene diglycoside from 1547
- Aloeaceae 795, 1547
- Alstonia macrophylla*, oxindole alkaloids from 313
- Amaranthaceae 671
- Amaryllidaceae 323, 729
- Ambroma augusta*, oleanane triterpenoid and stigmasterol glycoside from 1197
- Amino acid, non-protein, formation of from uracil in *Albizia* seedlings 1491
- cAMP, in *Lemna*, inhibition of chloroplast protein phosphorylation by 49
- $\alpha$ -Amylase, from poplar leaves 365
- Anabaena hallensis*, sterols and triterpenoids from 1083
- Anthocerotae 1373
- Anthocyanins,  
acylated,  
from *Consolida* blue-violet flowers 1599  
from *Matthiola* 1613  
from *Pharbitis* slate-grey flowers 1607  
production in regenerated *Hyacinthus* flowers 1531  
intramolecular copigmentation of, as a means for colour loss 301
- Anthranilate synthase, from *Ailanthus* cell suspension cultures 395
- Antibacterial hydroperoxysterols, from *Xanthosoma* 1191
- Antifeedant  
benzoquinone, from *Dictyopteris* 749  
limonoids, from *Melia* 117, 739
- Antifungal  
5-alkylresorcinol, from etiolated rice seedlings 1485  
aromatic acids, from *Gentiana* 111  
chromone, from *Eriosema* 1287  
eudesmanolides, from *Parthenium* 519  
3-hydroxyacetophenone, from carnations 447
- Antimicrobial  
abietane diterpenoids, from *Plectranthus* 735  
isoflavanones, from *Desmodium* 537  
steroids, from *Fomitopsis* 1041
- Antiplasmodial aggregation constituents, from *Peucedanum* 525
- Antrodia cinnamomea*,  
steroids and triterpenoids from 1389  
triterpenoids from 263
- Apium graveolens*, solubilization of cell wall pectic polysaccharides from 719
- Apocynaceae 313, 963, 969, 1451
- Aquifoliaceae 657, 871, 1073
- Araceae 1191
- Aralia decaisneana*, triterpene saponins from 1411
- Araliaceae 1411, 1419
- Araucariaceae 995
- Arginase, from *Phaseolus* cotyledons 373
- Arginine residues, in red beet plasma membrane  $\text{Ca}^{2+}$ -ATPase 685
- Aroma precursors, glycosidic, from *Passiflora* 1497
- Aromatic acids, antifungal, from *Gentiana* 111
- Aromatic glucoside, from *Gentiana* 309
- Aromatics, from liverworts 207
- Artemisia annua*, immunoquantitative analysis of artemisinin from 97
- A. chamaemelifolia*, tricyclic sesquiterpenes from 837
- A. pallens*, germacranolide from 1105

- A. pontica*, rotundane sesquiterpene lactones from 553  
 Artemisinic acid analogue, from *Tithonia* 557  
 Artemisinin, from *Artemisia*, immunoquantitative analysis of 97  
 Asclepiadaceae 139, 293, 1181, 1385  
*Asclepias curassavica*, oviposition-stimulant flavonol glycosides from 139  
 Ascorbate oxidase, from *Cucurbita*, stability of 349  
 L-Ascorbic acid, biosynthesis of in *Lemna* 145  
*Asparagus filicinus*, oligofurostanosides and oligospirostanosides from 599  
 Aspartate kinase, in maize mutants 707  
*Aspidosperma ramiflorum*, indole alkaloids from 963  
*Aster batangensis*, phenolic and triterpenoid glycosides from 1593  
*A. tataricus*, pentapeptides from 225  
*Athyrium yokoscense*, phytoecdysone from 745  
*Avena sativa*, induction of stress compound in, by toxin from *Helminthosporium* 1473  
*Avicennia officinalis*, revision of iridoid from 489  
 Avicenniaceae 489  
 Avocadofurans, from *Persea* 229
- B**  
*Baccharis linearis*, diterpenoids from 1123  
 Bacteria 1083  
*Baeckea frutescens*, cytotoxic phloroglucinols from 923  
*Bejaranoa*, sesquiterpene lactones from 1543  
*Bellium bellidioides*, triterpenoid saponins from 1399  
 Benzoic acid glycoside, from *Geniostoma* 1205  
 Benzoquinones,  
   2-methoxy-6-*n*-alkyl-1,4-, biosynthesis of in *Primula* 451  
   sesquiterpene-substituted, from *Dictyopteris* 749  
 Berberidaceae 991  
*Beta vulgaris*,  
   essential arginine residues in plasma membrane  $\text{Ca}^{2+}$ -ATPase in 685  
   malondialdehyde in measurement of lipoperoxidation in 1523  
 Bianthraquinones, from *Senna* seeds 919  
 Biflavonoids, from *Plagiomnium* 1621  
 Bignoniaceae 317  
 Biological activity,  
   of acylphloroglucinols from *Eucalyptus*, 7  
   of coronatine and coronafacic acid 93  
   of deuterated S-(+)-abscisic acid analogue 23  
 Biologically active  
   acetophenone, from carnations 447  
   5-alkylresorcinol, from rice seedlings 1485  
   aromatic acids, from *Gentiana* 111  
   benzoquinone, from *Dictyopteris* 749  
   benzylidihydroflavonols, from *Cudrania* 213  
   chromone, from *Eriosema* 1287  
   coumarins, with antiplatelet aggregation activity, from *Peucedanum* 525  
   cycloartane glycoside, sweet-tasting, from *Abrus* 1381  
   cycloartanes, from *Aglaia* 1325  
   cyclopeptide, from *Penicillium* 665  
   diterpenoids,  
     antimicrobial, from *Plectranthus* 735  
     antispasmodic, from *Egletes* 217  
     eudesmanoids, from *Parthenium* 519  
   flavonoids,  
     anti-inflammatory, from *Egletes* 217  
     with antiplatelet aggregation activity, from *Allium* 531  
   flavonol glycosides, oviposition-stimulant, from *Asclepias* 139  
   fungal carpophore constituents, insecticidal 1293  
   fusaric acid, methyl esters of, phytotoxic to *Striga*, from *Fusarium* 1035  
   hydroperoxysterols, from *Xanthosoma* 1191  
   hydroxyanthranilic acid, from oats 1473  
   isoflavanones, from *Desmodium* 537  
   limonoids, insect-antifeedant, from *Melia* 117, 739  
   phenylbutanoids, insecticidal, from *Zingiber* 129  
   9-phenylphenalenones, from *Musa* 753  
   phloroglucinols, cytotoxic, from *Baeckea* 923  
   polyphenols, hydrolysable, from *Myriophyllum* 133  
   sesquiterpenoids, from *Botrytis* 573  
   steroids, from *Fomitopsis* 1041  
   taxane, from *Taxus* 803  
   xanthones, from *Garcinia* 815  
 Biosynthesis,  
   of alkaloids,  
     purine, in relation to carbon isotope distribution 1073  
     tropane, in *Erythroxylum* and *Datura* 767  
   of 24 $\beta$ -alkyl- $\Delta^5$ -sterols, in *Ajuga* hairy roots 1057  
   of L-ascorbic acid, from D-glucosone, in *Lemna* 145  
   of caffeine, in *Coffea*, starting with formation of 7-methyl-XMP 169  
   of ergosterol, in fungicide-resistant and -sensitive *Venturia* strains 1301  
   of ferulic acid, in primary cell walls of wheat seedlings 1507  
   of isoflavonoid methylenedioxy bridge formation, in *Cicer* 457  
   of 2-methoxy-6-*n*-alkyl-1,4-benzoquinones, in *Primula* 451  
   of microthecin, in *Gracilariopsis* 151  
   of non-protein amino acid, from uracil in *Albizia* seedlings 1491  
   of normicotine, in tobacco cell cultures 477  
   of oxalic acid, from D-glucosone, in *Lemna* 145  
   of rubber, initiation of in *Hevea* 1501  
   of sesquiterpenoid phytoalexins, in bacteria-inoculated cotton 1047  
   of shikoinin, in *Lithospermum* inhibition and regulation of 1065  
   of sterols and glycoalkaloids, in potato 155  
 Biotransformation,  
   of brassinosteroids,  
     in *Lycopersicon* cell suspension cultures 197  
     in *Ornithopus* cell suspension cultures 163  
   of geraniol and nerol, by *Penicillium* spores 1079  
   of nicotine to normicotine, in tobacco cell cultures 477  
   of progesterone, by *Chlorella* 1527  
   of sodium grindelate, by *Cunninghamella* culture 473  
   of tetrahydroberberine in *Corydalis* cultures 1511  
*Bistorta bistortoides*,  $\delta$ -acetylmorphine as nitrogen storage compound in 29  
*Bixa orellana*, carotenoid from 1201  
 Bixaceae 1201  
 Boraginaceae 1065  
*Botrytis cinerea*, biologically active sesquiterpenoids from 513  
*Brassica napus*, phosphatidate phosphatase from 353  
 Brassinosteroids, metabolism of,  
   in *Ornithopus* cell cultures 163  
   in tomato cultures 197  
 Broussonflavonol G, revised structure of 1215  
*Broussonetia papyrifera*, prenylflavonoids from 1215  
*Bupleurum falcatum*, saponins from 895  
*B. fruticosum*, coumarins and saponin from 1579
- C**  
 (+)- $\delta$ -Cadinene synthase, from bacteria-inoculated cotton foliar tissue 1047  
 Caffeine biosynthesis, in *Coffea*, new hypothesis for 169  
 Calcium chloride, effect of on heavy metal stress in *Sesamum* seedlings 105  
 Campanulaceae 183  
 Caprifoliaceae 1333  
 Cardenolides, from *Erysimum* 1187  
 Cardiac glycosides, synthetic, structure-activity relationships of 125



**Cell Culture and Biotechnology**

Polysaccharides in primary cell walls of Japanese cypress cells in suspension culture

461 Y. TAKEUCHI, M. NISHIYAUCHI,  
K. AOYAMA and A. SATO

Lipid composition during growth of motile and coccolith forms of *Emiliania huxleyi*

465 M. V. BELL and D. POND

Hydroxylation of sodium grindelate by *Cunninghamella echinulata*

473 C. R. CARRERAS, J. RODRIGUEZ,  
H. J. SILVA, P. ROSSOMANDO,  
O. S. GIORDANO and E. GUERREIRO

Mechanism of nicotine *N*-demethylation in tobacco cell suspension cultures

477 D.-Y. HAO and M. M. YEOMAN

**Chemotaxonomy**

Distribution of polar lipids in some marine, brackish and freshwater green macrophytes

483 V. M. DEMBITSKY and  
O. A. ROZENTSNET

Distribution of iridoids in different populations of *Physostegia virginiana* and some remarks on iridoids from *Avicennia officinalis* and *Scrophularia ningpoensis*

489 R. NASS and H. RIMPLER

Terpenoid constituents of *Viguiera tucumanensis*

499 K. M. MERAGELMAN, L. A. ESPINAR,  
V. E. SOSA, M. L. URIBURU and  
J.R. DE LA FUENTE

Flavonoid variation in Eurasian *Sedum* and *Sempervivum*

503 J. F. STEVENS, H. 't HART,  
E. T. ELEMA and A. BOLCK

**Bioactive Plant Products**

Biologically active sesquiterpenoid metabolites from the fungus *Botrytis cinerea*

513 I. G. COLLADO,  
R. HERNÁNDEZ-GALÁN, V. PRIETO,  
J. R. HANSON and L. G. REBORDINOS

Antifungal eudesmanoids from *Parthenium argentatum* × *P. tomentosum*

519 G. T. MAATOOQ, D. K. STUMPF,  
J. J. HOFFMANN, L. K. HUTTER and  
B. N. TIMMERMANN

Coumarins and antiplatelet aggregation constituents from formosan *Peucedanum japonicum*

525 IH-SHENG CHEN, CHIN-TENG CHANG,  
WINE-SHOW SHEEN, CHE-MING TENG,  
IAN-LIH TSAI, CHANG-YIH DUH and  
FENG-NIEN KO

The flavonoids of *Allium ursinum*

531 A. CAROTENUTO, V. DE FEO,  
E. FATTORUSSO, V. LANZOTTI,  
S. MAGNO and C. CICALA

Antimicrobial isoflavanones from *Desmodium canum*

537 G. D. MONACHE, B. BOTTA,  
V. VINCIGUERRA, J. F. DE MELLO and  
A. DE ANDRADE CHIAPPETA

**Plant Chemistry**

Two *P*-coumaroyl glycerides from *Juncus effusus*

545 JIN DONG-ZHE, MIN ZHI-DA,  
G. C. Y. CHIOU, MUNAKAZU IINUMA  
and TOSHIYUKI TANAKA

A sesquiterpene ester from *Celastrus hindsii*

549 YAO-HAUR KUO, CHENG-JEN CHOU,  
LI-MING YANG KUO, YUN-YU HU,  
YUE-CHIH CHEN, CHIEH-FU CHEN and  
KUO-HSIUNG LEE

Sesquiterpene lactones with the uncommon rotundane skeleton from *Artemisia pontica* L.

553 M. N. TODOROVA, E. T. TSANKOVA,  
A. B. TREDAFILOVA and  
C. V. GUSSEV

An artemisinic acid analogue from *Tithonia diversifolia*

557 M. BORDOLOI, N. C. BARUA and  
A. C. GHOSH

Clerodane diterpenes and other constituents of *Croton hovarum*

561 H. C. KREBS and H. RAMIARANTSOA

|                                                                                                                     |                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Clerodane diterpenes from the bark of <i>Casearia tremula</i>                                                       | 565 S. GIBBONS, A. I. GRAY and P. G. WATERMAN                                                          |
| A rearranged abietane diterpenoid from <i>Plectranthus hereroensis</i>                                              | 571 O. BATISTA, M. F. SIMÕES, J. NASCIMENTO, S. RIBERIO, A. DUARTE, B. RODRÍGUEZ and M. C. DE LA TORRE |
| Terpenoid constituents of the liverwort <i>Heteroscyphus coalitus</i>                                               | 575 M. TOYOTA, I. NAKAMURA, S. TAKAOKA, Y. KAN and Y. ASAKAWA                                          |
| Spiro- $\gamma$ -lactone diterpenes from <i>in vitro</i> cultures of the liverwort, <i>Heteroscyphus planus</i>     | 581 K. NABETA, T. OOHATA, S. OHKUBO, T. SATO and K. KATOH                                              |
| The absolute configuration of salvileucolide methyl ester, asesterterpene from Iranian <i>Salvia</i> species        | 589 A. LINDEN, M. JUCH, F. M. MOGHADDAM, B. ZAYNIZADEH and P. RÜEDI                                    |
| Pentacyclic triterpenes from <i>Combretum nigricans</i>                                                             | 591 A. JOSSANG, M. SEULEIMAN, E. MAIDOU and B. BODO                                                    |
| 5 $\beta$ ,24 $\alpha$ -Stigmasta-8, 22-dien-3 $\beta$ -ol, a sterol from <i>Koelpinia linearis</i>                 | 595 W. A. SHAH, M. A. QURISHI, S. K. KOUL and K. L. DHAR                                               |
| Oligofurostanosides and oligospirostanosides from roots of <i>Asparagus filicinus</i>                               | 599 S. C. SHARMA and N. K. THAKUR                                                                      |
| Two sesquignans from the wood of <i>Abies marocana</i>                                                              | 605 A. F. BARRERO, A. HAÏDOUR, M. M. DORADO and J. M. CUERVA                                           |
| Pelliatin, a macrocyclic lignan derivative from <i>Pellia epiphylla</i>                                             | 611 F. CULLMANN, K.-P. ADAM, J. ZAPP and H. BECKER                                                     |
| Proanthocyanidins from <i>Lotus corniculatus</i>                                                                    | 617 L. Y. FOO, R. NEWMAN, G. WAGHORN, W. C. McNABB and M. J. ULYATT                                    |
| Shanciol, a dihydrophenanthropyran from <i>Pleione bulbocodioides</i>                                               | 625 L. BAI, M. YAMAKI, Y. YAMAGATA and S. TAKAGI                                                       |
| Three xanthones from <i>Garcinia subelliptica</i>                                                                   | 629 H. MINAMI, E. TAKAHASHI, M. KODAMA and Y. FUKUYAMA                                                 |
| Acylated cyanidin 3,7,3'-triglucosides in flowers of $\times$ <i>Laeliocattleya</i> 'mini purple' and its relatives | 635 F. TATSUZAWA, N. SAITO, M. YOKOI, A. SHIGIHARA and T. HONDA                                        |
| Chamaemeloside, a new flavonoid glycoside from <i>Chamaemelum nobile</i>                                            | 643 G. M. TSCHAN, G. M. KÖNIG, A. D. WRIGHT and O. STICHER                                             |
| Alkaloids and coumarins from <i>Esenbeckia</i> species                                                              | 647 F. M. OLIVEIRA, A. E. G. SANT'ANA, L. M. CONSERVA, J. G. S. MAIA and G. M. P. GUILHON              |
| Acylated tetrahydroisoquinoline-monoterpene glucosides from <i>Alangium lamarckii</i>                               | 651 A. ITOH, T. TANAHASHI and N. NAGAKURA                                                              |
| <b>Short Reports</b>                                                                                                |                                                                                                        |
| A dimeric sinapaldehyde glucoside from <i>Ilex rotunda</i>                                                          | 657 DONG-XU WEN and ZHONG-LIANG CHEN                                                                   |
| Flavonoids from <i>Eschscholtzia californica</i>                                                                    | 661 L. JAIN, M. TRIPATHI, V. B. PANDEY and G. RÜCKER                                                   |
| <b>Book Review</b>                                                                                                  | 663                                                                                                    |

## Number 3

**Growth and Metabolism**

Cyclo-(L-tryptophyl-L-phenylalanyl), a plant growth regulator produced by the fungus *Penicillium* sp.

Structure-activity relationship of lepidimoide and its analogues

Gibberellic acid decomposition and its loss of biological activity in aqueous solutions

ABA levels in chick-pea seeds during the first twenty-four hours of germination. Effect of polyethylene-glycol

Chemical modification of essential arginine residues associated with the red beet (*Beta vulgaris* L.) plasma membrane  $\text{Ca}^{2+}$ -ATPase

Role of chlorophyllase in chlorophyll metabolism in olives cv. Gordal

Distribution of catalase isoforms in *Nicotiana tabacum*

Purification and properties of  $\alpha$ -glucosidase from millet seeds

Aspartate kinase in the maize mutants *ASK1-LT19* and *OPAQUE-2*

Multiple forms of starch phosphorylase from *Sorghum* leaves

Solubilization of pectic polysaccharides from the cell walls of *Lemna minor* and *Apium graveolens*

Conversion of furostanol glycoside to spirostanol glycoside by  $\beta$ -glucosidase in *Costus speciosus*

NADPH and protoporphyrin IX dependent conversion of violaxanthin to a retro-carotenoid in *Narcissus pseudonarcissus* chromoplasts *in vitro*

**Ecological Biochemistry**

Antimicrobial abietane diterpenoids from *Plectranthus elegans*

Nimbolidins C-E, limonoid antifeedants from *Melia toosendan*

24-Epi-pterosterone: a novel phytoecdysone from the roots of *Athyrium yokoscense*

Cyclozonarone, a sesquiterpene-substituted benzoquinone derivative from the brown alga *Dictyopteris undulata*

Musanolones: four 9-phenylphenalenones from rhizomes of *Musa acuminata*

Detoxification of the phytoalexins maackiain and medicarpin by fungal pathogens of alfalfa

**Biosynthesis**

1-Methylpyrrolidine-2-acetic acid is not a precursor of tropane alkaloids

665 Y. KIMURA, K. TANI, A. KOJIMA,  
G. SOTOMA, K. OKADA and  
A. SHIMADA

671 K. YAMADA, T. ANAI, S. ROSEMURA,  
S. YAMAMURA and K. HASEGAWA

675 F. J. PÉREZ, A. VECCHIOLA, M. PINTO  
and E. AGOSIN

681 R. G. IGLESIAS and M. J. BABIANO

685 S. BASU and D. P. BRISKIN

691 MA. I. MINGUEZ-MOSQUERA and  
L. GALLARDO-GUERRERO

699 E. A. HAVIR, L. F. BRISSON and  
I. ZELITCH

703 Y. YAMASAKI, H. KONNO and  
H. MASIMA

707 K. BRENNECKE, A. J. SOUZA NETO,  
J. LUGLI, P. J. LEA and  
R. A. AZEVEDO

713 B. VENKAIAH and A. KUMAR

719 P. K. KINDEL, L. CHENG and  
B. R. ADE

725 K. INOUE, K. SHIMOMURA,  
S. KOBAYASHI, U. SANKAWA and  
Y. EBIZUKA

729 M. LÜTZOW, F. HAAF, G. ENGLERT,  
P. BEYER and H. KLEINIG

735 J. E. DELLAR, M. D. COLE and  
P. G. WATERMAN

739 M. NAKATANI, J.-B. ZHOU,  
N. NAKAYAMA, H. OKAMURA and  
T. IWAGAWA

745 S. OHTA, J.-R. GUO, Y. HIRAGA and  
T. SUGA

749 K. KURATA, K. TANIGUCHI and  
M. SUZUKI

753 J. G. LUIS, W. QUIÑONES,  
F. ECHEVERRI, T. A. GRILLO,  
M. P. KISHI, F. GARCIA-GARCIA,  
F. TORRES and G. CARDONA

759 S. SOBY, S. CALDERA, R. BATES and  
H. VANETTEN

767 M. N. HUANG, T. W. ABRAHAM,  
S. H. KIM and E. LEETE

**Cell Culture and Biotechnology**

- Ellagic acid derivatives and naphthoquinones of *Dionaea muscipula* from *in vitro* cultures 775 G. PAKULSKI and J. BUDZIANOWSKI

**Chemotaxonomy**

- Leucine-derived nitrile glucosides in the Rosaceae and their systematic significance 779 M. LECHTENBERG, A. NAHRSTEDT and F. R. FRONCZEK
- Sucrose esters from the surface lipids of *Petunia hybrida* 787 I. OHYA, Y. SHINOZAKI, T. TOBITA, H. TAKAHASHI and T. MATSUZAKI
- Acylglycerols from the slime mould, *Lycogala epidendrum* 791 M. S. BUCHANAN, T. HASHIMOTO and Y. ASAKAWA
- Three dihydroanthracenones from *Gasteria bicolor* 795 E. DAGNE, B.-E. VAN WYK, M. MUELLER and W. STEGLICH
- Homoerythrina alkaloids from silver pine, *Lagarostrobos colensoi* 801 S. J. BLOOR, J. P. BENNER, D. IRWIN and P. BOOTHER

**Bioactive Plant Products**

- Isolation and semi-synthesis of a bioactive taxane from *Taxus canadensis* 803 L. O. ZAMIR, M. E. NEDEA, Z.-H. ZHOU, G. CARON, F. SAURIOL and O. MAMER
- Flavan-3-ols and prodelphinidins from *Stryphnodendron adstringens* 807 J. P. DE MELLO, F. PETEREIT and A. NAHRSTEDT
- Cytotoxic xanthenes from *Garcinia hanburyi* 815 J. ASANO, K. CHIBA, M. TADA and T. YOSHII
- Cytochalasins from a *Daldinia* sp. of fungus 821 M. S. BUCHANAN, T. HASHIMOTO and Y. ASAKAWA

**Plant Chemistry**

- $\alpha$ -Santaladiol and  $\beta$ -santaladiol, two santalane sesquiterpenes from *Santalum insulare* 829 T. ALPHA, P. RAHARIVELOMANANA, J.-P. BIANCHINI, R. FAURE, A. CAMBON and L. JONCHERAY
- Eudesmane-type sesquiterpenoids from the liverwort *Lepidozia vitrea* 833 M. TOYOTA, E. NAKAISHI and Y. ASAKAWA
- Tricyclic sesquiterpenes from *Artemisia chamaemelifolia* 837 J. A. MARCO, J. F. SANZ-CERVERA, M. D. MORANTE, V. GARCÍA-LLISO, J. VALLÈS-XIRAU and J. JAKUPOVIC
- 15-Norguaianolides and germacranolides from *Mikania mendocina* 845 A. BARDÓN, L. CARDONA, C. A. N. CATALÁN and J. R. PEDRO
- Constituents of two *Acalypha* species 851 K. SIEMS, J. JAKUPOVIC, V. CASTRO and L. POVEDA
- A clerodane diterpene from *Scutellaria altissima* 855 P. Y. MALAKOV, G. Y. PAPANOV and I. M. BONEVA
- Cedrene isoprenologues from a new *Eremophila* species 859 Y. M. SYAH and E. L. GHISALBERTI
- Taxanes from the bark of *Taxus brevifolia* 863 K. V. RAO, R. S. BHAKUNI, J. B. HANUMAN, R. DAVIES and J. JOHNSON
- D:A-friedo-oleanane triterpenes from the stem of *Homalium longifolium* 867 K. SHAARI and P. G. WATERMAN
- Triterpenes and triterpenoid glycosides from the leaves of *Ilex kudincha* 871 MING-AN OUYANG, CHONG-REN YANG, ZI-LI CHEN and HAN-QING WANG
- Scrokoelzside A, a triterpene glycoside from *Scrophularia koelzii* 879 S. P. S. BHANDARI, R. ROY, P. K. AGRAWAL and H. S. GARG

|                                                                                                                                                                          |     |                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------|
| Triterpenoid saponins of <i>Mimusops elengi</i>                                                                                                                          | 883 | N. P. SAHU                                                                                                     |
| Saponins from three species of <i>Mimusops</i>                                                                                                                           | 887 | C. LAUD, G. MASSIOT, M. BECCHI,<br>G. MISRA and S. K. NIGAM                                                    |
| Saponins from the root of <i>Bupleurum falcatum</i>                                                                                                                      | 895 | N. EBATA, K. NAKAJIMA, K. HAYASHI,<br>M. OKADA and M. MARUNO                                                   |
| A limonoid from <i>Xylocarpus granatum</i>                                                                                                                               | 903 | U. KOKPOL, W. CHAVASIRI,<br>S. TIP-PYANG, G. VEERACHATO,<br>F. ZHAO, J. SIMPSON and<br>R. T. WEAVERS           |
| Cholestane- and pregnane-type glycosides from the roots of <i>Tribulus cistoides</i>                                                                                     | 907 | H. ACHENBACH, H. HÜBNER and<br>M. REITER                                                                       |
| Bianthraquinones from the seeds of <i>Senna multiglandulosa</i>                                                                                                          | 919 | G. ALEMAYEHU and B. M. ABEGAZ                                                                                  |
| Phloroglucinols from <i>Baeckea frutescens</i>                                                                                                                           | 923 | Y. FUJIMOTO, S. USUI, M. MAKINO<br>and M. SUMATRA                                                              |
| Hispolon, a yellow pigment from <i>Inonotus hispidus</i>                                                                                                                 | 927 | N. A. A. ALI, R. JANSEN,<br>H. PILGRIM, K. LIBERRA and<br>U. LINDEQUIST                                        |
| 4-Hydroxy-5-methylcoumarin derivatives from <i>Diospyros kaki</i> Thunb and <i>D. kaki</i> var. <i>sylvestris</i> Makino; structure and synthesis of 11-methylgerberinol | 931 | S. K. PAKNIKAR, K. P. PAI FONDEKAR,<br>J. K. KIRTANY and S. NATORI                                             |
| A neolignan and sterols in fruits of <i>Solanum sisymbriifolium</i>                                                                                                      | 935 | A. K. CHAKRAWARTY,<br>S. MUKHOPADHYAY, S. SAHA and<br>S. C. PAKRASHI                                           |
| Flavonoids and triterpene ester derivatives from <i>Erythroxylum leal costae</i>                                                                                         | 941 | J. P. CHÁVEZ, I. D. DOS SANTOS,<br>F. G. CRUZ and J. M. DAVID                                                  |
| Two isoflavones from the bark of <i>Petalostemon purpureus</i>                                                                                                           | 945 | S. K. CHAUDHURI, F. FULLAS,<br>M. C. WANI, M. E. WALL,<br>J. C. TUCKER, C. W. W. BEECHER<br>and A. D. KINGHORN |
| Isocladrastin and kashmigenin—two isoflavones from <i>Iris kashmiriana</i>                                                                                               | 947 | T. K. RAZDAN, P. K. KACHROO,<br>B. QADRI, A. K. KALLA,<br>S. C. TANEJA, S. K. KOUL and<br>K. L. DHAR           |
| Four isoflavones from seed pods of <i>Millettia dura</i>                                                                                                                 | 951 | A. YENESEW, J. O. MIDIWO and<br>P. G. WATERMAN                                                                 |
| Diterpenoid alkaloids from <i>Aconitum orientale</i>                                                                                                                     | 957 | A. ULUBELEN, A. H. MERİÇLİ,<br>F. MERİÇLİ and F. YILMAZ                                                        |
| Indole alkaloids from <i>Aspidosperma ramiflorum</i>                                                                                                                     | 963 | M. F. S. MARQUES, L. KATO,<br>H. F. LEITÃO FILHO and<br>F. DE A. M. REIS                                       |
| Indole alkaloids from <i>Rauwolfia sellowii</i>                                                                                                                          | 969 | C. V. F. BATISTA, J. SCHRIPEMA,<br>R. VERPOORTE, S. B. RECH and<br>A. T. HENRIQUES                             |
| <b>Short Reports</b>                                                                                                                                                     |     |                                                                                                                |
| Fructosides from <i>Cynomorium songaricum</i>                                                                                                                            | 975 | CHENG-ZHONG ZHANG, XIU-ZHI XU<br>and CHONG LI                                                                  |
| A guaiane-type sesquiterpene, valeracetate from <i>Valeriana officinalis</i>                                                                                             | 977 | M. TORI, M. YOSHIDA, M. YOKOYAMA<br>and Y. ASAKAWA                                                             |
| Withanolides from <i>Datura tatula</i>                                                                                                                                   | 981 | M. MANICKAM, S. B. AWASTHI,<br>A. SINHA-BAGCHI, S. C. SINHA and<br>A. B. RAY                                   |

|                                                                     |                                                                                              |
|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Jatrodien, a lignan from stems of <i>Jatropha gossypifolia</i>      | 985 B. DAS, S. P. RAO,<br>K. V. N. S. SRINIVAS and R. DAS                                    |
| An acylated isorhamnetin glycoside from <i>Herniaria fontanesii</i> | 989 A. N. MBARK, D. GUILLAUME,<br>Y. CHERRAH, J. M. WIERUSZEKI,<br>G. RICART and Z. CHARROUF |
| Brevicornin, a flavonol from <i>Epimedium brevicornum</i>           | 991 BAO-LIN GUO, WEN-KUI LI,<br>JING-GUANG YU and PEI-GEN XIAO                               |
| <b>Book Review</b>                                                  | 993                                                                                          |

## Number 4

### Review Article Number 111

|                                                                                                                                     |                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| The distribution of lignanoids in the order Coniferae                                                                               | 995 M. A. CASTRO, M. GORDALIZA,<br>J. M. MIGUEL DEL CORRAL and<br>A. SAN FELICIANO                                        |
| <b>Growth and Metabolism</b>                                                                                                        |                                                                                                                           |
| Two <i>N</i> -acetyl-D-galactosamine-specific lectins from <i>Phaeolepiota aurea</i>                                                | 1013 H. KAWAGISHI, T. WASA, T. MURATA,<br>T. USUI, A. KIMURA and S. CHIBA                                                 |
| Primary structure of a Kunitz-type trypsin inhibitor from <i>Enterolobium contortisiliquum</i> seeds                                | 1017 I. F. C. BATISTA, M. L. V. OLIVA,<br>M. S. ARAUJO, M. U. SAMPAIO,<br>M. RICHARDSON, H. FRITZ and<br>C. A. M. SAMPAIO |
| Partial purification and characterization of 6-hydroxymellein- <i>O</i> -methyltransferase from elicitor-treated carrot cells       | 1023 F. KUROSAKI                                                                                                          |
| Purification and unusual kinetic properties of a tobacco anionic peroxidase                                                         | 1029 I. G. GAZARYAN and L. M. LAGRIMINI                                                                                   |
| <b>Ecological Biochemistry</b>                                                                                                      |                                                                                                                           |
| Fusaric and 9,10-dehydrofusaric acids and their methyl esters from <i>Fusarium nygamai</i>                                          | 1035 R. CAPASSO, A. EVIDENTE,<br>A. CUTIGNANO, M. VURRO,<br>M. C. ZONNO and A. BOTTALICO                                  |
| Antimicrobial steroids from the fungus <i>Fomitopsis pinicola</i>                                                                   | 1041 A. C. KELLER, M. P. MAILLARD and<br>K. HOSTETTMANN                                                                   |
| <b>Biosynthesis</b>                                                                                                                 |                                                                                                                           |
| Purification of (+)- $\delta$ -cadinene synthase, a sesquiterpene cyclase from bacteria-inoculated cotton foliar tissue             | 1047 E. M. DAVIS, J. TSUJI, G. D. DAVIS,<br>M. L. PIERCE and M. ESSENBERG                                                 |
| Biosynthesis of 24 $\beta$ -alkyl $\Delta$ - <sup>25</sup> -sterols in hairy roots of <i>Ajuga reptans</i> var. <i>atropurpurea</i> | 1057 T. YAGI, M. MORISAKI, T. KUSHIRO,<br>H. YOSHIDA and Y. FUJIMOTO                                                      |
| Inhibition and regulation of shikonin biosynthesis in suspension cultures of <i>Lithospermum</i>                                    | 1065 S. GAISSER and L. HEIDE                                                                                              |
| Carbon isotope pattern in purine alkaloids. A key to isotope discriminations in C <sub>1</sub> compounds                            | 1073 T. WEILACHER, G. GLEIXNER and<br>H.-L. SCHMIDT                                                                       |
| <b>Cell Culture and Biotechnology</b>                                                                                               |                                                                                                                           |
| Biotransformation of geraniol and nerol by spores of <i>Penicillium italicum</i>                                                    | 1079 J. C. R. DEMYTTEAERE and<br>H. L. DE POOTER                                                                          |
| <b>Chemotaxonomy</b>                                                                                                                |                                                                                                                           |
| Sterols and triterpenoids from the cyanobacterium <i>Anabaena hallensis</i>                                                         | 1083 T. HAI, B. SCHNEIDER, J. SCHMIDT<br>and G. ADAM                                                                      |
| <b>Plant Chemistry</b>                                                                                                              |                                                                                                                           |
| 5,6-Dihydro- $\alpha$ -pyrones from <i>Syncolostemon parviflorus</i>                                                                | 1085 M. T. DAVIES-COLEMAN and<br>D. E. A. RIVETT                                                                          |

|                                                                                                                  |      |                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------|
| Monohydroxylactones of <i>Lactarius vellereus</i>                                                                | 1093 | W. M. DANIEWSKI, M. GUMULKA,<br>D. TRUSZEWSKA, U. JACOBSSON and<br>T. NORIN                                          |
| Oxygenated cyclohexanes from <i>Piper cubeb</i>                                                                  | 1097 | J. L. KOUL, S. K. KOUL,<br>S. C. TANEJA and K. L. DHAR                                                               |
| Pannosallene, a brominated C <sub>15</sub> nonterpenoid from <i>Laurencia pannosa</i>                            | 1101 | M. SUZUKI, Y. TAKAHASHI, Y. MATSUO<br>and M. MASUDA                                                                  |
| A germacranolide from <i>Artemisia pallens</i>                                                                   | 1105 | S. R. ROJATKAR, S. S. PAWAR,<br>P. P. PUJAR, D. D. SAWAIKAR,<br>S. GURUNATH, V. T. SATHE and<br>B. A. NAGASAMPAGI    |
| Circular dichroism of C-7, C-6 <i>trans</i> -fused guaianolides of <i>Centaurea scoparia</i>                     | 1107 | D. YOUSSEF and A. W. FRAHM                                                                                           |
| Sesquiterpene lactones and elemane derivatives from <i>Onopordon myriacanthum</i>                                | 1113 | B. GARCÍA, H. SKALTSIA,<br>F. I. NAVARRO, J. R. PEDRO and<br>D. LAZARI                                               |
| Drimanes from the epicuticular wax of the fern <i>Nephrolepis biserrata</i>                                      | 1119 | K. SIEMS, F. WEIGT and<br>E. WOLLENWEBER                                                                             |
| Diterpenoids from <i>Baccharis linearis</i>                                                                      | 1123 | K. HE, G. MONTENEGRO,<br>J. J. HOFFMANN and<br>B. N. TIMMERMANN                                                      |
| <i>Ent</i> -kaurane-type diterpenoids from the liverwort <i>Jungermannia exsertifolia</i> ssp. <i>cordifolia</i> | 1129 | F. NAGASHIMA, H. TANAKA,<br>S. TAKAOKA and Y. ASAKAWA                                                                |
| Rearranged abietane diterpenes from <i>Salvia limbata</i>                                                        | 1143 | G. TOPCU, C. ERIŞ and A. ULUBELEN                                                                                    |
| Diterpenes and phloracetophenones from <i>Euphorbia portulacoides</i>                                            | 1149 | T. MORGENSTERN, M. BITTNER,<br>M. SILVA, P. AQUEVEQUE and<br>J. JAKUPOVIC                                            |
| Isofregenedadiol: a novel diterpenic diol from <i>Halimium viscosum</i>                                          | 1155 | I. S. MARCOS, A. JORGE, D. DIEZ,<br>P. BASABE, A. M. LITHGOW,<br>M. J. SEXMERO, N. M. GARRIDO and<br>J. G. URONES    |
| Diterpenes from <i>Guarea trichilioides</i>                                                                      | 1159 | M. FURLAN, M. N. LOPES,<br>J. B. FERNANDES and J. R. PIRANI                                                          |
| A 3,4- <i>seco</i> -8 $\beta$ H-fernadienoic acid and other constituents from <i>Euphorbia chamaesyce</i>        | 1163 | R. TANAKA, T. IDA, S. KITA,<br>W. KAMISAKO and S. MATSUNAGA                                                          |
| Cucurbitane glycosides from <i>Hemsleya panacis-scandens</i> rhizomes                                            | 1169 | H. KUBO, K. OHTANI, R. KASAI,<br>K. YAMASAKI, R.-L. NIE and<br>O. TANAKA                                             |
| Saponins from <i>Fagonia arabica</i>                                                                             | 1175 | T. MIYASE, F. R. MELEK,<br>O. D. EL-GINDI,<br>S. M. ABDEL-KHALIK,<br>M. R. EL-GINDI, M. Y. HAGGAG and<br>S. H. HILAL |
| Triterpenoid saponins from <i>Gymnema sylvestre</i>                                                              | 1181 | N. P. SAHU, S. B. MAHATO,<br>S. K. SARKAR and G. PODDAR                                                              |
| Cardenolides from <i>Erysimum cheiranthoides</i>                                                                 | 1187 | ZHEN-HUAN LEI, S. YAHARA,<br>T. NOHARA, TAI-BAO SHAN and<br>JIN-ZHE XIONG                                            |
| Antibacterial hydroperoxysterols from <i>Xanthosoma robustum</i>                                                 | 1191 | T. KATO, B. FREI, M. HEINRICH and<br>O. STICHER                                                                      |
| Oleanen and stigmasterol derivatives from <i>Ambroma augusta</i>                                                 | 1197 | M. S. ALAM, N. CHOPRA, M. ALI<br>and M. NIWA                                                                         |

|                                                                                                |      |                                                                            |
|------------------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------|
| Isolation of methyl 9'Z-apo-6'-lycopenoate from <i>Bixa orellana</i>                           | 1201 | A. Z. MERCADANTE, A. STECK, D. RODRIGUEZ-AMAYA, H. PFANDER and G. BRITTON  |
| A benzoic acid glycoside from <i>Geniostoma antherotrichum</i>                                 | 1205 | M. A. RASHID, K. R. GUSTAFSON, J. H. CARDELLINA II and M. R. BOYD          |
| The structure and synthesis of proguibourtinidins from <i>Cassia abbreviata</i>                | 1209 | E. MALAN, E. SWINNY, D. FERREIRA and P. STEYNBERG                          |
| Revised structure of broussoflavonol G and the 2D NMR spectra of some related prenylflavonoids | 1215 | CHUN-NAN LIN, PAO-HUI CHIU, SONG-CHWAN FANG, BOR-JINN SHIEH and RU-RONG WU |
| Highly oxygenated isoflavones from <i>Iris japonica</i>                                        | 1219 | H. MINAMI, A. OKUBO, M. KODAMA and Y. FUKUYAMA                             |
| Two prenylated isoflavans from <i>Milletia racemosa</i>                                        | 1223 | C. PRAKASH RAO, A. PRASHANT and G. L. D. KRUPADANAM                        |
| A pyrroline glucoside ester and steroidal saponins from <i>Lilium martagon</i>                 | 1225 | T. SATOU, Y. MIMAKI, M. KURODA, Y. SASHIDA and Y. HATAKEYAMA               |
| (+)-3'-O-Acetylisotheleflorine, a quinoline alkaloid from <i>Orixa japonica</i>                | 1231 | S. FUNAYAMA, K. MURATA and S. NOZOE                                        |
| Five diterpenoid alkaloids from <i>Delphinium cardiopetalum</i>                                | 1235 | M. REINA, A. MADINAVEITIA, J. A. GAVÍN and G. DE LA FUENTE                 |

## Number 5

### Growth and Metabolism

|                                                                                                  |      |                                                                                             |
|--------------------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------|
| Probing the role of the hydroxyl group of ABA: analogues with a methyl ether at C-1'             | 1251 | P. A. ROSE, B. LEI, A. C. SHAW, D. L. BARTON, M. K. WALKER-SIMMONS and S. R. ABRAMS         |
| Expression of poplar phenylalanine ammonia-lyase in insect cell cultures                         | 1259 | G. R. MCKEGNEY, S. L. BUTLAND, D. THEILMANN and B. E. ELLIS                                 |
| Primary structure of trypsin inhibitors from <i>Sicyos australis</i>                             | 1265 | R. I. MAR, J. A. CARVER, M. M. SHEIL, J. BOSCHENOK, S. FU and D. C. SHAW                    |
| Lipid constituents of oil bodies in the cultured shoot primordia of <i>Matricaria chamomilla</i> | 1275 | T. HIRATA, S. IZUMI, K. AKITA, N. FUKUDA, S. KATAYAMA, K. TANIGUCHI, L. DYAS and L. J. GOAD |
| Localization of iridals in <i>Iris germanica</i> rhizomes                                        | 1281 | J.-P. BONFILS and Y. SAUVAIRE                                                               |

### Ecological Biochemistry

|                                                               |      |                                                                      |
|---------------------------------------------------------------|------|----------------------------------------------------------------------|
| Four chromones from <i>Eriosema tuberosum</i>                 | 1287 | WEI GUANG MA, N. FUZZATI, YUN XUE, CHONG REN YANG and K. HOSTETTMANN |
| Insecticidal properties of mushroom and toadstool carpophores | 1293 | N. MIER, S. CANETE, A. KLAEBE, L. CHAVANT and D. FOURNIER            |

### Biosynthesis

|                                                                                       |      |                                                                      |
|---------------------------------------------------------------------------------------|------|----------------------------------------------------------------------|
| Sterol analysis of DMI-resistant and -sensitive strains of <i>Venturia inaequalis</i> | 1301 | N. SHIRANE, H. TAKENAKA, K. UEDA, Y. HASHIMOTO, K. KATO and H. ISHII |
|---------------------------------------------------------------------------------------|------|----------------------------------------------------------------------|

### Cell Culture and Biotechnology

|                                                                                                         |      |                                                                                     |
|---------------------------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|
| O-Acetylated xyloglucan in extracellular polysaccharides from cell-suspension cultures of <i>Mentha</i> | 1309 | K. MARUYAMA, C. GOTO, M. NUMATA, T. SUZUKI, Y. NAKAGAWA, T. HOSHINO and T. UCHIYAMA |
|---------------------------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|