

CONTENTS OF VOLUME 43

Number 1

Review Article Number 113

Catalytic reactivities and structure/function relationships of cytochrome P450 enzymes

1 B. A. HALKIER

Growth and Metabolism

Identification of three C₂₀-gibberellins: GA₉₇ (2 β -hydroxy-GA₅₃), GA₉₈ (2 β -hydroxy-GA₄₄) and GA₉₉ (2 β -hydroxy-GA₁₉)

23 L. N. MANDER, D. J. OWEN, S. J. CROKER, P. GASKIN, P. HEDDEN, M. J. LEWIS, M. TALON, D. A. GAGE, J. A. D. ZEEVAART, M. L. BRENNER and CHUXING SHENG

Chitinase and β -1,3-glucanase in the luteoid-body fraction of *Hevea* latex

29 T. SUBROTO, G. A. VAN KONINGSVELD, H. A. SCHREUDER, U. M. S. SOEDJANAATMADJA and J. J. BEINTEMA

Major proteinase hydrolysing gliadin during wheat germination

39 A. BOTTARI, A. CAPOCCHI, D. FONTANINI and L. GALLESCHI

Leaf epicuticular lipids of *Prunus laurocerasus*: importance of extraction methods

45 L. STAMMITTI, S. DERRIDJ and J. P. GARREC

Seasonal variations of triacylglycerols and fatty acids in *Fucus serratus*

49 M.-K. KIM, J.-P. DUBACQ, J.-C. THOMAS and G. GIRAUD

Ecological Biochemistry

A putative precursor protein in the evolution of the bean α -amylase inhibitor

57 F. FINARDI-FILHO, T. E. MIRKOV and M. J. CHRISPEELS

An allelopathic polyunsaturated fatty acid from red algae

63 M. SUZUKI, I. WAKANA, T. DENBOH and M. TATEWAKI

Fungistatic sesquiterpenoids from *Parthenium*

67 G. T. MAATOOQ and J. J. HOFFMANN

Acutilols, potent herbivore feeding deterrents from the tropical brown alga, *Dictyota acutiloba*

71 I. H. HARDT, W. FENICAL, G. CRONIN and M. E. HAY

Inhibition of higher plant 2,3-oxidosqualene cyclases by nitrogen-containing oxidosqualene analogues

75 M. TATON, M. CERUTI, L. CATTEL and A. RAHIER

Cell Culture and Biotechnology

Alloaromandendranes, bicyclogermacrane and 2,3-secoalloaromandendranes in cultured cells of the liverwort, *Heteroscyphus planus*

83 K. NABETA, S. OHKUBO, R. HOZUMI, Y. FUKUSHI, H. NAKAI and K. KATOH

Taxanes exported from *Taxus $\times$ media* Hicksii cuttings into liquid medium over time

95 A. M. HOFFMAN, C. C. J. VOELKER, A. T. FRANZEN, K. S. SHOTANI and J. S. SANDHU

Ring-A cleavage of 3-oxo-olean-12-en-28-oic acid by the fungus *Chaetomium longirostre*

99 N. SHIRANE, Y. HASHIMOTO, K. UEDA, H. TAKENAKA and K. KATOH

Biotransformation of acyclic terpenoid (2E,6E)-farnesol by plant pathogenic fungus *Glomerella cingulata*

105 M. MIYAZAWA, H. NANKAI and H. KAMEOKA

O-Demethylation of 7,7'-epoxylignans by *Aspergillus niger*

111 H. KASAHARA, M. MIYAZAWA and H. KAMEOKA

In vivo NMR analysis of tropane alkaloid metabolism in transformed root and de-differentiated cultures of *Datura stramonium*

115 Y.-Y. FORD, R. G. RATCLIFFE and R. J. ROBINS

Chemotaxonomy

Neoisoprelaufucins, a halogenated C₁₅ non-terpenoid compound from *Laurencia nipponica*

121 M. SUZUKI, Y. MIZUNO, Y. MATSUO and M. MASUDA

The isolation of a prenylcoumarin of chemotaxonomic significance from *Murraya paniculata* var. *omphalocarpa*

125 T. KINOSHITA, JIN-BIN WU and FENG-CHI HO

Bioactive Plant Products

Antibiotic phenol nor-triterpenes from *Maytenus canariensis*

129 A. G. GONZÁLEZ, N. L. ALVARENGA, A. G. RAVELO, I. A. JIMÉNEZ, I. L. BAZZOCCHI, N. J. CANELA and L. M. MOUJIR

Carbazole alkaloids from *Clausena excavata* and their biological activity

133 TIAN-SHUNG WU, SHIOW-CHYN HUANG, PEI-LIN WU and CHE-MING TENG

Plant Chemistry

2-Ethyl-3-methylmaleimide *N*- β -D-glucopyranoside from the leaves of mangosteen (*Garcinia mangostana*)

141 D. KRAJEWSKI, G. TÓTH and P. SCHREIER

Absolute configuration of octanol derivatives in apple fruits

145 T. BEUERLE, P. SCHREIER, P. BRUNERIE, C. BICCHI and W. SCHWAB

Long-chain fatty acids from *Monascus purpureus*

151 P. JÚZLOVÁ, T. ŘEZANKA, L. MARTÍNKOVÁ and V. KRĚN

2,5-Dimethyl-4-hydroxy-3[2H]-furanone 6'-*O*-malonyl- β -D-glucopyranoside in strawberry fruits

155 R. ROSCHER, M. HERDERICH, J.-P. STEFFEN, P. SCHREIER and W. SCHWAB

Dinormonoterpenoids and their apiosylglucosides from *Theretia peruviana*

161 F. ABE, RONG-FUH CHEN and T. YAMAUCHI

Mulinolic acid, a diterpenoid from *Mulinum crassifolium*

165 L. A. LOYOLA, J. BÓRQUEZ, G. MORALES and A. S. MARTÍN

Diterpenes from *Achillea clypeolata*

169 I. ALJANČIĆ, S. MACURA, N. JURANIĆ, S. ANDJELKOVIĆ, N. RANDJELOVIĆ and S. MILOSAVLJEVIĆ

Neo-clerodane diterpenoids from *Scutellaria orientalis* subsp. *pinnatifida*

173 P. Y. MALAKOV and G. Y. PAPANOV

Two pentacyclic triterpenes from *Phytolacca dodecandra* roots

179 S. M. SPENGLER

Triterpenoidal saponin glycosides from *Glinus lotoides* var. *dictamnoides*

183 A. I. HAMED, I. SPRINGUEL, N. A. EL-EMARY, H. MITOME, H. MIYAOKA and Y. YAMADA

Saponins from *Pisonia umbellifera*

189 C. LAVAUD, S. BEAUVIÈRE, G. MASSIOT, L. LE MEN-OLIVIER and G. BOURDY

An echinocystic acid saponin derivative from *Kalimeris shimadae*

195 Y. SHAO, O. POOBRASERT, CHI-TANG HO, CHEE-KOK CHIN and G. A. CORDELL

Steroidal glycosides from the subterranean parts of *Liriope spicata* var. *prolifera*

201 BO-YANG YU, SHENG-XIANG QIU, K. ZAW, GUO-JUN XU, Y. HIRAI, J. SHOJI, H. H. S. FONG and A. D. KINGHORN

The stilbenoids from *Dendrobium plicatile*

207 M. YAMAKI and C. HONDA

Ruakuric acid: a natural product from *Aspergillus fumigatus*

209 H. G. CUTLER, D. R. LAUREN, A. L. WILKINS, P. T. HOLLAND, R. A. HILL and F. M. DUGAN

Structure and synthesis of phlobatannins related to the (4 β ,6:4 α ,8)-bis-fisetinidol-catechin profisetinidin triflavanoid

215 S. L. BONNET, J. P. STEYNBERG, B. C. B. BEZUIDENHOUDT, C. M. SAUNDERS and D. FERREIRA

Structure and synthesis of phlobatannins related to the (4 β ,6:4 β ,8)-bis-fisetinidol-catechin profisetinidin triflavanoid	229	S. L. BONNET, J. P. STEYNBERG, B. C. B. BEZUIDENHOUDT, C. M. SAUNDERS and D. FERREIRA
Structure and synthesis of phlobatannins related to the (4 α ,6:4 β ,8)-bis-fisetinidol-catechin profisetinidin triflavanoid	241	S. L. BONNET, J. P. STEYNBERG, B. C. B. BEZUIDENHOUDT, C. M. SAUNDERS and D. FERREIRA
Structure and synthesis of phlobatannins related to bis-fisetinidol-epicatechin profisetinidin triflavanoids	253	S. L. BONNET, J. P. STEYNBERG, B. C. B. BEZUIDENHOUDT, C. M. SAUNDERS and D. FERREIRA
Unambiguous assignments for free dimeric proanthocyanidin phenols from 2D NMR	265	T. DE BRUYNE, L. A. C. PIETERS, R. A. DOMMISSE, H. KOLODZIEJ, V. WRAY, T. DOMKE and A. J. VLIETINCK
Cyclic diarylheptanoids from rhizomes of <i>Zingiber officinale</i>	273	H. KIKUZAKI and N. NAKATANI
Mayoside, an oxanthrone from <i>Picramnia hirsuta</i>	279	M. DEL R. HERNANDEZ-MEDEL, O. LOPEZ-MARQUEZ, R. SANTILLAN and A. TRIGOS
Flavonol glycosides from <i>Vernonia galamensis</i> ssp. <i>nairobiensis</i>	283	F. MISEREZ, O. POTTERAT, A. MARSTON, G. M. MUNGAJ and K. HOSTETTMANN
Norditerpenoid alkaloids from the roots of <i>Delphinium potaninii</i>	287	HAI-YAN PU, FENG-PENG WANG and CHUN-TAO CHE
Fareanine and fareanol from leaves of <i>Medicosma fareana</i>	291	S. HABTEMARIAM, P. G. WATERMAN and T. G. HARTLEY
Two 7,7'-Bisdehydroaporphine alkaloids from <i>Polyalthia bullata</i>	295	J. D. CONNOLLY, MD. E. HAQUE and A. A. KADIR
Alkaloids from <i>Cephalotaxus harringtonia</i>	299	I. TAKANO, I. YASUDA, M. NISHIJIMA, Y. HITOTSUYANAGI, K. TAKEYA and H. ITOKAWA
Cyclohexane diepoxides from <i>Kaempferia rotunda</i>	305	O. PANCHAROEN, P. TUNTIWACHWUTTIKUL and W. C. TAYLOR
Short Reports		
Eudesmanolides from <i>Artemisia herba-alba</i>	309	D. BORIKY, M. BERRADA, M. TALBI, G. KERAVIS and F. ROUESSAC
Teixidol, an abeo-taxane from European yew, <i>Taxus baccata</i>	313	J. SOTO, M. FUENTES and L. CASTEDO
Hookerianin: a flavone from <i>Tephrosia hookeriana</i>	315	P. PRABHAKAR, A. VANANGAMUDI, R. GANDHIDASAN and P. V. RAMAN
Book Reviews	317	

Number 2

Growth and Metabolism

Fructose 2,6-bisphosphate-modulated photosynthesis in sorghum leaves grown under low water regimes	319	A. R. REDDY
Polyamines, abscisic acid and ethylene production in tomato fruit	323	M. C. MARTÍNEZ-MADRID, M. SERRANO, F. RIQUELME and F. ROMOJARO
Complete amino acid sequences of two trypsin inhibitors from buck-wheat seed	327	M. J. PANDYA, D. A. SMITH, A. YARWOOD, J. GILROY and M. RICHARDSON

Tyrosinase isoforms from the fruitbodies of <i>Agaricus bisporus</i>	333	H. J. WICHERS, Y. A. M. GERRITSEN and C. G. J. CHAPELON
Oxidation of acetylpolyamines by maize polyamine oxidase	339	R. FEDERICO, L. ERCOLINI, M. LAURENZI and R. ANGELINI
Inhibition of 1-aminocyclopropane-1-carboxylate oxidase by 2-oxoacids	343	T. ITURRIAGAGOITIA-BUENO, E. J. GIBSON, C. J. SCHOFIELD and P. JOHN
Purification and characterization of phenylalanine ammonia-lyase from <i>Ustilago maydis</i>	351	SEONG HWAN KIM, J. W. KRONSTAD and B. E. ELLIS
Differential inhibition of eukaryote protein kinases by condensed tannins	359	BING HUI WANG, LAI YEAP FOO and G. M. POLYA
Glycinebetaine is a major nitrogen-containing solute in the Malvaceae	367	J. GORHAM
Ecological Biochemistry		
Release of alkenyl isothiocyanates and other volatiles from <i>Brassica rapa</i> seedlings during infection by <i>Alternaria brassicae</i>	371	K. J. DOUGHTY, M. M. BLIGHT, C. H. BOCK, J. K. FIELDSSEND and J. A. PICKETT
Dermatolactone, a cytotoxic fungal sesquiterpene with a novel skeleton	375	A. MAYER, B. KÖPKE, H. ANKE and O. STERNER
Colutequinone and colutehydroquinone, antifungal isoflavonoids from <i>Colutea arborescens</i>	377	P. W. GROSVENOR and D. O. GRAY
Biosynthesis		
Distribution and biosynthesis of stearidonic acid in leaves of <i>Borago officinalis</i>	381	G. GRIFFITHS, E. Y. BRECHANY, F. M. JACKSON, W. W. CHRISTIE, S. STYMNE and A. K. STOBART
Cell Culture and Biotechnology		
<i>Cercospora beticola</i> toxins. Use of fluorescent cyanine dye to study their effects on tobacco cell suspensions	387	I. GAPILLOUT, V. MIKES, M.-L. MILAT, F. SIMON-PLAS, A. PUGIN and J.-P. BLEIN
Biotransformation of isosteviol by <i>Fusarium verticilloides</i>	393	B. H. DE OLIVEIRA and R. A. STRAPASSON
Chemotaxonomy		
Genetic control of kavalactone chemotypes in <i>Piper methysticum</i> cultivars	397	V. LEBOT and J. LEVESQUE
Bioactive Plant Products		
Two new bioactive diterpenes from <i>Lepista sordida</i>	405	X. MAZUR, U. BECKER, T. ANKE and O. STERNER
A lignan and four terpenoids from <i>Brucea javanica</i> that induce differentiation with cultured HL-60 promyelocytic leukemia cells	409	L. LUYENGI, N. SUH, H. H. S. FONG, J. M. PEZZUTO and A. D. KINGHORN
Plant Chemistry		
A water-soluble β -D-glucan from <i>Boletus erythropus</i>	413	C. CHAUVEAU, P. TALAGA, J.-M. WIERUSZESKI, G. STRECKER and L. CHAVANT
Eudesmane derivatives from <i>Pluchea quitoc</i>	417	G. M. S. P. GUILHON and A. H. MÜLLER
Guaianolides from <i>Picris radicata</i>	423	H. S. AL-EASA, A.-F. M. RIZK and A. A. AHMED
Sesquiterpene <i>o</i> -naphthoquinones from the root bark of <i>Ulmus davidiana</i>	425	JONG-PYUNG KIM, WON-GON KIM, H. KOSHINO, J. JUNG and ICK-DONG YOO
Norsesterterpenes and diterpenes from the aerial parts of <i>Salvia limbata</i>	431	A. ULUBELEN, G. TOPCU, U. SÖNMEZ, C. ERIŞ and U. ÖZGEN

Neo-clerodane diterpenoids from three species of <i>Teucrium</i>	435	B. RODRÍGUEZ, M. C. DE LA TORRE, M. BRUNO, F. PIOZZI, N. VASSALLO, R. CIRIMINNA and O. SERVETTAZ
Taxanes of the needles of <i>Taxus × media</i>	439	K. V. RAO, G. C. REDDY and J. JUCHUM
Triterpenoid glycosides from <i>Ilex kudincha</i>	443	MING-AN OUYANG, HAN-QING WANG, ZI-LI CHEN and CHONG-REN YANG
Bacopasaponin D—a pseudojubogenin glycoside from <i>Bacopa monniera</i>	447	S. GARAI, S. B. MAHATO, K. OHTANI and K. YAMASAKI
Limonoids from the seeds of <i>Azadirachta indica</i>	451	CH. S. S. R. KUMAR, M. SRINIVAS and S. YAKKUNDI
Trichavensin, a prieurianin derivative from <i>Trichilia havanensis</i>	457	L. RODRÍGUEZ-HAHN, J. CÁRDENAS and C. ARENAS
Ring D aromatic ergostane derivatives from <i>Salpichroa origanifolia</i>	461	M. C. TETTAMANZI, A. S. VELEIRO, J. C. OBERTI and G. BURTON
Steroidal saponins from <i>Smilax officinalis</i>	465	R. R. BERNARDO, A. V. PINTO and J. P. PARENTE
A resveratrol dimer from <i>Anigozanthos preissii</i> and <i>Musa cavendish</i>	471	D. HÖLSCHER and B. SCHNEIDER
Phenylethanoid glycosides from <i>Stachys officinalis</i>	475	T. MIYASE, R. YAMAMOTO and A. UENO
Carbohydrate esters of cinnamic acid from fruits of <i>Physalis peruviana</i> , <i>Psidium guajava</i> and <i>Vaccinium vitis-idaea</i>	481	S. LATZA, D. GANßER and R. G. BERGER
Minor hydroxycinnamic acid spermidines from pollen of <i>Quercus dentata</i>	487	M. NIMTZ, M. BOKERN and B. MEURER-GRIMES
Coumarins from <i>Metrodorea flavida</i>	491	A. C. S. BAETAS, M. S. P. ARRUDA, A. H. MÜLLER and A. C. ARRUDA
Three chromone components from <i>Aloe vera</i> leaves	495	N. OKAMURA, N. HINE, S. HARADA, T. FUJIOKA, K. MIHASHI and A. YAGI
A comparison of lignin polymer models (DHPs) and lignins by ³¹ P NMR spectroscopy	499	B. SAAKE, D. S. ARGYROPOULOS, O. BEINHOFF and O. FAIX
Polymeric proanthocyanidins from grape skins	509	J.-M. SOUQUET, V. CHEYNIER, F. BROSSAUD and M. MOUTOUNET
Xanthones from <i>Hypericum roeperanum</i>	513	G. RATH, O. POTTERAT, S. MAVI and K. HOSTETTMANN
Acylated flavonoids from <i>Blepharis ciliaris</i>	521	F. M. HARRAZ, A. T. PEDERSEN, Ø. M. ANDERSEN, L. VEROTTA and M. TATÒ
Flavonoids from <i>Epimedium wanshanense</i>	527	WEN-KUI LI, RU-YI ZHANG and PEI-GEN XIAO
Isoprenoid-substituted flavonoids from <i>Glycyrrhiza glabra</i>	531	T. FUKAI, L. TANTAÏ and T. NOMURA
Book Reviews	533	

Number 3

Review Article Number 114The phytochemistry of *Rosa rugosa*

535 Y. HASHIDOKO

Review Article Number 115

Chemistry of biologically active benzoxazinoids

551 Y. HASHIMOTO and K. SHUDO

Growth and MetabolismPurification and characterization of the mitochondrial F₁ ATPase from *Sorghum*

561 A. P. SANE, V. A. SANE and P. V. SANE

Enhancement of peroxidase activity by stress-related chemicals in sweet potato

565 SANG-SOO KWAK, SOO-KYUNG KIM,
IL-HYUN PARK and J. R. LIUDhurrin-6'-glucoside, a cyanogenic diglucoside from *Sorghum bicolor*

569 D. SELMAR, Z. IRANDOOST and V. WRAY

Developmental changes in the monoterpene composition of *Mentha × piperita* leaves from individual peltate trichomes

573 B. VOIRIN and C. BAYET

Ecological BiochemistryLimonoids from *Melia azedarach*581 RUO CHUN HUANG, K. TADERA, F. YAGI,
Y. MINAMI, H. OKAMURA, T. IWAGAWA and
M. NAKATANI**Biosynthesis**

Inter- and intramolecular isotopic correlations in some cyanogenic glycosides and glucosinolates and their practical importance

585 M. BUTZENLECHNER, S. THIMET, K. KEMPE,
H. KEXEL and H.-L. SCHMIDT

A brassinolide biosynthetic pathway via 6-deoxocasterone

593 YONG-HWA CHOI, S. FUJIOKA, A. HARADA,
T. YOKOTA, S. TAKATSUTO and A. SAKURAIBiosynthesis of ecdysteroids in *in vitro* prothalli cultures of *Polypodium vulgare*597 N. REIXACH, J. IRURRE-SANTILARI, J. CASAS,
E. MELÉ, J. MESSEGUER and F. CAMPS**Cell Culture and Biotechnology**Absorption and increase in the production of prenylated flavanones in *Sophora flavescens* cell suspension cultures by cork pieces

603 H. YAMAMOTO, M. YAMAGUCHI and K. INOUE

ChemotaxonomyEssential oils from fruits of three types of *Thapsia villosa*

609 P. AVATO, G. TRABACE and U. W. SMITT

Sterols from *Teucrium abutiloides* and *T. betonicum*613 H. GASPAR, F. M. S. BRITO PALMA, M. C. DE
LA TORRE and B. RODRÍGUEZ**Plant Chemistry**Ceramides from the fungus *Phellinus pini*617 A. LOURENÇO, A. M. LOBO, B. RODRÍGUEZ
and M.-L. JIMENOMono- and diglycosides of (*E*)-6,9-dihydroxymegastigma-4,7-dien-3-one in *Vitis vinifera* wine621 R. BALTENWECK-GUYOT, J.-M. TRENDL,
P. ALBRECHT and A. SCHAEFFERIridoid glucosides from *Galium album* and *G. lovcense*625 N. HANDJEVA, M. MITOVA, M. ANCEV and
S. POPOVThe sesquiterpene constituents of the liverwort *Preissia quadrata*629 W. A. KÖNIG, N. BÜLOW, C. FRICKE,
S. MELCHING, A. RIECK and H. MUHLEClerodane diterpenes from the leaves of *Laetia procera*

635 S. GIBBONS, A. I. GRAY and P. G. WATERMAN

A taxane-11,12-oxide from *Taxus yunnanensis*639 QIN YUE, QI-CHENG FANG and
XIAO-TIAN LIANGThree 9,19-cyclotetracyclic triterpenes from *Skimmia wallichii*643 I. KOSTOVA, M. SIMEONOV, T. IOSSIFOVA,
R. TAPPE, N. PARDESHI and H. BUDZIKIEWICZ

The dichapetalins—a new class of triterpenoids	649 I. ADDAE-MENSAH, R. WAIBEL, S. A. ASUNKA, I. V. OPPONG and H. ACHENBACH
The absolute configuration of dichapetalin A	657 E. WECKERT, G. MATTERN, I. ADDAE-MENSAH, R. WAIBEL and H. ACHENBACH
Upon 'physalin L' isolated from <i>Physalis minima</i>	661 M. KAWAI, B. MAKINO, H. YAMAMURA and Y. BUTSUGAN
Aferoside A, a steroidal saponin from <i>Costus afer</i>	665 RUI-CHAO LIN, B. HANQUET and M.-A. LACAILE-DUBOIS
Butanolides and a neolignan from the fruits of <i>Iryanthera paraensis</i> Huber	669 F. M. MOTTER MAGRI, M. J. KATO and M. YOSHIDA
Benzofuranoids with carbon frameworks reminiscent of products of benzylic acid rearrangement	673 R. BEKKER, R. S. SMIT, E. V. BRANDT and D. FERREIRA
Six xanthones from <i>Calophyllum austroindicum</i>	681 M. IINUMA, H. TOSA, N. TORIYAMA, T. TANAKA, T. ITO and V. CHELLADURAI
Piliostigmin, a 2-phenoxychromone, and C-methylflavonols from <i>Piliostigma thonningii</i>	687 J. C. IBEWUIKE, A. O. OGUNDAINI, F. O. OGUNGBAMILA, M.-T. MARTIN, J.- F. GALLARD, L. BOHLIN and M. PAÏS
Prenylflavonoids from <i>Artocarpus elasticus</i>	691 A. KIJJOA, H. M. CIDADE, M. M. M. PINTO, M. J. T. G. GONZALEZ, C. ANANTACHOKE, T. E. GEDRIS and W. HERZ
Isoflavenes from the roots of <i>Cicer judaicum</i>	695 P. C. STEVENSON and N. C. VEITCH
Absolute configuration of a cyclopeptide alkaloid, sanjoinine-G1, from <i>Zizyphus vulgaris</i> var. <i>spinosus</i>	701 MYUNG HWAN PARK, DAE-YEON SUH and BYUNG HOON HAN
Steroidal alkaloids from roots of <i>Solanum spirale</i>	705 H. RIPPERGER
Tropane alkaloids from <i>Schizanthus litoralis</i>	709 O. MUÑOZ, M. PIOVANO, J. GARBARINO, V. HELLWIG and E. BREITMAIER
Two securinega-type alkaloids from <i>Phyllanthus amarus</i>	715 P. J. HOUGHTON, T. Z. WOLDEMARIAM, S. O'SHEA and S. P. THYAGARAJAN
Quinolone alkaloids from <i>Evodia rutaecarpa</i>	719 YUAN-QING TANG, XIAO-ZHANG FENG and LIANG HUANG
19 α -Hydroxygelsamydine from <i>Gelsemium elegans</i>	723 LONG-ZE LIN, SHU-FANG HU and G. A. CORDELL

Number 4

Announcement

ix

Growth and Metabolism

Tuberonic (12-OH-jasmonic) acid glucoside and its methyl ester in potato	727 I. ŠIMKO, E. A. OMER, E. E. EWING, S. McMURRY, J. L. KOCH and P. J. DAVIES
The resistant 'biopolymer' in cell walls of <i>Coelastrum sphaericum</i>	731 M. C. RODRÍGUEZ and A. S. CEREZO
Purification and characterization of a phenylalanine ammonia-lyase from <i>Ocimum basilicum</i>	735 ZHIGANG HAO, D. J. CHARLES, LIANGLI YU and J. E. SIMON

Sugar biotransformations by fungi on leaves of the resurrection plant <i>Sporobolus stapfianus</i>	741	C. MURELLI, V. ADAMO, P. VITA FINZI, F. MARINONE ALBINI, A. BOCHICCHIO and A. M. PICCO
Fatty acids in polar lipids from etiolated <i>Cichorium intybus</i>	747	E. O. KREBSKY, J. M. C. GEUNS and M. DE PROFT
Comparison of volatiles and waxes in leaves of genetically engineered tomatoes	753	R. M. SMITH, J. A. MARSHALL, M. R. DAVEY, K. C. LOWE and J. B. POWER
Volatile organic compounds emitted from beech leaves	759	L. TOLLSTEN and P. M. MÜLLER
7- and 8- <i>O</i> -methylherbacetin-3- <i>O</i> -sophorosides from bee pollens and some structure/activity observations	763	K. R. MARKHAM and M. CAMPOS
Biosynthesis		
Isopentenyl diphosphate isomerase in rubber latex	769	T. KOYAMA, D. WITITSUWANNAKUL, K. ASAWATRERATANAKUL, R. WITITSUWANNAKUL, N. OHYA, Y. TANAKA and K. OGURA
Cell Culture and Biotechnology		
Isolation of 7-dehydrocholesterol from cell cultures of <i>Solanum malacoxylon</i>	773	T. ABURJAI, S. BERNASCONI, L. MANZOCCHI and F. PELIZZONI
Chemotaxonomy		
Caffeoyl phenylethanoid glycosides in <i>Sanango racemosum</i> and in the Gesneriaceae	777	S. R. JENSEN
Seasonal variations of carbazole alkaloids in <i>Murraya euchrestifolia</i>	785	TIAN-SHUNG WU, MEEI-LING WANG and PEI-LIN WU
Bioactive Plant Products		
11-Hydroxy-4-methyl-2,4,6-dodecatrienoic acid from fermentations of a <i>Mucor</i> species	791	K. LORENZEN, T. ANKE and O. STERNER
Plant Chemistry		
Six acetogenins from <i>Uvaria tonkinesis</i>	793	YING CHEN, RUO YUN CHEN and DE QUAN YU
An oxidative metabolite of perillaldehyde from <i>Perilla frutescens</i>	803	M. TADA, R. MATSUMOTO and K. CHIBA
Further acylated secoiridoid glucosides from <i>Gentiana rhodantha</i>	805	WEI-GUANG MA, N. FUZZATI, J.-L. WOLFENDER, CHONG-REN YANG and K. HOSTETTMANN
Sesquiterpenoid constituents of <i>Entandrophragma cylindricum</i>	811	W. M. DANIEWSKI, W. ANCZEWSKI, M. GUMULKA, W. DANIKIEWICZ, U. JACOBSSON and T. NORIN
Eudesmane sesquiterpenes from <i>Artemisia eriopoda</i>	815	JIN-FENG HU, SU-PING BAI and ZHONG-JIAN JIA
Cycloeudesmanolides from <i>Sarcandra glabra</i>	819	WING-YAN TSUI and G. D. BROWN
Sesquiterpene lactones from <i>Crepis rheoadifolia</i>	823	W. KISIEL and B. BARSZCZ
Neo-clerodane diterpenoids from <i>Ajuga parviflora</i>	827	P. S. BEAUCHAMP, A. T. BOTTINI, M. C. CASELLES, V. DEV, H. HOPE, M. LARTER, G. LEE, C. S. MATHELA, A. B. MELKANI, P. D. MILLAR, M. MIYATAKE, A. K. PANT, R. J. RAFFEL, V. K. SHARMA and D. WYATT

A neo-clerodane diterpenoid from <i>Scutellaria baicalensis</i>	835	A. A. HUSSEIN, M. C. DE LA TORRE, M.-L. JIMENO, B. RODRÍGUEZ, M. BRUNO, F. PIOZZI and O. SERVETTAZ
Taxanes from <i>Taxus mairei</i>	839	SHUNG-JIM YANG, JIM-MIN FANG and YU-SHIA CHENG
1 β ,15 α -Dihydroxyfriedelan-3-one, a triterpene from <i>Salacia beddomei</i>	843	A. HISHAM, G. JAYAKUMAR, Y. FUJIMOTO and N. HARA
Three triterpene esters from <i>Zizyphus jujuba</i>	847	SHOEI-SHENG LEE, BUH-FANG LIN and K. C. LIU
Pindrolactone, a lanostane derivative from the leaves of <i>Abies pindrow</i>	853	M. TRIPATHI, L. JAIN, V. B. PANDEY, A. B. RAY and G. RÜCKER
Protolimonoids and quassinoids from <i>Picrolemma granatensis</i>	857	E. RODRIGUES FO., J. B. FERNANDES, P. C. VIEIRA, M. F. DAS G. F. DA SILVA, J. ZUKERMAN-SCHPECTOR, R. M. O. CORRÊA DE LIMA, S. C. NASCIMENTO and W. THOMAS
Prenylated hydroxybenzoic acid derivatives from <i>Piper murrayanum</i>	863	N. P. SEERAM, H. JACOBS, S. MCLEAN and W. F. REYNOLDS
Aloeresins E and F, two chromone derivatives from <i>Aloe peglerae</i>	867	F. R. VAN HEERDEN, B.-E. VAN WYK and A. M. VILJOEN
Chromones and chromanones from <i>Baeckea frutescens</i>	871	WING-YAN TSUI and G. D. BROWN
Coumarins from the aerial parts of <i>Chorilaena quercifolia</i>	877	A. N. BISSOUE, F. MUYARD, F. BEVALOT, F. TILLEQUIN, M.-F. MERCIER, J. A. ARMSTRONG, J. VAQUETTE and P. G. WATERMAN
Coumarins from <i>Peucedanum ostruthium</i>	881	A. HIERMANN, D. SCHANTL, M. SCHUBERT-ZSILAVECZ and J. REINER
¹³ C NMR assignments of some dibenzyl- γ -butyrolactone lignans	885	A. ESTÉVEZ-BRAUN, R. ESTÉVEZ-REYES and A. G. GONZÁLEZ
Flavans and A-type proanthocyanidins from <i>Prunus prostrata</i>	887	A. R. BILIA, I. MORELLI, M. HAMBURGER and K. HOSTETTMANN
Two isoprenoid-substituted isoflavans from roots of <i>Maackia tenifolia</i>	893	JIA-FENG ZENG, GUO-LIN LI, XIN XU and DA-YUAN ZHU
Alkaloids from root bark of <i>Strychnos panganensis</i>	897	J.-M. NUZILLARD, P. THÉPENIER, M.-J. JACQUIER, G. MASSIOT, L. LE MEN-OLIVIER and C. DELAUDE
Alkaloids of <i>Sarcococca saligna</i>	903	I. NAEEM, N. KHAN, M. I. CHOUDHARY and ATTA-UR-RAHMAN
Steroidalkaloids from <i>Veratrum album</i>	907	ATTA-UR-RAHMAN, R. A. ALI, M. ASHRAF, M. I. CHOUDHARY, B. SENER and S. TURKOZ
3-Aminospinosolane alkaloids from <i>Solanum arboreum</i>	913	A. MAXWELL, R. PINGAL, W. F. REYNOLDS and S. MCLEAN
Book Review	917	
Corrigendum	919	

Number 5

Review Article Number 116

Isoprenylated flavonoids—a survey

921 D. BARRO and R. K. IBRAHIM

Growth and Metabolism

Two dual trypsin/chymotrypsin iso-inhibitors purified from *Festuca arundinacea* seed

983 M. TASNEEM, C. A. CORNFORD, W. A. LAING and M. T. McMANUS

Mode of phytotoxic action of altersolanols

989 H. HARAGUCHI, T. ABO, A. FUKUDA, N. OKAMURA and A. YAGI

Isolation of high artemisinin-yielding clones of *Artemisia annua*

993 D. C. JAIN, A. K. MATHUR, M. M. GUPTA, A. K. SINGH, R. K. VERMA, A. P. GUPTA and S. KUMAR

Ecological Biochemistry

Non-protein amino acids of *Lathyrus latifolius* as feeding deterrents and phagostimulants in *Spodoptera littoralis*

1003 E. A. BELL, K. P. W. C. PERERA, P. B. NUNN, M. S. J. SIMMONDS and W. M. BLANEY

Involvement of polyamines in resistance of wheat to *Puccinia recondita*

1009 BHARTI, M. V. RAJAM and R. N. SAWHNEY

Neovasiopyridones related to neovasinin, a phytotoxin of the fungus *Neocosmospora*

1015 H. NAKAJIMA, K. SHIMOMURA, T. FURUMOTO and T. HAMASAKI

Three 4'-hydroxyacetophenone-related phytoalexins from *Polymnia sonchifolia*

1019 M. TAKASUGI and T. MASUDA

Taste-modifying triterpene glycosides from *Staurogyne merquensis*

1023 A. HIJURA, T. AKABANE, K. OHTANI, R. KASAI, K. YAMASAKI and Y. KURIHARA

Biosynthesis

Lathyrine biosynthesis and the origin of the precursor 2-amino-4-carboxypyrimidine in *Lathyrus tingitanus*

1029 E. G. BROWN and Y. TURAN

Chemotaxonomy

Intraspecific taxonomy and essential oil chemotypes in sweet basil, *Ocimum basilicum*

1033 R. J. GRAYER, G. C. KITE, F. J. GOLDSTONE, S. E. BRYAN, A. PATON and E. PUTIEVSKY

External flavones in sweet basil, *Ocimum basilicum*, and related taxa

1041 R. J. GRAYER, S. E. BRYAN, N. C. VEITCH, F. J. GOLDSTONE, A. PATON and E. WOLLENWEBER

Three diarylheptanoids from *Rhoiptelea chiliantha*

1049 Z. JIANG, T. TANAKA, H. HIRATA, R. FUKUOKA and I. KOUNO

Plant Chemistry

Furano-eudesma-4(15),7,11-trien-5 α -ol from the liverwort *Lophocolea heterophylla*

1055 A. RIECK and W. A. KÖNIG

Terpenoid constituents of the New Zealand liverwort *Jamesoniella tasmanica*

1057 M. TOYOTA, E. NAKAISHI and Y. ASAKAWA

Diterpenoid acids from *Mulinum spinosum*

1065 M. NICOLETTI, A. DI FABIO, A. D'ANDREA, G. SALVATORE, C. VAN BAREN and J. D. COUSSIO

Steroidal glycosides from *Solanum torvum*

1069 S. YAHARA, T. YAMASHITA, N. NOZAWA and T. NOHARA

Triterpenoid saponins from *Herniaria fontanesii*

1075 A. NAIT M'BARK, D. GUILLAUME, O. KOL and Z. CHARROUF

A natural pregnane from <i>Sansevieria hyacinthoides</i>	1079	M. M. GAMBOA-ANGULO, J. REYES-LÓPEZ and L. M. PEÑA-RODRÍGUEZ
A tribenzylbutyrolactone from <i>Kyrtuthrix maculans</i>	1083	WING-YAN TSUI, G. A. WILLIAMS and G. D. BROWN
A phenethyl glycoside from <i>Conocephalum conicum</i>	1087	M. TOYOTA, T. SAITO and Y. ASAKAWA
Lignans, γ -lactones and propiophenones of <i>Virola surinamensis</i>	1089	N. P. LOPES, E. E. DE ALMEIDA BLUMENTHAL, A. J. CAVALHEIRO, M. J. KATO and M. YOSHIDA
Lignans and neolignans from <i>Krameria parvifolia</i>	1093	H. ACHENBACH, W. UTZ, B. LOZANO, E. M. G. TOUCHÉ and S. MORENO
A secolignan from <i>Peperomia glabella</i>	1097	F. DELLE MONACHE and R. S. COMPAGNONE
Mangostanol, a prenyl xanthone from <i>Garcinia mangostana</i>	1099	N. CHAIRUNGSRILERD, K. TAKEUCHI, Y. OHIZUMI, S. NOZOE and T. OHTA
Partial structures of truffle melanins	1103	F. DE ANGELIS, A. ARCADI, F. MARINELLI, M. PACI, D. BOTTI, G. PACIONI and M. MIRANDA
A flavonol glycoside from <i>Myrsine africana</i> leaves	1107	L. O. M. AROT, J. O. MIDIWO and W. KRAUS
A flavonoid diglycoside from <i>Lepisorus ussuriensis</i>	1111	YOUNG HAE CHOI, YOUNG HEE LIM, HOSUP YEO and JINWOONG KIM
Two flavonol triglycosides from flowers of <i>Indigofera hebeptala</i>	1115	A. HASAN, I. AHMAD, M. A. KHAN and M. I. CHUDHARY
Isoprenylated flavonoids from underground parts of <i>Glycyrrhiza glabra</i>	1119	T. FUKAI, C.-B. SHENG, T. HORIKOSHI and T. NOMURA
9-Methoxygeissoschizol, an alkaloid from bark of <i>Strychnos guianensis</i>	1125	H. MAVAR-MANGA, J. QUETIN-LECLERCQ, G. LLABRES, M.-L. BELEM-PINHEIRO, A. F. IMBIRIBA DA ROCHA and L. ANGENOT
Grinding-induced polymorphism in the aporphine alkaloid magnoflorine	1129	M. S. HOARD and S. D. ELAKOVICH
Book Reviews	1135	

Number 6

Announcements	ix	
The Pergamon Phytochemistry Prize for 1996	1137	
Growth and Metabolism		
Elicitation of dihydrobenzophenanthridine oxidase in <i>Sanguinaria canadensis</i> cell cultures	1141	A. IGNATOV, W. G. CLARK, S. D. CLINE, M. PSENAK, R. J. KRUEGER and C. J. COSCIA
Substrate stereospecificity of the NAD-dependent mannitol dehydrogenase from celery	1145	J. M. H. STOOP, W. S. CHILTON and D. M. PHARR
Changes in esterases in response to blast infection in fingermillet seedlings	1151	J. MUARLIDHARAN, E. JOHN, L. CHANNAMMA and D. THEERTHAPRASAD
A β -glucosidase associated with cell walls from cell suspension cultures of carrot	1157	H. KONNO, Y. YAMASAKI and K. KATOH

<i>S</i> -Adenosyl-L-methionine metabolism in alfalfa cell cultures following treatment with fungal elicitors	1163 R. EDWARDS
Lipid changes due to growth-factor supplements in callus and plasma membrane-enriched fraction of rice cultures	1171 R. SATHISHKUMAR and K. MANOHARAN
Sesquiterpenoids from <i>Acorus calamus</i> as germination inhibitors	1175 K. NAWAMAKI and M. KUROYANAGI
Heterotrophic whole plant tissues show more ¹³ C enrichment than their carbon sources	1183 V. J. TERWILLIGER and J. HUANG
<i>p</i> -Coumaroylated syringyl units in maize lignin: implications for β -ether cleavage by thioacidolysis	1189 J. H. GRABBER, S. QUIDEAU and J. RALPH
Ether-linked ferulic acid amides in natural and wound periderms of potato tuber	1195 J. NEGREL, B. POLLET and C. LAPIERRE
Ecological Biochemistry	
Intraspecific variation of insecticidal sesquiterpene dialdehydes in <i>Pseudowintera colorata</i>	1201 N. B. PERRY, L. M. FOSTER and S. D. LORIMER
Potential allelopathic sesquiterpene lactones from sunflower leaves	1205 F. A. MACÍAS, A. TORRES, J. M. G. MOLINILLO, R. M. VARELA and D. CASTELLANO
Biotransformation of lignans: <i>meta-O</i> -demethylation of (–)-magnofargesin in <i>Spodoptera litura</i>	1217 H. KASAHARA, M. MIYAZAWA and H. KAMEOKA
Synthesis of syringolide 1 ketals and esters for receptor studies	1219 T. TSURUSHIMA, S. L. MIDLAND, C. ZENG, C. Ji, J. J. SIMS and N. T. KEEN
Pyrrrolizidine alkaloid composition in six Brazilian <i>Senecio</i> species	1227 H. CHR. KREBS, T. CARL and G. G. HABERMEHL
Cell Culture and Biotechnology	
Citreohydriddione C, a meroterpenoid of a hybrid strain KO 0031 derived from <i>Penicillium citreo-viride</i> B. IFO 6200 and 4692	1231 S. KOSEMURA, S. MATSUO and S. YAMAMURA
Structural characterization of 15-hydroxytrichodiene, a sesquiterpenoid produced by transformed tobacco cell suspension cultures expressing a trichodiene synthase gene from <i>Fusarium sporotrichioides</i>	1235 M. ZOOK, K. JOHNSON, T. HOHN and R. HAMMERSCHMIDT
Naphthazarin derivatives from cultures of the lichen <i>Cladonia cristatella</i>	1239 Y. YAMAMOTO, H. MATSUBARA, Y. KINOSHITA, K. KINOSHITA, K. KOYAMA, K. TAKAHASHI, V. AHMADJAM, T. KUROKAWA and I. YOSHIMURA
Rosmarinic acid from <i>Lavandula vera</i> MM cell culture	1243 E. KOVATCHEVA, A. PAVLOV, I. KOLEVA, M. ILIEVA and M. MIHNEVA
Herbertane sesquiterpenoids from the liverworts <i>Herbertus aduncus</i> and <i>H. borealis</i>	1245 M. S. BUCHANAN, J. D. CONNOLLY and D. S. RYCROFT
Pinguisane and sacculatane terpenoids from the liverwort <i>Porella platyphylla</i>	1249 M. S. BUCHANAN, J. D. CONNOLLY and D. S. RYCROFT
Bioactive Plant Products	
Triterpene alcohols from the flowers of Compositae and their anti-inflammatory effects	1255 T. AKIHISA, K. YASUKAWA, H. OINUMA, Y. KASAHARA, S. YAMANOUCHI, M. TAKIDO, K. KUMAKI and T. TAMURA
Cytotoxic neolignans from <i>Persea obovatifolia</i>	1261 IAN-LIH TSAI, CHIH-FENG HSIEH, CHANG-YIH DUH and IH-SHENG CHEN
Five flavans from <i>Mariscus psilostachys</i>	1265 E. GARO, M. MAILLARD, S. ANTUS, S. MAVI and K. HOSTETTMANN

Inhibition of tomato ringspot virus by flavonoids	1271	B. MALHOTRA, J. C. ONYILAGHA, B. A. BOHM, G. H. N. TOWERS, D. JAMES, J. B. HARBORNE and C. J. FRENCH
Plant Chemistry		
Isoprene related esters, significant components of <i>Pandanus tectorius</i>	1277	I. VAHIRUA-LECHAT, C. MENUT, B. ROIG, J. M. BESSIERE and G. LAMATY
Hydroxycinnamoyl ester glycosides and saponins from flowers of <i>Verbascum phlomoides</i>	1281	B. KLIMEK
Africane- and monocyclofarnesane-type sesquiterpenoids from the liverwort <i>Porella subobtusa</i>	1285	F. NAGASHIMA, H. IZUMO, A. ISHIMARU, S. MOMASAKI, M. TOYOTA, T. HASHIMOTO and Y. ASAKAWA
An ent-kaurane from <i>Sideritis huber-morathii</i>	1293	K. H. C. BASER, M. L. BONDI, M. BRUNO, N. KIRIMER, F. PIOZZI, G. TUMEN and N. VASSALLO
Sphenolobane diterpenoids from the liverwort <i>Anastrophyllum donianum</i>	1297	M. S. BUCHANAN, J. D. CONNOLLY and D. S. RYCROFT
Triterpenes from the combined leaf and stem of <i>Lithospermum carolinense</i>	1303	F. FULLAS, M. C. WANI, M. E. WALL, J. C. TUCKER, C. W. W. BEECHER and A. D. KINGHORN
Triterpenoids and a triterpene glycoside from <i>Schefflera bodinieri</i> leaves	1307	MIN ZHU, J. D. PHILLIPSON, P. M. GREENGRASS and N. G. BOWERY
Triterpene glycosides from <i>Schefflera bodinieri</i> roots	1313	MIN ZHU, SHILING YANG, J. D. PHILLIPSON, P. M. GREENGRASS and N. G. BOWERY
Steroidal glycosides, indiosides A–E, from <i>Solanum indicum</i>	1319	S. YAHARA, T. NAKAMURA, Y. SOMEYA, T. MATSUMOTO, T. YAMASHITA and T. NOHARA
Steroidal saponins from <i>Sansevieria trifasciata</i>	1325	Y. MIMAKI, T. INOUE, M. KURODA and Y. SASHIDA
Further alkyl and alkenylphenols of <i>Knema laurina</i> and <i>Knema austrosiamensis</i> : location of the double bond in the alkenyl side chains	1333	M. J. T. G. GONZALEZ, C. J. C. DEOLIVEIRA, J. O. FERNANDES, A. KIJJOA and W. HERZ
Further chromones from <i>Eriosema tuberosum</i>	1339	WEI GUANG MA, N. FUZZATI, SHAO LONG LU, DE SHUN GU and K. HOSTETTMANN
Syzyginins A and B, two ellagitannins from <i>Syzygium aromaticum</i>	1345	T. TANAKA, Y. ORII, G. NONAKA, I. NISHIOKA and I. KOUNO
Dihydrobenzofuran lignans from <i>Boreava orientalis</i>	1349	A. SAKUSHIMA, M. COŞKUN, T. MAOKA and S. NISHIBE
Neolignans and alkaloids from <i>Piper argyrophyllum</i>	1355	S. K. SINGH, A. K. PRASAD, C. E. OLSEN, A. JHA, S. C. JAIN, V. S. PARMAR and J. WENGEL
Prenylated benzopyran derivatives from two <i>Polyalthia</i> species	1361	M. C. GONZÁLEZ, M. A. SENTANDREU, K. S. RAO, M. C. ZAFRA-POLO and D. CORTES
Acylated pelargonidin glycosides in red–purple flowers of <i>Ipomoea purpurea</i>	1365	N. SAITO, F. TATSUZAWA, M. YOKOI, K. KASAHARA, S. IIDA, A. SHIGIHARA and T. HONDA
Eryvellutinone, an isoflavanone from the stem bark of <i>Erythrina vellutina</i>	1371	E. V. L. DA-CUNHA, C. DIAS, J. M. BARBOSA-FILHO and A. I. GRAY

Alkaloids from <i>Narcissus</i> cv. Salome	1375	G. R. ALMANZA, J. M. FERNÁNDEZ, E. W. T. WAKORI, F. VILADOMAT, C. CODINA and J. BASTIDA
Alkaloids from <i>Brunsvigia orientalis</i>	1379	F. VILADOMAT, G. R. ALMANZA, C. CODINA, J. BASTIDA, W. E. CAMPBELL and S. MATHEE
Alkaloids from <i>Kopsia pauciflora</i>	1385	TOH-SEOK KAM, L. ARASU and K. YOGANATHAN
Cularine <i>N</i> -oxide alkaloids from <i>Ceratocapnos heterocarpa</i>	1389	R. SUAUI, R. GARCIA-SEGURA, M. V. SILVA and M. VALPUESTA
An improved degradation procedure for determination of the absolute configuration in chiral isoquinoline and β -carboline derivatives	1393	G. BRINGMANN, R. GOD and M. SCHÄFFER
Ancistroheynine A, the first 7,8'-coupled naphthylisoquinoline alkaloid from <i>Ancistrocladus heyneanus</i>	1405	G. BRINGMANN, D. KOPPLER, B. WIESEN, G. FRANÇOIS, A. S. S. NARAYANAN, M. R. ALMEIDA, H. SCHNEIDER and U. ZIMMERMANN
Short Reports		
An eremophilane sesquiterpenoid from <i>Pedicularis striata pall</i> ssp. <i>arachnoidea</i>	1411	JIAN-JUN GAO, ZHONG-JIAN JIA and C. CODINA
(+)-Nyasol from <i>Asparagus cochinchinensis</i>	1413	WIN-YAN TSUI and G. D. BROWN
A sesquilignan from <i>Illicium dunnianum</i>	1417	LAI-KING SY and G. D. BROWN
Kaempferol 3- <i>O</i> -(5''-feruloylapioside) from <i>Pteridium aquilinum</i>	1421	F. IMPERATO
Vulcanine, a β -carboline alkaloid from <i>Haplophyllum vulcanicum</i>	1425	T. GÖZLER, B. GÖZLER, A. LINDEN and M. HESSE
Carbazole alkaloids from stem bark of <i>Clausena excavata</i>	1427	TIAN-SHUNG WU, SHIOW-CHYN HUANG and PEI-LIN WU
Book Reviews	1431	
Errata and Corrigenda	1433	