

SUBJECT INDEX

- Abies pindrow*, lanostane triterpenoid from 853
 Absciscic acid, levels of during tomato ripening 323
 Acanthaceae 521, 1023
 Acetogenins, from *Uvaria* 793
 Acetophenones, 4'-hydroxy-, antifungal, from *Polymnia* 1019
 Acetylpolymamines, oxidation of by maize polyamine oxidase 339
Achillea clypeolata, diterpenes from 169
Acorus calamus, sesquiterpenoids from, as germination inhibitors 1175
 Acutifolios, feeding deterrent, from *Dictyota* 71
 S-Adenosyl-L-methionine metabolism, in elicited alfalfa cells 1163
 Aferoside A, from *Costus* 665
Agaricus bisporus, tyrosinase isoforms from 333
 Agavaceae 1079, 1325
Ajuga parviflora, neo-clerodane diterpenoids from 827
 Algae 49, 63, 71, 121, 731
 Alkaloids,
 3-aminospirosolane, from *Solanum* 913
 aporphine, grinding-induced polymorphism in 1129
 7,7'-bisdehydroaporphine, from *Polyalthia* 295
 carbazole,
 from *Clausena*, biological activity of 133
 from *Clausena* bark 1427
 in *Muraya*, seasonal variations of 785
 β -carboline,
 determination of absolute configurations of 1393
 from *Haplophyllum* 1425
 cularine *N*-oxide, from *Ceratocarpus* 1389
 cyclopeptide, from *Zizyphus* 701
 from *Brunsvigia* 1379
 from *Cephalotaxus* 299
 from *Medicosa* leaves 291
 from *Narcissus* 1375
 from *Piper* 1355
 from *Sarcococca* 903
 from *Strychnos* root bark 897
 indole,
 from *Gelsemium* 723
 from *Kopsia* 1385
 from *Strychnos* bark 1125
 isoquinoline, determination of absolute configurations of 1393
 naphthylisoquinoline, from *Ancistrocladus* 1405
 norditerpenoid, from *Delphinium* roots 287
 pyrrolizidine, composition of in Brazilian *Senecio* 1227
 quinolone, from *Evodia* 719
 securinega-type, from *Phyllanthus* 715
 steroidal,
 from *Solanum* roots 705
 from *Veratrum* 907
 tropene,
 from *Schizanthus* 709
 in vivo NMR analysis of metabolism of in *Datura* 115
 Alkenylphenols, from *Knema* 1333
 Alkylphenols, from *Knema* 1333
Aloe peglerae, chromones from 867
A. vera, chromones from 495
 Aloeaceae 495, 867
Alternaria brassicae, release of isothiocyanates from rape infected by 371
 Altersanols, form *Alternaria*, mode of phytotoxic action of 989
 Amaryllidaceae 1375, 1379
 Amino acids, non-protein, from *Lathyrus*, as insect feeding deterrents and phagostimulants 1003
 2-Amino-4-carboxypyrimidine, as precursor of lathyrine biosynthesis 1029
 1-Aminocyclopropane-1-carboxylate oxidase, from pears, inhibition of 343
 α -Amylase inhibitor, in beans, putative precursor in evolution of 57
Anastrophyllum donnianum, sphenolobane diterpenoids from 1297
 Ancistrocladaceae 1405
Ancistrocladus heyneanus, naphthylisoquinoline alkaloid from 1405
Anigozanthus preissii, resveratrol dimer from 471
 Annonaceae 295, 793, 1361
 Anthocyanins, acylated, from *Ipomoea* red-purple flowers 1365
Apium graveolens, NAD-dependent mannitol dehydrogenase from 1145
 Apocynaceae 161, 593, 1385
 Aquifoliaceae 443
 Araceae 1175
 Araliaceae 1307, 1313
Artemisia annua, selection of high artemisinin-yielding clones of 993
A. eriopoda, eudesmane sesquiterpenes from 815
A. herba-alba, eudesmanolides from 309
 Artemisinin, selection of *Artemisia* clones with high yield of 993
Artocarpus elasticus, prenylflavonoids from 691
Asparagus cochinchinensis, (+)-nyasol from 1413
Aspergillus fumigatus, ruakuric acid from 209
A. niger, O-demethylation of 7,7'-epoxylignans by 111
 ATPase, mitochondrial F_1 , from *Sorghum* 561
Azadirachta indica, limonoids from 451
- B**
Bacopa monniera, triterpenoid saponin from 447
 Bacteria 1083, 1219
Baeckea frutescens, chromones and chromanones from 871
Baikiaea plurijuga, phlobatannins from 215, 229, 241, 253
 Benzofuranoids, from *Berchemia* heartwood 673
 Benzoic acids, prenylated, from *Piper* 863
 Benzopyrans, prenylated, from *Polyalthia* 1361
 Benzoxazinoids, biologically active, chemistry of 551
 Berberidaceae 527
Berchemia zeyheri, benzofuranoids from 673
 Biologically active compounds,
 allelopathic
 fatty acid, from red algae 63
 sesquiterpene lactones, from sunflower leaves 1205
 antibiotic nortriterpenoids, phenolic, from *Maytenus* 129
 antifungal
 chromones, from *Eriosema* 1339
 flavans, from *Mariscus* 1265
 4'-hydroxyacetophenones, phytoalexins, from *Polymnia* 1019
 isoflavonoids, from *Colutea* 377

- anti-inflammatory triterpene alcohols, from Compositae flowers 1255
- antiplatelet aggregation inhibitory alkaloids, from *Clausena* 133
- antiviral flavonoids, against tomato ringspot virus 1271
- cAMP phosphodiesterase-inhibitory xanthenes, from *Garcinia* 1099
- cytotoxic
- dodecatricenoic acid, from *Mucor* fermentations 791
 - neolignans, from *Persea* 1261
 - sesquiterpenoid, from an Ascomycete 375
- feeding-deterrent diterpenoids, from *Dictyota* 71
- fungistatic sesquiterpenoids, from *Parthenium* 67
- germination-inhibiting sesquiterpenoids, from *Acorus* 1175
- insect-antifeedant
- limonoid, from *Melia* 581
 - non-protein amino acids, from *Lathyrus* 1003
- leukaemic cell differentiation inducing diterpenoids, from *Lepista* 405
- lignan and terpenoids, from *Brucea* 409
- phagostimulant non-protein amino acids, from *Lathyrus* 1003
- taste-modifying triterpene glycosides, from *Staurogyne* 1023
- trypsin-inhibitory proteins, from *Festuca* seeds 983
- vasorelaxing carbazole alkaloids, from *Clausena* 133
- Biological activity,
- of benzoxazinoids 551
 - of isoprenylated flavonoids 921
- Biosynthesis,
- of brassinolide, in *Catharanthus* 593
 - of cyanogenic glycosides, effect of on ^{13}C pattern 585
 - of ecdysteroids, in *Polypodium* 597
 - of fatty acids, in *Borago* leaves 381
 - of flavonoids, isoprenylated 921
 - of glucosinolates, in *Sinapis* and *Brassica* 585
 - of lathyrine, in *Lathyrus* 1029
 - of rubber, in *Hevea*, enzyme involved in 769
 - of stearidonic acid, in *Borago* leaves 381
- Biotransformation,
- of 7,7'-epoxylignans, by *Aspergillus* 111
 - of (2E,6E)-farnesol, by *Glomerella* 105
 - of isosteviol, by *Fusarium* 393
 - of lignans, by *Spodoptera* 1217
 - of 3-oxo-olean-12-en-28-oic acid, by *Chaetomium* 99
 - of sugars, by fungi on leaves of resurrection plant 741
- Blepharis ciliaris*, acylated flavonoids from 521
- Boletus erythropus*, water-soluble β -D-glucan from 413
- Boraginaceae 381, 1303
- Borago officinalis*, distribution and biosynthesis of stearidonic acid in 381
- Boreava orientalis*, dihydrobenzofuran lignans from 1349
- Brassica rapa*, release of alkenyl isothiocyanates during fungal infection of 371
- Brassinolide biosynthesis, via 6-deoxocastasterone 593
- Brucea javanica*, bioactive lignan and terpenoids from 409
- Brunstigia orientalis*, alkaloids from 1379
- Bupleurum salicifolium*, ^{13}C NMR of dibenzyl- γ -butyrolactone lignans from 885
- Butanolides, from *Iryanthera* fruits 669
- Buxaceae 903
- C**
- Caffeoyl phenylethanoid glycosides, from *Sanango* 777
- Calophyllum austroindicum*, xanthenes from 681
- ^{13}C Carbon enrichment, in heterotrophic whole plant tissues 1183
- Caryophyllaceae 1075
- Catharanthus roseus*, 6-deoxocastasterone from 593
- Celastraceae 129, 843
- Cephalotaxaceae 299
- Cephalotaxus harringtonia*, alkaloids from 299
- Ceramides, from *Phellinus* 617
- Ceratocarpus heterocarpus*, cularine N-oxide alkaloids from 1389
- Cercospora beticola*, effects of toxins from on tobacco 387
- Chaetomium longirostre*, biotransformation of 3-oxo-olean-12-en-28-oic acid by 99
- Chemotaxonomic studies,
- of alkaloids, coumarins and flavonoids, in *Murraya* 785
 - of caffeoyl phenylethanoid glycosides, in Gesneriaceae 777
 - of diarylheptanoids, in *Rhoiptelea* 1049
 - of essential oils,
 - in fruits of *Thapsia* chemotypes 609
 - in *Ocimum* chemotypes 1033 - of flavones, external, in *Ocimum* 1041
 - of glycinebetaine, in Malvaceae 367
 - of halogenated acetylenes, in *Laurencia nipponica* 121
 - of isoflavones, in *Cicer* roots 695
 - of kavalactones, in *Piper methysticum* cultivars 397
 - of phenolic alloside, in liverworts 1087
 - of prenylcoumarins, in *Murraya paniculata* 125
 - of sterols, in *Teucrium* 613
- Chenopodiaceae 23, 1271
- Chitinase, from *Hevea* latex 29
- Chloranthaceae 819
- Chlorophyta 731
- Chorilaena quercifolia*, coumarins from 877
- Chroman, from *Aspergillus* 209
- Chromanones, from *Baeckea* 871
- Chromones,
- antifungal, from *Eriosema* 1339
 - from *Aloe* 495, 867
 - from *Baeckea* 871
 - 2-phenoxy-, from *Piliostigma* 687
- Cicer judaicum*, isoflavones from 695
- Cichorium intybus*, fatty acids in polar lipids from 747
- Cinnamic acid carbohydrate esters, from *Physalis*, *Psidium* and *Vaccinium* fruits 481
- Citreohydrindione C, from hybrid strain of *Penicillium* 1231
- Cladonia cristatella*, naphthazarins from 1239
- Clausena excavata*, carbazole alkaloids from 133, 1427
- Coelastrum sphaericum*, resistant 'biopolymer' in cell walls of 731
- Colophospermum mopane*, phlobatannins from 215, 229, 241, 253
- Colutea arborescens*, antifungal isoflavonoids from 377
- Compositae 67, 169, 195, 283, 309, 417, 423, 747, 815, 823, 993, 1019, 1205, 1227, 1255
- anti-inflammatory effects of triterpene alcohols from flowers of 1255
- Conocephalum conicum*, phenethyl alloside from 1087
- Convolvulaceae 565, 1365
- Costus afer*, steroidal saponin from 665
- Coumarins,
- from *Chorilaena* 877
 - from *Metrodorea* 491
 - from *Peucedanum* 881
 - prenylated, from *Murraya*, taxonomic significance of 125
- p-Coumaroylated syringyl units, in maize lignin 1189
- Crepis rheoadifolia*, sesquiterpene lactones from 823
- Cruciferae 371, 585, 1349
- Cyanogenic
- diglucoside, from *Sorghum* 569
 - glycosides, inter- and intramolecular isotopic correlations in 585
- Cyclohexane diepoxides, from *Kaempferia* 305
- Cyperaceae 1265
- Cytochrome P450 enzymes, catalytic reactivities and structure/function relationships of 1

D

- Datura stramonium*, *in vivo* NMR analysis of tropane alkaloid metabolism in 115
- Daucus carota*, β -glucosidase associated with cell walls of 1157
- 7-Dehydrocholesterol, from *Solanum* cell cultures 773
- Delphinium potaninii*, norditerpenoid alkaloids from 287
- Dendrobium plicatile*, stilbenoids from 207
- 6-Deoxocasterone, involvement of in brassinolide biosynthesis 593
- Dhurrin-6'-glucoside, from *Sorghum* 569
- Diarylheptanoids,
cyclic, from *Zingiber* rhizomes 273
from *Rhoiptelea* 1049
- Dibenzyl- γ -butyrolactone lignans, ^{13}C NMR assignments of 885
- Dichapetalaceae 649, 657
- Dichapetalin A, from *Dichapetalum*, absolute configuration of 657
- Dichapetalum madagascariense*, dichapetalins from 649, 657
- Dictyota acutiloba*, feeding-deterrent diterpenes from 71
- 3,3'-Diethylthiadicarbocyanide iodide, as dye for studying *Cercospora* toxins 387
- Dihydrobenzophenanthridine oxidase, elicitation of in *Sanguinaria* 1141
- (*E*)-6,9-Dihydroxymegastigma-4,7-dien-3-one glycosides, from wine 621
- DIMBOA, biological activity and chemistry of 551
- Dinormonoterpenoids, and their apiosylglucosides, from *Thevetia* 161
- Diterpenoid acids, from *Mulinum* 1065
- Diterpenoids,
bioactive, from *Lepista* 405
biotransformation of by *Fusarium* 393
clerodane, from *Laetia* 635
neo-clerodane,
from *Ajuga* 827
from *Scutellaria* 173, 835
from *Teucrium* 435
feeding-deterrent, from *Dictyota* 71
from *Achillea* 169
from *Jamesoniella* 1057
from *Mulinum* 165
from *Salvia* 431
ent-kaurane, from *Sideritis* 1293
sphenobane, from *Anastrophyllum* 1297

E

- Ecdysteroid biosynthesis, in *Polypodium* prothalli cultures 597
- Eleusine coracana*, changes in esterases of, in response to blast infection 1151
- Ellagitannins, from *Syzygium* 1345
- Entandrophragma cylindricum*, sesquiterpenoids from 811
- Enzymes,
l-aminocyclopropane-1-carboxylate oxidase, inhibition of 343
ATPase, mitochondrial F_1 , from *Sorghum* 561
chitinase, from *Hevea* latex 29
dihydrobenzophenanthridine oxidase, elicitation of, in *Sanguinaria* 1141
esterases, changes in, in response to blast infection in finger millet 1151
 β -1,3-glucanase, from *Hevea* latex 29
 β -glucosidase, associated with cell walls from carrot cell suspension cultures 1157
isopentenyl diphosphate isomerase, from *Hevea* latex 769
mannitol dehydrogenase, NAD-dependent, from celery, substrate stereospecificity of 1145
peroxidase, from sweet potato, enhancement of activity of 565

- phenylalanine ammonia-lyase,
from *Ocimum* 735
from *Ustilago* 351
polyamine oxidase, from maize, oxidation of acetylpolyamines by 339
proteinase, from wheat endosperm 39
tyrosinase isoforms, from *Agaricus* 333
- Epimedium wanshanense*, flavonoids from 527
- Ericaceae 481
- Ergostanes, from *Salpichroa* 461
- Eriosema tuberosum*, antifungal chromones from 1339
- Erythrina vellutina*, isoflavanone from 1371
- Essential oil chemotypes, and infraspecific taxonomy of *Ocimum* 1033
- Essential oils, from fruits of *Thapsia* chemotypes 609
- Esterases, changes in, in response to blast infection in finger millet 1151
- Ethylene production, during tomato ripening 323
- 2-Ethyl-3-methylmaleimide *N*- β -D-glucopyranoside, from mangosteen leaves 141
- Euphorbiaceae 29, 715, 769
- Evodia rutaecarpa*, quinolone alkaloids from 719
- F
- Fagaceae 487, 759
- Fagopyrum esculentum*, amino acid sequences of trypsin inhibitors from 327
- Fagus sylvatica*, volatiles emitted from leaves of 759
- Fareanin, from *Medicosma* leaves 291
- (2*E*,6*E*)-Farnesol, biotransformation of by plant-pathogenic fungus 105
- Fatty acids,
cytotoxic, from fermentations of *Mucor* 791
in *Fucus*, seasonal variations of 49
in polar lipids from *Cichorium* 747
long-chain, from *Monascus* 151
polyunsaturated, allelopathic, from red algae 63
- Ferulic acid amides, in natural and wounded potato periderms 1195
- Festuca arundinacea*, trypsin/chymotrypsin iso-inhibitors from 983
- Flacourtiaceae 635
- Flavanones, prenylated, in *Sophora* cultures, increase in production of by cork 603
- Flavans,
antifungal, from *Mariscus* 1265
from *Prunus* 887
- Flavones,
external, from *Ocimum* 1041
from *Tephrosia* 315
prenylated, from *Artocarpus* 691
- Flavonoids,
acylated, from *Blepharis* 521
from *Epimedium* 527
inhibition of tomato ringspot virus by 1271
isoprenoid-substituted, from *Glycyrrhiza* 531
isoprenylated,
from *Glycyrrhiza* 1119
survey of 921
- Flavonol
diglycoside, from *Lepisorus* 1111
glycosides,
acylated,
from *Myrsine* 1107
from *Pteridium* 1421
from *Vernonia* 283
O-sophorosides, methoxylated, from bee pollens 763
triglycosides, from *Indigofera* flowers 1115
- Flavonols, C-methyl-, from *Piliostigma* 687
- Fragaria* $\times$ *ananassa*, malonylated furanone glycoside from 155
- Fructose 2,6-biphosphate-modulated photosynthesis, in *Sorghum* leaves 319

- Fucus serratus*, seasonal variations of triacylglycerols and fatty acids in 49
- Fumariaceae 1389
- Fungi 99, 105, 111, 151, 209, 333, 351, 371, 375, 387, 393, 405, 413, 617, 791, 989, 1009, 1015, 1103, 1231, 1235
- Furano-eudesma-4(15),7,11-trien-5 α -ol, from *Lophocolea* 1055
- Furanone glycoside, malonylated, from strawberry fruits 155
- Fusarium sporotrichioides*, trichodiene synthase gene from 1235
- F. verticilloides*, biotransformation of isosteviol by 393
- G**
- Galium*, iridoid glucosides from 625
- Garcinia mangostana*,
2-ethyl-3-methylmaleimide *N*- β -D-glucopyranoside from 141
- prenyl xanthone from 1099
- Gelsemium elegans*, indole alkaloid from 723
- Gentiana rhodantha*, acylated secoiridoid glucosides from 805
- Gentianaceae 805
- Gesneriaceae 777
- Gibberellins, GA₉₇-GA₉₉, from spinach 23
- Glinus lotoides*, triterpenoid saponin glycosides from 183
- Glomerella cingulata*, biotransformation of (2*E*,6*E*)-farnesol by 105
- β -D-Glucan, water-soluble, from *Boletus* 413
- β -1,3-Glucanase, from *Hevea* latex 29
- β -Glucosidase, from carrot cell walls 1157
- Glucosinolates, inter- and intramolecular isotopic correlations in 585
- Glycinebetaine, in Malvaceae 367
- Glycyrrhiza glabra*,
isoprenoid-substituted flavonoids from 531
- isoprenylated flavonoids from 1119
- Gossypium*, glycinebetaine concentrations in 367
- Gramineae 39, 75, 319, 339, 551, 561, 569, 593, 741, 983, 1009, 1151, 1171, 1189
- Guibourtea colesperma*, phlobatannins from 253
- Guttiferae 141, 513, 681, 1099
- H**
- Haemodoraceae 471
- Halogenated acetylene, from *Laurencia* 121
- Haplophyllum vulcanicum*, β -carboline alkaloid from 1425
- Helianthus annuus*, allelopathic sesquiterpene lactones from 1205
- Hepaticae 83, 629, 1055, 1057, 1087, 1245, 1249, 1285, 1297
- Herbertus*, sesquiterpenoids from 1245
- Herniaria fontanesii*, triterpenoid saponins from 1075
- Heteroscyphus planus*, sesquiterpenes from cultured cells of 83
- Hevea brasiliensis*,
chitinase and β -1,3-glucanase from 29
- isopentenyl diphosphate isomerase, from latex of 769
- Hydroxycinnamic acid spermidines, from *Quercus* pollen 487
- Hydroxycinnamoyl ester glycosides, from *Verbascum* flowers 1281
- 19 α -Hydroxygelsamydine, from *Gelsemium* 723
- 11-Hydroxy-4-methyl-2,4,6-dodecatricenoic acid, from *Mucor* 791
- Hydroxyperillaldehyde, from *Perilla* 803
- 15-Hydroxytrichodiene, from transformed tobacco cells 1235
- Hypericum roeperanum*, xanthones from 513
- I**
- Ilex kudincha*, triterpenoid glycosides from 443
- Illiciaceae 1417
- Illicium dunnianum*, sesquilignan from 1417
- Indigofera hebeptala*, flavonol triglycosides from 1115
- Ipomoea batatas*, enhancement of peroxidase activity in, by stress-related chemicals 565
- I. purpurea*, acylated pelargonidin glycosides from 1365
- Iridoid
ester glucosides, from *Verbascum* flowers 1281
- glucosides, from *Galium* 625
- Iryanthera paraensis*, butanolides and neolignan from 669
- Isoflavanone, from *Erythrina* bark 1371
- Isoflavans, prenylated, from *Maackia* roots 893
- Isoflavenes, from *Cicer* roots 695
- Isoflavonoids, antifungal, from *Colutea* 377
- Isopentenyl diphosphate isomerase, from rubber latex 769
- Isoprenoid esters, from *Pandanus* 1277
- Isosteviol, biotransformation of, by *Fusarium* 393
- Isothiocyanates, alkenyl, release of by rape seedlings infected by *Alternaria* 371
- J**
- Jamesoniella*, diterpenoids from 1057
- Jasmonic acid derivatives, from potato 727
- Jujubogenin glycosides, from *Bacopa* 447
- K**
- Kaempferia rotunda*, cyclohexane diepoxides from 305
- Kaempferol 3-*O*-(5''-feruloylapioside), from *Pteridium* 1421
- Kalimeris shimadae*, echinocystic acid saponin from 195
- Kavalactone chemotypes, in *Piper*, genetic control of 397
- Knema*, alkyl- and alkenylphenols from 1333
- Kopsia pauciflora*, indole alkaloids from 1385
- Krameria parviflora*, lignans and neolignans from 1093
- Krameriaceae 1093
- Kyrtuthrix maculans*, tribenzylbutyrolactone from 1083
- L**
- Labiatae 173, 431, 435, 475, 573, 613, 735, 803, 827, 835, 1033, 1041, 1243, 1293
- γ -Lactones, from *Viola* 1089
- Laetia procera*, clerodane diterpenes from 635
- Lathyrine biosynthesis, origin of 2-amino-4-carboxypyrimidine in 1029
- Lathyrus latifolius*, non-protein amino acids from, as insect feeding deterrents and phagostimulants 1003
- L. tingitanus*, lathyrine biosynthesis in 1029
- Lauraceae 1261
- Laurencia nipponica*, halogenated C₁₅ non-terpenoid from 121
- Lavandula vera*, rosmarinic acid from cell cultures of 1243
- Leguminosae 57, 75, 215, 229, 241, 253, 315, 377, 531, 603, 687, 695, 763, 893, 1003, 1029, 1115, 1119, 1163, 1339, 1371
- Lepisorus ussuriensis*, flavonol diglycoside from 1111
- Lepista sordida*, bioactive diterpenes from 405
- Lichenes 1239
- Lignans,
bioactive, from *Bucea* 409
- biotransformation of, in *Spodoptera* 1217
- dihydrobenzofuran, from *Boreava* 1349
- 7,7'-epoxy, *O*-demethylation of by *Aspergillus* 111
- from *Krameria* 1093
- from *Viola* 1089
- seco-, from *Peperomia* 1097
- Lignin polymer models, ³¹P NMR spectroscopy of 499
- Liliaceae 201, 465, 907, 1413
- Limonoids,
from *Azadirachta* seeds 451
- insect-antifeedant, from *Melia* 581
- seco-, from *Trichilia* 457
- Lipid changes, due to growth-factor supplements, in callus and plasma membranes of rice cultures 1171
- Lipids,
distribution and biosynthesis of, in *Borago* leaves 381

- epicuticular, from *Prunus* leaves, extraction methods for 45
- Liriope spicata*, steroidal glycosides from 201
- Lithospermum carolinense*, triterpenes from 1303
- Loganiaceae 723, 897
- Lophocolea heterophylla*, sesquiterpenes from 1055
- Lycopersicon*, volatiles and waxes in leaves of transgenic plants of 753
- L. esculentum*, polyamines, abscisic acid and ethylene production in 323
- M**
- Maackia tenuifolia*, prenylated isoflavans from 893
- (-)-Magnofargesin, *meta-O*-demethylation of, in *Sporodoptera* 1217
- Magnoflorine, grinding-induced polymorphism in 1129
- Malus sylvestris*, octanol derivatives from 145
- Malvaceae 367
- Mangostanol, from *Garcinia* 1099
- Mannitol dehydrogenase, from celery, substrate stereospecificity of 1145
- Mariscus psilostachys*, antifungal flavans from 1265
- Mayoside, from *Picramnia* 279
- Maytenus canariensis*, antibiotic phenolic nor-triterpenes from 129
- Medicago sativa*, *S*-adenosyl-L-methionine metabolism in elicited cells of 1163
- Medicosa fareaana*, alkaloids and phenolic alcohol from 291
- Melanins, from truffles, partial structures of 1103
- Melia azedarach*, insect-antifeedant limonoid from 581
- Meliaceae 451, 457, 581, 811
- Mentha* × *piperita*, developmental changes in monoterpene composition of 573
- Meroterpenoid, from hybrid strain derived from *Penicillium* 1231
- 9-Methoxygeissoschizol, from *Strychnos* bark 1125
- Meurodorea flavida*, coumarins from 491
- Molluginaceae 183
- Monascus purpureus*, long-chain fatty acids from 151
- Monoterpene composition, of *Mentha*, from individual pelate trichomes 573
- Monoterpenoids, dinor-, polyhydroxy-, from *Thevetia* 161
- Moraceae 691
- Mucor*, cytotoxic fatty acid fermentations of 791
- Mulinum crassifolium*, diterpenoid from 165
- M. spinosum*, diterpenoid acids from 1065
- Murraya euchrestifolia*, seasonal variations of carbazole alkaloids of 785
- M. paniculata*, chemotaxonically significant prenylcoumarin from 125
- Musa*, resveratrol dimer from 471
- Musaceae 471
- Myristicaceae 111, 669, 1089, 1333
- Myrsinaceae 1107
- Myrsine africana*, acetylated myricetin glycoside from 1107
- Myrtaceae 481, 871, 1345
- N**
- Naphthazarins, from *Cladonia* cultures 1239
- Narcissus* cv. Salome, alkaloids from 1375
- Neocosmospora*, neovasiopyridones from 1015
- Neoisoprelaufucins, from *Laurencia* 121
- Neolignans,
cytotoxic, from *Persea* 1261
from *Iryanthera* fruits 669
from *Krameria* 1093
from *Piper* 1355
- Neovasiopyridones, from *Neocosmospora* 1015
- Nicotiana tabacum*,
effects of *Cercospora* toxins on 387
15-hydroxytrichodiene from transformed cultures of 1235
- NMR, 2D, assignments for free dimeric proanthocyanidins from 265
- NMR spectroscopy, ³¹P, comparison of lignin polymer models and lignins by 499
- Norsterterpenes, from *Salvia* 431
- (+)-Nyasol, from *Asparagus* 1413
- Nyctaginaceae 189
- O**
- Ocimum basilicum*,
essential oil chemotypes in 1033
external flavones from 1041
phenylalanine ammonia-lyase from 735
- Octanol derivatives, from apples, absolute configuration of 145
- Orchidaceae 207
- Oryza sativa*, lipid changes due to growth-factor supplements in 1171
- Oxanthrone, from *Picramnia* 279
- 2,3-Oxidosqualene cyclases, inhibition of 75
- 2-Oxoacids, inhibition of 1-aminocyclopropane-1-carboxylate oxidase by 343
- 3-Oxo-olean-12-en-28-oic acid, biotransformation of by *Chaetomium* 99
- P**
- Pandanaceae 1277
- Pandanus tectorius*, isoprene-related esters from 1277
- Papaveraceae 1141
- Parthenium argentatum* × *tomentosa*, fungistatic sesquiterpenoids from 67
- Pedicularis striata*, eremophilane sesquiterpenoid from 1411
- Penicillium citreo-viride*, meroterpenoid from hybrid strain of 1231
- Peperomia glabella*, secolignan from 1097
- Perilla frutescens*, oxidative metabolite of perillaldehyde from 803
- Peroxidase activity, enhancement of by stress-related chemicals in sweet potato 565
- Persea obovatifolia*, cytotoxic neolignans from 1261
- Peucedanum ostruthium*, coumarins from 881
- Phaeophyta 49, 71
- Phaseolus vulgaris*, putative precursor in evolution of α -amylase inhibitor in 57
- Phellinus pini*, ceramides from 617
- Phenethyl glycoside, from *Conocephalum* 1087
- Phenolic alcohol, from *Medicosa* 291
- Phenolics, from *Rosa rugosa* 535
- Phenylalanine ammonia-lyase,
from basil 735
from *Ustilago* 351
- Phenylethanoid glycosides, from *Stachys* 475
- Phlobatannins, structure and synthesis of 215, 229, 241, 253
- Phyllanthus amarus*, securinega-type alkaloids from 715
- Physalis minima*, 'physalin L' from 661
- P. peruviana*, cinnamic acid esters from 481
- Phytoalexins, 4'-hydroxyacetophenone-related, from *Polymnia* 1019
- Phytolacca dodecandra*, pentacyclic triterpenes from 179
- Phytolaccaceae 179
- Phytotoxic action, of altersolanols, mode of 989
- Picramnia hirsuta*, oxanthrone from 279
- Picris radicata*, guaianolides from 423
- Picrolemma granatensis*, protolimonoids and quassinoids from 857
- Piliostigma thonningii*, 2-phenoxychromone and C-methylflavonols from 687
- Pinaceae 499, 853
- Piper argyrophyllum*, neolignans and alkaloids from 1355
- P. methysticum*, genetic control of kavalactone chemotypes of 397

- P. murrayanum*, prenylated hydroxybenzoic acids from 863
 Piperaceae 397, 863, 1097, 1355
Pisonia umbellifera, oleanolic acid saponins from 189
Pisum sativum, inhibition of 2,3-oxidosqualene cyclases from 75
Pluchea quitoc, eudesmanes from 417
Polyalthia, prenylated benzopyrans from 1361
P. bullata, 7,7'-bisdehydroaporphine alkaloids from 295
 Polyamine oxidase, from maize, oxidation of acetyl polyamines by 339
 Polyamines,
 involvement of, in rust resistance of wheat 1009
 levels of during tomato ripening 323
 Polygonaceae 327
Polymnia sonchifolia, 4'-hydroxyacetophenone-related phytoalexins from 1019
Polypodium vulgare, ecdysteroid biosynthesis in 597
Porella platyphylla, pinguicane and sacculatane terpenoids from 1249
P. subobtusata, sesquiterpenoids from 1285
 Pregnane, from *Sansevieria* 1079
Preissia quadrata, sesquiterpenes from 629
 Proanthocyanidins,
 A-type, from *Prunus* 887
 dimeric, 2D NMR characterization of 265
 phlobatannins related to 215, 229, 241, 253
 polymeric, from grape skins 509
 Propiophenones, from *Viola* 1089
 Protein kinases, eukaryote, differential inhibition of by condensed tannins 359
 Proteinase, hydrolyzing gliadin during wheat germination 39
 Proteins, trypsin/chymotrypsin inhibitory, from *Festuca* 983
 Protolimonoids, from *Picrolemma* 857
Prunus laurocerasus, extraction of leaf epicuticular lipids from 45
P. prostrata, flavans and proanthocyanidins from 887
Pseudowintera colorata, infraspecific variation of insecticidal sesquiterpene dialdehyde in 1201
Psidium guajava, cinnamic acid esters from 481
Peridium aquilinum, acylated flavonol glycoside from 1421
 Pteridophyta 597, 1111, 1421
Puccinia recondita, involvement of polyamines in resistance of wheat to 1009
Pyricularia grisea, changes in esterases in finger millet due to infection by 1151
Pyrus communis, inhibition of 1-aminocyclopropane-1-carboxylate oxidase from 343

Q

- Quassinoids, from *Picrolemma* 857
Quercus dentata, hydroxycinnamic acid spermidines from 487

R

- Ranunculaceae 287, 763, 1129
Ranunculus, 7- and 8-O-methylherbacetin glycosides from bee pollens derived from 763
 Resistant 'biopolymer', in trilaminar sheath of *Coelastrum* 731
 Resveratrol dimer, from *Anigozanthos* and *Musa* 471
 Rhamnaceae 673, 701, 847
 Rhodophyta 63, 121
Rhoiptelea chilantha, diarylheptanoids from 1049
 Rhoipteleaceae 1049
Rosa rugosa, phytochemistry of 535
 Rosaceae 45, 145, 155, 343, 499, 535, 887
 Rosmarinic acid, from *Lacandula* cell culture 1243
 Ruakuric acid, from *Aspergillus* 209
 Rubiaceae 625
 Rutaceae 125, 133, 291, 491, 643, 719, 785, 877, 1425, 1427

S

- Salacia beddomei*, triterpene from 843
Salpichroa organifolia, ergostanes related to withanolides from 461
Salvia limbata, norsesterterpenes and diterpenes from 431
Sanango racemosum, caffeoyl phenylethanoid glycosides from 777
Sanguinaria canadensis, elicitation of dihydrobenzophenanthridine oxidase in 1141
Sansevieria hyacinthoides, pregnane from 1079
S. trifasciata, steroidal saponins from 1325
 Saponin glycosides, triterpenoid, from *Glinus* 183
 Saponins,
 from *Verbascum* flowers 1281
 steroidal,
 from *Costus* 665
 from *Sansevieria* 1325
 from *Smilax* 465
 from *Solanum* 1319
 triterpenoid,
 from *Bacopa* 447
 from *Herniaria* 1075
 from *Kalimeris* 195
 from *Pisonia* 189
Sarcandra glabra, cycloeudesmanolides from 819
Sarcococca saligna, alkaloids from 903
Schefflera bodinieri, triterpenoids from 1307, 1313
Schizanthus litoralis, tropane alkaloids from 709
 Scrophulariaceae 447, 1281, 1411
Scutellaria baicalensis, neo-clerodane diterpenoid from 835
S. orientalis, neo-clerodane diterpenoids from 173
 Secoiridoid glucosides, acylated, from *Gentiana* 805
 Secosteroid, from *Physalis* 661
Senecio, pyrrolizidine alkaloid composition in Brazilian species of 1227
 Sesquilignan, from *Illicium* 1417
 Sesquiterpene dialdehydes, insecticidal, from *Pseudowintera*, infraspecific variation of 1201
 Sesquiterpene lactones,
 allelopathic, from sunflower leaves 1205
 cycloeudesmanolides, from *Sarcandra* 819
 eudesmanolides, from *Artemisia* 309
 from *Crepis* 823
 guaianolides, from *Picris* 423
 Sesquiterpene O-naphthoquinones, from *Ulmus* root bark 425
 Sesquiterpenoids,
 cytotoxic, from an Ascomycete 375
 eremophilane, from *Pedicularis* 1411
 eudesmane,
 from *Artemisia* 815
 from *Pluchea* 417
 from *Acorus*, as germination inhibitors 1175
 from *Entandrophragma* 811
 from *Herbertus* liverworts 1245
 from *Heteroscyphus* cultured cells 83
 from *Lophocolea* 1055
 from *Porella* 1285
 from *Preissia* 629
 fungistatic, from *Parthenium* 67
 produced by transformed tobacco cell cultures 1235
Sideritis huber-morathii, ent-kaurane diterpenoids from 1293
 Simaroubaceae 279, 409, 857
Skimmia wallichii, cyclotetracyclic triterpenes from 643
Smilax officinalis, steroidal saponins from 465
 Solanaceae 115, 323, 461, 481, 593, 661, 705, 709, 727, 753, 773, 913, 1069, 1183, 1195, 1235, 1319
Solanum arboreum, 3-aminospirosolane alkaloids from 913
S. indicum, steroidal glycosides from 1319
S. malacoxylon, 7-dehydrocholesterol from 773
S. spirale, steroidal alkaloids from 705
S. torrum, steroidal glycosides from 1069

- S. tuberosum*,
ether-linked ferulic acid amides in periderms of 1195
methyl ester of tuberonic acid glucoside from 727
Sophora flavescens, absorption by cork of prenylated flavanones in cultures of 603
Sorghum, mitochondrial F₁ ATPase from 561
S. bicolor,
cyanogenic diglucoside from 569
fructose 2,6-bisphosphate-modulated photosynthesis in 319
Spermidine conjugates, from *Quercus* pollen 487
Spinacia oleracea, gibberellins GA₉₇-GA₉₉ from 23
Spodoptera littoralis, *Lathyrus* non-protein amino acids as feeding deterrents to 1003
S. litura, biotransformation of lignans in 1217
Sporobolus stapfianus, sugar biotransformations by fungi on leaves of 741
Stachys officinalis, phenylethanoid glycosides from 475
Staurogyne merguensis, taste-modifying triterpene glycosides from 1023
Stearidonic acid, distribution and biosynthesis of in *Borago* leaves 381
Steroidal glycosides,
from *Liriope* 201
from *Solanum* 1069, 1319
Sterols, from *Teucrium* 613
Stilbenoids,
from *Anigozanthos* and *Musa* 471
from *Dendrobium* 207
Structure-activity observations, in bee pollen flavonoids 763
Strychnaceae 1125
Strychnos guianensis, alkaloid from 1125
S. panganensis, alkaloids from root bark of 897
Sugar biotransformations, by fungi on leaves of resurrection plant 741
Syringolide 1 ketals and esters, synthesis of, for receptor studies 1219
Syzygium aromaticum, ellagitannins from 1345
- T**
Tannins,
condensed, differential inhibition of eukaryote protein kinases by 359
hydrolysable, from *Rosa rugosa* 535
Taxaceae 95, 313, 439, 639, 839
Taxanes,
from *Taxus* 313, 439, 639, 839
from *Taxus* cuttings, accumulation of into culture medium 95
Taxus baccata, abeo-taxane from 313
T. mairei, taxanes from 839
T. × media,
taxanes from 439
taxanes in culture medium of cuttings of 95
T. yunnanensis, taxane oxide from 639
Teixidol, from *Taxus* 313
Tephrosia hookeriana, flavone from 315
Terpenoids,
acyclic, biotransformation of by *Glomerella* 105
bioactive, from *Brucea* 409
from *Rosa rugosa* 535
pingsane and sacculatane, from *Porella* 1249
Teucrium,
neo-clerodane diterpenoids from 435
sterols from 613
Thapsia villosa, essential oils from chemotypes of 609
Thetvetia peruviana, dinormoterpenoids and their apiosylglucosides from 161
Triacylglycerols, in *Fucus*, seasonal variations of 49
Tribenzylbutyrolactone, from *Kyrtuthrix* 1083
Trichilia havanensis, seco-limonoid from 457
- Triterpenoid
alcohols, anti-inflammatory, from Compositae flowers 1255
esters, from *Zizyphus* 847
glycosides,
from *Ilex* 443
from *Schefflera* 1307, 1313
taste-modifying, from *Staurogyne* 1023
Triterpenoids,
9,19-cyclotetracyclic, from *Skimmia* 643
from *Lithospermum* leaf and stem 1303
from *Salacia* 843
from *Schefflera* 1307
nor-, phenolic, antibiotic, from *Maytenus* 129
novel class of, from *Dichapetalum* 649, 657
pentacyclic, from *Phytolacca* roots 179
tetracyclic, from *Abies* 853
Triticum, biological activity of benzoxazinoids from 551
T. aestivum, involvement of polyamines in rust resistance of 1009
T. durum, proteinase hydrolyzing gliadin during germination of 39
Trypsin/chymotrypsin iso-inhibitors, from *Festuca* seed 983
Trypsin inhibitors, in *Fagopyrum*, amino acid sequences of 327
Tuber melanosporum, partial structures of melanins from 1103
Tuberonic acid glucoside, methyl ester of, in potato 727
Tyrosinase isoforms, from *Agaricus* fruiting bodies 333
- U**
Ulmaceae 425
Ulmus davidiana, sesquiterpene *O*-naphthoquinones from 425
Umbelliferae 165, 609, 881, 885, 1065, 1145, 1157
Ustilago maydis, phenylalanine ammonia-lyase from 351
Uraria tonkinensis, acetogenins from 793
- V**
Vaccinium vitis-idaea, cinnamic acid esters from 481
Veratrum album, steroidal alkaloids from 907
Verbascoside-type glycosides, from Gesneriaceae 777
Verbascum phlomoides, iridoid ester glycosides and saponins from 1281
Vernonia galamensis, flavonol glycosides from 283
Viola surinamensis, lignans, γ -lactones and propiophenones from 1089
Vitaceae 509, 621
Vitis vinifera,
(*E*)-6,9-dihydroxymegastigma-4,7-dien-3-one glycosides from 621
polymeric proanthocyanidins from 509
Volatiles,
from beech leaves 759
in leaves of genetically engineered tomatoes 753
- W**
Water stress, effects of on photosynthetic sucrose formation in *Sorghum* leaves 319
Waxes, in leaves of genetically engineered tomatoes 753
Winteraceae 1201
- X**
Xanthones,
from *Calophyllum* 681
from *Hypericum* 513
prenyl, from *Garcinia* 1099

Z	<i>Zingiber officinale</i> , cyclic diarylheptanoids from	273
<i>Zea mays</i> ,	Zingiberaceae	273, 305, 665
<i>p</i> -coumaroylated syringyl units in lignin of	<i>Zizyphus jujuba</i> , triterpene esters from	847
oxidation of acetylpolyamines by polyamine oxidase	<i>Z. vulgaris</i> , cyclopeptide alkaloid from	701
from		339