

# SUBJECT INDEX

- Abscisic acid, revision of nomenclature of precursor of 977  
 Abscisic acid analogue, with 3'-thioether linker arm, activity of 215  
*Acacia auriculiformis*, triterpenoid saponins from 137  
*A. caffra*, 7,8,4'-trihydroxyflavan-epioritin dimer from 529  
 Acanthaceae 125  
 Acetogenins,  
   from *Ammonia* 1537, 1541  
   from *Porcella*, stereochemistry determination of 523  
 Acetophenones,  
   from *Cynanchum*, revised structure for 1359  
   induced as phytoalexin, in papaya fruit 255  
   phenolic, from *Artemisia* 555  
 Acetovanillone, formation of  $\alpha$ -hydroxyacetovanillone from, in *Solanum* 865  
 Acetyl-CoA carboxylase, from *Poa*, graminicide-binding by 399  
*Achillea millefolium*, betaines and free proline in 1067  
 Adenine phosphoribosyltransferase activity, in male sterile *Brassica* 377  
 Adenosine 3',5'-cyclic monophosphate, in *Lilium* flowers 769  
*Adina rubella*, triterpenoid glycosides from 1139  
 Agavaceae 107  
*Aglaia duppereana*, insecticidal rocaglamides from 1455  
 Aizoaceae 719  
 Alangiaceae 1551  
*Alangium premnifolium*, water-soluble phenolic glycosides from 1551  
 Algae 671, 1071, 1087, 1507  
 Alismataceae 1547  
 Alkaloid glycosides, steroidal, from *Solanum* 731  
 Alkaloids,  
   aporphine, from *Cissampelos* 959  
   biochemical activities of 257  
   bisbenzylisoquinoline, from *Isopyrum* 1591  
   diterpenoid, from *Consolida* 739  
   ergot, from *Claviceps* 365  
   from *Cephalotaxus* 735  
   from *Piper* 727  
   insecticidal, from *Schoenocaulon*, partial synthesis of 1257  
   loline, in endophyte-infected *Festuca*, 51  
   macrocyclic lactam, from *Verbascum* 971  
   piperidine, from *Piper* 559  
   pyrrolizidine, from *Messerschmidia* 545  
   quinoline, from *Psychotria* 963  
   4-quinolone, from *Samadera* 1109  
   steroidal, from *Solanum* 537  
 5-Alkylresorcinols, from *Ononis* 1559  
 Alliaceae 949  
*Allium neapolitanum*, flavonoids from 949  
*Aloe microstigma*, anthrones from 1271  
 Aloaceae 1271  
*Amanita muscaria*, formation of betalamic acid and muscaflavin by recombinant DOPA-dioxygenase from 567  
 Amides, from *Zanthoxylum* fruits 1125  
 Aminoaldehyde dehydrogenase, from pea epicotyls 997  
 $\gamma$ -Aminobutyric acid, rapid determination of 1007  
*Ammodaucous leucotrichus*, guaianolide from 907  
 8-Amorphene, enantiomers of, from *Leptospermum* and vetiver oil 1291  
 $\alpha$ -Amylase isoenzyme expression, regulation of, in *Araucaria* 1401  
 Anabaenopeptin B, from *Oscillatoria* 449  
*Anaxagoria clavata*, neolignans from 345  
 Ancistrocladaceae 549  
*Ancistrocladus cochinchinensis*, tetralones from 549  
*Anemone hupehensis*, triterpenoid saponins from 333  
*Angelica dahurica*,  
   antimicrobial activity of coumarins and ferulic acid from 887  
   CNS-active furanocoumarins from 1121  
*Annona glauca*, acetogenin from 1537  
*A. muricata*, acetogenins from roots of 1541  
 Annonaceae 315, 345, 359, 523, 1537, 1541  
 Anthocyanins,  
   acylated, from purple sweet potato 183  
   from red wine 1375  
 Anthraquinones, chlorination of by lichen and fungal enzymes 271  
 Anthrones, from *Aloe* 1271  
 Aphidicolin, biosynthesis of in *Cephalosporium* 1055  
 Apocynaceae 69, 329, 609, 615  
 Araliaceae 931  
*Araucaria araucana*, regulation of  $\alpha$ -amylase isoenzyme expression in 1401  
 Araucariaceae 1401  
 Arbuscular mycorrhizal fungus-induced changes, in barley root secondary compounds 581  
*Archilejeunea olivacea*, volatiles from 1261  
*Armillaria tabescens*, sesquiterpene aryl esters from 1473  
*Armoracia rusticana*, glucosinolate contents of regenerated plantlets from 1469  
*Artemisia annua*, phenolic acetophenone from 555  
*A. arborescens*, sesquiterpene lactones and lignans from 1133  
 Asclepiadaceae 145, 917, 1359  
 L-Ascorbic acid, mechanism of oxidative cleavage of, in *Pelargonium* 805  
*Asparagus racemosus*, 9,10-dihydrophenanthrene from 763  
 Aspartic proteinase  
   inhibitors, jasmonic acid inducible, from potato 1001  
   levels, in angiosperm seeds 389  
*Aspergillus flavus*, metabolism of prenylated flavonoids by 1031  
*A. niger*, microbial transformation of ( $\pm$ )-eudesmin by 1479  
*Aster lingulatus*, triterpenoid saponins from 337  
*Avena sativa*, effects of DIBOA on plasma membrane H<sup>+</sup>-ATPase activity in 979  
*Azorella compacta*, diterpenoids from 649
- B**  
*Baccharis ochracea*, diterpene from 755  
 Bacteria 449, 817, 1503  
*Ballota nigra*, phenylpropanoid glycoside from 691  
 Benzofurans, insecticidal, from *Aglaia* 1455  
 Benzoquinones,  
   from *Embelia* 679  
   from *Polygonatum* 1369  
 Benzoxazinoid glucoside, from *Triticum* 639  
 1,4-Benzoxazin-3-ones, effects of on plasma membrane H<sup>+</sup>-ATPase 979  
 Berberidaceae 23, 497  
 Berberine, biochemical activities of 257  
*Beta vulgaris*,  
   alteration of betaxanthin pattern of hairy roots from, by amino acid feeding 847

- dehydrodiferulic acids from pulp of 1365
- Betaine profiles, in *Achillea* 1067
- Betalamic acid, formation of by recombinant DOPA-dioxygenase from *Amanita* 567
- Betaxanthin profile, of *Beta* hairy roots, alteration of by amino acid feeding 847
- Bibenzyl glucosides, from *Pleione* 1565
- Bibenzyls, from *Bulbophyllum* 157, 167
- Bichroman, from *Pleione* 341
- Biflavonoids, from *Pentagramma* farinose exudate 705
- Bignoniaceae 687
- Biochemical activity, of alkaloids, mediating chemical defence 257
- Biological activity,
  - of plant polyphenols 441
  - of synthetic triterpenoid and steroid glycosides 299
- Biologically active compounds,
  - anti-AIDS triterpenes, from *Celastrus* 1275
  - antibacterial abietane diterpenoids, from *Plectranthus* 325
  - antimicrobial coumarins, from *Angelica* 887
  - antitumour triterpenes, from *Celastrus* 1275
  - auxin-protecting polyphenols, from *Castanea* 41
  - central nervous system active furanocoumarins, from *Angelica* 1121
  - cytostatic steroidal glycosides, from *Hosta* underground parts 305
  - cytotoxic
    - abietane diterpenoids, from *Caryopteris* 759
    - cytochalasins, from *Xylaria* 1443
    - triterpenes, from *Cleome* 1115
  - insect antifeedant *neo*-clerodanes, from *Scutellaria* 593
  - insect moult inhibiting limonoids, from *Citrus* 843
  - insecticidal rocaglamides, from *Aglaia* 1455
  - leukotriene D<sub>4</sub> antagonistic *abeo*-abietanes, from *Tripterium* 1511
  - phytoalexin,
    - acetophenone, from papaya 255
    - diterpenoid, from rice 249
  - phytotoxic
    - hexaketide, from *Phoma* 1041
    - lactone, from *Xylaria* 1443
    - macrolide, from *Phoma* 1041
  - platelet aggregation inhibitory glycolipid, from *Oltmannsiellopsis* 1507
  - trypsin inhibitor, from *Medicago*, active against insect larvae 393
- Biosynthesis,
  - of aphidicolin, in *Cephalosporium* 1055
  - of betaxanthins, in *Beta* 847
  - of brassinolide, in *Catharanthus* 609
  - of caffeine, in *Coffea*, *N*-methyltransferases involved in 853
  - of chlorinated anthraquinones, from emodin, by lichen and fungal enzymes 271
  - of flavan-3-ols, by *Onobrychis* leaf extracts 425
  - of humulone, in hop plants 1047
  - of 4-hydroxyisoleucine, in *Trigonella*, dioxygenase involved in 563
  - of oosponol and oospoglycol, in *Gloeophyllum* 267
  - of shikonin, in *Lithospermum*, involvement of prenyltransferases in 419
  - of styrylpyrones, in *Equisetum* 275
- Biotransformation,
  - of camphorquinones, by *Glomerella* 79
  - of deacetylannatocide C, by *Digitalis* cultures 1061
  - of (±)-eudesmin to (-)-pinoselinol, by *Aspergillus* 1479
  - of germacrane sesquiterpenoid, by suspension cultured *Lonicera* cells 627
  - of monoterpenoids, by suspension cultured *Catharanthus* cells 615
  - of β-selinene, by *Glomerella* 443
- Bis(bibenzyls), from *Jungermannia* 101
- Blackgram mottle virus, purification of, using Mg-bentonite 1237
- Boraginaceae 419, 545
- Boron-polysaccharide complex, from bamboo shoot cell walls 243
- Botryococcus*, similarities in hydrocarbon patterns in 1071
- B. braunii*, terpene epoxides from 671
- Brassica*, glucosinolates from flower buds of 1415
- B. campestris*, glucosinolate content of during clubroot disease development in 407
- B. napus*, cytokinin metabolism and adenine phosphoribosyltransferase activity in 377
- Brassinolide, alternative biosynthetic pathway of, in *Catharanthus* 609
- Brickellia kellermanii*, labdane diterpenes from 319
- Brosimum acutifolium*, flavans from 347
- Bulbophyllum protractum*, bibenzyls from 167
- B. vaginatum*, phenanthrenes, dihydrophenanthrenes and bibenzyls from 157
- Bupleurum fruticosum*, phenylpropanoids from 173
- Burseraceae 833
- Buxaceae 35
- Buxus sempervirens*, lignin structure in reaction wood of 35
- Byzantionosides, from *Stachys* 1335
- C
- Cadina-3,5-diene, enantiomers of, from *Leptospermum* and *Conocephalum* 1291
- Caffeine *N*-methyltransferase activities, in *Coffea* leaves, characterization of 853
- Caffeoyl CoA, enzymic synthesis of 605
- Caldariomyces fumago*, anthraquinone chlorination by chloroperoxidase from 271
- Camphorquinones, biotransformation of by *Glomerella* 79
- Candida albicans*, protective effect of iridals against saponin injury in 575
- Cannabidaceae 1047, 1575
- Capparaceae 1115
- Caprifoliaceae 627, 751
- Capsicum annum*, α-D-mannosidase from 383
- Carbonic anhydrases, from *Daucus* leaves and roots 1247
- Cardiac glycoside, biotransformation of, in *Digitalis* 1061
- Carica papaya*, acetophenone phytoalexin from 255
- Caricaceae 255
- Carotenoids,
  - in *Microcystis*, effect of irradiance on 817
  - in Prasinophyceae 1087
- Caryophyllaceae 69, 371, 925
- Caryopteris incana*, cytotoxic abietane diterpenoids from 759
- Castanea sativa*, polyphenols from, as IAA protectors 41
- Catharanthus roseus*,
  - alternative brassinolide biosynthetic pathway in 609
  - monoterpenoid biotransformation by cultured cells of 615
- Cd-phytochelatin complexes, formation of in plant cell cultures 69
- Cedrela odorata*, terpenoids and flavonoids from graft of 1449
- Celastraceae 1275, 1511, 1569
- Celastrus hindii*, antitumour and anti-AIDS triterpenes from 1275
- Cell wall constituents, *O*-feruloylated, from *Festuca* 1019
- Cembrane, from *Echinodorus* 1547
- Cephalosporium aphidicola*, biosynthesis of aphidicolin in 1055
- Cephalotaxaceae 735
- Cephalotaxus harringtonia*, alkaloids from 735
- Chemical resistance, of barley seeds to pathogenic fungi 415
- Chemotaxonomic studies,
  - of anthrones, in *Aloe* 1271
  - of betaine, in the *Achillea millefolium* group 1067

- of bis(bibenzyls), in *Jungermannia* 101  
of carotenoids, in Prasinophyceae 1087  
of cycloartanes, in *Illicium* 1099  
of diterpenoids, in *Fossombronia* 1495  
of *Dumortiera hirsuta* 293  
of essential oils,  
in Greek *Origanum* populations 883  
in New Zealand manuka and kanuka 1485  
of floral fragrance variation, in *Cypripedium* 875  
of hydrocarbon distribution patterns, in *Botryococcus* 1071  
of iridoids and secoiridoids, in *Gentiana* 633  
of labdanoids, in *Jungermannia* 101  
of limonoids and quassinoids, in *Samadera* 1109  
of monoterpenoid hydrocarbon enantiomers, in *Juniperus* populations 869  
of ocobullenone, in *Cryptocarya* and *Ocotea* 437  
of phenylpropanoids, in *Illicium* 1099  
of pregnane glycosides, in *Sansevieria* 107  
of sesquiterpenoids,  
in *Lippia dulcis* 1077  
in *Plagiochila* 89  
of volatiles,  
in *Concephalum* chemotypes 1265  
in Lejeuneaceae liverworts 1261  
Chenopodiaceae 571, 847, 1365, 1407  
*Chenopodium rubrum*, daily profile of melatonin in 1407  
Chlorination, of anthraquinones by lichen and fungal enzymes 271  
Chlorophyta 671, 1071, 1087, 1507  
Chromanone, optically active, from *Gynura* 553  
Chromenes, from *Evodia* 1175  
*Chrysanthemum morifolium*, sesquiterpenoid alcohols from 1287  
*Cicer bijugum*, 2-methoxy-judaicin from 1587  
*Cissampelos glaberrima*, aporphine alkaloid from 959  
Cistaceae 1301  
*Citrullus colocynthis*, C-p-hydroxybenzoylglucoflavones from 187  
*Citrus reticulata*, mosquito larval moult-inhibiting limonoids from 843  
*Clausena excavata*, coumarins from root bark of 179  
*Claviceps purpurea*, 8 $\alpha$ -hydroxy- $\alpha$ -ergokryptine from 365  
*Cleome africana*, cytotoxic triterpenes from 1115  
*Coffea arabica*, time course study of caffeine N-methyltransferase in 853  
Cohibins, from *Annona* roots 1541  
*Commiphora quadricincta*, effect of essential oils from on desert locust 833  
Compositae 113, 131, 311, 319, 337, 459, 465, 471, 479, 553, 555, 659, 755, 897, 1041, 1067, 1133, 1287, 1291, 1535  
*Conocephalum conicum*, volatiles from chemotypes of 1265  
*Consolida glandulosa*, diterpenoid alkaloids from 739  
Convolvulaceae 183  
4-Coumaric acid:CoA ligase, from aspen, used to synthesize caffeoyl CoA 605  
Coumarins,  
alkylated, from *Kayea* 939  
antimicrobial, from *Angelica* roots 887  
dimeric, from *Toddalia* 1383  
from *Clausena* root bark 179  
from *Murraya* 683  
4-Coumaroyl conjugate accumulation, in barley leaves, induced by methyljasmonate 589  
Cruciferae 11, 215, 377, 407, 1251, 1415, 1469  
*Cryptocarya latifolia*, absolute configuration of  $\alpha$ -pyrones from 935  
*C. liebertiana*, phytochemical relationship towards *Ocotea* 437  
Cucurbitaceae 187, 667, 1313  
*Culex quinquefasciatus*, *Citrus* limonoids inhibiting moult in larvae of 843  
*Cunila*, essential oil composition of 1283  
Cupressaceae 869, 1169  
Curdione, biotransformation of, by *Lonicera* 627  
N-Cyclohexylamides, from *Toddalia* 1383  
*Cymbalaria muralis*, iridoid from 1515  
*Cynanchum caudatum*, steroidal glycosides from 917  
*C. taiwanianum*, revised structures for acetophenones from 1359  
*Cypripedium*, variation in floral fragrance in 875  
Cytochalasins, cytotoxic, from *Xylaria* 1443  
Cytokinin metabolism, in male sterile *Brassica* 377
- D**  
Danielone, from papaya fruit, antifungal activity of 255  
*Daucus carota*, carbonic anhydrases from 1247  
Deacetylannoside C, biotransformation of, in *Digitalis* 1061  
*Derris scandens*, cAMP-dependent protein kinase inhibition by warangalone from 787  
*Dianthus caryophyllus*, cytosolic catabolites of H<sup>+</sup>-ATPase from 371  
DIBOA, effects of on plasma membrane H<sup>+</sup>-ATPase activity 979  
Dichapetalaceae 1129  
*Dichapetalum toxicarium*, fluorofatty acids in seed oil of 1129  
*Digitalis lanata*, biotransformation of deacetylannoside C in 1061  
Dihydrophenanthrenes, from *Bulbophyllum* 157  
*Dioscorea colletii*, furostanol glycoside from 1339  
Dioscoreaceae 1339  
Dioxygenase, from *Trigonella*, involved in 4-hydroxyisoleucine biosynthesis 563  
Diterpenoid  
biosynthesis, in *Cephalosporium* 1055  
ketone, fusicoccane, from *Hypoestes* 125  
phytoalexin, from rice cell suspension cultures 249  
Diterpenoids,  
abietane,  
cytotoxic, from *Caryopteris* 759  
from *Plectranthus* 325  
abeo-abietane, leukotriene D<sub>4</sub> antagonistic, from *Trip-terygium* 1511  
neo-clerodane, from *Scutellaria* 121, 593  
daphnane, from *Wikstroemia* bark 643  
from *Azorella* 649  
from *Baccharis* 755  
from *Fossombronia* 1495  
from *Hyalis* 479  
from *Nepeta* 475  
from *Salvia* roots 1297  
ent-halimane, from *Halimium* 1301  
hydroxyabieta-tetraenes, from *Salvia* 1393  
ent-kaurane, from *Jungermannia* 653  
ent-kaurane, from *Gochnatia* 659  
labdane,  
from *Brickellia* 319  
from *Jungermannia* 101  
rearranged abietane, from *Makinoa* 1523  
taxane, from *Taxus* 911, 1527  
tigliane, from *Euphorbia* 663  
Dolichantoside, confirmation of absolute configuration of by synthesis 1387  
Dolichols, distribution of in soybean plants 45  
*Drosera*, naphthoquinone glycoside as artefact from cultures of 75  
Droseraceae 75  
*Dumortiera hirsuta*, sesquiterpenoids from 293  
*Dysoxylum malabaricum*, ergostane steroid from 153
- E**  
Ecdysteroid xylosides, from *Limnanthes* 513  
*Echinodorus grandiflorus*, cembrane from 1547

- Eclipta alba*, taraxastane glycosides from 131  
*Elephantopus scaber*, sesquiterpene lactones from 113  
*Embelia angustifolia*, benzoquinones from 679  
*E. schimperi*, flavonol glycoside from 1397  
Empetraceae 1421  
*Empetrum nigrum*, geographical variations in seed oils from 1421
- Enzymes,  
acetyl-CoA carboxylase, graminicide-binding, from *Poa* 399  
adenine phosphoribosyltransferase, activity of in male sterile *Brassica* 377  
aminoaldehyde dehydrogenase, from pea epicotyls 997  
 $\alpha$ -amylase isoenzymes, regulation of expression of in *Araucaria* 1401  
aspartic proteinase, levels of in angiosperm seeds 389  
carbonic anhydrases, from *Daucus* leaves and roots 1247  
cytokinin oxidase, activity of in male sterile *Brassica* 377  
dioxygenase, from *Trigonella* 563  
flavonol dimethylallyl transferase, from *Epimedium* cell suspension cultures 23  
4-hydroxybenzoate prenyltransferase, in *Lithospermum* cell-free extracts 419  

-hydroxycinnamic acid:CoA ligase, from aspen xylem 605  
lactate dehydrogenase, from *Spinacia* 571  
 $\alpha$ -D-mannosidase, from *Capsicum* 383  
nitrate reductase, from *Sinapis*, regulation of activity of 11  
peroxidase, from *Hevea* bark 237  
polyphenol oxidase,  
from pear fruits, monophenolase activity of 17  
laccase-type, from lignifying xylem of tobacco 229  
*Epimedium diphyllosum*, flavonol dimethylallyl transferase from 23  
*Equisetum arvense*, styrylpyrone biosynthesis in 275  
*Erwinia carotovora*, stem cell walls of potato resistant to 1435  
*Erythrina sigmoidea*, triterpenoid saponins from 1151  
Essential oil composition,  
in *Cunila* 1283  
of *Commiphora*, effect of on maturation of desert locust 833

Essential oils,  
from manuka and kanuka chemotypes 1485  
in Greek oregano collected in autumn 883

Ethylene production, in aged potato slices, stimulation of by salicylic acid 221  
*Eucalyptus globulus*, triterpenoids from 1309  
( $\pm$ )-Eudesmin, microbial transformation of by *Aspergillus* 1479  
*Eugenia uniflora*, macrocyclic hydrolysable tannin dimers from 1343  
*Euphorbia fischeriana*, diterpenoids from 663  
Euphorbiaceae 237, 663  
*Evodia lepta*, chromenes from 1175

**F**  
Fagaceae 41, 1399  
Farnesol derivative, from *Tanacetum* 311  
Fatty acids,  
fluoro, from *Dichapetalum* seed oil 1129  
in *Microcystis*, effect of irradiance on composition of 817  
Ferulic acid, dehydrodimers of, from sugar-beet pulp 1365  
*Festuca arundinacea*, *O*-feruloylated oligosaccharides in arabinoxylans from 1011, 1019  
*F. pratensis*, endophyte-infected, loline alkaloids in 51  
Flavan-epiornitin dimer, from *Acacia* 529  
Flavan-3-ol biosynthesis, in *Onobrychis* leaf extracts 425  
Flavanones,  
benzylated, from *Uraria* 359  
from *Iris* 711  
Flavans, from *Brosimum* 347

Flavone  
accumulation, in elicited alfalfa cultures treated with methylation inhibitor 285  
glycosides, from *Peganum* 533  
*C*-glycosides, *C*-*p*-hydroxybenzylated, from *Citrus* 187  
*C*-methyl-, from *Trianthema* 719  
Flavones, from *Tanacetum* 311

Flavonoids,  
enzymic *O*-methylation of, in alfalfa and licorice cultures 991  
external, from *Nothofagus* leaflets 1399  
from *Allium* 949  
from *Cedrela* graft, and resistance against *Hypsipyla* 1449  
from *Friesodielsia* 315  
from *Hypericum* 943  
from *Paeonia* 141  
from *Scutellaria* hairy root cultures 83  
from *Vernonia* 1535  
prenylated,  
from hop 1575  
fungal metabolism of 1031  
Flavonol dimethylallyl transferase, from *Epimedium* 23  
Flavonol glycosides,  
from *Embelia* 1397  
from lipophilic leaf exudate of *Nothofagus* 1399  
Floral fragrance variation, in *Cypripedium* 875  
*Fossombronina alaskana*, diterpenoids from 1495  
*Friesodielsia enghiana*, bisabolene sesquiterpenes and flavonoids from 315  
Fungi 7, 51, 79, 249, 255, 267, 365, 433, 567, 581, 599, 1031, 1041, 1055, 1429, 1435, 1443, 1473, 1479  
Furanocoumarins, with activity on the central nervous system, from *Angelica* 1121

**G**  
*Ganoderma lucidum*, lectin from mycelium of 7  
*Gentiana linearis*, iridoids and secoiridoids from 633  
Gentianaceae 633  
Gentrogenin glycoside, from *Polygonatum* 1369  
Geraniaceae 805  
Glaucafilin, from *Annona* 1537  
*Gloeophyllum abietinum*, biosynthesis of oosponol and oosporoglycol from 267  
*Glomerella cingulata*,  
biotransformation of camphorquinones by 79  
biotransformation of  $\beta$ -selinene by 433  
*Glomus intraradices*, secondary compound accumulation changes in barley roots induced by 581  
Glucosinolate content,  
in Chinese cabbage varieties during clubroot disease development 407  
of horseradish regenerated plantlets 1469  
Glucosinolates,  
[ $\alpha$ -<sup>14</sup>C]-desulphophenethyl-, metabolism of in *Nasturtium* 1251  
from Portuguese *Brassica* flower buds 1415  
*Glycine max.*,  
distribution of polyprenols and dolichols in 45  
rapid determination of  $\gamma$ -aminobutyric acid in 1007  
trigonelline accumulation in salt-stressed leaves of 1037  
Glycolipid, inhibiting platelet aggregation, from *Olmanssiellopsis* 1507  
*Glycyrrhiza echinata*, enzymic *O*-methylation of licodione in 991  
*Gochmatia polymorpha*, ent-kaurane diterpenes from 659  
*Gossypium hirsutum*,  
cell wall reinforcement in, in response to *Verticillium* elicitor 811  
induced defence response in, by *Verticillium* elicitors 1429  
Gramineae 29, 51, 243, 249, 399, 415, 581, 589, 599, 639, 775, 781, 979, 1011, 1019

- Graminicide-binding, by acetyl-CoA carboxylase from  
*Poa* 399
- Guttiferae 939, 943, 1065
- Gynostemma pentaphyllum*, dammarane glycosides from 667
- Gynura formosana*, optically active chromanone from 553
- H**
- H<sup>+</sup>-ATPase catabolites, cytosolic, in carnation petals 371
- Halimium viscosum*, hydrohalimic acids from 1301
- Hemidesmus indicus*, pregnane glycosides from 145
- Hepaticae 89, 101, 293, 453, 653, 1261, 1291, 1495, 1523  
volatiles from 1261
- Hevea brasiliensis*, peroxidase from 237
- Homoisoflavanone,  
from *Polygonatum* 1369  
from *Pterocarpus* 765
- Hop  $\alpha$ -acid, biosynthesis of 1047
- Hordeum vulgare*,  
arbuscular mycorrhizal fungus-induced secondary compound changes in 581  
chemical basis of fungal resistance of 415  
methyljasmonate-induced accumulation of 4-coumaroyl conjugates in 589
- Hosta plantaginea*, cytostatic activity of steroidal glycosides from 305
- Humulus lupulus*,  
humulone biosynthesis in 1047  
prenylflavonoids from 1575
- Hyalis argentea*, diterpenes from 479
- Hydrocarbon distribution patterns, in *Botryococcus* 1071
- 4-Hydroxybenzoate prenyltransferases, from *Lithospermum* cell cultures 419
- Hydroxycinnamoyl residues, transfer of to microsomal proteins from parsley 225
- Hypericum geminiflorum*, chalcones, flavan and other phenolics from 943
- H. patulum*, prenylated xanthone from cultures of 1065
- Hypoestes forskalei*, fusicoccane diterpene ketone from 125
- Hypsipyla grandella*, induced resistance of *Cedrela* graft against 1449
- I**
- Illiciaceae 1099
- Illicium dunnianum*, phenylpropanoids, neolignans and cycloartanes from 1099
- Induced defence response, in cotton, by *Verticillium* elicitors 1429
- Ipomoea batatas*, acylated anthocyanins from 183
- Iridaceae 575, 711
- Iridals, from *Iris*, protective effect of, against saponin injury in *Candida* cells 575
- Iridoid glucosides,  
from *Cymbalaria* 1515  
from *Gentiana* 633  
from *Viburnum* 751
- Iris pallida*, protective effect of iridals from, against saponin injury 575
- I. tenuifolia*, flavanones from 711
- Irradiance, effect of, on compound composition in *Microcystis* 817
- Isodolichantoside, confirmation of absolute configuration of by synthesis 1387
- Isoflavanones, from *Sophora* roots 715
- Isoflavene, from *Cicer* roots 1587
- Isoflavonoids,  
from *Derris*, inhibition of cyclic AMP-dependent protein kinase by 787  
in white lupin, effects of elicitors on 1463
- Isoliquiritigenin, enzymic *O*-methylation of in alfalfa cultures 991
- Isopteritenone metabolism, in *Mentha* cell suspension cultures 623
- Isopyrum thalictroides*, bisbenzylisoquinoline alkaloids from 1591
- J**
- Jasminum lanceolarium*, secoiridoid glucosides from 891
- Jasmonic acid, induction of aspartic proteinase inhibitors in potato by 1001
- Jungermannia*, labdanoids and bis(benzyls) from 101
- J. rotundata*, ent-kaurane diterpenoids from 653
- Juniperus communis*, enantiomers of monoterpene hydrocarbons from 869
- J. phoenicea*, phenylpropanoids from 1169
- K**
- Kayea assamica*, alkylated coumarin from 939
- Khaya senegalensis*, limonoids from 1157
- Kunzea sinclairii*, essential oils from 1485
- L**
- Labiatae 83, 117, 121, 325, 475, 593, 623, 691, 883, 935, 1283, 1297, 1335, 1393
- Lactate dehydrogenase, evaluation of role of in oxalate synthesis 571
- Laggera pterodonta*, eudesmane sesquiterpenes from 459
- Lauraceae 437, 935
- Lectin, from *Ganoderma* mycelium 7
- Leguminosae 45, 137, 285, 393, 425, 505, 529, 563, 715, 765, 787, 805, 979, 985, 991, 997, 1007, 1037, 1151, 1237, 1329, 1463, 1559, 1587
- Leontice kiangnanensis*, triterpene saponins from 497
- Lepidozia reptans*, sesquiterpene alcohol from 453
- Leptospermum scoparium*,  
cadina-3,5-diene and  $\delta$ -amorphene enantiomers from 1291  
essential oils from chemotypes of 1485
- Lichenes 271
- Licodione, enzymic *O*-methylation of in licorice cultures 991
- Lignans,  
from *Artemisia* 1133  
from *Myristica* 699  
from *Pleione* 341  
from *Tsuga* 1351  
from *Virola* 1179
- Lignification increase, in cotton, in response to *Verticillium* elicitor 811
- Lignin structure, in *Buxus* reaction wood 35
- Liliaceae 305, 763, 769, 1257, 1369
- Lilium*, evidence of cAMP in flower tissues of 769
- Limnanthaceae 513
- Limnanthes douglasii*, ecdysteroid xylosides from 513
- Limonoids,  
from *Citrus*, moult-inhibiting activity of in mosquito larvae 843  
from *Khaya* 1157  
from *Samadera* 1109
- Lippia dulcis*, terpenoid composition in 1077
- Lithospermum erythrorhizon*, 4-hydroxybenzoate prenyltransferases in 419
- Lonicera japonica*, biotransformation of germacrane by 627
- Lupinus albus*, effects of elicitors on accumulation of iso-flavonoids in 1463
- Lycopersicon esculentum*,  
triterpenoids and sterol glucoside from cultures of 861  
two isoforms of thaumatin-like protein from 1241
- M**
- Maesa ramentacea*, triterpenoid saponin from 491
- Makinoa crispata*, rearranged abietane diterpenoid from 1523
- Malus sylvestris*, highly-polymerized procyanidins from skin and pulp of 351

- Malvaceae 811, 1429  
 $\alpha$ -D-Mannosidase, from *Capsicum* 383  
*Medicago sativa*,  
   enzymic O-methylation of isoliquiritigenin in 991  
   flavone instead of isoflavone biosynthesis in elicited plants of 285  
*M. scutellata*, bioactive trypsin inhibitor from 393  
 Megastigmane glycosides,  
   from *Salvia* 117  
   from *Stachys* 1335  
 Melatonin, daily profile of in *Chenopodium* 1407  
 Meliaceae 153, 1157, 1449, 1455  
 Menispermaceae 749, 959  
*Mentha piperita*, isopiperitenone metabolism in cell suspension cultures of 623  
*Messerschmidia argentea*, pyrrolizidine alkaloids from 545  
 2-Methoxyjudaicin, from *Cicer* roots 1587  
 Methyl gallate, from *Castanea*, as auxin protector 41  
 Methyljasmonate, induction of 4-coumaroyl conjugate accumulation in barley by 589  
 2-Methylnaphthazarin 5-O-glucoside, from *Drosera* methanol extracts 75  
*Microcystis aeruginosa*, effect of irradiance on fatty acids, carotenoids and proteins in 817  
*Mimusops elengi*, triterpenoid saponins from 1145  
*Momordica charantia*, triterpenes, sterol and monocyclic alcohol from 1313  
 Monocyclic alcohol, from *Momordica* 1313  
 Monoterpenoid  
   biotransformation, by *Catharanthus* cultured cells 615  
   hydrocarbons, enantiomers of, in *Juniperus* essential oils 869  
 Moraceae 347  
 Muralioside, from *Cymbalaria* 1515  
*Murraya paniculata*, cinnamates and coumarins from 683  
 Muscaflavin, formation of by recombinant DOPA-dioxygenase from *Amanita* 567  
 Musci 1265  
*Myristica dactyloides*, lignans from 699  
 Myristicaceae 699, 1179  
 Myrsinaceae 491, 679, 1397  
 Myrtaceae 1291, 1309, 1343, 1485
- N**  
 Naphthoquinone glycoside, as artefact from *Drosera* cultures 75  
*Nasturtium officinale*, metabolism of [ $\alpha$ - $^{14}$ C]-desulphophenethylglucosinolate in 1251  
 Neolignans, from *Anaxagorea* 345  
*Nepeta septemcrenata*, diterpene from 475  
*Nephroma laevigatum*, chlorination of anthraquinones by enzymes from 271  
*Nerium oleander*, triterpenoids from 329  
*Newbouldia laevis*, phenylpropanoid glycosides from 687  
*Nicotiana tabacum*,  
   laccase-type polyphenol oxidase from lignifying xylem of 229  
 1-O-nicotinoyl- $\beta$ -D-glucopyranose from cultured cells of 1483  
   sterol and polyamine contents in *ipt*-transformed plants of 797  
 1-O-Nicotinoyl- $\beta$ -D-glucopyranose, from cultured tobacco cells 1483  
 Nitrate reductase activity, in *Sinapis*, regulation of 11  
*Nothofagus antarctica*, flavonoid aglycones and glycosides from leaf exudate of 1399
- O**  
 Ocobullenone, from *Cryptocarya liebertiana* 437  
 Oleaceae 891  
 Oligosaccharides, O-feruloylated, as xylan side-chains in *Festuca* 1011, 1019  
*Oltmannsiellopsis unicellularis*, monogalactopyranosyl acylglycerol from 1507  
*Onobrychis vicifolia*, flavan-3-ol biosynthesis in leaf extracts of 425  
*Ononis natrix*, 5-alkylresorcinols from 1559  
 Oosonol, from *Gloeophyllum*, biosynthesis of elucidated by  $^{13}$ C NMR 267  
 Orchidaceae 157, 167, 341, 875, 1565  
*Origanum vulgare*, essential oils from 883  
*Oryza sativa*,  
   antifungal activity of diterpenoid phytoalexin from 249  
   phytoalexin response in different cultivars of 599  
*Oscillatoria agardhii*,  
   anabaenopeptin B from 449  
   chlorine-containing linear tetrapeptide from 1503  
*Oxytropis bicolor*, triterpenoid saponins from 505
- P**  
*Paeonia lactiflora*, triterpenoids and flavonoids from 141  
 Paeoniaceae 141  
 Palmatine, biochemical activities of 257  
*Panax ginseng*, dammarane glycoside from 931  
*Pastinaca sativa*, phenological changes in primary and secondary chemistry in 825  
 Pectins, highly methylated, in stem cell walls of potato resistant to blackleg 1435  
*Peganum harmala*, flavone glycosides from 533  
*Pelargonium*, mechanism of oxidative cleavage of L-ascorbic acid in 805  
*Pentagramma triangularis*, biflavonoids from 705  
 Peptide, cyclic, from *Oscillatoria* 449  
 Peroxidase, from *Hevea* bark 237  
*Petroselinum crispum*, transfer of hydroxycinnamoyl residues to microsomal proteins of 225  
*Phaseolus aureus*, heat shock proteins from hypocotyl of 985  
*P. vulgaris*, purification of blackgram mottle virus from 1237  
 Phenanthrenes,  
   9,10-dihydro-, from *Asparagus* 763  
   from *Bulbophyllum* 157  
 Phenolic glycosides, water-soluble, from *Alangium* 1551  
 Phenolics,  
   from *Hypericum* 943  
   from *Picea* galls and shoots 59  
 Phenylethanoids, from *Scutellaria* hairy root cultures 83  
 Phenylpropanoid glycosides,  
   from *Ballota* 691  
   from *Newbouldia* 687  
   from *Sparganium* 695  
 Phenylpropanoids,  
   from *Bupleurum* 173  
   from *Illicium* 1099  
   from *Juniperus* 1169  
   from *Murraya* leaves 683  
*Phoma putaminum*, phytotoxic macrolide and hexaketide from 1041  
 Phospholipids, from outer membrane of maize mitochondria 29  
*Phyllostachys edulis*, boron-rhamnolacturonan-II complex from cell walls of 243  
*Physalis peruviana*, 28-hydroxywithanolide E from 509  
 Phytoalexin, from papaya fruit 255  
 Phytoalexin response, in different rice cultivars 599  
 Phytocassane E, from rice cell suspension cultures, antifungal activity of 249  
 Phytotoxins,  
   from *Phoma* 1041  
   from *Xylaria* 1443  
*Picea glauca*, phenolics from galls and shoots of 59  
 Pinaceae 59, 1351  
 (-)-Pinoresinol, enantioselective accumulation of, through biotransformation 1479

- Piper puberulum*, alkaloids from 727  
*P. tuberculatum*, piperidine alkaloid from 559  
Piperaceae 559, 727  
*Pisum sativum*, aminoaldehyde dehydrogenase from 997  
*Pithecellobium dulce*, oleanane glycosides from 1329  
*Plagiochila*, plagiochilines and other sesquiterpenoids from 89  
*Plectranthus grandidentatus*, abietane diterpenoids from 325  
*Pleione bulbocodioides*,  
  bibenzyl glucosides from 1565  
  lignans and bichroman from 341  
*Poa annua*, graminicide-binding by acetyl-CoA carboxylase from 399  
Polyamine contents, in *ipt*-transformed tobacco plants 797  
*Polycarpon succulentum*, hopane-type saponins from 925  
*Polygonatum alve-lobatum*, benzoquinones and homoisoflavanone from 1369  
Polypeptides, from outer membrane of maize mitochondria 29  
Polyphenol oxidase,  
  from Blanquilla pear, monophenolase activity of 17  
  laccase-type, from lignifying xylem of tobacco 229  
Polyphenols, selective binding of to protein 441  
Polyprenols, distribution of in soybean plants 45  
*Populus tremuloides*, 4-coumaric acid:CoA ligase from 605  
*Porcellia macrocarpa*, <sup>13</sup>C NMR spectroscopy of acetogenins from 523  
*Prasinococcus capsulatus*, carotenoids in 1087  
Pregnane glycosides,  
  from *Hemidesmus* 145  
  from *Sansevieria* 107  
Primary chemistry, development profile of, in *Pastinaca* 825  
Procyanidins, highly-polymerized, from cider apple skin and pulp 351  
Protein kinase, cAMP-dependent, inhibition of by waringalone and robustic acid 787  
Protein NP24 isoforms, from tomato fruit 1241  
Protein phosphorylation, in wheat,  
  induction of by blue light 775  
  modulation of by light and calcium 781  
Proteins, heat shock, from mung bean hypocotyl 985  
*Psychotria glomerulata*, quinoline alkaloids from 963  
*Pteridium aquilinum*, illudane sesquiterpene glucosides from 901  
Pteridophyta 275, 705, 901  
*Pterocarpus marsupium*, homoisoflavanone from 765  
*Punica granatum*, triglyceride from 1391  
Punicaceae 1391  
Putaminoxins, from *Phoma* 1041  
*Pyramimonas amylicifera*, carotenoid from 1087  
Pyrenes, oxygenated, and their potential biosynthetic precursor, from *Urvia* 359  
 $\alpha$ -Pyrones, from *Cryptocarya* and *Syncolostemon*, absolute configuration of 935  
*Pyrus communis*, monophenolase activity of polyphenol oxidase from 17
- Q**  
Quassinoid, from *Samadera* 1109
- R**  
Ranunculaceae 333, 739, 1591  
*Rauwolfia serpentina*, formation of Cd-phytochelatin complexes in cultures of 69  
Rhamnaceae 1321  
RNA virus, purification of, using Mg-bentonite 1237  
Rocaglamides, insecticidal, from *Aglaita* 1455  
Rosaceae 17, 351, 1421  
Rubiaceae 853, 963, 1139  
*Rubus chamaemorus*, geographical variations in seed oils from 1421  
Rutaceae 179, 683, 843, 1125, 1175, 1383
- S**  
Salacia lehmbachii, stilbenes from 1569  
Salicaceae 605  
Salicylic acid, effect of, on ethylene formation in aged potato 221  
*Salvia nemorosa*, megastigmane glycosides from 117  
*S. sclarea*, diterpenoids from roots of 1297  
*S. tchihatcheffii*, di- and triterpenes from 1393  
*Samadera bidwillii*, limonoid, quassinoid, lignans and alkaloids from 1109  
Sanguinarine, biochemical activities of 257  
*Sansevieria trifasciata*, pregnane glycosides from 107  
Santalaceae 1519  
*Santalum austrocaledonicum*, bisabolane sesquiterpenoids from 1519  
Saponins,  
  furostanol, from *Dioscorea* rhizomes 1339  
  triterpenoid,  
    dammarane,  
      from Korean red ginseng 931  
      from *Zizyphus* 1321  
    from *Acacia* 137  
    from *Anemone* 333  
    from *Aster* 337  
    from *Erythrina* 1151  
    from *Gynostemma* 667  
    from *Leontice* 497  
    from *Maesa* 491  
    from *Mimusops* 1145  
    from *Oxytropis* 505  
    from *Zygophyllum* roots 485  
  hopane-type, from *Polycarpon* 925  
  oleanane, from *Pithecellobium* 1329  
Sapotaceae 1145  
*Schistocerca gregaria*, effect of essential oil composition in *Commiphora* on maturation of 833  
*Schoenocaulon officinale*, partial synthesis of 3-O-vanilloylveracevine from 1257  
Scrophulariaceae 971, 1061, 1515  
*Scutellaria alpina*, neo-clerodane insect antifeedants from 593  
*S. baicalensis*, phenolics from hairy root cultures of 83  
*S. orientalis*, neo-clerodane diterpenoid from 121  
Secoiridoid glucosides, from *Jasminum* 891  
Secoiridoids, from *Gentiana* 633  
Secondary chemistry, development profile of, in *Pastinaca* 825  
Seed oils, from *Rubus* and *Empetrum*, geographical variations in 1421  
 $\beta$ -Selinene biotransformation, using *Glomerella* as biocatalyst 433  
Sesquiligans, from *Tsuga* 1351  
Sesquiterpene alcohols,  
  from *Chrysanthemum* 1287  
  from *Lepidozia* 453  
Sesquiterpene aryl esters, from *Armillaria* 1473  
Sesquiterpene lactones,  
  cadinanolides, from *Vernonia* 1535  
  from *Artemisia* 1133  
  from *Tanacetum* 471  
  from *Vernonanthura* 465  
  germacranolides, from *Elephantopus* 113  
  guaianolide, from *Ammodaucus* 907  
Sesquiterpenoid biotransformation,  
  by *Glomerella* 433  
  by *Lonicera* cultured cells 627  
Sesquiterpenoid enantiomers, from *Leptospermum* and *Conocepalum* 1291  
Sesquiterpenoid glucosides,  
  from *Tinospora* 749  
  illudane, from *Pteridium* 901

- Sesquiterpenoids,  
 bisabolane, from *Santalum* 1519  
 bisabolene, from *Friesodielsia* 315  
 composition of, in *Lippia* 1077  
 eudesmane, from *Laggera* 459  
 from *Dumortiera* 293  
 from *Plagiochila* 89  
 from *Tessaria* 897  
*Silene cucubalus*, formation of Cd-phytochelatin complexes in 69  
 Simaroubaceae 1109  
*Sinapis alba*, regulation of nitrate reductase activity in 11  
 Solanaceae 221, 229, 383, 509, 537, 723, 731, 797, 861, 865, 1001, 1163, 1241, 1435, 1483  
*Solanum abutiloides*, steroid glycosides from 723  
*S. khasianum*,  $\alpha$ -hydroxyacetovanillone formation in 865  
*S. sycophanta*, steroidal alkaloids from 537  
*S. tuberosum*,  
 cell wall pectins and susceptibility to blackleg 1435  
 jasmonic acid inducible aspartic proteinase inhibitors from 1001  
 stimulation of ethylene production in, by salicylic acid 221  
*S. uporo*, steroidal alkaloid glycosides from 731  
*Sophora secundiflora*, isoflavanones from 715  
 Sparganiaceae 695  
*Sparganium stoloniferum*, phenylpropanoid glycosides from 695  
*Spinacia oleracea*, lactate dehydrogenase from and oxalate synthesis in 571  
 (+)-1(10)-Spirovetiven-7 $\beta$ -ol, from *Lepidozia* 453  
*Stachys byzantina*, megastigmane glucosides from 1335  
 Steroid xylosyl-(1 $\rightarrow$ 6)-glucosides, biological activities of 299  
 Steroidal alkaloid glycosides, from *Solanum* 731  
 Steroidal glycosides,  
 cytostatic, from *Hosta* underground parts 305  
 from *Cynanchum* roots 917  
 from *Solanum* 723  
 Steroids, ergostane, from *Dysoxylum* 153  
 Sterol  
 contents, in *ipt*-transformed tobacco plants 797  
 glucoside, from *Lycopersicon* cell cultures 861  
 Sterols, from *Momordica* 1313  
 Stilbenes, from *Salacia* 1569  
 Structure-activity relationships, of synthetic triterpenoid and steroid glycosides 299  
 Styrylpyrone biosynthesis, in *Equisetum* 275  
*Syncolostemon densiflorus*, absolute configuration of  $\alpha$ -pyrones from 935
- T**  
*Tanacetum aucheranum*, farnesol derivative and flavones from 311  
*T. parthenium*, sesquiterpene lactone from 471  
 Tannins, hydrolysable, dimeric, macrocyclic, from *Eugenia* 1343  
 Taxaceae 911, 1527  
*Taxus mairei*, taxanes from roots of 1527  
*T. yunnanensis*, intramolecular transesterified taxanes from 911  
 Terpenoid epoxides, from *Botryococcus* 671  
 Terpenoids, from *Cedrela* graft, and resistance against *Hypsipyla* 1449  
*Tessaria absinthioides*, sesquiterpenes from 897  
 Tetralones, from *Ancistrocladus* 549  
 Tetrapeptide, chlorinated, from *Oscillatoria* 1503  
 Thymeliaceae 643  
*Tinospora cordifolia*, sesquiterpene glucoside from 749  
*Toddalia asiatica*, *N*-cyclohexylamides and dimeric coumarin from 1383  
*Trianthema portulacastrum*, *C*-methylflavone from 719  
 Triglycoside, from *Punica* 1391  
*Trigonella foenum-graecum*, dioxygenase from, involved in 4-hydroxyisoleucine biosynthesis 563  
 Trigonelline, accumulation of, in salt-stressed legumes 1037  
*Tripterygium wilfordii*, leukotriene D<sub>4</sub> antagonistic abeo-abietanes from 1511  
 Triterpenoid glycosides,  
 from *Adina* 1139  
 taraxastane, from *Eclipta* 131  
 research, advances in 1185  
 xylosyl-(1 $\rightarrow$ 6)-glucosides, biological activities of 299  
 Triterpenoids,  
 anti-tumour and anti-AIDS, from *Celastrus* 1275  
 cycloartane, from *Illicium* 1099  
 cytotoxic, from *Cleome* 1115  
 from *Eucalyptus* 1309  
 from *Lycopersicon* cell cultures 861  
 from *Momordica* 1313  
 from *Nerium* leaves 329  
 from *Paeonia* 141  
 from *Salvia* 1393  
*Triticum aestivum*,  
 benzoxazinoid glucoside from 639  
 blue-light-induced phosphorylation of plasma membrane-associated proteins in 775  
 light- and calcium-modulated phosphorylation of proteins from 781  
 Trypsin inhibitor, from *Medicago* seeds, active against pest proteases 393  
*Tsuga heterophylla*, sesquiquinans and lignans from 1351
- U**  
 Umbelliferae 173, 225, 649, 805, 825, 887, 907, 1121, 1247  
*Uvaria*, oxygenated pyrenes and benzylated flavanones from 359
- V**  
 3-*O*-Vanilloylveracevine, from *Schoenocaulon*, partial synthesis of 1257  
*Verbascum phoeniceum*, macrocyclic lactam alkaloids from 971  
 Verbenaceae 759, 1077  
*Vernonanthura pinguis*, sesquiterpene lactone from 465  
*Vernonia fruticulosa*, cadinanolides and flavonoids from 1535  
*Verticillium dahliae*,  
 cell wall reinforcement in cotton in response to elicitor from 811  
 induced defence responses in cotton by elicitors from 1429  
*Viburnum rhytidophyllum*, iridoid glucosides from 751  
*Virola* aff. *pavonis*, lignans from 1179  
 Vitaceae 805, 1375  
*Vitis vinifera*, anthocyanin from stored fruits of 1375  
 Vitisin A, from red wine 1375  
 Volatiles,  
 from *Archilejeunea*, *Cheilejeunea* and *Leptolejeunea* 1261  
 from *Conocephalum* chemotypes 1265
- W**  
*Wikstroemia retusa*, daphnane diterpenoids from 643  
*Withania somnifera*, withanolides from 1163  
 Withanolides,  
 from *Physalis* fruit calyces 509  
 from *Withania* stem bark 1163



**X**

- Xanthones,  
  prenylated, from *Hypericum* cultures 1065  
  trioxygenated, occurrence and pharmacological activity  
    of 191  
Xanthoxal, as revised name for xanthoxin 977  
Xanthoxin, revision of nomenclature of 977  
*Xylaria obovata*, cytochalasins and phytotoxins from 1443

**Z**

- Zanthoxylum*, amides from fruits of 1125  
*Zea mays*, phospholipids and polypeptides from mito-  
  chondria outer membrane of 29  
*Zizyphus lotus*, dammarane saponins from 1321  
Zygophyllaceae 485, 533  
*Zygophyllum*, triterpene saponins from 485