

CONTENTS OF VOLUME 45

Number 1

Announcement	ix
Growth and Metabolism	
Characterization of a BnD22 drought-induced protein expressed in <i>Brassica napus</i> leaves	1 G. ILAMI, C. NESPOULOUS, J.-C. HUET N. VARTANIAN and J.-C. PERNOLLET
Matrix assisted laser desorption/ionization time-of-flight mass spectrometry of tomato extensin monomers and potato lectin	9 M. J. KIELISZEWSKI and R. ORLANDO
Isolation and characterization of a mung bean leaf polyphenol oxidase	15 R. SHIN, T. FRODERMAN and W. H. FLURKEY
<i>Arabidopsis</i> dihydropteroate synthase: general properties and inhibition by reaction product and sulfonamides	23 V. PRABHU, H. LUI and J. KING
Occurrence of pinitol in developing soybean seed tissues	29 T. M. KUO, C. A. LOWELL and T. C. NELSEN
Ecological Biochemistry	
Isolation and synthesis of a host-selective toxin produced by <i>Alternaria alternata</i>	37 M. LIAKOPOULOU-KYRIAKIDES, A. L. LAGOPODI, C. C. THANASSOULOPOULOS, G. S. STAVROPOULOS and V. MAGAFA
Phytotoxins and related metabolites produced by <i>Bipolaris coicis</i> , the pathogen of Job's tears	41 H. NAKAJIMA, T. ISHIDA, Y. OTSUKA, T. HAMASAKI and M. ICHINOE
A phytoalexin from roots of <i>Musa acuminata</i> var. Pisang sipulu	47 R. H. BINKS, J. R. GREENHAM, J. G. LUIS and S. R. GOWEN
Phenols from <i>Fagus sylvatica</i> and their role in defence against <i>Cryptococcus fagisuga</i>	51 A. DÜBELER, G. VOLTMER, V. GORA, J. LUNDERSTÄDT and A. ZEECK
Biosynthesis	
Biosynthesis of benzylglucosinolate, cyanogenic glucosides and phenylpropanoids in <i>Carica papaya</i>	59 R. N. BENNETT, G. KIDDLE and R. M. WALLSGROVE
Formation and emission of monohalomethanes from marine algae	67 N. ITOH, M. TSUJITA, T. ANDO, G. HISATOMI and T. HIGASHI
Structure and biosynthesis of <i>trans</i> -polyisoprene from <i>Eucommia ulmoides</i>	75 J. TANGPAKDEE, Y. TANAKA, K. SHIBA, S. KAWAHARA, K. SAKURAI and Y. SUZUKI
Cell Culture and Biotechnology	
Cardenolides of <i>Digitalis obscura</i> : the effect of phosphate and manganese on growth and productivity of shoot-tip cultures	81 I. GAVIDIA and P. PÉREZ-BERMÚDEZ
Phenylphenalenones from root cultures of <i>Anigozanthos preissii</i>	87 D. HÖLSCHER and B. SCHNEIDER
Chemotaxonomy	
Sterols and volatiles in <i>Cystoseira barbata</i> and <i>Cystoseira crinita</i> from the Black Sea	93 T. MILKOVA, G. TALEV, R. CHRISTOV, S. DIMITROVA-KONAKLIEVA and S. POPOV
Chromone and aloin derivatives from <i>Aloe broomii</i> , <i>A. africana</i> and <i>A. speciosa</i>	97 C. W. HOLZAPFEL, P. L. WESSELS, B.-E. VAN WYK, W. MARAIS and M. PORTWIG
Bioactive Plant Products	
A phloracetophenone glucoside with choleretic activity from <i>Curcuma comosa</i>	103 A. SUKSAMRARN, S. EIAMONG, P. PIYACHATURAWAT and L. T. BYRNE

Plant Chemistry

- Sesquiterpenoids from *Tanacetum argenteum* subsp. *canum* var. *canum* 107 N. GÖREN and E. TAHTASAKAL
- Germacranes and flavonoids from *Achillea ageratum* 111 L. M. VIEIRA, A. KIJJOA, J. A. PEREIRA, T. E. GEDRIS and W. HERZ
- Diterpenes from the leaf exudate of *Psiadia punctulata* 117 J. O. MIDIWO, F. A. O. OWUOR, B. F. JUMA and P. G. WATERMAN
- Neo-clerodane diterpenoids from *Ajuga australis* and *A. orientalis* 121 M. C. DE LA TORRE, B. RODRÍGUEZ, M. BRUNO, F. PIOZZI, N. VASSALLO, M. L. BONDÍ and O. SERVETTAZ
- Triterpenoid saponins from *Aster bellidiastrum* 125 T. SCHÖPKE, C. AL-TAWAHA, V. WRAY, M. NIMTZ and K. HILLER
- Three xanthones from *Poeciloneuron pauciflorum* and *Mammea acuminata* 133 H. TOSA, M. IINUMA, K. MURAKAMI, T. ITO, T. TANAKA, V. CHELLADURAI and S. RISWAN
- Terracinolides from *Euphorbia terracina* 137 J. A. MARCO, J. F. SANZ-CERVERA, A. YUSTE and J. JAKUPOVIC
- Limonoids from *Trichilia elegans* ssp. *elegans* 141 F. R. GARCEZ, W. S. GARCEZ, M. T. TSUTSUMI and N. F. ROQUE
- Joannesialactone and other compounds from *Joannesia princeps* 149 H. ACHENBACH and G. BENIRSCHKE
- Lignan, phenylpropanoid and iridoid glycosides from *Pedicularis torta* 159 W. CHANGZENG and J. ZHONGJIAN
- Seven acylated anthocyanins in blue flowers of *Gentiana* 167 K. HOSOKAWA, E. FUKUSHI, J. KAWABATA, C. FUJII, T. ITO and S. YAMAMURA
- Acylated cyanidin glycosides in the red-purple flowers of *Phalaenopsis* 173 F. TATSUZAWA, N. SAITO, H. SEKI, R. HARA, M. YOKOI and T. HONDA
- Myricetin 5,7,3',4',5'-pentamethyl ether and other methylated flavonoids from *Murraya paniculata* 179 T. KINOSHITA and K. FIRMAN
- Three flavonoids from *Daphne odora* 183 M. TANIGUCHI, A. FUJIWARA and K. BABA
- Two prenylated isoflavanones from *Millettia pervilleana* 189 C. GALEFFI, P. RASOANAIVO, E. FEDERICI, G. PALAZZINO, M. NICOLETTI and B. RASOLONDRATOV
- Short Reports**
- Iridoid and phenylpropanoid glucosides from *Tecoma capensis* 193 M. GUISO, C. MARRA, F. PICCIONI and M. NICOLETTI
- (-)-1(10),11-Eremophiladien-9 β -cl from the liverwort *Marchantia polymorpha* ssp. *aquatica* 195 A. RIECK, N. BÜLOW, C. FRICKE, Y. SARITAS and W. A. KÖNIG
- Kaempferol 3-O-(6"-caffeoylglucoside) from *Pteridium aquilinum* 199 F. IMPERATO and P. MINUTIELLO
- Quercetagenin 6-O- β -D-glucopyranoside from *Tagetes mandonii* 201 M. D'AGOSTINO, F. DE SIMONE, S. PIACENTE, C. PIZZA and F. SENATORE
- An unusually lipophilic flavonol glycoside from *Ranunculus sardous* pollen 203 K. R. MARKHAM, K. A. MITCHELL and M. CAMPOS

A pterocarpan from *Erythrina orientalis*

205 H. TANAKA, T. TANAKA and H. ETOH

Book Review

209

Number 2**Announcement**

ix

Growth and Metabolism*meta*-Topolin, a highly active aromatic cytokinin from poplar leaves (*Populus × canadensis* Moench., cv. *robusta*)

213 M. STRNAD, J. HANUŠ, T. VANĚK, M. KAMÍNEK, J. A. BALLANTINE, B. FUSSELL and D. E. HANKE

Thermal isomerization of the neurotoxin β -*N*-oxalyl-L- α , β -diaminopropionic acid

219 A. BELAY, G. MOGES, T. SOLOMON and G. JOHANSSON

Effects of citrate on respiratory gas exchange and metabolism in carrot root tissues

225 H. KATO-NOGUCHI

A basic peroxidase isoenzyme from vacuoles and cell walls of *Vitis vinifera*

229 M. MORALES and A. ROS BARCELÓ

Role of a cytochrome P450-dependent monooxygenase in the hydroxylation of 24-*epi*-brassinolide

233 J. WINTER, B. SCHNEIDER, D. STRACK and G. ADAM

Quinoprotein amine oxidase from sainfoin seedlings

239 L. ZAJONCOVÁ, M. ŠEBELA, I. FRÉBORT, H. G. FAULHAMMER, M. NAVRÁTIL and P. PEČ

Effects of carbon dioxide concentration and temperature on lipid synthesis by young wheat leaves

243 M. WILLIAMS and J. L. HARWOOD

Ecological BiochemistryEpicuticular wax variation in ecotypes of *Arabidopsis thaliana*

251 A. M. RASHOTTE, M. A. JENKS, T. D. NGUYEN and K. A. FELDMANN

BiosynthesisThe conversion of 2-*cis*-[¹⁴C]xanthoxic acid into [¹⁴C]ABA

257 B. V. MILBORROW, R. S. BURDEN and H. F. TAYLOR

Isopentenyl diphosphate isomerase and prenyl transferase activities in bottom fraction and C-serum from *Hevea* latex

261 J. TANGPAKDEE, Y. TANAKA, K. OGURA, T. KOYAMA, R. WITITSUWANNAKUL, D. WITITSUWANNAKUL and K. ASAWATRERATANAKUL

Rubber formation by fresh bottom fraction of *Hevea* latex

269 J. TANGPAKDEE, Y. TANAKA, K. OGURA, T. KOYAMA, R. WITITSUWANNAKUL and D. WITITSUWANNAKUL

Structure of *in vitro* synthesized rubber from fresh bottom fraction of *Hevea* latex

275 J. TANGPAKDEE, Y. TANAKA, K. OGURA, T. KOYAMA, R. WITITSUWANNAKUL and N. CHAREONTHIPHAKORN

Cell Culture and BiotechnologyBiotransformation of *ent*-6 α -acetoxy- and *ent*-6-ketomanoyl oxides with *Rhizopus nigricans* and *Curvularia lunata* cultures

283 A. GARCÍA-GRANADOS, J. J. GUTIÉRREZ, A. MARTÍNEZ, F. RIVAS and J. M. ARIAS

A diterpenoid and triterpenes from tissue cultures of *Tripterygium wilfordii*

293 K. NAKANO, Y. OOSE, Y. MASUDA, H. KAMADA and Y. TAKAISHI

Oxidized phytosterols increase by ageing in photoautotrophic cell cultures of *Chenopodium rubrum*

297 W. MEYER and G. SPITELLER

Chemotaxonomy

- Octadecapentaenoic acid in a raphidophyte alga, *Heterosigma aka-shiwo* 303 M. V. BELL, J. R. DICK and D. W. POND

- Variability of essential oils of *Thymus caespititius* from Portugal 307 L. R. SALGUEIRO, R. VILA, F. TOMI, A. C. FIGUEIREDO, J. G. BARROSO, S. CAÑIGUAL, J. CASANOVA, A. PROENÇA DA CUNHA and T. ADZET

- Dihydroisocoumarins from fungi: isolation, structure elucidation, circular dichroism and biological activity 313 K. KROHN, R. BAHRAMSARI, U. FLÖRKE, K. LUDEWIG, C. Kliche-Spory, A. MICHEL, H.-J. AUST, S. DRAEGER, B. SCHULZ and S. ANTUS

Bioactive Plant Products

- A bioactive triterpene from *Lantana camara* 321 J. T. BARRE, B. F. BOWDEN, J. C. COLL, J. RUNA DE JESUS, V. E. DE LA FUENTE, G. C. JANAÍRO and C. Y. RAGASA

- Alkaloids and other compounds from seeds of *Tabernaemontana cymosa* 325 H. ACHENBACH, M. BENIRSCHKE and R. TORRENEGRA

Plant Chemistry

- Tryptamine derived amides from *Clausena indica* 337 B. RIEMER, O. HOFER and H. GREGER

- Sesquiterpenoids from *Eurphobia wangi* 343 J.-G. SHI, Y.-P. SHI and Z.-J. JIA

- The absolute configuration of assufulvenal 349 J. LANGE, G. BENIRSCHKE and H. ACHENBACH

- Sesqui- and diterpenoids from the Japanese liverwort *Jungermannia hattoriana* 353 F. NAGASHIMA, H. TANAKA, S. TAKAOKA and Y. ASAKAWA

- Sesquiterpene lactones from *Lactuca tatarica* 365 W. KISIEL, B. BARSZCZ and E. SZNELER

- Sesquiterpene lactones and glucosides from *Urospermum picroides* 369 B. A. A. A. BALBOUL, A. A. AHMED and H. OTSUKA

- Guaianolides and other terpenoids from *Anthemis aetnensis* 375 M. BRUNO, M. L. BONDI, N. VASSALLO, T. E. GEDRIS and W. HERZ

- Clerodane diterpenes of *Croton hovarum* 379 H. C. KREBS and H. RAMIARANTSOA

- A neo-clerodane diterpenoid from *Teucrium asiaticum* 383 B. RODRIGUEZ, M. C. DE LA TORRE, M. BRUNO, F. PIOZZI, N. VASSALLO, R. CIRIMINNA and O. SERVETTAZ

- Parryin, a diterpene with a tricyclic 6-7-5-ring system from *Salvia parryi* 387 E. M. GUAJARDO TOUCHÉ, E. G. LOPEZ, A. REYES P., H. SÁNCHEZ, F. HONECKER and H. ACHENBACH

- Cucurbitane triterpenoids from the leaves of *Momordica foetida* 391 D. A. MULHOLLAND, V. SEWRAM, R. OSBORNE, K. H. PEGEL and J. D. CONNOLLY

- 13,14-Desepoxyazadirachtin-A, a tetranortriterpenoid from *Azadirachta indica* 397 T. R. GOVINDACHARI and G. GOPALAKRISHNAN

- Isobiflorin, a chromone C-glucoside from cloves (*Eugenia caryophyllata*) 401 Y. ZHANG and Y. CHEN

- Extractable and non-extractable proanthocyanidins in barks 405 S. MATTHEWS, I. MILA, A. SCALBERT and D. M. X. DONNELLY

- Wahlenbergioside, a phenylpropanoid glucoside from *Wahlenbergia marginata* 411 W. G. MA, R. X. TAN, N. FUZZATI, Q. S. LI, J.-L. WOLFENDER and K. HOSTETTMANN

- Malvidin-3-*O*-glucoside-5-*O*-(6-acetylglucoside) and its colour manifestation in 'Johnson's Blue' and other 'blue' geraniums 417 K. R. MARKHAM, K. A. MITCHELL and M. R. BOASE
- Calystegine alkaloids from *Duboisia leichhardtii* 425 A. KATO, N. ASANO, H. KIZU, K. MATSUI, S. SUZUKI and M. ARISAWA
- 8-Benzylberbine and *N*-oxide alkaloids from *Aristolochia gigantea* 431 L. M. X. LOPES and E. HUMPFER

Number 3

Review Article

- Folates and one-carbon metabolism in plants and fungi 437 E. A. COSSINS and L. CHEN

Growth and Metabolism

- Soluble lipoxygenase isoforms from tomato fruit 453 J. J. SMITH, R. LINFORTH and G. A. TUCKER
- Modulation of poly(A)polymerase by cAMP in *Cicer arietinum* 459 S. PRAVEEN, K. SWARUP, S. PRAKASH, T. R. MADAN and H. C. KAPOOR
- Influence of prestorage heat and calcium treatments on lipid metabolism in 'Golden Delicious' apples 465 B. D. WHITAKER, J. D. KLEIN, W. S. CONWAY and C. E. SAMS
- Variation of cardenolides with growth in a *Digitalis lanata* Brazilian cultivar 473 F. C. BRAGA, W. KREIS, R. A. RÉCIO and A. B. DE OLIVEIRA
- Enzymatic condensation of dopamine and secologanin by cell-free extracts of *Alangium lamarckii* 477 W. DE-EKNAMKUL, A. OUNAROON, T. TANAHASHI, T. M. KUTCHAN and M. H. ZENK

Ecological Biochemistry

- Feeding-deterrent bromophenols from *Odonthalia corymbifera* 485 K. KURATA, K. TANIGUCHI, K. TAKASHIMA, I. HAYASHI and M. SUZUKI
- Selective sequestration and metabolism of plant derived pyrrolizidine alkaloids by chrysomelid leaf beetles 489 T. HARTMANN, L. WITTE, A. EHMKE, C. THEURING, M. ROWELL-RAHIER and J. M. PASTEELS

Cell Culture and Biotechnology

- Triterpenoids from *Pisolithus tinctorius* isolates and ectomycorrhizas 499 A. BAUMERT, B. SCHUMANN, A. PORZEL, J. SCHMIDT and D. STRACK

Chemotaxonomy

- Carotenoid glucoside mycolic acid esters from the nocardioform actinomycetes, *Rhodococcus rhodochrous* 505 S. TAKAICHI, Y. TAMURA, K. AZEGAMI, Y. YAMAMOTO and J. ISHIDU

Bioactive Plant Products

- Cytotoxic prenylated flavanones from *Monotes engleri* 509 E.-K. SEO, G. L. SILVA, H.-B. CHAI, T. E. CHAGWEDERA, N. R. FARNSWORTH, G. A. CORDELL, J. M. PEZZUTO and A. D. KINGHORN

Plant Chemistry

- Nonprotein amino acids from *Cycas revoluta* 517 M. PAN, T. J. MABRY, J. M. BEALE and B. M. MAMIYA
- Cyclopeptide from the seeds of *Annona squamosa* 521 C.-M. LI, N.-H. TAN, Q. MU, H.-L. ZHENG, X.-J. HAO, Y. WU and J. ZHOU
- Three glucosinolates from seeds of *Brassica juncea* 525 N. FABRE, M. BON, C. MOULIS, I. FOURASTE and E. STANISLAS
- (+)-(3*S*,4*S*)-3-Butyl-4-vinylcyclopentene in brown algae of the genus *Dictyopteris* 529 T. KAJIWARA, Y. AKAKABE, K. MATSUI, K. KODAMA, H. KOGA and T. NAGAKURA

Carvotacetone derivatives from the Egyptian plant <i>Sphaeranthus suaveolens</i>	533	A. A. AHMED and A. A. MAHMOUD
Oxygenated bisabolanes from <i>Alpinia densibracteata</i>	537	L.-K. SY and G. D. BROWN
Sesquiterpene glycosides from <i>Pittosporum pentandrum</i>	545	C. Y. RAGASA, J. A. RIDEOUT, D. S. TIERRA and J. C. COLL
7-Demethylplastochochromenol-2 and 2-demethylplastoquinone-3 from <i>Seseli farreyinii</i>	549	B. MUCKENSTURM, F. DIYANI, J.-P. REDURON and M. HILDENBRAND
Guaianolides from <i>Centaurea scoparia</i>	551	A. M. HELAL, N. NAKAMURA, M. R. MESELHY, A. M. EL-FISHAWY, M. HATTORI and G. H. MAHRAN
Eudesmane-type sesquiterpene lactones from the Japanese liverwort <i>Frullania densiloba</i>	555	F. NAGASHIMA, H. TANAKA, S. TAKAOKA and Y. ASAKAWA
Diterpenoids from <i>Isodon glutinosus</i>	559	H. HUANG, Y. CHEN, H. ZHANG, Z. LIN, S. ZHAO, M. WANG, T. FUJITA and H. SUN
Ingenane and lathyrane diterpenes from the latex of <i>Euphorbia canariensis</i>	563	J. A. MARCO, J. F. SANZ-CERVERA and A. YUSTE
Clerodane diterpenoids, long chain esters of coumaric acid and other compounds from <i>Baccharis myrsinites</i>	571	C.-J. LI, A. A. AHMED, A. D. C. ARIAS and T. J. MABRY
Triterpenoids from <i>Shorea robusta</i> resin	575	L. N. MISRA and A. AHMAD
Lupane triterpenoid glycosyl esters from leaves of <i>Acanthopanax divaricatus</i>	579	K. SHIRASUNA, M. MIYAKOSHI, S. MIMOTO, S. ISODA, Y. SATOH, Y. HIRAI, Y. IDA and J. SHOJI
Three cycloastragenol glucosides from <i>Astragalus verrucosus</i>	585	L. PISTELLI, S. PARDOSSI, G. FLAMINI, A. BERTOLI and A. MANUNTA
Heartwood constituents of <i>Betula maximowicziana</i>	589	F. HANAWA, M. SHIRO and Y. HAYASHI
Lignan bis-glucosides from <i>Galium sinaicum</i>	597	A. A. EL GAMAL, K. TAKEYA, H. ITOKAWA, A. F. HALIM, M. M. AMER and H.-E. A. SAAD
Macromolecular composition of the propagule wall of <i>Nelumbo nucifera</i>	601	P. F. VAN BERGEN, P. G. HATCHER, J. J. BOON, M. E. COLLINSON and J. W. DE LEEUW
Lignan and neolignan glycosides from stems of <i>Alangium premnifolium</i>	611	K. YUASA, T. IDE, H. OTSUKA, C. OGIMI, E. HIRATA, A. TAKUSHI and Y. TAKEDA
Sesquiterpene alkaloids from <i>Tripterygium hypoglaucum</i>	617	H. DUAN, K. KAWAZOE and Y. TAKAISHI
Four heptacyclic indoles from <i>Kopsia teoi</i>	623	T.-S. KAM, K. YOGANATHAN and C.-H. CHUAH

Number 4

Growth and Metabolism

Synthesis of cell-wall glycoproteins and their characterization in oat coleoptiles	627	D. PACODA, A. MONTEFUSCO, G. PIRO and G. DALESSANDRO
Procedure for selection of cell wall-associated glycoproteins	633	G. J. McDUGALL
Isoprenoid hydrocarbons from the fruit of extant plants	637	M. P. VELCHEVA and C. DONCHEV

Mid-chain hydroxy long-chain fatty acids in microalgae from the genus <i>Nannochloropsis</i>	641	F. GELIN, J. K. VOLKMAN, J. W. DE LEEUW and J. S. SINNINGHE DAMSTÉ
Glycolipids from <i>Byrsonima crassifolia</i>	647	L. RASTRELLI, N. DE TOMMASI, I. BERGER, A. CACERES, A. SARAVIA and F. DE SIMONE
A galactosphingolipid from the lichen, <i>Ramalina celastri</i>	651	M. J. MACHADO, M. GUERRINI, P. A. J. GORIN, G. TORRI and M. IACOMINI
Effect of salinity on fatty acid composition of a green microalga from an Antarctic hypersaline lake	655	X.-Q. XU and J. BEARDALL
Activation of nitrate reductase in extracts of water stressed wheat	659	N. MUNJAL, S. K. SAWHNEY and V. SAWHNEY
Monophenolase activity of strawberry polyphenol oxidase	667	J. C. ESPÍN, M. OCHOA, J. TUDELA and F. GARCÍA-CÁNOVAS
Antioxidant ability of anthocyanins against ascorbic acid oxidation	671	A. D. SARMA, Y. SREELAKSHMI and R. SHARMA
Aluminum-induced organic acids exudation by roots of an aluminum-tolerant tropical maize	675	R. A. JORGE and P. ARRUDA
Bioactive flavonoids from <i>Helianthus annuus</i> cultivars	683	F. A. MACÍAS, J. M. G. MOLINILLO, A. TORRES, R. M. VARELA and D. CASTELLANO
Vacuolar uptake of the phytoalexin medicarpin by the glutathione conjugate pump	689	Z.-S. LI, M. ALFENITO, P. A. REA, V. WALBOT and R. A. DIXON
Ecological Biochemistry		
Phototoxic polyacetylenes from <i>Viguiera annua</i> and adaptations of a chrysomelid beetle, <i>Zygogramma continua</i> , feeding on this plant	695	G. GUILLET, D. CHAURET and J. T. ARNASON
Antifungal stress compounds from <i>Vicia cracca</i>	701	M. M. SALEH and K.-W. GLOMBITZA
Sphaeropsidins B and C, phytotoxic pimarane diterpenes from <i>Sphaeropsis sapinea</i> f. sp. <i>cupressi</i> and <i>Diplodia mutila</i>	705	A. EVIDENTE, L. SPARAPANO, O. FIERRO, G. BRUNO, F. GIORDANO and A. MOTTA
Biosynthesis		
<i>Special Publication:</i> Biosynthetic origin of oxygen atoms in DIMBOA from maize: NMR studies with $^{18}\text{O}_2$	715	E. GLAWISCHNIG, W. EISENREICH, A. BACHER, M. FREY and A. GIERL
Bioactive Plant Products		
Bioactive annonaceous acetogenins from <i>Rollinia mucosa</i>	719	G. SHI, J. M. MACDOUGAL and J. L. McLAUGHLIN
Plant Chemistry		
Alkane diols from flower petals of <i>Carthamus tinctorius</i>	725	T. AKIHISA, A. NOZAKI, Y. INOUE, K. YASUKAWA, Y. KASAHARA, S. MOTOHASHI, K. KUMAKI, N. TOKUTAKE, M. TAKIDO and T. TAMURA
Three cyclohexene oxides from <i>Uvaria grandiflora</i>	729	Y.-H. LIAO, L.-Z. XU, S.-L. YANG, J. DAI, Y.-S. ZHEN, M. ZHU and N.-J. SUN
Oligosaccharide polyesters from roots of <i>Polygala fallax</i>	733	D. ZHANG, T. MIYASE, M. KUROYANAGI, K. UMEHARA and H. NOGUCHI
Iridoid glucosides from <i>Picconia excelsa</i>	743	S. DAMTOFT, H. FRANZYK and S. R. JENSEN

Sesquiterpene lactones from <i>Artemisia inculata</i>	751	J. A. MARCO, J. F. SANZ-CERVERA, V. GARCÍA-LLISO, M. GUARA and J. VALLÈS-XIRAU
Sesquiterpene lactones from <i>Artemisia lucentica</i>	755	J. A. MARCO, J. F. SANZ-CERVERA, V. GARCÍA-LLISO and N. BATLLE
A sesquiterpene lactam from <i>Artractylodes macrocephala</i>	765	Z. CHEN, W. CAO, G. ZHOU and M. WICHTL
A guaianolide and four melampolides from <i>Melampodium leucanthum</i>	769	L. QUIJANO, I. S. NUÑEZ, F. R. FRONCZEK and N. H. FISCHER
Megastigmane glycosides from <i>Lonicera gracilipes</i> var. <i>glandulosa</i>	777	N. MATSUDA, K. ISAWA and M. KIKUCHI
Neo-clerodane and languidulane diterpenoids from <i>Salvia sousae</i> and <i>S. karwinskii</i>	781	B. ESQUIVEL, J. S. CALDERÓN, A.-A. SÁNCHEZ, M. ZÁRATE and L. SÁNCHEZ
Longirabdolides E, F and G, 6,7- <i>seco-ent</i> -kaurenoids from <i>Rabdosia longituba</i>	785	Y. TAKEDA, Y. FUTATSUSHI, T. MATSUMOTO, T. MASUDA, H. TERADA and H. OTSUKA
Terpenoids from <i>Tripterygium wilfordii</i>	791	K. LI, H. DUAN, K. KAWAZOE and Y. TAKAISHI
9- <i>epi</i> -Labdane diterpenoids from <i>Nolana rostrata</i> var. <i>rostrata</i>	797	M. C. CHAMY, J. A. GARBARINO, M. PIOVANO, J. L. LÓPEZ-PÉREZ, M. NICOLETTI, R. GANDOLFO and A. SAN FELICIANO
Triterpenes and sesquiterpene lactones from <i>Cyclolepis genistoides</i>	801	C. S. DE HELUANI, M. V. DE BOGGIATO, C. A. N. CATALÁN, J. G. DÍAZ, T. E. GÉDRIS and W. HERZ
Structure of nimonol from fresh whole green leaves of <i>Azadirachta indica</i>	807	G. SURESH, N. S. NARASIMHAN and N. PALANI
Steroidal saponins from fruits of <i>Tribulus terrestris</i>	811	Y. WANG, K. OHTANI, R. KASAI and K. YAMASAKI
Tannins from the leaves of <i>Punica granatum</i>	819	S. A. M. HUSSEIN, H. H. BARAKAT, I. MERFORT and M. A. M. NAWWAR
Prenylated flavanones from <i>Derriis reticulata</i>	825	C. MAHIDOL, H. PRAWAT, S. RUCHIRAWAT, K. LIHKITWITAYAWUID, L.-Z. LIN and G. A. CORDELL
Flavonoids from <i>Artabotrys hexapetalus</i>	831	T.-M. LI, W.-K. LI and J.-G. YU
Three pterocarpanes from <i>Erythrina crista-galli</i>	835	H. TANAKA, T. TANAKA and H. ETOH
Methoxylated aurones from <i>Cyperus capitatus</i>	839	R. M. SEABRA, P. B. ANDRADE, F. FERRERES and M. M. MOREIRA
Cyclic octapeptides from <i>Stellaria dichotoma</i> var. <i>lanceolata</i>	841	H. MORITA, K. TAKEYA and H. ITOKAWA
Methoxylated quinolizidine alkaloids from <i>Acosmium panamense</i>	847	N. C. VEITCH, B. L. GOODWIN, G. C. KITE and M. S. J. SIMMONDS
Alkaloids and coumarins from <i>Ticorea longiflora</i>	851	M. J. U. TORO, A. H. MÜLLER, M. S. P. ARRUDA and A. C. ARRUDA
Alkaloids of Peruvian <i>Uncaria tomentosa</i>	855	G. LAUS, D. BRÖSSNER and K. KEPLINGER
Steroidal alkaloids from <i>Sarcococca saligna</i>	861	ATTA-UR-RAHMAN, M. R. KHAN, M. I. CHOUDHARY and M. Z. IQBAL

Number 5

Growth and Metabolism

- Amino acid sequence of the basic subunit of 13S globulin of buckwheat 865 M. K. ROUT, N. K. CHRUNGGOO and K. S. RAO
- Root and leaf specific ACC oxidase activity in corn and sunflower seedlings 869 S. A. FINLAYSON, D. M. REID and P. W. MORGAN
- Isolation, purification and partial characterization of sulphite oxidase from *Malva sylvestris* 879 B. A. GANAI, A. MASOOD and M. A. BAIG
- Glutamate dehydrogenase of *Sphagnum* 881 V. HEESCHEN, J. GERENDÁS, C. P. RICHTER and H. RUDOLPH
- Purification and substrate kinetics of plant lactate dehydrogenase 889 P. MULCAHY and P. O'CARRA
- Plant lactate dehydrogenase: NADH kinetics and inhibition by ATP 897 P. O'CARRA and P. MULCAHY
- Mannose metabolizing enzymes from the red alga *Galdieria sulphuraria* 903 I. HEILMANN, C. SCHNARRENBERGER and W. GROSS
- Action of carboxypeptidase W on oligopeptides containing carboxy-terminally amidated peptides 907 H. UMETSU, K. HISHINUMA, H. WAKE, M. TAKEUCHI and E. ICHISHIMA
- Dehydrogenative polymerization of coniferyl alcohol on macromolecular lignin templates 911 S.-Y. GUAN, J. MLYNÁR and S. SARKANEN

Ecological Biochemistry

- Diurnal emission of volatile compounds by Japanese beetle-damaged grape leaves 919 J. H. LOUGHRIN, D. A. POTTER, T. R. HAMILTON-KEMP and M. E. BYERS
- Oxidation of the phytoalexin maackiain to 6,6a-dihydroxy-maackiain by *Colletotrichum gloeosporioides* 925 S. SOBY, R. BATES and H. VAN ETEN

Cell Culture and Biotechnology

- Induction of ABA 8'-hydroxylase by (+)-*S*-, (-)-*R*- and 8',8',8'-trifluoro-*S*-abscisic acid in suspension cultures of potato and *Arabidopsis* 931 M. L. WINDSOR and J. A. D. ZEEVAART
- Biotransformation of (-)-*cis*-myrtanol and (+)-*trans*-myrtanol by plant pathogenic fungus, *Glomerella cirgulata* 935 M. MIYAZAWA, Y. SUZUKI and H. KAMEOKA
- Biotransformation of (-)- and (+)-isopinocampheol by three fungi 945 M. MIYAZAWA, Y. SUZUKI and H. KAMEOKA
- The hydroxylation of some 13 α -methylsteroids by *Cephalosporium aphidicola* 951 J. BOYNTON, J. R. HANSON and A. C. HUNTER
- C-Methyl flavonols from the fungus *Colletotrichum dematium* f.sp. *epilobii* 957 M. ABOU-ZAID, M. DUMAS, D. CHAURET, A. WATSON and D. THOMPSON

Bioactive Plant Products

- Biological activities of some *Argyranthemum* species 963 A. G. GONZALEZ, R. ESTEVEZ-REYES, A. ESTEVEZ-BRAUN, A. G. RAVELO, I. A. JIMENEZ, I. L. BAZZOCCHI, M. A. AGUILAR and L. MOUJIR
- Triterpenoid inhibitors of interleukin-1 secretion and tumour-promotion from *Tripterygium wilfordii* var. *regelii* 969 Y. TAKAISHI, N. WARIISHI, H. TATEISHI, K. KAWAZOE, K. NAKANO, Y. ONO, H. TOKUDA, H. NISHINO and A. IWASHIMA

Terpenoids from <i>Tripterygium wilfordii</i> var. <i>regelii</i>	975	Y. TAKAISHI, K. MIYAGI, K. KAWAZOE, K. NAKANO, K. LI and H. DUAN
Phenolic diterpenes from <i>Tripterygium wilfordii</i> var. <i>regelii</i>	979	Y. TAKAISHI, N. WARIISHI, H. TATEISHI, K. KAWAZOE, K. MIYAGI, K. LI and H. DUAN
Jenisseensosides C and D, biologically active acylated triterpene saponins from <i>Silene jenisseensis</i>	985	M.-A. LACAILE-DUBOIS, B. HANQUET, Z.-H. CUI, Z.-C. LOU and H. WAGNER
Cytotoxic lignans from formosan <i>Hernandia nymphaeifolia</i>	991	I.-S. CHEN, J.-J. CHEN, C.-Y. DUH and I.-L. TSAI
Plant Chemistry		
Hydroxyphenylazoformamide derivatives from <i>Calvatia craniformis</i>	997	Y. TAKAISHI, Y. MURAKAMI, M. UDA, T. OHASHI, N. HAMAMURA, M. KIDO and S. KADOTA
Separation and characterization of <i>Metopium brownei</i> urushiol components	1003	J. F. RIVERO-CRUZ, D. CHAVEZ, B. H. BAUTISTA, A. L. ANAYA and R. MATA
A L-galactose-containing carrageenan from cystocarpic <i>Gigartina skottsbergii</i>	1009	M. CIANCIA, M. C. MATULEWICZ and A. S. CEREZO
Two diterpenes from <i>Isodon excisa</i>	1015	Y. WANG, Y. CHEN, D. KIM and H. SUN
Short side-chain cycloartanes from <i>Tillandsia usneoides</i>	1019	G. M. CABRERA and A. M. SELDES
Triterpenoids from the fern <i>Goniophlebium mengtzeense</i>	1023	M. HIROHARA, Y. YASUOKA, Y. ARAI, K. SHIOJIMA, H. AGETA and H.-C. CHANG
Oleanolic acid based bisglycosides from <i>Anemone raddeana</i> Regel	1031	J.-M. ZHANG, B.-G. LI, M.-K. WANG and Y.-Z. CHEN
Triterpenes and quinovic acid glycosides from <i>Uncaria tomentosa</i>	1035	R. AQUINO, N. DE TOMMASI, F. DE SIMONE and C. PIZZA
24-Methylpollinastanone, related triterpenoids and sterols from <i>Costus tonkinensis</i>	1041	F. BÖHME, J. SCHMIDT, T. VAN SUNG and G. ADAM
Withanolides from <i>Jaborosa leucotricha</i>	1045	R. I. MISICO, A. S. VELEIRO, G. BURTON and J. C. OBERTI
Benzopyrans from <i>Melicope ptelefolia</i> leaves	1049	C. KAMPERDICK, N. H. VAN, T. V. SUNG and G. ADAM
Revised structures for four acetophenones from <i>Cynanchum taiwanianum</i>	1057	Y.-L. LIN, Y.-M. WU and Y.-H. KUO
Quercetin glycosides from European aquatic <i>Ranunculus</i> species of subgenus <i>Batrachium</i>	1063	K. GLUCHOFF-FIASSON, J. L. FIASSON and H. WATON
Pubescidin, an isoflavone glycoside from <i>Centrosema pubescens</i>	1069	J. B. F. TOSTES, A. J. R. DA SILVA and J. P. PARENTE
Triterpenes and triterpenoid saponins from <i>Mussaenda pubescens</i>	1073	W. ZHAO, J.-L. WOLFENDER, K. HOSTETTMANN, K. CHENG, R. XU and G. QIN
Norditerpenoid alkaloids from <i>Aconitella hohenackeri</i>	1079	G. ALMANZA, J. BASTIDA, C. CODINA and G. DE LA FUENTE
Two quinoline alkaloids from the Caribbean cyanobacterium <i>Lyngbya majuscula</i>	1087	J. ORJALA and W. H. GERWICK

Short Reports

- 7-*O*-Methylapigeninidin, an anthocyanidin from *Sorghum caudatum* 1091 E. PALE, M. KOUDA-BONAFOS, M. NACRO, M. VANHAELEN, R. VANHAELEN-FASTRÉ and R. OTTINGER
- Isoscoparin-2''-*O*-glucoside from *Passiflora incarnata* 1093 K. RAHMAN, L. KRENN, B. KOPP, M. SCHUBERT-ZSILAVECZ, K. K. MAYER and W. KUBELKA
- Book Reviews 1095

Number 6**Growth and Metabolism**

- Stimulation of Ca²⁺-pumping ATPase activity in carrot plasma membrane by calmodulin 1097 F. KUROSAKI
- Involvement of an NAD(P)H oxidase in the elicitor-inducible oxidative burst of soybean 1101 A. MITHÖFER, A. DAXBERGER, D. FROMHOLD-TREU and J. EBEL
- Characterization and inducibility of a scopoletin-degrading enzyme from sunflower 1109 R. EDWARDS, S. M. STONES, M.-C. GUTIÉRREZ-MELLADO and J. JORRIN
- Inhibitors of polygalacturonase in calli of *Orobanchae aegyptiacae* 1115 G. BEN-HOD, N. B. NUN, S. TZABAN and A. M. MAYER
- Digestion by fungal glycanases of arabinoxylans with different feruloylated side-chains 1123 G. WENDE and S. C. FRY
- Arteether: a potent plant growth inhibitor from *Artemisia annua* 1131 G. D. BAGCHI, D. C. JAIN and S. KUMAR

Ecological Biochemistry

- Inflorescence odour of *Senecio articulatus*: temporal variation in isovaleric acid levels 1135 G. C. KITE and S. A. L. SMITH
- The Monarch butterfly caterpillar (*Danaus plexippus*) waves at passing Hymenoptera and jet aircraft — are repellent volatiles released simultaneously? 1139 M. ROTHCHILD and G. BERGSTRÖM
- Volatiles from *Medicago sativa* complex flowers 1145 A. TAVA and L. PECETTI
- Ecdysteroids of the root bark of *Vitex canescens* 1149 A. SUKSAMRARN, N. PROMRANGSAN, B. CHITKUL, S. HOMVISASEVONGSA and A. SIRIKATE

Biosynthesis

- Biosynthesis of octane-1,3-diol in apple fruit 1153 T. BEUERLE and W. SCHWAB
- Squalene synthase from cell suspension cultures of *Tabernaemontana divaricata* 1157 P. A. KROON and D. R. THRELFALL
- Cytochrome P450-dependent hydroxylation in the biosynthesis of rosmarinic acid in *Coleus* 1165 M. PETERSEN

Chemotaxonomy

- 13-Phenyltridecanoic acid in seed lipids of some aroids 1173 P. C. SCHMID, R. T. HOLMAN and V. G. SOUKUP

Composition and infraspecific variability of essential oil from <i>Thymus camphoratus</i>	1177	L. R. SALGUEIRO, R. VILA, F. TOMI, X. TOMAS, S. CAÑIGUERAL, J. CASANOVA, A. PROENÇA DA CUNHA and T. ADZET
Chemotaxonomy of <i>Parthenium</i> : <i>P. hysterophorus</i> – <i>P. glomeratum</i>	1185	J. R. DE LA FUENTE, L. NOVARA, S. R. ALARCÓN, O. J. DÍAZ, M. L. URIBURU and V. E. SOSA
Flavonoid evidence and the classification of the Anarthriaceae within the Poales	1189	C. A. WILLIAMS, J. B. HARBORNE, J. GREENHAM, B. G. BRIGGS and L. A. S. JOHNSON
Bioactive Plant Products		
Microviridins, elastase inhibitors from the cyanobacterium <i>Nostoc minutum</i> (NIES-26)	1197	M. MURAKAMI, Q. SUN, K. ISHIDA, H. MATSUDA, T. OKINO and K. YAMAGUCHI
Dictyophorines A and B, two stimulators of NGF-synthesis from the mushroom <i>Dictyophora indusiata</i>	1203	H. KAWAGISHI, D. ISHIYAMA, H. MORI, H. SAKAMOTO, Y. ISHIGURO, S. FURUKAWA and J. LI
Prenylated phenylpropenes from <i>Coleonema pulchellum</i> with anti-microbial activity	1207	G. BRADER, M. BACHER, O. HOFER and H. GREGER
Plant Chemistry		
Glycolipids from <i>Mirabilis himalaica</i>	1213	G.-L. ZHANG, Q.-Y. XING and M.-Z. ZHANG
Diosphenols from <i>Spirostachys africana</i>	1217	N. M. MUNKOMBWE, T. MASWABI and N. A. HUGHES
Terpenoids from <i>Salvia candidissima</i> subsp. <i>candidissima</i>	1221	A. ULUBELEN, N. TAN and G. TOPCU
Pregnanes and triterpenoid hydroperoxides from the leaves of <i>Aglaia grandis</i>	1225	A. INADA, H. MURATA, Y. INATOMI, T. NAKANISHI and D. DARNAEDI
Steroidal glucosides from leaves of <i>Cordyline stricta</i>	1229	Y. MIMAKI, Y. TAKAASHI, M. KURODA and Y. SASHIDA
Bibenzyl derivatives from <i>Pellia epiphylla</i>	1235	F. CULLMANN, H. BECKER, E. PANDOLFI, E. ROECKNER and T. EICHER
Prenylated bibenzyl derivatives from <i>Lethocolea glossophylla</i> and <i>Radula voluta</i>	1249	L. KRAUT, R. MUES and H. D. ZINSMEISTER
A phenolic cinnamate dimer from <i>Psoralea plicata</i>	1257	A. I. HAMED, I. SPRINGUEL, N. A. EL-EMARY, H. MITOME and Y. YAMADA
Neolignans, styrylpyrones and flavonoids from an <i>Aniba</i> species	1263	M. H. ROSSI, M. YOSHIDA and J. G. S. MAIA
Neolignan, phenylpropanoid and iridoid glycosides from <i>Pedicularis verticillata</i>	1271	S. BAO-NING, Y. LI and J. ZHONG-JIAN
Bicoumarins from <i>Pleurospermum rivulorum</i>	1275	Y.-Q. XIAO, X.-H. LIU, M. TANIGUCHI and K. BABA
Anthrones from <i>Aloe barbadensis</i>	1279	R. SALEEM, S. FAIZI, F. DEEBA, B. S. SIDDIQUI and M. H. QAZI
The absolute stereostructure of dioncophylline A by anomalous X-ray dispersion of a 5-bromo derivative	1283	G. BRINGMANN, W. SAEB, K. PETERS and E.-M. PETERS
Naphthylisoquinoline alkaloids from <i>Ancistrocladus cochinchinensis</i>	1287	N. H. ANH, A. PORZEL, H. RIPPERGER, G. BRINGMANN, M. SCHÄFFER, R. GOD, T. V. SUNG and G. ADAM

Short Reports

Terpenoids from <i>Salvia glutinosa</i>	1293	G. TOPCU, N. TAN, G. KÖKDİL and A. ULUBELEN
Sitosterol sucroside from the suckers of <i>Mentha arvensis</i>	1295	R. A. KHAN, A. K. SINGH and P. K. AGRAWAL
A stilbene derivative from <i>Artocarpus incisus</i>	1297	K. SHIMIZU, R. KONDO and K. SAKAI
7- <i>O</i> -Methylgarcinone E from <i>Garcinia cowa</i>	1299	K. LIKHITWITAYAWUID, T. PHADUNGCHAROEN, C. MAHIDOL and S. RUCHIRAWAT
Alkaloids from <i>Alstonia scholaris</i>	1303	T.-S. KAM, K.-T. NYEON, K.-M. SIM and K. YOGANATHAN
Book Review	1307	

Number 7**Review Article Number 120**

Sequence and structural features of plant and fungal tyrosinases	1309	C. W. G. VAN GELDER, W. H. FLURKEY and H. J. WICHERS
--	------	--

Growth and Metabolism

Brassinosteroids from seeds of <i>Arabidopsis thaliana</i>	1325	J. SCHMIDT, T. ALTMANN and G. ADAM
Varietal differences in protein phosphorylation during cold treatment of rice leaves	1329	S. KOMATSU and A. KATO
Properties of plasma membranes of <i>Phsp70-ipt</i> transformed tobacco (<i>Nicotiana tabacum</i>)	1337	L. BULTYNCK, J. M. C. GEUNS, G. VAN GINKEL and R. J. CAUBERGS
Cadmium- and copper-induced changes in tomato membrane lipids	1343	O. OUARITI, N. BOUSSAMA, M. ZARROUK, A. CHERIF and M. H. GHORBAL
Changes in enzymes involved in suberisation in elicitor-treated French bean cells	1351	G. P. BOLWELL, C. GERRISH and J.-P. SALAUN
Pectinolytic enzymes from <i>Pseudomonas marginalis</i> MAFF 03-01173	1359	K. HAYASHI, Y. INOUE, M. SHIGA, S. SATO, R. TAKANO, K. HIRAYAE, T. HIBI and S. HARA
Reactions of polyphenol oxidase generated caftaric acid <i>o</i> -quinone with malvidin 3- <i>O</i> -glucoside	1365	P. SARNI-MANCHADO, V. CHEYNIER and M. MOUTOUNET
Detection of tomatinase from <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> in infected tomato plants	1371	K. LAIRINI and M. RUIZ-RUBIO
Increases in surface flavonols and photosynthetic pigments in <i>Gnaphalium luteo-album</i> in response to UV-B radiation	1377	P. CUADRA, J. B. HARBORNE and P. G. WATERMAN

Ecological Biochemistry

Biological activities of pseudomycin A, a lipodepsinonapeptide from <i>Pseudomonas syringae</i> MSU 161H	1385	D. DI GIORGIO, L. CAMONI, C. MARCHIAFAVA and A. BALLIO
Tetranortriterpenoid insect antifeedants from <i>Severinia buxifolia</i>	1393	T. S. WU, Y. L. LEU, Y. Y. CHAN, P. L. WU, C. S. KUOH, S. J. WU and Y. WANG
Blue flower colour derived from flavonol-anthocyanin co-pigmentation in <i>Ceanothus papillosus</i>	1399	S. J. BLOOR

Biosynthesis

- Separation of the *N*-7 methyltransferase, the key enzyme in caffeine biosynthesis 1407 S. S. MÖSLI WALDHAUSER, F. M. GILLIES, A. CROZIER and T. W. BAUMANN
- Dihydroflavonol 4-reductase activity in lignocellulosic tissues 1415 V. DELLUS, W. HELLER, H. SANDERMANN JR and A. SCALBERT

Bioactive Plant Products

- Coumarins and anti-HBV constituents from *Zanthoxylum schini-folium* 1419 C.-T. CHANG, S.-L. DOONG, I.-L. TSAI and I.-S. CHEN

Plant Chemistry

- Annonisin, a bis-tetrahydrofuran acetogenin from *Annona atemoya* seeds 1423 P. DURET, R. HOCQUEMILLER and A. CAVÉ
- Iridoid glycosides from *Eucnide bartonioides* 1427 V. RODRIGUEZ, J. SCHRIPEMA and S. R. JENSEN
- 9 ξ -*O*- β -D-Glucopyranosyloxy-5-megastigmen-4-one from *Lamium album* 1431 S. D. SARKER, L. DINAN, V. ŠÍK and H. H. REES
- Sesquiterpenes from the essential oil of *Cyperus alopecuroides* 1435 M. M. SONWA, W. A. KÖNIG, K.-H. KUBECZKA and O. MOTL
- Sesquiterpenes from *Ligularia intermedia* 1441 H.-M. CHEN, M.-S. CAI and Z.-J. JIA
- Sesquiterpene lactones from Brazilian *Tithonia diversifolia* 1445 P. S. PEREIRA, D. A. DIAS, W. VICHNEWSKI, A. M. T. T. NASI and W. HERZ
- Guaianolides from *Centaurea musimomum* 1449 K. MEDJROUBI, F. BENAYACHE, S. BENAYACHE, S. AKKAL, N. KHALFALLAH and P. ACLINO
- Russulactarorufin, a lactarane skeleton sesquiterpene from *Russula brevipes* 1453 O. P. SURI, R. SHAH, N. K. SATTI and K. A. SURI
- ent*-Trachylobane diterpenoids from the liverwort *Mastigophora diclados* 1457 Y.-W. LEONG and L. J. HARRISON
- Languidulane, clerodane and secoclerodane diterpenes from *Salvia tonalensis* 1461 E. MALDONADO and A. ORTEGA
- Mulinol, a diterpenoid from *Azorella compacta* 1465 L. A. LOYOLA, J. BÓRQUEZ, G. MORALES and A. S. MARTIN
- Diterpenoids and flavonoids from *Ophryosporus charrua* 1469 L. S. FAVIER, M. NIETO, O. S. GIORDANO and C. E. TONN
- A quinone methide from *Salvia officinalis* 1475 M. TADA, T. HARA, C. HARA and K. CHIBA
- Serrulatane diterpenes from a new *Eremophila* species 1479 Y. M. SYAH and E. L. GHISALBERTI
- Diterpenoid, sesquiterpenoid and secoiridoid glucosides from *Aster auriculatus* 1483 W. CHANGZENG and Y. DEQUAN
- Meroditerpenes from *Cystoseira amentacea* var. *stricta* collected off the Mediterranean coasts 1489 V. MESGUICHE, R. VALLS, L. PIOVETTI and B. BANAIGS
- Androstane and pregnane 2 β ,19-hemiketal steroids from *Trichilia clausenii* 1495 M. T. PUPO, P. C. VIEIRA, J. B. FERNANDES, M. F. DAS G. F. DA SILVA and E. R. FO
- Triterpenoid saponins from the leaves of *Ilex latifolia* 1501 M.-A. OUYANG, H.-Q. WANG, Y.-Q. LIU and C.-R. YANG
- A saponin conjugated with 2,3-dihydro-2,5-dihydroxy-6-methyl-4*H*-pyran-4-one from *Vigna angularis* 1507 T. IIDA, Y. YOSHIKI, T. KAHARA, K. OKUBO and H. OHROI

Three chromones of <i>Aloe vera</i> leaves	1511	N. OKAMURA, N. HINE, Y. TATEYAMA, M. NAKAZAWA, T. FUJIOKA, K. MIHASHI and A. YAGI
Structural revision of four coumarins from <i>Pterocaulon</i> species	1515	S. L. DEBENEDETTI, N. DE KIMPE, M. BOEYKENS, J. D. COUSSIO and B. KESTELEYN
Diastereomeric C-glucosylanthrones of <i>Aloe vera</i> leaves	1519	N. OKAMURA, N. HINE, S. HARADA, T. FUJIOKA, K. MIHASHI, M. NISHI, K. MIYAHARA and A. YAGI
7-Hydroxy-2,3,5,6-tetrahydro-3,6,9-trimethylnaphtho[1,8-b,c]pyran-4,8-dione from <i>Thespesia populnea</i>	1523	M. MILBRODT, W. A. KÖNIG and B. M. HAUSEN
The natural occurrence of magnosalicin diastereomers	1527	M. D. F. DA SILVA, F. S. N. TAVEIRA, J. G. S. MAIA, L. M. CONSERVA, M. YOSHIDA and O. R. GOTTLIEB
Flavonoids from <i>Ephedra aphylla</i>	1529	S. A. M. HUSSEIN, H. H. BARAKAT, M. A. M. NAWAR and G. WILLUHN
A pyrano chalcone and a flavanone from <i>Neoraputia magnifica</i>	1533	E. A. P. PASSADOR, M. F. DAS G. F. DA SILVA, E. R. FO, J. B. FERNANDES, P. C. VIEIRA and J. R. PIRANI
Structural revision of franchetine and vilmorisine, two nor-diterpenoid alkaloids from the roots of <i>Aconitum</i> spp.	1539	F.-P. WANG, Z.-B. LI, X.-P. DAI and C.-S. PENG
Phoebegrandines A and B, proaporphine-tryptamine dimers, from <i>Phoebe grandis</i>	1543	M. R. MUKHTAR, M.-T. MARTIN, M. DOMANSKY, M. PAIS, A. H. A. HADI and K. AWANG
Book Reviews	1547	

Number 8

Growth and Metabolism

Detection of the isoenzymes of wheat grain proteinase A	1549	A. V. JIVOTOVSKAYA, C. HORSTMANN and I. A. VAINTRAUB
A gallotannin degrading esterase from leaves of pedunculate oak	1555	J. U. NIEHAUS and G. G. GROSS
Lipids of <i>Pavlova lutheri</i> : cellular site and metabolic role of DGCC	1561	W. EICHENBERGER and C. GRIBI
Conversion of velutinal esters in the fruit bodies of <i>Russula cuprea</i>	1569	M. CLERICUZIO and O. STERNER
Douglas-fir polyphenols and heartwood formation	1573	V. DELLUS, I. MILA, A. SCALBERT, C. MENARD, V. MICHON and C. L. M. HERVE DU PENHOAT

Ecological Biochemistry

Insecticidal rocaglamide derivatives from <i>Aglaia elliptica</i> and <i>A. harmsiana</i>	1579	B. W. NUGROHO, B. GÜSSREGEN, V. WRAY, L. WITTE, G. BRINGMANN and P. PROKSCH
---	------	--

Biosynthesis

Solubilization of membrane bound Δ^{12} - and Δ^6 -fatty acid desaturases from borage seeds	1587	A.-M. GALLE, A. OURSEL, M. JOSEPH and J.-C. KADER
Biosynthetic incorporation of the aminobutyl group of spermidine into pyrrolizidine alkaloids	1591	G. GRASER and T. HARTMANN

Cell Culture and Biotechnology

Cycloartane saponin production in hairy root cultures of *Astragalus mongholicus*

1597 I. IONKOVA, T. KARTNIG and
W. ALFERMANN

Chemotaxonomy

Non-terpenoid compounds from *Plocamium cartilagineum*

1601 P. M. ABREU, J. M. GALINDRO, A. M. RELVA
and A. M. RAMOS

Essential oils from New Zealand manuka and kanuka: chemotaxonomy of *Kunzea*

1606 N. B. PERRY, J. W. VAN KLINK,
N. J. BRENNAN, W. HARRIS,
R. E. ANDERSON, M. H. DOUGLAS and
B. M. SMALLFIELD

3,4-Dihydroxy-3'-methoxystilbene, the first monomeric stilbene derivative from bryophytes

1613 A. SPEICHER and R. SCHOENEBOERN

Plant Chemistry

An amide from fruits of *Piper nigrum*

1617 B. S. SIDDIQUI, S. BEGUM, T. GULZAR, FARHAT
and F. NOOR

Isolation and synthesis of rufulamide, an oligopeptide analogue from *Metzgeria rufula*

1621 L. KRAUT, T. KLAUS, R. MUES, T. EICHER and
H. D. ZINSMEISTER

Aliphatic β -D-glucosides from fruits of *Carica pubescens*

1627 D. KRAJEWSKI, C. DUQUE and P. SCHREIER

7-Epi-eudesmanes, eudesmanoic acids, eudesmanolides and other sesquiterpenes from *Pluchea dioscoridis*

1633 A. A. MAHMOUD

Daucane esters from *Ferula arrigonii*

1639 G. APPENDINO, J. JAKUPOVIC, S. ALLOATTI and
M. BALLERO

Sesquiterpenolides from *Melanoselinum decipiens*

1645 G. M. MASSANET, F. M. GUERRA,
Z. D. JORGE and C. ASTORGA

Neo-clerodane diterpenoids from *Teucrium sandrasicum*

1653 M. C. DE LA TORRE, B. RODRÍGUEZ,
M. BRUNO, C. FAZIO, K. H. C. BASER and
H. DUMAN

Modified abietane diterpenoids and a methoxylupane derivative from *Salvia palaestina*

1663 A. A. HUSSEIN, M. C. DE LA TORRE,
B. RODRÍGUEZ, F. M. HAMMOUDA and
H. A. HUSSINEY

Ergosta-4,6,8,22-tetraen-3-one from the edible fungus, *Pleurotus ostreatus* (oyster fungus)

1669 V. CHOBOT, L. OPLETAL, L. JAHODÁŘ,
A. V. PATEL, C. G. DACKÉ and G. BLUNDEN

Phloroglucinol derivatives from leaves of *Bosistoa pentacocca*

1673 A. A. AUZI, P. I. FORSTER, T. G. HARTLEY,
R. D. WAIGH and P. G. WATERMAN

Phenylpropanoids from leaves of *Juniperus phoenicea*

1679 G. COMTE, J. VERCAUTEREN, A. J. CHULIA,
D. P. ALLAIS and C. DELAGE

Hydroxycinnamic acid esters from broccoli florets

1683 K. R. PRICE, E. CASUSCELLI,
I. J. COLQUHOUN and M. J. C. RHODES

Proanthocyanidins from *Lotus pedunculatus*

1689 L. Y. FOO, Y. LU, W. C. McNABB,
G. WAGHORN and M. J. ULYATT

Methoxyflavones from *Ficus maxima*

1697 G. DIAZ M., A. C. ARRUDA,
M. S. P. ARRUDA and A. H. MÜLLER

Acylated flavonol glycosides from spinach leaves (*Spinacia oleracea*)

1701 F. FERRERES, M. CASTAÑER and
F. A. TOMÁS-BARBERÁN

Further norditerpenoid alkaloids from *Delphinium cardiopetalum*

1707 M. REINA, A. MADINAVEITIA and
G. DE LA FUENTE

Two norditerpenoid alkaloids from <i>Delphinium siwanense</i>	1713	S. ZHANG, G. ZHAO and G. LIN
Short Reports		
A triterpene glycoside from <i>Scrophularia koelzii</i>	1717	S. P. S. BHANDARI, U. V. BABU and H. S. GARG
A steroidal glycoside from <i>Clerodendron inerme</i>	1721	ATTA-UR-REHMAN, S. BEGUM, S. SAIED, M. I. CHOUDHARY and F. AKHTAR
Anthraquinones from <i>Morinda elliptica</i>	1723	N. H. ISMAIL, A. M. ALI, N. AIMI, M. KITAJIMA, H. TAKAYAMA and N. H. LAJIS
A flavonol C-glycoside from <i>Moghania macrophylla</i>	1727	J.-B. WU, Y.-D. CHENG, L.-L. SU, C.-W. KUO and S.-C. KUO
Rhamnetin 3-O-laminaribioside from <i>Pteridium aquilinum</i>	1729	F. IMPERATO
Alkaloids of <i>Uncaria elliptica</i>	1731	T. K. K. DIYABALANAGE, B. M. M. KUMARIHAMY, G. P. WANNIGAMA, L. JAYASINGHE, L. MERLINI and L. SCAGLIONI