

SUBJECT INDEX

- A**
- Abscisic acid, 2-*cis*-xanthoxic acid as late precursor in biosynthesis of 257
- Abscisic acid 8'-hydroxylase, induction of by trifluoro-ABA 931
- Acanthopanax divaricatus*, lupane triterpenoid glycosyl esters from 579
- ACC oxidase, activity of in corn and sunflower 869
- Acetogenins,
 antitumour, from *Rollinia* 719
 bis-tetrahydrofuran, from *Annona* 1423
- Acetophenones, from *Cynanchum*, revised structures of 1057
- Acetylenes, from *Argyranthemum*, antimicrobial and cytotoxic activities of 963
- Achillea ageratum*, germacranes and flavonoids from 111
- Aconitella hohenackeri*, norditerpenoid alkaloids from 1079
- Aconitum*, structural revision of norditerpenoid alkaloids from 1539
- Acosmium panamense*, methoxylated quinolizidine alkaloids from 847
- Adenostyles*, sequestration of pyrrolizidine alkaloids from, by beetles 489
- Agavaceae 1229
- Aglaiia*, insecticidal rocaglamides from 1579
- A. grandis*, pregnanes and triterpenoid hydroperoxides from 1225
- Ajuga. neo-clerodane* diterpenoids from 121
- Alangiaceae 477, 611
- Alangium lamarckii*, enzymatic condensation of dopamine and secologanin in 477
- A. premnifolium*, lignan and neolignan glycosides from 611
- Algae 67, 93, 303, 485, 529, 641, 655, 903, 1489, 1561, 1601
- Alkaloids,
 anthranilate, from *Ticorea* 851
 anti-HBV, from *Zanthoxylum* 1419
 aporphine, from *Phoebe* 1543
 calystegine, from *Duboisia* 425
 from *Aristolochia* 431
 from *Tabernaemontana* 325
 from *Uncaria* 855
 indole,
 from *Alstonia* 1303
 heptacyclic, from *Kopsia* 623
 naphthylisoquinoline, from *Ancistrocladus* 1287
 norditerpenoid,
 from *Aconitella* 1079
 from *Aconitum*, structural revision of 1539
 from *Delphinium* 1707, 1713
 oxindole, from *Uncaria* 1731
 pyrrolizidine, sequestration and metabolism of by chrysomelid leaf beetles 489
 quinoline, from *Lyngbya* 1087
 quinolizidine, methoxylated, from *Acosmium* 847
 sesquiterpene, from *Tripterygium* 617
 steroidal, from *Sarcococca* 861
- Alkane diols, from *Carthamus* petals 725
- Alkyl β -D-glucosides, from *Carica* fruits 1627
- Alliaceae 897
- Allium porrum*, lactate dehydrogenase from 897
- Aloe*, chromones and aloins from 97
- A. barbadensis*, anthrones from 1279
- A. vera*,
 chromones from 1511
 diastereomeric C-glucosylanthrones from 1519
- Aloeaceae 97, 1279, 1511, 1519
- Alpinia densibracteata*, oxygenated bisabolanes from 537
- Alstonia scholaris*, alkaloids from 1303
- Alternaria alternata*, host-selective tetrapeptide phytotoxin from 37
- Aluminium, mechanism of maize tolerance to 675
- Amides,
 from *Piper* fruits 1617
 tryptamine-derived, from *Clausena* 337
- Amine oxidase, from *Onobrychis* seedlings 239
- Amino acid sequence, of buckwheat globulin subunit 865
- Amino acids, nonprotein, from *Cycas* 517
- Anacardiaceae 1003
- Anarthria*, flavonoids from 1189
- Anarthriaceae 1189
- Ancistrocladaceae 1287
- Ancistrocladus cochinchinensis*, naphthylisoquinoline alkaloids from 1287
- Anemone raddeana*, oleanolic acid based bisglycosides from 1031
- Aniba*, neolignans, styrylpyrones and flavonoids from 1263
- A. puchury-minor*, magnosalicin diastereomers from 1527
- Anigozanthos preissii*, phenylphenalenones from 87
- Annona atemoya*, bis-tetrahydrofuran acetogenin from 1423
- A. squamosa*, cyclopeptide from 521
- Annonaceae 521, 719, 729, 831, 1423
- Anthemis aetnensis*, terpenoids from 375
- Anthocyanidin, 3-deoxy-, from *Sorghum* 1091
- Anthocyanins,
 acylated,
 from blue flowers of *Ceanothus* 1399
 from blue *Gentiana* flowers 167
 from red-purple *Phalaenopsis* flowers 173
 antioxidant activity of against ascorbic acid oxidation 671
 colour manifestation of, in *Geranium* 417
- Anthraquinones,
 from *Aloe* 97
 from *Morinda* 1723
- Anthrones,
 from *Aloe* 1279
 C-glucosyl, diastereomeric, from *Aloe* 1519
- Apocynaceae 325, 623, 1157, 1303
- Aquifoliaceae 1501
- Arabidopsis thaliana*,
 abscisic acid 8'-hydroxylase induction in 931
 brassinosteroids from seeds of 1325
 dihydropterolate synthase from 23
 epicuticular wax variation in ecotypes of 251
- Araceae 1173
- Araliaceae 579
- Argyranthemum*, biological activities of acetylenes from 963
- Aristolochia gigantea*, alkaloids and N-oxide alkaloids from 431
- Aristolochiaceae 431
- Aroideae, 13-phenyltridecanoic acid in seed lipids of 1173
- Artabotrys hexapetalus*, flavonols from 831
- Arteether, from *Artemisia annua* 1131
- Artemisia annua*, sesquiterpenoid plant growth inhibitor from 1131

- A. inculta*, sesquiterpene lactones from 751
A. lucentica, sesquiterpene lactones from 755
Artocarpus incisus, stilbene from 1297
 Asclepiadaceae 1057, 1139
 Ascorbic acid oxidation, inhibition of by anthocyanins 671
Aspergillus niger, biotransformation of (–)- and (+)-isopinocampheol by 945
 Assufulvenal, from *Joannesia*, absolute configuration of 349
Aster auriculatus, diterpenoid, sesquiterpenoid and secoiridoid glucosides from 1483
A. bellidistrum, triterpenoid saponins from 125
Astragalus mongholicus, cycloartane saponin production in hairy root cultures of 1597
A. verrucosus, cyclartane triterpene glucosides from 585
 ATPase activity, Ca^{2+} -pumping, stimulation of by calmodulin 1097
Atractylodes macrocephala, sesquiterpene lactam from 765
 Aurones, methoxylated, from *Cyperus* 839
Avena sativa, synthesis of cell wall glycoproteins in 627
Azadirachta indica,
 reassignment of structure of nimonol from 807
 tetranortriterpenoid from 397
Azorella compacta, diterpenoid from 1465
- B**
Baccharis myrsinites, clerodane diterpenoids and coumaric acid esters from 571
 Bacteria 1087, 1197, 1359
 Benzopyrans, from *Melicope* leaves 1049
 Benzylglucosinolate, biosynthesis of in *Carica* 59
Betula maximowicziana, lignans and diarylheptanoids from 589
 Betulaceae 589
 Bibenzyls,
 from *Pellia* 1235
 prenylated, from *Lethocolea* and *Radula* 1249
 Bicoumarins, from *Pleurospermum* 1275
 Bignoniaceae 193
 Biologically active compounds
 algicidal dihydroisocoumarins, from fungi 313
 allelopathic flavonoids, from *Helianthus* 683
 antifeedant tetranortriterpenoid, from *Severinia* 1393
 antifungal
 alkaloids, from *Tabernaemontana* seeds 331
 stress compounds, from *Vicia* 701
 anti-HBV coumarin and alkaloid, from *Zanthoxylum* 1419
 antimicrobial
 acetylenes, from *Argyranthemum* 963
 phenylpropene, prenylated, from *Coleonema* 1207
 triterpene, from *Lantana* 321
 antimutagenic triterpene, from *Lantana* 321
 antioxidant activity of anthocyanins, against ascorbic acid oxidation 671
 antitumour acetogenins, from *Rollinia* 719
 antitumour-promoting triterpenoids, from *Trip-terygium* 969
 choleretic phloracetophenone glucoside, from *Curcuma* 103
 cytokinin, aromatic, highly active, from poplar leaves 213
 cytotoxic
 acetylenes, from *Argyranthemum* 963
 alkaloids, from *Tabernaemontana* seeds 331
 flavanones, prenylated,
 from *Derris* 825
 from *Monotes* 509
 lignans, from *Hernandia* 991
 elastase inhibitory cyclic peptide, from *Nostoc* 1197
 feeding-deterrent bromophenols, from *Odonthalia* 485
 fungicidal dihydroisocoumarins, from fungi 313
 immunologically active triterpene saponins, from *Silene* 985
 insecticidal rocaglamides, from *Aglaia* 1579
 interleukin-1 secretion inhibiting triterpenoids, from *Trip-terygium* 969
 nerve growth factor-synthesis promoting sesquiterpenoids, from *Dictyophora* 1203
 phototoxic polyacetylenes, from *Viguiera* 695
 phytoalexin, phenylphenalenone-type, from *Musa* 47
 phytotoxic
 diterpenoids, from *Sphaeropsis* and *Diplodia* 705
 lipodepsinonapeptide, from *Pseudomonas* 1385
 metabolites, from *Bipolaris* 41
 tetrapeptide, from *Alternaria* 37
 Biosynthesis,
 of abscisic acid, in avocado 257
 of alkaloids, pyrrolizidine, in *Senecio* 1591
 of benzylglucosinolate, in *Carica* 59
 of caffeine, separation of key enzyme of 1407
 of cyanogenic glucosides, in *Carica* 59
 of DIMBOA, in maize, origin of oxygen atoms in 715
 of fatty acids, in borage, desaturases involved in 1587
 of leucoanthocyanidins, in lignocellulosic tissues of Pin-aceae 1415
 of octaine-1,3-diol, in apple fruit 1153
 of phenylpropanoids, in *Carica* 59
 of *trans*-polyisoprene, in *Eucommia* 75
 of rosmarinic acid, in *Coleus* 1165
 of rubber, in bottom fraction of *Hevea* latex 261
 of triterpenoid phytoalexins, in *Tabernaemontana* 1157
 Biotransformation,
 of manoyl oxides, by *Rhizopus* and *Curvularia* cul-
 tures 283
 of (–)-*cis*-myrtaanol and (+)-*trans*-myrtaanol, by *Glo-*
 merella 935
 of (–)- and (+)-isopinocampheol, by *Glomerella*, *Rhi-*
 zoctonia and *Aspergillus* 945
 Bipolaris coicis, phytotoxins from 41
 Bishomoditerpene lactones, from *Euphorbia* 137
 Boraginaceae 1587
 Borago officinalis, solubilization of membrane-bound fatty
 acid desaturases from 1587
 Bosistoa pentacocca, phloroglucinols from 1673
 Brassica juncea, glucosinolates from 525
 B. napus, characterization of drought-induced protein in 1
 B. oleracea, hydroxycinnamic acid esters from 1683
 B. rapa, kinetics of lactate dehydrogenase from 889, 897
 24-*epi*-Brassinolide, role of cytochrome P450-dependent
 monooxygenase in hydroxylation of 233
 Brassinosteroids, from *Arabidopsis* seeds 1325
 Bromeliaceae 1019
 Bromophenols, feeding-deterrent, from *Odonthalia* 485
 Buxaceae 861
 Byrsonima crassifolia, glycolipids from 647
- C**
 Caffeine biosynthesis, *N*-7 methyltransferase involved
 in 1407
 Caftaric acid *o*-quinone, polyphenoloxidase generated, reac-
 tions of with malvidin 3-glucoside 1365
 Calmodulin, stimulation of Ca^{2+} -pumping ATPase activity
 by 1097
Calvatia craniformis, hydroxyphenylazoformamides
 from 997
 Campanulaceae 411
 Caprifoliaceae 777
 Carbohydrates, in developing soybean seed tissues 29
 Carboxypeptidase W, from wheat, carboxyamidase activity
 of 907
 Cardenolides,
 in *Digitalis*, variation of in different growth stages 473
 in wild and micropropagated *Digitalis* 81

- Carica papaya*, biosynthesis of benzylglucosinolate, cyanogenic glycosides and phenylpropanoids in 59
- C. pubescens*, aliphatic glucosides from 1627
- Caricaceae 59, 1627
- Carotenoid glucoside mycolic acid esters, from *Rhodococcus* 505
- Carrageenan, L-galactose-containing, from *Gigartina* 1009
- Carthamus tinctorius*, alkane diols from 725
- Carvotacetones, from *Sphaeranthus* 533
- Caryophyllaceae 841, 985
- Catechols, alkyl- and alkenyl-, from *Metopium* 1003
- Ceanothus papillosus*, flavonol-anthocyanin co-pigmentation in blue flowers of 1399
- Celastraceae 293, 617, 791, 969, 975, 979
- Centaurea musimomum*, guaianolides from 1449
- C. scoparia*, guaianolides from 551
- Centrosema pubescens*, isoflavone glycoside from 1069
- Cephalosporium aphidicola*, hydroxylation of 13 α -methylsteroids by 951
- Chalcone, pyrano-, from *Neoraputia* 1533
- Chemotaxonomic studies,
of anthocyanins, acylated, in *Phalaenopsis* flowers 173
of anthraquinones, in *Aloe* 97
of carotenoid glucoside mycolic acid esters, in *Rhodococcus* 505
of chromones, in *Aloe* 97
of dihydroisocoumarins, in fungi 313
of essential oils,
in *Kunzea* 1605
In *Thymus caespititius* chemotypes 307
in *Thymus camphoratus*, infraspecific variability of 1177
of fatty acids, in algae 303
of flavonoids, in the Anarthriaceae, Ecdeiocoleaceae and Restionaceae 1189
of non-terpenoid constituents, in red algae 1601
of octadecapentaenoic acid, in *Heterosigma* 303
of 13-phenyltridecanoic acid, in seed lipids of *Ara-*
ceae 1173
of quercetin glycosides, in *Ranunculus* sugenus *Batrachium* 1063
of sesquiterpene lactones, in *Parthenium hysterophorus* and *P. glomeratum* 1185
of sterols, in *Cystoseira* 93
of stilbenes, monomeric, in bryophytes 1613
of volatiles, in *Cystoseira* 93
- Chenopodiaceae 297, 1701
- Chenopodium rubrum*, increase of oxidised phytosterols by ageing in 297
- Chlorophyta 655
- Chromenol, from *Seseli* 549
- Chromone C-glucoside, from cloves 401
- Chromones, from *Aloe* 97, 1511
- Cicer arietinum*, modulation of poly(A)polymerase by cAMP in 459
- Citrate, effects of on respiratory gas exchange in carrot root tissues 225
- Clausena indica*, tryptamine-derived amides from 337
- Clerodendron inermis*, steroidal glycoside from 1721
- Coffea arabica*, N-7 methyltransferase involved in caffeine biosynthesis in 1407
- Coix lachryma-jobi*, metabolites from *Bipolaris* phytotoxic against 41
- Coleonema punchellum*, antimicrobial prenylated phenylpropenes from 1207
- Coleus blumei*, cytochrome P450-dependent hydroxylation in rosmarinic acid biosynthesis in 1165
- Colletotrichum dematium*, C-methyl flavonols from 957
- C. gloeosporioides*, oxidation of maaackiin by 925
- Compositae 107, 111, 117, 125, 201, 365, 369, 375, 489, 533, 551, 571, 683, 695, 725, 751, 755, 765, 769, 801, 869, 889, 963, 1109, 1131, 1135, 1185, 1377, 1441, 1445, 1449, 1469, 1483, 1515, 1591, 1633
- Coniferyl alcohol, template polymerization of 911
- Consolida hohenackeri*, norditerpenoid alkaloids from 1079
- Cordyline stricta*, steroidal glucosides from 1229
- Costus tonkinensis*, triterpenoids and sterols from 1041
- Coumaric acid esters, from *Baccharis* 571
- Coumarin-degrading enzyme, from sunflower 1109
- Coumarins,
anti-HBV, from *Zanthoxylum* 1419
from *Pterocaulon*, structural revision of 1515
from *Ticorea* 851
- Croton hovarum*, clerodane diterpenes from 379
- Cruciferae 1, 23, 251, 525, 889, 897, 931, 1325, 1683
- Cryptococcus fagisuga*, role of phenols from *Fagus* in defence against 51
- Cryptosporiopsis*, dihydroisocoumarins from 313
- Cucumis melo*, isoprenoid hydrocarbons from fruit of 637
- Cucurbitaceae 391, 637
- Cupressaceae 705, 1679
- Curcuma comosa*, chlorectic phloracetophenone glucoside from 103
- Curvularia lunata*, biotransformation of *ent*-manoyl oxides by 283
- Cyanogenic glycosides, biosynthesis of in *Carica* 59
- Cycadaceae 517
- Cycas revoluta*, nonprotein amino acids from 517
- Cycloartane production, in *Astragalus* hairy root cultures 1597
- Cyclohexene oxides, from *Uvaria* 729
- Cyclolepis genistoides*, triterpenes and sesquiterpene lactones from 801
- Cyclopentene, from *Dictyopteris*, absolute configuration of 529
- Cyclopeptide, from *Annona* seeds 521
- Cynanchum taiwanianum*, revised structures of acetophenones from 1057
- Cyperaceae 839, 1435
- Cyperus alepocouroides*, sesquiterpenes from essential oil of 1435
- C. capitatus*, methoxylated aurones from 839
- Cystoseira*, sterols and volatiles from 93
- C. amentacea*, meroditerpenes from 1489
- Cytokinin, aromatic, from poplar leaves 213
- D
- Danaus plexippus*, release of repellent volatiles by in response to sound 1139
- Daphne odora*, flavonoids from 183
- Daucus carota*,
effects of citrate on respiratory gas exchange in 225
stimulation of Ca²⁺-pumping ATPase activity in plasma membrane of 1097
- Delphinium cardiopetalum*, norditerpenoid alkaloids from 1707
- D. siwanense*, norditerpenoid alkaloids from 1713
- Derris reticulata*, cytotoxic prenylated flavanones from 825
- Diarylheptanoids, from *Berula* heartwood 589
- Dictyophora indusiata*, nerve growth factor synthesis stimulating eudesmanes from 1203
- Dictyopteris*, absolute configuration of 3-butyl-4-vinylcyclopentene from 529
- Digitalis lanata*, cardenolide variation of in different growth stages 473
- D. obscura*, cardenolides in wild and micropropagated plants of 81
- Dihydroflavonol 4-reductase activity, in lignocellulose tissues of Pinaceae 1415
- Dihydroisocoumarins, from fungi, biological activity of 313
- Dihydropteroate synthase, from *Arabidopsis*, inhibition of 23
- DIMBOA, from maize, biosynthetic origin of oxygen atoms in 715

- Dioncophyllaceae 1283
 Dioncophylline A, from *Triphyophyllum*, absolute stereostructure of 1283
 Diosphenols, stachene-type, from *Spirostachys* 1217
Diospiros kaki, isoprenoid hydrocarbons from fruit of 637
 α -Diplicatin B, from *Psoralea* 1257
Diplodia mutila, phytotoxic pimarane diterpenes from 705
 Dipterocarpaceae 509, 575
 Diterpenoid glucosides, from *Aster* 1483
 Diterpenoids,
 clerodane,
 from *Baccharis* 571
 from *Croton* 379
 neo-clerodane,
 from *Ajuga* 121
 from *Teucrium* 383, 1653
 from *Azorella* 1465
 from *Euphorbia* latex 563
 from *Isodon* 559, 1015
 from *Jungermannia* 353
 from *Ophryosporus* 1469
 from *Psiadia* leaf extract 117
 from *Salvia* 387, 781, 1221, 1461, 1475
 from *Tripterygium* 293, 791
 seco-ent-kaurenoide, from *Rabdosia* 785
 9-epi-labdane, from *Nolana* 797
 mero-, from *Cystoseira* 1489
 modified abietane, from *Salvia* 1663
 norbeyerane, from *Spirostachys* 1217
 phenolic, from *Tripterygium* 979
 primarane, phytotoxic, from *Sphaeropsis* and *Diplodia* 705
 serrulatane, from *Eremophila* 1479
 ent-trachlobane, from *Mastigophora* 1457
 Dopamine, enzymatic condensation of with secologanin, in *Alangium* 477
Duboisia leichhardtii, calystegine alkaloids from 425
Dunaliella, effect of salinity on fatty acid composition of 655
- E
- Ebenaceae 637
Ecdeiocolea, flavonoids from 1189
 Ecdysteroids, from *Vitex* root bark 1149
 Enzymes,
 ACC oxidase, root and leaf specific, from corn and sunflower seedlings 869
 carboxypeptidase W, from wheat, carboxyamidase activity of 907
 dihydroflavonol 4-reductase activity, in lignocellulosic tissues 1415
 dihydropterolate synthase, from *Arabidopsis* 23
 esterase, gallotannin degrading, from oak leaves 1555
 glutamate dehydrogenase, from *Sphagnum* 881
 lactate dehydrogenase, from turnip and leeks, NADH kinetics of 897
 lipoxygenase isoforms, soluble, from tomato 453
 mannose metabolizing enzymes, from *Galdieria* 903
 N-7 methyltransferase, from coffee leaflets 1407
 monophenolase activity, of strawberry polyphenol oxidase 667
 nitrate reductase, activation of in extracts of water-stressed wheat 659
 pectinolytic enzymes, from *Pseudomonas* 1359
 peroxidase isoenzyme, basic, from *Vitis* vacuoles and cell walls 229
 poly(A)polymerase, modulation of by cAMP in *Cicer* 459
 polygalacturonases, in *Orobancha* calli, and their inhibitors 1115
 polyphenol oxidase, from mung bean leaf 15
 proteinase A, from wheat grain, isoenzymes of 1549
 quinoprotein amine oxidase, from sainfoin seedlings 239
 scopoletin-degrading enzyme, from sunflower 1109
 squalene synthase, from *Tabernaemontana* cell suspension cultures 1157
 sulphite oxidase, from *Malva* 879
 tomatinase, from *Fusarium oxysporum*, in infected tomato plants 1371
 tyrosinases, from plants and fungi, sequence and structural features of 1309
Ephedra aphylla, flavonoids from 1529
 Ephedraceae 1529
Eremophila "phyllipoda", serrulatane diterpenes from 1479
Erythrina crista-galli, pterocarpan from 835
E. orientalis, pterocarpan from 205
 Essential oils,
 composition and infraspecific variability of in *Thymus* 1177
 from manuka and kanuka 1605
 in *Thymus*, variability of in Portugal 307
 Esterase, gallotannin degrading, from oak leaves 1555
Eucnide bartonioides, iridoid glycosides from 1427
Eucommia ulmoides, biosynthesis of trans-polyisoprene from 75
 Eucommiaceae 75
Eugenia caryophyllata, chromone C-glycoside from 401
Euphorbia canariensis, diterpenes from 563
E. terracina, bishomoditerpene lactones from 137
E. wangii, sesquiterpenoids from 343
 Euphorbiaceae 137, 149, 261, 269, 275, 343, 349, 379, 563, 1217
 Extensins, from tomato, mass spectrometry of 9
- F
- Fagaceae 51, 1555
Fagopyrum esculentum, amino acid sequence of 13S globulin subunit from 865
Fagus sylvatica, role of phenols in defence against *Cryptococcus* infection in 51
 Fatty acid composition,
 in *Heterosigma* 303
 of *Dunaliella*, effect of salinity on 655
 of Pavlova 1561
 Fatty acid desaturases, from *Borago*, solubilization of 1587
 Fatty acids, with mid-chain hydroxylation, from *Nannochloropsis* 641
Ferula arrigonii, daucanes and drimane-coumarin ethers from 1639
 Feruloyl-CoA transferase, changes in activity of in elicitor-treated French bean 1351
Festuca arundinacea, digestion of feruloylated arabinoxylans from by Driselase 1123
Ficus maxima, methoxyflavones from 1697
 Flavanones,
 from *Neoraputia* 1533
 prenylated, cytotoxic, from *Derris* 825
 from *Monotes* 509
 Flavone C-glycoside-O-glycoside, from *Passiflora* 1093
 Flavones, methoxylated, from *Ficus* 1697
 Flavonoids,
 allelopathic, from *Helianthus* cultivars 683
 from *Achillea* 111
 from Anarthriaceae, Ecdeiocoleaceae and Restionaceae 1189
 from *Aniba* 1263
 from *Artabotrys* 831
 from *Daphne* 183
 from *Ephedra* 1529
 from *Ophryosporus* 1469
 methylated, from *Murraya* 179

- Flavonol-anthocyanin co-pigmentation, in blue flowers of *Ceanothus* 1399
- Flavonol glycosides,
acylated,
from *Pteridium* 199
from *Ranunculus* 1063
from spinach leaves 1701
from *Tagetes* 201
lipophilic, from *Ranunculus* pollen 203
- Flavonol C-glycoside, from *Moghania* 1727
- Flavonol laminaribioside, from *Pteridium* 1729
- Flavonols,
external, increase of in *Gnaphalium*: after UV-B radiation 1377
C-methyl, from *Colletotrichum* 957
- Floridoside, from *Plocamium* 1601
- Folates, and one-carbon metabolism in plants and fungi 437
- Fragaria* × *ananassa*, monophenolase activity of polyphenol oxidase from 667
- Franchetina, from *Aconitum*, structural revision of 1539
- Frullania densiloba*, eudesmane sesquiterpene lactones from 555
- Fungi 37, 41, 283, 313, 499, 505, 705, 925, 935, 945, 951, 957, 997, 1203, 1371, 1385, 1453, 1569, 1597, 1669
- Fusarium oxysporum* f.sp. *lycopersici*, tomatinase in tomato infected by 1371
- G**
- Galdieria sulphuraria*, mannose metabolizing enzymes from 903
- Galium sinaicum*, lignan bis-glucosides from 597
- Garcinia cowa*, prenylated xanthone from 1299
- Gentiana*, acylated anthocyanins from 167
- Gentianaceae 167
- Geraniaceae 417
- Geranium*, colour manifestation of anthocyanin in blue flowers of 417
- Gagartina skottsbergii*, L-galactose-containing carrageenan from 1009
- Globulin, 13S, from buckwheat, amino acid sequence of subunit of 865
- Glomerella cingulata*,
biotransformation of (–)- and (+)-isopinocampheol by 945
biotransformation of myrtanol diastereoisomers by 935
- Glucosinolates, from *Brassica* seeds 525
- Glutamate dehydrogenase, from *Sphagnum* 881
- Glycanases, fungal, digestion of ferulcylated arabinoxylans by 1123
- Glycine max*,
involvement of NAD(P)H oxidase in oxidative burst of 1101
occurrence of pinitol in developing seed tissues of 29
- Glycolipids,
from *Byrsonima* 647
from *Mirabilis* 1213
- Glycoproteins,
cell wall-associated, novel procedure for selection of 633
synthesis of in oat coleoptile cell walls 627
- Glycosphingolipid, from *Ramalina* 651
- Gnaphalium luteo-album*, increases in surface flavonoids of after UV-B radiation 1377
- Goniophlebium mengtzeense*, triterpenoids from 1023
- Gramineae 41, 243, 627, 659, 675, 715, 869, 907, 1091, 1123, 1329, 1549
- Guttiferae 133, 1299
- H**
- Haemodoraceae 87
- Halomethanes, formation and emission of my marine algae 67
- Helianthus annuus*,
allelopathic flavonoids from 683
inducibility of scopoletin-degrading enzyme from 1109
root and leaf specific ACC oxidase activity in 869
- Hepaticae 195, 353, 555, 1235, 1249, 1457, 1613, 1621
- Hernandia nymphaeifolia*, cytotoxic lignans from 991
- Hernandiaceae 991
- Heterosigma akashiwo*, octadecapentaenoic acid in 303
- Hevea brasiliensis*,
isopentenyl diphosphate isomerase and prenyl transferase activities in latex of 261
rubber formation in latex bottom fraction of 269, 275
- Hydrocarbons, isoprenoid, from epicuticular fruit waxes 637
- Hydroxycinnamic acid esters, from broccoli florets 1683
- Hydroxyphenylazoformamides, from *Calvatia* 997
- I**
- Ilex latifolia*, triterpenoid saponins from 1501
- Iridoid glycosides,
from *Eucnide* 1427
from *Pedicularis* 159, 1271
from *Picconia* 743
from *Tecoma* 193
- Isodon excisa*, diterpenes from 1015
- I. glutinosus*, diterpenoids from 559
- Isoflavanones, prenylated, from *Milletia* 189
- Isoflavonoid glycoside, from *Centrosema* 1069
- Isopentenyl diphosphate isomerase activities, in *Hevea* latex 261
- Isopinocampheol, biotransformation of by fungi 945
- Isovaleric acid levels, in *Senecio* inflorescence odour 1135
- J**
- Jaborosa leucotricha*, with anolides from 1045
- Jenisenseosides, from *Silene* 985
- Joannesia princeps*,
absolute configuration of assufulvenal from 349
terpenoids and phenolic glycosides from 149
- Jungermannia hattoriana*, sesqui- and diterpenoids from 353
- Juniperus phoenicea*, phenylpropanoids from 1679
- K**
- Kopsia teoi*, heptacyclic indole alkaloids from 623
- Kunzea*, chemotaxonomic studies of essential oils in 1605
- L**
- Labiatae 121, 307, 383, 387, 559, 781, 785, 1015, 1165, 1177, 1221, 1293, 1295, 1431, 1461, 1475, 1653, 1663
- Lactate dehydrogenase,
from *Brassica*, substrate kinetics of 889
from *Brassica* and *Allium*, ATP inhibition of 897
- Lactuca tatarica*, sesquiterpene lactones from 365
- Lamium album*, megastigmene glycoside from 1431
- Lantana camara*, bioactive triterpene from 321
- Lathyrus sativus*, thermal isomerization of neurotoxin from 219
- Lauraceae 257, 1263, 1527, 1543
- Lectin, from potato, mass spectrometry of 9
- Leguminosae 15, 29, 189, 205, 219, 239, 459, 585, 689, 701, 825, 835, 847, 1069, 1101, 1145, 1257, 1351, 1507, 1597, 1689, 1727
- Lethocolea glossophylla*, prenylated bibenzyles from 1249
- Lichenes 651
- Lignan bis-glucosides, from *Galium* roots 597
- Lignan glycosides,

- from *Alangium* stems 611
 from *Pedicularis* 159
- Lignans,
 cytotoxic, from *Hernandia* 991
 from *Betula* heartwood 589
- Lignocellulose tissues, of Pinaceae, dihydroflavonol 4-reductase activity in 1415
- Ligularia intermedia*, sesquiterpenes from 1441
- Limonoids, from *Trichilia* 141
- Lipid metabolism,
 in apples, influence of CaCl_2 and heat treatment on 465
 in *Pavlova* 1561
- Lipid synthesis, in wheat leaves, CO_2 and temperature effects on 243
- Lipids,
 of membranes, cadmium- and copper-induced changes of in tomato 1343
 of seeds, as chemotaxonomic markers in Aroideae 1173
- Lipopepsinona peptide, from *Pseudomonas*, biological activities of 1385
- Lipoxygenase isoforms, soluble, from tomato fruit 453
- Loasaceae 1427
- Lonicera gracilipes*, megastigmane glycosides from 777
- Lotus pedunculatus*, proanthocyanidins from 1689
- Lycopersicon esculentum*,
 cadmium- and copper-induced changes in membrane lipids of 1343
 hydroxylation of 24-*epi*-brassinolide in 233
 isoprenoid hydrocarbons from fruit of 637
 mass spectrometry of extensin monomers from 9
 soluble lipoxygenase isoforms from 453
 tomatinase in *Fusarium*-infected plants of 1371
- Lyngbya majuscula*, quinoline alkaloids from 1087
- M
- Maackiain, oxidation of by *Colletotrichum* 925
- Magnosalicin diastereomers, from *Aniba* 1527
- Malpighiaceae 647
- Malus domestica*, influence of CaCl_2 and heat treatment on lipid metabolism in 465
- M. sylvestris*, biosynthesis of octane-1,3-diol in 1153
- Malva sylvestris*, sulphite oxidase from 879
- Malvaceae 879, 1523
- Mammea acuminata*, xanthenes from 133
- Mannose metabolizing enzymes, from *Galdieria* 903
- Mansonone, from *Thespesia* 1523
- ent*-Manoyl oxides, biotransformation of by *Rhizopus* and *Curvularia* cultures 283
- Marchantia polymorpha*, eremophilane sesquiterpenoid from 195
- Marchesina bongardiana*, 3,4-dihydroxy-3'-methoxystilbene from 1613
- Marine algae, formation and emission of monohalomethanes by 67
- Mastigophora diclados*, *ent*-trachylobane diterpenoids from 1457
- Matrix assisted laser desorption/ionization time-of-flight MS, of tomato extensins 9
- Medicago sativa*, flower volatiles from genotypes of 1145
- Megastigmane glycosides,
 from *Lamium* 1431
 from *Lonicera* 777
- Melampodium leucanthum*, guaianolide and melampolides from 769
- Melanoselinum decipiens*, eudesmanolides from 1645
- Meliaceae 141, 397, 807, 1225, 1495, 1579
- Melicope ptelefolia*, benzopyrans from 1049
- Mentha arvensis*, sitosterol sucroside from suckers of 1295
- Meroditerpenes, from *Cystoseira* 1489
- 7-*O*-Methylgarcinone E, from *Garcinia* 1299
- 13 α -Methylsteroids, hydroxylation of by *Cephalosporium* 951
- N*-7 Methyltransferase, from coffee leaflets 1407
- Metopium brownei*, alkyl- and alkenylcatechols from 1003
- Metzgeria rufula*, oligopeptide analogue from 1621
- Microviridins G and H, inhibiting elastase, from *Nostoc* 1197
- Milletia pervilleana*, prenylated isoflavanones from 189
- Mirabilis himalaica*, glycolipids from 1213
- Moghania macrophylla*, flavonol C-glycoside from 1727
- Momordica foetida*, cucurbitane triterpenoids from 391
- Monotes engleri*, cytotoxic prenylated flavanones from 509
- Moraceae 1297, 1697
- Morinda elliptica*, anthraquinones from 1723
- Mulinol, from *Azorella* 1465
- Murraya paniculata*, methylated flavonoids from 179
- Musa acuminata*, phenylphenalenone phytoalexin from infected roots of 47
- Musaceae 47
- Musci 881
- Mussaenda pubescens*, triterpenes and triterpenoid saponins from 1073
- Myoporaceae 1479
- Myrtaceae 401, 1605
- Myrtanol diastereoisomers, biotransformation of by *Glomerella* 935
- N
- NAD(P)H oxidase, involvement of in oxidative burst of soybean 1101
- Nannochloropsis*, mid-chain hydroxy long-chain fatty acids from 641
- Nelumbo nucifera*, macromolecular composition of propagule wall of 601
- Neolignan glycosides, from *Alangium* stems 611
- Neolignans,
 from *Aniba* 1263
 from *Pedicularis* 1271
- Neoraputia magnifica*, pyranochalcone and flavanone from 1533
- Neurotoxin, from *Lathyrus*, thermal isomerization of 219
- Nicotiana tabacum*, *Phsp* 70-*ipt* transformed, plasma membranes of 1337
- Nimanol, from *Azadirachta* leaves, reassignment of structure of 807
- Nitrate reductase, activation of in extracts of water-stressed wheat 659
- Nolana rostrata*, 9-*epi*-labdane diterpenoids from 797
- Nolanaceae 797
- Nortriterpenoid, from *Azadirachta*, reassignment of structure of 807
- Nostoc minutum*, microviridin-type peptides from 1197
- Nyctaginaceae 1213
- Nymphaeaceae 601
- O
- Octadecapentaenoic acid, in *Heterosigma* 303
- Octane-1,3-diol, biosynthesis of in apple fruit 1153
- Octapeptides, cyclic, from *Stellaria* 841
- Odonthalia corymbifera*, feeding-deterrent bromophenols from 485
- Oleaceae 743
- Oligopeptide analogue, from *Metzgeria* 1621
- Oligosaccharide polyesters, from *Polygala* roots 733
- Oligosaccharides, feruloylated, digestion of by fungal glycanases 1123
- Onagraceae 957
- Onobrychis viciifolia*, quinoprotein amine oxidase from 239
- Ophryosporus charrua*, diterpenoids and flavonoids from 1469
- Orchidaceae 173
- Oreina*, selective pyrrolizidine alkaloid sequestration by 489

- Organic acids, aluminium-induced exudation of by aluminium-tolerant maize 675
- Orobanchaceae 1115
- Orobanche aegyptiaca*, polygalacturonase inhibitors in calli of 1115
- Oryza sativa*, protein phosphorylation in during cold treatment 1329
- β -*N*-Oxalyl-L- α , β -diaminopropionic acid, thermal isomerization of 219
- Oxygen atoms, in DIMBOA from maize, biosynthetic origin of 715
- P
- Parthenium glomeratum*, chemotaxonomic studies of 1185
- P. hysterophorus*, chemotaxonomic studies of 1185
- Passiflora incarnata*, isoscaparin 2''-O-glucoside from 1093
- Passifloraceae 1093
- Pavlova lutheri*, lipid metabolism in 1561
- Pectinolytic enzymes, from *Pseudomonas* 1359
- Pedicularis torta*, lignan, phenylpropanoid and iridoid glycosides from 159
- P. verticillata*, neolignans, phenylpropanoids and iridoids from 1271
- Pellia epiphylla*, bibenzyls from 1235
- Pentacoccols, from *Bosistoa* 1673
- Peptides, microviridin-type, inhibiting elastase, from *Nos-toc* 1197
- Peroxidase isoenzyme, basic, from *Vitis* 229
- Persea americana*, abscisic acid biosynthesis in 257
- Pezicula livida*, dihydroisocoumarins from 313
- Phaeophyta 93, 529, 1489
- Phalaenopsis*, acetylated cyanidin glycosides from 173
- Phaseolus vulgaris*, changes in suberization enzymes in elicitor-treated cells of 1351
- Phenolic cinnamate dimer, from *Psoralea* 1257
- Phenolic glycosides, from *Joannesia* 149
- Phenolics, from Douglas fir, changes in during heartwood formation 1573
- Phenols, in *Fagus*, role of in defence against fungal infection 51
- Phenylphenalenone phytoalexin, from *Musa* roots 47
- Phenylpenalenones, from *Anigozanthos* root cultures 87
- Phenylpropanoid glycosides,
from *Pedicularis* 159, 1271
from *Tecoma* 193
from *Wahlenbergia* 411
- Phenylpropanoids,
biosynthesis of in *Carica* 59
from *Juniperus* leaves 1679
- Phenylpropenes, prenylated, antimicrobial, from *Col-eonema* 1207
- 13-Phenyltridecanoic acid, in seed lipids of Araceae 1173
- Phloracetophenone glucoside, choleric, from *Cur-cuma* 103
- Phloroglucinols, from *Bosistoa* 1673
- Phoebe grandis*, proaporphine-tryptamine dimers from 1543
- Phytoalexin,
isoflavonoid, vacuolar uptake of by *Vigna* 689
phenalenone-type, from infected *Musa* roots 47
- Phytosterols, increase of oxidation products of during ageing in *Chenopodium* 297
- Phytotoxins,
from *Bipolaris* 41
host-selective, from *Alternaria* 37
- Picconia excelsa*, iridoid glucosides from 743
- Pinaceae 1415, 1573
- Pinitol, occurrence of in developing soybean seed tissues 29
- Piper nigrum*, amide from fruits of 1617
- Piperaceae 1617
- Psilolithium tinctorius*, triterpenoids from isolates and ectomycorrhizas of 499
- Pittosporaceae 545
- Pittosporum pentandrum*, eudesmane sesquiterpene glycosides from 545
- Plasma membranes, of *Phsp* 70-*ipt* transformed tobacco plants 1337
- Plectrophomella*, dihydroisocoumarins from 313
- Pleurosporum rivulorum*, bicoumarins from 1275
- Pleurotus ostreatus*, sterols from 1669
- Plocamium cartilagineum*, non-terpenoid constituents from 1601
- Pluchea dioscoridis*, sesquiterpenes from 1633
- Poeciloneuron pauciflorum*, xanthenes from 133
- Polyacetylenes, phototoxic, from *Viguiera* 695
- Poly(A)polymerase, modulation of by cAMP in *Cicer* 459
- Polygala fallax*, oligosaccharide polyesters from 733
- Polygalaceae 733
- Polygalacturonase, inhibitors of in *Orobanche* calli 1115
- Polygonaceae 865
- Poly(β -hydroxybutyrate), from *Plocamium* 1601
- trans-Polyisoprene, biosynthesis of by *Eucommia* 75
- Polyphenol oxidase,
from mung bean leaves 15
from strawberry, monophenolase activity of 667
oxidation of caffeic acid and malvidin 3-O-glucoside catalyzed by 1365
- Polysaccharide-tannin complex, in fruit wall of *Nel-umbo* 601
- Popillia japonica*, diurnal emission of volatiles by grape leaves damaged by 919
- Populus* $\times$ *canadensis*, highly active aromatic cytokinin from 213
- Pregnanes, from *Aglaia* leaves 1225
- Prenyl transferase activities, in *Hevea* latex 261
- Proanthocyanidins,
from *Lotus* 1689
in barks, extractable and non-extractable 405
- Protein, drought-induced, expressed in *Brassica* leaves 1
- Protein phosphorylation, in rice leaves during cold treatment 1329
- Proteinase A, from wheat grain, isoenzymes of 1549
- Pseudomonas marginalis*, pectinolytic enzymes from 1359
- P. syringae*, biological activities of pseudomycin A from 1385
- Pseudotsuga menziesii*, changes in polyphenols during heartwood formation in 1573
- Psidium punctulata*, diterpenes from 117
- Psoralea plicata*, phenolic cinnamate dimer from 1257
- Peridium aquilinum*,
acylated flavonol glycoside from 199
rhamnetin 3-O-laminaribioside from 1729
- Pteridophyta 199, 1023, 1729
- Pterocarpanes, from *Erythrina* 205, 835
- Pterocaulon*, structural revision of coumarins from 1515
- Punica granatum*, tannins from 819
- Punicaceae 819
- Q
- Quercus robur*, gallotannin degrading esterase from 1555
- Quinone methide, from *Salvia* 1475
- Quinovic acid glycosides, from *Uncaria* 1035
- R
- Rabdosisia longituba*, seco-ent-kaurenoids from 785
- Radula voluta*, prenylated bibenzyls from 1249
- Ramalina celastri*, galactosphingolipid from 651
- Ranunculaceae 203, 1031, 1063, 1079, 1539, 1707, 1713
- Ranunculus*, acylated quercetin glycosides from 1063
- R. sardous*, lipophilic flavonol glycoside from pollen of 203
- Rhamnaceae 1399
- Rhizoctonia solani*, biotransformation of (–)- and (+)-isopinocampheol by 945

- Rhizopus nigricans*, biotransformation of *ent*-manoyl oxides by 283
Rhodococcus rhodochrous, carotenoid glucoside mycolic acid esters from 505
Rhodophyta 485, 903, 1009, 1601
Rocaglamides, insecticidal, from *Aglaia* 1579
Rollinia mucosa, antitumour acetogenins from 719
Rosaceae 465, 667, 1153
Rosmarinic acid, cytochrome P450-dependent hydroxylases in biosynthesis of 1165
Rubber formation, by fresh bottom fraction of *Hevea* latex 269, 275
Rubiaceae 597, 855, 1035, 1075, 1407, 1723, 1731
Rufulamide, from *Metzgeria* 1621
Russula brevipes, lactarane sesquiterpene from 1453
R. cuprea, conversion of velutinal esters in fruit bodies of 1569
Rutaceae 179, 337, 851, 1049, 1207, 1393, 1419, 1533, 1673
- S
Salicaceae 213
Salvia, diterpenoids from 781
S. candidissima, terpenoids from 1221
S. glutinosa, triterpenoids and steroids from 1293
S. officinalis, quinone methide from 1475
S. palaestina, abietane diterpenoids and methoxylupane from 1663
S. parryi, diterpene from 387
S. tonalensis, diterpenes from 1461
Saponins,
steroidal, from *Tribulus* fruits 811
triterpenoid,
biologically active, from *Silene* 985
conjugated, from *Vigna* 1507
from *Aster* 125
from *Ilex* leaves 1501
from *Mussaenda* 1073
lupane, from *Acanthopanax* leaves 579
production of in *Astragalus* hairy root 1597
Sarcococca saligna, steroidal alkaloids from 861
Scopoletin-degrading enzyme, from sunflower, inducibility of 1109
Scrophularia koelzii, triterpene glycoside from 1717
Scrophulariaceae 81, 159, 473, 1271, 1717
Secoiridoid glucoside, from *Aster* 1483
Secologanin, enzymatic condensation of with dopamine, in *Alanguium* 477
Senecio, sequestration by beetle of pyrrolizidine alkaloids from 489
S. articulatus, isovaleric acid levels in inflorescence odour of 1135
S. vulgaris, biosynthesis of pyrrolizidine alkaloids in 1591
Seseli farreyinii, chromenol and sesquiterpene quinone from 549
Sesquiterpene glucosides, from *Urospermum* 369
Sesquiterpene glycosides, from *Pittosporum* 545
Sesquiterpene lactam, from *Atractylodes* 765
Sesquiterpene lactones,
eudesmanolides,
from *Frullania* 555
from *Melanoselinum* 1645
from *Anthemis* 375
from *Artemisia* 751, 755
from *Cyclolepis* 801
from *Lactuca* 365
from *Melampodium* 769
from *Tithonia* 1445
from *Urospermum* 369
guaianolides, from *Centaurea* 551, 1449
pseudoguaianolides, from *Parthenium* 1185
Sesquiterpenoid
esters, conversion of in *Russula* fruit bodies 1569
glucoside, from *Aster* 1483
growth inhibitor, from *Artemisia* 1131
quinone,
from *Seseli* 549
from *Thespesia* 1523
Sesquiterpenoids,
bis-, from *Joannesia*, absolute configuration of 349
bisabolanes, from *Alpinia* 537
eremophilane, from *Marchantia* 195
eudesmane, stimulators of nerve growth factor synthesis, from *Dictyophora* 1203
from *Cyperus* essential oil 1435
from *Euphorbia* 343
from *Ferula* 1639
from *Jungermannia* 353
from *Ligularia* 1441
from *Pluchea* 1633
from *Tanacetum* 107
germacrane, from *Achillea* 111
lactarane, from *Russula* 1453
Severinia buxifolia, tetranortriterpenoid insect antifeedants from 1393
Shorea robusta, triterpenoids from 575
Silene jensisensis, biologically active acylated triterpene saponins from 985
Sitosterol sucrose, from *Mentha* suckers 1295
Solanaceae 9, 233, 425, 453, 633, 637, 931, 1045, 1337, 1343, 1371
Solanum tuberosum,
abscisic acid 8'-hydroxylase induction in 931
mass spectrometry of lectin from 9
Sorghum caudatum, 3-deoxyanthocyanidin from 1091
Spermidine, biosynthetic incorporation of into pyrrolizidine alkaloids 1591
Sphaeranthus suaveolens, carvotacetones from 533
Sphaeropsis sapinea, phytotoxic primarane diterpenes from 705
Sphagnum fallax, glutamate dehydrogenase from 881
Spinacia oleracea, acylated flavonol glycosides from 1701
Spirostachys africana, diosphenols from 1217
Squalene synthase, from *Tabernaemontana* cultures 1157
Stellaria dichotoma, cyclic octapeptides from 841
Steroidal ester, from *Salvia* 1221
Steroidal glycosides,
from *Cordyline* leaves 1229
from *Clerodendron* 1721
Steroids,
androsane and pregnane, from *Trichilia* 1495
from *Salvia* 1293
Sterols,
from *Costus* 1041
from *Cystoseira* 93
from oyster fungus 1669
Stilbene, from *Artocarpus* 1297
Stilbenoid, monomeric, from *Marchesina* 1613
Stress compounds, antifungal, from *Vicia* 701
Styrylpyrones, from *Aniba* 1263
Sulphite oxidase, from *Malva* 879
- T
Tabernaemontana cymosa, alkaloids from seeds of 325
T. divaricata, squalene synthase from cultures of 1157
Tagetes mandonii, flavonol glycoside from 201
Tanacetum argenteum, sesquiterpenoids from 107
Tannins, from *Punica* leaves 819
Tecoma capensis, iridoid and phenylpropanoid glucosides from 193
Terpenoids,
from *Anthemis* 375
from *Joannesia* 149
Terracinolides, from *Euphorbia* 137

- Tetranortriterpenoid insect antifeedants, from *Severinia* 1393
- Teucrium asiaticum*, neo-clerodane diterpenoid from 383
- T. sandrasicum*, neo-clerodanes from 1653
- Thespesia populnea*, mansonone from 1523
- Thymeliaceae 183
- Thymus caespititius*, variability of essential oils in 307
- T. camphoratus*, composition and infraspecific variability of essential oils from 1177
- Ticorea longiflora*, alkaloids and coumarins from 851
- Tillandsia usneoides*, short side-chain cycloartanes from 1019
- Tithonia diversifolia*, sesquiterpene lactones from 1445
- Tomatinase, from *Fusarium* in infected tomato plants 1371
- meta-Topolin, from poplar leaves 213
- Tribulus terrestris*, steroidal saponins from 811
- Trichilia clausenii*, androstane and pregnane steroids from 1495
- T. elegans*, limonoids from 141
- Triphophyllum peltatum*, absolute stereostructure of dioncophylline A from 1283
- Tripterygium hypoglaucum*, sesquiterpene alkaloids from 617
- T. wilfordii*,
diterpenoid and triterpenes from 293
phenolic diterpenes from 979
terpenoids from 791
triterpenoids from 969, 975
- Triterpenoid
bisglycosides, from *Anemone* 1031
glucosides, cycloartane, from *Astragalus* 585
glycoside, from *Scrophularia* 1717
hydroperoxides, from *Aglaia* leaves 1225
- Triterpenoids,
antimicrobial and antimutagenic, from *Lantana* 321
cucurbitane, from *Momordica* leaves 391
cycloartane, from *Tillandsia* 1019
from *Costus* 1041
from *Cyclolepis* 801
from *Goniophlebium* 1023
from *Mussaenda* 1073
from *Pisolithus* isolates and ectomycorrhizas 499
from *Salvia* 1293
from *Shorea* resin 575
from *Tripterygium* 293, 791, 969, 975
from *Uncaria* 1035
methoxylupane, from *Salvia* 1663
tetranor-, from *Azadirachta* 397
- Triticum aestivum*,
activation of nitrate reductase from 659
carboxyamidase activity of carboxypeptidase W from 907
effects of CO₂ and temperature on lipid synthesis in 243
isoenzymes of proteinase A from grains of 1549
- Tyrosinases, from plants and fungi, sequence and structural features of 1309
- U
- Umbelliferae 225, 549, 1097, 1275, 1465, 1639, 1645
- Uncaria elliptica*, alkaloids from 1731
- U. tomentosa*,
alkaloids from 855
- triterpenes and quinovic acid glycosides from 1035
- Urospermum picroides*, sesquiterpene lactones and glucosides from 369
- Urushiols, from *Metopium* 1003
- Uraria grandiflora*, cyclohexene oxides from 729
- V
- Velutinal esters, conversion of in *Russula* fruit bodies 1569
- Verbenaceae 321, 1149, 1721
- Vicia cracca*, antifungal stress compounds from 701
- Vigna angularis*, 2,3-dihydro-2,5-dihydroxy-6-methyl-4H-pyran-4-one conjugated saponin from 1507
- V. radiata*,
polyphenol oxidase from 15
vacuolar uptake of medicarpin by 689
- Viguiera annua*, phototoxic polyacetylenes from 695
- Vilmorinsine, from *Aconitum*, structural revision of 1539
- Vitaceae 229, 919
- Vitex canescens*, ecdysteroids from root bark of 1149
- Vitis labrusca*, diurnal emission of volatiles by beetle-damaged leaves of 919
- V. vinifera*,
basic peroxidase isoenzyme from 229
reactions of caftaric acid with malvidin 3-O-glucoside from 1365
- Volatiles,
from *Cystoseira* 93
from flowers of different *Medicago* genotypes 1145
from *Vitis*, diurnal emission of by beetle-damaged leaves 919
repellent, released by the Monarch caterpillar in response to sound 1139
- W
- Wahlenbergia marginata*, phenylpropanoid glucoside from 411
- Wax, epicuticular, variation of in *Arabidopsis* ecotypes 251
- Withanolides, from *Jaborosa* 1045
- X
- Xanthonenes,
from *Mammea* and *Poeciloneuron* 133
prenylated, from *Garcinia* 1299
- 2-cis-[¹⁴C]Xanthonic acid, conversion of to [¹⁴C]ABA by avocado fruit 257
- Z
- Zanthoxylum schinifolium*, anti-HBV coumarin and alkaloid from 1419
- Zea mays*,
biosynthetic origin of oxygen atoms in DIMBOA from 715
digestion of feruloylated arabinoxylans from, by Dri-selase 1123
mechanism of aluminium tolerance in 675
root and leaf specific ACC oxidase activity in 869
- Zingiberaceae 103, 537, 1041
- Zygogramma continua*, tolerance of to phototoxic polyacetylenes in *Viguiera* 695
- Zygophyllaceae 811