

CONTENTS OF VOLUME 46

Number 1

Announcement	ix
Graphical Abstracts	xi
Growth and Metabolism	
Elicitor-induced extensin insolubilization in suspension-cultured tomato cells	1 M. D. BROWNLEADER, P. E. MCNALLY, G. E. A. DAVIES, M. TREVAN and P. M. DEY
Stimulatory effect of DIMBOA on NADH oxidation catalysed by horseradish peroxidase	11 M. C. ROJAS G, F. PÉREZ and L. GONZÁLEZ
<i>Myo</i> -inositol dehydrogenase from the acido- and thermophilic red alga <i>Galdieria sulphuraria</i>	17 R. STEIN, C. SCHNARRENBARGER and W. GROSS
Diafiltration in the presence of ascorbate in the purification of mushroom tyrosinase	21 A. RESCIGNO, F. SOLLAI, E. SANJUST, A. C. RINALDI, N. CURRELI and A. RINALDI
Varietal differences and chromosome locations of multiple isoforms of starch branching enzyme in wheat endosperm	23 T. NAGAMINE, H. YOSHIDA and K. KOMAE
Purification of UDP-glucose: 4-hydroxybenzoate glucosyl-transferase from cell cultures of <i>Lithospermum erythrorhizon</i>	27 S.-M. LI, Z.-X. WANG and L. HEIDE
Purification of limonoid glucosyltransferase from navel orange albedo tissues	33 S. HASEGAWA, C. G. SUBAYDA, W.-J. HSU and G. H. ROBERTSON
Purification and characterization of glutamate decarboxylase from cowpea	39 B. S. JOHNSON, N. K. SINGH, J. H. CHERRY and R. D. LOCY
Interaction of 5-hydroxymethyl-furfural with hydroxymethylbilane synthase	45 J. WÜBERT, U. OSTER and W. RÜDIGER
Identification of <i>myo</i> -inositol as a major carbohydrate in kiwifruit, <i>Actinidia deliciosa</i>	51 R. L. BIELESKI, C. J. CLARK and K. U. KLAGES
Putrescine accumulation in banana fruit with ripening during storage	57 Y. TAKEDA, K.-I. YOZA, Y. NOGATA, K.-I. KUSUMOTO, A. G. J. VORAGEN and H. OHTA
Modifications to polyamines provoked by short-chain saturated fatty acids in <i>Cicer arietinum</i> seeds	61 M. DEL CARMEN GOMEZ-JIMENEZ, F. CHIBI, I. SANCHEZ-CALLE and A. MATILLA
Methyl-limonate induces a restricted chaos in plant mitochondrial membranes	65 C. BALLAND, R. NAIGRE, P. KALCK, M. TISSUT and P. RAVANEL
Ecological Biochemistry	
Inflorescence odours of <i>Amorphophallus</i> and <i>Pseudodracontium</i> (Araceae)	71 G. C. KITE and W. L. A. HETTERSCHIED
Extracted fatty acids from <i>Gossypium hirsutum</i> stimulatory to the seed-rotting fungus, <i>Pythium ultimum</i>	77 T. R. RUTLEDGE and E. B. NELSON
Effects of environment on the composition of epicuticular wax esters from kale and swede	83 T. SHEPHERD, G. W. ROBERTSON, D. W. GRIFFITHS and A. N. E. BIRCH
Antimicrobial compounds from <i>Ceanothus americanus</i> against oral pathogens	97 X.-C. LI, L. CAI and C. D. WU
24(24 ^h)[Z]-Dehydroamarasterone B, a phytoecdysteroid from seeds of <i>Leuzea carthamoides</i>	103 U. A. BALTAYEV, L. DINAN, J.-P. GIRAULT and R. LAFONT

Biosynthesis

- Incorporation of phenethylisoquinolines into colchicine in isolated seeds of *Colchicum autumnale* 107 A. NASREEN, H. GUNDLACH and M. H. ZINK

- Biosynthesis of normicotine in root cultures of *Nicotiana glauca* does not involve oxidation at C-5' of nicotine 117 M. BOTTE, F. MABON, M. LE MOUILLOUR and R. J. ROBINS

Cell Culture and Biotechnology

- An epitetrahydrodioxopiperazine related to emestrin from *Emericella foveolata* 123 M. OOIKE, K. NOZAWA and K.-I. KAWAI

- Production of ginkgolide and bilobalide in transformed and gametophyte derived cell cultures of *Ginkgo biloba* 127 D. LAURAIN, J. TRÉMOUILLAUX-GUILLER, J.-C. CHÉNIEUX and T. A. VAN BEEK

- Hydroxylation of dehydroabietic acid by *Fusarium* species 131 A. A. TAPIA, M. D. VALLEJO, S. C. GOIRIC, G. E. FERESIN, P. C. ROSSOMANDO and D. A. BUSTOS

- Variation in vinblastine production by *Catharanthus roseus* during *in vivo* and *in vitro* differentiation 135 A. DATTA and P. S. SRIVASTAVA

Chemotaxonomy

- Isolation and characterization of *Dioclea altissima* var. *megacarpa* seed lectin 139 R. A. MOREIRA, A. C. O. MONTEIRO, A. C. G. HORTA, J. T. A. OLIVEIRA and B. S. CAVADA

- Sesquiterpenoids from the three Japanese liverworts *Lejunclea aquatica*, *L. flava* and *L. japonica* 145 M. TOYOTA, H. KOYAMA and Y. ASAKAWA

Bioactive Plant Products

- Bioactive monoterpene glycosides from *Erigeron linifolius* 151 C. Y. RAGASA, J. A. RIDEOUT, J. O. SY, D. ALCACHUPAS, V. M. L. INTE and J. C. COLL

Plant Chemistry

- A keto fatty acid from *Amoora rohittuka* seed oil 155 C. D. DAULATABAD and SMT. A. M. JAMKHANDI

- Sesquiterpene hydroxylactone from *Lactarius subvellereus* 157 J. ZHANG and X. Z. FENG

- Diterpenes and sesquiterpenes from *Mikania banisteriae* 161 G. O. LOBITZ, G. TAMAYO-CASTILLO and I. MERFORT

- Peniankerine, an 18-norclerodane diterpenoid from the stem bark of *Penianthus zenkeri* 165 P. TANE, H. K. WABO, J. F. AYAFOR and O. STERNER

- Cycloadducts of terpene quinones from *Taiwania cryptomerioides* 169 W.-H. LIN, J.-M. FANG and Y.-S. CHENG

- A stilbene xyloside from *Holodiscus discolor* bark 175 R. F. GONZALEZ-LAREDO, J. CHAIDEZ-GONZALEZ, A. A. AHMED and J. J. KARCHESY

- NMR assignment of brazilin 177 D. S. KIM, N.-I. BAEK, S. R. OH, K. Y. JUNG, I. S. LEE and H.-K. LEE

- A taxane epoxide from *Taxus wallichiana* 179 L. BARBONI, C. LAMBERTUCCI, G. APPENDINO and B. GABETTA

- Alkaloids from *Cassytha filiformis* 181 Y.-C. WU, Y.-C. CHAO, F.-R. CHANG and Y.-Y. CHEN

Number 2

Graphical Abstracts	ix
Growth and Metabolism	
Major proteins of yam bean tubers	185 A. V. GOMES, G. SIRJU-CHARRAN and J. A. BARNES
Interactions between Cu(II), Mn(II) and salicylhydroxamic acid in determination of algal peroxidase activity	195 H. G. WEGER
A xyloglucan in etiolated seedlings of <i>Pinus radiata</i>	203 I. G. ANDREW and J. W. L. LITTLE
Identification of the forms of boron in seaweed by ^{11}B NMR	209 Y. CHUDA, M. OHNISHI-KAMEYAMA and T. NAGATA
Defining steric, electronic and conformational requirements of carrier-mediated uptake of abscisic acid in barley suspension culture cells	215 M. PERRAS, P. A. ROSE, E. W. PASS, K. B. CHATSON, J. J. BALSEVICH and S. R. ABRAMS
An oxidized tartaric acid residue as a new bridge potentially competing with acetaldehyde in flavan-3-ol condensation	223 H. FULCRAND, V. CHEYNIER, J. OSZMIANSKI and M. MOUTOUNET
(+)-Catechin-acetaldehyde condensation products in relation to wine-ageing	229 C. SAUCIER, C. GUERRA, I. PLANET, M. LAGUERRE and Y. GLORIES
Effect of a tertiary amine on alkaloid accumulation in <i>Catharanthus roseus</i>	235 M.-P. BONZOM, C. ANDARY, A. GUEIFFIER, J.-L. ROUSSEL and A. GARGADENNEC
Ecological Biochemistry	
Volatile compounds from extracts of <i>Ficus carica</i>	241 M. GIBERNAU, H. R. BUSER, J. E. FREY and M. HOSSAERT-MCKEY
The effect of isosakuranetin (5,7-dihydroxy 4'-methoxy flavanone) on potassium uptake in wheat root segments	245 S. SACCO and M. MAFFEI
Toxic amines and alkaloids from <i>Acacia berlandieri</i>	249 B. A. CLEMENT, C. M. GOFF and T. D. A. FORBES
Glycosidase-inhibiting pyrrolidine alkaloids from <i>Hyacinthoides non-scripta</i>	255 A. A. WATSON, R. J. NASH, M. R. WORMALD, D. J. HARVEY, S. DEALLER, E. LEES, N. ASANO, H. KIZU, A. KATO, R. C. GRIFFITHS, A. J. CAIRNS and G. W. J. FLEET
Biosynthesis	
Reduction of anthranilic acid and related amino acids in fruit-bodies of <i>Hebeloma sacchariolens</i>	261 F. VON NUSSBAUM, W. SPAHL and W. STEGLICH
Glycerolipid synthesis by microsomal fractions from <i>Olea europaea</i> fruits and tissue cultures	265 A. J. RUTTER, J. SANCHEZ and J. L. HARWOOD
Cell Culture and Biotechnology	
<i>Digitalis obscura</i> cardenolides. Effect of macronutrient concentration and N source on growth and productivity of shoot-tip cultures	273 I. GAVIDIA and P. PÉREZ-BERMÚDEZ
Production of tannic acid by <i>Rhus javanica</i> cell cultures	279 S. TANIGUCHI, S. TAKEDA, R. YABU-UCHI, T. YOSHIDA and K. YAZAKI
Anthocyanin-producing dandelion callus as a chalcone synthase source in recombinant polyketide reductase assay	283 T. AKASHI, N. SAITO, H. HIROTA and S. AYABE

Chemotaxonomy

- Lipopolysaccharides from three phytopathogenic pseudomonads 289 M. M. CORSARO, C. DE CASTRO, A. EVIDENTE, R. LANZETTA, P. LAVERMICOCCA, A. MOLINARO, A. SISIO, M. PARRILLI and G. SURICO
- Butenolides from *Marchantia paleacea* subspecies *diptera* 293 M. TOYOTA, M. KONOSHIMA, F. NAGASHIMA, S. HIRATA and Y. ASAKAWA

Bioactive Plant Products

- Tricycloalternarenes produced by *Alternaria alternata* related to ACTG-toxins 297 B. LIEBERMANN, R. ELLINGER, W. GÜNTHER, W. IHN and H. GALLANDER

Plant Chemistry

- Iridoids from *Tocoyena formosa* 305 V. D. S. BOLZANI, C. M. IZUMISAWA, M. C. M. YOUNG, L. M. V. TREVISAN, D. G. I. KINGSTON and A. L. GUNATILAKA
- Sesquiterpenes from *Rzedowskia tolantongensis* 309 A. G. GONZÁLEZ, I. L. BAZZOCCHI, A. G. RAVELO and I. A. JIMÉNEZ
- Metabolites of *Pestalotiopsis* spp., endophytic fungi of *Taxus brevifolia* 313 M. PULICI, F. SUGAWARA, H. KOSHINO, G. OKADA, Y. ESUMI, J. UZAWA and S. YOSHIDA
- Acetogenins from the bark of *Uvaria pauci-ovulata* 321 S. RAYNAUD, C. FOURNEAU, R. HOCQUEMILLER, T. SÉVENET, H. A. HADI and A. CAVÉ
- Mono-tetrahydrofuran ring acetogenins from *Goniothalamus donnaensis* 327 Z. JIANG, Y. CHEN, R.-Y. CHEN and D.-Q. YU
- Acylated C-21 steroidal bisdesmosidic glycosides from *Caralluma umbellata* 333 S.-X. QIU, L.-Z. LIN, G. A. CORDELL, M. RAMESH, B. R. KUMAR, M. RADHAKRISHNA, G. K. MOHAN, B. M. REDDY, Y. N. RAO, B. SRINIVAS, N. S. THOMAS and A. V. N. A. RAO
- A phloroglucinol derivative from the brown alga *Sargassum spinuligerum* 341 M. KELSCHEN, M. FALK, J. A. WALTER and K.-W. GLOMBITZ
- Ferulic acid esters of unsaturated higher alcohols from *Lupinus luteus* roots 347 Y. KATAGIRI, J. MIZUTANI and S. TAHARA
- Acylated anthocyanins from leaves of the water lily, *Nymphaea marliacea* 353 T. FOSSEN and Ø. M. ANDERSEN
- Flavonol triglycosides from seeds of *Nigella sativa* 359 I. MERFORT, V. WRAY, H. H. BARAKAT, S. A. M. HUSSEIN, M. A. M. NAWWAR and G. WILLUHN
- Alkaloids from seeds of *Lupinus varius* and *L. hartwegii* 365 M. H. MOHAMED and H. A. HASSANEAN

Short Reports

- Iridoid glucosides from *Angelonia integerrima* 371 G. L. VON POSER, S. DAMTOFT, J. SCHRIPEMA, A. T. HENRIQUES and S. R. JENSEN
- Germacradienolides from *Blainvillea latifolia* 375 D. D. SAWAIKAR, S. R. ROJATKAR and B. A. NAGASAMPAGI

Cycloartane triterpenoids from <i>Aglaia harmsiana</i>	379	A. INADA, S. OHTSUKI, T. SORANO, H. MURATA, Y. INATOMI, D. DARNAEDI and T. NAKANISHI
A coumarin from aerial parts of <i>Geijera paniculata</i>	383	A. N. BISSOUÉ, F. MUYARD, F. BÉVALOT, T. G. HARTLEY, F. TILLEQUIN, J. VAQUETTE and P. G. WATERMAN
Dioclenol, a minor flavanonol from the root-bark of <i>Dioclea grandiflora</i>	385	J. BHATTACHARYYA, G. MAJETICH, P. SPEARING and R. N. ALMEIDA
Astragalin 2",6"-di-O-gallate from <i>Loropetalum chinense</i>	389	Y. LIU, Y. WU, K. YUAN, C. JI, A. HOU, T. YOSHIDA and T. OKUDA
Book Review		
Phytochemical diversity and redundancy in ecological interactions	393	J. B. HARBORNE

Number 3

Graphical Abstracts	ix	
Review Article Number 121		
The biosynthesis and metabolism of the aspartate derived amino acids in higher plants	395	R. A. AZEVEDO, P. ARRUDA, W. L. TURNER and P. H. LEA
Growth and Metabolism		
Laccase activity could contribute to cell-wall reconstitution in regenerating protoplasts	421	A. DE MARCO and K. A. ROUBELAKIS-ANGELAKIS
Enhancement of the peroxidase-dependent oxidation of DOPA by components of <i>Vicia</i> leaves	427	U. TAKAHAMA
Fad-dependent epoxidase as a key enzyme in fungal metabolism of prenylated flavonoids	433	M. TANAKA and S. TAHARA
Purification and characterization of sucrose-phosphate synthase from <i>Prosopis juliflora</i>	441	A. K. SINHA, U. PATHRE and P. V. SANE
Isolation, purification and characterization of UDP-glucose: <i>CIS</i> - <i>p</i> -coumaric acid- β -D-glucosyltransferase from <i>Sphagnum fallax</i>	449	S. RASMUSSEN and H. RUDOLPH
Endogenous protein phosphorylation and protein kinase activity in winged bean	455	K. MUKHOPADHYAY and M. SINGH
Purification and characterisation of a protein kinase from winged bean	461	K. MUKHOPADHYAY
Purification and characterisation of β -cyanoalanine synthase from cassava tissues	469	M. ELIAS, P. R. SUDHAKARAN and B. NAMBIAN
Binding nature and denaturation of protein during interaction with galloylglucose	473	H. KAWAMOTO, K. MIZUTANI and F. NAKATSUBO
Effects of environmental factors on two-stage tannin-protein co-precipitation	479	H. KAWAMOTO and F. NAKATSUBO
Solubility of protein complexed with galloylglucoses	485	H. KAWAMOTO and F. NAKATSUBO
Changes in the steroidal alkaloid solasodine during development of <i>Solanum nigrum</i> and <i>Solanum incanum</i>	489	E. A. ELTAYEB, A. S. AL-ANSARI and J. G. RODDICK

Ecological Biochemistry

Multiple modes of insecticidal action of three classes of polyacetylene derivatives from *Rudbeckia hirta*

495 G. GUILLET, B. J. R. PHILOGÈNE,
J. O'MEARA, T. DURST and J. T. ARNASON

Differential sensitivity of rice pathogens to growth inhibition by flavonoids

499 M. PADMAVATI, N. SAKTHIVEL, K. V. THARA
and A. R. REDDY

Biosynthesis

Light-induced auxin-inhibiting substance from sunflower seedlings

503 K. YOKOTANI-TOMITA, J. KATO,
S. KOSEMURA, S. YAMAMURA, M. KUSHIMA,
H. KAKUTA and K. HASEGAWA

Biosynthesis of pregnane derivatives in somatic embryos of *Digitalis lanata*

507 P. LINDEMANN and M. LUCKNER

Cell Culture and Biotechnology

A sesquiterpene coumarin ether from transformed roots of *Tanacetum parthenium*

515 W. KISIEL and A. STOJAKOWSKA

Efficient production of biologically active diterpenoids by leaf organ culture of *Scoparia dulcis*

517 T. HAYASHI, K. KASAHARA and
U. SANKAWA

Bioactive Plant Products

Cytotoxic flavonoids from *Vitex agnus-castus*

521 C. HIROBE, Z.-S. QIAO, K. TAKEYA and
H. ITOKAWA

Pyranoquinoline alkaloids from *Zanthoxylum simulans*

525 I.-S. CHEN, I.-W. TSAI, C.-M. TENG,
J.-J. CHEN, Y.-L. CHANG, F.-N. KO,
M. C. LU and J. M. PEZZUTO

Plant Chemistry

Abietane and icetexane diterpenoids from *Salvia ballotaeflora* and *Salvia axillaris*

531 B. ESQUIVEL, J. S. CALDERÓN, E. FLORES,
A.-A. SÁNCHEZ and R. R. RIVERA

Di- and triterpenoids from *Tripterygium hypoglaucum*

535 H. DUAN, K. KAWAZOE, M. BANDO,
M. KIDO and Y. TAKAISHI

Triterpenes of *Centaurea ptosimopappoides*

545 S. ÖKSÜZ and S. SERİN

Triterpenes from *Paliurus hemsleyanus*

549 S.-S. LEE, S.-N. SHY and K. C. S. LIU

Tetranortriterpenoids from *Azadirachta indica*

555 C. Y. RAGASA, Z. D. NACPIL,
G. M. NATIVIDAD, N. TADA, J. C. COLL and
J. A. RIDEOUT

Pentacyclic triterpenoid glycosyl esters from *Rubus pilcatus*

559 B.-G. WANG, X.-M. SHEN, L. YANG and
Z.-J. JIA

Quinones of *Cetraria islandica*

565 L. S. STEPANENKO, O. E. KRIVOSHCHKOVA,
P. S. DMITRENOK and O. B. MAXIMOV

Neolignans from *Caryodaphnopsis baviensis*

569 N. H. ANH, H. RIPPERGER, A. PORZEL,
T. V. SUNG and G. ADAM

Phenolic metabolites from *Erythrina* species

573 A. E. NKENGFAK, T. W. VOUFFO,
J. C. VARDAMIDES, J. KOUAM, Z. T. FOMUM,
M. MEYER and O. STERNER

Flavonoids from *Iryanthera sagotiana*

579 D. H. S. SILVA, M. YOSHIDA and M. J. KATO

Short Reports

A taxoid from *Taxus cuspidata* var. *nana*

583 H. MORITA, L. WEI, A. GONDA, K. TAKEYA
and H. ITOKAWA

A neo-clerodane diterpenoid from <i>Scutellaria orientalis</i> subsp. <i>pin-natifida</i>	587 P. Y. MALAKOV, P. I. BOZOV and G. Y. PAPANOV
An <i>O</i> -geranylated isoflavone from <i>Millettia griffoniana</i>	591 E. YANKEP, Z. T. FOMUM and E. DAGNE
Book Review	
Bioactive natural products – detection, isolation and structural determination	595 T. A. VAN BEEK

Number 4

Graphical Abstracts	vii
Review Article Number 122	
Phytochemistry of the genus <i>Piper</i>	597 V. S. PARMAR, S. C. JAIN, K. S. BISHT, R. JAIN, P. TANEJA, A. JHA, O. D. TYAGI, A. K. PRASAD, J. WENGEL, C. E. OLSEN and P. M. BOLL
Growth and Metabolism	
4-Chloroindole-3-acetic and indole-3-acetic acids in <i>Pisum sativum</i>	675 V. MAGNUS, J. A. OZGA, D. M. REINECKE, G. L. PIERSON, T. A. LARUE, J. D. COHEN and M. L. BRENNER
Xanthohumols, diacylglycerol acyltransferase inhibitors, from <i>Humulus lupulus</i>	683 N. TABATA, M. ITO, H. TOMODA and S. ŌMURA
Circadian and seasonal variation in the essential oil from <i>Virola surinamensis</i> leaves	689 N. P. LOPES, M. J. KATO, E. H. DE AQUIAR ANDRADE, J. G. S. MAIA and M. YOSHIDA
Biosynthesis	
5-Hydroxyguaiaacyl nuclei as aromatic constituents of native lignin	695 S. SUZUKI, T. B. T. LAM and K. IYAMA
Cell Culture and Biotechnology	
Biotransformation of thebaine by cell cultures of <i>Papaver somniferum</i> and <i>Mahonia nervosa</i>	701 R. WILHELM and M. H. ZENK
Plant Chemistry	
Three cyclopeptides from <i>Stellaria delavayi</i>	709 Y.-R. ZHAO, J. ZHOU, X.-K. WANG, H.-M. WU, X.-L. HUANG and C. ZOU
Arachisprenols: Polyprenols possessing a geranyl residue from <i>Arachis hypogaea</i>	715 T. AOKI, K. MATSUO, T. SUGA and S. OHTA
Guaianolides and germacradienolides from <i>Stevia sanguinea</i>	721 Z. N. J. DE HERNÁNDEZ, L. R. HERNÁNDEZ, C. A. N. CATALÁN, T. E. GEDRIS and W. HERZ
Diterpenes of <i>Bahia glandulosa</i>	729 A.-L. PÉREZ-CASTORENA, M. MARTÍNEZ-VÁZQUEZ and A. R. DE VIVAR
Phlorotannins from the brown alga <i>Cystophora torulosa</i>	735 K.-W. GLOMBITZA and S. HAUPERICH
Neolignans from leaves of <i>Ocotea catharinensis</i>	741 A. L. L. LORDELLO and M. YOSHIDA

Lignoids, flavonoids and polyketides of <i>Virola surinamensis</i>	745	E. E. DE ALMEIDA BLUMENTHAL, M. S. DA SILVA and M. YOSHIDA
Carbazole alkaloids from <i>Murraya koenigii</i>	751	M. CHAKRABARTY, A. C. NATH, S. KHASNOBIS, M. CHAKRABARTY, Y. KONDA, Y. HARIGAYA and K. KOMIYAMA
Indole alkaloids from <i>Alstonia macrophylla</i>	757	N. KEAWPRADUB and P. J. HOUGHTON
Four monoterpene alkaloid derivatives from <i>Incarvillea sinensis</i>	763	Y.-M. CHI, F. HASHIMOTO, W.-M. YAN and T. NOHARA
Two new pregnane-type steroidal alkaloids from <i>Sarcococca saligna</i>	771	ATTA-UR-RAHMAN, S. ANJUM, A. FAROOQ, M. R. KHAN and M. I. CHOUDHARY
Short Reports		
Sesquiterpene lactones from the pericarp of <i>Illicium dunnianum</i>	777	J. HUANG, J. WANG and C. YANG
Diterpenoids from <i>Salvia splendens</i>	781	D.-P. HU, K. KAWAZOE and Y. TAKAISHI
Lahadinines A and B, new cyano-substituted indole alkaloids from <i>Kopsia pauciflora</i>	785	T.-S. KAM and K. YOGANATHAN
Aspidofractinine alkaloids from <i>Kopsia teoi</i>	789	T.-S. KAM, K. YOGANATHAN and S.-L. MOK
5-Methyldihydroflavasperone, a dihydronaphthopyran from <i>Guiera senegalensis</i>	793	E. H. N MAHMOUD and S. A. KHALID
Benzopyran derivatives from <i>Werneria nubigena</i>	795	S. PIACENTE, N. H. HERNANDEZ, F. DE SIMONE, O. L. DE UGAZ and C. PIZZA
Terpenoids and flavonoids from <i>Salvia cyanescens</i>	799	G. GÖKDİL, G. TOPCU, U. SÖNMEZ and A. ULUBELEN

Number 5

Graphical Abstracts	ix
Growth and Metabolism	
Synthesis of cytokinin glucuronides for the selection of transgenic plant cells	801 F. T. OKKELS, J. L. WARD and M. JOERSBO
Design of primers for RAPD analyses of cassava, <i>Manihot esculenta</i>	805 H.-L. WONG, H.-H. YEOH, S.-H. LIM and K.-C. L. LOOI
Endogenous gibberellins in foliage of tomato (<i>Lycopersicon esculentum</i>)	811 J. M. GRÜNZWEIG, H. D. RABINOWITCH, J. KATAN, M. WODNER and Y. BEN-TAL
Regulation of peanut glutamate dehydrogenase by methionine sulfoximine	817 G. O. OSUJI and W. C. MADU
A survey of plants for presence of cholinesterase activity	827 A. GUPTA and R. GUPTA
Ecological Biochemistry	
Sinalexin, a phytoalexin from white mustard elicited by destruxin B and <i>Alternaria brassicae</i>	833 M. S. C. PEDRAS and K. C. SMITH
Biologically active clerodane-type diterpene glycosides from the root-stalks of <i>Dicranopteris pedata</i>	839 T. AOKI, T. OHRO, Y. HIRAGA, T. SUGA, M. UNO and S. OHTA

Bioactive saturated pyrrolizidine alkaloids from <i>Heliotropium floridum</i>	845	M. REINA, A. GONZALEZ-COLOMA, C. GUTIERREZ, R. CABRERA, J. HENRIQUEZ and L. VILLARROEL
Biosynthesis		
Glycerolipid synthesis by microsomal fractions from fruits and tissue cultures of olives	855	A. J. RUTTER, J. SANCHEZ and J. L. HARWOOD
Solid state NMR spectroscopy of specifically ¹³ C-enriched lignin in wheat straw from coniferin	863	N. TERASHIMA, R. H. ATALIA and D. L. VANDERHART
Cell Culture and Biotechnology		
Production of hydroxy fatty acids by cell suspension cultures of the marine brown alga <i>Laminaria saccharina</i>	871	G. L. RORRER, H.-D. YOO, Y.-M. HUANG, C. HAYDEN and W. H. GERWICK
Chemotaxonomy		
Amides and lignanamides from <i>Porcelia macrocarpa</i>	879	M. H. CHAVES and N. F. ROQUE
Betaine lipids and zwitterionic phospholipids in plants and fungi	883	K. KÜNZLER and W. EICHENBERGER
Bioactive Plant Products		
Flavan dimers with lipase inhibitory activity from <i>Cassia nomame</i>	893	T. HATANO, A. YAMASHITA, T. HASHIMOTO, H. ITO, N. KUBO, M. YOSHIYAMA, S. SHIMURA, Y. ITOH, T. OKUDA and T. HOSHIDA
Plant Chemistry		
Iridoid glucosides from <i>Viburnum ayavacense</i>	901	L. TOMASSINI, S. FODDAI, M. NICOLETTI, M. F. COMETA, G. PALAZZINO and C. GALEFFI
Iridoids and iridoid glucosides from fruits of <i>Crescentia cujete</i>	907	T. KANEKO, K. OHTANI, R. KASAI, K. YAMASAKI and N. M. DUC
Ring C-seco limonoids from <i>Melia toosendan</i>	911	J.-B. ZHOU, Y. MINAMI, F. YAGI, K. TADERA and M. NAKATANI
Phenol derivatives from <i>Ligularia intermedia</i>	915	B. MA, K. GAO, Y.-P. SHI and Z.-J. JIA
Phenolic glucosides from the root of <i>Pueraria lobata</i>	921	K. HIRAKURA, M. MORITA, K. NAKAJIMA, K. SUGAMA, K. TAKAGI, K. NITSU, Y. IKEYA, M. MARUNO and M. OKADA
Reassignment of relative stereochemistry at C-7 and C-8 in arylo-coumaran neolignans	929	S. LI, T. ILIEFSKI, K. LUNDQUIST and A. F. A. WALLIS
Polyphenolic metabolites of <i>Epilobium hirsutum</i>	935	H. H. BARAKAT, S. A. M. HUSSEIN, M. S. MARZOUK, I. MERFORT, M. LINSCHIED and M. A. M. NAWWAR
Three flavonol glycosides from leaves of <i>Myrsine sequinii</i>	943	X.-N. ZHONG, H. OTSUKA, T. IDE, E. HIRATA, A. TAKUSHI and Y. TAKEDA
Neoflavonoids from <i>Dalbergia odorifera</i>	947	S.-C. CHAN, Y.-S. CHANG and S.-C. KUO
Norditerpenoid alkaloids from <i>Aconitum transsectum</i>	951	S. ZHENG, L. GAO, X. HAO, X. WANG and X. Shen
Short Reports		
11-Episcutecyprin a Neo-clerodane diterpenoid from <i>Scutellaria columnae</i>	955	P. Y. MALAKOV and G. Y. PAPANOV

A lanostane-type triterpene from a mushroom <i>Daedalea dickinsii</i>	959	H. KAWAGISHI, H. LI, O. TANNO, S. INOUE, S. IKEDA, M. OHNISHI-KAMEYAMA and T. NAGATA
A lanostane-type steroid from the fungus <i>Ganoderma carnosum</i>	963	A.-C. KELLER, J. KELLER, M. P. MAILLARD and K. HOSTETTMANN
A quinine alkaloid from <i>Acanthosyris paulo-alvini</i>	967	J. P. CHÁVEZ, I. D. DOS SANTOS, F. G. CRUZ, J. M. DAVID, S.-W. YANG and G. A. CORDELL
Sesquiterpene lactones of three <i>Heliomeris</i> species (heliantheae; asteraceae)	969	H. BUSCHMANN and O. SPRING
Quinine- and quincine-derived alkaloids from <i>Guettarda noumeana</i>	973	A. MONTAGNAC, M. LITAUDON and M. PAIS
Acylated triterpenoids from <i>Ligustrum ovalifolium</i>	977	K. MACHIDA, T. YAMAGUCHI, K. KAMIYA and M. KIKUCHI
Book Review		
Plant Biochemistry	981	E. G. BROWN

Number 6

Graphical Abstracts	ix
Growth and Metabolism	
Synthesis and biological activities of methyl 3,7- and 4,5-didehydrojasmonates	983 H. KIYOTA, Y. YONETA and T. ORITANI
Selective binding of plant proteins to Heat-shock protein 70	987 D. H. WU and D. L. LAIDMAN
Alterations in pea root meristem proteins after butyrate exposure	991 W. A. TRAMONTANO and C. J. BARREIRO
Identification of essential amino acids for the catalytic activity of barley β -glucosidase	997 A. SKOUBAS and J. G. GEORGATSOS
Metabolism of the potato saponins α -chaconine and α -solanine by <i>Gibberella pulicaris</i>	1005 K.-M. WELTRING, J. WESSELS and R. GEYER
Cell Culture	
The formation of veratryl chloride by <i>Bjerkandera</i> sp. strain BOS55	1011 H. J. SWARTS, T. MESTER, F. J. M. VERHAGEN, J. A. FIELD and J. B. P. A. WUNBERG
Effect of calcium and cell immobilization on the production of choleocalciferol and its derivatives by <i>Solanum malacoxylon</i> cell cultures	1015 T. ABURJAI, S. BERNASCONI, L. A. MANZOCCHI and F. PELIZZONI
Diglycosidic metabolites of 24- <i>epi</i> -teastrone in cell suspension cultures of <i>Lycopersicon esculentum</i> L.	1019 A. KOLBE, A. PORZEL, B. SCHNEIDER and G. ADAM
Diacetoxy-substituted polyacetylenes from <i>Atractylodes lancea</i>	1023 M. S. LEHNER, A. STEIGEL and R. BAUDER
Three dibenzoylmethane derivatives from <i>Lonchocarpus</i> species	1029 A. F. MAGALHÃES, A. M. A. TOZZI, E. G. MAGALHÃES, I. S. BLANCO and M. A. NOGUEIRA
Plant Chemistry	
Secoiridoids from <i>Gentiana siphonantha</i>	1035 R. X. TAN and L. D. KONG

Sesquiterpenoids from <i>Pallenis spinosa</i>	1039	G. APPENDINO, J. JAKUPOVIC and S. JAKUPOVIC
A guaianolide and a germacranolide from <i>Achillea santolina</i>	1045	B. A. A. A. BALBOUL, A. A. AHMED, H. OTSUKA, M. BANDO, M. KIDO and Y. TAKEDA
Abietane diterpene acids and other constituents from the leaves of <i>Larix kaempferi</i>	1051	R. TANAKA, H. OHTSU and S. MATSUNAGA
4'-Dehydroxycabenegrin A-I from roots of <i>Harpalyce brasiliiana</i>	1059	G. L. D. SILVA, F. J. DE ABREU MATOS and E. R. SILVEIRA
Isofuranonaphthoquinones and phenolic and knipholone derivatives from the roots of <i>Bulbine capitata</i>	1063	M. BEZABIH, S. MOTLHAGODI and B. M. ABEGAZ
Phenanthrenes and bibenzyls from a <i>Plagiochila</i> species	1069	H. ANTON, L. KRAUT, R. MUES and M. I. MORALES Z.
Benzofurans, benzofuran dimers and other constituents from <i>Ophryosporus charua</i>	1077	M. E. P. DE LAMPASONA, C. A. N. CATALÁN, T. E. GEDRIS and W. HERZ
Dimethylchromene rotenoids from <i>Tephrosia candida</i>	1081	C. C. ANDREI, P. C. VIEIRA, J. B. FERNANDES, M. F. DA SILVA and E. R. FO.
Stenocarpine, a diterpenoid alkaloid from <i>Aconitella stenocarpa</i>	1087	G. F. MARTIN and L. R. MESÍA
Steroidal alkaloids from roots of <i>Sarcococca vagans</i>	1091	Z.-M. ZOU, L.-J. LI, M. YANG, S.-S. YU, P.-Z. CONG and D.-Q. YU
Short Reports		
A new conjugated diene amino acid, D, L-2-amino-3(cis), 5-hexadienoic acid, from <i>Clavulinopsis helvola</i>	1095	Y. AOYAGI, S. TAKASAKI, S. FUJIHARA, A. KASUGA and T. SUGAHARA
Proceroside, an iridoid glucoside from <i>Pedicularis procera</i>	1097	M. J. SCHNEIDER, J. C. GREEN and D. McPEAK
Marasmane sesquiterpenes from the basidiomycete <i>Clitocybe hydrogramma</i>	1099	A. ARNONE, G. NASINI and O. V. DE PAVA
A benzoquinone from <i>Cynanchum wilfordii</i>	1103	H. YEO and J. KIM
(+)-Neo-olivil from roots of <i>Urtica dioica</i>	1107	M. SCHÖTTNER, J. REINER and F. S. K. TAYMAN
A lignan from the roots of <i>Taxus mairei</i>	1111	Y. C. SHEN, C. Y. CHEN, Y. M. LIN and Y. H. KUO
Isopentenyl diphosphate isomerase activity in <i>Lactarius</i> mushrooms	1115	N. OHYA, Y. TANAKA, K. OGURA and T. KOYAMA
A β -carboline alkaloid from <i>Hedyotis chrysotricha</i>	1119	J.-N. PENG, X.-Z. FENG, Q.-T. ZHENG and X.-T. LIANG
Alkylamides from pericarps of <i>Zanthoxylum bungeanum</i>	1123	Q. XIONG, D. SHI, H. YAMAMOTO and M. MIZUNO
Volatile constituents of leaves, roots and stems from <i>Aristolochia elegans</i>	1127	R. VILA, M. MUNDINA, L. MUSCHIETTI, H. A. PRIESTAP, A. L. BANDONI, T. ADZET and S. CAÑIGÜERAL
Eudesmanolides and other constituents of <i>Inula thapsoides</i>	1131	S. ÖKSÜZ, G. TOPCU, M. KRAWIEC and W. H. WATSON
Triterpenes from <i>Diospyros maritima</i>	1135	Y.-H. KUO, C.-I. CHANG and Y.-H. KUO

Dammarane-type triterpenes from <i>Cordia spinescens</i>	1139	N. NAKAMURA, S. KOJIMA, Y. A. LIM, M. R. MESELY, M. HATTORI, M. P. GUPTA and M. CORREA
Steroids of formosan <i>Ganoderma tsugae</i>	1143	C.-N. LIN, Y.-F. FAN and M.-I. CHUNG
Premnethanosides A and B: phenylethanoids from leaves of <i>Premna subscandens</i>	1147	H. SUDO, A. TAKUSHI, T. IDE, H. OTSUKA, E. HIRATA and Y. TAKEDA

Number 7

Graphical Abstracts

ix

Review Article Number 123

Chlorophyll metabolism: From outer space down to the molecular level	1151	W. RÜDIGER
--	------	------------

Ecological Biochemistry

Headspace analysis of volatile flower scent constituents of bat-pollinated plants	1169	H. J. BESTMANN, L. WINKLER and O. VON HELVERSEN
O-Demethylation of <i>meso</i> -dimethyl dihydroguaiaretic acid in <i>Spodoptera litura</i>	1173	M. MIYAZAWA, H. KASAHARA and H. KAMEOKA

Cell Culture and Biotechnology

Optimized isolation procedure for biologically active compounds nimbolide and 28-deoxonimbolide from <i>Azadirachta indica</i> leaves	1177	M. S. NAIR, S. GOPAL and D. ISSAC
A novel epoxy-triterpene and nortriterpene from callus cultures of <i>Tripterygium wilfordii</i>	1179	K. NAKANO, Y. OOSE and Y. TAKAISHI
Phytoecdysteroid overproduction in <i>Polypodium vulgare</i> porthalli	1183	N. REIXACH, J. IRURRE-SANTILARI, F. CAMPS, E. MELE, J. MESSEGUER and J. CASAS
Modification of sterol concentration in marine microalgae	1189	J. FÀBREGAS, J. ARÁN, E. D. MORALES, T. LAMELA and A. OTERO
Glucose-conjugation of the flavones of <i>Psiadia arabica</i> by <i>Cunninghamella elegans</i>	1193	A.-R. S. IBRAHIM, A. M. GALAL, J. S. MOSSA and F. S. EL-FERALLY

Chemotaxonomy

Secoiridoid glucosides from <i>Jasminum urophyllum</i>	1197	Y.-C. SHEN and P.-W. HSIEH
Terpenoids from the Japanese liverworts <i>Jackiella javanica</i> and <i>Jungermannia infusca</i>	1203	F. NAGASHIMA, A. TAMADA, N. FUJII and Y. ASAKAWA

Bioactive Plant Products

Polymorphism of artemisinin from <i>Artemisia annua</i>	1209	K.-L. CHAN, K.-H. YUEN, H. TAKAYANAGI, S. JANADASA and K.-K. PEH
A succinylanthranilic acid ester and other bioactive constituents of <i>Jolyna laminarioides</i>	1215	ATTA-UR-RAHMAN, M. I. CHOUDHARY, A. MAJEED, M. SHABIR, U. GHANI and M. SHAMEEL
Antiandrogenic phenolic constituents from <i>Dalbergia cochinchinensis</i>	1219	V. PATHAK, O. SHIROTA, S. SEKITA, Y. HIRAYAMA, Y. HAKAMATA, T. HAYASHI, T. YANAGAWA and M. SATAKE

Plant Chemistry

- Five tetrahydroisoquinoline-monoterpene glycosides with a disaccharide moiety from *Alangium lamareckii* 1225 A. ITOH, T. TANAHASHI and N. NAGAKURA
- 10-*O*-Acylated iridoid glucosides from leaves of *Premna subscandens* 1231 H. SUDO, T. IDE, H. OTSUKA, E. HIRATA, A. TAKUSHI and Y. TAKEDA
- A sesquiterpenoid from *Santalum austrocaledonicum* var. *austrocaledonicum* 1237 T. ALPHA, P. RAHARIVELOMANANA, J.-P. BIANCHINI, R. FAURE and A. CAMBON
- Minor sesquiterpene lactones from *Lactuca virosa* 1241 W. KISIEL and B. BARSZCZ
- Sesquiterpene lactones from *Carpesium divaricatum* 1245 D. K. KIM, K. R. LEE and O. P. ZEE
- Neo-clerodane diterpenes from *Salvia thymoides* 1249 E. MALDONADO and A. ORTEGA
- 3 α -Hydroxy-oleanene type triterpene glycosyl esters from leaves of *Acanthopanax spinosus* 1255 M. MIYAKOSHI, S. ISODA, H. SATO, Y. HIRAI, J. SHOJI and Y. IDA
- 7-Oxodihydrokarounidiol-3-benzoate and other triterpenes from the seeds of cucurbitaceae 1261 T. AKIHISA, Y. KIMURA, Y. KASAHARA, K. KUMAKI, S. THAKUR and T. TAMURA
- ¹³C NMR analysis of monodesmosidic saponins from *Gomphrena macrocephala* 1267 M. C. M. YOUNG, A. POTOMATI, E. P. CHU, M. HARAGUCHI, M. YAMAMOTO and T. KAWANO
- Two prenylated flavanones from *Mundulea suberosa* 1271 E. V. RAO, P. SRIDHAR and Y. R. PRASAD
- Flavonoids from *Bidens pilosa* var. *radiata* 1275 J. WANG, H. YANG, Z.-W. LIN and H.-D. SUN
- Steroidal alkaloid glycosides from *Solanum suaveolens* 1279 H. RIPPERGER and A. PORZEL

Short Reports

- Bisesquiterpenoid from the root of *Lindera strychnifolia* 1283 I. KUONO, A. HIRAI, Z.-H. JIANG and T. TANAKA
- An unusual prenyl biflavanol from *Tephrosia tepicana* 1285 F. GÓMEZ-GARIBAY, J. S. CALDERÓN, L. QUIJANO, O. TÉLLEZ, M. DEL SOCORRO OLIVARES and T. RÍOS
- Hypostrepsilalic acid from a cultured lichen mycobiont of *Stereocaulon japonicum* 1289 H. MIYAGAWA, M. YAMASHITA, T. UENO and N. HAMADA
- A trioxxygenated diprenylated chromenxanthone from *Calophyllum moonii* 1293 H. R. W. DHARMARATNE and W. M. N. M. WIJESINGHE
- A dirhamnopyranoside from *Psucalium megaphyllum* 1297 A.-L. PÉREZ-CASTORENA, A. CASTRO and A. ROMO DE VIVAR

Book Reviews

- Chemistry, biological and pharmacological properties of African medicinal plants 1301 J. B. HARBOURNE
- Saponins used in traditional and modern medicine and saponins used in food and agriculture 1301 J. B. HARBOURNE

Number 8

Graphical Abstracts

vii

Growth and Metabolism

- Single step isolation of plant RNA 1303 C. VENUGOPALAN and H. C. KAPOOR
- An acidic xyloglucan from grape skins 1307 J. M. IGARTUBURU, E. PANDO,
F. RODRÍGUEZ LUIS and
A. GIL-SERRANO
- Purification, characterization and kinetic properties of pepper fruit
acidic peroxidase 1313 F. POMAR, M. A. BERNAL, J. DÍAZ and
F. MERINO
- Carica papaya* latex is a rich source of a class II chitinase 1319 M. AZARKAN, A. AMRANI, M. NIJS,
A. VANDERMEERS, S. ZERHOUNI,
N. SMOLDERS and Y. LOOZE
- A critical histidine residue in arginase from *Phaseolus vulgaris* 1327 N. CARVAJAL, S. ENRÍQUEZ, M. SALAS and
E. URIBE
- Trehalose, an extreme temperature protector of phospho-
enolpyruvate carboxylase from the C₄-plant *Cynodon dactylon* 1331 G. SALAHAS, B. PESLIS, C. D. GEORGIOU and
N. A. GAVALAS
- Fructose 1,6-bisphosphate aldolase activity in leaves of a rice mutant
selected for enhanced lysine 1335 G. W. SCHAEFFER, F. T. SHARPE and
R. C. SICHER
- Polar lipids and net photosynthesis potential of subarctic *Diapensia*
lapponica 1339 P. SEWÓN, H. MIKOLA, T. LEHTINEN and
P. KALLIO

Ecological Biochemistry

- Chrysin and other leaf exudate flavonoids in the genus *Pelargonium* 1349 C. A. WILLIAMS, J. B. HARBORNE,
M. NEWMAN, J. GREENHAM and J. EAGLES

Cell Culture and Biotechnology

- Biotransformation of β -thujaplicin by cultured cells of *Eucalyptus*
perriniana 1355 T. FURUYA, Y. ASADA, Y. MATSUURA,
S. MIZOBATA and H. HAMADA
- Biotransformations of protoberberines in cell cultures of *Dicentra*
spectabilis 1359 K. IWASA and C. W. KIM

Chemotaxonomy

- Essential oils of *Otacanthus* 1365 A. RONSE, H. DE POOTER and M. DE PROFT
- Sesquiterpene lactones and flavanones in *Scalesia* species 1369 O. SPRING, N. HEIL and B. VOGLER

Plant Chemistry

- A 2-acylcyclohexane-1,3-dione from *Virola oleifera* 1375 N. R. AZEVEDO, S. C. SANTOS,
E. G. DE MIRANDA and P. H. FERRI
- Isolation and structure elucidation of minor carotenoids from
annatto (*Bixa orellana* L.) seeds 1379 A. Z. MERCADANTE, A. STECK and
H. PFANDER
- Benzopyranones and ferulic acid derivatives from *Antidesma mem-*
branaceum 1385 A. BUSKE, J. SCHMIDT, A. PORZEL and
G. ADAM
- Prenylated C₆-C₃ compounds from root bark of *Illicium anisatum* 1389 I. KOUNO, S. SHIMAMOTO, Z.-H. JIANG and
T. TANAKA
- Coumarins from *Nassauvia cumingii* 1393 M. HOENEISEN, M. SILVA and J. JAKUPOVIC

A polyphenolic pigment from black tea	1397	A. L. DAVIS, J. R. LEWIS, Y. CAI, C. POWELL, A. P. DAVIS, J. P. G. WILKINS, P. PUDNEY and M. N. CLIFFORD
Pseudofuhalols from the brown alga <i>Sargassum spinuligerum</i>	1403	M. KEUSGEN and K.-W. GLOMBITZA
Fucophlorethols from the brown algae <i>Sargassum spinuligerum</i> and <i>Cystophora torulosa</i>	1417	K.-W. GLOMBITZA, M. KEUSGEN and S. HAUPERICH
Prenylated xanthonoids from <i>Calophyllum apetalum</i>	1423	M. IINUMA, T. ITO, H. TOSA, T. TANAKA, R. MIYAKE and V. CHELLADURAI
Flavonoids from the root and stem of <i>Sophora tomentosa</i>	1431	T. TANAKA, M. IINUMA, F. ASAI, M. OHYAMA and C. L. BURANDT
Alkaloids of <i>Erythroxylum lucidum</i> stem-bark	1439	A. BRACHET, O. MUÑOZ, M. GUPTA, J.-L. VEUTHEY and P. CHRISTEN
Benzophenanthridine alkaloids from <i>Zanthoxylum rhoifolium</i>	1443	N. F. DE MOURA, H. B. RIBEIRO, E. C. S. MACHADO, E. M. ETHER, N. ZANATTA and A. F. MOREL
Short Reports		
Two acetogenins from <i>Hemsleya ellipsoidea</i>	1447	Y. HANO, Y.-Q. SHI, T. NOMURA, P.-Q. YANG and W.-J. CHANG
Tannins from <i>Albizia lebbek</i>	1451	Y.-T. MA, S.-C. HSIAO, H.-F. CHEN and F.-L. HSU
Announcement	I	