

SUBJECT INDEX

- A**
- Abscisic acid, requirements of carrier-mediated uptake of in barley 215
- Acacia berlandieri*, toxic amines and alkaloids from 249
- Acanthopanax spinosus*, triterpene glycosyl esters from 1255
- Acanthosyrus paulo-alvinii*, quinoline alkaloid from 967
- Acetogenins,
from *Hemsleya* 1447
from *Uvaria* bark 321
C-methylated, from *Pestalotiopsis* 313
mono-tetrahydrofuran, from *Goniothalamus* 327
- Acetophenones, prenylated, from *Ophryosporus* 1077
- Achillea santolina*, guaianolide, germacranolide and flavonoids from 1045
- Aconitella stenocarpa*, diterpenoid alkaloid from 1087
- Aconitum transsectum*, norditerpenoid alkaloids from 951
- Actinidia deliciosa*, myo-inositol as major carbohydrate in 51
- Actinidiaceae 51
- 2-Acylcyclohexane-1,3-dione, from *Virola* 1375
- Agaricus bisporus*, purification of tyrosinase from, by diafiltration 21
- Aglaia harmsiana*, cycloartane triterpenoids from 379
- Alangiaceae 1225
- Alangium lamarckii*, tetrahydroisoquinoline-monoterpene glycosides from 1225
- Albizia lebbek*, tannins from 1451
- Algae 195, 209, 341, 735, 871, 1189, 1215, 1403, 1417
- Alkaloid accumulation, in *Catharanthus*, effect of tertiary amine on 235
- Alkaloid glycosides, steroidal, from *Solanum* 1279
- Alkaloids,
benzophenanthridine, from *Zanthoxylum* 1443
carbazole, from *Murraya* 751
 β -carboline, from *Hedyotis* 1119
diterpenoid, from *Aconitella* 1087
from *Cassytha* 181
from *Erythroxylum* stem bark 1439
from *Lupinus* seeds 365
from *Piper* 597
indole,
aspidofractinine, from *Kopsia* 789
cyano-substituted, from *Kopsia* 785
from *Alstonia* 757
monoterpene, from *Incarvillea* 763
norditerpenoid, from *Aconitum* 951
pyrrolidine, glycosidase-inhibiting, from *Hyacinthoides* 255
pyrrolizidine, bioactive, from *Heliotropium* 845
quinicine-derived, from *Guettarda* 973
quinoline, from *Acanthosyrus* 967
steroidal,
changes in during development of *Solanum* 489
from potato, metabolism of by *Gibberella* 1005
from *Sarcococca* 771, 1091
toxic, from *Acacia* 249
with anti-platelet aggregation activity, from *Zanthoxylum* 525
- Alkylamides, from *Zanthoxylum* pericarps 1123
- Alstonia macrophylla*, indole alkaloids from 757
- Alternaria alternata*, tricycloalternarenes from 297
- A. brassicae*, phytoalexin elicitation by, in *Sinapis* 833
- Amaranthaceae 1267
- Amides, from *Porcelia* 879
- Amines, toxic, from *Acacia* 249
- Amino acids,
aspartate-derived, biosynthesis and metabolism of 395
diene, conjugated, from *Clavulinopsis* 1095
essential for catalytic activity of barley β -glucosidase 997
- Amoora rohituka*, keto fatty acid from 155
- Amorphophallus*, inflorescence odours of 71
- Anacardiaceae 279
- Angelonia integerrima*, iridoid glucosides from 371
- Annonaceae 321, 327, 879
- Anthocyanin-producing dandelion callus, as chalcone synthase source 283
- Anthocyanins, acylated, from *Nymphaea* 353
- Anthranilic acid, reduction of to amino aldehydes in *Hebeloma* fruit-bodies 261
- Antidesma membranaceum*, benzopyranones and ferulic acid conjugates from 1385
- Apocynaceae 135, 235, 757, 785, 789
- Araceae 71
- Arachis hypogaea*,
polyprenols from 715
regulation of glutamate dehydrogenase in, by methionine sulfoximine 817
- Araliaceae 1255
- Arginase, from *Phuscolus*, critical histidine residue in 1327
- Aristolochia elegans*, volatiles from 1127
- Aristolochiaceae 1127
- Artemisia annua*, polymorphism of artemisinin from 1209
- Artemisinin, from *Artemisia*, polymorphism of 1209
- Asclepiadaceae 333, 1103
- Asphodelaceae 1063
- Astragalin 2'',6''-di-O-gallate, from *Loropetalum* 389
- Attractylodes lancea*, diacetoxy-substituted polyacetylenes from 1023
- Azadirachta indica*,
optimized isolation procedure for limonoids from 1177
tetranortriterpenoids from 555
- B**
- Bacteria 289
- Bahia glandulosa*, diterpenes from 729
- Bat pollination, volatile flower scent involved in 1169
- Benzofurans, from *Ophryosporus* 1077
- Benzopyranones, from *Antidesma* 1385
- Benzopyrans, from *Werneria* 795
- Benzoquinone, from *Cynanchum* 1103
- Berberidaceae 701
- Betaine lipids, in plants and fungi 883
- Bibenzyls, from *Plagiochila* 1069
- Bidens pilosa*, flavonoids from 1275
- Biflavanol, prenylated, from *Tephrosia* 1285
- Bignoniaceae 763, 907
- Bilobalide, production of in *Ginkgo* cultures 127
- Biologically active compounds,
antiandrogenic neoflavonoids, from *Dalbergia* 1219
antibacterial succinylanthranilic acid esters, from *Jolyna* 1215
antifeedant pyrrolizidine alkaloid, from *Heliotropium* 845
antifungal
iridoids, from *Tocoyena* 305

- pyrrolizidine alkaloids, from *Heliotropium* 845
- antimicrobial
- monoterpene glycosides, from *Erigeron* 151
- triterpenes, against oral pathogens, from *Ceanothus* 97
- antimutagenic monoterpene glycosides, from *Erigeron* 151
- anti-platelet aggregation activity, of alkaloids, from *Zanthoxylum* 525
- chymotrypsin inhibitory succinylanthranilic acid ester, from *Jolyna* 1215
- cytotoxic flavonoids, from *Vitex* 521
- diacylglycerol acyltransferase inhibitory chalcones, from *Humulus* 683
- germination stimulatory fatty acids, from *Gossypium* 77
- glycosidase-inhibiting pyrrolizidine alkaloids, from *Hya-cinthoides* 255
- growth inhibition, by flavonoids, of rice pathogens 499
- insecticidal action, of polyacetylenes from *Rudbeckia* 495
- lipase inhibitory flavan dimers, from *Cassia* 893
- phytoalexin, from elicited white mustard 833
- phytoecdysteroid, from *Leuzea* seeds 103
- phytotoxins, non-host-specific, from *Alternaria* 297
- plant growth affecting clerodane diterpene glycosides, from *Dicranopteris* 839
- potassium ion permeation inhibiting flavanone, effect of in wheat root 245
- seed germination inhibitory jasmonate analogues, synthesis of 983
- toxic alkaloids and amines, from *Acacia* 249
- Biosynthesis,**
- of amino acids, aspartate-derived, in higher plants 395
- of 2-aminobenzaldehyde, in *Hebeloma* fruit bodies 261
- of chlorophyll,
- and degradation of 1151
- inhibition of by 5-hydroxymethylfurfural 45
- of colchicine, incorporation of phenethylisoquinolines in 107
- of glycerolipids,
- by microsomal fractions of olives 855
- in *Olea* fruits and tissue cultures 265
- of lignin,
- in brown midrib mutant of maize 695
- in wheat straw 863
- of normicotine, in *Nicotiana* root cultures 117
- of pregnanes, in nicotian embryos of *Digitalis* 507
- Biotransformation,**
- of dehydroabietic acid, by *Fusarium* cultures 131
- of meso-dimethyl dihydroguaiaretic acid, by *Spodoptera* 1173
- of flavones, by *Cunninghamiella* 1193
- of protoberberines, by *Dicentra* cell cultures 1359
- of 24-*epi*-teasterone, by *Lycopersicon* suspension cultures 1019
- of thebaine, by *Papaver* and *Mahonia* cell cultures 701
- of β -thujaplicin, by *Eucalyptus* cultured cells 1355
- Bisesquiterpenoid, from *Lindera* roots 1283**
- Bixa orellana*, carotenoids from 1379
- Bixaceae 1379**
- Bjerkandera* sp. BOS55, formation of veratryl chloride by 1011
- Blainvillea latifolia*, germacradienolides from 375
- Boraginaceae 27, 845, 1139**
- Boron, in seaweeds, ^{11}B NMR identification of forms of 209
- Botrytis cinerea*, metabolism of prenylated flavonoids by 433
- Brassica*, environmental effects on epicuticular wax esters from 83
- Brassinosteroid diglycosides, from *Lycopersicon* cell cultures 1019
- Brazilin, from *Caesalpinia*, NMR assignment of 177
- Bulbine capitata*, isofuranonaphthoquinones, phenolics and knipholones from 1063
- Butenolides, from *Marchantia* 293
- Butyrate, alterations in pea root meristem proteins after exposure to 991
- Buxaceae 771, 1091**
- C**
- $\text{C}_6\text{-C}_3$ compounds, prenylated, from *Illicium* root bark 1389
- Caesalpinia sappan*, NMR assignment of brazilin from 177
- Calcium-alginate immobilization, effect of on choleocalciferol production 1015
- Calophyllum apetalum*, prenylated xanthonoids from 1423
- C. moonii*, trioxxygenated diprenylated chromenxanthone from 1293
- Camellia sinensis*, polyphenolic pigment from 1397
- Cannabidaceae 683**
- Caprifoliaceae 901**
- Capsicum annuum*, acidic peroxidase from 1313
- Caralluma umbellata*, steroidal glycosides from 333
- Cardenolides, in *Digitalis*, effect of macronutrient concentration on 273
- Carica papaya*, class II chitinase from latex of 1319
- Caricaceae 1319**
- Carotenoids, from annatto seeds 1379
- Carpesium divarication*, sesquiterpene lactones from 1245
- Caryodaphnopsis bariensis*, neolignans from 569
- Caryophyllaceae 709**
- Cassia nomame*, flavan dimers from, with lipase inhibitory activity 893
- Cassytha filiformis*, alkaloids from 181
- Catechin condensation, in wine, caused by oxidised tartaric acid 223
- Catechin-acetaldehyde condensation products, in relation to wine ageing 229
- Catharanthus roseus*,
- effect of tertiary amine on alkaloid accumulation in 235
- variation in vinblastine production by 135
- Ceanothus americanus*, antimicrobial triterpenes and flavonoids from 97
- Celastraceae 309, 535, 1179**
- Centaurea ptosimopappoides*, triterpenes from 545
- Cetraria islandica*, quinones from 565
- Chalcones, from hops, inhibiting diacylglycerol acyltransferase 683
- Chaotropic effects, in potato, induced by methyl-limonate 65
- Chemotaxonomic studies,**
- of betaine lipids, in plants and fungi 883
- of butenolides, long-chain, in *Marchantia* 293
- of diterpenoids, in Japanese liverworts 1203
- of essential oils, in *Otatanthus* 1365
- of flavanones, in *Scalesia* 1369
- of lignanamides, in *Porcelia* 879
- of lipopolysaccharides, in phytopathogenic pseudomonads 289
- of secoiridoid glucosides, in *Jasminum* 1197
- of seed lectins, in *Dioclea* 139
- of sesquiterpene lactones, in *Scalesia* 1369
- of sesquiterpenoids,
- from *Lejeunea* liverworts 145
- in Japanese liverworts 1203
- of zwitterionic phospholipids, in plants and fungi 883
- Chitinase, class II, from *Carica* latex 1319
- 4-Chloroindole-3-acetic acid, in peas 675
- Chlorophyll,**
- biosynthesis and metabolism of 1151
- inhibition of biosynthesis of by 5-hydroxymethylfurfural 45
- Chlorophyta 195, 209**
- identification of boron forms in, by ^{11}B NMR 209
- Choleocalciferol, effect of calcium on production of by *Solanum* cultures 1015

- Cholinesterase activity, in angiosperms, gymnosperms and ferns 827
- Chromenanthone, diprenylated, from *Calophyllum* 1293
- Cicer arietinum*, polyamine modifications by fatty acids in 61
- Citrus sinensis*, limonoid glucosyltransferase from 33
- Clavulinopsis helvola*, conjugated diene amino acid from 1095
- Clytocybe hydrogramma*, marasmane sesquiterpenes from 1099
- Colchicum autumnale*, colchicine biosynthesis in 107
- Combretaceae 793
- Compositae 103, 151, 161, 283, 375, 495, 503, 515, 545, 721, 729, 795, 827, 915, 969, 983, 1023, 1039, 1045, 1077, 1131, 1193, 1209, 1241, 1245, 1275, 1297, 1369, 1393
- Coniferins, ¹³C-enriched, as precursors of lignin in wheat straw 863
- Cordia spinescens*, dammarane triterpenes from 1139
- Coumarins,
from *Geijera* 383
from *Nassauria* 1393
- Crescentia cujete*, iridoids and iridoid glucosides from 907
- Cruciferae 45, 83, 833, 983
- Cucurbitaceae 1261, 1447
triterpenes from seeds of 1261
- Cunninghamella elegans*, glucose-conjugation of *Psidium* flavones by 1193
- β -Cyanoalanine synthase, from cassava tissues 469
- Cyclopeptides, from *Stellaria* roots 709
- Cynanchum wilfordii*, benzoquinone from 1103
- Cynodon dactylon*, temperature protection of enzyme in, by trehalose 1331
- Cystophora torulosa*,
fucophlorethols from 1417
phlorotannins from 735
- Cytokinin glucuronides, synthesis of, for selection of transgenic plant cells 801
- D**
- Daedalea dickinsii*, lanostane triterpene from 959
- Dalbergia cochinchinensis*, antiandrogenic phenolics from 1219
- D. odorifera*, neoflavonoids from 947
- Dehydroabietic acid, hydroxylation of by *Fusarium* 131
- 4'-Dehydrocycabenequin A-I, from *Harpalyce* 1059
- Destruin B, phytoalexin elicitation by, in *Sinapis* 833
- Diacylglycerol acyltransferase, inhibition of by xanthohumols from hops 683
- Diafiltration, use of in purification of ascorbate-treated tyrosinase 21
- Diapensia lapponica*, seasonal changes in polar lipids in 1339
- Diapensiaceae 1339
- Dibenzofuran, from mycobiont of *Stereocaulon* 1289
- Dibenzoylmethanes, from *Lonchocarpus* 1029
- Dicentra spectabilis*, biotransformation of protoberberines by 1359
- Dicranopteris pedata*, biologically active clerodane diterpene glycosides from 839
- Digitalis lanata*, biosynthesis of pregnanes in 507
- D. obscura*, effect of N source on cardenolides in 273
- DIMBOA, stimulatory effect of on NADH oxidation by peroxidase 11
- meso-Dimethyl dihydroguaiaretic acid, biotransformation of by *Spodoptera* 1173
- Dioclea altissima*, lectin from 139
- D. grandiflora*, flavanone from 385
- Diospyros maritima*, triterpenes from 1135
- Diterpene acids, abietane, from *Larix* 1051
- Diterpenoid glycosides, biologically active, from *Dicranopteris* root stalks 839
- Diterpenoids,
biologically active, efficient production of by *Scoparia* leaf organ culture 517
clerodane, from *Salvia* 781
neo-clerodane,
from *Salvia* 1249
from *Scutellaria* 587, 955
from *Bahia* 729
from Japanese liverworts 1203
from *Mikania* 161
from *Salvia* 531
from *Tripterygium* 535
18-norclerodane, from *Penianthus* 165
- DOPA, enhancement of peroxidase-dependent oxidation of, by *Vicia* leaf components 427
- E**
- Ebenaceae 1135
- Emericella foveolata*, epitetraethiodioxopiperazine from 123
- Enzymes,
arginase, from *Phaseolus*, critical histidine residue in 1327
chitinase, class II, from *Carica* latex 1319
 β -cyanoalanine synthase, from cassava 469
epoxidase, FAD-dependent, from *Botrytis* 433
fructose 1,6-bisphosphate aldolase activity, in leaves of rice mutant 1335
glucosyltransferase, stereospecific, from *Sphagnum* 449
glutamate decarboxylase, from cowpea 39
glutamate dehydrogenase, from peanut, regulation of by methionine sulfoximine 817
4-hydroxybenzoate glucosyltransferase, from *Lithospermum* cell cultures 27
isopentenyl diphosphate isomerase activity, in *Lactarius* 1115
laccase activity, in regenerating *Nicotiana* protoplasts 421
limonoid glucosyltransferase, from navel orange albedo 33
mushroom tyrosinase, purification of by diafiltration 21
peroxidase, acid, from pepper fruit 1313
protein kinase, from winged bean 455, 461
starch branching enzyme, multiple isoforms of, from wheat endosperm 23
sucrose-phosphate synthase, from *Prosopis* 441
- Epilobium hirsutum*, polyphenolics from 935
- Epitetraethiodioxopiperazine, from *Emericella* 123
- 8-Epicanthatin, auxin-inhibiting, from sunflower seedlings 503
- Epoxidase, as key enzyme for prenylated flavonoid metabolism in *Botrytis* 433
- Erigeron linifolius*, bioactive monoterpene glycosides from 151
- Erythrina*, phenolics from 573
- Erythroxylaceae 1439
- Erythroxylum lucidum*, alkaloids from 1439
- Essential oils,
from *Otanthus* 1365
from *Viola* leaves, circadian and seasonal variation in 689
- Eucalyptus perriniana*, biotransformation of β -thujaplicin by 1355
- Euphorbiaceae 469, 805, 827, 1385
- Extensin insolubilization, elicitor-induced, in suspension-cultured tomato cells 1
- F**
- Fatty acids,
from *Gossypium*, stimulatory to *Pythium* germination 77
keto, from *Amoora* seed oil 155
short-chain, modifications to polyamines by 61
Ferulic acid conjugates, from *Antidesma* 1385
Ferulic acid esters, of unsaturated long-chain alcohols, from *Lupinus* roots 347

- Ficus carica*, volatiles from 241
- Flavan dimers, with lipase inhibitory activity, from *Cassia* 893
- Flavanol-acetaldehyde condensation products, in relation to wine ageing 229
- Flavan-3-ol condensation, in wine, caused by oxidized tartaric acid 223
- Flavanones,
effect of on potassium uptake in wheat roots 245
from *Scaevola* 1369
prenylated, from *Mundulea* 1271
- Flavanonol, from *Dioclea* root bark 385
- Flavones, from *Psiadia*, glucose-conjugation of by *Cunninghamella* 1193
- Flavonoids,
as growth inhibitors of rice pathogens 499
auronols, from *Ceanothus* 97
cytotoxic, from *Vitex* 521
external, from *Pelargonium* leaf exudates 1349
from *Achillea*, revised structure of 1045
from *Bidens* 1275
from *Iryanthera* 579
from *Piper* 597
from *Salvia* 799
from *Sophora* roots and stems 1431
from *Virola* 745
prenylated, metabolism of by *Botrytis* 433
- Flavonol diglycosides, acylated, from *Psacalium* 1297
- Flavonol glycosides,
from *Myrsine* 943
galloylated, from *Loropetalum* 389
- Flavonol triglycosides, from *Nigella* seeds 359
- Fructose 1,6-biphosphate aldolase, activity of in mutant rice leaves 1335
- Fucophloretinols, from *Sargassum* and *Cystophora* 1417
- Fumariaceae 1359
- Fungi 21, 123, 131, 157, 261, 297, 313, 433, 499, 959, 963, 1005, 1011, 1095, 1099, 1115, 1143, 1193
- Fusarium*, hydroxylation of dehydroabietic acid by 131
- G**
- Galdieria sulphuraria*, myo-inositol dehydrogenase from 17
- Galloylglucose, binding and denaturation of protein by 473
- Galloylglucose-protein complexes, solubility of 485
- Ganoderma carnosum*, lanostane triterpene from 963
- G. tsugae*, steroids from 1143
- Geijera paniculata*, coumarin from 383
- Gentiana siphonantha*, secoiridoids from 1035
- Gentianaceae 1035
- Geraniaceae 1349
- Gibberella pulicaris*, metabolism of potato saponins by 1005
- Gibberellins, endogenous, in tomato leaves 811
- Ginkgo biloba*, ginkgolide and bilobalide production in 127
- Ginkgoaceae 127
- Ginkgolide, production of in *Ginkgo* cultures 127
- β -Glucosidase, in barley, amino acids essential to catalytic activity of 997
- Glucosyltransferase, stereospecific, from *Sphagnum* 449
- Glutamate decarboxylase, from cowpea 39
- Glutamate dehydrogenase, in peanut, regulation of 817
- Glycerolipids,
biosynthesis of in olive fruits and tissue cultures 265
synthesis of by microsomal fractions from olive 855
- Glycyrrhiza echinata*, catalytic function of polyketide reductase gene product from 283
- Gomphrena macrocephala*, monodesmosidic saponins from 1267
- Goniothalamus donnaensis*, mono-tetrahydrofuran ring acetogenins from 327
- Gossypium hirsutum*, fatty acids from, stimulatory to germination of *Pythium* 77
- Gramineae 23, 215, 245, 499, 695, 863, 983, 997, 1331, 1335
- Guettarda noumeana*, quinicine-derived alkaloids from 973
- Guiera senegalensis*, dihydronaphthopyran from 793
- Guttiferae 1293, 1423
- H**
- Hamamelidaceae 389
- Harpalyce brasiliensis*, 4'-dehydroxycabenegrin A-I from 1059
- Heat-shock protein 70, selective binding of denatured peptides to 987
- Hebeloma saccharioides*, reduction of anthranilic acid in 261
- Hedyotis chrysotricha*, β -carboline alkaloid from 1119
- Helianthus annuus*, auxin-inhibiting sesquiterpene lactone from 503
- Heliomeris*, sesquiterpene lactones from 969
- Heliotropium floridum*, bioactive saturated pyrrolizidine alkaloids from 845
- Hemsleya ellipsoidea*, acetogenins from 1447
- Hepaticae 145, 293, 1069, 1203
- Holodiscus discolor*, stilbene xyloside from 175
- Hordeum vulgare*,
amino acids essential for catalytic activity of β -glucosidase in 997
requirements of carrier-mediated uptake of abscisic acid in 215
- Humulus lupulus*, xanthohumols from, inhibiting diacylglycerol acyltransferase 683
- Hyacinthoides non-scripta*, glycosidase-inhibiting pyrrolidine alkaloids from 255
- Hydroxy fatty acids, production of by *Laminaria* cell suspension cultures 871
- 5-Hydroxyguaiacyl nuclei, in lignins 695
- Hydroxymethylbilane synthase, interaction of 5-hydroxymethylfurfural with 45
- 5-Hydroxymethylfurfural, interaction of with hydroxymethylbilane synthase 45
- I**
- Illiciaceae 777, 1389
- Illicium anisatum*, prenylated C₆-C₃ compounds from 1389
- I. dunnianum*, sesquiterpene lactones from 777
- Incarvillea sinensis*, monoterpene alkaloids from 763
- Indole-3-acetic acid, in peas 675
- myo-Inositol, as major carbohydrate in kiwifruit 51
- myo-Inositol dehydrogenase, from *Galdieria* 17
- Inula thapsoides*, eudesmanolides from 1131
- Iridoid glycosides,
10-O-acylated, from *Premna* leaves 1231
from *Angelonia* 371
from *Crescentia* fruits 907
from *Pedicularis* 1097
from *Viburnum* 901
- Iridoids,
antifungal, from *Tocoyena* 305
from *Crescentia* fruits 907
- Iryanthera sagotiana*, flavonoids from 579
- Isoflavone, O-geranylated, from *Millettia* 591
- Isoflavonoid glycosides, from *Pueraria* roots 921
- Isofuranonaphthoquinones, from *Bulbine* 1063
- Isopentenyl diphosphate isomerase activity, in *Lactarius* 1115
- Isosakuranetin, effect of on potassium uptake in wheat roots 245
- J**
- Jackiella javanica*, di- and sesquiterpenoids from 1203
- Jasminum urophyllum*, secoiridoid glucosides from 1197
- Jasmonic acid analogues, synthesis and biological activities of 983
- Jolyna laminarioides*, bioactive succinylanthranilic acid ester from 1215

Jungermannia infusca, di- and sesquiterpenoids from 1203

K

Knipholone-6'-methyl ether, from *Bulbine* roots 1063
Kopsia pauciflora, cyano-substituted indole alkaloids from 785
K. teoi, aspidofractinine alkaloids from 789

L

Labiatae 531, 587, 781, 799, 955, 1249
 Laccase activity, role of in regenerating protoplasts 421
Lactarius, isopentenyl diphosphate isomerase activity in 1115
L. subvellereus, sesquiterpene hydroxylactone from 157
Lactuca sativa, effect of methyl dihydrojasmonates on seed germination of 983
L. virosa, sesquiterpene lactones from 1241
Laminaria saccharina, hydroxy fatty acid production by 871
Larix kaempferi, abietane diterpene acids from 1051
 Lauraceae 181, 569, 741, 1283
 Lectin, from *Dioclea* seeds 139
 Leguminosae 39, 61, 139, 177, 185, 249, 283, 347, 365, 385, 427, 441, 455, 461, 573, 591, 675, 715, 817, 827, 893, 921, 947, 987, 991, 1029, 1059, 1081, 1219, 1271, 1285, 1303, 1327, 1431, 1451
Lejeunea, sesquiterpenoids from 145
Lepidium sativum, inhibition of chlorophyll biosynthesis in 45
Leuzea carthamoides, phytoecdysteroid from 103
 Lichenes 565, 1289
 Lignanamides, from *Porcelia* 879
 Lignans,
 biotransformation of in *Spodoptera* larvae 1173
 from *Piper* 597
 from *Taxus* roots 1111
 from *Urtica* roots 1107
 Lignin biosynthesis, in wheat straw from ¹³C-enriched coniferin 863
 Lignins, 5-hydroxyguaiacyl nuclei in 695
 Lignoids, from *Viola* 745
Ligularia intermedia, phenolics from 915
Ligustrum ovalifolium, acylated triterpenoids from 977
 Liliaceae 107, 255
 Limonoid glucosyltransferase, from navel oranges 33
 Limonoids,
 from *Azadirachta*, optimized isolation procedure for 1177
 ring C-seco, from *Melia* 911
Lindera strychnifolia, bisesquiterpenoid from 1283
 Lipids,
 betaine, in plants and fungi 883
 polar, of *Diapensia*, seasonal changes in 1339
 Lipopolysaccharides, from phytopathogenic pseudomonads 289
Lithospermum erythrorhizon, 4-hydroxybenzoate glucosyltransferase from 27
Lonchocarpus, dibenzoylmethanes from 1029
Loropetalum chinense, galloylated flavonol glucoside from 389
Lupinus, alkaloids from 365
L. luteus, ferulic acid esters of long-chain alcohols from 347
Lycopersicon esculentum,
 brassinosteroid diglycosides from 1019
 elicitor-induced extensin insolubilization in 1
 endogenous gibberellins in leaves of 811

M

Mahonia nervosa, biotransformation of thebaine by 701
 Malvaceae 77
Manihot esculenta,
 β -cyanoalanine synthase from 469
 design of primers for RAPD analyses of 805

Marchantia paleacea, butenolides from 293
Melia toosendan, ring C-seco limonoids from 911
 Meliaceae 155, 379, 555, 911, 1177
 Menispermaceae 165
 Methionine sulfoximine, regulation of peanut glutamate dehydrogenase by 817
 Methyl dihydrojasmonates, synthesis and biological activities of 983
 Methyl-limonate, induction of chaotropic effects by 65
Mikania banisteriae, diterpenes and sesquiterpenes from 161
Milletia griffoniana, O-geranylated isoflavone from 591
 Monoterpenoid glycosides, anti-mutagenic, from *Erigeron* 151
 Moraceae 241
Mundulea suberosa, prenylated flavanones from 1271
Murraya koenigii, carbazole alkaloids from 751
Musa, putrescine accumulation during fruit ripening of 57
 Musaceae 57
 Musci 449
 Myristicaceae 579, 689, 745, 1375
 Myrsinaceae 943
Myrsine sequinii, flavonol glycosides from 943
 Myrtaceae 1355

N

NADH oxidation, stimulatory effect of DIMBOA on catalysis of 11
 Naphthopyran, dihydro-, from *Guiera* 793
 Naphthoquinones, isofurano-, from *Bulbine* roots 1063
Nassauvia cumingii, coumarins from 1393
 Neoflavonoids, from *Dalbergia* 947, 1219
 Neolignans,
 arylcoumaran, reassignment of relative stereochemistry of 929
 from *Caryodaphnopsis* 569
 from *Ocotea* leaves 741
Nicotiana glauca, nornicotine biosynthesis in 117
N. tabacum, laccase activity in regenerating protoplasts of 421
Nigella arvensis, flavonol triglycosides from 359
 Nimbolides, from *Azadirachta*, optimized isolation procedure for 1177
 Nornicotine, biosynthesis of in *Nicotiana* root cultures 117
 Nortriterpenoid, from *Tripterygium* callus cultures 1179
Nymphaea $\times$ *marliacea*, acylated anthocyanins from 353
 Nymphaeaceae 353

O

Ocotea catharinensis, neolignans from 741
 Odours, of *Amorphophallus* and *Pseudodracontium* inflorescences 71
Olea europaea,
 glycerolipid biosynthesis in 265
 glycerolipid synthesis by microsomal fractions from 855
 Oleaceae 265, 855, 977, 1197
 Onagraceae 935
Ophryosporus charua, benzofurans and prenylated acetophenones from 1077
Oryza sativa,
 effect of methyl dihydrojasmonates on seedling growth of 983
 flavonoids as growth inhibitors of pathogens of 499
 fructose 1,6-biphosphate aldolase activity in 1335
Otanthus, essential oils from 1365
N-Oxides, from *Incarvillea* 763

P

Pachyrhizus erosus, storage proteins of 185
Paliurus hemsleyanus, triterpenes from 549
Pallenia spinosa, sesquiterpenoids from 1039
Papaver somniferum, biotransformation of thebaine by 701
 Papaveraceae 701

- Pedicularis procera*, iridoid glucoside from 1097
Pelargonium, leaf exudate flavonoids from 1349
Penianthus zenkeri, 18-norclerodane diterpenoid from 165
 Peroxidase,
 acidic, from *Capsicum* 1313
 activity of, in *Selenastrum*, O₂ consumption mediated by 195
 from horseradish, activation of by DIMBOA 11
 Peroxidase-dependent oxidation of DOPA, by *Vicia* leaf components 427
Pestalotiopsis, sesquiterpenes and C-methylated acetogenins from 313
Phaeodactylum tricornutum, modification of sterol concentration in 1189
 Phaeophyta 209, 341, 735, 871, 1215, 1403, 1417
 identification of boron forms in by ¹¹B NMR 209
Phaseolus aureus, selective binding of proteins from, to heat-shock protein 70 987
P. vulgaris, critical histidine residue in arginase from 1327
 Phenanthrenes, from *Plagiochila* 1069
 Phenethylisoquinolines, incorporation of into colchicine in *Colchicum* seeds 107
 Phenolic glucosides, from *Pueraria* roots 921
 Phenolics,
 antiandrogenic, from *Dalbergia* 1219
 from *Bulbine* roots 1063
 from *Erythrina* 573
 from *Ligularia* 915
 Phenylethanoids, from *Premna* leaves 1147
 Phloroglucinol, from *Sargassum* 341
 Phlorotannins, from *Cystophora* 735
 Phosphoenolpyruvate carboxylase, in *Cynodon*, trehalose as temperature protector of 1331
 Phospholipids, zwitterionic, in plants and fungi 883
 Photosynthesis potential, of *Diapensia*, seasonal changes in 1339
 Phytoalexin, from *Sinapis*, elicited by destruxin B and *Alternaria brassicae* 833
 Phytoecdysteroids,
 from *Leuzea* seeds 103
 overproduction of in *Polypodium* prothalli 1183
 Pinaceae 203, 1051
Pinus radiata, xyloglucan from 203
Piper, phytochemistry of 597
 Piperaceae 597
Pisum sativum,
 changes in root meristem proteins of, after butyrate exposure 991
 4-chloroindole-3-acetic and indole-3-acetic acids in 675
Plagiochila, phenanthrenes and bibenzyls from 1069
 Polyacetylenes,
 diacetoxy-substituted, from *Atractylodes* rhizomes 1023
 from *Rudbeckia*, multiple modes of insecticidal action of 495
 Polyamine modifications, in chick-pea seeds, by fatty acids 61
 Polyketides, from *Viola* 745, 1375
 Polyphenolic pigment, from black tea 1397
 Polyphenolics, from *Epilobium* 935
Polypodium vulgare, phytoecdysteroid overproduction in 1183
 Polyprenols, from *Arachis*, possessing a geranyl residue 715
Porcelia macrocarpa, amides and lignanamides from 879
 Potassium uptake, in wheat roots, effect of isosakuranetin on 245
 Pregnanes, biosynthesis of in *Digitalis* somatic embryos 507
Premna subscandens,
 10-O-acetylated iridoid glucosides from 1231
 phenylethanoids from 1147
 Primer design, for RAPD analyses of cassava 805
 Propenylphenols, from *Piper* 597
Prosopis juliflora, sucrose-phosphate synthase from 441
 Protein kinase, from *Psophocarpus* seeds 461
 Protein kinase activity, and protein phosphorylation, in *Psophocarpus* 455
 Proteins,
 binding and denaturation of, by galloylglucose 473
 complexed with galloylglucoses, solubility of 485
 from mung bean, selective binding of to heat-shock protein 70 987
 in pea root meristems, increase of after butyrate exposure 991
 storage, from yam bean tubers 185
 Protoberberines, biotransformation of by *Dicentra* cell cultures 1359
Psacalium megaphyllum, acetylated kaempferol dirham-nopyranoside from 1297
Pseudodracontium, inflorescence odours of 71
 Pseudofuhalols, from *Sargassum* 1403
Pseudomonas, lipopolysaccharides from 289
Psidium arabica, glucose-conjugation of flavones from, by *Cunninghamella* 1193
Psophocarpus tetragonolobus,
 protein kinase from 461
 protein phosphorylation and protein kinase activity in 455
 Pteridophyta 839, 1183
 Pterocarpane, prenylated, from *Harpalyce* roots 1059
Pueraria lobata, phenolic glucosides from 921
 Putrescine accumulation, during banana ripening 57
Pythium ultimum, fatty acids from *Gossypium* stimulatory to 77
- Q**
 Quinones,
 from *Cetraria* 565
 terpenoid, from *Taiwania*, cycloadducts of 169
- R**
 Ranunculaceae 359, 951, 1087
Raphanus sativus, effect of methyl dihydrojasmonates on germination of 983
 Rhamnaceae 97, 549
 Rhodophyta 17, 209
 identification of boron forms in, by ¹¹B NMR 209
Rhus javanica, tannic acid production by 279
 RNA, single step isolation from plants of 1303
 Rosaceae 175, 559
 Rotenoids, dimethylechromene, from *Tephrosia* 1081
 Rubiaceae 305, 973, 1119
Rubus pileatus, pentacyclic triterpenoid glycosyl esters from 559
Rudbeckia hirta, insecticidal action of polyacetylenes from 495
 Rutaceae 33, 383, 525, 751, 1123, 1443
Rzedowskia tolantonguensis, sesquiterpenes from 309
- S**
Salvia, abietane and icetexane diterpenoids from 531
S. cyanescens, terpenoids and flavonoids from 799
S. splendens, clerodane diterpenoids from 781
S. thymoides, neo-clerodane diterpenes from 1249
 Santalaceae 967, 1237
Santalum austrocaledonicum, sesquiterpenoid from 1237
 Saponins,
 from potato, metabolism of by *Gibberella* 1005
 monodesmosidic, from *Gomphrena*, ¹³C NMR analysis of 1267
Sarcococca saligna, pregnane-type steroidal alkaloids from 771
S. vagans, steroidal alkaloids from 1091
Sargassum spinuligerum,
 fucophlorethols from 1417
 phloroglucinol from 341
 pseudofuhalols from 1403

- Scalesia*, sesquiterpene lactones and flavanones from 1369
Scoparia dulcis, production of biologically active diterpenoids from 517
 Scrophulariaceae 273, 371, 507, 517, 1097, 1365
Scutellaria columnae, neo-clerodane diterpenoid from 955
S. orientalis, neo-clerodane diterpenoid from 587
 Secoiridoid glucosides, from *Jasminum* 1197
 Secoiridoids, from *Gentiana* 1035
Selenastrum minutum, peroxidase-mediated O₂ consumption in 195
 Sesquiterpene
 coumarin ether, from transformed *Tanacetum* roots 515
 hydroxylactone, from *Lactarius* 157
 lactones,
 eudesmanolides, from *Inula* 1131
 from *Achillea* 1045
 from *Carpesium* 1245
 from *Heliomeris* 969
 from *Illicium* pericarp 777
 from *Lactuca* 1241
 from *Scalesia* 1369
 germacradienolides, from *Blainvillea* 375
 guaianolides and germacradienolides, from *Sterea* 721
 Sesquiterpenoid dimer, from *Lindera* root 1283
 Sesquiterpenoids,
 from endophytic fungus of *Taxus* 313
 from Japanese liverworts 1203
 from *Lejeunea* 145
 from *Mikania* 161
 from *Pallenis* 1039
 from *Rzedowskia* 309
 from *Santalum* 1237
 marasmane, from *Clitocybe* 1099
Sinapis alba, phytoalexin from, elicited by destruxin B 833
 Solanaceae 1, 65, 117, 421, 489, 811, 827, 1005, 1015, 1019, 1279, 1313
Solanum, changes in solasodine during development of 489
S. malacoxylon, effect of Ca²⁺ on production of cholecalciferol by 1015
S. suaveolens, steroidal alkaloid glycosides from 1279
S. tuberosum,
 chaotropic effects induced by methyl-limonate in 65
 metabolism of saponins from by *Gibberella* 1005
Sophora tomentosa, flavonoids from 1431
Sphagnum fallax, stereospecific glucosyltransferase from 449
Spodoptera litura, O-demethylation of lignan in 1173
 Starch branching enzymes, from wheat endosperm, isoforms of 23
Stellaria delavayi, cyclopeptides from 709
Stereocaulon japonicum, dibenzofuran from mycobiont of 1289
 Steroidal glycosides, acylated, bisdesmosidic, from *Caralluma* 333
 Steroids,
 from *Ganoderma* 1143
 from *Piper* 597
 Sterols, in marine microalgae, modification of concentration of 1189
Stevia sanguinea, guaianolides and germacradienolides from 721
 Stilbene xyloside, from *Holodiscus* bark 175
 Succinylanthranilic acid ester, bioactive, from *Jolyna* 1215
 Sucrose-phosphate synthase, from *Prosopis* 441
 Sulphur compounds, from flowers of bat-pollinated plants 1169
 T
Taiwania cryptomerioides, cycloadducts of terpene quinones from 169
Tanacetum parthenium, sesquiterpene coumarin ether from 515
 Tannic acid, production of by *Rhus* cell cultures 279
 Tannin-protein co-precipitation, effects of environmental factors on 479
 Tannins, hydrolyzable and condensed, from *Albizia* 1451
Taraxacum officinale, anthocyanin-producing callus of as chalcone synthase source 283
 Taxaceae 179, 313, 583, 1111
 Taxane epoxide, from *Taxus* 179
 Taxodiaceae 169
 Taxoid, from *Taxus* 583
Taxus cuspidata, taxoid from 583
T. mairei, lignan from 1111
T. wallichiana, taxane epoxide from 179
Tephrosia candida, dimethylchromene rotenoids from 1081
T. tepicana, prenyl biflavanol from 1285
 Terpenoids,
 from flowers of bat-pollinated plants 1169
 from *Piper* 597
 from *Salvia* 799
 Tetrahydroisoquinoline-monoterpene glycosides, from *Alangium* 1225
Tetraselmis suecica, modification of sterol concentration in 1189
 Theaceae 1397
 Thebaine, biotransformation of by *Papaver* and *Mahonia* cell cultures 701
 β -Thujaplicin, biotransformation of by *Eucalyptus* cultured cells 1355
Tocoyena formosa, antifungal iridoids from 305
 Trehalose, as temperature protector of phosphoenolpyruvate carboxylase in *Cynodon* 1331
 Tricycloalternarenes, from *Alternaria* 297
Tripterygium hypoglaucum, di- and triterpenoids from 535
T. wilfordii, epoxy-triterpene and nortriterpene from 1179
 Triterpenoid glycosyl esters,
 from *Acanthopanax* leaves 1255
 from *Rubus* 559
 Triterpenoids,
 acylated, from *Ligustrum* 977
 antimicrobial against oral pathogens, from *Ceanothus* 97
 cycloartane, from *Aglaiia* 379
 dammarane, from *Cordia* 1139
 from *Centaurea* 545
 from Cucurbitaceae seeds 1261
 from *Diospyros* 1135
 from *Palurus* 549
 from *Tripterygium* 535, 1179
 lanostane,
 from *Daedalea* 959
 from *Ganoderma* 963
 tetranor-, from *Azadirachta* 555
Triticum aestivum,
 effect of isosakuranetin on potassium uptake in 245
 isoforms of starch branching enzyme from 23
 lignin biosynthesis from ¹³C-enriched coniferin in 863
 Tyrosinase, from *Agaricus*, ascorbate-treated, purification of by diafiltration 21
 U
 UDP-glucose: 4-hydroxybenzoate glucosyltransferase, from *Lithospermum* 27
Urtica dioica, lignan from 1107
 Urticaceae 1107
Uvaria pauci-ovulata, acetogenins from 321
 V
 Veratryl chloride, formation of by *Bjerkandera*, 1011
 Verbascosides, from *Premna* leaves 1147
 Verbenaceae 521, 1147, 1231
Viburnum ayacense, iridoid glucosides from 901
Vicia faba, enhancement of peroxidase-dependent oxidation of DOPA by 427

- Vigna unguiculata*, glutamate decarboxylase from 39
 Vinblastine, variation in production of during *Catharanthus* development 135
Virola oleifera, 2-acylcyclohexane-1,3-dione from 1375
V. surinamensis,
 circadian and seasonal variation in essential oils from 689
 lignoids, flavonoids and polyketides from 745
 Vitaceae 1307
 Vitamin D₃, effect of calcium on production of by *Solanum* cell cultures 1015
Vitex agnus-castus, cytotoxic flavonoids from 521
Vitis vinifera,
 acidic xyloglucan from 1307
 catechin condensation in wine from 223, 229
 Volatiles,
 from *Aristolochia* 1127
 from figs 241
 from flowers of bat-pollinated plants 1169
- W**
 Wax esters, epicuticular, from *Brassica*, environmental effects on 83
Werneria nubigena, benzopyrans from 795
- X**
 Xanthohumols, from hops, inhibiting diacylglycerol acyl-transferase 683
 Xanthonoids, prenylated, from *Calophyllum* 1423
 Xyloglucan,
 acidic, from grape skins 1307
 from etiolated *Pinus* seedlings 203
- Y**
- Z**
Zanthoxylum bungeanum, alkylamides from 1123
Z. rhoifolium, benzophenanthridine alkaloids from 1443
Z. simulans, pyranoquinoline alkaloids from 525