

CONTENTS OF VOLUME 47

Number 1

Announcements	ix
Graphical Abstracts	xi
Growth and Metabolism	
Growth-promoting allelopathic substance exuded from germinating <i>Arabidopsis thaliana</i> seeds	1 K. YOKOTANI-TOMITA, N. GOTO, S. KOSEMURA, S. YAMAMURA and K. HASEGAWA
Isolation and identification of GA ₁₂ (12 β -hydroxy-GA ₁₂) in <i>Matthiola incana</i>	3 T. HISAMATSU, M. KOSHIOKA, S. KUBOTA, T. NISHIJIMA, H. YAMANE, R. W. KING and L. N. MANDER
Ecological Biochemistry	
Antifungal alkaloids and limonoid derivatives from <i>Dictamnus dasycarpus</i>	7 W. ZHAO, J.-L. WOLFENDER, K. HOSTETTMANN, R. XU and G. QIN
Psoralen and other linear furanocoumarins as phytoalexins in <i>Glehnia littoralis</i>	13 T. MASUDA, M. TAKASUGI and M. ANETAI
Cell Culture and Biotechnology	
Intergeneric co-culture of genetically transformed organs for the production of scopolamine	17 M. G. P. MAHAGAMASEKERA and P. M. DORAN
Chemotaxonomy	
Volatiles from <i>Zostera marina</i>	27 W. KAWASAKI, K. MATSUI, Y. AKAKABE, N. ITAI and T. KAJIWARA
Ancistrobertsonine A and related naphthylisoquinoline alkaloids from <i>Ancistrocladus robertsoniorum</i>	31 G. BRINGMANN, F. TELTSCHIK, M. SCHÄFFER, R. HALLER, S. BÄR, M. A. ROBERTSON and M. A. ISAHAKIA
Ancistroquineines A and B as well as ancistroretorine-naphthylisoquinoline alkaloids from <i>Ancistrocladus guineënsis</i>	37 G. BRINGMANN, C. GÜNTHER, S. BUSEMANN, M. SCHÄFFER, J. D. OLOWOKUDEJO and B. I. ALO
Plant Chemistry	
Oligosaccharide polyesters from roots of <i>Polygala glomerata</i>	45 D. ZHANG, T. MIYASE, M. KUROYANAGI, K. UMEHARA and H. NOGUCHI
The polysaccharide gum from <i>Acacia tortuosa</i>	53 G. LEÓN DE PINTO, M. MARTÍNEZ, L. MILA DE BOLAÑO, C. RIVAS and E. OCANDO
Furanoeremophilanes and a bakkenolide from <i>Senecio auricula</i> var. <i>major</i>	57 P. TORRES, J. AYALA, C. GRANDE, M. J. MACÍAS and M. GRANDE
Sesquiterpene glycosides from <i>Dictamnus dasycarpus</i>	63 W. ZHAO, J.-L. WOLFENDER, K. HOSTETTMANN, H.-Y. LI, H. STOECKLI-EVANS, R. XU and G. QIN

2-Deacetoxytaxinine B: a taxane diterpenoid from <i>Taxus chinensis</i>	69 J.-Y. LIANG, K.-S. HUANG, A. A. L. GUNATILAKA and L. YANG
Vernoniosides and an androstane glycoside from <i>Vernonia kotschyana</i>	73 R. SANOGO, M. P. GERMANO, N. DE TOMMASI, C. PIZZA and R. AQUINO
Steroidal saponins from the leaves of <i>Cordyline stricta</i>	79 Y. MIMAKI, M. KURODA, Y. TAKAASHI and Y. SASHIDA
A phloracetophenone glucoside from <i>Rhododendron ferrugineum</i>	87 E. CHOSSON, A. CHABOUD, A. J. CHULIA and J. RAYNAUD
Chlorinated macrocyclic bisbibenzyls from the liverwort <i>Bazzania trilobata</i>	89 U. MARTINI, J. ZAPP and H. BECKER
Three 5-methylcoumarins from <i>Chaptalia nutans</i>	97 M. D. C. T. TRUITI and M. H. SARRAGIOTTO
Chromans from <i>Evodia lepta</i>	101 G.-L. LI, J.-F. ZENG and D.-Y. ZHU
An acylated pelargonidin diglycoside from <i>Pulsatilla cernua</i>	105 K. YOSHITAMA, A. SAEKI, T. IWATA, N. ISHIKURA and S. YAHARA
Acylated pelargonidin glycosides from a red potato	109 K. NAITO, Y. UMEMURA, M. MORI, T. SUMIDA, T. OKADA, N. TAKAMATSU, Y. OKAWA, K. HAYASHI, N. SAITO and T. HONDA
Conrauinones C and D, two isoflavones from stem bark of <i>Milliettia conraui</i>	113 V. FUENDJIEP, A. E. NKENGFAK, Z. T. FOMUM, B. L. SONDEGAM and B. BODO
Isoflavonoids and a pterocarpin from <i>Gliricidia sepium</i>	117 H. M. T. B. HERATH, R. S. DASSANYAKE, A. M. A. PRIYADARSHANI, S. DE SILVA, G. P. WANNIGAMA and J. JAMIE
Clitoriactal 11-O- β -D-glucopyranoside from <i>Clitoria fairchildiana</i>	121 B. P. DA SILVA, R. R. BERNARDO and J. P. PARENTE
Cyclopeptide alkaloids of <i>Scutia buxifolia</i>	125 A. F. MOREL, E. C. S. MACHADO, J. J. MOREIRA, A. S. MENEZES, M. A. MOSTARDEIRO, N. ZANATTA and L. A. WESSJOHANN
Short Reports	
A diynoic acid from <i>Polyalthia evecta</i>	131 S. KANOKMEDHAKUL, K. KANOKMEDHAKUL, I. I. OHTANI and M. ISOBE
A neo-clerodane diterpenoid from <i>Scutellaria seleriana</i>	135 B. ESQUIVEL, J. S. CALDERON and E. FLORES
19-Hydroxygaleopsin a labdane diterpenoid from <i>Leonurus cardiaca</i>	139 G. PAPANOV, P. MALAKOV and K. TOMOVA
A triterpenoid saponin from <i>Vaccaria segetalis</i>	143 Y. S. YUN, K. SHIMIZU, H. MORITA, K. TAKEYA, H. ITOKAWA and O. SHIROTA
Alkaloids from <i>Kopsia griffithii</i>	145 T.-S. KAM and K.-M. SIM
Indole alkaloids from aerial parts of <i>Vinca sardoa</i>	149 M. NICOLETTI, M. SERAFINI, E. FEDERICI, C. GALEFFI and F. POLI
Book Review	
Phytochemistry of fruit and vegetables	153 E. A. BELL

Contents

Number 2

iii

Announcements	vii
Graphical Abstracts	ix
Review Article Number 124	
Why are so many food plants cyanogenic?	155 D. A. JONES
Review Article 125	
Phytochemistry of the Australian Rutaceae: <i>Boronia</i> , <i>Eriostemon</i> and <i>Phebalium</i> species	163 E. L. GHISALBERTI
Growth and Metabolism	
The physiological significance of light and dark NH_4^+ metabolism in <i>Chlorella sorokiniana</i>	177 V. D. M. RIGANO, V. VONA, S. ESPOSITO, P. CARILLO, S. CARFAGNA and C. RIGANO
A lectin from the bark of the rubber tree (<i>Hevea brasiliensis</i>)	183 R. WITITSUWANNAKUL, D. WITITSUWANNAKUL and C. SAKULBORIRUG
Cystathionine β -lyase from <i>Echinochloa colonum</i> tissue culture	189 W. L. TURNER, K. E. PALLETT and P. J. LEA
Amylase inhibitors of pigeonpea (<i>Cajanus cajan</i>) seeds	197 A. P. GIRI and M. S. KACHOLE
Ecological Biochemistry	
The effect of some <i>Solanum</i> steroidal alkaloids and glycoalkaloids on larvae of the red flour beetle, <i>Tribolium castaneum</i> , and the tobacco hornworm, <i>Manduca sexta</i>	203 M. WEISSENBERG, A. LEVY, J. A. SVOBODA and I. ISHAAYA
Cell Culture and Biotechnology	
The microbiological transformation of a 9- <i>epi-ent</i> -pimaradiene diterpene by <i>Gibberella fujikuroi</i>	211 B. M. FRAGA, P. GONZÁLEZ, M. G. HERNÁNDEZ, M. C. CHAMY and J. A. GARBARINO
Glucosylation of silybin by plant cell cultures of <i>Papaver somniferum</i> var. <i>sitigerum</i>	217 V. KŘEN, A. MINGHETTI, P. SEDMERA, V. HAVLÍČEK, V. PŘIKRYLOVÁ and N. CRESPI-PERELLINO
Chemotaxonomy	
Sesquiterpenes from southern <i>Magnolia virginiana</i>	221 Q. SONG, M. L. GOMEZ-BARRIOS, F. R. FRONCZEK, D. VARGAS, L. B. THIEN and N. H. FISCHER
Plant Chemistry	
Eudesmane sesquiterpenoids from <i>Pluchea quitoc</i>	227 G. M. S. P. GUILHON and A. H. MÜLLER
Sesquiterpene dimer and trimer from <i>Chloranthus japonicus</i>	231 J. KAWABATA, E. FUKUSHI and J. MIZUTANI
Terpenoid constituents of <i>Pellia epiphylla</i>	237 F. CULLMANN and H. BECKER
<i>ent</i> -Kaurene diterpenoids from <i>Rabdosia leucophylla</i>	247 X. LIAO, L. DING and S. PENG
Abietane diterpenes from <i>Nepeta teydea</i>	251 B. M. FRAGA, M. G. HERNÁNDEZ, T. MESTRES and J. M. ARTEAGA

Dependence of the ^1H NMR chemical shifts of ring F resonances on the orientation of the 27-methyl group of spirostane-type steroidal sapogenins	255	P. K. AGRAWAL, P. BUNSAWANSONG and G. A. MORRIS
<i>n</i> -Alkyl glycosides and <i>p</i> -hydroxybenzoyloxy glucose from fruits of <i>Crescentia cujete</i>	259	T. KANEKO, K. OHTANI, R. KASAI, K. YAMASAKI and N. M. DUC
Three glucosides from <i>Maytenus ilicifolia</i>	265	N. ZHU, N. SHARAPIN and J. ZHANG
Coniferyl and sinapyl alcohol derivatives from <i>Ligularia duciformis</i>	269	K. GAO, W.-S. WANG and Z.-J. JIA
Isoprenylated flavanones from <i>Morus cathayana</i>	273	T. FUKAI, Y.-H. PEI, T. NOMURA, C.-Q. XU, L.-J. WU and Y.-J. CHEN
Flavonoids from red onion (<i>Allium cepa</i>)	281	T. FOSSEN, A. T. PEDERSEN and Ø. M. ANDERSEN
Acylated flavonoid glycosides and accompanying phenolics from licorice	287	T. HATANO, M. TAKAGI, H. ITO and T. YOSHIDA
Rotenoids, isoflavones and chalcones from the stem bark of <i>Milletia usaramensis</i> subspecies <i>usaramensis</i>	295	A. YENESEW, J. O MIDIWO and P. G. WATERMAN
Short Reports		
A sesquiterpene class from <i>Illicium dunnianum</i>	301	L.-K. SY and G. D. BROWN
Ajugapyrin A, a <i>neo</i> -clerodane diterpene from <i>Ajuga pyramidalis</i>	303	I. M. BONEVA, P. Y. MALAKOV and G. Y. PAPANOV
Diterpenoids from <i>Isodon eriocalyx</i>	307	J. WANG, Z.-W. LIN, Q.-S. ZHAO and H.-D. SUN
Pentacyclic triterpenes and naphthoquinones from <i>Euclea divinorum</i>	311	P. P. MEBE, G. A. CORDELL and J. M. PEZZUTO
The anthraquinones of <i>Rhynchoetechum vestitum</i>	315	Y. LU, P.-J. XU, Z.-N. CHEN and G.-M. LIU
A biflavonoid from <i>Cycas beddomei</i>	319	M. S. RANI, C. VENKATA RAO, D. GUNASEKAR, A. BLOND and B. BODO
Announcement	I	

Number 3

Announcement	vii
Graphical Abstracts	ix
Growth and Metabolism	
Penidienone, a plant growth regulator produced by the fungus, <i>Penicillium</i> sp No. 13	323
A jasmonic acid conjugate, N-[(–)-jasmonoyl]-tyramine, from <i>Petunia pollen</i>	327
Synthesis and confirmation of structure for a new gibberellin, 2 β -hydroxy-Ga ₁₂ (Ga ₁₀) from spinach and oil palm	331
	U. KIMURA, T. MIZUNO, A. SHIMADA and T. KAWANO
	O. MIERSCH, H.-D. KNÖFEL, J. SCHMIDT, R. KRAMELL and B. PARTHIER
	D. J. OWEN, L. N. MANDER, J. M. D. STOREY, R. P. HUNTLEY, P. GASKIN, J. R. LENTON, D. A. GAGE and J. A. D. ZEEVAART

Hyperaccumulation, complexation and distribution of Nickel in <i>Sebertia acuminata</i>	339	S. SAGNER, R. KNEER, G. WANNER, J.-P. COSSON, B. DEUS-NEUMANN and M. H. ZENK
Pulcherosine, an oxidatively coupled trimer of tyrosine in plant cell walls: its role in cross-link formation	349	J. D. BRADY, I. H. SADLER and S. C. FRY
Pigment chemistry and colour of <i>Pelargonium</i> flowers	355	K. A. MITCHELL, K. R. MARKHAM and M. R. BOASE
Ecological Biochemistry		
Diterpenoid feeding-deterrents from <i>Laurencia saitoi</i>	363	K. KURATA, K. TANIGUCHI, Y. AGATSUMA and M. SUZUKI
3,5-Di-O-caffeoylquinic acid, an infection-inhibiting factor from <i>Pyrus pyrifolia</i> induced by infection with <i>Alternaria alternata</i>	371	M. KODAMA, H. WADA, H. OTANI, K. KOHMOTO and Y. KIMURA
Biosynthesis		
The biosynthesis of lunarine in seeds of <i>Lunaria annua</i>	375	S. SAGNER, Z.-W. SHEN, B. DEUS-NEUMANN and M. H. ZENK
Cell Culture and Biotechnology		
Isoprenylated flavonoids from hairy root cultures of <i>Glycyrrhiza glabra</i>	389	Y. ASADA, W. LI and T. YOSHIKAWA
Chemotaxonomy		
Flavonoids from the fruits of <i>Murraya paniculata</i>	393	R. J. FERRACIN, M. F. DAS G. F. DA SILVA, J. B. FERNANDES and P. C. VIEIRA
Bioactive Plant Products		
Anticomplementary activity of ginseng saponins and their degradation products	397	D. S. KIM, S. R. OH, I. S. LEE, K. Y. JUNG, J. D. PARK, S. I. KIM and H.-K. LEE
Plant Chemistry		
Eremophilane-type sesquiterpenes from fresh rhizomes of <i>Petasites japonicus</i>	401	M. TORI, M. KAWAHARA and M. SONO
Eudesmane derivatives from <i>Iva frutescens</i>	411	A. A. AHMED, B. A. A. BALBOUL, A. I. SCOTT, H. H. WILLIAMS, B. MIAO and T. J. MABRY
Sesquiterpene lactones from <i>Onopordon laconicum</i> and <i>O. sibthorpiatum</i>	415	D. LAZARI, B. GARCÍA, H. SKALTSÁ, J. R. PEDRO and C. HARVALA
16 β , 17-Dihydroxyaphidicolan-18-oic acid, a monor diterpenoid metabolite of <i>Cephalosporium aphidicola</i>	423	J. R. HANSON and A. TRUNEH
Glaucolides and hirsutinolides from <i>Vernonanthura squamulosa</i>	425	C. KOTOWICZ, A. BARDÓN, C. A. N. CATALÁN, C. M. CEROLA-DARCÍA-ROJAS and P. JOSEPH-NATHAN
Spirocyclic nortriterpenes of the bulbs of <i>Veltheimia viridifolia</i>	429	G. AMSCHLER, A. W. FRAHM, D. MÜLLER-DOBLIES and U. MÜLLER-DOBLIES
The elucidation of the structure of thalicoside F, a minor oleanane glycoside from <i>Thalictrum minus</i> L.	437	A. S. GROMOVA, V. I. LUTSKY, A. A. SEMENOV, D. LI and N. L. OWEN

Saponins from the stem bark of <i>Filicium decipiens</i>	441	C. LAVAUD, L. VOUTQUENNE, G. MASSIOT, L. LE MIN-OLIVIER, B. C. DAS, O. LAPRÉVOTE, L. SERANI, C. DELAUDE and M. BECCHI
Oleanane saponins from <i>Polyscias fruticosa</i>	451	V. D. HUAN, S. YAMAMURA, K. OHTANI, R. KASIA, K. YAMASAKI, N. T. NHAM and H. M. CHAU
Polygalasaponins XLII–XLVI from roots of <i>Polygala glomerata</i>	459	D. ZHANG, T. MIYASE, M. KUROYANAGI, K. UMEHARA and H. NOGUCHI
A phenolic glycoside and triterpenoids from <i>Stautonia hexaphylla</i>	467	H.-B. WANG, R. MAYER, G. RÜCKER, J.-J. YING and D. S. MATTESON
Two monoisoprenylated flavonoids from <i>Vellozia graminifolia</i>	471	A. BRANCO, R. BRAZ-FILHO, C. R. KAISER and A. C. PINTO
Two pterocarpanes from <i>Erythrina orientalis</i>	475	H. TANAKA, T. TANAKA and H. ETOH
	479	Book Reviews
		I Announcements

Number 4

Graphical Abstracts	vii
Preface	xiii
Review Article Number 126	
Hydroxyproline-rich plant glycoproteins	483 J. SOMMER-KNUDSEN, A. BACIC and A. E. CLARKE
Review Article Number 127	
Kudzu root: An ancient Chinese source of modern antidipsotropic agents	499 W. M. KEUNG and B. L. VALLEE
Papers	
A survey of wound- and methyl jasmonate-induced leaf polyphenol oxidase in crop plants	507 C. P. CONSTABEL and C. A. RYAN
Barley glutamyl tRNA ^{Glu} reductase: Mutations affecting haem inhibition and enzyme activity	513 U. C. VOTHKNECHT, C. G. KANNANGARA and D. VON WETTSTEIN
Cotton volatiles synthesized and released distal to the site of insect damage	521 P. W. PARÉ and J. H. TUMLINSON
Biological activity and biosynthesis of pentacyclic oxylipins: The linoleic acid pathway	527 H. GUNDLACH and M. H. ZENK
Quantitation of the octadecanoid 12-oxo-phytodienoic acid, a signalling compound in plant mechanotransduction	539 B. A. STELMACH, A. MÜLLER, P. HENNIG, D. LAUDERT, L. ANDERT and E. W. WEILER
A serine protease from suspension-cultured soybean cells	547 Z.-J. GUO, C. LAMB and R. A. DIXON
Possible involvement of lipid peroxidation in salicylic acid-mediated induction of <i>PR-1</i> gene expression	555 M. D. ANDERSON, Z. CHEN and D. F. KLESSIG
Heat shock treatment releases <i>Penicillium</i> phosphoglycopeptide	567 F. J. BONETTI, S. E. GROVES, B. BLACK and J. E. GANDER

Individual variation in constitutive and induced monoterpene biosynthesis in grand fir	577 S. KATOH and R. CROTEAU
Biosynthesis of antioxidant lignans in <i>Sesamum indicum</i> seeds	583 M. J. KATO, A. CHU, L. B. DAVIN and N. G. LEWIS
Ragweed pollen proteolytic enzymes: Possible roles in allergies and asthma	593 D. A. BAGAROZZI JR. and J. TRAVIS
A rapid assay for the coupled cell free generation of oxylipins	599 D. CALDELARI and E. E. FARMER
Action of proteolysis-resistant systemin analogues in wound signalling	605 A. SCHALLER
The abundant 31-kilodalton banana pulp protein is homologous to class-III acidic chitinases	613 S. K. CLENDENNEN, R. LÓPEZ-GÓMEZ, M. GÓMEZ-LIM, C. J. ARNTZEN and G. D. MAY
Substrate binding mutants of the higher plant ADP-glucose pyrophosphorylase	621 M. L. LAUGHLIN, J. W. PAYNE and T. W. OKITA
Antibacterial constituents of the Nepalese medicinal herb, <i>Centipeda minima</i>	631 R. S. L. TAYLOR and G. H. N. TOWERS
The metabolism of GA ₀ in maize (<i>Zea mays</i>)	635 G. DAVIS, M. KOBAYASHI, B. O. PHINNEY, J. MACMILLAN and P. GASKIN
Measurements of S ₂ Q _B ⁻ recombination by delayed thermoluminescence reveal heterogeneity in photosystem II energetics	641 J. S. TOWNSEND, A. KANAZAWA and D. M. KRAMER
Benzothiadiazole, an inducer of plant defenses, inhibits catalase and ascorbate peroxidase	651 D. WENDEHENNE, J. DURNER, Z. CHEN and D. F. KLESSIG
Accumulation of feruloyltyramine and <i>p</i> -coumaroyltyramine in tomato leaves in response to wounding	659 G. PEARCE, P. A. MARCHAND, J. GRISWOLD, N. G. LEWIS and C. A. RYAN
Formation of (+)-eudesmin in <i>Magnolia kobus</i> DC. var. <i>Borealis</i> sarg.	665 T. MIYAUCHI and S. OZAWA

Number 5

Editorial	ix
Graphical Abstracts	xi
Growth and Metabolism	
Gibberellins in internodes and ears of wheat containing different dwarfing alleles	671 S. E. WEBB, N. E. J. APPLEFORD, P. GASKIN and J. R. LENTON
Inhibition of gibberellin 3 β -hydroxylase by novel acylcyclohexanedione derivatives	679 R. G. S. BROWN, L. YAN, M. H. BEALE and P. HEDDEN
Detection of β -tubulin in tomato seeds: optimisation and extraction and immunodetection	689 R. D. DE CASTRO, H. W. M. HILHORST, J. H. W. BERGERVOET, S. S. P. C. GROOT and R. J. BINO
Overproduction of sweet potato peroxidases in transgenic tobacco plants	695 G.-H. HUH, B.-W. YUN, H.-S. LEE, J.-K. JO and S.-S. KWAK
Effect of glutamine supply on nitrate reductase isoforms in maize seedlings	701 N. SHANKAR and H. S. SRIVASTAVA

The enolases of ice plant and <i>Arabidopsis</i> contain a potential disulfide and are redox-sensitive	707	L. E. ANDERSON, A. D. LI and F. J. STEVENS
Similarity of monosaccharide, oligosaccharide and polysaccharide structures in gum exudate of <i>Anacardium occidentale</i>	715	J. M. MENESTRINA, M. IACOMINI, C. JONES and P. A. J. GORIN
Triacylglycerols of <i>Vernonia galamensis</i> seed oil	723	I. NCUBE, J. S. READ, P. ADLERCREUTZ and B. MATTIASSEN
Ecological Biochemistry		
Antifungal and larvicidal Meroterpenoid Naphthoquinones and a Naphthoxirene from the roots of <i>Cordia linnaei</i>	729	J.-R. IOSET, A. MARSTON, M. P. GUPTA and K. HOSTETTMANN
Cell Culture and Biotechnology		
The effect of dimethoate on lipid biosynthesis in olive (<i>Olea europaea</i>) callus cultures	735	A. J. RUTTER, J. SANCHEZ and J. L. HARWOOD
Conversion of 3-demethylthiocolchicine into thiocolchicoside by <i>Centella asiatica</i> suspension cultures	743	N. BOUHOUCHE, J. M. SOLET, A. SIMON-RAMIASA, J. BONALY and L. COSSON
Biosynthesis		
Muricadienin, muridienins and chatenaytrienins, the early precursors of annonaceous acetogenins	749	C. GLEYE, S. RAYNALD, R. HOCQUEMILLER, A. LAURENS, C. FOURNEAU, L. SERANI, O. LAPRÉVOTE, F. ROBLLOT, M. LEBOEUF, A. FOURNET, A. R. DE ARIAS, B. FIGADÈRE and A. CAVÉ
Chemotaxonomy		
Distribution of diacylglycerotrimethylhomoserine and phosphatidylcholine in mushrooms	755	V. E. VASKOVSKY, S. V. KHOTIMCHENKO and E. M. BOOLUKH
Methoxy fatty acids isolated from the red alga, <i>Schizymenia dubyi</i>	761	G. BARNATHAN, N. BOURGOUGNON and J.-M. KORNPORST
Xyloglucan from xylem-differentiating zones of <i>Cryptomeria japonica</i>	767	K. KAKEGAWA, Y. EDASHIGE and T. ISHII
Coumarins from <i>Calophyllum teysmannii</i>	773	S.-G. CAO, K.-Y. SIM, J. PEREIRA and S.-H. GOH
An 8-hydroxylated external flavone and its 8-O-glucoside from <i>Becium grandiflorum</i>	779	R. J. GRAYER and N. C. VEITCH
Bioactive Plant Products		
Haemolytic glycoacylglycerolipids from <i>Gymnodinium</i> species	783	C. C. PARRISH, G. BODENNEC and P. GENTEN
On the cytotoxicity of oxidized phytosterols isolated from photoautotrophic cell cultures of <i>Chenopodium rubrum</i> tested on mealworms <i>Tenebrio molitor</i>	789	W. MEYER, H. JUNGNIKKEL, M. JANDKE, K. DETTNER and G. SPITELLER
Three naphthalenes from root bark of <i>Hibiscus syriacus</i>	799	I.-D. YOO, B.-S. YUN, I.-K. LEE, I.-J. RYOO, D.-H. CHOUNG and K.-H. HAN
Plant Chemistry		
Mono-THF ring annonaceous acetogenins from <i>Annona squamosa</i>	803	D. C. HOPP, F. Q. ALALI, Z.-M. GU and J. L. McLAUGHLIN
Acetogenins from <i>Annona glabra</i> seeds	811	T. GALLARDO, R. ARAGÓN, J. R. TORMO, M. A. BLÁZQUEZ, M. C. ZAFRA-POLO and D. CORTES

Taxoids from European yew, <i>Taxus baccata</i> L.	817 J. SOTO and L. CASTEDO
Acylated kaempferol glycosides from <i>Laurus nobilis</i> leaves	821 C. FIORINI, B. DAVID, I. FOURASTE and J. VERCAUTEREN
Monoterpene alkaloids, iridoids and phenylpropanoid glycosides from <i>Osmanthus austrocaledonica</i>	825 R. BENKRIEF, Y. RANARIVELO, A.-L. SKALTSOUNIS, F. TILLEQUIN, M. KOCH, J. PUSSET and T. SÉVENET
Minor daphnane-type diterpenoids from <i>Wikstroemia retusa</i>	833 F. ABE, Y. IWASE, T. YAMAUCHI, K. KINJO, S. YAGA, M. ISHII and M. IWAHANA
Two Serratane Triterpenes from the stem bark of <i>Picea Jezoensis</i> var. <i>hondoensis</i>	839 R. TANAKA, O. MURAOKA, K. TSUJIMOTO and S. MATSUNAGA
Terpenoids and flavonoids from <i>Pseudotsuga wilsoniana</i>	845 Y.-L. HSIEH, J.-M. FANG and Y.-S. CHENG
Distribution of ellagic acid derivatives and a diarylheptanoid in wood of <i>Platycarya strobilacea</i>	851 T. TANAKA, Z.-H. JIANG and I. KOUNO
Dimeric phenanthrenes from two <i>Agrostophyllum</i> species	855 P. L. MAJUMDER, S. BANERJEE, S. LAHIRI, N. MUKHOTI and S. SEN
Anthocyanins from flowers of <i>Crocus</i> (Iridaceae)	861 R. NØRBAEK and T. KONDO
¹³ C NMR Spectral assignment of the A-ring of polyoxygenated flavones	865 T. HORIE, Y. OHTSURU, K. SHIBATA, K. YAMASHITA, M. TSUKAYAMA and Y. KAWAMURA
Further prenylflavonoids from <i>Artocarpus elasticus</i>	875 A. KIJJOA, H. M. CIDADE, M. J. T. G. GONZALEZ, C. M. AFONSO, A. M. S. SILVA and W. HERZ
Structure and transformations of the alkaloid sanguilutine	879 J. DOSTÁL, J. SLAVÍK, M. POTÁČEK, R. MAREK, V. SKLENÁR, E. DE HOFFMANN, R. ROZENBERG, B. TINANT and J.-P. DECLERCQ
Reassignment of the stereochemistry of oblonginine	887 P. R. LOWE, I. H. SADLER, Z. WANG, Y. WANG, M. F. G. STEVENS, L. ZHAO, S. CHEN and G. XU
A dihydrochalcone from <i>Lindera lucida</i>	891 Y.-W. LEONG, L. J. HARRISON, G. J. BENNETT, A. A. KADIR and J. D. CONNOLLY
Short Reports	
Abietane diterpenoids from <i>Salvia chinopeplia</i>	895 J. M. AMARO-LUIS, J. RAMÓN HERRERA and J. G. LUIS
Diterpenoids and triterpenoids from <i>Salvia multicaulis</i>	899 A. ULUBELÉN, N. TAN, U. SÖNMEZ and G. TOPCU
Three prenylated isoflavans from <i>Maackia tenuifolia</i>	903 J.-F. ZENG, H.-X. WEI, G.-L. LI and D.-Y. ZHU
Paashaanolactone from <i>Bergenia ligulata</i>	907 U. D. CHANDRAREDDY, A. S. CHAWLA, D. MUNDKINAJEDDU, P. MAURYA and S. S. HANDA
Kaempferol 7-O-rhamnoside-4'-O-glucoside from <i>Pteridium aquilinum</i>	911 F. IMPERATO

Number 6

Graphical Abstracts

ix

Review Article 128

The macromolecular aromatic domain in suberized tissue: A changing paradigm

915 M. A. BERNARDS and N. G. LEWIS

Review Article 129

Naphthoquinone metabolites of the fungi

935 A. G. MEDENTSEV and V. K. AKIMENKO

Growth and Metabolism

The enzymatic cyclization of nerolidyl diphosphate by δ -cadinen synthase from cotton stele tissue infected with *Verticillium dahliae*

961 I. ALCHANATI, J. A. ACREMAN PATEL, J. LIU, C. R. BENEDICT, R. D. STIPANOVIC, A. A. BELL, Y. CUI and C. W. MAGILL

Induction of hydroxyanthranilate hydroxycinnamoyl transferase activity by oligo-*N*-acetylchitooligosaccharides in oats

969 A. ISHIHARA, H. MIYAGAWA, T. MATSUKAWA, T. UENO, S. MAYAMAS and H. IWAMURA

Formation of raphanusanins depends on extraction procedure and solvent

975 H. MATSUOKA, Y. TODA, K. YONEYAMA and Y. UDA

Thylakoid membrane reorganisation during *Zantedeschia aethiopica* spathe regreening: consequence of the absence of Δ^3 -trans-hexadecenoic acid in photochemical activity

979 R. M. TAVARES, F. MORAIS, N. MELO and M. S. S. PAIS

Sesquiterpenoid spiro compounds from potato tubers infected with *Phoma foveata* and *Fusarium* spp.

985 K. ENGSTRÖM

Ecological Biochemistry

Enolic iridolactone and other iridoids from *Alberta magna*

991 S. E. DREWES, M. M. HORN, J. D. CONNOLLY and B. BREDEKAMP

A potent antifungal benzoquinone in etiolated sorghum seedlings and its metabolites

997 Y. SUZUKI, Y. KONO, T. INOUE and A. SAKURAI

Antifungal lignans from the arils of *Viola oleifera*

1003 P. SARTORELLI, M. C. M. YOUNG and M. J. KATO

Biosynthesis

Unedoside derivatives in *Nuxia* and their biosynthesis

1007 S. R. JENSEN, L. RAVNKILDE and J. SCHRIPSEMA

Enzymatic hydroxylation of 6'-deoxychalcones with protein preparations from petals of *Dahlia variabilis*

1013 G. WIMMER, H. HALBWIRTH, F. WURST, G. FORKMANN and K. STICH

Incorporation of chirally deuterated putrescines into pyrrolizidine alkaloids: a reinvestigation

1017 G. GRASER, L. WITTE, D. J. ROBINS and T. HARTMANN

Cell Culture and Biotechnology

Biotransformation of (2Z,6Z)-farnesol by the plant pathogenic fungus *Glomerella cingulata*

1025 H. NANKAI, M. MIYAZAWA and H. KAMEOKA

Biotransformation of linalool to furanoid and pyranoid linalool oxides by *Aspergillus niger*

1029 J. C. R. DEMYTTENAERE and H. M. WILLEMEN

Formation and secretion of a new brown benzoquinone by hairy root cultures of *Lithospermum erythrorhizon*

1037 H. FUKUI, A. F. M. F. HASAN, T. UEOKA and M. KYO

A phloroglucinol derivative from cell suspension cultures of <i>Hyp- ericum patulum</i>	1041 K. ISHIGURO, N. NAGAREYA and H. FUKUMOTO
Formation of polyhydroxylated isoflavones from the isoflavones genistein and biochanin A by bacteria isolated from tempe	1045 K. KLUS and W. BARZ
Chemotaxonomy	
Cyanogenesis of <i>Passiflora foetida</i>	1049 L. ANDERSEN, A. ADSESEN and J. W. JAROSZEWSKI
Coumarins from <i>Calophyllum teysmannii</i> (Guttiferae)	1051 S.-G. CAO, K.-Y. SIM, J. PEREIRA and S.-H. GOH
Bioactive Plant Products	
Acetogenins from seeds of <i>Annona reticulata</i>	1057 F.-R. CHANG, J.-L. CHEN, H.-F. CHIU, M.-J. WU and Y.-C. WU
Plant Chemistry	
Polyoxygenated cyclohexenes from <i>Uvaria grandiflora</i>	1063 X.-P. PAN, R.-Y. CHEN and D.-Q. YU
2'-, 4'-, and 6'-O-substituted 1,5,9-epideoxyloganic acids from <i>Nep- eta grandiflora</i>	1067 T. NAGY, A. KOCSIS, M. MORVAI, L. F. SZABÓ, B. PODÁNYI, A. GERGELY and G. JERKOVICH
A secoiridoid and other constituents of <i>Gonocaryum calleryanum</i>	1073 Y. Y. CHAN, Y. L. LEU, F. W. LIN, C. Y. LI, L. S. SHI, M. J. LIOU and T.-S. WU
The essential oil composition of fruits from <i>Smyrniun perfoliatum</i>	1079 U. MÖLLEKEN, V. SINNWELL and K.-H. KUBECZKA
Eudesmane sesquiterpenes from <i>Laggera alata</i>	1085 P. RAHARIVELOMANANA, J.-P. BIANCHINI, A. R. P. RAMANOELINA, J. R. E. RASOARAHONA, R. FAURE and A. CAMBON
Diterpenoids from <i>Isodon melissoides</i>	1089 Q.-S. ZHAO, J. TIAN, J.-M. YUE, S.-N. CHEN, Z.-W. LIN and H.-D. SUN
A diterpenoid sulphate and flavonoids from <i>Wedelia asperima</i>	1093 C. A. CALANASAN and J. K. MACLEOD
Oleanane-type triterpenes from <i>Viburnum awabuki</i>	1101 M. KAGAWA, H. MINAMI, M. NAKAHARA, H. TAKAHASHI, S. TAKKAOKA and Y. FUKUYAMA
Cycloartane triterpenes from the fruit peel of <i>Musa sapientum</i>	1107 T. AKIHISA, Y. KIMURA and T. TAMURA
Botryoxanthin B and α -botryoxanthin A from the green microalga <i>Botryococcus braunii</i> Kwaguchi-1	1111 S. OKADA, I. TONEGAWA, H. MATSUDA, M. MURAKAMI and K. YAMAGUCHI
Stilbenes, monoterpenes, diarylheptanoids, labdanes and chalcones from <i>Alpinia katsumadai</i>	1117 K.-S. NGO and G. D. BROWN
Flavan-3-ols and dihydrophenanthropyranes from <i>Pleione bul- bocodioides</i>	1125 L. BAI, M. YAMAKI and S. TAKAGI
Hydrogenated azaphilones from <i>Emericella falconensis</i> and <i>E. fru- ticulosa</i>	1131 N. OGASAWARA and K.-I. KAWAI
Biphenyl-linked biflavonoids from grape pomace	1137 L. Y. FOO, Y. LU and H. WONG
Diterpenoid alkaloids from <i>Delphinium uncinatum</i>	1141 A. ULUBELEN, M. ARFAN, U. SÖNMEZ, A. H. MERİÇLİ and F. MERİÇLİ
Short Reports	
Very-long-chain alkyl esters in <i>Cereus peruvianus</i> wax	1145 T. ŘEZANKA and V. M. DEMBITSKY
A prefuranic labdane diterpene from <i>Leonurus cardiaca</i>	1149 G. F. PAPANOV, P. Y. MALAKOV, B. RODRIGUEZ and M. C. DE LA TORRE

Cassane diterpenes from <i>Caesalpinia bonducella</i>	1153	S. PETER, W. F. TINTO, S. McLEAN, W. F. REYNOLDS and M. YU
Phloroglucinol-monoterpene adducts from <i>Eucalyptus grandis</i>	1157	I. P. SINGH, K. UMEHARA, T. ASAI, H. ETOH, M. TAKASAKI and T. KONOSHIMA
A caffeoyl phenylethanoid glycoside from <i>Plantago myosuros</i>	1161	H. FRANZYK, T. L. HUSUM and S. R. JENSEN
A revision of the structure of ferrugin from <i>Aglaia ferruginaea</i>	1163	D. A. MULLHOLLAND and N. NAIDOO
(-)-Epicatechin 5-O- β -D-xylopyranoside from <i>Brosimopsis acutifolium</i>	1165	F. FERRARI, F. DELLE MONACHE and R. A. DE LIMA
A xanthone from <i>Garcinia atroviridis</i>	1167	J. KOSIN, N. RUANGRUNGSI, C. H. ITO and H. FURUKAWA
A xanthone from <i>Garcinia cambogia</i>	1169	M. IINUMA, T. ITO, R. MIYAKE, H. TOSA, T. TANAKA and V. CHELLAKURAI
Quercitrin 3'-sulphate from leaves of <i>Leea guineensis</i>	1171	P. OP DE BECK, M.-G. DIJOUX, G. CARTIER and A.-M. MARIOTTE
Book Reviews		
Physiology, Biochemistry and Molecular Biology of Plant Lipids	1175	J. B. HARBORNE
Plant Volatile Analysis, Modern Methods of Plant Analysis	1175	R. CROTEAU
Drought Tolerance in Higher Plants: Genetical, Physiological and Molecular Biological Analysis	1176	J. B. HARBORNE

I Announcement

Number 7

Growth and Metabolism

An antheridiogen, 13-hydroxy-GA ₇₃ methylester (GA ₁₀₉), from the fern <i>Lygodium circinnatum</i>	1177	G. M. WYNNE, L. N. MANDER, N. OYAMA, N. MUROFUSHI and H. YAMANE
Isolation and partial characterization of a lectin from <i>Artocarpus incisa</i> L. seeds	1183	R. A. MOREIRA, C. CASTELO-BRANCO, A. C. O. MONTEIRO, R. O. TAVARES and L. M. BELTRAMINI
Essential groups at the active site of <i>Tropaeolum</i> invertase	1189	M. I. ISLA, M. A. VATTUONE and A. R. SAMPIETRO
Modification of the biosynthesis of rape lipid molecular species by heat shock	1195	F. AID, G. KESRI-BENHASSAINE, C. DEMANDRE and P. MAZLIAK
Cell-wall biosynthesis in differentiating cells of pine root tips	1201	G. PIRO and G. DALESSANDRO
Gum heteropolysaccharide and free reducing mono- and oligo-saccharides of <i>Anadenanthera colubrina</i>	1207	C. L. DELGOBO, P. A. J. GORIN, C. JONES and M. IACOMINI
Inhibition <i>in vitro</i> of linoleic acid peroxidation and haemolysis by caffeoyltryptophan	1215	M. OHNISHI, H. MORISHITA, S. TODA, Y. YASE and R. KIDO

Ecological Biochemistry

9-(Methylsulphanyl) nonanenitrile, a stress metabolite of <i>Rorippa sylvestris</i>	1219	M. REPČÁK, J. IMRICH, K. PIHLAJA and M. KALÁTOVÁ
Secoiridoid glycosides and antifungal anthranilate derivative from <i>Gentiana tibetica</i>	1223	R. X. TAN, L. D. KONG and H. X. WEI

<i>Neo-clerodane</i> diterpenoid insect antifeedants from <i>Ajuga reptans</i> cv. catlins giant	1227	P. D. BREMNER, M. S. J. SIMMONDS, W. M. BLANEY and N. C. VEITCH
Ecdysteroid, a phytoecdysteroid from <i>Silene tatarica</i>	1233	U. A. BALTAYEV
Isovitexin 6''-O- β -D-glucopyranoside: a feeding deterrent to <i>Pieris napi oleracea</i> from <i>Alliaria petiolata</i>	1237	M. HARIBAL and J. A. A. RENWICK
Biosynthesis		
Geranylgeraniol-18-hydroxylase: the last enzyme on the plaunotol biosynthetic pathway in <i>Croton sublyratus</i>	1241	P. TANSAKUL and W. DE-EKNAMKUL
Identification of 5- <i>n</i> -(2'-oxo)alkylresorcinols from etiolated rice seedlings	1247	Y. SUZUKI, Y. ESUMI, T. SAITO, Y. KISHIMOTO, T. MORITA, H. KOSHINO, J. UZAWA, Y. KONO and I. YAMAGUCHI
Cell Culture and Biotechnology		
Analysis of valtiles from callus cultures of olive <i>Olea europaea</i>	1253	M. WILLIAMS, M. T. MORALES, R. APARICIO and J. L. HARWOOD
Biotransformation of digitoxigenin by cultured <i>Strophanthus</i> hybrid cells	1261	K. KAWAGUCHI, S. KOIKE, M. HIROTANI, M. FUJIHARA, T. FURUYA, R. IWATA and K. MORIMOTO
Tetrahydroanthracene glucosides in callus tissue from <i>Aloe barbadensis</i> leaves	1267	A. YAGI, N. HINE, M. ASAI, M. NAKAZAWA, Y. TATEYAMA, N. OKAMURA, T. FUJIOKA, K. MIHASHI and K. SHIMOMURA
Chemotaxonomy		
Variability of the essential oil of <i>Thymus piperella</i>	1271	A. BLANQUER, H. BOIRA, V. SOLER and I. PEREZ
Leaf essential oils of three panamanian <i>Piper</i> species	1277	M. MUNDINA, R. VILA, F. TOMI, M. P. GUPTA, T. ADZET, J. CASANOVA and S. CAÑIGUERAL
Bioactive Plant Products		
Limonoids from <i>Azadirachta excelsa</i>	1283	B. CUI, H. CHAI, H. L. CONSTANT, T. SANTISUK, V. REUTRAKUL, C. W. W. BEECHER, N. R. FARNSWORTH, G. A. CORDELL, J. M. PEZZUTO and A. D. KINGHORN
Plant Chemistry		
Three dehydrobutyryne-containing microcystins from <i>Nostoc</i>	1289	K. A. BEATTIE, K. KAYA, T. SANO and G. A. CODD
Cyclopeptides from the seeds of <i>Annona glabra</i>	1293	C.-M. LI, N.-H. TAN, Q. MU, H.-L. ZHENG, X.-J. HAO, H.-L. LIANG and J. ZHOU
Cyclitols and their glycosides from leaves of <i>Marsdenia tomentosa</i>	1297	F. ABE, T. YAMAUCHI, K. HONDA and N. HAYASHI
A monoterpene glucoside from <i>Paeonia peregrina</i> roots	1303	I. N. KOSTOVA, M. F. SIMENOV and D. I. TODOROVA
Jatrophone diterpenoids from <i>Euphorbia esula</i>	1309	G. GÜNTHER, J. HOHMANN, A. VASAS, I. MÁTHE, G. DOMBI and G. JERKOVICH
Taxanes from the bark of <i>Taxus brevifolia</i>	1315	K. V. RAO and J. HUCHUM
Paclitaxel analogues from <i>Taxus baccata</i>	1325	B. GABETTA, P. ORSINI, F. PETERLONGO and G. APPENDINO
Additional diterpene ketones from <i>Hypoestes forskalei</i>	1331	I. MUHAMMAD, J. S. MOSSA, A. F. RAMADAN, F. S. EL-FERALLY and C. D. HUFFORD

Oleanane-type triterpenes from <i>Viburnum awabuki</i>	1337	M. KAGAWA, H. MINAMI, M. NAKAHARA, H. TAKAHASHI, S. TAKAOKA and Y. FUKUYAMA
Triterpenoid saponins from <i>Vaccaria segetalis</i>	1343	K. KOIKE, Z. JIA and T. NIKAIIDO
Steroidal saponins from the stems of <i>Dracaena concinna</i>	1351	Y. MIMAKI, M. KURODA, Y. TAKAASHI and Y. SASHIDA
Limonoids from <i>Ekebergia capensis</i>	1357	D. A. MULHOLLAND and S. E. JOURINE
Coumarins from <i>Kielmeyera reticulata</i>	1363	F. GUARÉ CRUZ, L. M. MOREIRA, J. M. DAVID, M. L. S. GUEDES and J. P. CHÁVEZ
Xanthones, triterpenes and a biphenyl from <i>Kielmeyera coriacea</i>	1367	D. A. GARCÍA CORTEZ, M. C. M. YOUNG, A. MARSTON, J.-L. WOLFENDER and K. HOSTETTMANN
Styryl-pyrones from <i>Goniiothalamus arvensis</i>	1375	A. BERMEJO, M. A. BLÁZQUEZ, K. S. RAO and D. CORTES
Two chalcone-prenylcoumarin diels-alder adducts from <i>Brosimum rubescens</i>	1381	O. SHIROTA, S. SEKITA, Y. HIRAYAMA, Y. HAKAMATA, T. HAYASHI, T. YANAGAWA and M. SATAKE
A novel retrodihydrochalcone from the stem bark of <i>Uvaria mocoi</i>	1387	T. C. FLEISCHER, R. D. WAIGH and P. G. WATERMAN
Flavonol glycosides from <i>Dasymaschalon sootepense</i>	1393	A. SINZ, R. MATUSCH, T. SANTISUK, S. CHAICHANA and V. REUTRAKUL
An isoflavan from <i>Erythrina x bidwillii</i>	1397	H. TANAKA, T. TANAKA, A. HOSOYA, Y. KITADE and H. ETOH
A new class of wine pigments generated by reaction between pyruvic acid and grape anthocyanins	1401	H. FULCRAND, C. BENABDELJALIL, J. RIGAUD, V. CHEYNIER and M. MOUTOUNET
Structures of two diacylated anthocyanins from <i>Petunia hybrida</i> cv. Surfinia Violet Mini	1409	Y. FUKUI, T. KUSUMI, K. YOSHIDA, T. KONDO, C. MATSUDA and K. NOMOTO
Short Reports		
Germacranolides and a monoterpene cyclic peroxide from <i>Artemisia fragrans</i>	1417	J. A. MARCO, J. F. SANZ-CERVERA, F. J. ROPERO, N. BATTLE, M. GUARA and J. VALLÉS-XIRAU
Sesquiterpenoids from <i>Dysoxylum schiffneri</i>	1421	D. A. MULHOLLAND, S. JOURINE and D. A. H. TAYLOR
Tetranortriterpenoids from <i>Khaya senegalensis</i>	1423	T. R. GOVINDACHARI and G. N. K. KUMARI
Withanolides from the flowers of <i>Datura fastuosa</i>	1427	M. MANICKAM, A. SRIVASTAVA and A. B. RAY
Alkyl chromone and other compounds from <i>Clusia nemorosa</i>	1431	M. R. DE ANDRADE, E. X. ALMEIDA and L. M. CONSERVA
A lignan from <i>Piper chaba</i> stems	1435	S. P. S. BHANDARI, U. V. BABU and H. S. GARG
7,9'-Epoxy lignan and other constituents of <i>Zanthoxylum culantrillo</i>	1437	L. E. CUCA S., J. C. MARTINEZ V. and F. DELLE MONACHE
Flavonoid aglycones and a thiophene derivative from <i>Helichrysum cassianum</i>	1441	E. WOLLENWEBER, J. F. STEVENS and M. IVANCIC
A tetrahydroprotoberberine alkaloid from <i>Croton hemiargyreus</i>	1445	A. C. F. AMARAL and R. A. BARNES

Number 8

Graphical Abstracts

ix

Growth and Metabolism

- Gibberellins A₄₅ and A₆₁ from gametophyte culture extracts of *Ane-mia mexicana* 1449 J. E. NESTER-HUDSON, L. J. CREACY and J. L. PALMER
- A probarley lectin processing enzyme purified from *Arabidopsis thaliana* seeds 1453 A. MUTLU, J. E. PFEIL and S. GAL
- Ricinine in phloem sap of *Ricinus communis* 1461 M. G. A. H. HOLFELDER, M. STECK, E. KOMOR and K. SEIFERT
- Sulfoxidation of 13-thiaoleic acid by a desaturase-active alga 1465 L. FAUCONNOT, C. NUGIER-CHAUVIN, N. NOIRET, S. POULAIN and H. PATIN
- Acyl lipids of three microalgae 1473 D. L. ALONSO, E.-H. BELARBI, J. RODRÍGUEZ-RUIZ, C. I. SEGURA and A. GIMÉNEZ
- Effects of growth temperature on lipids of Adzuki bean cells 1483 M. KOJIMA, H. SUZUKI, M. OHNISHI and S. ITO
- Leaf waxes of *Lactuca sativa* and *Plantago major* 1489 M. I. BAKKER, W. J. BAAS, D. T. H. M. SIJM and C. KOLLÖFFEL
- Labelling of a lignin from suspension cultures of *Picea abies* 1495 G. BRUNOW, E. ÄMMÄLAHTI, T. NIEMI, J. SIPILÄ, L. K. SIMOLA and I. KILPELÄINEN

Ecological Biochemistry

- Fatty acid and alkane changes in willow during frost-hardening 1501 T. HIETALA, P. HIEKKALA, H. ROSENQVIST, S. LAAKSO, L. TAHVANAINEN and T. REPO
- Phytotoxicity of australifungin, AAL-toxins and fumonisin B₁ to *Lemna pausicostata* 1509 H. K. ABBAS, S. O. DUKE, A. H. MERRILL, JR., E. WANG and W. T. SHIER
- Characterization and use of essential oil from *Thymus vulgaris* against *Botrytis cinerea* and *Rhizopus stolonifer* in strawberry fruits 1515 M. V. BHASKARA REDDY, P. ANGERS, A. GOSSELIN and J. ARUL
- Synthesis and inhibitory activity of 7-geranoxycoumarin against *Penicillium* species in *Citrus* fruit 1521 A. ANGIONI, P. CABRAS, G. D'HALLEWIN, F. M. PIRISI, F. RENIERO and M. SCHIRRA

Biosynthesis

- Citronellyl disaccharide glycoside as an aroma precursor from rose flowers 1527 N. OKA, A. IKEGAMI, M. OHKI, K. SAKATA, A. YAGI and N. WATANABE
- Biotransformations of a racemic acetates by potato and topinambur tubers 1531 A. MIRONOWICZ

Cell Culture and Biotechnology

- Caffeine and theobromine formation by tissue cultures of *Camellia sinensis* 1535 A. SHERVINGTON, L. A. SHERVINGTON, F. AFIFI and M. A. EL-OMARI

Chemotaxonomy

- Amygdalin in *Prunus* leaves 1537 F. S. SANTAMOUR, JR
- Branched and very long-chain dicarboxylic acids from *Equisetum* species 1539 T. ŘEZANKA

Tricyclic diterpenes from <i>Halimium viscosum</i>	1545	J. M. L. RODILLA, D. I. M. DE MENDONÇA, J. G. URONES, R. F. MORO and D. J. WILLIAMS
Pyrrolizidine alkaloids of <i>Ipomoea hederifolia</i> and related species	1551	K. JENETT-SIEMS, T. SCHIMMING, M. KALOGA, E. EICH, K. SIEMS, M. P. GUPTA, L. WITTE and T. HARTMANN
Bioactive Plant Products		
An antiviral protein from <i>Bougainvillea spectabilis</i> roots; purification and characterisation	1561	R. BALASARASWATHI, S. SADASIVAM, M. WARD and J. M. WALKER
A tannin anti-cancer promotor from <i>Terminalia arjuna</i>	1567	F. E. KANDIL and M. I. NASSAR
Plant Chemistry		
Secoiridoid glucosides from <i>Fraxinus oxycarpa</i>	1569	M. HOSNY
Sesquiterpenoids from <i>Cyperus rotundus</i>	1577	S. OHIRA, T. HASEGAWA, K.-I. HAYASHI, T. HOSHINO, D. TAKAOKA and H. NOZAKI
Diterpenes from <i>Euphorbia segetalis</i>	1583	J. JAKUPOVIC, F. JESKE, T. MORGENSTERN, F. TSICHRITZIS, J. A. MARCO and W. BERENDSOHN
Diterpenes from <i>Euphorbia peplus</i>	1601	J. JAKUPOVIC, T. MORGENSTERN, M. BITTNER and M. SILVA
Diterpenes from <i>Euphorbia paralias</i>	1611	J. JAKUPOVIC, T. MORGENSTERN, J. A. MARCO and W. BERENDSOHN
Jatrophane derivatives and a rearranged jatrophane from <i>Euphorbia terracina</i>	1621	J. A. MARCO, J. F. SANZ-CERVERA, A. YUSTE, J. JAKUPOVIC and F. JESKE
Tetracyclic triterpenoids of the fruit coats of <i>Azadirachta indica</i>	1631	B. S. SIDDIQUI, G. FAIZI and S. FAIZI
A polyphenol and two bibenzyls from <i>Pleione bulbocodioides</i>	1637	L. BAI, N. MASUKAWA, M. YAMAKI and S. TAKAGI
Coumarins from <i>Ekebergia pterophylla</i>	1641	D. A. MULHOLLAND, S. E. IOURINE, D. A. H. TAYLOR and F. M. DEAN
Phenylalkynes from <i>Artemisia capillaris</i>	1645	T.-S. WU, Z.-J. TSANG, P.-L. WU, M.-J. LIOU, Y.-L. LEU, Y.-Y. CHAN, F.-W. LIN and L.-S. SHI
Short Reports		
Revision of structure of rangiformic acid	1649	M. H. BENN, S. D. LORIMER and N. B. PERRY
Acid metabolites from <i>Spirostachys africana</i>	1653	N. M. MUNKOMBWE, N. A. HUGHES and Z. J. DURI
Iridoids from <i>Hedyotis hedyotideae</i>	1657	J.-N. PENG, X.-Z. FENG and X.-T. LIANG
Xanthones from the twigs of <i>Mammea siamensis</i>	1661	O. POOBRASERT, H. L. CONSTANT, C. W. W. BEECHER, N. R. FARNSWORTH, A. D. KINGHORN, J. M. PEZZUTO, G. A. CORDELL, T. SANTISUK and V. REUTRAKUL
Book Reviews		
Wine, Nutritional and Therapeutic Benefits	1665	J. B. HARBORNE
Chemical Constituents of the Bryophytes	1665	J. B. HARBORNE

The New Oxford Book of Food Plants	1666 J. B. HARBORNE
Spices: Flavour Chemistry and Antioxidant Properties	1666 J. B. HARBORNE
	1667 Corrigenda and Errata