

# SUBJECT INDEX

- A**
- 3-Acetyl altholactone, from *Goniothalamus* 311
- Acyl lipid composition, variation of in *Phaeodactylum* 461
- Adiantum venustum*, triterpenes from 215
- Aglaiia spectabilis*, insecticidal rocaglamide derivatives from 731
- Algae 5, 139, 267, 369, 393, 427, 461, 965, 979
- glutathione S-transferase activities of, on xenobiotics 267
- with trilaminar outer cell wall, neutral lipid profiles of 369
- Aliphatics, antifungal, from avocado fruit idioblasts 183
- Alkaloids,
- bisbenzylisoquinoline,
- from *Guatteria* 709
- from *Isopyrum* 959
- from *Ammocharis* 93
- from *Crinum* 945
- from *Senecio*, structure revision of 933
- indole, from *Aporpium* cultures 941
- naphthylisoquinoline, from *Triphyophyllum*, revised structures of 337
- piperidine, insecticidal, from *Microcos* stem bark 29
- steroidal, from *Buxus* leaves 951
- tropane,
- from *Erythroxylon* leaves and bark 927
- from *Hyoscyamus*, determination of by micellar electrokinetic chromatography 517
- Alkenes, long-chain, in *Emiliania*, effect of growth temperature on 393
- Alliaceae 317
- Allium schoenoprasum*, covalent anthocyanin-flavonol complexes from 317
- Amaryllidaceae 93, 891, 945
- Ammocharis coranica*, alkaloids and triterpenoids from 93
- Anacardiaceae 901
- Annonaceae 311, 709
- Anthemis carpatica*, sesquiterpene lactones from 625
- Anthocyanin-flavonol complexes, from chive flowers 317
- Anthocyanins,
- acylated, from *Petunia* flowers 913
- from *Gentiana*, contribution of caffeoyl residues to blue colour development of 85
- from *Ipomoea* root callus 919
- from *Petunia exserta* 495
- Apiaceae 717, 741, 783
- Apocynaceae 657
- Aporpium caryae*, indole alkaloids from 941
- Ardisia mamillata*, triterpenoid saponins from 817
- Artocarpus incisus*, geranylated chalcone from 737
- A. integer*, antimalarial stilbene from 415
- Asclepiadaceae 983
- Aspergillus*, microbial transformation of dehydromyricetin by 455
- Asteraceae 325, 625, 763, 791, 847, 933
- Astragalus*, species identification of by DNA sequencing of 5S-rRNA spacer domain 363
- ATP-diphosphohydrolase, from potato, fluorescence studies of 995
- Avena sativa*, biosynthesis of avenacins and phytosterols in 153
- Avenacins, biosynthesis of in *Avena* roots 153
- B**
- Baccatin III production, effects of methyl jasmonate configuration on, in *Taxus* 13
- Bacteria 173
- Basidiomycetes,
- triterpenes, steroids and aromatics from wood-rotting species of 603
- triterpenoids from wood-rotting species of 757
- volatiles from wood-rotting species of 747
- Benzophenone glycosides,
- from *Coleogyne* 695
- from *Gnidia* 883
- Benzopyran, from *Penicillium* 301
- Berberidaceae 115
- Betalains, from Christmas cactus 419
- Bioactive plant products,
- antibacterial
- proanthocyanidins, from cranberry 173
- terpenoids, from *Crossopetalum* 531
- antifeedant lignans, from *Saururus* 281
- antifungal
- aliphatics, from avocado fruit idioblasts 183
- sesquiterpenoids, from *Gloeophyllum* 511
- anti-inflammatory
- ocobullenone diastereomers, from *Ocotea* 591
- polysaccharides, from *Periandra* 409
- antimalarial stilbene, from *Artocarpus* 415
- antimicrobial intermediates of the phenylpropanoid and lignin pathways 53
- antiplasmodial naphthylisoquinoline alkaloids, from *Triphyophyllum* 337
- cytotoxic cardenolides, from *Crossopetalum* 531
- elicitin, secreted by *Phytophthora palmivora* 33
- fungicidal activity, of durable heartwood constituents, increase of when combined with antioxidants 47
- hepatotoxic pentapeptide, from *Nodularia* 57
- immunologically active polysaccharides, from *Periandra* 409
- insecticidal
- piperidine alkaloid, from *Microcos* 29
- rocaglamides, from *Aglaiia* 731
- mitochondrial respiratory chain inhibiting styryl lactones, from *Goniothalamus* 311
- multidrug-resistant tumour cell modulating neutral taxoids, from *Taxus* 839
- neuroprotective phenylpropanoid esters, from *Scrophularia* roots 503
- photodiscoloration-causing lignans, from *Tsuga* 439
- plant growth regulating sesquiterpene lactone, as a herbicide template 165
- potato micro-tuber inducing hydroxylasiodiplodins, from *Lasiodiplodia* 481
- radical scavenging phenolics, from *Loiseleuria* 871
- 5 $\alpha$ -reductase inhibitory chalcone, geranylated, from *Artocarpus* 737
- Biosynthesis,
- of avenacins, in *Avena* roots 153
- of phytosterols, in *Avena* roots 153
- of sterols and gibberellins, in *Fusarium fujikuroi* 723
- Biotransformation,
- of dehydromyricetin, by *Aspergillus* 455
- of terpenoid synthons, derived from communic acids 23
- Bisnaphthyl pigments, from *Sphaeropsidales* 597
- Bombacaceae 107
- Boraginaceae 525
- Botryococcus braunii*, tetraterpenoid ethers from 427
- Brassica oleracea*, catalytic properties of xyloglucan endotransglycosylases from 667

Brassicaceae 275, 667  
*Bupleurum*, saikosaponins from 741  
*B. rigidum*, sulphated saikosaponins from 783  
*Butea monosperma*, euphane triterpenoid and lipids from 835  
 Buxaceae 951  
*Buxus sempervirens*, steroidal alkaloids from 951

## C

Cactaceae 419  
 Caffeine, from fungi 937  
 Caffeoil DOPA, induction of by jasmonic acid, in red clover 387  
 Caprifoliaceae 795  
 Carboxylic acids, from *Penicillium* 301  
 Cardenolides, cytotoxic, from *Crossopetalum* 531  
 Carotenoid, from tomato, role of in human health 233  
*Caryopteris* × *clandonensis*, iridoids from 807  
 Caulerpin, from red alga 979  
*Ceiba pentandra*, isoflavones from 107  
 Celastraceae 531  
 Chalcone, geranylated, 5 $\alpha$ -reductase inhibitory, from *Artocarpus* 737  
 Chemotaxonomic studies,  
   of anthocyanins, in red flowered *Petunia* species 495  
   of diacylglyceryltrimethylhomoserines and major phospholipids, in  
   vascular plants 401  
   of fatty acids and tocopherols, in *Orobanchae* seeds 295  
   of lipids, in *Spirulina* 289  
*Chondria armata*, long chain fatty ester and caulerpin from 979  
*Cicer arietinum*, role of malonate in 585  
*Claviceps sorghicola*, caffeine from 937  
 Clovamide, induction of by jasmonic acid in red clover 387  
*Coleogyne ramosissima*, flavonoid and benzophenone glycosides  
   from 695  
 Communic acids, microbial hydroxylation of terpenoid synthons  
   derived from 23  
 Coniferyl and cinnamyl alcohol epoxides, NMR spectral comparisons  
   of 897  
 Convolvulaceae 19, 919  
 Coronatine, elicitation of phytoalexins in rice leaves by 689  
*Crepis mollis*, sesquiterpenoids and phenolics from 763  
*Crinum bulbispermum*, phenolics from 891  
*C. macowanii*, alkaloids from 945  
*Crossopetalum gaurmeri*, cytotoxic cardenolides and antibacterial  
   terpenoids from 531  
*Croton macrostachys*, diterpenoids from 767  
*Cryptocarya strictifolia*,  $\alpha$ -pyrone from 989  
*Cucumis melo*, cleavage specificity of serine protease from, with  
   synthetic substrates 451  
 Cucumisin, cleavage specificity of, with synthetic substrates 451  
*Cucurbita pepo*, variability in fatty acid composition of seed oil  
   from 71  
 Cucurbitaceae 71, 451  
*Cunninghamella elegans*, microbial hydroxylation of terpenoid  
   synthons by 23  
 Cuticular waxes, on leaf sheaths of *Sorghum* mutants 577  
 Cyanobacteria 57, 289  
 Cyclohexenone, accumulation of in mycorrhizal roots of tobacco and  
   tomato 473  
 Cytochrome oxidase, redox status of, in darkened leaf of C<sub>4</sub>  
   plants 573  
 Cytochrome P450 system, from tulip microsomes, oxidation of  
   xenobiotics by 353

## D

*Daedalea quercina*, triterpenes from 757  
*Daedaleopsis confragosa*, triterpenes from 757  
 Decarboxylases, of aromatic L-amino acids, from plants 121  
 Dehydropinguisenol, microbial transformation of, by *Aspergillus* 455  
 Dehydrozalanin C, potential use of as herbicide template 165  
 Diacylglyceryltrimethylhomoserines, occurrence of, in higher  
   plants 401  
 Diarylheptanoids, from *Myrica* 975  
 Dihydrochalcones, radical scavenging, from *Loiseleuria* 871

Dihydroflavonols, from *Lansea* 901  
*Dimorphandra mollis*, trypsin inhibitor from 553  
 Dioncophyllaceae 337  
 Dipterocarpaceae 63  
 Diterpene glycosides, from *Pieris* 847  
 Diterpenoids,  
   from *Croton* roots 767  
   labdane, from *Otostegia* 771  
   taxane, from *Taxus* 829  
*Drypetes molunduan*, sesquiterpene lactone and friedelane from 811  
*Dysoxylum hainanense*, tirucallane triterpenoids from 801

## E

*Echium*, fatty acids and squalene from leaves of 525  
 Elicitin, secreted by rubber tree pathogen 33  
 Ellagitannins, from *Pelargonium* 701  
*Emiliana huxleyi*, effect of growth temperature on long-chain alkene  
   composition in 393  
 Ericaceae 173, 871  
 Erythroxylaceae 927  
*Erythroxylon*, tropane alkaloids from 927  
 Essential oil, from *Lantana* 969  
*Eucalyptus camaldulensis*, triterpenoids from 861  
 Euphorbiaceae 33, 767, 811  
*Eustoma grandiflorum*, cell wall sited flavonoids in flower petals  
   from 681

## F

Fabaceae 99, 363, 387, 409, 539, 553, 585, 611, 649, 667, 835  
 Fagaceae 257  
*Fagonia cretica*, triterpenoid saponins from 853  
 Fatty acid  
   amides, from *Rhizoclonium* 965  
   composition, of seed oil from *Cucurbita* 71  
 Fatty acids,  
   from Macaronesian *Echium* leaves 525  
   in *Orobanchae* seeds 295  
 Fatty ester, long-chain, from *Chondria* 979  
*Ferula kuhistanica*, sesquiterpenoids from 717  
*Flammulina velutipes*, highly-oxidized cuparene sesquiterpenes  
   from 777  
 Flavanone 8-dimethylallyltransferase, from *Sophora* 649  
 Flavonoid glycosides, from *Coleogyne* 695  
 Flavonoids,  
   application of mass spectrometry for the identification of 237  
   cell wall sited, in *Lisianthus* flower petals 681  
   from *Lonchocarpus* bark 611  
   from *Polygonum* 201  
   from white clover flowers 539  
 Fungi 23, 33, 39, 301, 455, 473, 489, 511, 597, 603, 723, 747, 757,  
   777, 937, 941  
 Fungicidal activity, of heartwood constituents, increase of when  
   combined with antioxidants 47  
 Furano-pyrone, mitochondrial respiratory chain inhibitory, from  
   *Goniiothalamus* 311  
*Fusarium fujikuroi*, ent-kaurene and squalene synthesis in cell-free  
   extracts of 723

## G

*Galium rivale*, triterpene saponins and iridoid glucosides from 751  
*Gentiana makinoi*, contribution of caffeoil residues to blue colour  
   development of gentiodelphin from 85  
 Gentianaceae 85, 681  
 Geraniaceae 701  
*Gibberella fujikuroi*, ent-kaurene and squalene synthesis in cell-free  
   extracts of 723  
*Gloeophyllum*, biologically active sesquiterpenoids from 511  
 $\alpha$ -1,4-Glucan lyase, from *Gracilariopsis*, enzyme kinetics and chemical  
   modification of 139  
 Glucosidase, from *Rauvolfia* cell cultures, molecular cloning and  
   bacterial expression of 657

- Glucosinolates, in radish, conversion of to phototropism regulating substances after illumination 275
- Glutathione S-transferase activities on xenobiotics, of higher and lower plants 267
- Glycoprotein structure, of gum arabic 99
- Glycosmis*, prenylated sulfonyl amides from 207
- Gmelina philippensis*, iridoid glycosides from 191
- Gnetaceae 875
- Gnetum hainanense*, stilbene dimers from 875
- Gnidia involucrata*, benzophenone glycosides from 883
- Goniothalamus arvensis*, mitochondrial respiratory chain inhibiting styryl-lactones from 311
- Gordonia ceylanica*, oleanane triterpenoids from 823
- Gracilariopsis*,  $\alpha$ -1,4-glucan lyases from 139
- Guatteria boliviana*, bisbenzylisoquinoline alkaloids from 709
- Gum arabic glycoprotein, glycomodules of 99
- H**
- Heartwood extractives, synergism of antioxidant and fungicidal activity of 47
- Helianthus annuus*, lipid composition of pollen from 325
- Hemidesmus indicus*, C<sub>21</sub> steroidal glycosides from 983
- Huangqi, genetic identification of by DNA sequence of 5S-rRNA spacer domain 363
- Hydroxylasiodiplodins, potato micro-tuber inducing, from *Lasiodiplodia* 489
- Hyoscyamus muticus*, determination of tropane alkaloids in plants and hairy root clones of 517
- I**
- Ipomoea batatas*,  
anthocyanins from root callus of 919  
differential expression of peroxidase genes of, in response to abscisic acid and ethephon 19
- Iridoid glycosides,  
from *Galium* 751  
from *Gmelina* 191
- Iridoids, from *Caryopteris* 807
- Isoflavones, from *Ceiba* 107
- Isopyrum thalictroides*, alkaloids from 9959
- K**
- ent-Kaurene synthesis, in *Fusarium fujikuroi* cell-free extracts 723
- L**
- Lactone fatty acids, glycosides of, from lichens 635
- Lamiaceae 191, 771, 807, 909
- Lannea coromandelica*, dihydroflavonols from 901
- Lantana camara*, triterpenoids and essential oil from 969
- Lasiodiplodia theobromae*, potato micro-tuber inducing hydroxylasiodiplodins from 489
- Lauraceae 183, 591, 989
- Lichenes, glycosides of murolic, protoconstipatic and allomurolic acids from 635
- Lignans,  
feeding deterrent to fish, from *Saururus* 281  
from *Mosla* 909  
from *Podophyllum*, synthesis of derivatives of 115  
from *Tsuga*, causing photodiscoloration of sapwood 439
- Lignin pathway intermediates, antimicrobial activity of 53
- Liliaceae 353
- Lipid  
composition, of sunflower pollen 325  
profiles,  
as chemotaxonomic marker in *Spirulina* 289  
of trilaminar outer cell wall-containing microalgae 369
- Lipids, from *Butea* 835
- Loiseleuria procumbens*, stilbene and dihydrochalcones from 871
- Lonchocarpus xuul*, flavonoids from bark of 611
- Lonicera bournei*, triterpenoid saponins from 795
- Lycopene, from tomato, role of in human health 233
- Lycopersicon esculentum*, accumulation of cyclohexenones in mycorrhizal roots of 473
- M**
- Malonate, role of in chick peas 585
- Mass spectrometry, application of for identification of flavonoids 237
- Meliaceae 731, 801, 867
- 2-Mercaptoethanol, inhibition of enzymatic browning and protection of sulfhydryl enzymes by 481
- Methyl jasmonate stereoisomers, effects of on paclitaxel and baccatin III production in *Taxus* 13
- Microcos paniculata*, insecticidal piperidine alkaloid from 29
- Monoterpene synthase activities, in *Picea* and *Quercus* leaves 257
- Moraceae 415, 737
- Mosla scabra*, lignans from 909
- Musa acuminata*, polygalacturonase from 147
- Musaceae 147
- Myrica arborea*, diarylheptanoids from 975
- Myricaceae 975
- Myrsinaceae 817
- Myrtaceae 861
- N**
- Neolignans, from *Ocotea*, stereostructure and anti-inflammatory activity of 591
- Nicotiana*, accumulation of cyclohexenones in mycorrhizal roots of 473
- Nitric oxide, occurrence and activity in plants 1
- Nodularia* PCC 7804, hepatotoxic [L-Har<sup>2</sup>]nodularin from 57
- [L-Har<sup>2</sup>]Nodularin, from cyanobacterium 57
- O**
- Ocobullenone diastereomers, anti-inflammatory activity of 591
- Ocotea bullata*, stereostructure and anti-inflammatory activity of neolignans from 591
- Oleaceae 897
- Oleanolic acid, from *Lantana*, photo-oxidative lactonization of 969
- Orobanchaceae 295
- Orobanche*, fatty acids and tocochromanols from 295
- Oryza sativa*,  
elicitation of phytoalexins in leaves of by coronatine 689  
stereochemical fate of C-26 and C-27 during conversion of sterols from 381
- Otostegia fruticosa*, labdane diterpenes from 771
- P**
- Paclitaxel production, effects of methyl jasmonate configuration on, in *Taxus* 13
- Pelargonium reniforme*, ellagitannins from 701
- Pelvetia canaliculata*, vanadium haloperoxidases from 5
- Penicillium*, tanzawaic acids and benzopyran from 301
- Pennisetum americanum*, redox status of cytochrome oxidase in darkened leaf of 573
- Periandra mediterranea*, anti-inflammatory and immunologically active polysaccharides from 409
- Peroxidase genes, from sweet potato, differential expression of 19
- Persea americana*, antifungal aliphatics from 183
- Petunia exserta*, anthocyanins from red flowers of 495
- P. reitzii*, acylated anthocyanin from 913
- Phaeodactylum tricornutum*, variation of acyl lipid composition in 461
- Phenolics,  
from *Crepis* 763  
from *Crinum* bulbs 891  
from white clover flowers 539
- Phenylpropanoid  
esters, neuroprotective, from *Scrophularia* roots 503  
glucosides, from *Scrophularia* 923

- pathway intermediates, antimicrobial activity of 53  
 Phytoalexin production, in rice leaves, elicited by coronatine 689  
*Phytophthora palmivora*, elicitor secreted by 33  
 Phytosterols, biosynthesis of, in *Avena* roots 153  
*Picea abies*, monoterpene synthase activity in needles of 257  
*Pieris formosa*, diterpene glucosides from 847  
 Pinaceae 257, 439  
*Pleiblastus hindsii*, serine protease from 559  
 Poaceae 153, 381, 559, 573, 577, 689  
 Podophyllotoxin, activities, application and analogues of 115  
 Polygalacturonase, from banana 147  
 Polygonaceae 201  
*Polygonum viscosum*, sesquiterpene acid and flavonoids from 201  
 Polysaccharides, anti-inflammatory and immunologically active, from *Periandra* 409  
 Proanthocyanidins,  
   from cranberry, inhibiting adherence of uropathogenic bacteria 173  
   from white clover flowers 539  
 Protein biochemistry,  
   cytochrome oxidase, redox status of in darkened leaf of *Pennisetum* and *Zea* 573  
   decarboxylases, of aromatic L-amino acids, from plants 121  
   flavanone 8-dimethylallyltransferase, from *Sophora* 649  
    $\alpha$ -1,4-glucan lyase, from *Gracilariaopsis* 139  
   glucosidase, from *Rauvolfia*, cloning and bacterial expression of 657  
   glutathione S-transferases, in higher and lower plants 267  
   monoterpene synthase activities, in *Picea* and *Quercus* leaves 257  
   polygalacturonase, from banana fruit 147  
   serine protease,  
     from *Cucumis*, cleavage specificity of 451  
     from *Pleiblastus* sprouts 559  
   sorbitol dehydrogenase, NAD<sup>+</sup>-dependent, from *Pyrus* fruit 567  
   trypsin inhibitor, from *Dimorphandra* seeds 553  
   vanadium haloperoxidases, from *Pelvetia* 5  
   xyloglucan endotransglycosylases, from *Brassica* and *Vigna*, catalytic properties of 667  
 Protolimonoid glucoside, from *Trichilia* leaves 867  
 Pteridophyta 215  
 $\alpha$ -Pyrone, from *Cryptocarya* 989  
*Pyrus serotina*, NAD<sup>+</sup>-dependent sorbitol dehydrogenase from 567
- Q**  
*Quercus ilex*, monoterpene synthase activity in leaves of 257  
*Quillaja saponaria*, O-acetylated saponins from 615
- R**  
*Randia formosa*, triterpene saponins from 77  
 Ranunculaceae 959  
*Raphanus sativus*, conversion by phototropic stimulation of glucosinolates to raphanusanins in 275  
*Rauvolfia serpentina*, molecular cloning and bacterial expression of glucosidase from 657  
*Rhizoclonium hieroglyphicum*, fatty acid amides from 965  
 Rocaglamide derivatives, insecticidal, from *Aglaiia* 731  
 Rosaceae 567, 615, 695  
 Rubiaceae 77, 751  
 Rutaceae 207  
 Ruwenine, structural revision of 933
- S**  
 Saponins,  
   O-acetylated, from *Quillaja* 615  
   saiko-, from *Bupleurum* 741, 783  
   triterpenoid,  
     from *Ardisia* 817  
     from *Fagonia* 853  
     from *Galium* 751  
     from *Lonicera* 795  
     from *Randia* 77  
 Saururaceae 281  
*Saururus cernuus*, antifeedant lignans from 281  
*Schlumbergera*  $\times$  *buckleyi*, betalains from 419  
*Scrophularia buergeriana*, neuroprotective phenylpropanoid esters from 503  
*S. ningpoensis*, phenylpropanoid glycosides from 923  
 Scrophulariaceae 503, 923  
*Senecio ruwenzoriensis*, structural revision of alkaloids from 933  
 Serine protease,  
   from *Cucumis*, cleavage specificity of with synthetic substrates 451  
   from *Pleiblastus* sprouts 559  
 Sesquiterpene acid, from *Polygonum* 201  
 Sesquiterpene alcohol, furano-, microbial transformation of by *Aspergillus* 455  
 Sesquiterpene lactones,  
   as potential herbicide templates 165  
   from *Anthemis* 625  
   from *Drypetes* 811  
 Sesquiterpenoids,  
   biologically active, from *Gloeophyllum* 511  
   cadinane, biotransformation of by *Beauveria* 39  
   cuparene, from *Flammulina* mycelia 777  
   from *Crepis* 763  
   from *Ferula* 717  
   from *Taraxacum* roots 791  
 Solanaceae 233, 473, 495, 517, 913, 995  
*Solanum tuberosum*, fluorescence studies of ATP-diphosphohydrolase from 995  
*Sophora flavescens*, flavanone 8-dimethylallyltransferase from 649  
 Sorbitol dehydrogenase, NAD<sup>+</sup>-dependent, from *Pyrus* fruit 567  
*Sorghum bicolor*, leaf sheath cuticular waxes on mutants of 577  
 Sphaeropsidales, bisnaphthyl pigments from 597  
*Spirulina*, lipid profiles as chemotaxonomic markers in 289  
 Squalene synthesis, in *Fusarium fujikuroi* cell-free extract 723  
 Steroidal glycosides, C<sub>21</sub>, from *Hemidesmus* 983  
 Steroids, from wood-rotting Basidiomycetes 603  
 Sterols, from cultured rice cells, stereochemical fate of C-26 and C-27 during conversion of 381  
 Stilbene dimers, from *Gnetum* 875  
 Stilbene,  
   antimalarial, from *Artocarpus* 415  
   antioxidant, from *Loiseleuria* 871  
 Stilbenoid oligomers, from *Vatica* stem bark 63  
 Styryl lactones, mitochondrial respiratory chain inhibiting, from *Goniiothalamus* 311  
 Sulfonyl amides, prenylated, from *Glycosmis* 207
- T**  
*Taraxacum*, sesquiterpenoids from 791  
 Taxaceae 13, 221, 829, 839  
 Taxoids,  
   from Canadian yew needles 221  
   neutral, from *Taxus*, modulating multidrug-resistant tumour cells 839  
*Taxus*,  
   effects of methyl jasmonate stereoisomers on paclitaxel and baccatin III production in 13  
   taxane diterpenoids from 829  
*T. canadensis*, taxoids from needles of 221  
*T. cuspidata*, neutral taxoids from, as modulators of multidrug-resistant tumour cells 839  
 Terpenoid sythons, derived from communic acids, microbial hydroxylation of 23  
 Terpenoids, antibacterial, from *Crossopetalum* 531  
 Tetraterpenoid ethers, from *Botryococcus* 427  
 Theaceae 823  
 Thiol compounds, inhibition of enzymatic browning and protection of sulfhydryl enzymes by 481  
 Thymeliaceae 883  
 Tiliaceae 29  
 Tocochromanols, from *Orobancha* seeds 295  
*Trichilia prieuriana*, protolimonoid glucoside from 867

*Trifolium pratense*, induction of clovamide by jasmonic acid in 387  
*T. repens*, proanthocyanidins and phenolic glycosides from flowers of 539  
*Triphyophyllum peltatum*, antiplasmodial naphthylisoquinoline alkaloids from 337  
Triterpenoids,  
  euphane, from *Butea* 835  
  friedelane, from *Drypetes* 811  
  from *Adiantum* 215  
  from *Ammodendron* 93  
  from *Daedalea* and *Daedaleopsis* 757  
  from *Eucalyptus* leaves 861  
  from *Lantana* 969  
  from wood-rotting Basidiomycetes 603  
  oleanane, from *Gordonia* 823  
  tirucallane, from *Dysoxylum* 801  
Trypsin inhibitor, from *Dimorphandra* seeds 553  
*Tsuga heterophylla*, lignans causing photodiscoloration of sapwood from 439  
*Tulipa fosteriana*, oxidation of xenobiotics by microsomal enzymes from 353

**V**

*Vaccinium macrocarpon*, biological activity of proanthocyanidins from 173  
Vanadium haloperoxidases, from *Pelvetia* 5  
*Vatica rassak*, oligostilbenoids from 63  
Verbenaceae 807, 969  
*Vigna radiata*, catalytic properties of xyloglucan endotransglycosylases from 667  
Volatiles, from wood-rotting Basidiomycetes 747

**X**

Xenobiotics, oxidation of by microsomal tulip bulb enzymes 353  
Xyloglucan endotransglycosylase isoenzymes, from mung bean and cauliflower, catalytic properties of 667

**Z**

*Zea mays*, redox status of cytochrome oxidase in darkened leaf of 573  
Zygophyllaceae 853