



PERGAMON

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

PHYTOCHEMISTRY

Phytochemistry 62 (2003) I–VIII

www.elsevier.com/locate/phytochem

Contents of Volume 62

Number 1

Graphical Abstracts	vii
Molecules of Interest	
Saponins in cereals	1 A. E. OSBOURN
Protein Biochemistry	
Monosaccharide composition and properties of a deglycosylated turnip peroxidase isozyme	5 M. A. DUARTE-VÁZQUEZ, B. E. GARCÍA-ALMENDÁREZ, A. ROJO-DOMÍNGUEZ, J. R. WHITAKER, C. ARROYAVE-HERNÁNDEZ and C. REGALADO
Biochemical characterization of sap (latex) of a few Indian mango varieties	13 K. S. JOHN, S. G. BHAT and U. J. S. P. RAO
Three α -amylases from malted finger millet (Ragi, <i>Eleusine coracana</i> , Indaf-15)—purification and partial characterization	21 M. NIRMALA and G. MURALIKRISHNA
Molecular Genetics and Genomics	
Reduced levels of cadinane sesquiterpenoids in cotton plants expressing antisense (+)- δ -cadinene synthase	31 G. S. MARTIN, J. LIU, C. R. BENEDICT, R. D. STIPANOVIC and C. W. MAGILL
Expression of a <i>Streptomyces</i> 3-hydroxysteroid oxidase gene in oilseeds for converting phytosterols to phytostanols	39 M. VENKATRAMESH, B. KARUNANANDAA, B. SUN, C. A. GUNTER, S. BODDUPALLI and G. M. KISHORE
Isolation and characterization of two fructokinase cDNA clones from rice	47 H. JIANG, W. DIAN, F. LIU and P. WU
Metabolism	
Structural and compositional modifications in lignin of transgenic alfalfa down-regulated in caffeic acid 3- <i>O</i> -methyltransferase and caffeoyl coenzyme A 3- <i>O</i> -methyltransferase	53 J. M. MARITA, J. RALPH, R. D. HATFIELD, D. GUO, F. CHEN and R. A. DIXON
The biotransformation of the diterpene 2 β -hydroxy- <i>ent</i> -13- <i>epi</i> -manoyl oxide by <i>Gibberella fujikuroi</i>	67 B. M. FRAGA, P. GONZÁLEZ, M. G. HERNÁNDEZ and S. SUÁREZ
6 <i>H</i> -Dibenzo[<i>b,d</i>]pyran-6-one derivatives from the cultured lichen mycobionts of <i>Graphis</i> spp. and their biosynthetic origin	71 T. TANAHASHI, Y. TAKENAKA, N. NAGAKURA and N. HAMADA
Synthesis of gibberellin GA ₆ and its role in flowering of <i>Lolium temulentum</i>	77 R. W. KING, L. T. EVANS, L. N. MANDER, T. MORITZ, R. P. PHARIS and B. TWITCHIN
Bioactive Products	
Bacterial resistance modifying agents from <i>Lycopus europaeus</i>	83 S. GIBBONS, M. OLUWATUYI, N. C. VEITCH and A. I. GRAY
Inhibition of LDL oxidation by flavonoids in relation to their structure and calculated enthalpy	89 J. VAYA, S. MAHMOOD, A. GOLDBLUM, M. AVIRAM, N. VOLKOVA, A. SHAALAN, R. MUSA and S. TAMIR
Benzoquinone, the substance essential for antibacterial activity in aqueous extracts from succulent young shoots of the pear <i>Pyrus</i> spp.	101 S. JIN and N. SATO
Chemistry	
Thelephantins A, B and C: three benzoyl <i>p</i> -terphenyl derivatives from the inedible mushroom <i>Thelephora aurantiotincta</i>	109 D. N. QUANG, T. HASHIMOTO, M. NUKADA, I. YAMAMOTO, Y. HITAKA, M. TANAKA and Y. ASAKAWA
Glycosides of 2- <i>C</i> -methyl-D-erythritol from the fruits of anise, coriander and cumin	115 J. KITAJIMA, T. ISHIKAWA, E. FUJIMATU, K. KONDHO and T. TAKAYANAGI

Number 2

Graphical Abstracts	vii
Molecules of Interest	
Rosmarinic acid	121 M. PETERSEN and M. S. J. SIMMONDS
Protein Biochemistry	
A flavonol <i>O</i> -methyltransferase from <i>Catharanthus roseus</i> performing two sequential methylations	127 S. CACACE, G. SCHRÖDER, E. WEHINGER, D. STRACK, J. SCHMIDT and J. SCHRÖDER
Metabolism	
Initial steps of the peroxidase-catalyzed polymerization of coniferyl alcohol and/or sinapyl aldehyde: capillary zone electrophoresis study of pH effect	139 D. FOURNAND, B. CATHALA and C. LAPIERRE
Sterol composition of mycelia of the plant pathogenic ascomycete <i>Leptosphaeria maculans</i>	147 K. M. GRIFFITHS, A. BACIC and B. J. HOWLETT
Transformations of testosterone and related steroids by <i>Botrytis cinerea</i>	155 E. HUSZCZA and J. DMOCHOWSKA-GLADYSZ
The biochemical origin of pentenol emissions from wounded leaves	159 A. J. FISHER, H. D. GRIMES and R. FALL
3 β ,13-Dihydroxylated C ₂₀ gibberellins from inflorescences of <i>Rumex acetosa</i> L.	165 T. S. STOKES, L. N. MANDER, S. J. CROKER, B. TWITCHIN and D. E. HANKE
Ecological Biochemistry	
Volatile emissions of eastern hemlock, <i>Tsuga canadensis</i> , and the influence of hemlock woolly adelgid	175 C. D. BROECKLING and S. M. SALOM
Aluminum-induced oxidative stress in maize	181 P. R. S. BOSCOLO, M. MENOSSI and R. A. JORGE
Chemotaxonomy	
Fatty acid variations in symbiotic dinoflagellates from Okinawan corals	191 N. V. ZHUKOVA and E. A. TITLYANOV
Bioactive Products	
Cytotoxic triterpenes from the twigs of <i>Celtis philippinensis</i>	197 B. Y. HWANG, H.-B. CHAI, L. B. S. KARDONO, S. RISWAN, N. R. FARNSWORTH, G. A. CORDELL, J. M. PEZZUTO and A. D. KINGHORN
Antimicrobial constituents from the rhizomes of <i>Rheum emodi</i>	203 K. S. BABU, P. V. SRINIVAS, B. PRAVEEN, K. H. KISHORE, U. S. MURTY and J. M. RAO
Chemical composition and antibacterial activities of the essential oils of <i>Lippia chevalieri</i> and <i>Lippia multiflora</i> from Burkina Faso	209 I. H. N. BASSOLE, A. S. OUATTARA, R. NEBIE, C. A. T. OUATTARA, Z. I. KABORE and S. A. TRAORE
Inhibition of LPS-induced NO production by the oleogum resin of <i>Commiphora wightii</i> and its constituents	213 M. R. MESELHY
Antioxidant flavonoids from leaves of <i>Polygonum hydropiper</i> L.	219 Z. F. PENG, D. STRACK, A. BAUMERT, R. SUBRAMANIAM, N. K. GOH, T. F. CHIA, S. N. TAN and L. S. CHIA
Chemistry	
Malonylated flavonol glycosides from the petals of <i>Clitoria ternatea</i>	229 K. KAZUMA, N. NODA and M. SUZUKI
5 <i>H</i> -Furan-2-ones from fungal cultures of <i>Aporpium caryae</i>	239 L. M. LEVY, G. M. CABRERA, J. E. WRIGHT and A. M. SELDES
Corrigendum	
Corrigendum to “An immunosuppressive tryptophan-derived alkaloid from <i>Lepidagathis cristata</i> ” [Phytochemistry 58 (2001) 1263–1266]	243 V. RAVIKANTH, V. L. N. REDDY, P. RAMESH, T. P. RAO, P. V. DIWAN, A. KHAR and Y. VENKATESWARLU

Number 3

Graphical Abstracts	ix
4 February 2003	245
Review	
Recent advances in betalain research	247 D. STRACK, T. VOGT and W. SCHLIEMANN

Stilbenecarboxylate biosynthesis: a new function in the family of chalcone synthase-related proteins	271	C. ECKERMANN, G. SCHRÖDER, S. ECKERMANN, D. STRACK, J. SCHMIDT, B. SCHNEIDER and J. SCHRÖDER
Flavonol synthase from <i>Citrus unshui</i> is a bifunctional dioxygenase	287	R. LUKAČIN, F. WELLMANN, L. BRITSCH, S. MARTENS and U. MATERN
Molecular cloning and characterization of an amidase from <i>Arabidopsis thaliana</i> capable of converting indole-3-acetamide into the plant growth hormone, indole-3-acetic acid	293	S. POLLMANN, D. NEU and E. W. WEILER
Oxidation of pentagalloylglucose to the ellagitannin, tellimagrandin II, by a phenol oxidase from <i>Tellima grandiflora</i> leaves	301	R. NIEMETZ and G. G. GROSS
Oxidative biosynthesis of phenylbenzoisochromenones from phenylphenalenones	307	S. OPITZ and B. SCHNEIDER
Aromatic and pyrone polyketides synthesized by a stilbene synthase from <i>Rheum tataricum</i>	313	S. SAMAPPITO, J. E. PAGE, J. SCHMIDT, W. DE-EKNAMEKUL and T. M. KUTCHAN
Biosynthesis of calystegines: ¹⁵ N NMR and kinetics of formation in root cultures of <i>Calystegia sepium</i>	325	Y. SCHOLL, B. SCHNEIDER and B. DRÄGER
Antifungal diterpenes from <i>Hypoestes serpens</i> (Acanthaceae)	333	L. RASOAMIARANJANAHARY, A. MARSTON, D. GUILLET, K. SCHENK, F. RANDIMBIVOLOLONA and K. HOSTETTMANN
Evidence for general occurrence of homospermidine in plants and its supposed origin as by-product of deoxyhypusine synthase	339	D. OBER, L. GIBAS, L. WITTE and T. HARTMANN
Habropetaline A, an antimalarial naphthylisoquinoline alkaloid from <i>Triphophyllum peltatum</i>	345	G. BRINGMANN, K. MESSER, B. SCHWÖBEL, R. BRUN and L. A. ASSI
Biosynthesis of 14,15-dehydro-12-oxo-phytodienoic acid and related cyclopentenones via the phytoprostane D ₁ pathway	351	M. KRISCHKE, C. LOEFFLER and M. J. MUELLER
Two chromone-secoiridoid glycosides and three indole alkaloid glycosides from <i>Neonauclea sessilifolia</i>	359	A. ITOH, T. TANAHASHI, N. NAGAKURA and T. NISHI
A 2-oxoglutarate-dependent dioxygenase is integrated in DIMBOA-biosynthesis	371	M. FREY, K. HUBER, W. J. PARK, D. SICKER, P. LINDBERG, R. B. MEELEY, C. R. SIMMONS, N. YALPANI and A. GIERL
Occurrence and non-detectability of maytansinoids in individual plants of the genera <i>Maytenus</i> and <i>Putterlickia</i>	377	C. B. PULLEN, P. SCHMITZ, D. HOFFMANN, K. MEURER, T. BOETTCHER, D. VON BAMBERG, A. M. PEREIRA, S. DE CASTRO FRANÇA, M. HAUSER, H. GEERTSEMA, A. VAN WYK, T. MAHMUD, H. G. FLOSS and E. LEISTNER
Biosynthesis of β -sitosterol and stigmasterol in <i>Croton sublyratus</i> proceeds via a mixed origin of isoprene units	389	W. DE-EKNAMEKUL and B. POTDUANG
On the origin of family 1 plant glycosyltransferases	399	S. PAQUETTE, B. L. MØLLER and S. BAK
Kinetic analysis of the inhibition of phenylalanine ammonia-lyase by 2-aminoindan-2-phosphonic acid and other phenylalanine analogues	415	C. APPERT, J. ZOŃ and N. AMRHEIN
Phytochelatase catalyzes key step in turnover of glutathione conjugates	423	A. BECK, K. LENDZIAN, M. OVEN, A. CHRISTMANN and E. GRILL
Homologous very-long-chain 1,3-alkanediols and 3-hydroxyaldehydes in leaf cuticular waxes of <i>Ricinus communis</i> L.	433	C. P. VERMEER, P. NASTOLD and R. JETTER
Volatile components of selected species of the liverwort genera <i>Frullania</i> and <i>Schusterella</i> (Frullaniaceae) from New Zealand, Australia and South America: a chemosystematic approach	439	Y. ASAKAWA, M. TOYOTA, M. VON KONRAT and J. E. BRAGGINS
Regulation of phytochelatase synthesis by zinc and cadmium in marine green alga, <i>Dunaliella tertiolecta</i>	453	N. TSUJI, N. HIRAYANAGI, O. IWABE, T. NAMBA, M. TAGAWA, S. MIYAMOTO, H. MIYASAKA, M. TAKAGI, K. HIRATA and K. MIYAMOTO
Metabolite profiling of alkaloids and strictosidine synthase activity in camptothecin producing plants	461	Y. YAMAZAKI, A. URANO, H. SUDO, M. KITAJIMA, H. TAKAYAMA, M. YAMAZAKI, N. AIMI and K. SAITO
Variation of glucosinolate accumulation among different organs and developmental stages of <i>Arabidopsis thaliana</i>	471	P. D. BROWN, J. G. TOKUHISA, M. REICHELTELT and J. GERSHENZON

<i>Thalictrum minus</i> cell cultures and ABC-like transporter	483	K. TERASAKA, K. SAKAI, F. SATO, H. YAMAMOTO and K. YAZAKI
Selective desensitization of jasmonate- and pH-dependent signaling in the induction of benzophenanthridine bio-synthesis in cells of <i>Eschscholzia californica</i>	491	K. FÄRBER, B. SCHUMANN, O. MIERSCH and W. ROOS
[¹³ C]-Specific labeling of 8–2' linked (–)- <i>cis</i> -blechnic, (–)- <i>trans</i> -blechnic and (–)-brainic acids in the fern <i>Blechnum spicant</i>	501	L. B. DAVIN, C.-Z. WANG, G. L. HELMS and N. G. LEWIS
A family of polyketide synthase genes expressed in ripening <i>Rubus</i> fruits	513	A. KUMAR and B. E. ELLIS
Allometric analysis of the induced flavonols on the leaf surface of wild tobacco (<i>Nicotiana attenuata</i>)	527	A. L. RODA, N. J. OLDHAM, A. SVATOS and I. T. BALDWIN

Number 4

The contents are arranged by class of compound within each section,
e.g. primary metabolites, terpenoids, phenolics, alkaloids.

Graphical Abstracts	vii	
Terpenoids		
A lupane triterpene from frankincense (<i>Boswellia</i> sp., Burseraceae)	537	G. CULIOLI, C. MATHE, P. ARCHIER and C. VIEILLESCEZES
Norditerpenoid alkaloids from <i>Delphinium</i> species	543	N. BATBAYAR, S. ENKHZAYA, J. TUNSAG, D. BATSUREN, D. S. RYCROFT, S. SPROLL and F. BRACHER
Neo-clerodane diterpenoids from <i>Croton schiedeana</i>	551	P. PUEBLA, J. L. LÓPEZ, M. GUERRERO, R. CARRÓN, M. L. MARTÍN, L. S. ROMÁN and A. S. FELICIANO
Triterpenoid saponins from <i>Meryta lanceolata</i>	557	F. R. MELEK, T. MIYASE and N. S. GHALY
Bidesmosidic saponins from the fruits of <i>Diplocisia glaucescens</i>	563	L. JAYASINGHE, N. HARA and Y. FUJIMOTO
ent-Pimarane type diterpenes from <i>Gnaphalium gaudichaudianum</i>	569	T. L. MERAGELMAN, G. L. SILVA, E. MONGELLI and R. R. GIL
Pentacyclic triterpenoids from <i>Embelia schimperi</i>	573	A. K. MACHOCHO, P. C. KIPRONO, S. GRINBERG and S. BITTNER
Quassinoids from <i>Ailanthus excelsa</i>	579	B. C. JOSHI, A. PANDEY, R. P. SHARMA and A. KHARE
Seco diterpenoids from <i>Excoecaria agallocha</i> L.	585	A. S. R. ANJANEYULU and V. L. RAO
Triterpenoids from the orchids <i>Agrostophyllum brevipes</i> and <i>Agrostophyllum callosum</i>	591	P. L. MAJUMDER, S. MAJUMDER and S. SEN
Cardiobutanolide, a styryllactone from <i>Goniothalamus cardiopetalus</i>	597	A. HISHAM, M. TOUBI, W. SHUAILY, M. D. A. BAI and Y. FUJIMOTO
Phenolics		
Stilbene derivatives from <i>Gnetum gnemon</i> Linn.	601	I. ILIYA, Z. ALI, T. TANAKA, M. IINUMA, M. FURUSAWA, K. NAKAYA, J. MURATA, D. DARNAEDI, N. MATSUURA and M. UBUKATA
Prenylated xanthone glucosides from Ural's lichen <i>Umbilicaria proboscidea</i>	607	T. ŘEZANKA, J. JÁCHYMOVÁ and V. M. DEMBITSKY
Pharmacognostic studies on ginger and related drugs— part 1: five sulfonated compounds from <i>Zingiberis</i> rhizome (Shokyo)	613	Y. HORI, T. MIURA, Y. HIRAI, M. FUKUMURA, Y. NEMOTO, K. TORIIZUKA and Y. IDA
Cytotoxic naphthoquinones and plumbagic acid glucosides from <i>Plumbago zeylanica</i>	619	L.-C. LIN, L.-L. YANG and C.-J. CHOU
Alkaloids		
Indolomonoterpenic alkaloids from <i>Strychnos icaia</i> roots	623	G. PHILIPPE, P. DE MOL, M. ZÈCHES-HANROT, J.-M. NUZILLARD, M.-H. TITS, L. ANGENOT and M. FRÉDÉRICH
Ancistrolikokine D, a 5,8'-coupled naphthylisoquinoline alkaloid, and related natural products from <i>Ancistrocladus likoko</i>	631	G. BRINGMANN, W. SAEB, M. RÜCKERT, J. MIES, M. MICHEL, V. MUDOGO and R. BRUN

General Chemistry

- Antifungal constituents of the stem bark of *Bridelia retusa* 637 L. JAYASINGHE, B. M. M. KUMARIHAMY, K. H. R. N. JAYARATHNA, N. W. M. G. UDISHANI, B. M. R. BANDARA, N. HARA and Y. FUJIMOTO
- Polyacetylene glycosides from *Pratia nummularia* cultures 643 K. ISHIMARU, M. OSABE, L. YAN, T. FUJIOKA, K. MIHASHI and N. TANAKA
- Scaphopetalone and scaphopetalumate, a lignan and a triterpene ester from *Scaphopetalum thonneri* 647 J. C. VARDAMIDES, A. G. B. AZEBAZE, A. E. NKENGFAK, F. R. VAN HEERDEN, Z. T. FOMUM, T. M. NGANDO, J. CONRAD, B. VOGLER and W. KRAUS

Number 5

- Graphical Abstracts vii
- Molecules of Interest**
- Aphid sex pheromones: from discovery to commercial production 651 M. A. BIRKETT and J. A. PICKETT
- Molecular Genetics and Genomics**
- Large differences in amino acid sequences among ferredoxins from several species of genus *Solanum* 657 Y. MINO, T. HAZAMA and Y. MACHIDA
- Pigmentation in the developing seed coat and seedling leaves of *Brassica carinata* is controlled at the dihydroflavonol reductase locus 663 M. A. S. MARLES, M. Y. GRUBER, G. J. SCOLES and A. D. MUIR
- Metabolism**
- Microbial transformation of xanthohumol 673 W. H. M. W. HERATH, D. FERREIRA and I. A. KHAN
- First detection of a chloroperoxidase in bryophytes 679 A. SPEICHER, R. HEISEL and J. KOLZ
- Monoterpenoid accumulation in 1,8-cineole, terpinolene and terpinen-4-ol chemotypes of *Melaleuca alternifolia* seedlings 683 M. F. RUSSELL and I. A. SOUTHWELL
- Seed phosphorus and inositol phosphate phenotype of barley *low phytic acid* genotypes 691 J. A. DORSCH, A. COOK, K. A. YOUNG, J. M. ANDERSON, A. T. BAUMAN, C. J. VOLKMAN, P. P. N. MURTHY and V. RABOY
- Identification of a hydroxy substituted calamenene—a sesquiterpene associated with wound reactions in non-infected xylem of *Tilia* spp. 707 E. MELCHER, P. JÜNGEL, B. MÖLLENDORF and U. SCHMITT
- Ecological Biochemistry**
- Phytotoxicity of the tetramic acid metabolite trichosetin 715 E. C. MARFORI, S. KAJIYAMA, E.-I. FUKUSAKI and A. KOBAYASHI
- Xanosporic acid, an intermediate in bacterial degradation of the fungal phototoxin cercosporin 723 T. K. MITCHELL, F. ALEJOS-GONZALEZ, H. S. GRACZ, D. A. DANEHOWER, M. E. DAUB and W. S. CHILTON
- Bioactive Products**
- Identification of 6-methylsulfinylhexyl isothiocyanate as an apoptosis-inducing component in wasabi 733 M. WATANABE, M. OHATA, S. HAYAKAWA, M. ISEMURA, S. KUMAZAWA, T. NAKAYAMA, M. FURUGORI and N. KINAE
- Bioactive sucrose esters from *Bidens parviflora* 741 N. WANG, X. YAO, R. ISHII and S. KITANAKA
- Antiplasmodial and antifungal activities of iridal, a plant triterpenoid 747 F. BENOIT-VICAL, C. IMBERT, J.-P. BONFILS and Y. SAUVAIRE
- Scavenging of reactive oxygen species by a novel glucurinated flavonoid antioxidant isolated and purified from spinach 753 M. BERGMAN, A. PERELMAN, Z. DUBINSKY and S. GROSSMAN
- Chemistry**
- Stereochemistry of megastigmane glucosides from *Glochidion zeylanicum* and *Alangium premnifolium* 763 H. OTSUKA, E. HIRATA, T. SHINZATO and Y. TAKEDA
- Lignan derivatives from the liverwort *Bazzania trilobata* 769 J. M. SCHER, J. ZAPP and H. BECKER
- Dihydroisocoumarins and a tetralone from *Cytospora eucalypticola* 779 T. KOKUBUN, N. C. VEITCH, P. D. BRIDGE and M. S. J. SIMMONDS

New insights on the structure of algaenan from <i>Botryococcus braunii</i> race A and its hexane insoluble botryals based on multidimensional NMR spectroscopy and electrospray–mass spectrometry techniques	783	A. J. SIMPSON, X. ZANG, R. KRAMER and P. G. HATCHER
Homoisoflavonoids and xanthenes from the tubers of wild and in vitro regenerated <i>Ledebouria graminifolia</i> and cytotoxic activities of some of the homoisoflavonoids	797	J. MUTANYATTA, B. G. MATAPA, D. D. SHUSHU and B. M. ABEGAZ
Sesquienolignans and other constituents from the seeds of <i>Joannesia princeps</i>	805	R. WAIBEL, G. BENIRSCHKE, M. BENIRSCHKE and H. ACHENBACH
Book Review <i>Plant Pathogen Detection and Disease Diagnosis</i> , by P. Narayanasamy	813	J. FLOOD

Number 6

Graphical Abstracts	vii	
Editorial Phytochemistry meets genome analysis, and beyond.....	815	R. A. DIXON and D. STRACK
Reviews Plant metabolomics: large-scale phytochemistry in the functional genomics era	817	L. W. SUMNER, P. MENDES and R. A. DIXON
Metabolome diversity: too few genes, too many metabolites?	837	W. SCHWAB
Full Papers Metabolomic analysis of the consequences of cadmium exposure in <i>Silene cucubalus</i> cell cultures via ¹ H NMR spectroscopy and chemometrics	851	N. J. C. BAILEY, M. OVEN, E. HOLMES, J. K. NICHOLSON and M. H. ZENK
Chemometric discrimination of unfractionated plant extracts analyzed by electrospray mass spectrometry	859	R. GOODACRE, E. V. YORK, J. K. HEALD and I. M. SCOTT
Lactofen induces isoflavone accumulation and glyceollin elicitation competency in soybean	865	S. LANDINI, M. Y. GRAHAM and T. L. GRAHAM
Metabolic networks of <i>Cucurbita maxima</i> phloem	875	O. FIEHN
Construction and application of a mass spectral and retention time index database generated from plant GC/EI-TOF-MS metabolite profiles	887	C. WAGNER, M. SEFKOW and J. KOPKA
<i>Taxus</i> metabolomics: methyl jasmonate preferentially induces production of taxoids oxygenated at C-13 in <i>Taxus x media</i> cell cultures	901	R. E. B. KETCHUM, C. D. RITHNER, D. QIU, Y. S. KIM, R. M. WILLIAMS and R. B. CROTEAU
The role of chemical fingerprinting: application to <i>Ephedra</i>	911	B. T. SCHANEBERG, S. CROCKETT, E. BEDIR and I. A. KHAN
Metabolic fingerprinting of salt-stressed tomatoes	919	H. E. JOHNSON, D. BROADHURST, R. GOODACRE and A. R. SMITH
An optimized protocol for metabolome analysis in yeast using direct infusion electrospray mass spectrometry	929	J. I. CASTRILLO, A. HAYES, S. MOHAMMED, S. J. GASKELL and S. G. OLIVER
Identification and quantification of carotenoids, tocopherols and chlorophylls in commonly consumed fruits and vegetables	939	J. BURNS, P. D. FRASER and P. M. BRAMLEY
Assessment of ¹ H NMR spectroscopy and multivariate analysis as a technique for metabolite fingerprinting of <i>Arabidopsis thaliana</i>	949	J. L. WARD, C. HARRIS, J. LEWIS and M. H. BEALE
Monitoring changes in anthocyanin and steroid alkaloid glycoside content in lines of transgenic potato plants using liquid chromatography/mass spectrometry	959	M. STOBIECKI, I. MATYSIAK-KATA, R. FRAŃSKI, J. SKALA and J. SZOPA
Metabonomics classifies pathways affected by bioactive compounds. Artificial neural network classification of NMR spectra of plant extracts	971	K.-H. OTT, N. ARANÍBAR, B. SINGH and G. W. STOCKTON
Metabolomics and differential gene expression in anthocyanin chemo-varietal forms of <i>Perilla frutescens</i>	987	M. YAMAZAKI, J.-I. NAKAJIMA, M. YAMANASHI, M. SUGIYAMA, Y. MAKITA, K. SPRINGOB, M. AWAZUHARA and K. SAITO
Regulation of floral scent production in petunia revealed by targeted metabolomics	997	J. C. VERDONK, C. H. RIC DE VOS, H. A. VERHOEVEN, M. A. HARING, A. J. VAN TUNEN and R. C. SCHUURINK

- Factors affecting the robustness of metabolite fingerprinting using ^1H NMR spectra 1009 M. DEFERNEZ and I. J. COLQUHOUN

Number 7

- Graphical Abstracts vii
- Molecules of Interest**
Recent findings on natural products with erectile-dysfunction activity 1019 S. E. DREWES, J. GEORGE and F. KHAN
- Review**
The chemical characteristic and distribution of brass-inosteroids in plants 1027 A. BAJGUZ and A. TRETYN
- Full Papers**
- Protein Biochemistry**
Biochemical evidence for a calcium-dependent protein kinase from *Pharbitis nil* and its involvement in photoperiodic flower induction 1047 K. JAWORSKI, A. SZMIDT-JAWORSKA, A. TRETYN and J. KOPCEWICZ
Procerain, a stable cysteine protease from the latex of *Calotropis procera* 1057 V. K. DUBEY and M. V. JAGANNADHAM
- Molecular Genetics and Genomics**
Pn-AMPs, the hevein-like proteins from *Pharbitis nil* confers disease resistance against phytopathogenic fungi in tomato, *Lycopersicon esculentum* 1073 O. S. LEE, B. LEE, N. PARK, J. C. KOO, Y. H. KIM, T. PRASAD D, C. KARIGAR, H. J. CHUN, B. R. JEONG, D. H. KIM, J. NAM, J.-G. YUN, S.-S. KWAK, M. J. CHO and D.-J. YUN
A cDNA clone for 3-carene synthase from *Salvia stenophylla* 1081 D. J. HOELSCHER, D. C. WILLIAMS, M. R. WILDUNG and R. CROTEAU
- Metabolism**
Neuroactive and other free amino acids in seed and young plants of *Panax ginseng* 1087 Y.-H. KUO, F. IKEGAMI and F. LAMBEIN
Efficient production and capture of 8-prenylnaringenin and leachianone G—biosynthetic intermediates of sophora-flavanone G—by the addition of cork tissue to cell suspension cultures of *Sophora flavescens* 1093 P. ZHAO, C. HAMADA, K. INOUE and H. YAMAMOTO
Microbial transformation of zaluzanin-D 1101 G. N. K. KUMARI, S. MASILAMANI, M. R. GANESH and S. ARAVIND
- Ecological Biochemistry**
Structure, chemistry, and biological activity of pseudo-phomins A and B, new cyclic lipodepsipeptides isolated from the biocontrol bacterium *Pseudomonas fluorescens* 1105 M. S. C. PEDRAS, N. ISMAIL, J. W. QUAIL and S. M. BOYETCHKO
(+)-Strigol, a witchweed seed germination stimulant, from *Menispermum dauricum* root culture 1115 N. YASUDA, Y. SUGIMOTO, M. KATO, S. INANAGA and K. YONEYAMA
Meliternatin: a feeding deterrent and larvicidal polyoxy-genated flavone from *Melicope subunifoliolata* 1121 S. H. HO, J. WANG, K. Y. SIM, G. C. L. EE, Z. IMIYABIR, K. F. YAP, K. SHAARI and S. H. GOH
- Chemotaxonomy**
Taxonomic significance of flavonoid variation in temperate species of *Nothofagus* 1125 E. WOLLENWEBER, J. F. STEVENS, M. DÖRR and A. C. ROZEFELDS
- Bioactive Products**
A plant growth retardant related to chlamydocin and its proposed mechanism of action 1133 H. TANI, T. HONMA, Y. FUJII, K. YONEYAMA and H. NAKAJIMA
Isolation and identification of an allelopathic substance in *Pisum sativum* 1141 H. KATO-NOGUCHI
Effects of seven pure flavonoids from mosses on germination and growth of *Tortula muralis* HEDW. (Bryophyta) and *Raphanus sativus* L. (Magnoliophyta) 1145 A. BASILE, S. SORBO, J. A. LÓPEZ-SÁEZ and R. C. COBIANCHI
- Chemistry**
Homoisoflavonoids from *Ophiopogon japonicus* Ker-Gawler 1153 N. T. H. ANH, T. V. SUNG, A. PORZEL, K. FRANKE and L. A. WESSJOHANN
MALDI-TOF mass spectrometry and PSD fragmentation as means for the analysis of condensed tannins in plant leaves and needles 1159 A. BEHRENS, N. MAIE, H. KNICKER and I. KÖGEL-KNABNER

Number 8

The contents are arranged by class of compound within each section,
e.g. primary metabolites, terpenoids, phenolics, alkaloids.

Graphical Abstracts	ix	
Publisher's Note	1171	
Full Papers		
Terpenoids		
Tetranortriterpenoid derivatives from <i>Turraea parvifolia</i> (Meliaceae)	1173	P. K. CHEPLOGOI and D. A. MULHOLLAND
Ecdysteroids and other constituents from <i>Sida spinosa</i> L.	1179	F. M. M. DARWISH and M. G. REINECKE
Sesquiterpene lactones from glandular trichomes of <i>Viguiera radula</i> (Heliantheae; Asteraceae)	1185	O. SPRING, R. ZIPPER, J. CONRAD, B. VOGLER, I. KLAIBER and F. B. DA COSTA
Terpenes from <i>Inula verbascifolia</i>	1191	A. A. AHMED, A. EL-H. H. MOHAMED, O. TZAKOU, A. PETROPOULOU, M. E. HASSAN, M. A. EL-MAGHRABY and K.-P. ZELLER
Eudesmane derivatives and other constituents from <i>Saussurea parviflora</i>	1195	Z.-D. YANG, K. GAO and Z.-J. JIA
Further saponins from <i>Taverniera aegyptiaca</i>	1201	Z. Z. IBRAHEIM, H. A. HASSANEAN and D. W. BISHAY
Ceriopsins F and G, diterpenoids from <i>Ceriops decandra</i>	1207	A. S. R. ANJANEYULU and V. L. RAO
Guaiane sesquiterpenes from <i>Amoora rohituka</i>	1213	R. CHOWDHURY, C. M. HASAN and M. A. RASHID
Phenolics		
Anthocyanins from red onion, <i>Allium cepa</i> , with novel aglycone	1217	T. FOSSEN and Ø. M. ANDERSEN
Antibacterial bromophenols from the marine red alga <i>Rhodomela confervoides</i>	1221	N. XU, X. FAN, X. YAN, X. LI, R. NIU and C. K. TSENG
Chalcones from the seed of <i>Cedrelopsis grevei</i> (Ptaeroxylaceae)	1225	N. A. KOORBANALLY, M. RANDRIANARIVELOJOSIA, D. A. MULHOLLAND, L. Q. VAN UFFORD and A. J. J. VAN DEN BERG
Acetylated phenolic glycosides from <i>Harpagophytum procumbens</i>	1231	N. M. MUNKOMBWE
Antiviral flavonoids from the root bark of <i>Morus alba</i> L.	1235	J. DU, Z.-D. HE, R.-W. JIANG, W.-C. YE, H.-X. XU and P. P.-H. BUT
6-Hydroxypelargonidin glycosides in the orange–red flowers of <i>Alstroemeria</i>	1239	F. TATSUZAWA, N. SAITO, N. MURATA, K. SHINODA, A. SHIGIHARA and T. HONDA
Eryvarins F and G, two 3-phenoxychromones from the roots of <i>Erythrina variegata</i>	1243	H. TANAKA, M. HIRATA, H. ETOH, H. SHIMIZU, M. SAKO, J. MURATA, H. MURATA, D. DARNAEDI and T. FUKAI
Acylated phenolic glycosides from <i>Solenostemma argel</i>	1247	M. S. KAMEL
Muscanone: a 3-O-(1'', 8'', 14''-trimethylhexadecanyl)naringenin from <i>Commiphora wightii</i>	1251	M. O. FATOPE, S. K. S. AL-BURTOMANI, J. O. OCHEI, A. O. ABDULNOUR, S. M. Z. AL-KINDY and Y. TAKEDA
Alkaloids		
Ipobscurines C and D: macrolactam-type indole alkaloids from the seeds of <i>Ipomoea obscura</i>	1257	K. JENETT-SIEMS, R. WEIGL, M. KALOGA, J. SCHULZ and E. EICH
Tetrahydroisoquinoline alkaloids and 2-deoxyribonolactones from <i>Aristolochia arcuata</i>	1265	M. C. FRANCISCO, A. L. M. NASSER and L. M. X. LOPES
General Chemistry		
A flavone and an unusual 23-carbon terpenoid from <i>Andrographis paniculata</i>	1271	M. K. REDDY, M. V. B. REDDY, D. GUNASEKAR, M. M. MURTHY, C. CAUX and B. BODO
Further constituents from <i>Caralluma negevensis</i>	1277	A. BADER, A. BRACA, N. DE TOMMASI and I. MORELLI
Biochemical characterization of blood orange, sweet orange, lemon, bergamot and bitter orange	1283	S. MOUFIDA and B. MARZOUK
Announcement	1291	