polymer

Index to Volume 21, 1980

Authors

Abbas, Kent B.:

Thermal degradation of bisphenol A polycarbonate, 936

Adshead, Alan and Lindsay, S. M.: Hypersonic loss process in poly(dimethyl siloxane) and the effects of crosslinking, 1355

Aglietto, M., Ruggeri, G., Tarquini, B., Ciardelli, F. and Gianni, P.: Synthesis and catalytic activity of optically active polymers containing oxime groups, 541

Aharoni, Shaul M.:

Rigid backbone polymers: 6. Ternary phase relationships of polyisocyanates, 21

Aharoni, Shaul M.:

Rigid backbone polymers, XVII: Solution viscosity of polydisperse systems, 1413

Ahmed, M. S., Parsons, I. W., Hay, J. N. and Haward, R. N.:

The stress—strain curve of 1-nylon polymers, 116

Akcasu, A. Ziya, Benmouna, M., and Han, Charles C.:

Interpretation of dynamic scattering from polymer solutions, 866

Akelah, Ahmed and El-Borai, Mohamed: Preparation and application of functional polymers. Preparation of carbodiimides, ketenimines and imidoyl bromides using a poly(styryl diphenylphosphine dibromide), 255

Al-Harrah, M. M. F. and Young, R. N.: Association behaviour of poly(4vinylbiphenyllithium) and substituted polydienyllithiums in n-hexane,

Al-Shahib, W. A.-G., Dunn, A. S.: Efficiency of initiation by azodiisobutyronitrile in the emulsion polymerization of styrene, 429

Aldisi, M.: see Lefrant, S. Aldisi, M.: see Rolland, M.

Alessandrini, J. L.:

Reciprocal distance averages for the necklace model, 1171

Alexandrovich, P. S., Karasz, F. E., and MacKnight, W. J.:
Dielectric relaxation of poly(chloro-

Dielectric relaxation of poly(chlorostyrenes) and their copolymers in the primary transition region, 488

Allcock, Harry R.:

Polymerization of cyclic phosphazenes, 673

Amick, R., Gilbert, R. D. and Stannett, V.:

Preparation and water sorption properties of cellulose—polypropylene glycol block copolymers, 648

Ando, David J.: see Williams, Richard L. Ando, Isao: see Asakura, Tetsuo

Andruzzi, F., Ceccarelli, G. and Paci, M.: Polymerization of bicyclic ethers: 2. N.m.r. structure study of the polymer formed from 3-oxabicyclo [3,2,2] nonane, 1180

Apicella, Antonio: see:

Sarti, Giulio C. Asakura, Tetsuo and Ando, Isao:

N.m.r. study of egg yolk lecithin in aromatic solvents. Magnetic nonequivalence in the methylene protons of the fatty acyl chains, 1372

Asakura, Tetsuo and Nishioka, Atsuo:

1H and 13C n.m.r. studies of the conformational change of poly(n-butyl isocyanate), 579

Atkinson, Carole M. L., Dietz, Roy and Francis, Michael A:

Reference samples of poly(vinylalcohol) for molar mass measurement in aqueous solution, 891

Babitsky, B. D.: see: Syatowsky, A. I.

Bachus, R.: see: Koch, H.

Bailey, F. C.: see: Pochan, J. M.

Bajaj, P. and Varshney, S. K.: Morphology and mechanical properties of poly(dimethyl siloxane-bstyrene-b-dimethyl siloxane) block copolymers, 201

Bal, T. S., Cox, A., Kemp, T. J. and Pinot de Moira, P.:

Photopolymerization of 1,2-epoxypropane and 1,2-epoxybutane by arenediazonium salts: evidence for anion dependence of the extent of polymerization, 423

Bannister, D. J.: see:

Dodgson, K.

Barbucci, R., Ferruti, P., Micheloni, M., Delfini, M., Segre, A. L. and Conti, F Thermodynamic and ¹³C n.m.r. data on the protonation of polymeric bases whose repeating units behave independently towards protonation, 81

Barnes, S. R.:

Morphology of crosslinked polyethylene, 723

Barton, J. M.:

Kinetics of cure of epoxy resin system bisphenol-A diglycidylether-di (4-aminophenyl) sulphone, 604

Bauminger, E. R.: see: Heitner-Wirguin, C.

Bauwens, J.-C.:

Attempt to correlate the formation of free volume and the plastic deformation process in glassy polymers, 699

Bayer, G., Hoffmann, W. and Siesler, H. W.:

Characterization of deformation phenomena in polymers by rapid-scanning Fourier transform infra-red (FT i.r.) spectroscopy and mechanical measurements: 1. Orientation of isotactic polypropylene during uniaxial deformation, 235

Bays, J. P., Encinas, M. V. and Scaiano, J. C.:

Laser flash photolysis study of otolyl vinyl ketone—methyl vinyl ketone copolymers. Electron donor properties of the intermediate macrobiradicals, 283 Beevers, M. S., Elliott, D. A. and Williams, G.:

Dynamic Kerr-effect and dielectric relaxation studies of a poly(methylphenyl siloxane), 279

Beevers, Martin S., Elliott, David A. and Williams, Graham: Molecular motion in melt samples of

poly(propylene glycol) studied using dielectric and Kerr effect relaxation techniques, 13

Bekturov, E. A., Shajahmetov, Sh. Sh. and Kudaibergenov, S. E.: Hydrodynamic properties of poly-1, 2,5-trimethyl- and 2,5-dimethyl-4ethynilpyperidol-4 hydrochlorides in solution, 787

Benmouna, M.: see: Akcasu, A. Ziya

Berek, D.: see:

Bleha, T.

Bernier, P.: see: Lefrant, S.

Bernier, P.: see:

Rolland, M.

Bernier, P., Rolland, M., Linaya, C. and Disi, M.:

E.p.r. study of polyacetylene films, 7

Betteridge, D., Budby, M. E. A., Shoko, N. R. and Wood, D. M. G.: Thermal degradation of PTFE studied by ultraviolet photoelectron spectroscopy, 1309

Biddlestone, Frank: see: Hay, James N.

Birley, A. W., Dawkins, J. V. and Kyriacos, D.:

Unsaturated polyesters based on terephthalic acid: 3. Characterization of poly(propylene terephthalate) prepolymer by gel permeation chromatography, 632

Birtwistle, D. T., Blackley, D. C. and Jeffers, E. F.:

Periodic behaviour in continuous emulsion polymerization systems, 332

Biswas, A. B., Deshpande, D. D. and Rao, A. V.:

Radiation polymerization of methyl methacrylate in the presence of liquid crystals, 548

Biswas, Mukul and Maity, Narayan C.: Effect of metal ion exchange on the polymerization initiation activity of molecular sieves, 1344

Black, W. B.: see: Wu, W.

Blackadder, D. A.: see:

Ghavamikia, H. Blackley, D. C.: see:

Birtwistle, D. T.

Blair, Hal S., Pogue, H. Ivor and Riordan,

Photoresponsive effects in azo polymers, 1195

Blair, Hal S. and Law, Tak-Kau: Photocontractile effects in nylon-6,6 films containing β -carotene, and 4-nitro-4'-hydroxy- α -cyanostibene, 1475

Blake, Chris S.: see: Busfield, W. Ken

Bleha, T., Mlynek, J. and Berek, D.: Concentration dependence of chain dimensions and its role in gel chromatography, 798

Bleijenberg, A. C. A. M.: see: Sioerdsma, S. D.

Bloor, David: see:

Williams, Richard L.

Blundell, D. J.: see:

Dawson, P. C.

Blundell, D. J.: see: Tunnicliffe, J.

Blythe, A. R.: see: Briggs, D.

Bodor, G.: see:

Keszler, B.

Boileau, Sylvie: see:

Hemery, Patrick

Bopp, R. C.: see: Hobbs, S. Y.

Bopp, R. C.: see:

Kambour, R. P.

Bosnyak, C. P., Parsons, I. W., Hay, J. N. and Haward, R. N.:

Relations between structure and properties in bisphenol A polyester carbonates, 1448

Bower, D. I.: see:

Jarvis, D. A.

Brannon, Robert C.: see: Miller, Donald P.

Brebner, K. I., Chahal, R. S. and St-Pierre, L. E.:

Adsorption of poly(dimethyl siloxanes) from solution on silica: 1., 533

Brewis, D. M., Comyn, J., Cope, B. C. and Moloney, A. C.:

Effect of carriers on the performance of aluminium alloys joints bonded with an epoxide polyamide adhesive, 344

Brewis, D. M., Comyn, J., Cope, B. C. and Moloney, A. C .:

Further studies on the effect of carriers on the performance of aluminium alloy joints bonded with an epoxide polyamide adhesive, 1477

Brewis, D. M., Comyn, J., Shalash, R. J. A. and Tegg, J. L .: The interaction of water with some

epoxide adhesives, 357 Brewis, D. M., Comyn, J. and Tegg,

The uptake of water vapour by an epoxide formed from the diglycidyl ether of bisphenol A and di-(1amino-3-ethoxy) ether, 134

Briggs, D., Rance, D. G., Kendall, C. R. and Blythe, A. R.: Surface modification of poly(ethylene terephthalate) by electrical discharge treatment, 895

Brokman, A., Weger, M. and Marom, G.: Electrical conductivity of halogendoped stabillized polyacrylonitrile, 1114

Brostow, Witold:

Free volume in condensed phases: separation of contributions, 1410

Buckle, M., Epton, R. and Marr, G.: Synthesis and gelation properties of crosslinked polymers of 4-(N-acryloyl-L-phenylalanyl)-morpholine, 4-(O-acetyl-N-acryloyl-L-tyrosyl)morpholine and 4-(acryloyl-Ltyrosyl)-morpholine, 582

Buckley, C. P.:

Kinetic theory of polymer crystal growth applied to melt crystallization of low molecular weight poly (ethyleneoxide), 444

Bunn, A., Cudby, M. E. A. and Randall, J. C .:

13C nuclear magnetic resonance of propylene/butene copolymers — reassignment of -PB-centred tetrads, 117

Burchard, Walther and Schmidt, Manfred:

Static and dynamic structure factors calculated for flexible ring macromolecules, 745

Busfield, W. Ken and Blake, Chris, S.: Low temperature annealing of isotactic polypropylene by differential scanning calorimetry, 35

Buzina, N. A.: see: Syatowsky, A. I.

Cabassi, F.: see:

Masetti, G.

Carlini, Carlo: see:

Majumdar, Ramendra N.

Castro, J. M.: see:

Lopez-Serrano, F. Ceccarelli, G.: see:

Andruzzi, F.

Chahal, R. S.: see:

Brebner, K. I.

Chai, C. K., and McCrum, N. G.: Mechanism of physical aging in crystalline polymers, 706

Chakraborty, Khirud B. and Scott, Gerald:

Mechanisms of antioxidant action behaviour of hindered piperidines during photo-oxidation of polypropylene, 252

Challa, G.: see:

Roerdink, E.

Champion, J. V. and Liddell, P.: Polymerization of butyl methacrylate by light scattering and the formation of regions of local inhomogeneity, 1247

Chan, C. C.: see: Leung, W. P. Chen, F. C.: see:

Leung, W. P. Chen, F. C., Choy, C. L., Wong, S. P. and Young, K.:

Kinetic nature of the glass transition — II, 1139

Child, H. R.: see: Wignall, G. D.

Choy, C. L.: see:

Chen, F. C.

Choy, C. L.: see: Leung, W. P.

Choy, C. L. and Fung, S. H.: Mechanical anisotropy in oriented polychlorotrifluoroethylene, 669

Christianson, M.:
Role of ionic competition in the binding of a dye to poly(vinylimidazole), 908

Chu, C. C.:

Differential scanning calorimetric study of the crystallization kinetics of poly(glycolic acid) at high under cooling, 1480

Ciardelli, F.: see: Aglietto, M.

Cicuta, Aldo: see: Gianotti, Giuseppe

Clegg, D. W., Collyer, A. A. and Griffin, N. C.: Extrusion and injection moulding properties of glass-filled polystyrene, 1360

Cochrane, J., Harrison, G., Lamb, J. and Phillips, D. W.:
Creep, creep recovery and dynamic

mechanical measurements of a poly(propylene glycol) oligomer, 837

Collyer, A. A.: see Clegg, D. W.

Comyn, J.: see: Brewis, D. M.

Conti, F.: see: Barbucci, R.

Cope, B. C.: see: Brewis, D. M.

Costa Bizzarri, P., Della Casa, C. and Monaco, A.:

Solid-state polymerization of 4-amino-4"-carboxy-p-terphenyl, 1065

Coumans, W. Jan and Heikens, Derk: Dilatometer for use in tensile tests, 957

Coumans, W. Jan, Heikens, Derk and Sjoerdsma, S. Dirk:
Dilatometric investigation of deformation mechanisms in polystyrene—polyethylene block copolymer blends: correlation between Poisson ratio and adhesion, 103

Cowley, David R., Price, Colin and Hardy, Christopher J.:
Electron resists prepared from colloidal dispersions of poly(methyl

mechacrylate) in non-solvents, 1356

Cox, A.: see:

Bal, T. S.

Cox, Michael K.: see: Heatley, Frank

Crawford, R. J. and Paul, D.:

Pressures transmitted through polymeric powders subjected to solid phase compaction, 138

Cudby, M. E. A.: see: Betteridge, D.

Cudby, M. E. A.: see:

Bunn, A.

Cunliffe, A. V. and Pethrick, R. A.: Molecular motion in α-methylstyrene and styrene—alkane copolymers studied by ¹³C n.m.r. spectroscopy, 1025

Dalmolen, J.: see:

Sjoerdsma, S. D.

Darlington, Michael, W.: see:

Hunt, David G.

Dawkins, J. V.: see: Birley, A. W.

Dawkins, J. V.: see: Higgins, J. S.

Dawson, P. C. and Blundell, D. J.: X-ray data for poly(aryl ether ketones), 577

Davenport, J. N. and Wright, P. V.: Conformations in partly ionized poly(methacrylic acid): 1. Ionic hydrogen bonds in syndiotactic chains, 287; 2. Unperturbed dimensions of syndiotactic chains, 293

Davies, G. R., Smith, T. and Ward, I. M.: Dynamic mechanical behaviour of oriented poly(tetramethylene terephthalate) as a function of static extension, 221

Day, J. C. and Robb, I. D.:

Conformation of adsorbed poly(vinyl pyrrolidinone) studied by infra-red spectrometry, 408

De, S. K.: see: Nando, G. B.

Delfini, M.: see: Barbucci, R.

Denisova, T. T.: see:

Systowsky, A. I.

Della Casa, C.: see: Costa Bizzarri, P.

Della Fortuna, G.: see: Sorta, E.

Deshpande, D. D.: see: Biswas, A. B.

Dettenmeier, M. and Kausch, H. H.: New type of crazes in oriented polycarbonate, 1232

DeVries, K. L., Smith, R. H. and Fanconi, B. M.: Free radicals and new end groups resulting from chain scission: 1. γ -Irradiation of polyethylene, 941

D'Ilario, Lucio and Hoang-Lan,

Nguyen Thi:

6NT6 copolymers. Physicochemical study on samples precipitated from dilute solutions, 983

D'Ilario, L., Pavel, N. V. and Giglio, E.: Possible models for the polyethylene hexagonal phase, 973

Diamant, Y. and Folman, M.: Influence of dewetting on the damping properties of a filled polymer system: 2. Damping properties, 1079

Dietz, Roy: see:

Atkinson, Carole M. L.

DiMarzio, E. A. and Guttman, C. M.: Three statistical mechanical arguments that favour chain folding in polymer systems of lamellar morphology, 733

DiMarzio, Edmund A., Guttman, Charles M. and Hoffman, John D.: Study of amorphous—crystal interfaces in polymers using the wicket model: estimate of bounds on degree of adjacent reentry, 1379

Dima, Mihai: see: Percec, Simona

Dincer, S.: see: Gunduz, S.

Disi, M.: see: Bernier, P.

Dodgson, K., Bannister, D. J. and Semlyen, J. A.: Studies of cyclic and linear poly (dimethyl siloxanes). 4. Bulk viscosities, 663

Doi, Yoshiharu, Ueki, Satsohi and Keii, Tominaga:
Chain transfer induced by molecular hydrogen in the 'living' polymerization of propene with soluble V(acac)₃/Al(C₂H₅)₂Cl, 1352

Dondos, Anastasios: see: Staikos, George

Doskocilova, D., Schneider, B. and Jakes, J.:
Dynamic structure of swollen cross-

linked poly(ethylene oxide) gels from n.m.r. lineshape analysis and magic angle rotation n.m.r., 1185

Duke, C. B.: see: Thomas, H. R.

Dunbar, John H., North, Alastair M., Pethrick, Richard A. and Teik, Poh Beng:

Ultrasonic relaxation in dilute polystyrene solutions: 1. Normal mode and conformational processes, 764

Dunn, A. S.: see:

Al-Shahib, W. A.-G.

Dusek, K. and Spevacek, J.:
Cycilization in vinyl—divinyl copolymerization, 750

Dworak, Andrzej and Jedlinski, Zbigniew: Investigation of the structure of poly(p-chlorophenyl glycidyl ether) by the ¹³C n.m.r. technique tacticity and addition isomerism; 93

Dworak, Andrzej and Jedlinski, Zbigniew:

Irregular sequence distribution statistics in poly(*p*-chlorophenyl glycidyl ethers), 1102

Eastmond, G. C., Nguyen-Huu, C. and Piret, W. H.:

Graft polymerization from glass surfaces, 598

Eby, R. K.: see: Weeks, J. J.

Edwards, C. J. C., Stepto, R. F. T. and Semlyen, J. A.:

Studies of cyclic and linear poly (dimethyl siloxanes): 5. Diffusion behaviour in dilute solution, 781

Edwards, John H. and Feast, W. James: A new synthesis of poly(acetylene), 595

Eisenbach, Claus D.:

Isomerization of aromatic azo chromophores in poly(ethyl acrylate) networks and photomechanical effect. 1175

El-Borai, Mohamed: see:

Akelah, Ahmed

Elliott, D. A.: see:

Beevers, M. S.

Elliott, David A.: see:

Beevers, Martin S.

Encinas, M. V.: see:

Bays, J. P.

Epton, R.: see:

Buckle, M.

Epton, R., Goddard, P. and Ivin, K. J.: Gel phase ¹³C n.m.r. spectroscopy as an analytical method in solid (gel) phase peptide synthesis, 1367

Epton, R., Hocart, S. J. and Marr, G.: A poly(acryloylmorpholine)-based bead matrix of improved versatility for solid (gel) phase peptide synthesis, 481

Fakirov, S.:

Effect of chain composition of PET on small-angle X-ray scattering, 373

Fanconi, B. M.: see:

DeVries, K. L.

Farmer, B. L.: see:

Patel, A. K.

Farrell, C. J., Keller, A., Miles, M. J. and Pope, D. P.:

Conformational relaxation time in polymer solutions by elongational flow experiments: 1. Determination of extensional relaxation time and its MW dependence, 1292

Feast, W. James: see:

Edwards, John H.

Fedors, R. F.:

Cracking in a glassy epoxy resin induced by water absorption, 713

Fedors, R. F.:

Osmotic effects in water adsorption by polymers, 207

Fedors, R. F.:

Water-treeing as an osmotic phenomenon, 863

Ferruti, P.: see:

Barbucci, R.

Fielding, Ross:

Determination of small (<30 seconds) diffusional time lags in permeation experiments, 140

Folkes, M. J. and Russell, D. A. M.: Orientation effects during the flow of short-fibre reinforced thermoplastics, 1252

Folman, M.: see:

Diamant, Y.

Fouassier, Jean-Pierre: see:

Merlin, Andre

Francheschini, A. and Momo, A.:
Time-stress supersition in some creep experiments, 725

Francis, Michael A.: see: Atkinson, Carole M. L.

François, J.: see:

Schwartz, T.

Frere, Y.: see: Gramain, Ph.

Fridman, Israel D. and Thomas, Edwin

Morphology of crystalline polyurethane hard segment domains and spherulites, 388

Fridman, Israel D., Thomas, Edwin L., Lee, Ly James and Macosko, Christopher W.:

Morphological characterization of reaction injection moulded (*RIM*) polyester-based polyurethanes, 393

Friedrich, C., Noel, C., Ramasseul, R. and Rassat, A.:

Preparation and characterization of spin-labelled polystyrene, 232

Fujimoto, Motohiro: see: Uragami, Tadashi

Fujino, Y.: see:

Ochiai, H.

Fung, S. H.: see:

Choy, C. L.

Geissler, E.: see: Hecht, A. M.

Ghatage, N. D. and Khune, G. D.: Symmetry and stability of polypyromellitimides, 1052

Ghavamikia, H. and Blackadder, D. A.: Dissolution of poly(ethersulphone) in dichloromethane, 659 Ghavamikia, H. and Blackadder, D. A.: Solvent sorption and swelling in poly(ethersulphone), 901

Gianni, P.: see:

Aglietto, M.

Gianotti, Giuseppi: see: Romanini, Daniele

Gianotti, Giuseppe, Cicuta, Aldo and Romanini, Daniele: Long chain branching in low density polyethylene: 1. Molecular structure,

Gibson, H. W.: see:

Pochan, J. M.

Giglio, E.: see:

1087

D'Ilario, L.

Gilbert, M.: see: Vyvoda, J. C.

Gilbert, R. D.: see:

Amick, R. Gilchrist, S. C.: see:

Tidswell, B. M. Goddard, P.: see:

Epton, R.

Graessley, William W.:

Polymer chain dimensions and the dependence of viscoelastic properties on concentration molecular weight and solvent power, 258

Gramain, Ph. and Frere, Y.:
Water-soluble poly(diazacrownethers): evidence for a polymer—sandwich complex with barium, 921

Gramain, Ph, Kleiber, M. and Frere, Y.: Synthesis and ion binding properties of polyesters and polyamides with diazacrown-ethers, 915

Grapengeter, H.-H., Kosfeld, R. and Offergeld, H. W.: Influences of paramagnetic impurities on the proton spin—lattice relaxation time T_1 of siloxane polymer, 829

Griffin, N. C.: see:

Clegg, D. W.

Grubb, D. T.: see:

Ungar, G.

Guenet, Jean-Michel:

Some comments on chain dimensions in the semicrystallized state, 1385

Gunduz, S. and Dincer, S.:
Solubility behaviour of polystyrene:
thermodynamic studies using gas

chromatography, 1041 Gupta, Santosh K.: see:

Kumar, Anil

Gussoni, Mariangela: see:

Zerbi, Giuseppe Guttman, C. M.: see:

DiMarzio, E. A.

Guttman, Charles M.: see: DiMarzio, Edmund A.

Hadziioannou, G. and Skoulios, A.: Temperature dependence of the

lamellar structure of a styreneisoprene two-block copolymer, 845 Han, Charles C.: see: Akcasu, A. Ziya Hardy, Christopher J.: see: Cowley, David R. Harrison, G.: see: Cochrane, J. Hartmann, Bruce: see: Warfield, R. W. Hashimoto, Takeji: see: Kyu, Thein Haward, R. N.: see: Ahmed, M. S. Haward, R. N.: see: Bosnyak, C. P. Haward, Robert N.: see: Shah, Ashok C. Hay, J. N.: see: Ahmed, M. S. Hay, J. N.: see: Bosnyak, C. P. Hay, James N., Biddlestone, Frank and Walker, Neil: Crystallinity in poly(vinyl chloride), Heatley, Frank and Cox, Michael K.: A ¹H nuclear magnetic relaxation study of the mechanism and solvent dependence of the motion of predominantly syndiotactic poly(methyl methacrylate) in dilute solution, 381 Hecht, A. M. and Geissler, E.: Pressure-induced deswelling of gels, 1358 Heeger, A. J.: see: Thomas, H. R. Heikens, D.: see: Sjoerdsma, S. D. Heikens, Derk: see: Coumans, W. Jan Heitner-Wirguin, C., Bauminger, E. R., Levy, A., Labensky de Kanter, F. and Ofer, S.: Clustering of ions in cation exchange membranes: a Mossbauer study, 1327 Hemery, Partick, Warzelhan, Volker and Boileau, Sylvie: Kinetics of ring opening of propylene sulphide: 1. Alkali metal and

cryptated alkali metal carbazyl salts, 77 Hemsley, D. A.: see: Vyvoda, J. C. Hendricker, David G.: see: Valera, Nestor S. Higgins, J. S., Dawkins, J. V. and Taylor, G.: Non-aqueous polymer dispersions: dimensions of adsorbed AB block copolymers of polystyrene and poly(dimethyl siloxane) by smallangle neutron scattering, 627 Hindeleh, A. M. and Johnson, D. J.: An empirical estimation of Scherrer parameters for the evaluation of true

crystallite size in fibrous polymers, 929

Hlavacek, B.: see: Kabir, C. S. Hlouskova, Z.: see:

Szocs, F.

Hoang-Lan, Nguyen Thi: see: D'Ilario, Lucio

Hobbs, S. Y. and Bopp, R. C.: Fracture toughness of poly(butylene terephthalate), 559

Hocart, S. J.: see: Epton, R.

Hoffman, John D.: see: DiMarzio, Edmund A.

Hoffmann, W.: see:

Bayer, G.

Hooshmand-Mozaffar, F., Hoseinalizadeh-Khorasani, M. K. and Huglin, Malcolm B.: Unperturbed dimensions of poly (phenyl acrylate), 413

Hoseinalizadeh-Khorasani, M. K.: see: Hooshmand-Mozaffar, F.

Houben, Julien L.: see: Majumdar, Ramendra N.

Hourston, D. J. and Hughes, I. D.: Binary and ternary blends for poly (vinyl chloride), segmented poly (ether ester) and chlorosulphonated polyethylene, 469

Huczkowski, P.: see:

Kapko, J.

Hudd, A. L.: see: Price, C.

Hughes, I. D.: see: Hourston, D. J.

Huglin, Malcolm B.: see: Hooshmand-Mozaffar, F.

Huglin, Malcolm B. and Sokro, Maimmunah B.:

Characterization of oligo-poly(dimethylsiloxanes) and their solutions in toluene, 651

Hunt, David G.:

Prediction of sorption of water vapour by nylon-6,6, 495

Hunt, David G. and Darlington, Michael W .:

Creep of nylon-6,6 during concurrent moisture changes, 502

Hursthouse, Michael B.: see: Williams, Richard L.

Hutchinson, I. J.: see:

Jarvis, D. A.

Hutchinson, I. J., Ward, I. W., Willis, H. A. and Zichy, Veronica: Infra-red measurements on one-way drawn poly(ethylene terephthalate) films subjected to constant strain, 55

Imada, S.: see: Matsushige, K. Inagaki, Hiroshi: see: Min, Tae Ik

Ishizuka, Osamu and Koyama, Kiyohito Elongational viscosity at a constant elongational strain rate of polypropylene melt, 164

Ishizuka, Osamu; Koyama, Kiyohito and Nokubo, Haruo: Elongational viscosity in an isothermal melt spinning of polypropylene,

Ivin, K. J.: see: Epton, R.

Ivin, K. J., Lapienis, G. and Rooney, J. J.:

Double-bond-shift reactions in polymers made by ring-opening polymerization of cycloalkenes initiated by metathesis catalysts, 367

Ivin, Kenneth J., Lapienis, Grzegorz and Rooney, John J.: ¹³C n.m.r. spectra of polymers made by ring-opening polymerization of (±) and (+)-exo-5-methylbicyclo [2.2.1] hept-2-ene using methathesis catalysts, 436

Jakes, J.: see: Doskocilova, D.

Jakubowski, James J. and Subramanian, R. V.:

Electroinitiated polymerization of aziridines, 230

Jarvis, D. A., Hutchinson, I. J., Bower, D. I. and Ward, I. M.: Characterization of biaxial orientation in poly(ethylene terephthalate) by means of refractive index measurements and Raman and infra-red spectroscopies, 41

Jedlinski, Zbigniew: see:

Dworak, Andrzej Jeffers, E. F.: see:

Birtwistle, D. T.

Joanny, Jean François: Gel formation in ionomers, 71

Joanny, J. F. and Pincus, P.: Electrolyte and polyelectrolyte solutions: limitations of scaling laws, osmotic compressibility and thermoelectric power, 274

Johnson, D. J.: see: Hindeleh, A. M.

Jones, Richard G. and Karimian, Reza: Photoinitiated polymerization of N-vinyl carbazole in the presence of azobisisobutyronitrile, 832

Joyce, Desmond E. and Kurucsev, Thomas: Hydrophobic polyelectrolytes and polysoaps. Ionization of weakly basic groups and conformation in aqueous solution of some derivatives

of poly(4-vinyl pyridine), 1457

Kabir, C. S., Stanislav, J. F., Hlavacek, B. and Schreiber, H. P.:
Effectiveness of polymer floods in oil recovery, 564
Kalb, B. and Pennings, A. J.:
General crystallization behaviour of poly(L-lactic acid), 607
Kalb, B. and Pennings, A. J.:
Hot drawing of porous high molecular weight polyethylene, 3

Kambe, Yuko: Thermal behaviour of poly(ethylene oxide) revealed by differential scan-

ning calorimetry, 352
Kambour, R. P., Bopp, R. C., Maconnachie, A. and MacKnight, W. J.:
Calorimetric and neutron scattering studies of mixtures of polystyrene with poly(2,6-dimethyl-1,4-phenylene oxide) and its brominated derivates. 133

Kapko, J. and Huczkowski, P.:Degradation of ethylene glycol:2. Mathematical model of degradation, 86

Karasz, F. E.: see: Alexandrovich, P. S.

Karimian, Reza: see: Jones, Richard G.

Kartowardyo, Sumarno: Correlation between *PRI* tensile strength retention of natural rubber after Geer-oven aging, 1217

Kashiwabara, H.: see: Kitahara, T.

Kashiwabara, H.: see: Shimada, S.

Kausch, H. H.: see: Dettenmeier, M.

Kawaguchi, Haruma: see: Ohtsuka, Yasuji

Kawai, Hiromichi: see:

Kyu, Thein Kee Ong, C.: see:

Thomson, Toss A. M. Keii, Tominaga: see:

Doi, Yoshiharu Keller, A.: see: Farrell, C. J.

Keller, A.: see:

Miles, M. J.

Keller, A.: see: Spells, S. J.

Keller, A.: see: Ungar, G.

Kemp, T. J.: see: Bal, T. S.

Kendall, C. R.: see: Briggs, D.

Keskkula, H.: see: Turley, S. G.

Keszler, B., Bodor, G. and Simon, A.: Studies on highly active coordination catalysts for polymerization of α-olefins: 1. X-ray diffractomeric investigations of the catalyst supports, 1037 Khokhlov, A. R.:

Swelling and collapse of polymer networks, 376

Khune, G. D.: see: Ghatage, N. D.

Kimmich, R.: see:

Koch, H.

Kimmich, R.: see:

Voight, G.

Kitahara, T.: see: Shimada, S.

Kitahara, T., Shimada, S. and Kashiwabara, H.:

Comparison of local molecular motions at the chain ends and inside the polymer chain by use of the spin trapping method, 1299

Kleiber, M.: see: Gramain, Ph.

Koch, H., Bachus, R. and Kimmich, R.: Molecular fluctuations in polyethylene melts. Dependence of the longitudinal and transverse proton relaxation on the chain length, 1009

Kokufuta, Etsuo:

Electrophoretic and viscometric properties of poly(dicarboxylic acids), 177

Kopolow, Stephen L.: see: Shah, Shailesh C.

Kosfeld, R.: see: Grapengeter, H.-H.

Kothandaraman, H.: see: Kumar, C. T. Vijaya

Kowal, Joanna: see: Nowakowska, Maria

Koyama, Kiyohito: see: Ishizuka, Osamu

Kruger, J. K., Peetz, L., Wildner, W. and Pietralla, M.:

Evidence for structural transformations in polymer melts, 620

Kubisa, P., Neeld, K., Starr, J. and Vogl, O.:Polymerization of higher aldehydes, 1433

Kubisa, P. and Vogl, O.: Haloaldehyde polymers: 20. Thermodynamics of polymerization, 525

Kudaibergenov, S. E.: see: Bekturov, E. A.

Kulshreshtha, A. K.: see: Kumar, Anil

Kumar, Anil, Gupta, Santosh, K. and Saraf, R.:

Condensation polymerization of ARB type monomers in CSTRs wherein the monomer is R times more reactive than other homologues, 1323

Kumar, Anil; Kulshreshtha, A. K. and Gupta, Santosh K.: Modelling of phenol—formaldehyde polymerization reaction, 317 Kumar, C. T. Vijaya and Kothandaraman, H.:
Studies of the thermal properties of

Studies of the thermal properties of poly(2,3-dibromo-but-2-ene-1,4-diol adipate), 668

Kuran, Witold: see:

Rokicki, Gabriel

Kurucsev, Tomas: see: Joyce, Desmond E.

Kyriacos, D.: see: Birley, A. W.

Kyu, Thein; Yasuda, Naoshi; Suehiro, Shoji; Hashimoto, Takeji and Kawai, Hiromichi:

Rheo-optical studies on the deformation mechanism of semicrystalline polymers: 9. Dynamic birefringence behaviour of a high density polyethylene film having row nucleated crystalline texture of *c*-axis orientation, 1205

Labensky de Kanter, F.: see: Heitner-Wirguin, C.

Lamb, J.: see: Cochrane, J.

Lapienis, G.: see: Ivin, K. J.

Lapienis, Grzegorz: see: Ivin, Kenneth J.

Law, Tak-kau: see: Blair, Hal S.

Lee, Ly James: see: Fridman, Israel D.

Lefrant, S.: see: Rolland, M.

Lefrant, S., Rzepka, E., Bernier, P., Rolland, M. and Aldisi, M.: Raman study of oxygen induced isomerization of (CH)_x films, 1235

Lemstra, Piet J.: see: Smith, Paul

Lenk, R. S.:

An unsupported water soluble and heat sealable film from predominantly nonfossil raw materials, 371

Leung, W. P., Chan, C. C., Chen, F. C. and Choy, C. L.:
Mechanical relaxations and moduli

Mechanical relaxations and moduli of oriented semicrystalline polymers, 1148

Levy, A.: see:

Heitner-Wirguin, C.

Li-Aravena, F.: see: Wignall, G. D.

Liddell, P.: see:

Champion, J. V.

Linaya, C.: see: Bernier, P.

Linden, Charles Vander:

Elution and molecular weight parameters in exclusion chromatography, 171

Lindsay, S. M.: see: Adshead, Alan Lopez-Serrano, F., Castro, J. M., Macosko, C. W. and Tirrell, M.: Recursive approach to copolymerization statistics, 263 Lovell, Richard: see: Mitchell, Geoffrey R. Lovell, Richard: see: Pick, Martin Lovinger, Andrew J.: Crystalline transformations in spherulites of poly(vinylidene fluoride), 1317 Lutfar, Lafita Binte: see: Mannan, Kh. M. Maconnachie, A.: see: Kambour, R. P. Macosko, Christopher W.: see: Fridman, Israel D. Macosko, C. W.: see: Lopez-Serrano, F. Maity, Narayan C.: see: Biswas, Mukul Majumdar, Ramendra N., Carlini, Carlo, Rosato, Nicola and Houben, Julien L.: Chiroptical and fluorescence properties of copolymers of (-)-methyl acrylate and (-)-methyl methacrylate with 1-vinylnaphthalene, 941 Maloney, A. C.: see: Brewis, D. M. Mannan, Kh. M. and Lutfar, Lafita Binte: Effects of grafted methyl methacrylate on the microstructure of jute fibres, 777 Manuel, A. J.: see: Pranadi, H. Marom, G.: see: Brokman, A. Marr, G.: see: Buckle, M. Marr, G.: see: Epton, R. Masetti, G., Cabassi, F. and Zerbi, G.: Vibrational spectrum of syndiotactic polypropylene. Raman tacticity bands and local structures of isoand syndiotactic polypropylenes, 143 Matsushige, K., Nagata, K., Imada, S. and Takemura, T.: The I-II crystal transformation of poly(vinylidene fluoride) under tensile and compressional stresses, 1391 Mazurek, Miecheslaw; North, Alastair M. and Pethrick, Richard A .: Synthesis of novel siloxane block copolymers for use in photophysical studies, 369 McCrum, N. G.: see: Chai, C. K. MacDiarmid, A. G.: see: Thomas, H. R. MacKenzie, W. M. and Sherrington,

D. C.:

Mechanism of solid-liquid phase transfer catalysis by polymer-supported linear polyethers, 791 MacKnight, W. J.: see: Alexandrovich, P. S. MacKnight, W. J.: see: Mitchell, Geoffrey R., Lovell, Richard Kambour, R. P. McGarraugh, Geoffrey: see: Wright, Victoria McGrath, J. C. and Ward, I. M.: High effective draw as a route to Mitra, G. B. and Mukerjee, P. S.: increased stiffness and electrical response in poly(vinylidene fluoride), 855 McKenna, G. B. and Penn, R. W.: Time-dependent failure in poly Mizutani. Yukio: see: (methyl methacrylate) and polyethylene, 213 Mlynek, J.: see: McKeown, J. G.: see: Walsh, D. J. Moloney, A. C.: see: Merlin, Andre and Fouassier, Jean-Pierre: Momo, A.: see: Benzoin derivatives as photo-initiators for vinyl polymerization in Monaco, A.: see: micellar systems, 1363 Micheloni, M.: see: Monobe, Kazuo: see: Barbucci, R. Mihailov, M., Nedkov, E. and Terle-Montani, E.: see: mezyan, L.: Morphology of nascent polyoxy-Moseley, M. E.: methylene obtained by polymerization of trioxane in nitrobenzene solution, 66 Miles, M. J.: see: Farrell, C. J. Miles, M. J. and Keller, A .: Conformational relaxation time in polymer solutions by elongational flow experiments: 2. Preliminaries of further developments: chain retraction; identification of molecular weight fractions in a mixture, 1295 Millaud, Bernard; Strazielle, Claude and Weill, Gilbert: Characterization of polyazomethines in dilute solution. Correlation between the light scattering parameters and the u.v.-visible absorption spectrum, 639 Miller, A. A.: Molecular model for mobilities of copolymer liquids, 360 Miller, Donald P. and Brannon, Robert C.: Structure of potassium bromide-

amylose determined by accurate

New aspects of graft copolymerization of styrene onto cellulose in-

Natatsukasa, Michio and Mizutani,

X-ray diffraction intensities,

Min, Tae Ik and Inagaki, Hiroshi:

duced by gamma rays, 309

Mitani, Katsuo; Ogata, Takayuki;

Minakata, Akira: see:

Shimizu, Toshio

483

Yasukawa, Tamio Myasnikova, R. M., Titova, E. F. and Obolonkova, E. S.: Study of 2:1 poly(ethylene oxide)resorcinol molecular complex, 403 Nagata, K.: see: Matsushige, K. Nakatsukasa, Michio: see: Mitani, Katsuo Nando, G. B. and De, S. K.: Network changes in natural rubber vulcanizate subjected to different physical tests, 10 Narkis, M.: see: Rosenzweig, N. Natansohn, Almeria: see: Percec, Simona Natansohn, A.: see: Simionescu, C. I. Navratil, M.: see: Sedlar, J. Nedkov, E.: see: Mihailov, M.

Yukio:

solvents, 1463

mers, 990

Mitani, Katsuo

Brewis, D. M.

Francheschini, A.

Costa Bizzarri, P.

Yokayama, Fumiyoshi

Self diffusion of short chain poly-

styrenes in deuterochloroform solu-

Bleha, T.

Vitali, R.

tion, 1479

Mitra, G. B.

Murakami, I.: see:

Ochiai, H.

Mukherjee, P. S.: see:

Murakami, Kenkichi: see:

Murakami, Kenkichi: see:

Tamura, Saburo

and Windle, Alan H .:

Thermal stabilization of poly(vinyl

chloride) treated with organoalu-

minium compounds: 2. Effect of

Interpretation of radial distribution

functions for non-crystalline poly-

X-ray diffraction study of fibrous

terizing fibrous polymers, 1403

polymers. 1. Degree of paracrystal-

linity - a new parameter for charac-

Neeld, K.: see: Kubisa, P. Nguven-Huu, C.: see: Eastmond, G. C. Nishioka, Atsuo: see: Asakura, Tetsuo Noel, C.: see: Friedrich, C. Noguchi, Hiromichi; Sugawara, Makoto and Uchida, Yasuzo: Triphase catalysis of a nucleophilic substitution reaction by crosslinked polycations prepared from 4-vinyl pyridine and α,ω -dibromoalkanes, 861 Nokubo, Haruo: see: Ishizuka, Osamu North, Alastair M.: see: Dunbar, John H. North, Alastair M.: see: Mazurek, Miecheslaw North, Alastair M., Pethrick, Richard A. and Teik, Poh Beng: Ultrasonic relaxation studies of poly (isobutylene) in m-xylene, 772 North, Alastair M., Pethrick, Richard A. and Teik, Poh Beng: Ultrasonic studies of dilute polystyrene solutions: 2. The kilohertz frequency region, 769 Northolt, M. G.: Tensile deformation of poly(pphenylene terephthalamide) fibres, an experimental and theoretical analysis, 1199 Nowakowska, Maria and Kowal, Joanna: Effect of dicumyl peroxide on photooxidation of polystyrene films: 2., 545 Nystrom, B. and Roots, J.: Effect of branching on the sedimentation behaviour in moderately concentrated polystyrene solutions, 183 Obolonkova, E. S.: see: Myasnikova, R. M. Ochiai, H., Fujino, Y., Tadokoro, Y. and Murakami, I.: Binding of borax to poly(vinyl alcohol) in aqueous solution, 485 Odell, J. A.: see: Sadler, D. M. Ofer, S.: see: Heitner-Wirguin, C. Offergeld, H. W.: see: Grapengeter, H.-H. Ogata, Takayuki: see: Mitani, Katsuo Ohde, Yoshihito: see: Okamoto, Hiroshi Ohtsuka, Yasuji; Kawaguchi, Haruma and Watanabe, Shuichi: Preparation and characterization of cationic copolymer latex: 1. Emulsion copolymerization of styrene

Phillips, D. W.: see: with 4-vinyl pyridine in the presence of nonionic emulsifier, 1073 Okamoto, Hiroshi and Ohde, Yoshihito: An approach to the mechanism of environmental stress cracking by theoretical kinetics, 859 Onishi, Yasuhiko: Effects of dextran molecular weight 1017 on graft copolymerization of dextran-methyl methacrylate, 819 Osada, Yoshihito and Sato, Michihiko: Conversion of chemical into mechanical energy by contractile polymers performed by complexation, 1057 Pac, J.: see: Sedlar, J. Paci. M.: see: Andruzzi, F. Parsons, I. W.: see: Ahmed, M. S. Parsons, I. W.: see: Bosnyak, C. P. Parsons, Ian W.: see: Shah, Ashok C. Pasika, Wallace M.: see: Tsonis, Christos P. Patel, A. K. and Farmer, B. L.: Energetics analysis of polyethylene crystallization: single crystal growth surfaces, 153 Paul, D.: see: Crawford, R. J. Pavel, N. V.: see: D'Ilario, L. Peetz, L.: see: Kruger, J. K. Peiffer, Dennis G.: Intramolecular mobility and its role in the glass transition temperature of ionic polymers, 1135 Penn, R. W.: see: McKenna, G. B. Pennings, A. J.: see: Kalb, B. Percec, Simona; Natansohn, Almeria; Popescu, Florin and Dima, Mihai:

of ionic polymers, 1135
Penn, R. W.: see:
 McKenna, G. B.
Pennings, A. J.: see:
 Kalb, B.
Percec, Simona; Natansohn, Almeria;
 Popescu, Florin and Dima, Mihai:
 Kinetic data on the polycondensation of tetrachlorobisphenol A with bis(2,3-dichloropropyl) phosphorochloridite, 89
Percec, V.: see:
 Simionescu, C. I.
Pethrick, R. A.: see:
 Cunliffe, A. V.
Pethrick, Richard A.: see:

Dunbar, John H.

Pethrick, Richard A.: see:
 Mazurek, Miecheslaw

Pethrick, Richard A.: see:
 North, Alastair M.

Petruj, J.: see:
 Sedlar, J.

Rabek, J. F.

Rance, D. G.: see

Briggs, D.

Randall, J. C.: se

Randall, J. C.: se

Bunn A.

Rao, A. V.: see:
Biswas, A. B.

Cochrane, J. Phillips, Roger: see: Wright, Victoria Pick, Martin; Lovell, Richard and Windle, Alan H.: X-ray measurement of chain orientation in non-crystalline polymers, Pietralla, M.: see: Kruger, J. K. Pillai, P. K. C.: see: Sharma, R. Pincus, P.: see: Joanny, J. F. Pinot de Moira, P.: see: Bal, T. S. Piret, W. H.: see: Eastmond, G. C. Plummer, E. W.: see: Thomas, H. R. Pochan, D. F.: see: Pochan, J. M. Pochan, J. M., Gibson, H. W., Bailey, F. C. and Pochan, D. F .: Oxygen doping of polyacetylene determined by dielectric techniques, Pogue, H. Ivor: see: Blair, Hal S. Pope, D. P.: see: Farrell, C. J. Popescu, Florin: see: Percec, Simona Poser, C. I.: see: Weeks, J. J. Pranadi, H. and Manuel, A. J.: Application of wide line nuclear magnetic resonance to the determination of the crystallinities of isotropic polyethylenes, 303 Price, C., Hudd, A. L., Stubbersfield, R. B. and Wright, B.: A study of micelle formation by a polystyrene-poly(ethylene/propylene) block copolymer in a base lubricating oil, 9

polystyrene—poly(ethylene/propylene) block copolymer in a base lubricating oil, 9
Price, Colin: see:
Cowley, David R.

Rabek, J. F., Skowronski, T. A. and Ranby, B.:

Studies on the photodegradation of poly(vinyl chloride) accelerated by α-hydroperoxytetrahydrofuran, 226 Ramasseul, R.: see: Friedrich, C. Ranby, B.: see: Rabek, J. F. Rance, D. G.: see: Briggs, D. Randall, J. C.: see: Bunn A. Rao, A. V.: see: Biswas, A. B.

Rassat, A.: see: Rzepka, E.: see: Friedrich, C. Lefrant, S. lates, 825 Richards, Randal W.: A corresponding states interpretation of the temperature dependence of the intrinsic viscosity of polystyrene Sacher, E.: in isopropyl acetate, 715 Correlation of impact strength and Riordan, J. Eric: see: rubber phase volume fraction in im-Blair, Hal S. pact polystyrene, 1234 Rizzo, G.: see: Sadler, D. M.: see: Titomanlio, G. Spells, S. J. Robb, I. D.: see: Sadler, D. M. and Odell, J. A .: Brewis, D. M. Day, J. C. Chain extension from neutron scatt-Roerdink, E. and Challa, G.: ering in high modulus oriented poly-Computerized infra-red study of the ethylene, 479 interaction of poly(vinylidene fluo-Salaneck, W. R.: see: electrets, 925 ride) with stereoregular poly(methyl Thomas, H. R. methacrylate), 509 Sanchez, I. C.: see: Roerdink, E. and Challa, G.: Weeks, J. J. Shimada, S.: see: LCST behaviour in blends of poly Sandilands, G. J. and White, J. R.: Kitahara, T. (vinylidene fluoride) and isotactic Effect of injection pressure and crazpoly(ethyl methacrylate), 1161 ing on internal stresses in injectionwabara, H.: Rokicki, Gabriel, and Kuran, Witold: moulded polystyrene, 338 Investigation of the elementary re-Saraf, R.: see: actions in the synthesis of poly Kumar, Anil (hydroxyethers) in dipolar, aprotic Sarti, Giulio C. and Apicella, Antonio: wabara, H.: solvents, 1069 Non-equilibrium glassy properties Rolland, M.: see: and their relevance in Case II trans-Bernier, P. port kinetics, 1031 Sato, Michihiko: see: Rolland, M.: see: ments, 1116 Lefrant, S. Osada, Yoshihito Rolland, M., Bernier, P., Lefrant, S. and Savadori, Aurelio: see: Aldisi, M.: Romanini, Daniele Conductivity measurements during Scaiano, J. C.: see: the cis-trans isomerization of (CH)_x Bays, J. P. films, 1111 Scaiano, J. C.: see: Romanini, Daniele: see: Selwyn, J. C. Gianotti, Giuseppe Schmidt, Manfred: see: Romanini, Daniele; Savadori, Aurelio Burchard, Walther Betteridge, D. and Gianotti, Giuseppi: Schneider, B.: see: Long chain branching in low density Doskocilova, D. polyethylene: 2. Rheological beha-Schreiber, H. P.: see: viour of the whole polymer, 1092 Kabir, C. S. phase, 521 Rooney, J. J.: see: Schwartz, T., Francois, J. and Weill, G.: Ivin, K. J. Dynamic dimensions in polyacryl-Bayer, G. Rooney, John J.: see: amide-water systems, 247 Sillescu, H.: see: Ivin, Kenneth J. Scott, Gerald: see: Rosenke, K. Roots, J.: see: Chakraborty, Khirud B. Nystrom, B. Sedlar, J., Petruj, J., Pac, J. and Rosato, Nicola: see: Navratil, M.: Majumdar, Ramendra N. Polymer photostabilization of HALS Rosenke, K., Sillescu, H. and Spiess, derivatives: the role of piperidine-H. W .: hydroperoxide association, 5 Chain motion in amorphous regions Segre, A. L.: see: Simon, A.: see: of polyethylene: interpretation of Barbucci, R. Keszler, B. deuteron n.m.r. line shapes, 757 Selwyn, J. C. and Scaiano, J. C.: Rosenzweig, N. and Narkis, M.: Laser flash photolysis characteriza-Wu, W. Coalescence phenomenology of

tion of the triplet state of poly(p-

methoxyacrylophenone), 1365

Shah, Ashok, C., Parsons, Ian W. and

Dilute gelling systems: copolymers

Semlyen, J. A.: see:

Semlyen, J. A.: see:

Edwards, C. J. C.

Haward, Robert N.:

Dodgson, K.

spherical polymer particles by sinter-

Rozycka-Roszak, Bozena: see:

ing, 988

Turska, Eligia

Ruggeri, G.: see:

Aglietto, M.

Folkes, M. J.

Russell, D. A. M.: see:

of styrene and glycol dimethacry-Shah, Shailesh C., Kopolow, Stephen L. and Smid, Johannes: Viscosity studies of crown ether containing polymers in solutions of alkali salts. Intra-versus intermolecular crown-cation complexes, 188 Shajahmetov, Sh. Sh.: see: Bekturov, E. A. Shalash, R. J. A .: see: Sharma, R., Sud, L. V. and Pillai, P. K. C Thermally stimulated discharge currents in poly(vinyl alcohol) thermo-Sherrington, D. C.: see: MacKenzie, W. M. Shimada, S., Kitahara, T. and Kashi-Relaxation processes and mobility of spin labelled polyethylene, 1304 Shimada, S., Tanigawa, T. and Kashi-Relaxation spectrometry of polyethylene in urea-polyethylene complex by BL n.m.r. and e.s.r. measure-Shimizu, Toshio; Minakata, Akira and Tomiyama, Tetsuo: The dilute solution properties of maleic anhydride and maleic acid copolymers: 1. Light scattering, osmotic pressure and viscosity measurements, 1427 Shoko, N. R.: see: Shu, H.-C. and Wunderlich, B .: Crystallization during polymerization of selenium from the vapour Siesler, H. W.: see: Simionescu, C. I., Percec, V. and Natansohn, A.: Intramolecular charge transfer complexes: 1. Poly [N-(2-hydroxyethyl) carbazolyl methacrylate-co-picryl methacrylate, 417 Simpson, P. G.: see: Sjoerdsma, S. D., Dalmolen, J., Bleijenberg, S. C. A. M. and Heikens, D.: Dynamic mechanical properties of polystyrene/low density polyethylene blends, 1469 Sjoerdsma, S. Dirk: see: Coumans, W. Jan

Skoulios, A.: see:

Hadziioannou, G.

Skowronski, T. A.: see: Rabek, J. F. Smid, Johannes: see: Shah, Shailesh C. Smid, Johannes: see: Wong, Lok-hei Smith, Paul and Lemstra, Piet J.: Ultra-high strength polyethylene filaments by solution spinning/ drawing: 3. Influence of drawing temperature, 1341 Smith, R. H.: see: DeVries, K. L. Smith, T.: see: Davies, G. R. Sokro, Maimunah, B.: see: Huglin, Malcolm B. Sorta, E. and Della Fortuna G.: Poly(ester amide)—polyether block copolymers: preparation and some physicochemical properties, 728 Spells, S. J., Sadler, D. M. and Keller, A.: Chain trajectory in solution grown polyethylene crystals: correlation between infra-red spectroscopy and small-angle neutron scattering, 1121 Spevacek, J.: see: Dusek, K. Spiess, H. W.: see: Rosenke, K. St-Pierre, L. E.: see: Brebner, K. I. Staikos, George, and Dondos, Anastasios: Linear representation of viscosity data as a function of molecular weight: 2. Extension in the domain of high expansion coefficients, 355 Stanislav, J. F.: see: Kabir, C. S. Stannett, V.: see: Amick, R. Starr, J.: see: Kubisa, P. Stepto, R. F. T.: see: Edwards, C. J. C. Strazielle, Claude: see: Millaud, Bernard Struik, L. C. E.: The mechanical emhancement of physical aging, 962 Stubbersfield, R. B.: see: Price, C. Subramanian, R. V.: see: Jakubowski, James J. Sud, L. V.: see: Sharma, R. Suehiro, Shoji: see: Kyu, Thein

Sugawara, Makoto: see:

Sugihara, Mizuho: see:

Uragami, Tadashi

Noguchi, Hiromichi

Syatowsky, A. I., Denisova, T. T.,

Buzina, N. A. and Babitsky, B. D.:

Stereoselectivity of the ring-opening

Tirrell, M.: see:

polymerization of bicyclo [6,1,0] nonene-4, 1112 Szocs, F., Hlouskova, Z. and Tino, J.: E.s.r. study of free radicals in poly (vinyl carbazole), 1062 Tadokoro, Y .: see: Ochiai, H. Takemura. T.: see: Matsushige, K. Tamura, Saburo and Murakami, Kenkichi: Influence of oxygen content in the atmosphere on chemical stress relaxation of natural rubber vulcanizates: 1. Relaxation mechanisms of sulphur-cured systems, 1398 Tanaka, Nobuyuki: Conformational effects on the composition dependence of T_g in binary compolymers, 645 Tanaka, Ryuichi: see: Tsutsui, Tetsuo Tanigawa, T.: see: Shimada, S. Tarquini, B.: see: Aglietto, M. Taylor, G.: see: Higgins, J. S. Tegg, J. L.: see: Brewis, D. M. Teik, Poh Beng: see: Dunbar, John H. Teik, Poh Beng: see: North, Alastair M. Terlemezyan, L.: see: Mihailov, M. Thomas, Edwin L.: see: Fridman, Isreal D. Thomas, H. R., Salaneck, W. R., Duke, C. B., Plummer, E. W., Heeger, A. J. and MacDiarmid, A. G.: Photoelectron spectra of conducting polymers-molecularly doped polyacetylenes, 1238 Thomas, N. L. and Windle, A. H.: A deformation model for Case II diffusion, 613 Thomson, Ross A. M. and Kee Ong, C.: Determination of the transfer constant for copolymerization in the presence of a reactive substrate, 458 Tidswell, B. M. and Gilchrist, S. C.: Electropolymerization of butyl isocyanate: 1. Initiation, 805; 2. Polymerization kinetics, 812 Tino, J.: see: Szocs, F.

Lopez-Serrano, F.

461

Titomanlio, G. and Rizzo, G.:

Compressive large deformation visco-

elastic behaviour of a polycarbonate,

Shimizu, Toshio Tsonis, Christos P. and Pasika, Wallace Copolymerization of acrylic acid with sulphur dioxide, 253 Tsutsui, Tetsuo and Tanaka, Ryuichi: Solid cholesteric films for optical applications, 1351 Tunnicliffe, J., Blundell, D. J. and Windle, A. H.: Retraction of polypropylene tape, 1259 Turley, S. G. and Keskkula, H.: Effect of rubber-phase volume fraction in impact polystyrene on mechanical behaviour, 466 Turska, Eligia and Rozycka-Roszak, Bozena: Application of a thermochemical method for studying a low temperature polycondensation process, 1190 Uchida, Yasuzo: see: Noguchi, Hiromichi Ueki, Satsohi: see: Doi, Yoshiharu Ungar, G. and Keller, A.: Effect of radiation on the crystals of polyethylene and paraffins: 1. Formation of the hexagonal lattice and the destruction of crystallinity in polyethylene, 1273 Ungar, G.: Effect of radiation on the crystals of polyethylene and paraffins: 2. Phase separation in γ -irradiated paraffins, 1278 Ungar, G., Grubb, D. T. and Keller, A.: Effect of radiation on the structure of polyethylene and paraffins: 3. Irradiation in the electron microscope, 1284 Uragami, Tadashi; Fujimoto, Motohiro and Sugihara, Mizuho: Studies on syntheses and permeabilities of special polymer membranes: 24. Permeation characteristics of poly(vinylidene fluoride) membranes, 1047 Valera, Nestor S. and Handricker, Preparation of poly(styryl-1,8-naphthyridine) and some of its metal complexes, 597 Varshney, S. K.: see: Bajaj, P. Verheulpen-Heymans, N.:

Neck propagation in polycarbonate

and its connection with the mecha-

nism for dry craze growth

Titova, E. F.: see:

Myasnikova, R. M.

Tomiyama, Tetsuo: see:

Vitali, R. and Montani, E.: Ruthenium tetroxide as a staining agent for unsaturated and saturated polymers, 1220

Vogl, O.: see: Kubisa, P.

Voight, G. and Kimmich, R.:

Chain fluctuations in the amorphous regions of polyethylene as indicated in proton relaxation spectroscopy, 1001

Vyvoda, J. C., Gilbert, M. and Hemsley, D. A.:
Structural order in oriented PVC

Wales, James L. S.: Surface crazing in PVC and other polymers, 684

Walker, N .:

Slip band formation in polycarbonate under tension, 857

Walker, Neil: see: Hay, James N.

mouldings, 109

Walsh, D. J. and McKeown, J. G.: Compatibility of polyacrylates and polymethacrylates with poly(vinyl chloride): 1. Compatibility and temperature variation, 1330; 2. Measurement of interaction parameters, 1335

Ward, I. M.: see: Davies, G. R.

Ward, I. M.: see: Hutchinson, I. J.

Ward, I. M.: see: Jarvis, D. A.

Ward, I. M.: see: McGrath, J. C.

Warfield, R. W. and Hartmann, Bruce: Corresponding states relationship for electrical resistivity of glassy polymers, 31

Warzelhan, Volker: see: Hemery, Patrick Watanabe, Shuichi: see: Ohtsuka, Yasuji

Weeks, J. J., Sanchez, I. C., Eby, R. K. and Poser, C. I.:
Order—disorder transitions in polytetrafluorethylene, 325

Weger, M.: see:
Brokman, A.
Weill, G.: see:
Schwartz, T.
Weill, Gilbert: see:

Millaud, Bernard Wendorff, J. H.:

Correlation between microvoid properties and mechanical properties of polyoxymethylene strained beyond yield, 553

White, J. R.: see: Sandilands, G. J.

Wignall, G. D., Child, H. R. and Li-Aravena, F.: Small-angle neutron scattering studies of a compatible polymer blend, atactic polystyrene-poly (2,6-dimethyl phenylene oxide), 131

Wildner, W.: see: Kruger, J. K.

Williams, G.: see:

Beevers, M. S.

Williams, Graham: see: Beevers, Martin S.

Williams, Richard L., Ando, David J., Bloor, David and Hursthouse, Michael B.: Crystal structure of poly [1,2-bis(p-

methoxybenzenesulphonyloxymethyl)-1-buten-3-ynylene], 1269

Willis, H. A.: see: Hutchinson, I. J.

Windle, A. H.: see: Thomas, N. L.

Windle, A. H.: see:

Tunnicliffe, J.

Windle, Alan H.: see:
Mitchell, Geoffrey R.

Windle, Alan H.: see: Pick, Martin

Wong, Lok-hei and Smid, Johannes: Effect of charge on anion and cation binding to poly(vinylbenzo-18-crown-6) in water, 195

Wong, S. P.: see: Chen, F. C.

Wood, D. M. G.: see: Betteridge, D.

Wright, B.: see: Price, C.

Wright, P. V.: see: Davenport, J. N.

Wright, Victoria, McGarraugh, Geoffrey and Phillips, Roger:
A simple, rapid, microgasometric method for determination of primary aliphatic amine groups in polymers, 1167

Wu, W., Black, W. B. and Simpson, P. G. Deformation of doubly-oriented polyethylene, nylon-6,6 and poly (ethylene terephthalate), 992

Wunderlich, B.: see: Shu, H.-C.

Yasuda, Naoshi: see: Kyu, Thein

Yasukawa, Tamino, and Murakami, Kenkichi:

Chain length dependence of termination rate constant: computer experiment of effects on the kinetics of radical polymerization of styrene, 1423

Yeo, Richard S.:

Dual cohesive energy densities of perfluorosulphonic acid (Nafion) membrane, 432

Yokayama, Fumiyoshi and Monobe, Kazuo:

Molecular association complex of urea with polyethylene: 2. New preparation methods and morphological study, 968

Young, K.: see: Chen, F. C. Young, R. N.: see: Al-Harrah, M. M. F.

Zerbi, G.: see: Masetti, G.

Zerbi, Giuseppe, and Gussoni, Mariangela:

Defect modes for (200), GGTGG, tight fold re-entry in polyethylene single crystals, 1129

Zichy, Veronica: see: Hutchinson, I. J.

Zuchowska, Danuta:

Polybutadiene modified by epoxidation: 1. Effect of polybutadiene microstructure on the reactivity of double bonds, 514

Classified contents

A crylic acid

Copolymerization of acrylic acid with sulphur dioxide, 253

Adhesion

Dialometric investigation of deformation mechanisms in polystyrene—polyethylene block copolymer blends: correlation between Poisson ratio and adhesion, 103

Effect of carriers on the performance of aluminium alloy joints bonded with an epoxide—polyamide adhesive, 344

Further studies on the effect of carriers on the performance of aluminium alloy joints bonded with an epoxide polyamide adhesive, 1477

The interaction of water with some epoxide adhesives, 357

Adsorpti on

Adsorption of poly(dimethyl siloxanes) from solution on silica: 1., 533

Aldehydes

Haloaldehyde polymers: 20. Thermodynamics of polymerization, 525

Polymerization of higher aldehydes, 1433

Amines

A simple, rapid, microgasometric method for determination of primary aliphatic amine groups in polymers, 1167

4-Amino-4"-carboxy-p-terphenyl
Solid state polymerization of 4-amino4"-carboxy-p-terphenyl, 1065

Amylose

Structure of potassium bromide amylose determined by accurate X-ray diffraction intensities, 483

Antioxidant

Mechanisms of antioxidant action — behaviour of hindered piperidines during the photooxidation of polypropylene, 252

Annealing

Low temperature annealing of isotactic polypropylene by differential canning calorimetry, 35

Association behaviour

Association behaviour of poly(4-vinylbiphenyllithium) and substituted polydienyllithiums in n-hexane, 119 Aziridines

Electroinitiated polymerization of aziridines, 230

Azobisisobutyronitrile

Efficiency of initiation by azobisisobutyronitrile in the emulsion polymerization of styrene, 429

Photoinitiated polymerization of N vinyl carbazole in the presence of azobisisobutyronitrile, 832

Azo chromophores

Isomerization of aromatic azo chromophores in poly(ethyl acrylate) networks and photomechanical effects, 1175

Azo polymers

Photoresponsive effects in azo polymers, 1195

Benzoin

Benzoin derivatives as photo-initiators for vinyl polymerization in micellar systems, 1363

Bicyclo[6,1,0] nonene-4

Stereoselectivity of the ring opening polymerization of bicyclo [6.1.0] nonene 4, 1112

Bisphenol A

Kinetic data on the polycondensation of tetrachlorobisphenol A with bis(2,3-dichloropropyl) phosphorochloridite, 89

Relations between structure and properties in bisphenol A polyester carbonates, 1448

Thermal degradation of bisphenol A polycarbonate, 936

Blends

Binary and ternary blends for poly(vinyl chloride) segmented poly(ether ester) and chlorosulphonated polyethylene, 469

Borax

Binding of borax to poly(vinyl alcohol) in aqueous solution, 485

Butyl isocyanate

Electropolymerization of butyl isocyanate: 1. Initiation, 805; 2. Polymerization kinetics, 812

Butyl methacrylate

Polymerization of butyl methacrylate by light scattering and the formation of regions of local inhomogeneity, 1247

Calorimetry

Calorimetric and neutron scattering studies of mixtures of polystyrene with poly(2,6-dimethyl-1,4-phenylene oxide) and its brominated derivatives, 133

Catalysts

13C n.m.r. spectra of polymers made by ring opening polymerization of (±) and (+)-exo-5-methylbicyclo
 [2.2.1] hept-2-ene using metathesis catalysts, 436

Double bond shift reactions in polymers made by ring-opening polymerization of cycloalkenes initiated by metathesis catalysts, 367

Mechanism of solid—liquid phase transfer catalysis by polymer-supported linear polyethers, 791

Studies on highly active coordination catalysts for polymerization of α -olefins: 1. X-ray diffractometric investigations of the catalyst supports, 1037

Synthesis and catalytic activity of optically active polymers containing oxime groups, 541

Triphase catalysis of a nucleophilic substitution reaction by crosslinked polycations prepared from 4-vinyl pyridine and α , ω -dibromoalkanes, 861

Cellulose

New aspects of graft copolymerization of styrene onto cellulose induced by gamma rays, 309

Preparation and water sorption properties of cellulose—poly(propylene glycol) block copolymers 648

Chain characteristics

Long chain branching in low density polyethylene: 1. Molecular structure, 1087; 2. Rheological behaviour of the whole polymer, 1092

Concentration dependence of chain dimensions and its role in gel chromatography, 798

Polymer chain dimensions and the dependence of viscoelastic properties on concentration, molecular weight and solvent power, 258

Unperturbed dimensions of poly(phenyl acrylate), 413

Chain extension from neutron scattering in high modulus oriented polyethylene, 479

Chain fluctuations in the amorphous regions of polyethylene as indicated in proton relaxation spectroscopy, 1001

Study of amorphous—crystal interfaces in polymers using the weicket model: estimate of bounds on degree of adjacent re-entry, 1379

Three statistical mechanical arguments that favour chain folding in polymer systems of lamellar morphology, 733

Chain motion in amorphous regions of polyethylene: interpretation of deuteron n.m.r. line shapes, 757

X-ray measurement of chain orientation in non-crystalline polymers, 1017

Free radicals and new end-groups resulting from chain scission: 1. γ-Irradiation of polyethylene, 941

Chain trajectory in solution grown polyethylene crystals: correlation between infra-red spectroscopy and small-angle neutron scattering, 1121

Chain transfer induced by molecular hydrogen in the living polymerization of propene with soluble V(acac)₃Al(C₂H₅)₂Cl, 1352

Characterization

- A simple, rapid, microgasimetric method for determination of primary aliphatic amine groups in polymers, 1167
- Characterization of oligo-poly(dimethyl siloxanes) and their solutions in toluene, 651
- Characterization of polyazomethines in dilute solution. Correlation between the light scattering parameters and the u.v.—visible absorption spectrum, 639
- Preparation and characterization of a cationic copolymer latex: 1. Emulsion copolymerization of styrene with 4-vinylpyridine in the presence of non-ionic emulsifier, 1073
- Unsaturated polyesters based on terephthalic acid: 3. Characterization of poly(propylene terephthalate) prepolymer by gel permeation chromatography, 632
- X-ray diffraction study of fibrous polymers: 1. Degree of paracrystallinity a new parameter for characterizing fibrous polymers, 1403

Chromatography

Elution and molecular weight parameters in exclusion chromatography, 171

Coalescence

Coalescence phenomenology of spherical polymer particles by sintering, 988

Colloids

Electron resists prepared from colloidal dispersions of poly(methyl methacrylate) in non-solvents, 1356

Compatibility

Compatibility of polyacrylates and polymethacrylates with poly(vinyl chloride): 1. Compatibility and temperature variation, 1330; 2. Measurement of interaction parameters, 1335

Complexes

- Conversion of chemical into mechanical energy by contractile polymers performed by complexation, 1057
- Intramolecular charge transfer complexes: 1. Poly [N-(2-hydroxyethyl) carbazolyl methacrylate-co-picryl methacrylate], 417
- Molecular association complex of urea with polyethylene: 2. New preparation methods and morphological study, 968
- Preparation of poly(styryl-1,8-naphthyridine) and some of its metal complexes, 597

Water soluble poly(diazacrown ethers): evidence for a polymer—sandwich complex with barium, 921

Conductivity

- Conductivity measurements during the cis-trans isomerization of $(CH)_x$ films, 1111
- Electrical conductivity of halogendoped stabilized polyacrylonitrile, 1114
- Photoelectron spectra of conducting polymers molecularly doped polyacetylenes, 1238

Conformation

- Conformational effects on the composition dependence of T_g in binary copolymers, 645
- Conformations in partly ionized poly (methacrylic acid): 1. Ionic hydrogen bonds in syndiotactic chains, 287; 2. Unperturbed dimensions of syndiotactic chains, 293
- ¹H and ¹³C n.m.r. studies of the conformational change of poly(n-butyl isocyanate), 579
- Hydrophobic polyelectrolytes and polysoaps. Ionization of weakly basic groups and conformation in aqueous solution of some derivatives of poly(4-vinyl pyridine), 1457

Conformational relaxation

Conformational relaxation time in polymer solutions by elongational flow experiments: 1. Determination of extensional relaxation time and its MW dependence, 1292; 2. Preliminaries of further developments: chain retraction; identification of molecular weight fractions in a mixture, 1295

Copolymers

- A study of micelle formation by a poly(styrene—poly(ethylene/propylene) block copolymer in a base lubricating oil, 9
- 13C nuclear magnetic resonance of propylene/butene copolymers – reassignment of –PB- centred triads, 117
- Chiroptical and fluorescence properties of copolymers of (—)-menthyl acrylate and (—)-menthyl methacrylate with 1-vinyl pyridine, 931
- Conformational effects on the composition dependence of T_g in binary copolymers, 645
- Dilatometric investigation of deformation mechanisms in polystyrene polyethylene block copolymer blends: correlation between Poisson ratio and adhesion, 103
- Dilute gelling systems: copolymers of styrene and glycol dimethacrylates, 825
- Laser flash photolysis study of o-tolyl vinyl ketone—methyl vinyl ketone

- copolymers. Electron donor properties of the intermediate macrobiradicals, 283
- Molecular model for the mobilities of copolymer liquids, 360
- Molecular motion in α-methylstyrene and styrene—alkane copolymers studied by ¹³C n.m.r. spectroscopy, 1025
- Morphology and mechanical properties of poly(dimethyl siloxane-b-styrene-b-dimethyl siloxane) block copolymers, 201
- 6NT6 copolymers. Physicochemical study on samples precipitated from dilute solutions, 983
- Non-aqueous polymer dispersions: dimensions of adsorbed AB block copolymers of polystyrene and poly(dimethyl siloxane) by smallangle neutron scattering, 627
- Preparation and characterization of a cationic copolymer latex: 1. Emulsion copolymerization of styrene with 4-vinyl pyridine in the presence of nonionic emulsifier, 1073
- Preparation and water sorption properties of cellulose—poly(propylene glycol) block copolymers, 648
- Synthesis of novel siloxane block copolymers for use in photophysical studies, 369
- Temperature dependence of the lamellar structure of a styrene isoprene two-block copolymer, 845
- The dilute solution properties of maleic anhydride and maleic acid copolymers: 1. Light scattering, osmotic pressure and viscosity measurements, 1427

Corresponding states

- A corresponding states interpretation of the temperature dependence of the intrinsic viscosity of polystyrene in isopropyl acetate, 715
- Corresponding states relationship for electrical resistivity of glassy polymers, 31

Crown ethers

- Effect of charge on anion and cation binding to poly(vinylbenzo-18-crown-6) in water, 195
- Synthesis and ion binding properties of polyesters and polyamides with diazacrown ethers, 915
- Viscosity studies of crown ether containing polymers in solutions of alkali salts. Intra-versus intermolecular crown—cation complexes, 188 Crystallinity
- An empirical estimation of Scherrer parameters for the evaluation of true crystallite size in fibrous polymers, 929
- Crystallinity in poly(vinyl chloride), 985

- Crystalline transformations in spherulites of poly(vinylidene fluoride), 1317
- Mechanical relaxations and moduli of oriented semicrystalline polymers, 1148
- Rheo-optical studies of the deformation mechanism of semicrystalline polymers 9. Dynamic birefringence behaviour of a high density polyethylene film having row nucleated crystalline texture of c-axis orientation, 1205
- Some comments on chain dimensions in the semicrystallized state, 1385
- Crystallization during polymerization of selenium from the vapour phase, 521
- Differential scanning calorimetric study of the crystallization kinetics of poly(glycolic acid) at high undercooling, 1480
- Energetics analysis of polyethylene crystallization: single crystal growth surfaces, 153
- General crystallization behaviour of poly(L-lactic acid), 607
- Kinetic theory of polymer crystal growth applied to melt crystallization of low molecular weight poly(ethylene oxide), 444
- Study of amorphous—crystal interfaces in polymers using the wicket model: estimate of bounds on degree of adjacent reentry, 1379

Cyclization

Cyclization in vinyl—divinyl copolymerization, 750

Cvcloalkenes

Double-bond-shift reactions in polymers made by ring-opening polymerization of cycloalkenes initiated by metathesis catalysts, 367

Defect modes

Defect modes for (200), GGTGG, tight fold re-entry in polyethylene single crystals, 1129

Degradation

- Degradation of nylon-6 in ethylene glycol: 2. Mathematical illustrations of degradation, 86
- Thermal degradation of bisphenol A polycarbonate, 936
- Thermal degradation of PTFE studied by ultraviolet photoelectron spectroscopy, 1309

Dextran

Effects of dextran molecular weight on graft polymerization of dextranmethyl methacrylate, 819

Dichloromethane

Dissolution of poly(ethersulphone) in dichloromethane, 659

Dicumyl peroxide

Effect of dicumyl peroxide on photooxidation of polystyrene films: 2, 545

Dielectrics

Dielectric relaxation of poly(chlorostyrenes) and their copolymers in the primary transition region, 488

Oxygen doping of polyacetylene determined by dielectric techniques, 250 Differential scanning calorimetry

Differential scanning calormetric study of the crystallization kinetics of poly(glycolic acid) at high under cooling, 1480

Low temperature annealing of isotactic polypropylene by differential scanning calorimetry, 35

Thermal behaviour of poly(ethylene oxide) revealed by differential scanning calorimetry, 352

Diffusion

A deformation model for Case II diffusion, 613

Determination of small (30 seconds) diffusional time lags in permeation experiments, 140

Non-equilibrium glassy properties and their relevance in Case II transport kinetics, 1031

Self diffusion of short chain polystyrenes in deuterochloroform solution, 1479

Studies of cyclic and linear poly(dimethyl siloxanes); 5. Diffusion behaviour in dilute solution, 781

Dilatometry

Dilatometer for use in tensile tests, 957
Dilatometric investigation of deformation mechanisms in polystyrene—
polyethylene block copolymer
blends: correlation between Poisson
ratio and adhesion, 103

Dispersions

Non-aqueous polymer dispersions: dimensions of adsorbed AB block copolymers of polystyrene and poly(dimethyl siloxane) by small angle neutron scattering, 627

Dyes

Role of ionic competition in the binding of a dye to poly(vinyl imidazole), 908

Dynamic scattering

Interpretation of dynamic scattering from polymer solutions, 866

Electrical discharge

Surface modification of poly(ethylene terephthalate) by electrical discharge treatment, 895

Electrical properties

High effective draw as a route to increased stiffness and electrical response in poly(vinylidene fluoride), 855

Corresponding states relationship for electrical resistivity of glassy polymers, 31

Electron spin resource

Comparison of local molecular motions at the chain ends and inside the polymer chain by use of the spin trapping method, 1299

E.s.r. study of free radicals in poly(vinyl carbazole), 1062

E.s.r. study of polyacetylene films, 7 Relaxation processes and mobility of spin labelled polyethylene, 1304

Relaxation spectrometry of polyethylene in urea—polyethylene complex by *BL* n.m.r. and e.s.r. measurements, 1116

Electron resists

Electron resists prepared from colloidal dispersions of poly(methyl methacrylate) in non-solvents, 1356

Electrophoresis

Electrophoretic and viscometric properties of poly(dicarboxylic acids), 177

Elongational flow

Conformational relaxation time in polymer solutions by elongational flow experiments: 1. Determination of extensional relaxation time and its MW dependence, 1292; 2. Preliminaries of further developments: chain retraction; identification of molecular weight fractions in a mixture, 1295

Emulsion polymerization

Periodic behaviour in continuous emulsion polymerization systems, 332 End-groups

Free radicals and new end-groups resulting from chain scission: 1. γ-irradiation of polyethylene, 941 *Epoxies*

Polybutadiene modified by epoxidation: 1. Effect of polybutadiene microstructure on the reactivity of double bonds, 514

Cracking in a glassy epoxy resin induced by water absorption, 713

Effect of carriers on the performance of aluminium alloy joints bonded with an epoxide—polyamide adhesive, 344

Further studies on the effect of carriers on the performance of aluminium alloy joints bonded with an epoxide polyamide adhesive, 1477

Kinetics of cure of epoxy resin system bisphenol-A diglycidylether-di(4aminophenyl)sulphone, 604

The interaction of water with some epoxide adhesives, 357

The uptake of water vapour by an epoxide adhesive formed from the diglycidyl ether of bisphenol A and di-(1-amino-3-ethoxy) ether, 134

Ethers

Polymerization of bicyclic ethers: 2. N.m.r. structure study of the polymer formed from 3-oxabicyclo 3.2.2 nonane, 1180

Extrusion

Extrusion and injection moulding of a glass filled polystyrene, 1360

Fibres

An empirical estimation of Scherrer parameters for the evaluation of true crystallite size in fibrous polymers, 929

Effects of grafted methyl methacrylate on the microstructure of jute fibres, 777

X-ray diffraction study of fibrous polymers: 1. Degree of paracrystallinity – a new parameter for characterizing fibrous polymers, 1403

Films

An unsupported water soluble and heat sealable film from predominantly non-fossil raw materials, 371

Flash photolysis

Laser flash photolysis characterization of the triplet state of poly(p-methoxyacrylophenone), 1365

Flexible ring macromolecules

Static and dynamic structure factors calculated for flexible ring macromolecules, 745

Free radicals

E.s.r. study of free radicals in poly (vinyl carbazole), 1062

Free radicals and new end groups resulting from chain scission: 1. γ -irradiation of polyethylene, 941

Free volume

Free volume in condensed phases: separation of contributions, 1410

Attempt to correlate the formation of free volume and the plastic deformation process in glassy polymers, 699

Gas chromatography

Solubility behaviour of polyethylene: thermodynamic studies using gas chromatography, 1041

Gelation

Synthesis and gelation properties of crosslinked polymers of 4-(N-acryloyl-L-phenylalanyl)-morpholine, 4-(O-acetyl-N-acryloyl-L-tyrosyl)-morpholine and 4-(N-acryloyl-L-tyrosyl)-morpholine, 582

Gel permeation chromatography
Concentration dependence of chain
dimensions and its role in gel chromatography, 798

Unsaturated polyesters based on terephthalic acid: 3. Characterization of poly(propylene terephthalate) prepolymer by gel permeation chromatography, 632

Gels

Dilute gelling systems: copolymers of styrene and glycol dimethacrylates, 825

Dynamic structure of swollen crosslinked poly(ethylene oxide) gels from n.m.r. lineshape analysis and magic angle rotation n.m.r., 1185

Gel formation in ionomers, 71

Gel phase ¹³C n.m.r. spectroscopy as an analytical method in the solid (gel) phase peptide synthesis, 1367

Pressure-induced deswelling of gels, 1358

Glasses

Graft polymerization from glass surfaces, 598

Attempt to correlate the formation of free volume and the plastic deformation process in glassy polymers, 699 Glass transition

Intramolecular mobility and its role in the glass transition temperature of ionic polymers, 1135

Kinetic nature of the glass transition—II, 1139

Conformational effects on the composition dependence of T_g in binary copolymers, 645

Non-equilibrium glassy properties and their relevance in Case II transport kinetics, 1031

Glycol dimethacrylates

Dilute gelling systems: copolymers of styrene and glycol dimethacrylates, 825

HALS derivatives

Polymer photostabilization of HALS derivatives: the role of piperidine—hydroperoxide association, 5

Hot drawing

Hot drawing of porous high molecular weight polyethylene, 3

Hydrogen

Chain transfer induced by molecular hydrogen in the 'living' polymerization of propene with soluble V(acac)₃/Al(C₂H₅)₂Cl, 1352

Hydrodynamics

Hydrodynamic properties of poly-1,2,5trimethyl and 2,5-dimethyl-4-ethynilpyperidol-4 hydrochlorides, 787

Hypersonic loss process

Hypersonic loss process in poly(dimethyl siloxane) and the effects of crosslinking, 1355

Infra-red spectroscopy

Chain trajectory in solution grown polyethylene crystals: correlation between infra-red spectroscopy and small-angle neutron scattering, 1121

Characterization of biaxial orientation in poly(ethylene terephthalate) by means of refractive index measurements and Raman and infra-red spectroscopies, 41

Characterization of deformation phenomena in polymers by rapid-scanning Fourier transform infra-red (FT i.r.) spectroscopy and mechanical measurements: 1. Orientation of isotactic polypropylene during uniaxial deformation, 235

Computerized infra-red study of the interaction of poly(vinylidene fluoride) with stereoregular poly (methyl methacrylate), 509

Conformation of adsorbed poly(vinyl pyrrolidinone) studied by infra-red spectrometry, 408

Infra-red measurements on one-way drawn poly(ethylene terephthalate) films subjected to constant strain, 55

Inhomogeneities

Polymerization of butyl methacrylate by light scattering and the formation of regions of local inhomogeneity, 1247

Initiation

Benzoin derivatives as photo-initiators for vinyl polymerization in micellar systems, 1363

Effect of metal ion exchange on the polymerization initiation activity of molecular sieves, 1344

Efficiency of initiation by asobisisobutyronitrile in the emulsion polymerization of styrene, 429

Injection moulding

Effect of injection pressure and crazing on internal stresses in injection moulded polystyrene, 338

Extrusion and injection moulding of a glass-filled polystyrene, 1360

Ion binding

Synthesis and ion binding properties of polyesters and polyamides with diazacrown ethers, 915

Effect of metal ion exchange on the polymerization initiation activity of molecular sieves, 1344

Ionic competition

Role of ionic competition in the binding of a dye to poly(vinyl imidazole), 908

Ionization

Hydrophobic polyelectrolytes and polysoaps. Ionization of weakly basic groups and conformation in aqueous solution of some derivatives of poly(4-vinyl pyridine), 1457

Ionomers

Gel formation in ionomers, 71

Clustering of ions in cation exchange membranes: a Mössbauer study, 1327 Irradiation

Effect of radiation on the crystals of polyethylene and the paraffins:

1. Formation of the hexagonal lat-

tice and the destruction of crystallinity in polyethylene, 1273; 2. Phase separation in γ -irradiated paraffins, 1278; 3. Irradiation in the electron microscope, 1284

Free radicals and new end-groups resulting from chain scission: 1. γ-irradiation of polyethylene, 941

Isomerization

Conductivity measurements during the *cis-trans* isomerization of $(CH)_x$ films, 1111

Isomerization of aromatic azo chromophores in poly(ethyl acrylate) networks and photomechanical effect, 1175

Isoprene

Temperature dependence of the lamellar structure of a styrene—isoprene two block copolymer, 845

Jute

Effects of grafted methyl methacrylate on the microstructure of jute fibres, 777

Kerr-effect

Dynamic Kerr-effect and dielectric relaxation studies of a poly(methylphenyl siloxane), 279

Molecular motion in melt samples of poly(propylene glycol) studied using dielectric and Kerr effect relaxation techniques, 13

Kinetics

Kinetics of cure of epoxy resin system bisphenol-A diglycidylether-di(4aminophenyl)sulphone, 604

Kinetic data on the polycondensation of tetrachlorobisphenol A with bis(2,3-dichlorpropyl) phosphorochloridite, 89

Chain length dependence of termination rate constant: computer experiment of effects on the kinetics of radical polymerization of styrene, 1423

Kinetics of ring opening of propylene sulphide: 1. Alkali metal and cryptated alkali metal carbazyl salts, 77

Kinetic theory of polymer crystal growth applied to melt crystallization of low molecular weight poly (ethylene oxide), 444

Lecithin

N.m.r. study of egg yolk lecithin in aromatic solvents. Magnetic nonequivalence in the methylene protons of the fatty acyl chains, 1372

Light scattering

Characterization of polyazomethines in dilute solution. Correlation between the light scattering parameters and the u.v.-visible absorption spectrum, 632

Polymerization of butyl methacrylate by light scattering and the formation of regions of local inhomogeneity, 1247

The dilute solution properties of maleic anhydride and maleic acid copolymers: 1. Light scattering, osmotic pressure and viscosity measurements, 1427

Liquid crystals

Radiation polymerization of methyl methacrylate in the presence of liquid crystals, 548

Solid cholesteric films for optical applications, 1351

Maleic anhydride and maleic acid
The dilute solution properties of maleic

anhydride and maleic acid copolymers: 1. Light scattering, osmotic pressure and viscosity measurements, 1427

Mechanical properties

An approach to the mechanism of environmental stress cracking by theoretical kinetics, 859

Characterization of deformation phenomena in polymers by rapid-scanning Fourier transform infra-red (FT i.r.) spectroscopy and mechanical measurements: 1. Orientation of isotactic polypropylene during uniaxial deformation, 235

Compressive large deformation viscoelastic behaviour of a polycarbonate, 461

Correlation between microvoid properties and mechanical properties of polyoxymethylene, strained beyond yield, 553

Correlation between PRI and tensile strength retention of natural rubber after Geer-oven ageing, 1217

Cracking in a glassy epoxy resin induced by water absorption, 713

Creep, creep recovery and dynamic mechanical measurements of a poly(propylene glycol) oligomer, 837

Creep of nylon-6,6 during concurrent moisture changes, 502

Deformation of doubly oriented polyethylene, nylon-6,6 and poly(ethylene terephthalate), 992

Dilatometer for use in tensile tests, 957 Dynamic mechanical behaviour of oriented poly(tetramethylene terephthalate) as a function of static extension, 221

Dynamic mechanical properties of polystyrene/low density polyethylene blends, 1469

Effect of injection pressure and crazing on internal stresses in injection moulded polystyrene, 338

Effect of rubber phase volume fraction in impact polystyrene on mechanical behaviour, 466

Fracture toughness of poly(butylene terephthalate), 559

High effective draw as a route to increased stiffness and electrical response in poly(vinylidene fluoride), 855

Influence of dewetting on the damping properties of a filled polymer system: 2. Damping properties, 1079

Mechanical anisotropy in polychlorotrifluoroethylene, 569

Mechanical relaxations and moduli of oriented semicrystalline polymers, 1148

Mechanism of physical ageing in crystalline polymers, 706

Morphology and mechanical properties of poly(dimethyl siloxane-styrenedimethyl siloxane) block copolymers, 201

Neck propagation in polycarbonate and its connection with the mechanism for dry craze growth, 97

New type of crazes in oriented polycarbonate, 1232

Slip band formation in polycarbonate under tension, 857

Surface crazing in PVC and other polymers, 684

Tensile deformation of poly(pphenylene terephthalamide) fibres, an experimental and theoretical analysis, 1199

Time dependent failure in poly(methyl methacrylate) and polyethylene, 213

Time-stress supersition in some creep experiments, 725

The I-II crystal transformation of poly(vinylidene fluoride) under tensile and compressional stresses, 1391

The mechanical enhancement of physical ageing, 962

The stress-strain curve of 1-nylon polymers, 116

Melts

Evidence for structural transformations in polymer melts, 620

Melt spinning

Elongational viscosity in the isothermal melt spinning of polypropylene, 691 *Membranes*

Clustering of ions in cation exchange membranes: a Mössbauer study, 1327

Studies on syntheses and permeabilities of special polymer membranes: 24. Permeation characteristics of poly(vinylidene fluoride) membranes, 1047

Menthyl acrylate and menthyl methacrylate

Chiroptical and fluorescence properties of copolymers of (-)-menthyl acry-

late and (—)-menthyl methacrylate with 1-vinyl naphthalene, 931

(±) and (+)-exo-5-methylbicyclo[2.2.1] hept-2-ene

13C n.m.r. spectra of polymers made by ring opening polymerization of (±) and (+)-exo-5-methylbicyclo [2.2.1] hept-2-ene using metathesis catalysts, 436

Methyl methacrylate

Effects of dextran molecular weight on graft copolymerization of dextran—methyl methacrylate, 819

Effects of grafted methyl methacrylate on the microstructure of jute fibres, 777

Radiation polymerization of methyl methacrylate in the presence of liquid crystals, 548

Micelle formation

A study of micelle formation by a polystyrene—poly(ethylene/propylene) block copolymer in a base lubricating oil, 9

Microstructure

Effects of grafted methyl methacrylate on the microstructure of jute fibres, 777

Mobility

Intramolecular mobility and its role in the glass transition temperature of ionic polymers, 1135

Molecular model for mobilities of copolymer liquids, 360

Relaxation processes and mobility of spin labelled polyethylene, 1304

Molar mass measurement

Reference samples of poly(vinyl alcohol) for molar mass measurement in aqueous solutions, 891

Molecular fluctuations

Molecular fluctuations in polyethylene melts. Dependence of the longitudinal and transverse proton relaxation on the chain length, 1009

Molecular sieves

Effect of metal ion exchange on the polymerization initiation activity of molecular sieves, 1344

Morpholine compounds

Synthesis and gelation properties of crosslinked polymers of 4-(*N*-acryloyl-L-phenylalanyl)-morpholine, 4-(*O*-acetyl-*N*-acryloyl-L-tyrosyl)-morpholine and 4-(*N*-acryloyl-L-tyrosyl)-morpholine, 582

Morphology

Molecular association complex of urea with polyethylene: 2. New preparation methods and morphological study, 968

Morphological characterization of reaction injection moulded (RIM) polyester-based polyurethanes, 393

Morphology and mechanical properties

of poly(dimethyl siloxane-b-styrene-b-dimethyl siloxane) block copolymers, 201

Morphology of crosslinked polyethylene, 723

Morphology of crystalline polyurethane hard segment domains and spherulites, 388

Morphology of nascent polyoxymethylene obtained by polymerization of trioxane in nitrobenzene solution, 66

Mössbauer spectroscopy

Clustering of ions in cation exchange membranes: a Mossbauer study, 1327

Nafion

Dual cohesive energy densities of perfluorosulphonic acid (Nafion) membrane, 432

Natural rubber

Correlation between *PRI* and tensile strength retention of natural rubber after Geer-oven ageing, 1217

Influence of oxygen content in the atmosphere on chemical stress relaxation of natural rubber vulcanizates: 1. Relaxation mechanisms of sulphur cured systems, 1398

Network changes in natural rubber vulcanizate subjected to different physical tests, 10

Necking

Neck propagation in polycarbonate and its connection with the mechanism for dry craze growth, 97

Necklace model

Reciprocal distance averages for the necklace model, 1171

Networks

Network changes in natural rubber vulcanizate subjected to different physical tests, 10

Swelling and collapse of polymer networks, 376

Neutron scattering

Calorimetric and neutron scattering studies of mixtures of polystyrene with poly(2,6-dimethyl-1,4-phenylene oxide and its brominated derivatives, 133

Chain extension from neutron scattering in high modulus oriented polyethylene, 479

Chain trajectory in solution grown polyethylene crystals: correlation between infra-red spectroscopy and small angle neutron scattering, 1121

Non-aqueous polymer dispersions: dimensions of adsorbed AB block copolymers of polystyrene and poly(dimethyl siloxane) by smallangle neutron scattering, 627

Small angle neutron scattering studies of a compatible polymer blend,

atactic polystyrene-poly(2,6-dimethyl phenylene oxide), 131

Nuclear magnetic resonance

A ¹H nuclear magnetic relaxation study of the mechanism and solvent dependence of the motion of predominantly syndiotactic poly(methyl methacrylate) in dilute solution, 381

Application of wide line nuclear magnetic resonance to the determination of the crystallinities of isotropic

polyethylenes, 303

13C n.m.r. spectra of polymers made by ring opening polymerization of (±) and (+)-exo-5-methylbicyclo-[2.2.1.] hept-2-ene using metathesis catalysts, 436

¹³C nuclear magnetic resonance of propylene/butene copolymers—reassignment of -PB centred triads, 117

Chain motion in amorphous regions of polyethylene interpretation of deuteron n.m.r. line shapes, 757

Dynamic structure of swollen crosslinked poly(ethylene oxide) gels from n.m.r. lineshape analysis and magic angle rotation n.m.r., 1185

Gel phase ¹³C n.m.r. spectroscopy as an analytical method in the solid (gel) phase peptide synthesis, 1367

¹H and ¹³C n.m.r. studies of the conformational change of poly(n-butyl isocyanate), 579

Investigation of the structure of poly (p-chlorophenyl glycidyl ether) by the ¹³C n.m.r. technique: tacticity and addition isomerism, 93

Molecular motion in α -methylstyrene and styrene alkane copolymers studied by ^{13}C n.m.r. spectroscopy, 1025

N.m.r. study of egg yolk lecithin in aromatic solvents. Magnetic nonequivalence in the methylene protons of the fatty acyl chains, 1372

Polymerization of bicyclic ethers: 2. N.m.r. structure study of the polymer formed from 3-oxabicyclo[3.2.2] nonane, 1180

Relaxation spectrometry of polyethylene in urea—polyethylene complex by *BL* n.m.r. and e.s.r. measurements, 1116

Thermodynamic and ¹³C n.m.r. data on the protonation of polymeric bases whose repeating units behave independently toward protonation, 81

Nvlons

Creep of nylon-6,6 during concurrent moisture changes, 502

Deformation of doubly oriented polyethylene, nylon-6,6 and poly(ethylene terephthalate), 992

Degradation of nylon-6 in ethylene

glycol: 2. Mathematical illustration of the degradation, 86

Photocontractile effects in nylon-6,6 films containing β-carotene and 4-nitro-4'-hydroxy-α-cyanostilbene, 1475

Prediction of sorption of water vapour by nylon-6,6, 495

The stress—strain curve of 1-nylon polymers, 116

Oil

A study of micelle formation by a polystyrene—poly(ethylene/propylene) block copolymer in a base lubricating oil, 9

Effectiveness of polymer floods in oil recovery, 564

Olefins

Studies on highly active coordination catalysts for polymerization of α -olefins: 1. X-ray diffraction investigations of the catalyst supports, 1037

Optical properties

Synthesis and catalytic activity of optically active polymers containing oxime groups, 541

Chiroptical and fluorescence properties of copolymers of (—)-menthyl acrylate and (—)-menthyl methacrylate with 1-vinyl naphthalene, 931

Solid cholesteric films for optical applications, 1351

Organometallics

Thermal stabilization of poly(vinyl chloride) treated with organoaluminium compounds: 2. Effect of solvents, 1463

Orientation

Orientation effects during the flow of short-fibre reinforced thermoplastics, 1252

Osmosis

Osmotic effects in water absorption by polymers, 207

Water treeing as an osmotic phenomenon, 863

The dilute solution properties of maleic anhydride and maleic acid copolymers: 1. Light scattering, osmotic pressure and viscosity measurements, 1427

3-Oxabicyclo[3.2.2] nonane

Polymerization of bicyclic ethers: 2. N.m.r. structure study of the polymer formed from 3-oxabicyclo [3.2.2] nonane, 1180

Paracrystallinity

X-ray diffraction study of fibrous polymers: 1. Degree of paracrystallinity—a new parameter for characterizing fibrous polymers, 1403

Paraffins

Effect of radiation on the crystals of polyethylene and the paraffins.

1. Formation of the hexagonal lattice and the destruction of crystallinity in polyethylene, 1273;

2. Phase separation in γ -irradiated paraffins, 1278; 3. Irradiation in the electron microscope, 1284

Peptides

A poly(acryloylmorpholine)-based bead matrix of improved versatility for solid (gel) phase peptide synthesis, 481

Gel phase ¹³C n.m.r. spectroscopy as an analytical method in the solid (gel) phase peptide synthesis, 1367

Permeation

Determination of small (30 seconds) diffusional time lags in permeation experiments, 140

Phosphazenes

Polymerization of cyclic phosphazines, 673

Photocontractile effects

Photocontractile effects in nylon-6,6 films containing β -carotene and 4-nitro-4'-hydroxy- α -cyanostilbene, 1475

Photodegradation

Studies on the photodegradation of poly(vinyl choride) accelerated by α-hydroperoxytetrahydrofuran, 226

Photoelectron spectroscopy

Photoelectron spectroscopy of conducting polymers — molecularly doped polyacetylenes, 1238

Photoelectron spectroscopy

Thermal degradation of PTFE studied by ultraviolet photoelectron spectroscopy, 1309

Photomechanics

Isomerization of aromatic azo chromophores in poly(ethyl acrylate) networks and photomechanical effect, 1175

Photo-oxidation

Effect of dicumyl peroxide on photooxidation of polystyrene films: 2., 545

Mechanisms of antioxidant action — behaviour of hindered piperidines during photo-oxidation of polypropylene, 252

Photoresponsive effects

Photoresponsive effects in azo polymers, 1195

Photostabilization

Polymer photostabilization of HALS derivatives: the role of piperidine—hydroperoxide association, 5

Piperidines

Mechanisms of antioxidant action — behaviour of hindered piperidines during the photo-oxidation of polypropylene, 252

Plastic deformation

Attempt to correlate the formation of free volume and the plastic deformation process in glassy polymers, 699

Polycations

Triphase catalysis of a nucleophilic substitution reaction by crosslinked polycations prepared from 4-vinyl-pyridine and α, ω -dibromoalkanes, 861

Polyacrylamide—water systems
Dynamic dimensions in polyacrylamide—water systems, 247

Polyelectrolytes

Electrolyte and polyelectrolyte solutions: limitations of scaling laws, osmotic compressibility, and thermoelectric power, 274

Hydrophobic polyelectrolytes and polysoaps. Ionization of weakly basic groups and conformation in aqueous solution of some derivatives of poly(4-vinyl pyridine), 1457 *Polymer floods*

Effectiveness of polymer floods in oil recovery, 564

Polymeric bases

Thermodynamic and ¹³C n.m.r. data on the protonation of polymeric bases whose repeating units behave independently toward protonation, 81

Polymerization

A new synthesis of poly(acetylene), 595

Application of a thermochemical method for studying a low temperature polycondensation process, 1190

Benzoin derivatives as photo-initiators for vinyl polymerization in micellar systems, 1363

13C n.m.r. spectra of polymers made by ring opening polymerization of (±) and (+)-exo-5-methylbicyclo
[2.2.1] hept-2-ene using metathesis catalysts, 436

Chain length dependence of termination rate constant: computer experiment of effects on the kinetics of radical polymerization of styrene, 1423

Chain transfer induced by molecular hydrogen in the 'living' polymerization of propene with soluble V(acac)₃/Al(C₂H₅)₂Cl, 1352

Condensation polymerization of ARB type monomers in CSTRs wherein the monomer is R times more reactive than other homologues, 1323

Copolymerization of acrylic acid with sulphur dioxide, 253

Crystallization during polymerization of selenium from the vapour phase, 521

- Cyclization in vinyl—divinyl copolymerization, 750
- Determination of the transfer constant for copolymerization in the presence of a reactive substrate, 458
- Double bond shift reactions in polymers made by ring opening polymerization of cycloalkenes initiated by metathesis catalysts, 367
- Effects of dextran molecular weight on graft copolymerization of dextran—methyl methacrylate, 819
- Efficiency of initiation by azobisisobutyronitrile in the emulsion polymerization of styrene, 429
- Electroinitiated polymerization of aziridines, 230
- Electropolymerization of butyl isocyanate 1. Initiation, 805; 2. Polymerization kinetics, 812
- Graft polymerization from glass surfaces, 598
- Haloaldehyde polymers: 20. Thermodynamics of polymerization, 525
- Investigation of the elementary reactions in the synthesis of poly(hydroxyethers) in dipolar, aprotic solvents, 1069
- Kinetic data on the polycondensation of tetrachlorobisphenol A with bis(2,3-dichloropropyl)phosphorochloridite, 89
- Laser flash photolysis characterization of the triplet state of poly(p-methoxyacrylophenone), 1365
- Modelling of the phenol-formaldehyde polymerization reaction, 317
- Morphology of nascent polyoxymethylene obtained by polymerization of trioxane in nitrobenzene solution, 66
- New aspects of graft copolymerization of styrene onto cellulose induced by gamma rays, 309
- Photoinitiated polymerization of N-vinyl carbazole in the presence of azobisisobutyronitrile, 832
- Photopolymerization of 1,2-epoxypropane and 1,2-epoxybutane by arene diazonium salts: evidence for anion dependence of the extent of polymerization, 423
- Poly(ester amide)—polyether block copolymers: preparation and some physicochemical properties, 728
- Polymerization of bicyclic ethers: 2. N.m.r. structure study of the polymer formed from 3-oxabicyclo [3.2.2] nonane, 1180
- Polymerization of butyl methacrylate by light scattering and the formation of regions of local inhomogeneity, 1247
- Polymerization of higher aldehydes, 1433
- Preparation and characterization of

- cationic copolymer latex: 1. Emulsion copolymerization of styrene with 4-vinyl pyridine in the presence of nonionic emulsifier, 1073
- Preparation of poly(styryl-1,8-naphthyridine) and some of its metal complexes, 597
- Preparation and water sorption properties of cellulose—poly(propylene glycol) block copolymers, 648
- Recursive approach to copolymerization statistics, 263
- Radiation polymerization of methyl methacrylate in the presence of liquid crystals, 548
- Solid-state polymerization of 4-amino-4"-carboxy-p-terphenyl, 1065
- Stereoselectivity of the ring-opening polymerization of bicyclo [6.1.0] nonene-4, 1112
- Studies on syntheses and permeabilities of special polymer membranes: 24. Permeation characteristics of poly(vinylidene fluoride), 1047
- Synthesis and catalytic activity of optically active polymers containing oxime groups, 541
- Synthesis and gelation properties of crosslinked polymers of 4-(*N*-acryloyl-L-phenylalanyl)-morpholine, 4-(*O*-acetyl-*N*-acryloyl-L-tyrosyl)-morpholine and 4-(*N*-acryloyl-L-tyrosyl)-morpholine, 582
- Synthesis and ion binding properties of polyesters and polyamides with diazacrown ethers, 915
- Synthesis of novel siloxane block copolymers for use in photophysical studies, 369
- Corresponding states relationship for electrical resistivity of glassy polymers, 31
- Interpretation of radial distribution functions for non-crystalline polymers, 990
- Intramolecular mobility and its role in the glass transition temperature of ionic polymers, 1135
- Osmotic effects in the water absorption by polymers, 207
- Poly(ester amide)—polyether block copolymers: preparation and some physicochemical properties, 728
- Rigid backbone polymers: 6. Ternary phase relationships of polyisocyanates, 21
- Rigid backbone polymers XVII: Solution viscosity of polydisperse systems, 1413

Polymers

Poly(acetylene)

A new synthesis of poly(acetylene), 595 E.p.r. study of poly(acetylene) films, 7

- Oxygen doping of poly(acetylene) determined by dielectric techniques, 250
- Photoelectron spectra of conducting polymers molecularly doped poly (acetylenes), 1238

Polyacrylates

Polyacrylonitrile

Compatibility of polyacrylates and polymethacrylates with poly(vinyl chloride): 1. Compatibility and temperature variation, 1330; 2. Measurement of interaction parameters, 1335

Electrical conductivity of halogendoped stabilized polyacrylonitrile, 1114

Poly(acryloylmorpholine)

A poly(acryloylmorpholine)-based bead matrix of improved versatility for solid (gel) phase peptide synthesis, 481

Polyamides

Effect of carriers on the performance of aluminium joints bonded with an epoxide—polyamide adhesive, 344

- Further studies on the effect of carriers on the performance of aluminium alloy joints bonded with an epoxide polyamide adhesive, 1477
- Synthesis and ion binding properties of polyesters and polyamides with diazacrown ethers, 915

Poly(aryl ether ketones)

X-ray data for poly(aryl ether ketones), 577

Polyazomethines

Characterization of polyazomethines in dilute solution. Correlation between the light scattering parameters and the u.v.—visible absorption spectrum, 632

Polybutadiene

Polybutadiene modified by epoxidation: 1. Effect of polybutadiene microstructure on the reactivity of double bonds, 514

Poly(n-butyl isocyanate)

¹H and ¹³C n.m.r. studies of the conformational change of poly(n-butyl isocyanate), 579

Poly(butylene terephthalate)

Fracture toughness of poly(butylene terephthalate), 559

Polycarbonate

- Compressive large deformation viscoelastic behaviour of a polycarbonate, 461
- Neck propagation in polycarbonate and its connection with the mechanism for dry craze growth, 97
- New type of crazes in oriented polycarbonate, 1232
- Slip band formation in polycarbonate under tension, 857
- Poly(p-chlorophenyl glycidyl ether)
 Investigation of the structure of

poly(p-chlorophenyl glycidyl ether) by the ¹³C n.m.r. technique: tacticity and addition isomerism, 93

Irregular sequence distribution statistics in poly(p-chlorophenyl glycidyl ethers), 1102

Poly(chlorostyrenes)

Dielectric relaxation of poly(chlorostyrenes) and their copolymers in the primary transition region, 488

Polychlorotrifluoroethylene

Mechanical anisotropy in polychlorotrifluoroethylene, 569

Poly(diazacrown ethers)

Water soluble poly(diazacrown ethers): evidence for a polymer—sandwich complex with barium, 921

Poly(2,3-dibromo-but-2-ene-1,4-diol adipate)

Studies of the thermal properties of poly(2,3-dibromo-but-2-ene-1,4-diol adipate), 668

Poly(dicarboxylic acids)

Electrophoretic and viscometric properties of poly(dicarboxylic acid), 177 Poly(dienyllithiums)

Association behaviour of poly(4-vinylbiphenyllithium) and substituted poly(dienyllithiums) in n-hexane, 119

Poly(dimethyl siloxanes)

Adsorption of poly(dimethyl siloxanes) from solution on silica: 1., 533

Characterization of oligo-poly(dimethyl siloxanes) and their solutions in toluene, 651

Hypersonic loss process in poly(dimethyl siloxane) and the effects of crosslinking, 1355

Non aqueous polymer dispersions: dimensions of adsorbed AB block copolymers of polystyrene and poly (dimethyl siloxane) by small-angle neutron scattering, 627

Studies of cyclic and linear poly(dimethyl siloxanes): 5. Diffusion behaviour in dilute solution, 781

Studies of linear and cyclic poly(dimethyl siloxanes) 4. Bulk viscosities, 663

Poly(ester amide)

Poly(ester amide)—polyether block copolymers: preparation and some physicochemical properties, 728 Polyesters

Synthesis and ion binding properties of polyesters and polyamides with diazacrown ethers, 915

Unsaturated polyesters based on terephthalic acid: 3. Characterization of poly(propylene terephthalate) prepolymer by gel permeation chromatography, 632

Poly(ether ester)

Binary and ternary blends for poly (vinyl chloride), segmented poly

(ether ester) and chlorosulphonated polyethylene, 469

Poly(ethersulphone)

Dissolution of poly(ethersulphone) in dichloromethane, 659

Solvent sorption and swelling in poly (ethersulphone), 901

Polyethers

Mechanism of solid—liquid phase transfer catalysis by polymer supported linear polyethers, 791

Poly(ester amide)—polyether block copolymers: preparation and some physicochemical properties, 728

Poly(ethyl methacrylate)

LCST behaviour in blends of poly (vinylidene fluoride) and isotactic poly(ethyl methacrylate), 1161 Poly(ethyl acrylate)

Isomerization of aromatic azo chromophores in poly(ethyl acrylate) networks and photomechanical effect, 1175

Polyethylene

Application of wide line nuclear magnetic resonance to the determination of the crystallinities of isotropic polyethylenes, 303

Binary and ternary blends for poly(vinyl chloride), segmented poly(ether ester) and chlorosulphonated polyethylene, 469

Chain extension from neutron scattering in high modulus oriented polyethylene, 479

Chain fluctuations in the amorphous regions of polyethylene as indicated in proton relaxation spectroscopy, 1001

Chain motion in amorphous regions of polyethylene: interpretation of the deuteron n.m.r. line shapes, 757

Chain trajectory in solution grown polyethylene crystals: correlation between infra-red spectroscopy and small-angle neutron scattering, 1121

Defect modes for (200), GGTGG, tight fold re-entry in polyethylene single crystals, 1129

Deformation of doubly oriented polyethylene, nylon-6,6 and polyethylene terephthalate, 992

Dynamic mechanical properties of polystyrene/low density polyethylene blends, 1469

Effect of radiation on the crystals of polyethylene and the paraffins: 1. Formation of the hexagonal lattice and the destruction of crystallinity in polyethylene, 1273; 2. Phase separation in γ -irradiated paraffins, 1278; 3. Irradiation in the electron microscope, 1284

Energetics analysis of polyethylene crystallization: single crystal growth surfaces, 153

Free radicals and new end groups resulting from chain scission: 1. γ Irradiation of polyethylene, 941

Hot drawing of porous high molecular weight polyethylene, 3

Long chain branching in low density polyethylene: 1. Molecular structure, 1087; 2. Rheological behaviour of the whole polymer, 1092

Molecular association complex of urea with polyethylene: 2. New preparation methods and morphological study, 968

Molecular fluctuations in polyethylene melts. Dependence of the longitudinal and transverse proton relaxation on the chain length, 1009

Morphology of crosslinked polyethylene, 723

Possible models for the polyethylene hexagonal phase, 973

Relaxation processes and mobility of spin-labelled polyethylene, 1304

Relaxation spectrometry of polyethylene in urea—polyethylene complex by *BL* n.m.r. and e.s.r. measurements, 1116

Rheo-optical studies on the deformation mechanism of semicrystalline polymers: 9. Dynamic birefringence behaviour of a high density polyethylene film having row nucleated crystalline texture of c-axis orientation, 1205

Time dependent failure in poly(methyl methacrylate) and polyethylene, 213

Ultra-high strength polyethylene filaments by solution spinning/drawing:
3. Influence of drawing temperature,
1341

Poly(ethylene oxide)

Dynamic structure of swollen crosslinked poly(ethylene oxide) gels from n.m.r. lineshape analysis and magic angle rotation n.m.r., 1185

Kinetic theory of polymer crystal growth applied to melt crystallization of low molecular weight poly (ethylene oxide), 444

Study of poly(ethylene oxide)—resorcinol molecular complex, 403

Thermal behaviour of poly(ethylene oxide) revealed by differential scanning calorimetry, 352

Poly(ethylene terephthalate)

Characterization of biaxial orientation in poly(ethylene terephthalate) by means of refractive index measurements and Raman and infra-red spectroscopies, 41

Deformation of doubly oriented polyethylene, nylon-6,6 and poly(ethylene terephthalate), 992

Effect of chain composition of PET on small-angle X-ray scattering, 373 Infra-red measurements on one-way

drawn poly(ethylene terephthalate) films subjected to constant strain, 55

Surface modification of poly(ethylene terephthalate) by electrical discharge treatment, 895

Poly(glycolic acid)

Differential scanning calorimetric study of the crystallization kinetics of poly(glycolic acid) at high undercooling, 1480

Poly(hydroxyethers)

Investigation of the elementary reactions in the synthesis of poly(hydroxyethers) in dipolar, aprotic solvents, 1069

Poly[N-(2-hydroxyethyl) carbazolyl methacrylate-co-picryl methacrylate] Intramolecular charge transfer complexes: 1. Poly[N-(2-hydroxyethyl) carbazolyl methacrylate-co-picryl methacrylate], 417

Poly(isobutylene)

Ultrasonic relaxation studies of poly (isobutylene) in m-xylene, 772

Polyisocyanates

Rigid backbone polymers: 6. Ternary phase relationships of polyisocyanates, 21

Polymethacrylates

Compatibility of polyacrylates and polymethacrylates with poly(vinyl chloride): 1. Compatibility and temperature variation, 1330; 2. Measurement of interaction parameters, 1335

Poly(methacrylic acid)

Conformations in partly ionized poly (methacrylic acid): 1. Ionic hydrogen bonds in syndiotactic chains, 287; 2. Unperturbed dimensions of syndiotactic chains, 293

Poly(1,2-bis(p-methoxybenzenesulphonyl-oxymethyl)-1-buten-3-ynylene) Crystal structure of poly 1,2-bis(pmethoxybenzene-sulphonyloxymethyl)-1-buten-3-ynylene, 1269 Poly(methyl methacrylate)

A ¹H nuclear magnetic relaxation study of the mechanism and solvent dependence of the motion of predominantly syndiotactic poly(methyl methacrylate) in dilute solution, 381

Computerized infra-red study of the interaction of poly(vinylidene fluoride) with stereoregular poly(methyl methacrylate), 509

Electron resists prepared from colloidal dispersions of poly(methyl methacrylate) in nonsolvents, 1356

Time dependent failure in poly(methyl methacrylate) and polyethylene, 213 Poly(methylphenyl siloxane)

Dynamic Kerr effect and dielectric relaxation studies of a poly(methylphenyl siloxane), 279 Polyoxymethylene

Correlation between microvoid properties and mechanical properties of polyoxymethylene strained beyond yield, 553

Morphology of nascent polyoxymethylene obtained by polymerization of trioxane in nitrobenzene solution, 66 Poly(phenyl acrylate)

Unperturbed dimensions of poly(phenyl acrylate), 413

Poly(p-phenylene terephthalamide)
Tensile deformation of poly(p-phenylene terephthalamide) fibres, an experimental and theoretical analysis, 1199

Polypropylene

Characterization of deformation phenomena in polymers by rapid-scanning Fourier transform infrared (FT i.r.) spectroscopy and mechanical measurements: 1. Orientation of isotactic polypropylene during uniaxial deformation, 235

Elongational viscosity at a constant elongational strain rate of polypropylene melt, 164

Elongational viscosity in the isothermal melt spinning of polypropylene, 691

Low temperature annealing of isotactic polypropylene by differential scanning calorimetry, 35

Mechanisms of antioxidant action—behaviour of hindered piperidines during photo-oxidation of polypropylene, 252

Retraction of polypropylene tape, 1259

Vibrational spectrum of syndiotactic polypropylene. Raman tacticity bands and local structures of isoand syndiotactic polypropylenes, 143

Poly(propylene glycol)

Creep, creep recovery and dynamic mechanical measurements of a poly (propylene glycol) oligomer, 837

Molecular motion in melt samples of poly(propylene glycol) studied using dielectric and Kerr effect relaxation techniques, 13

Preparation and water sorption properties of cellulose—poly(propylene glycol) block copolymers, 648

Poly(propylene terephthalate)

Unsaturated polyesters based on terephthalic acid: 3. Characterization of poly(propylene terephthalate) prepolymer by gel permeation chromatography, 632

Polypyromellitimides

Symmetry and stability of polypyromellitimides, 1052

Polystyrene

A corresponding states interpretation

of the temperature dependence of the intrinsic viscosity of polystyrene in isopropyl acetate, 715

Correlation of impact strength and rubber phase volume fraction in impact polystyrene, 1234

Dynamic mechanical properties of polystyrene/low density polyethylene blends, 1469

Effect of branching on the sedimentation behaviour of moderately concentrated polystyrene solutions, 183

Effect of dicumyl peroxide on photooxidation of polystyrene films: 2., 545

Effect of injection pressure and crazing on internal stresses in injection-moulded polystyrene, 338

Effect of rubber phase volume fraction in impact polystyrene on mechanical behaviour, 466

Extrusion and injection moulding of a glass-filled polystyrene, 1360

Non-aqueous polymer dispersions: dimensions of adsorbed AB block copolymers of polystyrene and poly (dimethyl siloxane) by small-angle neutron scattering, 627

Preparation and characterization of spin-labelled polystyrene, 232

Self diffusion of short chain polystyrenes in deuterochlororoform solution 1479

Solubility behaviour of polystyrene: thermodynamic studies using gas chromatography, 1041

Ultrasonic relaxation in dilute polymer solutions: 1. Normal mode and conformational processes, 764

Ultrasonic studies of dilute polystyrene solutions: 2. The kilohertz frequency region, 769

Poly(styryl diphenylphosphine dibromide)

Preparation and application of functional polymers. Preparation of carbodiimides, ketenimines and imidoyl bromides using a poly(styryl diphenylphosphine dibromide), 255 Poly(styryl-1,8-naphthyridine)

Preparation of poly(styryl-1,8-naphthyridine) and some of its metal complexes, 597

Polytetrafluoroethylene

Order—disorder transitions in polytetrafluoroethylene, 325

Thermal degradation of PTFE studied by ultraviolet photoelectron spectroscopy, 1309

Poly(1,2,5-trimethyl-) and (2,5-dimethyl-4-ethynilpyperidol-4 hydrochlorides)

Hydrodynamic properties of poly-1,2,5trimethyl- and 2,5-dimethyl-4ethynilpyperidol-4 hydrochlorides in solution, 787 Poly(tetramethylene terephthalate)
Dynamic mechanical behaviour of
oriented poly(tetramethylene terephthalate) as a function of static
extension, 221

Polyurethane

Morphological characterization of reaction injection moulded (*RIM*) polyester-based polyurethanes, 393

Polyurethane

Morphology of crystalline polyurethane hard segment domains and spherulites, 388

Poly(vinyl alcohol)

Binding of borax to poly(vinyl alcohol) in aqueous solution, 485

Reference samples of poly(vinyl alcohol) for molar mass measurement in aqueous solution, 891

Poly(4-vinylbiphenyllithium)

Association behaviour of poly(4-vinyl-biphenyllithium) and substituted polydienyllithiums, 119

Poly(vinyl carbazole)

E.s.r. study of free radicals in poly (vinyl carbazole), 1062

Poly(vinyl chloride)

Binary and ternary blends for poly (vinyl chloride), segmented poly (ether ester) and chlorosulphonated polyethylene, 469

Compatibility of polyacrylates and polymethacrylates with poly(vinyl chloride): 1. Compatibility and temperature variation, 1330; 2. Measurement of interaction parameters, 1335

Crystallinity in poly(vinyl chloride), 985

Structural order in oriented PVC moulding, 109

Studies on the photodegradation of poly(vinyl chloride) accelerated by α-hydroperoxytetrahydrofuran, 226

Surface crazing in PVC and other polymers, 684

Thermal stabilization of poly(vinyl chloride) treated with organoaluminium compounds: 2. Effect of solvents, 1463

Thermally stimulated discharge in poly (vinyl chloride) thermoelectrets, 925 Poly(vinyl imidazole)

Role of ionic competition in the binding of a dye to poly(vinyl imidazole), 908

Poly(4-vinyl pyridine)

Hydrophobic polyelectrolytes and polysoaps. Ionization of weakly basic groups and conformation in aqueous solution of some derivatives of poly(4-vinyl pyridine), 1457 Poly(vinyl pyrrolidinone)

Conformation of adsorbed poly(vinyl pyrrolidinone) studied by infra-red spectrometry, 408

Poly(vinylidene fluoride)

Computerized infra-red study of the interaction of poly(vinylidene fluoride) with stereoregular poly (methyl methacrylate), 509

Crystalline transformations in spherulites of poly(vinylidene fluoride), 1317

High effective draw as a route to increased stiffness and electrical response in poly(vinylidene fluoride), 855

LCST behaviour in blends of poly (vinylidene fluoride) and isotactic poly(ethyl methacrylate), 1161

Studies on syntheses and permeabilities of special polymer membranes: 24. Permeation characteristics of poly(vinylidene fluoride) membranes, 1047

The I-II crystal transformation of poly(vinylidene fluoride) under tensile and compressional stresses, 1391

Polysoaps

Hydrophobic polyelectrolytes and polysoaps. Ionization of weakly basic groups and conformation in aqueous solution of some derivatives of poly(4-vinyl pyridine), 1457

Powders

Pressures transmitted through polymeric powders subjected to solid phase compaction, 138

Propene

Chain transfer induced by molecular hydrogen in the 'living' polymerization of propene with soluble V(acac)₃/Al(C₂H₅)₂Cl, 1352

Propylene sulphide

Kinetics of ring opening of propylene sulphide: 1. Alkali metal and cryptated alkali metal carbazyl salts, 77

Radial distribution functions
Interpretation of radial distribution
functions for non-crystalline polymers, 990

Raman spectroscopy

Characterization of biaxial orientation in poly(ethylene terephthalate) by means of refractive index measurements and Raman and infra-red spectroscopies, 41

Raman study of oxygen induced isomerization in $(CH)_x$ films, 1235

Vibrational spectrum of syndiotactic polypropylene. Raman tacticity bands and local structures of isoand syndiotactic polypropylenes, 143

Reaction injection moulding

Morphological characterization of reaction injection moulded (*RIM*) polyester-based polyurethanes, 393

Refractive index measurements

Characterization of biaxial orientation in poly(ethylene terephthalate) by means of refractive index measurements and Raman and infra-red spectroscopies, 41

Relaxation processes

Chain fluctuations in the amorphous regions of polyethylene as indicated in proton relaxation spectroscopy, 1001

Dielectric relaxation of poly(chlorostyrenes) and their copolymers in the primary transition region, 488

Influence of oxygen content in the atmosphere on chemical stress relaxation of natural rubber vulcanizates: 1. Relaxation mechanisms of sulphur cured systems, 1398

Influences of paramagnetic impurities on the proton spin—lattice relaxation time T_1 of siloxane polymers, 829

Molecular fluctuations in polyethylene melts. Dependence of the longitudinal and transverse proton relaxation on the chain length, 1009

Molecular motion in melt samples of poly(propylene glycol) studied using dielectric and Kerr effect relaxation techniques, 13

Relaxation processes and mobility of spin-labelled polyethylene, 1304

Relaxation spectrometry of polyethylene in urea—polyethylene complex by *BL* n.m.r. and e.s.r. measurements, 1116

Resorcinol

Study of poly(ethylene oxide)—resorcinol molecular complex, 403

Retraction

Retraction of polypropylene tape, 1259 Rheo-optical studies

Rheo-optical studies on the deformation mechanism of semicrystalline polymers: 9. Dynamic birefringence behaviour of a high density polyethylene film having row nucleated crystalline texture of *c*-axis orientation, 1205

Ring-opening

Kinetics of ring-opening of propylene sulphide: 1. Alkali metal and cryptated alkali metal carbazyl salts, 77

Rubber phase volume fraction

Correlation of impact strength and rubber phase volume fraction in impact polystyrene, 1234

Effect of rubber phase volume fraction in impact polystyrene on mechanical behaviour, 466

Ruthenium tetroxide

Ruthenium tetroxide as a staining agent for unsaturated and saturated polymers, 1220

Scherrer parameters

An empirical estimation of Scherrer parameters for the evaluation of true crystallite size in fibrous polymers, 929

Sedimentation

Effect of branching on the sedimentation behaviour in moderately concentrated polystyrene solutions, 183

Selenium

Crystallization during polymerization of selenium from the vapour phase, 521

Sequence distribution

Irregular sequence distribution statistics in poly(p-chlorophenyl glycidyl ethers), 1102

Siloxanes

Influence of paramagnetic impurities on the proton spin—lattice relaxation time T_1 of siloxane polymers, 829

Synthesis of novel siloxane block copolymers for use in photophysical studies, 369

Solubility

Dissolution of poly(ethersulphone) in dichloromethane, 659

Solubility behaviour of polystyrene: thermodynamic studies using gas chromatography, 1041

Solution spinning

Ultra-high strength polyethylene filaments by solution spinning/drawing:
3. Influence of drawing temperature,
1341

Solutions

Interpretation of dynamic scattering from polymer solutions, 866 Sorption

Cracking in a glassy epoxy resin induced by water absorption, 713

Preparation and water sorption properties of cellulose—poly(propylene) glycol) block copolymers, 648

Solvent sorption and swelling in poly (ethersulphone), 901

Spin trapping

Comparison of local molecular motions at the chain ends and inside the polymer chain by use of the spin trapping method, 1299

Preparation and characterization of spin labelled polystyrene, 232

Stabilization

Thermal stabilization of poly(vinyl chloride) treated with organoaluminium compounds: 2. Effect of solvents, 1463

Staining agent

Ruthenium tetroxide as a staining agent for unsaturated and saturated polymers, 1220

Structure

Crystal structure of poly 1,2-bis(p-methoxybenzenesulphonyloxy-

methyl)-1-buten-3-ynylene, 1269 Evidence for structural transformations in polymer melts, 620

Relations between structure and properties in bisphenol A polyester carbonate, 1448

Static and dynamic structure factors calculated for flexible ring macromolecules, 745

Structure of potassium bromide amylose determined by accurate X-ray diffraction intensities, 483

Temperature dependence of the lamellar structure of a styrene—isoprene two-block copolymer, 845

Styrene

Dilute gelling systems: copolymers of styrene and glycol dimethacrylates, 825

Efficiency of initiation by azobisisobutyronitrile in the emulsion polymerization of styrene, 429

New aspects of graft copolymerization of styrene onto cellulose induced by gamma rays, 309

Temperature dependence of the lamellar structure of a styrene—isoprene two-block copolymer, 845

Sulphur dioxide

Copolymerization of acrylic acid with sulphur dioxide, 253

Surface properties

Surface modification of poly(ethylene terephthalate) by electrical discharge treatment, 895

Synthesis

A poly(acryloylmorpholine)-based bead matrix of improved versatility for solid (gel) phase peptide synthesis, 481

Molecular association complex of urea with polyethylene: 2. New preparation methods and morphological study, 968

Terephthalic acid

Unsaturated polyesters based on terephthalic acid: 3. Characterization of poly(propylene terephthalate) prepolymer by gel permeation chromatography, 632

Termination

Chain length dependence of termination rate constant: computer experiment of effects on the kinetics of radical polymerization of styrene, 1423

Thermal properties

Studies of the thermal properties of poly(2,3-dibromo-but-2-ene-1,4-diol adipate), 668

Thermally stimulated discharge

Thermally stimulated discharge in poly (vinyl chloride) thermoelectrets, 925

Thermochemistry

Application of a thermochemical method for studying a low temperature polycondensation process, 1190 Thermodynamics

Haloaldehyde polymers: 20. Thermodynamics of polymerization, 525

Thermodynamic and ¹³C n.m.r. data on the protonation of polymeric bases whose repeating units behave independently toward protonation, 81

Thermoplastics

Orientation effects during the flow of short-fibre reinforced thermoplastics, 1252

Transfer constants

Determination of the transfer constant for copolymerization in the presence of a reactive substrate, 458

Ultrasonic studies

Ultrasonic relaxation in dilute polymer solutions: 1. Normal mode and conformational processes, 764

Ultrasonic relaxation studies of poly (isobutylene) in *m*-xylene, 772

Ultrasonic studies of dilute polystyrene solutions: 2. The kilohertz frequency region, 769

Ultra-violet spectroscopy

Characterization of polyazomethines in dilute solution. Correlation between the light scattering parameters and the u.v.—visible absorption spectrum, 632

Urea

Molecular association complex of urea with polyethylene: 2. New preparation methods and morphological study, 968

Relaxation spectrometry of polyethylene in urea—polyethylene complex by BL n.m.r. and e.s.r. measurements, 1116

Vibrational spectra

Vibrational spectrum of syndiotactic polypropylene. Raman tacticity bands and local structures of isoand syndiotactic polypropylenes, 143

Vinyl carbazole

Photoinitiated polymerization of *N*-vinyl carbazole in the presence of azobisisobutyronitrile, 832

Vinyl pyridines

Chiroptical and fluorescence properties of copolymers of (-)-menthyl acrylate and (-)-menthyl methacrylate with 1-vinyl pyridine, 931

Triphase catalysis of a nucleophilic substitution reaction by crosslinked polycations prepared from 4-vinyl pyridine and α,ω -dibromoalkanes, 861

Vinyl systems

- Benzoin derivatives as photo-initiators for vinyl polymerization in micellar systems, 1363
- Cyclization in vinyl—divinyl copolymerization, 750

Viscoelasticity

- Compressive large deformation viscoelastic behaviour of a polycarbonate, 461
- Polymer chain dimensions and the dependence of viscoelastic properties on concentration, molecular weight and solvent power, 258

Viscosity

- A corresponding states interpretation of the temperature dependence of the intrinsic viscosity of polystyrene in isopropyl acetate, 715
- Electrophoretic and viscometric properties of poly(dicarboxylic acids),
- Elongational viscosity at a constant elongational strain rate of polypropylene melt, 164

- Elongational viscosity in the isothermal melt spinning of polypropylene, 691
- Linear representation of viscosity data as a function of molecular weight:
 2. Extension in the domain of high expansion coefficients, 355
- Rigid backbone polymers, XVII: solution viscosity of polydisperse systems, 1413
- Studies of cyclic and linear poly(dimethyl siloxanes): 4. Bulk viscosities, 663
- The dilute solution properties of maleic anhydride and maleic acid copolymers: 1. Light scattering, osmotic pressure and viscosity measurements, 1427
- Viscosity studies of crown ether containing polymers in solutions of alkali salts. Intra-versus intermolecular crown—cation complexes, 188

Water treeing

Water treeing as an osmotic phenomenon, 863

X-ray scattering

- Effect of chain composition of PET on small-angle X-ray scattering, 373 X-ray studies
- Structure of potassium bromide amylose determined by accurate X-ray diffraction intensities, 483
- Studies on highly active coordination catalysts for polymerization of α-olefins: 1. X-ray diffractomeric investigations of the catalyst supports, 1037
- X-ray data for poly(aryl ether ketones), 577
- X-ray diffraction study of fibrous polymers: 1. Degree of paracrystallinity a new parameter for characterizing fibrous polymers, 1403
- X-ray measurement of chain orientation in non-crystalline polymers, 1017