

Authors

- Abadie, M. J. M., Schué, F., Souel, T. and Richards, D. H.: Block copolymers prepared by anion to free radical transformation process: 2. Homolytic scission of C-Pb bond of lead trialkyl-terminated polymers both thermally and by transition metal salts, 1076
- Abadie, M. J. M.: *see* Cohen, P., 1316
- Abbas, Kent B.: Degradational effects on bisphenol A polycarbonate extruded at high shear stresses, 836
- Abenoza, Michel and Armengaud, Alain: Laser Raman spectrum of isotactic polybutene-1 fibres, 1341
- Abramenko, E. L.: *see* Syatkowsky, A. I., 1554
- Achard, M. F.: *see* Noel, C., 578
- Acierno, D.: *see* Piccarolo, S., 850
- Adachi, Keiichiro; Harrison, Gilroy; Lamb, John; North, Alastair M. and Pethrick, Richard A.: Ultrasonic studies of morphology and stress relaxation in drawn PP, 1026: High frequency ultrasonic studies of PE, 1032
- Adam, Randall E.: *see* Smith, Thor L., 299
- Agarwal, V. K.: *see* Gupta, A. K., 285
- Aharoni, Shaul M.: Rigid backbone polymers: XXI. Stress-strain behaviour in rodlike polyisocyanates, 418
- Aharoni, S. M.: *see* Moscicki, J. K., 571
- Aharoni, S. M.: *see* Moscicki, J. K., 1361
- Allen, Geoffrey: *see* Richards, Randal W., 147
- Allen, Geoffrey: *see* Richards, Randal W., 153
- Allen, Geoffrey: *see* Richards, Randal W., 158
- Allen, Geoffrey: *see* Maconnachie, Ann, 1157
- Allen, S. M., Stannett, V. and Hopfenberg, H.B.: Noble gas transport in PMVK and PMVE, 912
- Al-Kass, S.: *see* Ledwith, A., 143
- Al-Sayed Salem, M.: *see* Morsi, S. E., 942
- Akay, M.: Roll embossing on PP film, 5
- Akcasu, A. Ziya: *see* Han, Charles C., 1019
- Akcasu, A. Ziya: *see* Han, Charles C., 1165
- Akcasu, A. Z.: Temperature and concentration dependence of diffusion coefficient in dilute solutions, 1169
- Anand, M., Cohen, R. E. and Baddour, R. F.: Surface modification of LDPE in a fluorine gas plasma, 361
- Andreani, Franco; Angeloni, Annino Sante; Angiolini, Luigi; Costa Bizzarri, Paolo; Della Casa, Carlo; Fini, Adamo; Ghedini, Nadia; Tramontini, Maurizio and Ferruti, Paolo: Poly(β -ketothioethers) by condensation of bis- β -dialkylaminoketones with bis-thiols, 270
- Andrew, E. R., Bryant, D. J., Cashell, E. M., Gaspar Jr., R. and Meng, Q. A.: Proton magnetic relaxation and dynamics of poly-L-proline and polyglycine, 715
- Ando, Isao and Sato, Kazuo: ^1H n.m.r. relaxation and molecular motion of liquid n-paraffin by isotropic dilution study, 413
- Angeloni, Annino Sante: *see* Andreani, Franco, 270
- Angiolini, Luigi: *see* Andreani, Franco, 270
- Apicella, A., Nicolais, L., Astarita, G. and Drioli, E.: Hygrothermal history dependence of equilibrium moisture sorption in epoxy resins, 1064
- Arai, Yoshihiro; Tai, Kazuo; Teranishi, Hiroichi and Tagawa, Takashi: Hydrolytic polymerization of ϵ -caprolactam, kinetics of: 3. Cyclic dimer formation, 273
- Armengaud, Alain: *see* Abenoza, Michel, 1341
- Arrighetti, S.: *see* De Chirico, A., 529
- Askill, I. N. and Gilding, D. K.: Monomer feed system producing copolymers from widely differing comonomers, 342
- Askill, I. N.: *see* Gilding, D. K., 505
- Assink, R. A.: *see* Sayre, J. A., 87
- Astarita, G.: *see* Apicella, A., 1064
- Atkins, E. D. T., Keller, A., Shapiro, J. S. and Lemstra, P. J.: Extended-chain structure for isotactic PS: additional X-ray diffraction and calorimetric results, 1161
- Attwood, T. E., Dawson, P. C., Freeman, J. L., Hoy, L. R. J., Rose, J. B. and Staniland, P. A.: Synthesis and properties of polyaryletherketones, 1096
- Aubin, Madeleine and Prud'homme, Robert E.: Preparation and properties of poly(valerolactone), 1223
- Auvray, P.: *see* Froyer, G., 992
- Babitsky, B. D.: *see* Syatkowsky, A. I., 1554
- Baddour, R. F.: *see* Anand, M., 361
- Bagdonaite, V. A., Juskeviciute, S. S. and Shlyapnikov, Yu. A.: Macro- and microviscosity of high polymer solutions, 145
- Bailey, F. C.: *see* Gibson, Harry W., 1068
- Bajaj, P. and Varshney, S. K.: Crosslinking of polydimethylsiloxane diol blended with poly(dimethylsiloxane-*b*-styrene-*b*-dimethylsiloxane), 372
- Bajaj, P. and Khanna, D. N.: Aliphatic-aromatic copolyesters: synthesis and crystallization studies, 1522
- Baker, F. S.: *see* Clark, D. T., 1303
- Ball, R. C., Doi, M., Edwards, S. F. and Warner, M.: Elasticity of entangled networks, 1010
- Ballard, D. G. H., Burgess, A. N., Cheshire, P., Janke, E. W. and Nevin, A.: SANS study of amorphous polycarbonate, 1353
- Ballistreri, Alberto; Foti, Salvatore; Maravigna, Pietro; Montaudo, Giorgio and Scamporrino, Emilio: Thermal decomposition mechanism of poly(vinylidene chloride), 131
- Bamford, C. H. and Schofield, E.: Non-classical free-radical polymerization: Degradative addition to monomer in the polymerization of 1-vinylimidazole, 1227
- Bamford, C. H. and Han, Xiao-zu: Synthesis of completely-alternating block polymers, 1299
- Bandyopadhyay, S. and Brown, H. R.: Environmental stress cracking of low M.wt. HDPE, 245
- Banerjee, Monoranjan; Sathpathy, Umashankar; Paul, Tarun K. and Konar, Ranajit S.: Mechanism of the emulsion polymerization of methyl acrylate: 1. Initiation, 1729
- Bannister, D. J. and Semlyen, J. A.: Cyclic and linear poly(dimethylsiloxanes): 6. Effect of heat, 377
- Barrie, J. A.: *see* Majid, M. A., 1104
- Barlow, J. W.: *see* Ziska, J. J., 918
- Barnett, K. G., Cosgrove, T., Vincent, B., Burgess, A. N., Crowley, T. L., King, T., Turner, J. D. and Tadros, Th. F.: Neutron scattering, n.m.r. and photon correlations of polymers absorbed at solid solution interface, 283
- Baumgärtner, A.: Self-entanglement effects on the Rouse dynamics of a polymer, 1308
- Beckett, D. R.: *see* Blundell, D. J., 704
- Beinert, Gérard: *see* Chaumont, Phillipe, 663
- Bello, A.: *see* Garza, J., 477
- Benoit, Henri: *see* Leibler, Ludwig, 195
- Bernier, P.: *see* Rachdi, F., 1605
- Bezjak, A.: *see* Smit, I., 590
- Bhateja, S. K.: Uniaxial tensile creep behaviour in linear PE, 23
- Bhattacharyya, Swapan K.: Dilatometric studies on PVC-Cu composite, 142
- Bhoraskar, S. V.: *see* Jog, J. P., 865
- Bigg, D. M., Leininger, R. I. and Lee, C. S.: Stress cracking of PMMA-ethyl acrylate copolymer, 539
- Bikson, Benjamin; Jagur-Grodzinski, Joseph and Vofsi, David: Polarized i.r. studies of sulphochlorinated PE and its hydrolysis products, 640
- Billaud, D.: *see* Rachdi, F., 1605
- Birley, A. W., Dawkins, J. V., Kyriacos, D. and Bunn, A.: Unsaturated polyesters based on terephthalic acid: 4. Crosslink distribution of styrene cured resins, 812
- Biswas, Mukul and Mishra, Girish Chandra: Stereospecific polymerization of *N*-vinylcarbazole by $\text{ZnEt}_2/\text{CoCl}_2$ -pyridine catalyst system, 1319
- Blackwell, J. and Nagarajan, M. R.: Poly(MDI-butandiol) hard segment in polyurethane elastomers, 202
- Blackwell, J., Nagarajan, M. R. and Hoitink, T. B.: Structure of polyurethane elastomers. X-ray diffraction and conformational analysis of MDI-propandiol and MDI-ethylene glycol hard segments, 1534
- Bleha, T.: Origin of the pressure variation of front factor in rubber elasticity, 1314
- Bleijenberg, A. C. A. M.: *see* Sjoerdsma, S. D., 619
- Bluemke, D. A.: *see* Van Bogart, J. W. C., 1428
- Blundell, D. J., Beckett, D. R. and Willcocks, P. H.: Routine crystallinity measurements of polymers by d.s.c., 704
- Boileau, Sylvie: *see* Deffieux, Alain, 549
- Bokobza, Liliane and Monnerie, Lucien: Excimer formation of poly(α -methylstyrenes) in solution, 235
- Bokobza, L., Pajot, E., Monnerie, L., Bouas-Laurent, H. and Castellan, A.: A new convenient fluorescence molecule for probing molecular motions in bulk polymers: 10,10'-Diphenyl-bis-9-anthrylmethyloxide (Diphamt), 1309
- Bonner, P.: *see* Ledwith, A., 143
- Boorga Rao, B. and Mhaskar, R. D.: Minimum end time policies in batch, chain addition polymerizations, 1593
- Borsig, Eberhard and Szöcs, František: High pressure effect on PE crosslinking initiated by benzoyl peroxide, 1400
- Boscher, F., Keekstra, D. and Challa, G.: Stereocomplex formation between polyalkylmethacrylates, influence of ester groups, 124

- Botto, Paolo: *see* Danusso, Ferdinando, 1257
 Bouas-Laurent, H.: *see* Bokobza, L., 1309
 Boucher, David G. and Parsons, Ian W.: Polymerization of styrene with a Mg-reduced Ti-Chloride catalyst, 255
 Bowmer, Trevor N. and O'Donnell, James H.: Post-irradiation thermal degradation of poly(olefin sulphones), 71
 Braud, Christian: *see* Vert, Michel, 1683
 Brebner, K. I., Brown, G. R., Chahal, R. S. and St-Pierre, L. E.: Adsorption of poly(dimethyl siloxanes) from solution on silica: 2., 56
 Bretz, P. E., Hertzberg, R. W. and Manson, J. A.: Crack growth rate and fracture mode transitions in LDPE, 575
 Bretz, P. E., Hertzberg, R. W. and Manson, J. A.: Mechanisms of fatigue damage and fracture in semi-crystalline polymers, 1272
 Brewis, D. M. and Briggs, D.: Adhesion to PE and PP, 7
 Briggs, D.: *see* Brewis, D. M., 7
 Brinker, B. A.: *see* Peiffer, D. G., 450
 Briscoe, B. J. and Smith, A. C.: Polymer friction and polymer yield: a comparison, 1587
 Brown, D. S.: *see* Warner, F. P., 1349
 Brown, G. R.: *see* Brebner, K. I., 56
 Brown, H. R.: *see* Bandyopadhyay, S., 245
 Brown, Hugh R. and Kramer, Edward J.: Effect of surface tension on the stress in environmental crazes, 687
 Brown, W. and Johnsen, R. M.: Diffusion in polyacrylamide gels, 185
 Brozoski, B. A.: *see* Coleman, M. M., 762
 Bruzzzone, M.: *see* De Chirico, A., 529
 Bryant, D. J.: *see* Andrew, E. R., 715
 Bubeck, R. A.: Kinetics of environmental stress cracking in HDPE, 682
 Buchan, Gavin M.: *see* Cameron, G. Gordon, 558
 Buckingham, K. A.: *see* Willis, H. A., 20
 Bukowski, Andrzej and Osowiecka, Blandyna: Copolymerization reaction in melted asphalt, 1415
 Bunel, C. and Marechal, E.: Penultimate effect in the cationic copolymerization of 1-isopropenyl naphthalene with styrene, 844
 Bunn, A.: *see* Birley, A. W., 812
 Bur, Anthony J.: Resistivity and piezoelectric measurements on oriented and un-oriented thick PVF₂ films, 1288
 Burchard, Walther: *see* Kajiwar, Kanji, 1621
 Burchell, D. J. and Hsu, S. L.: Structure of PE solid solutions: 2. Aspects of spectral deconvolution, 907
 Burgess, A. N.: *see* Barnett, K. G., 283
 Burgess, A. N.: *see* Ballard, D. G. H., 1353
 Burrage, M. E.: *see* Luxton, Alan R., 382
 Burrows, Hugh D., Ellis, Henry A. and Utah, Stanley I.: Adsorbed metal ions as stabilizers for the thermal degradation of polyacrylamide, 1740
 Bywater, S. and Toporowski, P. M.: Optical properties of styrene-isoprene copolymers, 29
- Cameron, G. Gordon and Law, Kia Sang: Polyester synthesis from polymerizations involving *m*-xylylene, 272
 Cameron, G. Gordon, Burchan, Gavin M. and Law, Kia-Sang: Polyester synthesis by phase transfer catalysis, 558
 Camparada, Vincenzo: *see* Danusso, Ferdinando, 1257
- Candau, S., Peters, A. and Herz, J.: Experimental evidence for trapped chain entanglements: Their influence on macroscopic behaviour of networks, 1504
 Cashell, E. M.: *see* Andrew, E. R., 715
 Castellan, A.: *see* Bokobza, L., 1309
 Caroline, David: Photon correlation spectroscopy applied to dilute polymer solutions, histogram method, 576
 Caubere, P.: *see* Ndebeka, G., 347
 Caubere, P.: *see* Raynal, S., 356
 Caubère, P.: *see* Raynal, S., 1425
 Caunt, Anthony D.: *see* Licchelli, John A., 667
 Caunt, Anthony D.: *see* Licchelli, John A., 1558
 Citovický, P.: *see* Chrástová, V., 1054
 Clark, D. T., Stephenson, P. J. and Heatley, F.: Partial degrees of substitution in cellulose nitrates determined by means of ¹³C magnetic resonance studies, 1112
 Clark, D. T., Stephenson, P. J., Lewis, T. J. and Baker, F. S.: Surface chemistry of double based (nitrocellulose-nitroglycerin) propellants as revealed by e.s.c.a., 1303
 Clark, E. S.: *see* Weeks, J. J., 1480
 Clark, E. S.: *see* Weeks, J. J., 1496
 Chahal, R. S.: *see* Brebner, K. I., 56
 Chai, C. K. and Thomas, A. G.: Creep and recovery of unvulcanized natural rubber, 399
 Challa, G.: *see* Bosscher, F., 124
 Challa, G.: *see* Vorenkamp, E. J., 1705
 Challa, G.: *see* Koetsier, D. W., 1709
 Chalykh, A. E.: *see* Malkin, A. Ya., 1373
 Chamizo, J. A., Mendoza-Diaz, G. and Gázquez, J. L.: Charge transfer complex between maleic anhydride and pyridine, 129
 Chandra, R., Singh, B. P., Singh, S. and Handa, S. P.: Photodegradation of poly(2,6-dimethyl-1,4 phenylene oxide) film with metal isopropylxanthates, 523
 Chantry, G. W.: *see* Frank, W. F. X., 17
 Chapelet-Letourneux, Gilbert: *see* Serre, Brigitte, 513, 519
 Charlet, Gérard and Delmas, Geneviève: Thermodynamic properties of polyolefin solutions at high temperatures of PE, PP, and ethylene-propylene copolymers in hydrocarbon solvents, 1181
 Charlet, Gérard; Ducasse, Romain and Delmas, Geneviève: Lower critical solubility temperatures for polybutene-1, polypentene-1 and poly(4-methylpentene-1) in hydrocarbon solvents and polymer-solvent interaction for PB1 and one ethylene-propylene copolymer, 1190
 Chatani, Yozo: *see* Tashiro, Kohji, 1312
 Chaumont, Phillipe; Beinert, Gérard; Herz, Jean and Rempp, Paul: Multiblock copolymers containing poly(dimethyl siloxane) blocks, synthesis and characterization, 663
 Chen, F. C.: *see* Choy, C. L., 543
 Cherry, B. W. and Hin, Teoh Swee: Stress whitening in PE, 1610
 Cheshire, P.: *see* Ballard, D. G. H., 1353
 Chiang, C. K.: An all-polymeric solid state battery, 1454
 Chiang, Teh-Chang and Ng, Shiu-Lan: Polysulphone-arylate block copolymers, 3
 Chiang, Teh-Chang: 2-propoxy- and 2-isobutyroxy-acrylic esters, 560
 Chiappori, Carmen; Russo, Saverio; Turturro, Antonio; Passerone, Alberto and Sangiorgi, Roberto: Wettability of glass substrates by molten nylon-6, 534
- Chiellini, Emo: *see* Galli, Giancarlo, 1088
 Chodak, I.: *see* Kunert, K. A., 1677
 Chosson, A.: *see* Hecht, A. M., 877
 Choy, C. L., Luk, W. K. and Chen, F. C.: Mechanical relaxations in polybutene-1 and poly-4-methylpentene-1, 543
 Chrástová, V., Mikulášová, D., Lacok, J. and Citovický, P.: Extremely high m. wt. PS in solution, properties, 1054
 Cohen, P., Abadie, M. J. M., Schue, F. and Richards, D. H.: Block copolymers synthesis via anionic to Ziegler-Natta transformation reaction, 1316
 Cohen, R. E.: *see* Anand, M., 361
 Cohen-Addad, J. P.: *see* Sauviat, M., 461
 Coleman, M. M., Varnell, D. F., Brozoski, B. A. and Painter, P. C.: Vibrational spectra poly-1,1,2,2-tetrachlorobutane, a model for head-to-head poly(vinylidene chloride), 762
 Coleman, M. M.: *see* Varnell, D. F., 1324
 Cook, C. C.: *see* Guthrie, J., 1439
 Cook, Robert; Schweitzer, Eric; Shuldiner, Alan; Market, Cynthia and Felmy, William: Poly(2,2-dialkyltrimethylene sulphones), preparation and properties, 1283
 Cooper, S. L.: *see* Van Bogart, J. W. C., 1428
 Corley, T. J.: *see* Peiffer, D. G., 450
 Cosgrove, T.: *see* Barnett, K. G., 283
 Costa Bizzarri, Paolo: *see* Andreani, Franco, 270
 Costa Bizzarri, P., Della Casa, C. and Monaco, A.: Thermally obtained poly[4,4'-(*p*-terephylene)amide], 1263
 Cowie, J. M. G., Haq, Z., McEwen, I. J. and Velickovič, J.: Poly(alkyl itaconates): 8. Dual *T_g*s and crystallinity in diheptyl to di-eicosyl ester series, 327
 Cox, Michael K.: *see* Heatley, Frank, 190
 Cox, Michael K.: *see* Heatley, Frank, 288
 Crofton, Derek J. and Pethrick, Richard A.: Proton migration and relaxation in wet cellulose and its derivatives, dielectric studies, 1048
 Crowley, T. L.: *see* Barnett, K. G., 283
 Cudby, M. E. A.: *see* Frank, W. F. X., 17
 Cudby, M. E. A.: *see* Cutler, D. J., 726
 Cudby, M. E. A.: *see* Glotin, M., 731
 Cunliffe, A. V.: *see* Daly, J., 32
 Cunliffe, A. V., Hartley, D. B., Kingston, S. B., Richards, D. H. and Thompson, D.: Reactions of living polyTHF with amines: 1. Pyridine, 101
 Cunliffe, A. V., Richards, D. H. and Robertson, F.: Reactions of living polyTHF with amines: 2. Other tertiary amines, 108
 Cunliffe, A. V.: *see* Delides, C., 1205
 Cunningham, A.: Aggregate model for modulus anisotropy of low density cellular plastics, 882
 Cutler, D. J., Hendra, P. J., Rahalkar, R. R. and Cudby, M. E. A.: Vibrational spectra of crystalline PTFE, 726
- Daly, J., Pethrick, R. A., Fuller, P., Cunliffe, A. V. and Datta, P. K.: Rubber-modified epoxy resins: 1. Equilibrium physical properties, 32
 Daly, John and Pethrick, Richard A.: Rubber-modified epoxy resins: 2. Dielectric and ultrasonic relaxation studies, 37
 Danusso, Ferdinando; Ferruti, Paolo; Tieghi, Giuseppe; Botto, Paolo and Camparada, Vincenzo: An attempt to synthesize regular cresolic resins through solid state polycondensation, 1257

Author index

- Datta, P. K.: *see* Daly, J., 32
- Dawkins, J. V. and Gabbott, N. P.: Polyacrylamide gel particles for aqueous high performance g.p.c. of PEO, 291
- Dawkins, J. V.: *see* Birley, A. W., 812
- Dawson, P. C.: *see* Attwood, T. E., 1096
- Day, John C. and Robb, Ian D.: Thermodynamic parameters of polyacrylamides in water, 1530
- De Chirico, A., Arrighetti, S. and Bruzzzone, M.: G.p.c. and viscometric investigation on grafting of styrene-co-acrylonitrile polymer to ethylene-propylene elastomer, 529
- Deffieux, Alain; Graf, Ernest and Boileau, Sylvie: Anionic polymerization of ethylene oxide with cryptates as counterions: 2., 549
- Deffieux, A., Hsieh, W. C., Squire, D. R. and Stannett, V.: Radiation-induced cationic polymerization of vinyl ethers in solution: 1. Influence of monomer and solvent concentration on the rate of polymerization of ethyl vinyl ether in benzene, 1575
- Delides, C., Pethrick, R. A., Cunliffe, A. V. and Klein, P. G.: Characterization of polyurethane elastomers by ^{13}C n.m.r. spectroscopy, 1205
- Della Casa, Carlo: *see* Andreani, Franco, 270
- Della Casa, C.: *see* Costa Bizzarri, P., 1263
- Delmas, Geneviève: *see* Charlet, Gérard, 1181
- Delmas, Geneviève: *see* Charlet, Gérard, 1190
- Denisova, T. T.: *see* Syatkowsky, A. I., 1554
- Deshpande, D. D.: *see* Patil, A. O., 434
- Deshpande, D. D. and Kandasamy, N. R.: Dielectric relaxation in Antiplasticized poly n-butyl methacrylate, 1211
- Destor, C. and Rondelez, F.: Sedimentation in dilute PS-cyclohexane solutions close to the θ -temperature, 67
- DeVries, Kenneth Lawrence: *see* Nagamura, Toshihiko, 1267
- DeVries, K. K., Smith, R. H. and Fanconi, B. M.: Response to commentary by M. Dole on page 1458, 1460
- Diaz, F. R.: *see* Frigerio, P. F., 1571
- DiMarzio, Edmund A.: *see* Guttman, Charles M., 597
- DiMarzio, Edmund A.: *see* Guttman, Charles M., 1466
- Dobb, M. G., Johnson, D. J. and Saville, B. P.: Compressional behaviour of Kevlar fibres, 960
- Dodin, Mark G.: Non-equilibrium electrolyte permeability in poly(vinyl alcohol), 788
- Doi, M.: *see* Ball, R. C., 1010
- Doi, Yoshiharu; Nishimura, Yoshio and Keii, Tominaga: Polypropylenes obtained with $\text{Ti}(\text{OC}_4\text{H}_9)_4/\text{Al}_2(\text{C}_2\text{H}_5)_3\text{Cl}_3$ catalyst system, 469
- Dole, Malcolm: A commentary on 'Free radicals and new end groups resulting from chain scission: 1. γ -Irradiation of PE', 1458
- Dorrestijn, A., Keijzers, A. E. M. and Nijenhuis, K. te: Correlation between viscoelastic behaviour and SAXS of thermoreversible PVC gels, 305
- Doubé, C. P.: *see* Walsh, D. J., 168
- Drabent, Regina and Olszewska, Teresa: Anisotropy of poly(vinyl alcohol) films in the u.v. and i.r. regions of the spectrum, 1655
- Drioli, E.: *see* Apicella, A., 1064
- Ducasse, Romain: *see* Charlet, Gérard, 1190
- Duckett, R. A.: *see* Hine, P. J., 1745
- Duplessix, R., Duval, M., Francois, J. and Sarazin, D.: Spatial crossover for polyacrylamide in aqueous solution, 287
- Dušek, K.: *see* Matějka, L., 1511
- Duval, M.: *see* Duplessix, R., 287
- Eastmond, G. C. and Phillips, D. G.: Polycarbonate/polystyrene ABCP: A toughened plastic and elastomer, 139
- Eby, R. K.: *see* Weeks, J. J., 1480
- Eby, R. K.: *see* Farmer, B. L., 1487
- Eby, R. K.: *see* Weeks, J. J., 1496
- Eder, Marek: *see* Wlochowicz, Andrzej, 1285
- Edwards, S. F.: *see* Ball, R. C., 1010
- Edwards, S. F.: *see* Graessley, W. W., 1329
- Ellis, Henry A.: *see* Burrows, Hugh D., 1740
- Enyiegbulam, M. and Hourston, D. J.: Concentrated solutions of SBS block copolymers in solvent mixtures, 395
- Epton, R., Marr, G. and Shackley, A. T.: New hydrophilic acrylate monomers suitable for the gel bead entrapment of enzymes, 553
- Epton, R., Marr, G. and Small, P. W.: Preparation and radiochemical estimation of phenolic PSs suitable for solid (gel) phase peptide synthesis, 842
- Etaiw, S. H.: *see* Morsi, S. E., 942
- Fanconi, B. M.: *see* DeVries, K. K., 1460
- Farmer, B. L. and Eby, R. K.: Energy calculations of the crystal structure of the low temperature phase (II) of PTFE, 1487
- Farrar, Nigel R. and Kramer, Edward J.: Microstructure and mechanics of crazes in oriented PS, 691
- Fatou, J. G.: *see* Garza, J., 477
- Favier, J. C.: *see* Guyot, P., 1724
- Felmy, William: *see* Cook, Robert, 1283
- Fernández-Pirola, Inés: *see* Horta, Arturo, 783
- Ferruti, Paolo: *see* Andreani, Franco, 270
- Ferruti, Paolo: *see* Danusso, Ferdinando, 1257
- Fetters, L. J.: *see* Luxton, Alan R., 382
- Fini, Adamo: *see* Andreani, Franco, 270
- Fitzgerald, Pauline A.: *see* Hay, James N., 1003
- Fontanille, M.: *see* Guyot, P., 1724
- Fortelny, I.: Effect of hydrodynamic interaction on the intrinsic flow birefringence of a rigid rod, 1441
- Fortunato, Bruno; Pilati, Francesco and Manaresi, Piero: Solid state polycondensation of poly(butylene terephthalate), 655
- Fortunato, B.: *see* Pilati, F., 799
- Fortunato, B.: *see* Pilati, F., 1566
- Foti, Salvatore: *see* Ballistreri, Alberto, 131
- Francois, J.: *see* Duplessix, R., 287
- Francois, J.: *see* Schwartz, T., 609
- Frank, W. F. X., Schmidt, H., Heise, B., Chantry, G. W., Nicol, Elisabeth A., Willis, H. A. and Cudby, M. E. A.: New far i.r. band for high-pressure crystallized PE, 17
- Frank, W. F. X., Strohmeier, W. and Hallensleben, M. L.: Far i.r. absorption spectra of undeuterated and deuterated PET, 615
- Franz, Hartmut, Meyer, Helmut and Reichert, Karl-Heinz: Active site concentration in Ziegler-Natta catalysts, 226
- Freeman, J. L.: *see* Attwood, T. E., 1096
- Frigerio, P. F., Tagle, L. H. and Diaz, F. R.: Halogenated polymers with high thermal stability and flame-resistance, 1571
- Froehling, Peter E. and Hillegers, Leo T.: Solvent composition calculation with maximum polymer interaction, 261
- Froyer, G., Maurice, F., Mercier, J. P., Riviere, D., Le Cun, M. and Auvray, P.: Morphology of poly(*para*-phenylene powders and pellets), 992
- Fujimoto, Motohiro: *see* Uragami, Tadashi, 240
- Fuller, P.: *see* Daly, J.: 32
- Gabbott, N. P.: *see* Dawkins, J. V., 291
- Galli, Giancarlo; Solaro, Roberto; Chiellini, Emo and Ledwith, Anthony: Copolymers of *N*-vinylcarbazole and optically active fumarates, synthesis, fluorescence emission spectra and chiroptical properties, 1088
- Garbarczyk, J. and Paukszt, D.: Influence of additives on the structure and properties of polymers: 2. Polymorphic transitions of isotactic PP caused by aminosulphur compounds, 562
- Gargallo, Ligia: *see* Radic, Deodato, 410
- Gargallo, Ligia: *see* Radic, Deodato, 1045
- Garza, J. Marco, C., Fatou, J. G. and Bello, A.: Crystallization kinetics of poly(1,3-dioxepane), 477
- Gaspar Jr., R.: *see* Andrew, E. R., 715
- Gasparoux, H.: *see* Noel, C., 578
- Gautier, Jean-Claude: *see* Raynal, Serge, 257
- Gázquez, J. L.: *see* Chamizo, J. A., 129
- Gebbie, H. A.: *see* Willis, H. A., 20
- Geil, P. H.: *see* Miyaji, H., 701
- Geissler, E.: *see* Hecht, A. M., 877
- George, M. H.: *see* Majid, M. A., 1104
- Gervais, Monique and Gallot, Bernard: Refolding of crystallized chains in block copolymers, freeze-fracture electron microscopy study, 1129
- Ghatge, N. D. and Murthy, R. A. N.: Polyimidothioether polymers, 1250
- Ghedini, Nadia: *see* Andreani, Franco, 270
- Gibson, Harry, W. and Bailey, F. C.: Chemical modification of polymers: 17. Dyeing of sulphonated PS by ion exchange with cationic dyes, 1068
- Gibson, H. W.: *see* Pochan, J. M., 1367
- Gilbert, M. and Vyvoda, J. C.: Gelation of rigid PVC compounds, thermal analysis, 1134
- Gilding, D. K.: *see* Askill, I. N., 342
- Gilding, D. K.: *see* Reed, A. M., 494, 499
- Gilding, D. K., Reed, A. M. and Askill, I. N.: Calibration in g.p.c.: Primary, universal and empirical methods, 505
- Girolamo, M.: *see* Magill, J. H., 43
- Glans, J. H. and Turner, D. T.: Glass transition elevation of PS by crosslinks, 1540
- Glotin, M., Rahalkar, R. R., Hendra, P. J., Cudby, M. E. A. and Willis, H. A.: Crystallization kinetics of isotactic PP, 731
- Godovsky, Yu. K.: Calorimetric study of rubber elasticity, 75
- Gogolewski, S.: Crystallization of copolyamides under elevated pressure, 792
- Gohil, R. M. and Petermann, J.: Chain conformational defects in polyvinylidene fluoride, 1612
- Gole, J.: *see* Loria, E., 1419
- Graessley, W. W. and Edwards, S. F.: Entanglement interactions in polymers and the chain contour concentration, 1329
- Graf, Ernest: *see* Deffieux, Alain, 549
- Greenberg, A. R.: *see* Kusy, R. P., 268
- Grobelny, J., Tekely, P. and Turska, E.: A broadline n.m.r. investigation of polyacrylonitrile phase structure and chain conformation, 1649
- Grobler, A.: *see* Keszler, B., 818
- Grossmann, H.-P.: *see* Leute, U., 1335

- Guenet, Jean-Michel: Chain trajectory in isotactic polystyrene, neutron scattering investigations on crystallization temperature and thermal effects, 313
- Guerdoux, L. and Marchal, E.: Physical ageing of PMMA and polycarbonate in the region of secondary relaxation, 1199
- Güner, Ali: *see* Guven, Olgun, 1757
- Gupta, A. K., Singhal, R. P. and Agarwal, V. K.: Thermally-induced structural change in polyacrylonitrile, 285
- Gupta, Santosh K.: *see* Kumar, Anil, 387
- Gupta, Santosh K., Kumar, Anil, Tandon, Pravin and Naik, C. D.: M. wt. distributions for reversible nylon-6 polymerizations in batch reactors, 481
- Gupta, Santosh K.: *see* Pal, Pralay K., 1699
- Gupta, S. K.: *see* Kumar, A., 1760
- Guthrie, J. and Cook, C. C.: Adsorption of a synthetic tanning agent and a sulphonated phenol-formaldehyde novolac by nylon-6, 1439
- Guttman, Charles M., DiMarzio, Edmund A. and Hoffman, John D.: Calculation of SANS intensity for PE: Fold plane and fold plane roughening effects, 597
- Guttman, Charles M., DiMarzio, Edmund A. and Hoffman, John D.: Modelling the amorphous phase and the fold surface of a semicrystalline polymer - the Gambler's Ruin method, 1466
- Guven, Olgun and Güner, Ali: Spectrophotometric determination of gelation dose in the γ -irradiation of polyacrylonitrile, 1757
- Guyot, P., Favier, J. C., Uytterhoeven, H., Fontanille, M. and Sigwalt, P.: New perfectly difunctional organolithium initiators for block copolymer synthesis: Synthesis of dilithium initiators in the absence of polar additives, 1724
- Guzmán, Julio: *see* Riande, Evaristo, 465
-
- Habibullah, M.: *see* Woan, Der-jin, 699
- Hadjichristidis, Nikos: *see* Kokkiaris, Dionysis, 63
- Hallensleben, M. L.: *see* Frank, W. F. X., 615
- Halpern, G. M.: *see* Peiffer, D. G., 450
- Han, Charles C. and Akcasu, A. Ziya: Dynamic structure factor, $S(q, \omega)$, of polymers in dilute solution, 1019
- Han, Charles C. and Akcasu, A. Ziya: Concentration dependence of diffusion coefficient at various molecular weights and temperatures, 1165
- Han, Xiao-zu: *see* Bamford, C. H., 1299
- Handa, S. P.: *see* Chandra, R., 523
- Haq, Z.: *see* Cowie, J. M. G., 327
- Hardouin, F.: *see* Noel, C., 578
- Harrison, Gilroy: *see* Adachi, Keiichiro, 1026, 1032
- Harrison, I. R.: *see* Weaver, T. J., 1590
- Hartley, D. B.: *see* Cunliffe, A. V., 101
- Hartley, D. B., Hayes, M. S. and Richards, D. H.: Reactions of living poly(THF) with amines: 3. Secondary amines, 1081
- Hartman, Bruce: Ultrasonic properties of some diamine cured aliphatic epoxy polymers, 736
- Harun, M. Ghazali and Williams, Andrew: Microgels as matrices for molecular receptor and catalytic sites, stereoselectivity of copolymers of (-)-menthyl acrylate and *N*-methacryloylhydroxylamine *versus* chiral esters, 946
- Hasegawa, M.: *see* Niume, K., 649
- Hatakeyama, H.: *see* Nakamura, K., 473
- Haward, Robert N.: *see* Licchelli, John A., 1558
- Hay, James N.: Chain folding in melt crystallized PE., 718
- Hay, James N. and Fitzgerald, Pauline A.: Chain folding in melt crystallized PE: 2. Low M. wt. polymers, 1003
- Hayashi, Shigeo: *see* Ohtsuka, Yasuji, 658
- Hayes, M. S.: *see* Hartley, D. B., 1081
- Hayter, J. B.: *see* Higgins, J. S., 163
- Heatley, Frank and Cox, Michael K.: ^1H nuclear magnetic relaxation in isotactic PMMA in dilute solution, 190
- Heatley, Frank and Cox, Michael K.: Proton spin-lattice and spin-spin relaxation in vinyl polymers in dilute solution: poly(methyl acrylate), 288
- Heatley, F.: *see* Clark, D. T., 1112
- Hecht, A. M., Geissler, E. and Chosson, A.: Dynamic light scattering by gels under hydrostatic pressure, 877
- Hedvat, Schowl: Molecular interpretation of rubbery-viscous 'transition' temperature of amorphous polymers, 774
- Heikens, D.: *see* Sjoerdsma, S. D., 619
- Heikens, Derk: Flory-Schulz distribution does hold for reversible polycondensation, 1758
- Heiss, B.: *see* Frank, W. F. X., 17
- Hendra, P. J.: *see* Cutler, D. J., 726
- Hendra, P. J.: *see* Glotin, M., 731
- Hendricker, David G.: *see* Valera, Nestor S., 1007
- Hendricks, R. W.: *see* Wignall, G. D., 886
- Hentschel, R., Sillescu, H. and Spiess, H. W.: Orientational distributions of polymer chains studied by ^2H n.m.r. line shapes, 1516
- Hernández-Fuentes, I.: *see* Horta, A., 1147
- Herz, Jean: *see* Chaumont, Philippe, 663
- Herz, J.: *see* Candau, S., 1504
- Hertzberg, R. W.: *see* Bretz, P. E., 575
- Hertzberg, R. W.: *see* Bretz, P. E., 1272
- Hidalgo, J.: *see* Munoz-Escalona, A., 1118
- Higashimura, Toshinobu: *see* Imanishi, Yukio, 1407
- Higgins, J. S., Nicholson, L. K. and Hayter, J. B.: Single chain motion in a polymer melt, 163
- Higgins, J. S.: *see* Walsh, D. J., 168
- Hillegers, Leo T.: *see* Froehling, Peter E., 261
- Hin, Teoh Swee: *see* Cherry, B. W., 1610
- Hine, P. J., Duckett, R. A. and Ward, I. M.: A study of the fracture behaviour of polyethersulphone, 1745
- Hirayama, Chuichi; Iida, Mitsuaki and Motozato, Yoshiaki: Excluded chain dimensions and network size in g.p.c., 1561
- Hirohashi, R.: *see* Niume, K., 649
- Hodge, P. and Waterhouse, J.: Chemical modification of chloromethylated cross-linked polystyrene *via* phase transfer catalysed Wittig reactions, 1153
- Hoffman, John D.: *see* Guttman, Charles M., 597
- Hoffman, John D.: *see* Guttman, Charles M., 1466
- Hoitink, T. B.: *see* Blackwell, J., 1534
- Holoubek, J.: Spectral properties of speckle created by SALS, 260
- Hopfenberg, H. B.: *see* Allen, S. M., 912
- Hourston, D. J. and Hughes, I. D.: Dynamic mechanical behaviour of polyether ester-nitrile rubber blends, 127
- Hourston, D. J.: *see* Enyiegbulam, M., 395
- Hourston, D. J. and McCluskey, J. A.: Acronal polymethyl acrylate interpenetrating polymer networks, 405
- Hori, Y.: *see* Shimada, S., 1377
- Horta, Arturo and Fernández-Piérola, Ines: Depression of the critical temperature in PMMA-cosolvent systems, 783
- Horta, A., Prolongo, M. G., Masegosa, R. M. and Hernández-Fuentes, I.: Coil expansion, association and phase separation of PMMA in the poor solvents acetonitrile and chlorobutane, 1147
- Horváth, E.: *see* Zrinyi, M., 429
- Hoy, L. R. J.: *see* Attwood, T. E., 1096
- Hsieh, W. C.: *see* Deffieux, A., 1575
- Hsu, S. L.: *see* Burchell, D. J., 907
- Hughes, I. D.: *see* Hourston, D. J., 127
- Huguet, Yovanka: *see* Vert, Michel, 1683
- Hunt, David G.: Procedure for rapid conditioning of hygroscopic test pieces by humidity cycling, 1136
- Hwang, James S. and Tsonis, Christos P.: E.p.r. studies of the thermal polymerization of phenylacetylene, 1462
-
- Iida, Mitsuaki: *see* Hirayama, Chuichi, 1561
- Ikeda, Koji: *see* Nagase, Yu, 1607
- Ikemura, Tadashi: *see* Sawaguchi, Takashi, 1403
- Ilavský, M.: *see* Matějka, L., 1511
- Ilavský, Michal: Effect of electrostatic interactions on phase transition in the swollen polymeric network, 1687
- Imamura, Akira: *see* Ohsaku, Masaru, 624
- Imamura, Akira: *see* Ohsaku, Masaru, 1346
- Imanishi, Yukio; Kimura, Taeko and Higashimura, Toshinobu: Synthesis and structure of vinyl polymer-poly(α -amino acid) graft copolymers, 1407
- Imanishi, Y. and Kuniwa, H.: Synthesis of polymers of ϵ -(N-AcrLys-Gly) and interactions with metal ions in solution, 1548
- Iwakura, Y.: *see* Niume, K., 649
- Izuoka, Takeshi: *see* Ohsaku, Masaru, 624
-
- Jagur-Grodzinski, Joseph: *see* Bikson, Benjamin, 640
- Jalsenjak, I. and Stivic, I.: Particle interaction in a concentrated polymer dispersion, a rheological study, 847
- Janke, E. W.: *see* Ballard, D. G. H., 1353
- Jasse, Bruno and Koenig, Jack L.: FT i.r. study of uniaxially-orientated isotactic PS, 1040
- Jasse, B.: *see* Lefebvre, D., 1616
- Jog, J. P., Walzade, S. J. and Bhoraskar, S. V.: Electron induced (surface) conductivity of FEP, 865
- Johnson, R. M.: *see* Brown, W., 185
- Johnson, D. J.: *see* Dobb, M. G., 960
- Joseph, K. Thomas: *see* Sudhakar, D., 491
- Joyce, Desmond E. and Kurucsev, Tomas: H^+ equilibria in poly(methacrylic acid) and poly(ethacrylic acid) solutions, 415
- Jungnickel, B.-J.: Kerr effect relaxation measurements on glassy amorphous PMMA, 720
- Juskeviciute, S. S.: *see* Bagdonaite, V. A., 145
-
- Kajiwarra, Kanji and Burchard, Walther: Hydrodynamic radius and dynamic scattering from randomly crosslinked chains, 1621
- Kalpagam, V.: *see* Kashyap, A. K., 924
- Kandasamy, N. R.: *see* Deshpande, D. D., 1211
- Kapko, J. and Polaczek, J.: Synthesis and properties of polyamide polyelectrolytes with phenolic side groups, 1544

Author index

- Kaplan, Samuel and O'Malley, James J.: PS/PEO diblock copolymer: Interaction at phase boundary, 221
- Kashiwabara, Hisatsugu: *see* Vivatpanachart, Somsak, 132
- Kashiwabara, Hisatsugu: *see* Vivatpanachart, Somsak, 263
- Kashiwabara, Hisatsugu: *see* Vivatpanachart, Somsak, 896
- Kashiwabara, H.: *see* Shimada, S., 1377
- Kashiwabara, Hisatsugu: *see* Shimada, Shigetaka, 1385
- Kashyap, A. K. and Kalpagam, V.: Methyl methacrylate-acrylonitrile copolymers, viscosity data and theories, 924
- Kaura, Tara and Nath, Rabinder: Drift mobility determination using surface-charge decay technique in PVF₂, 1642
- Kawaguchi, Akiyoshi: Application of the optical transform to the electron diffraction pattern of PE single crystal, 753
- Kawaguchi, Haruma: *see* Ohtsuka, Yasuji, 658
- Kawakami, Yuhsuke; Sato, Wataru; Miki, Yoshiaki and Yamashita, Yuya: Supported solid acids as polymerization catalysts, 859
- Keekstra, D.: *see* Bosscher, F., 124
- Keii, Tominaga: *see* Doi, Yoshiharu, 469
- Keijzers, A. E. M.: *see* Dorrestijn, A., 305
- Keller, A.: *see* Magill, J. H., 43
- Knight, R. J.: *see* Willis, H. A., 20
- Keller, A.: *see* Atkins, E. D. T., 1161
- Keszler, B., Gröbler, A., Takács, E. and Simon, A.: Coordination catalysts for polymerization of α -olefins: 2. Thermal study of MgCl₂-ethyl benzoate support system, 818
- Khalifa, W. M.: *see* Morsi, S. E., 942
- Khan, H. U. and Wadehra, B. M. L.: Free radical bulk copolymerization of styrene-methyl methacrylate, kinetic study, 488
- Khan, D. N.: *see* Bajaj, P., 1522
- Khatchaturov, A. S.: *see* Syatkowsky, A. I., 1554
- Khokhlov, A. R.: New calculation of anomalous θ swelling of macromolecules, 447
- King, T.: *see* Barnett, K. G., 283
- Kingston, S. B.: *see* Cunliffe, A. V., 101
- Kiniwa, H.: *see* Imanishi, Y., 1548
- Kilian, Hanns-Georg: Equation of state of real networks, 209
- Kimura, Taeko: *see* Imanishi, Yukio, 1407
- Klein, P. G.: *see* Delides, C., 1205
- Kobayashi, Masamichi: *see* Tashiro, Kohji, 1312
- Koehler, W. C.: *see* Wignall, G. D., 886
- Koenig, Jack L.: *see* Jasse, Bruno, 1040
- Koetsier, D. W., Challa, G. and Tan, Y. Y.: Formation of polyvinylpyrrolidone-syndiotactic poly(methacrylic acid) complexes in dimethylformamide, 1709
- Kokkari, Dionysis, Touloupis, Costas and Hadjichristidis, Nikos: Solution properties and chain flexibility of polythiol-methacrylates: 1, 63
- Konar, Ranajit S.: *see* Banerjee, Monoranjan, 1729
- Kowalski, P.: *see* Wandelt, B., 1236
- Kramer, Edward J.: *see* Brown, Hugh R., 687
- Kramer, Edward J.: *see* Farrar, Nigel R., 691
- Kratochvil, Pavel: *see* Stejskal, Jaroslav, 1301
- Kryszewski, M.: *see* Wandelt, B., 1236
- Kudrna, Miloslav: Moseley equation applicability in crystalline polymers by sonic method, 258
- Kulichikhin, S. G.: *see* Malkin, A. Ya., 1373
- Kulkarni, M. G. and Mashelkar, R. A.: Thermal conductivity of polymers: a new correlation, 867
- Kulkarni, M. G. and Mashelkar, R. A.: Diffusion in network polymers: model development and evaluation, 1658
- Kulkarni, M. G. and Mashelkar, R. A.: Role of penetrant structure in diffusion in structured polymers, 1665
- Kumar, Anil; Kuruvilla, Sebastian; Raman, A. R. and Gupta, Santosh K.: Reversible nylon-6,6 polymerization simulation, 387
- Kumar, Anil: *see* Gupta, Santosh K., 481
- Kumar, Anil: *see* Pal, Pralay K., 1699
- Kumar, A. and Gupta, S. K.: Response to comments by Professor Heikens on page 1758, 1760
- Kunert, K. A., Soszynska, H. and Pislewski, N.: Structural investigation of chemically crosslinked LDPE, 1355
- Kunert, K. A., Ranachowski, J., Chodak, I., Soszynska, H. and Pislewski, N.: Physico-mechanical investigation of crosslinked PP, 1677
- Kuroki, Takeshi: *see* Sawaguchi, Takashi, 1403
- Kurucsev, Tomas: *see* Joyce, Desmond E., 415
- Kuruvilla, Sebastian: *see* Kumar, Anil, 387
- Kusy, R. P., Simmons, W. F. and Greenberg, A. R.: T_g of PMMA blends, 268
- Kyriacos, D.: *see* Birley, A. W., 812
- Lacok, J.: *see* Chrastová, V., 1054
- Lagasse, R. R.: *see* Sayre, J. A., 87
- Lainghe, Shi: *see* Walsh, D. J., 1005
- Lamb, John: *see* Adachi, Keiichiro, 1026, 1032
- Laupretre, F.: *see* Sergot, P., 1150
- Law, Kia-Sang: *see* Cameron, G. Gordon, 272
- Law, Kia-Sang: *see* Cameron, G. Gordon, 558
- Lecolier, S.: *see* Ndebeka, G., 347
- Lecolier, S.: *see* Raynal, S., 356
- Lecolier, S.: *see* Raynal, S., 1425
- Le Cun, M.: *see* Froyer, G., 992
- Ledwith, A., Al-Kass, S., Sherrington, D. C. and Bonner, P.: Photoinitiated cationic polymerization: Iodinium and sulphonium salts in, 143
- Ledwith, A., Rowley, N. J. and Walker, S. M.: Fluorescence emission from poly[2-(9-ethyl)carbazolyl-methylmethacrylate], 435
- Ledwith, Anthony: *see* Galli, Giancarlo, 1088
- Lee, C. C.: *see* Parker, J. M., 1305
- Lee, C. S.: *see* Bigg, D. M., 539
- Lefebvre, D., Jasse, B. and Monnerie, L.: FT i.r. study of uniaxially oriented poly(2,6-dimethyl,4-phenylene oxide)-atactic PS blends, 1616
- Leibler, Ludwig and Benoit, Henri: Correlations in partly labelled homopolymer melts, theory, 195
- Leininger, R. I.: *see* Bigg, D. M., 539
- Lemstra, P. J.: *see* Atkins, E. D. T., 1161
- Lenk, R. S. and Merrill, R. E.: Starch/poly(vinyl alcohol) heatsealable film: 2, 1279
- Leute, U. and Grossmann, H.-P.: Pressure dependence and the Grüneisen parameters of B_{1u} -lattice vibration in HDPE, 1335
- Lewis, T. J.: *see* Clark, D. T., 1303
- Licchelli, John A., Haward, Robert N., Parsons, Ian W. and Caunt, Anthony D.: Polymerization catalysts for propene from the reduction of TiCl₄ with halogen-free Mg alkyls, 667
- Licchelli, John A., Haward, Robert N., Parsons, Ian W. and Caunt, Anthony D.: TiCl₂-alkyl-magnesium polymerization catalysts: effects of transformation to violet allotropes, 1558
- Lin, J. S.: *see* Wignall, G. D., 886
- Llewellyn-Jones, D. T.: *see* Willis, H. A., 20
- Loria, E., Merle, G., Pascault, J. P. and Rashkov, I. B.: Anionic polymerization by lamellar compounds of LiC₁₂: 1., 95
- Loria, E., Gole, J., Pascault, J. P., Pham, Q. T. and Rashkov, I. B.: Anionic polymerization initiated by lamellar compounds of LiC₁₂: 2. Thermodynamics and the propagation mechanisms in 1,4 *cis* and 1,4 *trans* isoprene, -H-n.m.r. study, 1419
- Lovell, Richard and Windle, Alan H.: Local conformation of PMMA from WAXS, 175
- Lovinger, Andrew J.: Poly(vinylidene fluoride) β -phase crystallization from the melt, 412
- Luk, W. K.: *see* Choy, C. L., 543
- Luxton, Alan R., Burrage, M. E., Quack, G. and Fetters, L. J.: Polybutadiene containing vinyl cyclopentane units, 382
- MacKenzie, W. M. and Sherrington, D. C.: Polymer-supported phase transfer catalysts, substrate selectivity effects, 431
- Mackley, M. R., Pinaud, F. and Siekmann, G.: Disclinations and optical anisotropy in a mesomorphic copolyester, 437
- Maconnachie, Ann: *see* Richards, Randal W., 147
- Maconnachie, Ann: *see* Richards, Randal W., 153
- Maconnachie, Ann: *see* Richards, Randal W., 158
- Maconnachie, Ann; Allen, Geoffrey and Richards, Randal W.: SANS from a polymer coil undergoing stress relaxation, 1157
- Madrua, E. L., San Román, J. and del Puerto, M. A.: Radical copolymerization of methyl methacrylate and styrene, effect of solvent on termination step, 951
- Magill, J. H., Girolamo, M. and Keller, A.: Crystallization and morphology of nylon-6,6 crystals: 1., 43
- Mahadevan, V.: *see* Srinivasan, P. R., 1290
- Majid, M. A., George, M. H. and Barrie, J. A.: Living anionic synthesis and characterization of poly(epichlorohydrin-g-styrene) copolymers, 1104
- Malkin, A. Ya., Kulichikhin, S. G. and Chalykh, A. E.: Effect of deformation on the phase separation in the polycapramide-caprolactam system, 1373
- Manaresi, Piero: *see* Fortunato, Bruno, 655
- Manaresi, P.: *see* Pilati, F., 799
- Manaresi, P.: *see* Pilati, F., 1566
- Manson, J. A.: *see* Bretz, P. E., 575
- Manson, J. A.: *see* Bretz, P. E., 1272
- Maravigna, Pietro: *see* Ballistreri, Alberto, 131
- Marchal, E.: *see* Guerdoux, L., 1199
- Marco, C.: *see* Garza, J., 477
- Marechal, E.: *see* Bunel, C., 844
- Marék, M.: *see* Toman, L., 1243
- Market, Cynthia: *see* Cook, Robert, 1283
- Marr, G.: *see* Epton, R., 553
- Marr, G.: *see* Epton, R., 842
- Martinez, C.: *see* Munoz-Escalona, A., 1118
- Masegosa, R. M.: *see* Horta, A., 1147
- Mashelkar, R. A.: *see* Kulkarni, M. G., 867
- Mashelkar, R. A.: *see* Kulkarni, M. G., 1658
- Mashelkar, R. A.: *see* Kulkarni, M. G., 1665
- Masubuchi, Tetsuo: *see* Nagase, Yu, 1607
- Matějka, L., Ilavský, M., Dušek, K. and Wichterle, O.: Photomechanical effects in crosslinked photochromic polymers, 1511
- Mathur, G. N.: *see* Srivastava, A. K., 391
- Maurice, F.: *see* Froyer, G., 992
- McCluskey, J. A.: *see* Hourston, D. J., 405

- McEwen, I. J.: *see* Cowie, J. M. G., 327
 McKeown, J. G.: *see* Walsh, D. J., 168
 Menczel, Jozsef and Wunderlich, Bernhard:
 Phase transitions of poly(*p*-acryloyloxy-
 benzoic acid), 778
 Mendoza-Diaz, G.: *see* Chamizo, J. A., 129
 Menefee, Emory: Crosslink density deter-
 mination by end group analysis after par-
 tial degradation: 1. Theory, 1214
 Menefee, Emory and Tillin, Sandra J.: Cross-
 link density determination by end group
 analysis after partial degradation: 2. Ex-
 perimental application to keratin, 1219
 Meng, Q. A.: *see* Andrew, E. R., 715
 Mercier, J. P.: *see* Froyer, G., 992
 Merle, G.: *see* Loria, E., 95
 Merrill, R. E.: *see* Lenk, R. S., 1279
 Messiha, N. N.: Organotin polymers: V. Co-
 polymerization reactions of tributyltin
 acrylate and methacrylate with vinyl ace-
 tate and *N*-vinylpyrrolidone, 807
 Meyer, G. C. and Widmaier, J. M.: Tensile
 strength of joints bonded with ABA
 poly(styrene-*b*-isoprene) films, 995
 Meyer, Helmut: *see* Franz, Hartmut, 226
 Meyerhoff, Gunther: *see* Stickler, Manfred,
 928
 Mhaskar, R. D.: *see* Boorga Rao, B., 1593
 Mijović, Jovan and Tsay, Leelan: Dynamic
 mechanical properties and nodular mor-
 phology correlations of cured epoxy re-
 sins, 902
 Miki, Yoshiaki: *see* Kawakami, Yuhuke, 859
 Mikulášová, D.: *see* Chrástová, V., 1054
 Minikata, Akira: *see* Shimizu, Toshio, 1500
 Mishra, Girish Chandra: *see* Biswas, Mukul,
 1319
 Miura, Masatoshi: *see* Naruchi, Kiyoshi, 1716
 Miyahara, Yutaka: *see* Vivatpanachart,
 Somsak, 132
 Miyahara, Yutaka: *see* Vivatpanachart,
 Somsak, 263
 Miyahara, Yutaka: *see* Vivatpanachart,
 Somsak, 896
 Miyaji, H. and Geil, P. H.: Annealing of
 nodular linear PE crystallized from the
 glass, 701
 Molnár, T.: *see* Zrinyi, M., 429
 Monaco, A.: *see* Costa Bizzarri, P., 1263
 Monnerie, Lucien: *see* Bokobza, Liliane, 235
 Monnerie, L.: *see* Noel, C., 578
 Monnerie, L.: *see* Bokobza, L., 1309
 Monnerie, L.: *see* Lefebvre, D., 1616
 Montaudo, Giorgio: *see* Ballistreri, Alberto,
 131
 Morsi, S. E., Zaki, A. B., Etaiw, S. H.,
 Khalifa, W. M. and Al-Sayed Salem, M.:
 Photo-oxidation of unsaturated polymers,
 effect of singlet oxygen sensitizers and
 quenchers, 942
 Moscicki, J. K., Williams, G. and Aharoni,
 S. M.: Rigid backbone polymers: 22. Di-
 electric relaxation in lyotropic and con-
 centrated isotropic solutions of poly(*n*-
 hexylisocyanate) in toluene, 571
 Moscicki, J. K., Williams, G. and Aharoni,
 S. M.: Rigid backbone polymers. Dielec-
 tric relaxation of isotropic and lyotropic
 solutions of a copolymer of *n*-butyl iso-
 cyanate and *n*-nonyl isocyanate, 1361
 Moscicki, Josef K. and Williams, Graham:
 Model calculations of the phase-behaviour
 of rod-like particles in solution, applica-
 tion to the isotropic and anisotropic
 phases of poly(*n*-alkylisocyanates) in
 solution, 1451
 Moseley, M. E.: *see* Nyström, B., 218
 Moseley, Michael E.: *see* Stilbs, Peter, 321
 Motozato, Yoshiaki: *see* Hirayama, Chuichi,
 1561
 Munari, A.: *see* Pilati, F., 799
 Munari, A.: *see* Pilati, F., 1566
 Munoz-Escalona, A., Martinez, C. and
 Hidalgo, J.: Kinetics of ethylene poly-
 merization over supported TiCl₄/SiO₂
 Ziegler catalyst modified with binary
 metal chlorides, 1118
 Murakami, Ichiro: *see* Ochiai, Hiroshi, 1456
 Murata, Hiromu: *see* Ohsaku, Masaru, 624
 Murata, Hiromu: *see* Ohsaku, Masaru, 1346
 Murthy, R. A. N.: *see* Ghatge, N. D., 1250
-
- Nagabhushanam, T.: *see* Reddy, G. Gangi,
 1692
 Nagamura, Toshihiko and DeVries, Kenneth
 Lawrence: E.s.r. studies on free radicals
 generated in poly[*p*-(2-hydroxyethoxy)
 benzoic acid] fibres at low temperatures,
 1267
 Nagarajan, M. R.: *see* Blackwell, J., 202
 Nagarajan, M. R.: *see* Blackwell, J., 1534
 Nagase, Yu; Masubuchi, Tetsuo; Ikeda, Koji
 and Sekine, Yoshiro: Synthesis and char-
 acterization of tetramethyl-*p*-silphenylene
 siloxane/dimethylsiloxane multiblock
 copolymer, 1607
 Naik, C. D.: *see* Gupta, Santosh K., 481
 Nakafuku, Chitoshi: High pressure d.t.a.
 study on the melting and crystallization
 of isotactic PP, 1673
 Nakafutami, Yasunobu: *see* Tanaka, Yasu-
 uki, 1721
 Nakamura, K., Hatakeyama, T. and Hata-
 keyama, H.: D.s.c. studies on the *T_g* of
 polyhydroxystyrene derivatives contain-
 ing sorbed H₂O, 473
 Naruchi, Kiyoshi and Miura, Masatoshi:
 Thermally initiated oligomerization of
 metallic salts of methacrylic acid in solid
 state, 1716
 Nath, Rabinder: *see* Kaura, Tara, 1642
 Ndebeka, G., Caubere, P., Raynal, S. and
 Lecolier, S.: New complex bases:
 10. Anionic polymerization of vinyl
 monomers, 347
 Ndebeka, G.: *see* Raynal, S., 356
 Ndebeka, G.: *see* Raynal, S., 1425
 Nevin, A.: *see* Ballard, D. G. H., 1353
 Ng, Shiu-Lan: *see* Chiang, Teh-Chang, 3
 Nicholson, L. K.: *see* Higgins, J. S., 163
 Nicol, Elisabeth A.: *see* Frank, W. F. X., 17
 Nicolais, L.: *see* Apicella, A., 1064
 Niikuni, Sadayuki: *see* Sawaguchi, Takashi,
 1403
 Nijenhuis, K. te: *see* Dorrestijn, A., 305
 Nishimura, Yoshio: *see* Doi, Yoshiharu, 469
 Niume, K., Hirohashi, R., Toda, F., Hase-
 gawa, M. and Iwakura, Y.: Thermal and
 electrical properties of polyimides con-
 taining tricyclic fused rings, 649
 Noel, C., Monnerie, L., Achard, M. F.,
 Hardouin, F., Sigaud, G. and Gasparoux,
 H.: Magnetic susceptibility of orientation
 of nematic liquid crystalline polymer in
 a magnetic field, 578
 Nomura, Hiroyasu: *see* Vivatpanachart,
 Somsak, 132
 Nomura, Hiroyasu: *see* Vivatpanachart,
 Somsak, 263
 Nomura, Hiroyasu: *see* Vivatpanachart,
 Somsak, 896
 North, Alastair M.: *see* Adachi, Keiichiro,
 1026, 1032
 Nyström, B., Moseley, M. E., Stilbs, P. and
 Roots, J.: Solvent self-diffusion in semi-
 dilute PS solutions, 218
 Nyström, Bo: *see* Roots, Jaan, 573
-
- Ochiai, Hiroshi; Shimizu, Sanae; Tadokoro,
 Huji and Murakami, Ichiro: Complex
 formation between poly(vinyl alcohol)
 and borate ion, 1456
 O'Donnell, James H.: *see* Bowmar, Trevor N.,
 71
 O'Driscoll, K. F.: *see* Rudin, A., 740
 Ogawa, Etsuyo: *see* Yamaguchi, Noriko,
 1464
 Ohsaku, Masaru; Izuoka, Takeshi; Murata,
 Hiromu and Imamura, Akira: Conforma-
 tional stability of poly(trimethylene
 oxide) by CNDO/2 calculations, 624
 Ohsaku, Masaru; Murata, Hiromu; Imamura,
 Akira and Tachibana, Akitomo: Molecu-
 lar and electronic structures of poly(thio-
 methylene oxide), 1346
 Ohsumi, Yoshiaki: *see* Uragami, Tadashi,
 1155
 Ohtsuka, Yasuji; Kawaguchi, Haruma and
 Hayashi, Shigeo: Cationic copolymer
 latex: 2. Copolymerization of styrene
 with 4-vinylpyridine in an emulsifier-
 free medium, 658
 Okieimen, Ebhodaghe F.: Non-ideal kinetics
 in benzoyl peroxide initiated polymeriza-
 tion of vinyl acetate in benzene, 1737
 Olszewska, Teresa: *see* Drabent, Regina, 1655
 O'Malley, James J.: *see* Kaplan, Samuel, 221
 Osowiecka, Blandyna: *see* Bukowski,
 Andrzej, 1415
 Osredkar, U.: *see* Sebenik, A., 804
-
- Painter, P. C.: *see* Coleman, M. M., 762
 Painter, Paul C.: *see* Snyder, Randy W., 1629
 Painter, Paul C.: *see* Snyder, Randy W., 1633
 Pajot, E.: *see* Bokobza, L., 1309
 Pal, Pralay K., Kumar, Anil and Gupta,
 Santosh K.: Modelling of resol type
 phenol formaldehyde polymerization,
 1699
 Parker, J. M., Wright, P. V. and Lee, C. C.:
 A double helical model for some alkali
 metal ion-poly(ethylene oxide) com-
 plexes, 1305
 Parsons, Ian W.: *see* Boucher, David G., 255
 Parsons, Ian W.: *see* Licchelli, John A., 667
 Parsons, Ian W.: *see* Licchelli, John A., 1558
 Pascault, J. P.: *see* Loria, E., 95
 Pascault, J. P.: *see* Loria, E., 1419
 Passalacqua, V.: *see* Pilati, F., 799
 Passalacqua, V.: *see* Pilati, F., 1566
 Passerone, Alberto: *see* Chiappori, Carmen,
 534
 Pastine, D. John and Warfield, R. W.: Simple
 model for thermal pressure in molten
 polyethylene, 1754
 Patil, A. O., Deshpande, D. D. and Talwar,
 S. S.: Backbone triple bonds in photo-
 crosslinkable polymers, 434
 Paukszt, D.: *see* Garbacz, J., 562
 Paul, D. R.: *see* Ziska, J. J., 918
 Paul, Tarun K.: *see* Banerjee, Monoranjan,
 1729
 Peiffer, D. G., Corley, T. J., Halpern, G. M.
 and Brinker, B. A.: Polymeric materials
 in laser fusion target fabrication, 450
 Peters, A.: *see* Candau, S., 1504
 Petermann, J.: *see* Gohil, R. M., 1612
 Pethrick, R. A.: *see* Daly, J., 32
 Pethrick, Richard A.: *see* Daly, John, 37
 Pethrick, Richard A.: *see* Adachi, Keiichiro,
 1026, 1032
 Pethrick, Richard A.: *see* Crofton, Derek J.,
 1048
 Pethrick, R. A.: *see* Delides, C., 1205
 Pham, Q. T.: *see* Loria, E., 1419
 Philips, D. G.: *see* Eastmond, G. C., 139

Author index

- Phillips, D., Roberts, A. J. and Soutar, I.: Photophysical processes in aromatic polymers: 2. Excimer formation in copolymers of 1-vinyl naphthalene and methyl acrylate, 293
- Phillips, D., Roberts, A. J. and Soutar, I.: Photophysical processes in aromatic polymers: 4. Excimer formation in 1-vinyl naphthalene, 2-vinylnaphthalene and 1-naphthyl methacrylate, 427
- Piccarolo, S. and Acierno, D.: Production of PE films through flow-induced crystallization, 850
- Pilati, Francesco: *see* Fortunato, Bruno, 655
- Pilati, F., Manaresi, P., Fortunato, B., Munari, A. and Passalacqua, V.: Formation of poly(butylene terephthalate) studied by model molecules, 799
- Pilati, F., Manaresi, P., Fortunato, B., Munari, A. and Passalacqua, V.: Formation of poly(butylene terephthalate): Secondary reactions studied by model molecules, 1566
- Pinaud, F.: *see* Mackley, M. R., 437
- Pislewski, N.: *see* Kunert, K. A., 1355
- Pislewski, N.: *see* Kunert, K. A., 1677
- Plucinski, J.: *see* Sebastian, M., 956
- Pochan, D. F.: *see* Pochan, J. M., 1367
- Pochan, J. M., Pochan, D. F. and Gibson, H. W.: Kinetics of oxygen doping and oxidation of poly(1,6-heptadiyne), a conducting polymer, 1367
- Polaczek, J.: *see* Kapko, J., 1544
- Porter, Roger S.: *see* Shimada, Toshio, 1124
- del Puerto, M. A.: *see* Madruga, E. L., 951
- Prentice, P.: Surface irregularities of calendared polypropylene, 250
- Prolongo, M. G.: *see* Horta, A., 1147
- Pron, A.: *see* Rachdi, F., 1605
- Prud'homme, Robert E.: *see* Aubin, Madeleine, 1223
- Przyluski, J.: *see* Rachdi, F., 1605
- Quack, G.: *see* Luxton, Alan R., 382
- Rabolt, John F.: Crystal-crystal phase transition in ethylene and chlorotrifluoroethylene copolymer, molecular dynamics by Raman active longitudinal acoustical mode, 890
- Rachdi, F., Bernier, P., Billaud, D., Pron, A. and Przyluski, J.: Synthesis and e.p.r. studies of polyacetylene hydrogen sulphate $[\text{CH}(\text{HSO}_4)_y]_x$, 1605
- Radic, Deodato and Gargallo, Ligia: Intrinsic viscosity-temperature relationships, 410
- Radic, Deodato and Gargallo, Ligia: Viscometric and preferential adsorption behaviour of poly(4-tert-butylphenyl methacrylate) in tetrahydrofuran/chloroform, 1045
- Rahalkar, R. R.: *see* Cutler, D. J., 726
- Rahalkar, R. R.: *see* Glotin, M., 731
- Rahaman, M. N. and Scanlan, J.: Non-linear viscoelastic properties of solid polymers, 673
- Raman, A. R.: *see* Kumar, Anil, 387
- Ranachowski, J.: *see* Kunert, K. A., 1677
- Ranade, J. D.: *see* Shrivastava, S. K., 1645
- Rao, K. Venkata: *see* Reddy, G. Gangi, 1692
- Rashkov, I. B.: *see* Loria, E., 95
- Rashkov, I. B.: *see* Loria, E., 1419
- Raynal, Serge; Gautier, Jean-Claude; Sledz, Joseph; Schue, Francois and Suparno, Satira: ^{13}C n.m.r. spectroscopy of polyvinylferrocene, 257
- Raynal, S.: *see* Ndebeka, G., 347
- Raynal, S., Lecolier, S., Ndebeka, G. and Caubere, P.: Solid complex bases: 11. Bulk anionic polymerization of vinyl monomers, 356
- Raynal, S., Lecolier, S., Ndebeka, G. and Caubere, P.: Complex bases: 12. Application to the anionic polymerization of diene monomers, 1425
- Read, B. E.: Influence of stress state and temperature on secondary relaxations in polymeric glasses, 1580
- Reed, A. M. and Gilding, D. K.: Biodegradable polymers for use in surgery: Poly(glycolic)/poly(lactic acid) homo and copolymers: 2. *In vitro* degradation, 494: (PEO)/(PET) copolymers: 2. *In vitro* degradation, 499
- Reed, A. M.: *see* Gilding, D. K., 505
- Reddish, W.: *see* Willis, H. A., 20
- Reddy, G. Gangi; Nagabhushanam, T., Rao, K. Venkata and Santappa, M.: Polymerization of methyl methacrylate in the presence of molecular oxygen - a kinetic study, 1692
- Reichert, Karl-Heinz: *see* Franz, Hartmut, 226
- Rempp, Paul: *see* Chaumont, Philippe, 663
- Riande, Evaristo; Guzmán, Julio and Saiz, Enrique: Random-coil configurations of alicyclic polyformals, 465
- Richards, D. H.: *see* Cunliffe, A. V., 101
- Richards, D. H.: *see* Cunliffe, A. V., 108
- Richards, D. H.: *see* Abadie, M. J. M., 1076
- Richards, D. H.: *see* Hartley, D. B., 1081
- Richards, D. H.: *see* Cohen, P., 1316
- Richards, Randal W., Maconnachie, Ann and Allen, Geoffrey: SANS from polymer solutions: 2. Semi-concentrated region near the UCST, 147
- Richards, Randal W., Maconnachie, Ann and Allen, Geoffrey: SANS from polymer solutions: 3. Semi-dilute solutions near the LCST, 153
- Richards, Randal W., Maconnachie, Ann and Allen, Geoffrey: SANS from polymer solutions: 4. Semi-concentrated region near the LCST, 158
- Richards, Randal W. and Thomason, James L.: SANS study of block copolymers of styrene and isoprene in the solid state, 581
- Richards, Randal W.: *see* Maconnachie, Ann, 1157
- Riviere, D.: *see* Froyer, G., 992
- Robb, Ian D.: *see* Day, John C., 1530
- Roberts, A. J.: *see* Phillips, D., 293
- Roberts, A. J.: *see* Phillips, D., 427
- Robertson, F.: *see* Cunliffe, A. V., 108
- Roche, Eric J. and Thomas, Edwin L.: Defocus electron microscopy of multiphase polymers, 333
- Rogal, Eugeniusz: *see* Wejchan-Judek, Maria, 845
- Rondelez, F.: *see* Destor, C., 67
- Roots, J.: *see* Nyström, B., 218
- Roots, Jaan and Nyström, Bo: Sedimentation behaviour in semidilute solutions of polyelectrolyte, 573
- Roovers, J.: Steady-state shear compliance of regular star polymers, 1603
- Rose, J. B.: *see* Attwood, T. E., 1096
- Roussis, P. P.: Diffusion of H_2O vapour in cellulose acetate: 1. Differential transient sorption kinetics and equilibria, 768
- Roussis, P. P.: Diffusion of H_2O vapour in cellulose acetate: 2. Permeation and integral sorption kinetics, 1058
- Rowley, N. J.: *see* Ledwith, A., 435
- Rubio, Serge: *see* Serre, Brigitte, 513, 519
- Rudin, A., O'Driscoll, K. F. and Rumack, M. S.: Use of n.m.r. data to calculate copolymer reactivity ratios, 740
- Rumack, M. S.: *see* Rudin, A., 740
- Russo, Saverio: *see* Chiappori, Carmen, 534
- Sabbadin, J.: *see* Schwartz, T., 609
- Saiz, Enrique: *see* Riande, Evaristo, 465
- Sakaguchi, Masato: *see* Vivatpanachart, Somsak, 132
- Sakaguchi, Masato: *see* Vivatpanachart, Somsak, 263
- Sakaguchi, Masato: *see* Vivatpanachart, Somsak, 896
- San Roman, J.: *see* Madruga, E. L., 951
- Sangiorgi, Roberto: *see* Chiappori, Carmen, 534
- Santappa, M.: *see* Sudhakar, D., 491
- Santappa, M.: *see* Reddy, G. Gangi, 1692
- Sarazin, D.: *see* Duplessix, R., 287
- Sathapathy, Umashankar: *see* Banerjee, Monoranjan, 1729
- Sato, Hisaya: *see* Tanaka, Yasuyuki, 1721
- Sato, Kazuo: *see* Ando, Isao, 413
- Sato, Mari: *see* Yamaguchi, Noriko, 1464
- Sato, Wataru: *see* Kawakami, Yuhshuke, 859
- Sauer, J. A.: *see* Woan, Der-jin, 699
- Sauviat, M. and Cohen-Addad, J. P.: Polyisobutylene: fractional precipitation from binary solvent induced by non-solvent addition, 461
- Saville, B. P.: *see* Dobb, M. G., 960
- Sawaguchi, Takashi; Niikuni, Sadayuki; Kuroki, Takeshi and Ikemura, Tadashi: Thermal degradation of synthetic polymers: 16. Estimation of the product yield on the basis of intensity function for thermal gasification of PE, 1403
- Sayre, J. A., Assink, R. A. and Lagasse, R. R.: Phase structure characterization of an amine-cured rubber-modified epoxy, 87
- Scamporrino, Emilio: *see* Ballistreri, Alberto, 131
- Scanlan, J.: *see* Rahaman, M. N., 673
- Schmidt, H.: *see* Frank, W. F. X., 17
- Schofield, E.: *see* Bamford, C. H., 1227
- Schue, Francois: *see* Raynal, Serge, 257
- Schue, Francois: *see* Serre, Brigitte, 513, 519
- Schue, F.: *see* Abadie, M. J. M., 1076
- Schue, F.: *see* Cohen, P., 1316
- Schwartz, T.; Sabbadin, J. and Francois, J.: Unperturbed dimensions of polyacrylamide in salt-water-methanol mixtures, 609
- Schweitzer, Eric: *see* Cook, Robert, 1283
- Sebastian, M. and Plucinski, J.: Amide group formation during oxidation of poly(oxyalkene) derivatives of ethylenediamine, 956
- Sebenik, A., Osredkar, U. and Vizovisek, I.: Reaction between resorcinol and formaldehyde, 804
- Seferis, James C.: *see* Wedgewood, Alan R., 966
- Sekine, Yoshiro: *see* Nagase, Yu, 1607
- Semlyen, J. A.: *see* Bannister, D. J., 377
- Sergot, P., Laupretre, F., Louis, C. and Virlet, J.: A lineshape study of molecular motion in a mesomorphic aryl-aliphatic polyester by proton-decoupled ^{13}C solid state n.m.r., 1150
- Serre, Brigitte; Rubio, Serge; Sledz, Joseph; Schue, Francois and Chapelet-Letourneux, Gilbert: Aminotelechelic polymer synthesis with $\text{TiCl}_3/\text{NH}_2\text{OH}$ redox system in hydrochloric aqueous phase: 2. Polymerization of methylmethacrylate, 513: 3., 519
- Shackley, A. T.: *see* Epton, R., 553

- Shankar, V.: Influence of interfacial resistance on kinetics of sorption, 748
- Shapiro, J. S.: *see* Atkins, E. D. T., 1161
- Sherrington, D. C.: *see* Ledwith, A., 143
- Sherrington, D. C.: *see* MacKenzie, W. M., 431
- Shima, Mikiko: *see* Yamaguchi, Noriko, 1464
- Shimada, S., Hori, Y. and Kashiwabara, H.: Relation between diffusion controlled decay of radicals and α -relaxation in PE and polyoxymethylene, 1377
- Shimada, Shigetaka and Kashiwabara, Hisatsugu: Mobility and e.s.r. spectra of alkyl free radicals trapped in irradiated mats of solution-grown PE, 1385
- Shimada, Toshio and Porter, Roger S.: Crystalline state extrusion of melt-crystallized and solution-grown crystals of nylon-6 and -6,6, 1124
- Shimizu, Sanae: *see* Ochiai, Hiroshi, 1456
- Shimizu, Toshio: Dilute solution properties of maleic anhydride and maleic acid copolymers, 231
- Shimizu, Toshio and Minikata, Akira: Viscosity and osmotic second virial coefficient of maleic acid copolymers in aqueous solutions, 1500
- Shlyapnikov, Yu. A.: *see* Bagdonaitis, V. A., 145
- Shrivastava, S. K. and Shrivastava, A. P.: Charge and discharge of organic dyedoped polymeric matrix, 765
- Shrivastava, S. K., Ranade, J. D. and Shrivastava, A. P.: Effect of electrode material on thermally stimulated discharge and dark current in PS, 1645
- Shuldiner, Alan: *see* Cook, Robert, 1283
- Siekman, G.: *see* Mackley, M. R., 437
- Sigaud, G.: *see* Noel, C., 578
- Sigwalt, P.: *see* Guyot, P., 1724
- Sillescu, H.: *see* Hentschel, R., 1516
- Simon, A.: *see* Keszler, B., 818
- Simmons, W. F.: *see* Kusy, R. P., 268
- Singh, B. P.: *see* Chandra, R., 523
- Singh, S.: *see* Chandra, R., 523
- Singhal, R. P.: *see* Gupta, A. K., 285
- Sjoerdsma, S. D., Bleijenberg, A. C. A. M. and Heikens, D.: Poisson ratio of polymer blends, effects of adhesion and correlation with the Kerner packed grains model, 619
- Sledz, Joseph: *see* Raynal, Serge, 257
- Sledz, Joseph: *see* Serre, Brigitte, 513, 519
- Small, P. W.: *see* Epton, R., 842
- Smit, I. and Bezjak, A.: Structural changes in the grafted copolymer PE-styrene, 590
- Smith, A. C.: *see* Briscoe, B. J., 1587
- Smith, L. S. A.: Effects of heating extruded PS above T_g in dry and aqueous environments, 822
- Smith, R. H.: *see* DeVries, K. K., 1460
- Smith, Thor L. and Adam, Randall E.: Tensile deformations, effect on gas transport in glassy polymer films, 299
- Snyder, Randy W. and Painter, Paul C.: Normal coordinate analysis of isotactic PS: 1. A force field for monosubstituted alkyl benzenes, 1629
- Snyder, Randy W. and Painter, Paul C.: Normal coordinate analysis of isotactic PS: 2. The normal modes and dispersion curves of the polymer, 1633
- Solaro, Roberto: *see* Galli, Giancarlo, 1088
- Soszyńska, H.: *see* Kunert, K. A., 1355
- Soszyńska, H.: *see* Kunert, K. A., 1677
- Souel, T.: *see* Abadie, M. J. M., 1076
- Soutar, I.: *see* Phillips, D., 293
- Soutar, I.: *see* Phillips, D., 427
- Spiess, H. W.: *see* Hentschel, R., 1516
- Squire, D. R.: *see* Deffieux, A., 1575
- Srinivasan, K. S. V.: *see* Sudhakar, D., 491
- Srinivasan, M.: *see* Srinivasan, P. R., 1290
- Srinivasan, P. R., Mahadevan, V. and Srinivasan, M.: Polybenzimidazoles containing dibenzothiophenediyl or 5,5-dioxodibenzothiophenediyl units, preparation and properties, 1290
- Srivastava, A. K. and Mathur, G. N.: Copolymerization of styrene with methyl methacrylate in presence of $ZnCl_2$, 391
- Srivastava, A. P.: *see* Shrivastava, S. K., 765
- Srivastava, A. P.: *see* Shrivastava, S. K., 1645
- Staniland, P. A.: *see* Attwood, T. E., 1096
- Stannett, V.: *see* Allen, S. M., 912
- Stannett, V.: *see* Deffieux, A., 1575
- Stein, R. S.: *see* Wignall, G. D., 886
- Stejskal, Jaroslav and Kratochvil, Pavel: Potential artefacts in the determination of the optical anisotropy of macromolecules by light scattering, 1301
- Stephenson, P. J.: *see* Clark, D. T., 1112
- Stephenson, P. J.: *see* Clark, D. T., 1303
- Stickler, Manfred and Meyerhoff, Günther: Thermal polymerization of methyl methacrylate: 5. High conversion reaction at 130°C, 928
- Stilbs, P.: *see* Nyström, B., 218
- Stilbs, Peter and Moseley, Michael E.: ^{13}C spin relaxation study of short-chain PS in deuterio-chloroform solution, 321
- Stivic, I.: *see* Jalsenjak, I., 847
- St-Pierre, L. E.: *see* Brebner, K. I., 56
- Strivens, T. A.: Phase separation of binary copolymers from solution non-solvent mixtures in relation to copolymer structure, and polymer-solvent interactions, 1391
- Strohmeier, W.: *see* Frank, W. F. X., 615
- Subramanian, R. V.: *see* Williams, R. V., 934
- Sudhakar, D., Srinivasan, K. S. V., Joseph, K. Thomas and Santappa, M.: Grafting of methyl methacrylate onto cellulose nitrate initiated by benzoyl peroxide, 491
- Sugihara, Mizuho: *see* Urugami, Tadashi, 240
- Sugihara, Mizuho: *see* Tamura, Masahiro, 829
- Sugihara, Mizuho: *see* Urugami, Tadashi, 1155
- Suparno, Satira: *see* Raynal, Serge, 257
- Syatkowsky, A. I., Denisova, T. T., Abramenko, E. L., Khatchaturov, A. S. and Babitsky, B. D.: Stereoselectivity of the ring-opening polymerization of cyclo-octadiene-1,5, 1554
- Szöcs, František: *see* Borsig, Eberhard, 1400
- Tachibana, Akitomo: *see* Ohsaku, Masaru, 1346
- Tadokoro, Hiroyuki: *see* Tashiro, Kohji, 1312
- Tadokoro, Yuji: *see* Ochiai, Hiroshi, 1456
- Tadros, Th. F.: *see* Barnett, K. G., 283
- Tagawa, Takashi: *see* Arai, Yoshihiro, 273
- Tagle, L. H.: *see* Frigerio, P. F., 1571
- Tai, Kazuo: *see* Arai, Yoshihiro, 273
- Takács, E.: *see* Keszler, B., 818
- Takano, Kohji: *see* Tashiro, Kohji, 1312
- Talwar, S. S.: *see* Patil, A. O., 434
- Tamura, Masahiro; Urugami, Tadashi and Sugihara, Mizuho: Special polymer membranes: 30. Ultrafiltration and dialysis characteristics of cellulose nitrate-poly(vinyl pyrrolidone) polymer blend membranes, 829
- Tan, Y. Y.: *see* Koetsier, D. W., 1709
- Tanaka, Nobuyuki: Conformational effects on melting point depression of atactic PP and ethylene-propylene copolymers, 647
- Tanaka, Ryuichi: *see* Tsutsui, Tetsuo, 117
- Tanaka, Yasuyuki; Sato, Hisaya and Nakafutami, Yasunobu: Determination of sequence length distribution in SBR by ozonolysis-g.p.c. method, 1721
- Tandon, Pravin: *see* Gupta, Santosh K., 481
- Tashiro, Kohji; Takano, Kohji; Kobayashi, Masamichi; Chatani, Yocho and Tadokoro, Hiroyuki: Structural study on ferroelectric phase transition of vinylidene fluoride-trifluoroethylene random copolymers, 1312
- Tekely, P.: *see* Grobelny, J., 1649
- Teranishi, Hiroichi: *see* Arai, Yoshihiro, 273
- Thomas, A. G.: *see* Chai, C. K., 399
- Thomas, Edwin L.: *see* Roche, Eric J., 333
- Thomas, E. L.: *see* Wignall, G. D., 886
- Thomas, N. L. and Windle, A. H.: Diffusion mechanics of PMMA-methanol system, 627
- Thomason, James L.: *see* Richards, Randal W., 581
- Thompson, D.: *see* Cunliffe, A. V., 101
- Tieghi, Giuseppe: *see* Danusso, Ferdinando, 1257
- Tillin, Sandra J.: *see* Menefee, Emory, 1219
- Toda, F.: *see* Niume, K., 649
- Toman, L. and Marke, M.: Effect of light and solvent polarity on the preparation of polyisobutylene with isoprene in the presence of VCl_4 , 1243
- Toporowski, P. M.: *see* Bywater, S., 29
- Touloupis, Costas: *see* Kokkariis, Dionysis, 63
- Tramontini, Maurilio: *see* Andreani, Franco, 270
- Tsay, Leelan: *see* Mijovic, Jovan, 902
- Tsonis, Christos P.: *see* Hwang, James S., 1462
- Tsutsui, Tetsuo and Tanaka, Ryuichi: Network polymers prepared from poly(γ -butyl L-glutamate)-butyl acrylate system, 117
- Turner, D. T.: *see* Glans, J. H., 1540
- Turner, J. D.: *see* Barnett, K. G., 283
- Turska, E.: *see* Grobelny, J., 1649
- Turturro, Antonio: *see* Chiappori, Carmen, 534
- Urugami, Tadashi; Fujimoto, Motohiro and Sugihara, Mizuho: Polymer membranes: 27. PS sulphonic acid concentration using poly(vinylidene fluoride) membranes, 240
- Urugami, Tadashi: *see* Tamura, Masahiro, 829
- Urugami, Tadashi; Ohsumi, Yoshiaki and Sugihara, Mizuho: Special polymer membranes: 35. Preparation and permeation characteristics of chitin membranes, 1155
- Utah, Stanley I.: *see* Burrows, Hugh D., 1740
- Uytterhoeven, H.: *see* Guyot, P., 1724
- Valera, Nestor S. and Hendrick, David G.: Polystyryl-1,5-naphthyridine and polystyrylpyrido[2,3-b]pyrazine and their copper(II) complexes, preparation, 1007
- Van Bogart, J. W. C., Bluemke, D. A. and Cooper, S. L.: Annealing-induced morphological changes in segmented elastomers, 1428
- Varnell, D. F.: *see* Coleman, M. M., 762
- Varnell, D. F. and Coleman, M. M.: FT i.r. studies of polymer blends: V. Further observations on polyester-poly(vinyl chloride) blends, 1324
- Varshney, S. K.: *see* Bajaj, P., 372
- Vasanthakumari, R.: Eutectic crystallization of poly(L-lactic acid) and pentaerythritol tetrabromide, 862

Author index

- Velicković, J.: *see* Cowie, J. M. G., 327
- Vert, Michel, Braud, Christian and Huguet, Yovanka: O.r.d.-c.d. and protonation of amide containing polymers in strong acid media: 1. Poly(-)-1,2-diaminopropane sebacamide, 1683
- Vincent, B.: *see* Barnett, K. G., 283
- Vivatpanachart, Somsak; Nomura, Hiroyasu; Miyahara, Yutaka; Kashiwabara, Hisatsugu and Sakaguchi, Masato: Spin-trapped radical from ball-milling PE powder with nitrosobenzene, 132
- Vivatpanachart, Somsak; Nomura, Hiroyasu; Miyahara, Yutaka; Kashiwabara, Hisatsugu and Sakaguchi, Masato: E.s.r. study on radicals in PE induced by ball-milling, 263
- Vivatpanachart, Somsak; Nomura, Hiroyasu; Miyahara, Yutaka; Kashiwabara, Hisatsugu and Sakaguchi, Masato: Annealing and melting effects on molecular motion of spin-trapped chain-end radicals located on PE surface, e.s.r. study, 896
- Vizovisek, I.: *see* Sebenik, A., 804
- Vofsi, David: *see* Bikson, Benjamin, 640
- Vorenkamp, E. J. and Challa, G.: Association of stereoregular poly(methyl methacrylates): 5. Stereo-complex formation in dilute solutions, 1705
- Vyvoda, J. C.: *see* Gilbert, M., 1134
- Wadehra, B. M. L.: *see* Khan, H. U., 488
- Wai, M. P.: *see* Wignall, G. D., 886
- Walker, S. M.: *see* Ledwith, A., 435
- Walsh, D. J., Higgins, J. S., Doubé, C. P. and McKeown, J. G.: Small-angle scattering on PVC and PVC blends, 168
- Walsh, D. J., Lainghe, Shi and Zhikuan, Chai: High M. wt. compatible polymers, showing UCST behaviour, 1005
- Walzade, S. J.: *see* Jog, J. P., 865
- Wandelt, B., Kryszewski, M. and Kowalski, P.: Pyrolysis of PS-poly(2,6-dimethyl-1,4-phenyleneoxide) mixtures and graft copolymers, 1236
- Ward, I. M.: *see* Wilding, M. A., 870
- Ward, I. M.: *see* Hine, P. J., 1745
- Warfield, R. W.: *see* Pastine, D. John, 1754
- Warner, F. P., Brown, D. S. and Wetton, R. E.: Interlamellar crystallization in poly(tetramethylene oxide), 1349
- Warner, M.: *see* Ball, R. C., 1010
- Waterhouse, J.: *see* Hodge, P., 1153
- Weaver, T. J. and Harrison, I. R.: SAXS-Isothermal annealing and swelling studies on PE from dilute solution, 1590
- Wedgewood, Alan R. and Seferis, James C.: Dynamic mechanical properties of polymers measured with the Rheovibron, error analysis and modelling of non-linear stress-strain behaviour, 966
- Weeks, J. J., Clark, E. S. and Eby, R. K.: Crystal structure of the low temperature phase(II) of PTFE, 1480
- Weeks, J. J., Eby, R. K. and Clark, E. S.: Disorder in the crystal structures of phases I and II of copolymers of tetrafluoroethylene and hexafluoropropylene, 1496
- Wejchan-Judek, Maria; Rogal, Eugeniusz and Zuk, Aleksander: Poly-*p*-phenylene sulphide synthesis by oxidation of thiophenol with thionyl chloride in presence of AlCl₃, 845
- Wetton, R. E.: *see* Warner, F. P., 1349
- Wichterle, O.: *see* Matějka, L., 1511
- Widmaier, J. M.: *see* Meyer, G. C., 995
- Wignall, G. D., Hendricks, R. W., Koehler, W. C., Lin, J. S., Wai, M. P., Thomas, E. L. and Stein, R. S.: Single chain form factor measurements by SANS from PS blends with high concentration of labelled molecules, 886
- Wilding, M. A. and Ward, I. M.: Creep and recovery of ultra high modulus PE, 870
- Willcocks, P. H.: *see* Blundell, D. J., 704
- Williams, Andrew: *see* Harun, M. Ghazali, 946
- Williams, G.: *see* Moscicki, J. K., 571
- Williams, G.: *see* Moscicki, J. K., 1361
- Williams, Graham: *see* Moscicki, Josef K., 1451
- Williams, R. S. and Subramanian, R. V.: Organotin epoxy polymers from tri-*n*-butyltin esters of ω -amino acids, synthesis and properties, 934
- Willis, H. A.: *see* Frank, W. F. X., 17
- Willis, H. A., Reddish, W., Buckingham, K. A., Llewellyn-Jones, D. T., Knight, R. J. and Gebbie, H. A.: Measurement of absorption spectrum of PTFE, 20
- Willis, H. A.: *see* Glotin, M., 731
- Windle, Alan H.: *see* Lovell, Richard, 175
- Windle, A. H.: *see* Thomas, N. L., 627
- Wlochowicz, Andrzej and Eder, Marek: Crystallization kinetics of isotactic PP by i.r. spectroscopy, 1285
- Woan, Der-jin, Habibullah, M. and Sauer, J. A.: Fatigue characteristics of high impact PS, 699
- Wright, P. V.: *see* Parker, J. M., 1305
- Wunderlich, Bernhard: *see* Menczel, Jozsef, 778
- Yamaguchi, Noriko; Sato, Mari; Ogawa, Etsuyo and Shima, Mikiko: Dipole moment of poly-*p*-chlorostyrene, 1464
- Yamashita, Yuya: *see* Kawakami, Yuhsuke, 859
- Zaki, A. B.: *see* Morsi, S. E., 942
- Zhikuan, Chai: *see* Walsh, D. J., 1005
- Ziska, J. J., Barlow, J. W. and Paul, D. R.: Miscibility in PVC-polyester blends, 918
- Zrinyi, M., Molnár, T. and Horváth, E.: Poly(vinyl acetate) networks swollen in isopropyl alcohol below θ -temperature, 429
- Zuchowska, Danuta: Polybutadiene modified by epoxidation: 2. Effect of epoxy groups on crosslinking process with dicumyl peroxide, 1073
- Zuk, Aleksander: *see* Wejchan-Judek, Maria, 845