POLYMER CLASSIFIED CONTENTS VOLUME 26 1985

Blood compatibility: Microphase separated

of segmented

Absorption: Aqueous salt — by	Basic polymers: New developm
ampholytic polysaccharides, 1234 Absorption: Structure-water	macroinorganics – the thermodyn
relationships for amine-cured epoxy resins, 1719	Binary systems: A simple thermo analysis of solid-solution forms
Acenaphthylene: Preparation of crosslinked	of homologous e
polymers using — and the	chain alkanes, 288
chemical modification of these polymers,	Binodal and spinodal curves: a simul
1701	various high polymer mixtures, 41
(Acetoxypryopyl) cellulose: Optical properties	Biochemical applications: Synthesis,
of mesophases: factors influencing the cholesteric pitch, 1435	chemical properties and ———————————————————————————————————
Acid catalysis: Kinetics of acid catalysed	Biomaterials- Structural considerati
degradation of cellulose triacetate in	new polymers for biomedical app
chloroalkane solvents: 1. Dichloromethane,	1331
297	Biomedical applications: Structur
Acrylonitrile: Bulk copolymerization of	siderations and new polym
styrene and Experimental	, 1331
kinetics and mathematical modelling, 2001	Biopolymer gels: Large deformat
Acrylonitrile: Copolymers of	ultimate properties of
with some furans and their Diels-Alder	Single biopolymer component syste
adducts, 1268 Activation energy: Unsaturated polyester-	Biopolymer gels: Large deformat ultimate properties of
styrene resins: Effect of the catalyst	Mixed gel systems, 1493
concentration on the kinetic rate and	Biopolymers: N.m.r. of solid —
— of the radical crosslinking	190
reactions, 1885	Birefringence: Compensation method
Acylphosphine oxides: On the photolysis of	in oriented polymer
: 1. Laser flash photolysis	Birefringence: New extensional rheor
studies with 2,4,6-trimethylbenzoyl-	elongational viscosity and
diphenylphosphine oxide, 141	measurements: som
Additives: Liquid crystalline polymers as to enhance the device	on polystyrene melts, 1477 Birefringence: Temperature depend
properties of low molecular mass liquid	for strained natura
crystals, 1312	vulcanizates, 97
Additives: Phase separation in styrenated	Birefringence: Temperature depend
polyester resin containing a poly(vinyl	and stress for natura
acetate) low-profile additive, 109	vulcanizates at strained state, 247
Adhesion: Phase structure and ————	Birefringence: Temperature effects
in polymer blends: A criterion for rubber	of nitrocellulose an
toughening, 1855	cellulose//nitroglycerine mixtures,
Adsorption: Monte-Carlo calculations on statistical chains enclosed inside a sphere,	Bis(amide-maleimide): Curing bismaleimides: 3. Effect of struc
1631	thermal behaviour of
Adsorption: Transition phenomena of	Bismaleimides: Curing of ———
polymers in mixed solvents in the vicinity of	Effect of structure on thermal beha
theta conditions: Effect of preferential	bis(amide-maleimide), 1561
. 1838	Bisphenol A polycarbonate: Effect of
Alkanes: A simple thermodynamic analysis of	ageing on enthalpy relaxation
solid-solution formation in binary systems	isothermal contraction in ——— 1546
of homologous extended-chain	B-loww process: The —————
Alkyl groups: Surface free energy of poly(vinyl	crystal polyesters containing 2,6-
alcohol) modified with ————, 429	groups, 1623
Alkyl radical decay: Chlorination of irradiated	Blend film: Selective permeation
polyethylene single crystals: 1. Analysis of	of cellulose acet
kinetics, 27	polymers or copolymers of c- (N^{ϵ})
Ampholytic ionomers: Synthesis and visco-	Sar), 774
metric properties of low charge density	Blends: Binodal and spinodal co
Ampholytic polysaccharides: Aqueous salt	simulation for various high mixtures, 418
absorption by —————, 1234	Blends: Concerning the miscib
Antioxidant: Fluorescence measurements of	poly(vinyl phenol)
the diffusion coefficient for butylated	study, 228
hydroxyanisole in low-density polyethylene,	Blends: Isotope effects on the phase se
433	in polystyrene-poly(vinylmet
Antioxidant: New developments in speciality	73
polymers: polymeric stabilizers, 1288	Blob model: Pulsed field gradier
Aramids: Elastic extension of an oriented crystalline fibre, 310	measurements and theoretical pretation of the self-diffusion of po
Aromatic polymers: Degradation in tensile	in solution, 241
properties of — by electron	Blood compatibility: Microphase s
beam irradiation, 1039	structure and — of se

beam irradiation, 1039

sic polymers: New developments in	poly(urethaneureas) with different diamines
nacroinorganics - the thermodynamics of	in the hard segment, 978
, 1353	Blood compatibility: Microphase separated
nary systems: A simple thermodynamic	structure, surface composition and
analysis of solid-solution formation in of homologous extended-	poly(urethaneureas) with various soft
chain alkanes, 288	poly(urethaneureas) with various soft segment components, 987
nodal and spinodal curves: a simulation for	Bromination: Head-to-head polymers: 33.
various high polymer mixtures, 418	of cis-1,4-polybutadiene to
ochemical applications: Synthesis, physico-	head-to-head poly(vinyl bromide), 1257
chemical properties and — of	Brownian motion: Theory of nuclear magnetic
poly(amido-amine)s, 1336	relaxation, 193
omaterials- Structural considerations and	Butadiene: Anionic telomerization of
new polymers for biomedical applications,	with toluene and diphenyl-
1331	methane: microstructure and molecular
omedical applications: Structural con-	weight, 1265
siderations and new polymers for	Butadiene: polymerization with a rare earth
, 1331	compound using a magnesium alkyl
oppolymer gels: Large deformation and	cocatalyst: 1., 147
altimate properties of; 1.	Butadiene: polymerization with a rare earth
Single biopolymer component systems, 1483 oppolymer gels: Large deformation and	compound using a magnesium alkyl
ultimate properties of ———————————————————————————————————	cocatalyst: 2., 152 Butadiene soft segments: Thermal and
Mixed gel systems, 1493	mechanical properties of solution
opolymers: N.m.r. of solid ————,	polymerized segmented polyurethanes with
190	—————, 895
refringence: Compensation method for zero	1,4-butanediol: Synthesis and properties of
in oriented polymers, 1619	monodisperse hydroxy-terminated
refringence: New extensional rheometer for	monodisperse hydroxy-terminated oligomers or, and 2,4-toluene
elongational viscosity and flow	diiscocyanate, 889
measurements: some results	Butanediol: Properties of polyisobutylene
on polystyrene melts, 1477	polyurethane block copolymers: 3. Hard
refringence: Temperature dependence of	segments based on 4',4-dicyclohexyl-
for strained natural rubber	methane diisocyanate and ———, 70
vulcanizates, 97	Butyl acrylate: Grafting of — onto
efringence: Temperature dependence of	gelatin in a water-isopropanol medium,
and stress for natural rubber	2064
vulcanizates at strained state, 247 refringence: Temperature effects on the	Coloniaratain data minution of the mathematical
of nitrocellulose and nitro-	Calorimetric determination: of the enthalpy change for the binding of methyl orange to
cellulose//nitroglycerine mixtures, 643	poly(vinylpyrrolidone) in aqueous solution,
s(amide-maleimide): Curing of	751
pismaleimides: 3. Effect of structure on	Carbon dioxide: Isosteric heat of sorption of
thermal behaviour of — 1561	CO ₂ in poly(ethylene terephthalate), 2043
smaleimides: Curing of ———————————————————————————————————	Catalysis: Catalytic initiation of polyacrylo-
Effect of structure on thermal behaviour of	nitrile stabilization, 447
ois(amide-maleimide), 1561	Catalysis: Models for the formation of
sphenol A polycarbonate: Effect of physical	poly(butylene terephthalene): effect of water
ageing on enthalpy relaxation and	on the kinetics of the titanium tetrabutylate-
sothermal contraction in,	catalysed reactions: 3., 1745
1546	Catalysis: Preparation of highly active
oww process: The in liquid	chromium catalysts for ethylene
crystal polyesters containing 2,6-naphthyl	polymerization, 1891
groups, 1623	Catalyst concentration: Unsaturated
end film: Selective permeation across a	polyester-styrene resins: Effect of the
of cellulose acetate and colymers or copolymers of c-(Nε-AcrLys-	on the kinetic rate and
Sar), 774	activation energy of the radical crosslinking
ends: Binodal and spinodal curves: a	reactions, 1885
simulation for various high polymer	Catalyst: Stereochemical composition- property relationships in isotactic poly-
mixtures, 418	propylenes obtained with different
ends: Concerning the miscibility of	systems, 259
poly(vinyl phenol) ————— FTi.r.	Catalysts: Polymer-metal complexes, based
study, 228	on poly(itaconic acid ester) derivatives, as
ends: Isotope effects on the phase separation	for the decomposition of
n polystyrene-poly(vinylmethylether)	hydrogen peroxide, 1571
, 73	Cavitation: A mathematical model for
b model: Pulsed field gradient n.m.r.	diffusion with induced crystallization: 1.,
measurements and theoretical inter-	119
pretation of the self-diffusion of polystyrene	Cellulose: Viscoelastic properties of
n solution, 241	derivatives: 1 Cellulose

Cellulose: Viscoelastic properties

acetate, 1953

derivatives: 1. Cellulose

- derivatives: 2. Effect of diethylphthalate on the dynamic mechanical relaxation of cellulose acetate, 1958
- Cellulose acetate: Selective permeation across a blend film of ______ and polymers or copolymers of c-(N^e-AcrLys-Sar), 774
- Cellulose acetate: Viscoelastic properties of cellulose derivatives: 1. _______, 1953
- Cellulose acetate: Viscoelastic properties of cellulose derivatives: 2. Effect of diethylphthalate on the dynamic mechanical relaxation of _______, 1958
- Cellulose triacetate: Kinetics of acid catalysed degradation of ______ in chloro-alkane solvents: 1. Dichloromethane, 297
- Cellulose-water: N.m.r. study of

 systems: Water proton spinlattice relaxation in the rotating reference
 frame, 859
- Chain binding: Characterization of to filler in silicone-silica systems, 1231
- Chain twist boundaries: Modelling of in poly(vinylidene fluoride) as a mechanism for ferroelectric polarization, 821
- Chain diffusion: N.m.r. and macromolecular migration in a melt or in concentrated solutions, 197
- Chain statistics: Monte-Carlo calculations on statistical chains enclosed inside a sphere, 1631
- Characterization: chain binding to filler in silicone-silica systems, 1231
- Characterization: Comparison of molecular weight distribution models for polymers characterized by g.p.c. 581
- characterized by g.p.c., 581
 Characterization: ¹H, ¹⁹F and ¹¹B nuclear magnetic resonance of BF₃: amine catalysts used in the cure of carbon-fibre-epoxy prepregs, 827
- Characterization: Infra-red spectroscopic ———— of the α - β phase transition in poly(tetramethylene terephthalate), 235
- Characterization: poly(1,4-phenyleneterephthalamide) in concentrated sulphuric acid: 1. Static and dynamic properties, 1401
- Characterization: poly(1,4-phenyleneterephthalamide) in concentrated sulphuric acid. 2: Determination of molecular weight distributions, 1408
- Characterization: Polymerization of poly(dimethylsiloxane) macromers: 1
 Copolymerization with styrene, 437
- Characterization: Synthesis and
 ———— of model comb-branched
 polyurethanes: 1. Synthesis of model combbranched polyurethanes, 84
- Characterization: Synthesis and
 —— of model comb-branched
 polyurethanes: 2. Dilute solution and
 viscoelastic properties, 91
- Chemical degradation: Thermal stability of xanthan gum, 1549
- Chemical initiation: Free radical polymerization of *p*-methyl styrene, 935

- Chemical properties: Synthesis, physicoand biochemical applications of poly(amido-amine)s, 1336
- Chemical shifts: Theory of nuclear magnetic relaxation, 193
- Chlorination of irradiated polyethylene single crystals: 1. Analysis of alkyl radical decay kinetics, 27
- Chlorination of irradiated polyethylene single crystals: 2. XES and e.s.c.a. analysis of irradiated-chlorinated polyethylene, 38
- Chloroalkane solvents: Kinetics of acid catalysed degradation of cellulose tricetate in _______1. Dichloromethane, 297
- Cholesteric pitch: Optical properties of (acetoxypropyl) cellulose mesophases: factors influencing the ________, 1435
- Chromium: Preparation of highly active Crcatalysts for ethylene polymerization, 1891

- Collagen: Thermal properties of gelatin films, 113

- Comb-like polymers: Steroregular poly(alkyl methacrylate)s: polymer-polymer and copolymer-polymer blends, 1795
- Commodity polymers: Speciality products based on _______, 1372
- Compaction pressure: The effect of on the conductivity and structure in undoped poly(1,4-phenylene) (PPP), 1628
- Compatability: Binodal and spinodal curves: a simulation for various high polymer mixtures, 418
- Compatability: Structural considerations and new polymers for biomedical applications,
- Compensation method: for zero birefringence in oriented polymers, 1619
- Complexation: A study of the between poly(ethylene glycol) and sodium thiocyanate, 81
- Complexing: of some transition metal ions with polyheptyl itaconate) containing tetraethylene pentamine side chains, 1566
- Composite: Milled fibre reinforced epoxy resin

 an engineering polymer

 ,
- Composites: Far-infra-red moisture monitoring in polymeric —, 69
- Composition profiles: Asymmetric in block copolymer interphases: 2. Thermodynamic model predictions and implications, 2026
- Compound composition: Effect of ———— on fast reactions of polyurethane and unsaturated polyester in the bulk state, 1247

- Concentrated solutions: N.m.r. and macromolecular migration in a melt or in ————, 197
- Concentration dependence: of the primitive path step length, 101
- Conducting: Synthesis of highly polystyrene-polyacetylene copolymers, 622
- Conductivity: Synthesis, crosslinking and electrical of poly(1,8-nonadiyne), 71
- Conductivity: Effect of compaction pressure on the _____ and structure in undoped poly(1,4-phenylene), 1628
- Conformation: Conformational and packing energy calculations on two crystalline modifications of poly(trans-1,4-butadiene), 2039
- Conformational volume: Macromolecular and thermodynamics of crystal melting, 1638
- Cooperative relaxation: processes in polymers,
- Copolyaspartates: Optical rotatory dispersion and circular dichroism studies of with long alkyl side chain,
- Copolyesters: Liquid crystal polymers: 21.
 Thermotropic properties and crystallization-induced reactions of aromatic
 —————, 1307
- Copolymer: Asymmetric composition profiles in block ______ interphases: 2. Thermodynamic model predictions and implications, 2026
- Copolymer: Craze plasticity and toughness of particulate block blends, 529

- Copolymers: of acrylonitrile with some furans and their Diels-Alder adducts, 1268

- Copolymers: Thermal transitions of ethylenevinyl chloride ————, 1195
- Copolymers: Three-dimensional structure of ————— of p-hydroxybenzoic acid and

- 2-hydroxy-6-naphthoic acid: A model for diffraction of a nematic structure, 997
- Copolymerization: Bulk styrene and acrylonitrile: Experimental kinetics and mathematical modelling, 2001
- Copolymerization: Homo- and of ethylene and propylene with a soluble chromium catalyst, 1888
- Copolymerization: involving N-vinvl-2pyrrolidone, 1869
- Copolymerization: Polymerization of poly(dimethylsiloxane) macromers: - with styrene, 437
- Copolymerization: Study on kinetics of of styrene and maleic anhydride in methyl ethyl ketone, 629
- Corona-discharge: E.s.c.a. studies treated polyethylene surfaces by use of gas-phase derivation, 1162
- Craze plasticity: and toughness of particulate block copolymer blends, 529
- Crazes: Concentration dependence of the primitive path step length, 101
- Crazes: The interpretation of electron microscope images and scattering patterns from --, 483
- in polystyrene-polybutadiene Crazing: diblock copolymers containing cylindrical polybutadiene domains, 1985
- Creep: of aromatic polyamide fibres, 733
- Critical point: Study on polymer solutions in solvent mixtures in the vicinity of the of the solvents: 4. Saturation phenomena, 293
- Crosslink distribution: of epoxy networks studied by small-angle neutron scattering,
- Crosslinking: Debromination of di- and tetrabrominated compounds by crosslinked poly(1-[p-(mercaptomethyl)phenyl]ethylene), 781
- Crosslinking: Effect of the degree of on penetrant transport in polystyrene, 569
- Crosslinking: Intramolecular poly(vinyl alcohol), 1737
- Crosslinking: Preparation of crosslinked polymers using acenaphthylene and the chemical modification of these polymers, 1701
- Crosslinking: Reactions of macroions leading to graft copolymers: and grafting of poly(vinyl chloride) by carbanions, 1575
- Crosslinking: Synthesis and electrical conductivity of poly(1,8-nonadiyne), 71
- Crosslinking: Thermal properties of gelatin films, 113
- Crosslinking: Unsaturated polyester-styrene resins: Effect of the catalyst concentration on the kinetic rate and activation energy of the radical —— reactions, 1885
- Cross-polarization: ¹³C and ¹H n.m.r. studies of solid polyolefines, 169
- Cross-termination: Radical polymerization initiated by primary radicals with similar structure to the end radical on the polymer, 1253
- 18-crown-6: Heterogeneous fluorination of chlorine containing polymers with as phase transfer agent, 786
- Curing: of bismaleimides: 3. Effect of structure on thermal behaviour of bis(amidemaleimide), 1561
- Curing: Polyurethane pulsed microwave field, 506
- Crystal growth: Structure and approach of poly(alkylacrylate) myelinic vesicles by electron microscopy, 837

- Crystal melting: Macromolecular conformational volume and thermodynamics of . 1638
- Crystal structure: Energy calculations for the of the high temperature phases (I and IV) of poly(tetrafluoroethylene), 1944
- Crystalline: Elastic extension of an oriented - fibre, 310
- Crystalline polymers: Relaxation processes in molecular interpretation - a review, 1123
- Crystalline structure: of poly(diaryl siloxanes), 1527
- Crystallinity effects: Phase separation studies in reaction injection moulding polyurethanes catalyst and hard segment -, 1145
- Crystallinity: Setting angle of extended chain linear polyethylene, 650
- Crystallinity: Temperature dependence of birefringence and stress for natural rubber vulcanizates at strained state, 247
- Crystallization behaviour: Melting of elastoplastic semicrystalline copolymers: poly(ether ester), 1202
- Crystallization behaviour of random block copolymers of poly(butylene terephthalate) and poly(tetramethylene ether glycol), 8
- Crystallization behaviour: Studies of cyclic and linear poly(dimethylsiloxanes): 19. Glass transition temperatures and . 930
- Crystallization: in electric fields of a p-hydroxycopolymer: semiflexible benzoate//ethylene terephthalate, 682
- Crystallization: Isothermal --poly(ethylene terephthalate) of low molecular weight by differential scanning
- calorimetry: 1. Crystallization kinetics, 423 Crystallization: Kinetic analysis of the of poly(p-phenylene sulphide), 1595
- Crystallization: Kinetic substrate length in nucleation-controlled polyethylene fractions, 803
- Crystallization: Liquid crystal polymers: 21. Thermotropic properties and induced reactions of aromatic copolyesters, 1307
- Crystallization: Local composition heterogeneities occurring during poly(vinylidene fluoride)/poly(methyl methacrylate) blends as studied by highresolution solid state 13C n.m.r., 1081
- Crystallization: Mathematical model for - 1., 119 diffusion with induced -Crystallization: Mathematical model for
- diffusion with induced
- Crystallization: Melt behaviour of isotactic poly(2-vinylpyridine), 283
- Crystallization: morphology, structure and thermal behaviour of nylon-6 rubber blends,
- Crystallization: Single crystal of polyethylene crystallized under high pressure, 1791
- Crystallization: Spherulitic poly(bis(trifluro-ethoxy)phosphazene), 1971
- Crystallization: Stereochemical composition property relationships in isotactic polypropylenes obtained with different catalyst systems, 259
- Crystallization: Structure and properties of linear polyethylene crystallized by rapid cooling of melts: 3. The effect of shear, 865
- Crystallization: Temperature dependence of birefringence for strained natural rubber vulcanizates, 97

- Crystallization: Theory of the substance length Surface polymer roughening as an inhibitor for substrate completion, 1763
- Crystallite rotation: Creep of aromatic polyamide fibres, 733
- Cyclomatrix polymer: A novel based on (hydroxy phenoxy) phosphazenes and 2-methyl aziridine: some aspects of synthesis and adhesive heat resistance, 1895
- Debromination: of di- and tetrabrominated compounds by crosslinked poly(1- $\lceil p - \rceil$ mercaptomethyl) phenyl ethylene), 781
- Decomposition: Polymer-metal complexes, based on poly(itaconic acid ester) derivatives, as catalysts for the hydrogen peroxide, 1571
- Deformation: Effects of sorbed water on properties of low and high molecular weight poly(methyl methacrylate): 1. and fracture behaviour, 511
- Deformation: Large ultimate properties of biopolymer gels: 1. Single biopolymer component systems, 1483
- Deformation: Large and ultimate properties of biopolymer gels: 2. Mixed gel systems, 1493
- Deformation: Molecular scale in the yielding behaviour of glassy polymers, 1807
- Deformation: Plastic polyethylene, 1501
- Deformations: Superposition of small shear on large uniaxial extensions for viscoelastic materials, 1105
- Degradation: Kinetics of acid catalysed of cellulose triacetate in chloroalkane solvents: 1. Dichloromethane,
- Degradation: in tensile properties of aromatic polymers by electron beam irradiation, 1039 Degradation phenomena: of two linear aliphatic polyester fibres used in medicine
- and surgery, 591 Depolarization current: in phenolformaldehyde resin below the glass transition, 1141
- Polyethylene Deuteropolyethylene: phase behaviour, 1523
- Deuteropolyethylene: Small-angle neutron scattering of partially segregated blends of . 661 polyethylene
- Device properties: Liquid crystalline polymers as additives to enhance the low molecular mass liquid crystals, 1312
- Diamines: Mechanical relaxation mechanism of epoxide resins cured with 457
- Dichloromethane: Kinetics of acid catalysed degradation of cellulose triacetate in chloroalkane solvents: 1. Dichloromethane, 297
- 4,4'-dicyclohexylmethane diisocyanate: Properties of polyisobutylene polyurethane block copolymers: 3. Hard segments based and butane diol, 70
- Didecylphenylphosphite: An n.m.r. and d.s.c. investigation of the solubility conditions of in rigid poly(vinyl chloride), 307
- Dielectric: and ¹³C n.m.r. studies of various stereostructural forms of poly(N-vinyl carbazole), 2014
- Dielectric heating: Production of ultrahigh modulus polyoxymethylene by drawing -, 84
- Dielectric loss: The B-loss process in liquid crystal polyesters containing 2,6-naphthyl groups, 1623

- Dielectric loss: Dielectric properties of polymers at microwave frequencies: a review, 963 Dielectric: and mechanical-dynamical studies on poly(cyclohexyl methacrylate), 1849 Dielectric properties: of polyarylate around the glass transition, 913 Dielectric properties: Polymers at microwave frequencies: a review, 963 Dielectric relaxations: Multiple transitions in polyallylbenzene: 2. relationship between structure properties, 1448 Dielectric studies: of the effect of water on the relaxation properties of nitroglycerinenitrocellulose mixtures, 1227 Diels-Alder adducts: Copolymers of acrylonitrile with some furans and their -, 1268 Diethylphthalate: Viscoelastic properties of cellulose derivatives: 2. Effect on the dynamic mechanical relaxation of cellulose acetate, 1958 Differential scanning calorimetry: Crystallization and melt behaviour of isotactic poly(2-vinylpyridine), 283 Differential scanning calorimetry: Glass transition temperature of poly(N-vinyl pyrrolidone) by -----, 757 Differential scanning calorimetry: Isothermal crystallization of poly(ethylene-terephthalate) of low molecular weight by - 1. Crystallization kinetics, 423 Diffusion: A mathematical model for with induced crystallization: 1...119 Diffusion, A mathematical model for with induced crystallization: 2., 131 Diffusion: of poly(ethylene oxide) in semidilute aqueous solution: Dynamic light scattering and gradient diffusion, 1647 Diffusion: of solvent from a cast cellulose acetate solution during the formation of skinned membranes, 1531 Diffusion: The sorption and water in hallogen-containing epoxy resins, 1167 Diffusion coefficient: Fluorescence measurements of the ----- for butylated hydroxyanisole in low-density polyethylene, 433 Dilute polymer solutions: Quasielastic scattering from --, 1212 Dilute solution: Synthesis and characterization of model comb-branched polyurethanes: 2. and viscoelastic properties, 91 Dissolution rates: Effects of molecular weight and plasticization on polymer films, 1069 Domains: Crazing in polystyrene-polybutadiene diblock copolymers containing cylindrical polybutadiene 1985 Domains: morphology in polyurethanes, 490 Domain size: Properties of polyisobutylene polyurethane block copolymers: 3. Hard segments based on 4,4'-dicyclohexylmethane diisocyanate and butanediol, 70
- produced by microwave heating -, 462 Drawing: Production of ultrahigh modulus polyoxymethylene by dielectric heating, 84 Drawing process: Morphological changes of wide polyoxymethylene rod during a microwave heating , 1929 Dry-spinning: High modulus fibres of nylon-6 prepared by a --- method, 1394 D.s.c.: An n.m.r. and investigation of the solubility conditions of didecylphenyl-phosphite in rigid poly(vinyl chloride), 307 D.s.c.: investigation of the states of water in poly(vinyl alcohol) membranes, 1207 D.s.c.: investigation of the states of water in poly(vinyl alcohol-co-itaconic acid) membranes, 1833 Ductile fracture: Tearing instability in polypropylene, 1963 Dynamic light scattering: Diffusion of poly(ethylene oxide) in semidilute aqueous solution: and gradient diffusion, 1647 Dynamic properties: A study of the static and of side-chain liquid crystalline polymers in low molar mass mesogens, 1319 Dynamic properties: Characterization of poly(1,4-phenyleneterephthalamide) concentrated sulphuric acid: 1. Static and . 1401 Dynamic properties: mechanical properties of polybutadiene rubbers, 1463 Dynamics: hydrated iron(II) cations in nafion polymer membranes, 1829 Dynamics: N.m.r. of solid biopolymers, 190 Dynamics of polymers in solution and melts, 163 Elastic extension: of an oriented crystalline fibre, 310 Elastomeric: Properties and structure of two-stage emulsion interpenetrating networks, 1359 Elastomers: Electron microscopy containing in-situ precipitated silica, 2069 Elastoplastic semicrystalline copolymers: Melting and crystallization behaviour of -: poly(ether ester), 1202 fields: Electric Crystallization of a semiflexible copolymer: p-hydroxybenzoate/ethylene terephthalate, 682 Electron beam irradiation: Degradation in tensile properties of aromatic polymers by -, 1039 Electron beam irradiation: Molecular motions of non-crystalline poly(aryl ether-etherketone) and influence of -Electron microscope: The interpretation of images and scattering patterns from crazes, 483 Crystallization Electron microscopy: behaviour of random block copolymers of poly(butylene terephthalate) and poly(tetramethylene ether glycol), 8 Electron microscopy: of elastomers containing in-situ precipitated silica, 2069 Electron microscopy: Structure and crystal growth approach of poly(alkylacrylate) myelinic vesicles by ---

Electro-optic effects: High-resolution laser-

displays, 1801

addressed liquid crystal polymer storage

Electron spectroscopy for chemical analysis: Chlorination of irradiated polyethylene single crystals: 2. XES and analysis of irradiated-chlorinated polyethylene, 38 Elongational flow: Assessment of molecular connectedness in semi-dilute polymer solutions by	derivatization, 1162
Chlorination of irradiated polyethylene single crystals: 2. XES and analysis of irradiated-chlorinated polyethylene, 38 Elongational flow: Assessment of molecular connectedness in semi-dilute polymer solutions by	
analysis of irradiated-chlorinated polyethylene, 38 Elongational flow: Assessment of molecular connectedness in semi-dilute polymer solutions by	
Elongational flow: Assessment of molecular connectedness in semi-dilute polymer solutions by	
Elongational flow: Assessment of molecular connectedness in semi-dilute polymer solutions by	
connectedness in semi-dilute polymer solutions by	
Emulsion: Properties and structure of elastomeric two-stage — interpenetrating networks, 1359 Energy calculations: for the crystal structure of the high temperature phases (I and IV) of poly(tetrafluoroethylene), 1944 Engineering applications: Mechanical properties of poly(ether-ether-ketone) for —	Elongational flow: Assessment of molecular
Emulsion: Properties and structure of elastomeric two-stage — interpenetrating networks, 1359 Energy calculations: for the crystal structure of the high temperature phases (I and IV) of poly(tetrafluoroethylene), 1944 Engineering applications: Mechanical properties of poly(ether-ether-ketone) for —	connectedness in semi-dilute polymer
elastomeric two-stage	solutions by —, 1219
penetrating networks, 1359 Energy calculations: for the crystal structure of the high temperature phases (I and IV) of poly(tetrafluoroethylene), 1944 Engineering applications: Mechanical properties of poly(ether-ether-ketone) for	Emulsion: Properties and structure of
Energy calculations: for the crystal structure of the high temperature phases (I and IV) of poly(tetrafluoroethylene), 1944 Engineering applications: Mechanical properties of poly(ether-ether-ketone) for	
the high temperature phases (I and IV) of poly(tetrafluoroethylene), 1944 Engineering applications: Mechanical properties of poly(ether-ether-ketone) for, 1385 Engineering polymer: Milled fibre reinforced epoxy resin – an composite, 1419 Entanglements: The contribution to rubber elasticity of topological, 1134 Enthalpy change: Calorimetric determination of the for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751 Enthalpy relaxation: Effect of physical ageing on and isothermal contraction in bisphenol A polycarbonate, 1546 Epoxide resins: Mechanical relaxation mechansim of cured with diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/, 1110 Epoxy networks: Crosslink distribution of studied by small-angle neutron scattering, 1053 Epoxy prepregs: ¹H, ¹9F and ¹¹B nuclear magnetic resonance characterization of GF3: amine catalysts used in the cure of carbon-fibre, 827 Epoxy resin: Milled fibre reinforced an engineering polymer composite, 1419 Epoxy resins: The sorption and diffusion of water in halogen-containing, 1167 Epoxy resins: Structure-water absorption relationships for amine-cured, 1719 Esterolysis: Catalytic of p-nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for sequential copolymers, 1155 Ethylene: The structure of propylene sequential copolymers, 1155 Ethylene: Thermal transitions of vinyl chloride copolymers, 1155 Ethylene: Thermal transitions of random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	
Engineering applications: Mechanical properties of poly(ether-ether-ketone) for	
Engineering applications: Mechanical properties of poly(ether-ether-ketone) for ———————————————————————————————————	
properties of poly(ether-ether-ketone) for ———————————————————————————————————	
Engineering polymer: Milled fibre reinforced epoxy resin – an — composite, 1419 Entanglements: The contribution to rubber elasticity of topological — ,1134 Enthalpy change: Calorimetric determination of the — for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751 Enthalpy relaxation: Effect of physical ageing on — and isothermal contraction in bisphenol A polycarbonate, 1546 Epoxide resins: Mechanical relaxation mechansim of — cured with diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/— ,1110 Epoxy networks: Crosslink distribution of — studied by small-angle neutron scattering, 1053 Epoxy prepregs: ¹H, ¹ºF and ¹¹B nuclear magnetic resonance characterization of BF3; amine catalysts used in the cure of carbon-fibre— ,827 Epoxy resin: Milled fibre reinforced — an engineering polymer composite, 1419 Epoxy resins: The sorption and diffusion of water in halogen-containing — ,1167 Epoxy resins: Structure—water absorption relationships for amine-cured — ,1719 Esterolysis: Catalytic — of p-nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of — and propylene with a soluble chromium catalyst, 1888 Ethylene: The structure of propylene— sequential copolymers, 1155 Ethylene: The structure of propylene— sequential copolymers, 1155 Ethylene: The mal transitions of vinyl chloride copolymers, 1195 Ethylene: Thermal transitions of polymerization, 1891 Ethylene: The mal transitions of polymerization, 1891 Ethylene: The structure of propylene— random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	properties of poly(ether-ether-ketone) for
Engineering polymer: Milled fibre reinforced epoxy resin – an — composite, 1419 Entanglements: The contribution to rubber elasticity of topological — ,1134 Enthalpy change: Calorimetric determination of the — for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751 Enthalpy relaxation: Effect of physical ageing on — and isothermal contraction in bisphenol A polycarbonate, 1546 Epoxide resins: Mechanical relaxation mechansim of — cured with diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/— ,1110 Epoxy networks: Crosslink distribution of — studied by small-angle neutron scattering, 1053 Epoxy prepregs: ¹H, ¹ºF and ¹¹B nuclear magnetic resonance characterization of BF3: amine catalysts used in the cure of carbon-fibre-— ,827 Epoxy resin: Milled fibre reinforced — an engineering polymer composite, 1419 Epoxy resins: Structure-water absorption relationships for amine-cured — ,1719 Esterolysis: Catalytic — of p-nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of — and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene— sequential copolymers, 1155 Ethylene: Thermal transitions of — vinyl chloride copolymers, 1195 Ethylene: Thermal transitions of polymerization infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	
epoxy resin – an composite, 1419 Entanglements: The contribution to rubber elasticity of topological, 1134 Enthalpy change: Calorimetric determination of the for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751 Enthalpy relaxation: Effect of physical ageing on and isothermal contraction in bisphenol A polycarbonate, 1546 Epoxide resins: Mechanical relaxation mechansim of cured with diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/, 1110 Epoxy networks: Crosslink distribution of studied by small-angle neutron scattering, 1053 Epoxy prepregs: ¹H, ¹9F and ¹¹B nuclear magnetic resonance characterization of BF3: amine catalysts used in the cure of carbon-fibre, 827 Epoxy resin: Milled fibre reinforced an engineering polymer composite, 1419 Epoxy resins: The sorption and diffusion of water in halogen-containing, 1167 Epoxy resins: Structure-water absorption relationships for amine-cured, 1719 Esterolysis: Catalytic of p-nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of and propylene with a soluble chromium-catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for sequential copolymers, 1155 Ethylene: The structure of propylene— sequential copolymers, 1155 Ethylene: Thermal transitions of vinyl chloride copolymers, 1155 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	
Entanglements: The contribution to rubber elasticity of topological	epoxy resin – an — composite,
elasticity of topological — ,1134 Enthalpy change: Calorimetric determination of the — for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751 Enthalpy relaxation: Effect of physical ageing on — and isothermal contraction in bisphenol A polycarbonate, 1546 Epoxide resins: Mechanical relaxation mechansim of — cured with diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/— ,1110 Epoxy networks: Crosslink distribution of — studied by small-angle neutron scattering, 1053 Epoxy prepregs: ¹H, ¹9F and ¹¹B nuclear magnetic resonance characterization of BF3: amine catalysts used in the cure of carbon-fibre— ,827 Epoxy resin: Milled fibre reinforced — an engineering polymer composite, 1419 Epoxy resins: The sorption and diffusion of water in halogen-containing — ,1167 Epoxy resins: Structure—water absorption relationships for amine-cured — ,1719 Esterolysis: Catalytic — of p-nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of — and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene— sequential copolymers, 1155 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene — random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	1419
elasticity of topological — ,1134 Enthalpy change: Calorimetric determination of the — for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751 Enthalpy relaxation: Effect of physical ageing on — and isothermal contraction in bisphenol A polycarbonate, 1546 Epoxide resins: Mechanical relaxation mechansim of — cured with diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/— ,1110 Epoxy networks: Crosslink distribution of — studied by small-angle neutron scattering, 1053 Epoxy prepregs: ¹H, ¹9F and ¹¹B nuclear magnetic resonance characterization of BF3: amine catalysts used in the cure of carbon-fibre— ,827 Epoxy resin: Milled fibre reinforced — an engineering polymer composite, 1419 Epoxy resins: The sorption and diffusion of water in halogen-containing — ,1167 Epoxy resins: Structure—water absorption relationships for amine-cured — ,1719 Esterolysis: Catalytic — of p-nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of — and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene— sequential copolymers, 1155 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene — random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	Entanglements: The contribution to rubber
of the for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751 Enthalpy relaxation: Effect of physical ageing on and isothermal contraction in bisphenol A polycarbonate, 1546 Epoxide resins: Mechanical relaxation mechansim of cured with diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/, 1110 Epoxy networks: Crosslink distribution of studied by small-angle neutron scattering, 1053 Epoxy prepregs: ¹H, ¹9F and ¹¹B nuclear magnetic resonance characterization of BF3: amine catalysts used in the cure of carbon-fibre, 827 Epoxy resin: Milled fibre reinforced an engineering polymer composite, 1419 Epoxy resins: The sorption and diffusion of water in halogen-containing, 1167 Epoxy resins: Structure-water absorption relationships for amine-cured, 1719 Esterolysis: Catalytic of p-nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene— sequential copolymers, 1155 Ethylene: Thermal transitions of vinyl chloride copolymers, 1195 Ethylene: Thermal transitions of random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	elasticity of topological —, 1134
aqueous solution, 751 Enthalpy relaxation: Effect of physical ageing on ——————————————————————————————————	Enthalpy change: Calorimetric determination
aqueous solution, 751 Enthalpy relaxation: Effect of physical ageing on ——————————————————————————————————	of the — for the binding of
Enthalpy relaxation: Effect of physical ageing on ——————————————————————————————————	methyl orange to poly(vinylpyrrolidone) in
on and isothermal contraction in bisphenol A polycarbonate, 1546 Epoxide resins: Mechanical relaxation mechansim of cured with diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/, 1110 Epoxy networks: Crosslink distribution of studied by small-angle neutron scattering, 1053 Epoxy prepregs: ¹H, ¹9F and ¹¹B nuclear magnetic resonance characterization of BF₃: amine catalysts used in the cure of carbon-fibre, 827 Epoxy resin: Milled fibre reinforced an engineering polymer composite, 1419 Epoxy resins: The sorption and diffusion of water in halogen-containing, 1167 Epoxy resins: Structure-water absorption relationships for amine-cured, 1719 Esterolysis: Catalytic of p-nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for sequential copolymers, 1155 Ethylene: The structure of propylene sequential copolymers, 1155 Ethylene: Thermal transitions of vinyl chloride copolymers, 1195 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	aqueous solution, 751
traction in bisphenol A polycarbonate, 1546 Epoxide resins: Mechanical relaxation mechansim of cured with diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/—————, 1110 Epoxy networks: Crosslink distribution of ——————————————————————————————————	Enthalpy relaxation: Effect of physical ageing
Epoxide resins: Mechanical relaxation mechansim of diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/————————————————————————————————————	on and isothermal con-
diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/————————————————————————————————————	Enavide reging: Machanical relevation
diamines, 457 Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/————————————————————————————————————	mechanism of cured with
Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/————————————————————————————————————	
cure on the mechanical properties of amine terminated rubbers/————————————————————————————————————	
terminated rubbers/————————————————————————————————————	cure on the mechanical properties of amine
Epoxy networks: Crosslink distribution of ———————————————————————————————————	terminated rubbers/ 1110
neutron scattering, 1053 Epoxy prepregs: ¹ H, ¹⁹ F and ¹¹ B nuclear magnetic resonance characterization of BF ₃ : amine catalysts used in the cure of carbon-fibre-————————————————————————————————————	Epoxy networks: Crosslink distribution of
Epoxy prepregs: ¹ H, ¹⁹ F and ¹¹ B nuclear magnetic resonance characterization of BF ₃ : amine catalysts used in the cure of carbon-fibre-————————————————————————————————————	studied by small-angle
magnetic resonance characterization of BF3: amine catalysts used in the cure of carbon-fibre————————————————————————————————————	neutron scattering, 1053
BF3: amine catalysts used in the cure of carbon-fibre	
carbon-fibre- Epoxy resin: Milled fibre reinforced an engineering polymer composite, 1419 Epoxy resins: The sorption and diffusion of water in halogen-containing 1167 Epoxy resins: Structure-water absorption relationships for amine-cured 1719 Esterolysis: Catalytic for an engineering of p-nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene———————————————————————————————————	magnetic resonance characterization of
Epoxy resin: Milled fibre reinforced ———————————————————————————————————	
composite, 1419 Epoxy resins: The sorption and diffusion of water in halogen-containing	carbon-libre- —, 82/
composite, 1419 Epoxy resins: The sorption and diffusion of water in halogen-containing	Epoxy resin: Milled libre reinforced
Epoxy resins: The sorption and diffusion of water in halogen-containing	composite 1419
water in halogen-containing 1167 Epoxy resins: Structure-water absorption relationships for amine-cured ————————————————————————————————————	Fnoxy resins: The sorntion and diffusion of
Epoxy resins: Structure-water absorption relationships for amine-cured, 1719 Esterolysis: Catalytic of p- nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene sequential copolymers, 1155 Ethylene: Thermal transitions of vinyl chloride copolymers, 1195 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	
Epoxy resins: Structure-water absorption relationships for amine-cured, 1719 Esterolysis: Catalytic of p-nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene———————————————————————————————————	
relationships for amine-cured ————————————————————————————————————	
Esterolysis: Catalytic of p- nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene— sequential copolymers, 1155 Ethylene: Thermal transitions of vinyl chloride copolymers, 1195 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	relationships for amine-cured
nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of — and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene— sequential copolymers, 1155 Ethylene: Thermal transitions of — vinyl chloride copolymers, 1195 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene — random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	, 1719
nitrophenyl esters by optically active polymeric oximes, 1191 Ethylene: Homo- and copolymerization of — and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene— sequential copolymers, 1155 Ethylene: Thermal transitions of — vinyl chloride copolymers, 1195 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene — random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	Esterolysis: Catalytic — of p-
Ethylene: Homo- and copolymerization of ————————————————————————————————————	nitrophenyl esters by optically active
and propylene with a soluble chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene—sequential copolymers, 1155 Ethylene: Thermal transitions of vinyl chloride copolymers, 1195 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene—random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	polymeric oximes, 1191
chromium catalyst, 1888 Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene———————————————————————————————————	
Ethylene: Preparation of highly active chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene—sequential copolymers, 1155 Ethylene: Thermal transitions of vinyl chloride copolymers, 1195 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene—random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	and propylene with a soluble
chromium-catalysts for polymerization, 1891 Ethylene: The structure of propylene———————————————————————————————————	chromium catalyst, 1888
polymerization, 1891 Ethylene: The structure of propylene—sequential copolymers, 1155 Ethylene: Thermal transitions of—vinyl chloride copolymers, 1195 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene—random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond————	Ethylene: Preparation of highly active
Ethylene: The structure of propylene———————————————————————————————————	
sequential copolymers, 1155 Ethylene: Thermal transitions of vinyl chloride copolymers, 1195 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	
Ethylene: Thermal transitions of	sequential conslymers 1155
vinyl chloride copolymers, 1195 Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	Ethylene: Thermal transitions of
Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	
Ethylene-propylene: Primary nucleation behaviour on isotactic polypropylene ———————————————————————————————————	1195
behaviour on isotactic polypropylene random copolymer blends, 1843 Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	Ethylene-propylene: Primary nucleation
Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	behaviour on isotactic polypropylene
Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	random copolymer blends,
transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	
blends: binary blends with poly(methyl methacrylate) and copolymer, 45 Excimer: Picosecond	Ethylene vinyl ester/alcohol: Fourier
methacrylate) and copolymer, 45 Excimer: Picosecond	transform infra-red spectroscopy of nylon-6
copolymer, 45 Excimer: Picosecond	pienas: pinary blends with poly(methyl
Excimer: Picosecond —	
	Excimer: Picosecond
	· F · · · · · · · · · · · · · · · · · ·

E.s.c.a.: studies of corona-discharge-treated

polyoxymethylene

Doping: Optical waveguiding in doped

conductivity of poly-1,8-nonadiyne, 71

Drawing: Mechanical and physical properties

poly(methyl methacrylate), 1423 Doping: Synthesis, crosslinking and electrical

Double base: Relaxations in

ultra-oriented

propellants, 79

- local motions of polymers and polymerization monitoring, 1657
- Excimer fluorescence: technique for study of polymer segment mobility: applications to pyrene labelled poly(methyl methacrylate) and poly(methyl acrylate) in solution, 1046
- Expansion factor: The θ -behaviour of heterogeneous macromolecules, 105
- Expansion factor- θ -point of polyacrylamide in aqueous solution and temperature dependence of molecular dimensions, 406
- Extensional rheometer: New for elongational viscosity and flow birefringence measurements: some results on polystyrene melts, 1477
- Fast reactions: Effect of compound composition on -— of polyurethane and unsaturated polyester in the bulk state,
- Fatigue performance: Effects of sorbed water on properties of low and high molecular weight poly(methyl methacrylate): 11. , 89
- Ferroelectric: N.m.r. study of the phase transition in a 70/30 mole% copolymer of vinylidene fluoride and trifluoroethylene, 1683
- Ferroelectric polarization: Modelling of chain twist boundaries in poly(vinylidene fluoride) as a mechanism for -
- Fibre: Elastic extension of an oriented crystalline ----, 310
- Fibre reinforced composites: Far-infra-red moisture monitoring in polymeric composites, 69
- Fibre structure: An investigation into the structure of poly(ethylene terephthalate) fibres by the use of optical transforms, 469
- Filaments: Raman microprobe spectra of spinoriented and drawn poly(ethylene terephthalate), 1935
- Filler: Characterization of chain binding to in silicone-silica systems, 1231
- Films: Thermal properties of gelatin -, 113
- Flavins: Polymer-bound -Characterization by static and time-resolved fluorescence techniques, 951
- Fluid phases: Investigations of polymer chains in oriented with deuterium nuclear magnetic resonance, 177
- Fluorescence: The determination of molecular orientation in oriented polypropylene by wide angle X-ray diffraction, polarized and refractive index measurements, 1605
- Fluorescence measurements: of the diffusion coefficient for butylated hydroxyanisole in low-density polyethylene, 433
- Fluorescence recovery: Self-diffusion in concentrated polystyrene solutions measured in after photobleaching, 1654
- Fluorescence spectroscopy: Picosecond : applications to local motions of polymers and polymerization monitoring, 1657
- Fluorescence techniques: Polymer-bound flavins: 5. Characterization by static and time-resolved -
- Fluorination: Heterogeneous of chlorine containing polymers with 18crown-6 as phase transfer agent, 786
- Fluoropolymers: Heat capacities polyethylene and linear -, 1875 Foams: Low-density, microcellular polystyrene --, 2047

- Foam morphology: Low-density, microcellular polystyrene foams, 2047
- Fracture: Molecular fractionation in meltcrystallized polyethylene. 4. -
- Fracture behaviour: Effects of sorbed water on properties of low and high molecular weight (poly(methyl methacrylate): 1. Deformation ______, 511
- FTi.r.: Concerning the miscibility of poly(vinyl phenol) blends -study, 228
- FTi.r.: Hydrogen bonding in poly(methyl methacrylate)-fluorinated polymer blends: investigations using ester model molecules, 1507
- Furans: Copolymers of acrylonitrile with some and their Diels-Alder adducts, 1268
- Gamma irradiation: Irradiation effects on polycaprolactone, 50
- Gas chromatography: spectrometry investigations on living oligo(ethylene) species functionalized by oxygen, 1096
- chromatography: -/mass spectrometry of glycidyl methacrylate-alkyl acrylate copolymers, 747
- Gas-phase derivation: E.s.c.a. studies of polyethylene corona-discharge-treated surfaces by use of -—, 1162
- Gas transport: Selective --miscible PPO-PS blends, 2055
- g-factor: Unperturbed dimensions and the of a star-shaped polystyrene, 1172
- Gel formation: Irradiation effects on polycaprolactone, 50
- Gel permeation chromatography: Can porosity properties of particles really be **-**?, 575 determined by inverse ----
- permeation chromatography: Comparison of molecular weight distribution models for polymers characterized by -, 581
- Gel permeation chromatography: Determination of molecular weight averages and molecular weight distribution and N-trifluoroacetylated polyamides, 1187
- Gel permeation chromatography: Intramolecular crosslinking of poly(vinyl alcohol), 1737
- Gel permeation chromatography: On the molecular weight determination poly(aryl-ether-ether-ketone), 1994
- Gelatin: Grafting of butyl acrylate onto in a water-isopropanol medium, 2064
- Gelatin: Thermal properties of films, 113
- Gelation phenomena: Effects of unequal reactivity of functional groups on
- -, in polyurethane systems, 595 Gels: Dependence of properties of swollen and dry polymer networks on the conditions of their formation in solution, 1667
- Gels: Motional restrictions and chain conformation in various swollen crosslinked polystyrene from ¹H n.m.r. line-shape analysis, 253
- Geometric structure: Polymerization of 1butyne and isopropylacetylene by transition metal catalysts and polymers, 793
- Glass: The time-dependent strain potential function for a polymeric ---

- Glass transition: Depolarization current in phenol-formaldehyde resin below the -, 1141
- Glass transition: Deuteron n.m.r. in relation to in polymers, 203 the —
- Glass transition: Dielectric properties of —, 913 polyarylate around the ---
- Glass transition: Effect of physical ageing on the properties of amorphous poly(arylether-ether-ketone), 905
- Glass transition: Photon correlation spectroscopy study of poly(di-n-butyl itaconate) near $T_{\rm g}$, 66
- Glass transition: Synthesis and characterization of model comb-branched polyurethanes: 2. Dilute solution and viscoelastic properties, 91
- Glass transition: Thermal properties of gelatin films, 113
- Glass transition temperature: Determination of the - of poly(styrene-codivinyl-benzene) by inverse chromatography. 1181
- Glass transition temperatures: Studies of cyclic and linear poly(dimethylsiloxanes): 19. and crystallization
- behaviour, 930 transition Glass temperature: The of poly(N-vinyl pyrrolidone)by differential scanning calorimetry, 757
- Glassy polymers: Molecular scale deformation in the yielding behaviour of -1807
- Glycidyl methacrylate-alkyl acrylate copolymers: Pyrolysis/gas chromatography//mass spectrometry ---, 747
- Gradient diffusion: Diffusion of poly(ethylene oxide) in semidilute aqueous solution: Dynamic light scattering and -1647
- Graft copolymers: Reactions of macroions --- crosslinking and leading to ---grafting of poly(vinyl chloride) by carbanions, 1575
- Grafting: of butyl acrylate onto gelatin in a water-isopropanol medium, 2064
- Guest conformation: Polyethylene mixed crystal infra-red spectroscopy: the influence of matrix isotopic species on -1921
- Head-to-head polymers: 33. Bromination of cis-1,4-polybutadiene to head-to-head poly(vinyl bromide), 1257
- Heat capacities: of polyethylene and linear aliphatic polyoxides, 561
- Heat capacities: of polyethylene and linear fluoropolymers, 1875
- Heat resistance: A novel cyclomatrix polymer based on (hydroxy phenoxy) phosphazenes and 2-methyl aziridine: some aspects of , 1895 synthesis and adhesive -
- Heparin: Surface-grafted heparinizable materials, 1349
- Heparinizable materials: Surface-grafted, 1349
- Heterogeneous: The θ -bahaviour - macromolecules, 105
- Hexagonal phases: On of paraffins and polyethylenes, 726
- 1,6-hexane diol: Polyesterification and isomerization of maleic anhydride and as studied by ¹H and ¹³C n.m.r., 1099
- n-hexatriacontane-n-hexatriacontane-d₇₄: Infra-red bandshapes of methylene-d2 bending vibrations in -----, 219

- High modulus: Microstructure of solid state extruded polyethylene: 2. X-ray scattering studies of 12,24 and 36 extrusion draw ratio, 17
- High modulus fibres: of nylon-6 prepared by a dry-spinning method, 1394
- History: Speciality polymers: prospectretrospect, 1284
- Homopolymerization: Homo- and copolymerization of ethylene and propylene with a soluble chromium catalyst, 1888
- Hydrodynamic interaction: Quasielastic scattering from dilute polymer solutions, 1212
- Hydrogen bonding: in poly(methyl methacrylate-fluorinated polymer blends: FTi.r. investigations using ester model molecules, 1507
- Hydrogen peroxide: Polymer-metal complexes based on poly(itaconic acid ester) derivatives, as catalysts for the decomposition of —————, 1571
- Hydrolytic stability: and protective properties of polyurethane oligomers based on polyester/ether/polyols, 1901

- p-hydroxybenzoic acid: Three-dimensional structure of copolymers of and 2-hydroxy-6-naphthoic acid: a model for diffraction of a nematic structure, 997
- 2-hydroxy-6-naphthoic acid: Threedimensional structure of copolymers of phydroxybenzoic acid and —————: a model for diffraction of a nematic structure, 997

- Infra-red: An ————————————————study of the structure of oriented poly(ethylene terephthalate) fibres, 1779
- Infra-red: bandshapes of methylene-d₂ bending vibrations in n-hexatriacontane-n-hexatriacontane-d₇₄, 219
- Infra-red: spectroscopic characterization of the $\alpha \rightarrow \beta$ phase transition in poly(tetramethylene terephthalate), 235
- Infra-red spectroscopy: Polyethylene mixed crystal : The influence of matrix isotopic species on guest conformation, 1921
- 'Inifer' technique: Properties of polyisobutylene polyurethane block copolymers: 2. Macroglycols produced by the

- Interaction parameters: Stereoregular poly(alkyl methacrylate)s: polymer—polymer and copolymer—polymer blends, 1795
- Internal dynamics: Evaluation of internal dynamics in linear macromolecules, 1003

- Iron(II) cations: Dynamics of hydrated in nation polymer membranes, 1829
- Irradiation effects on polycaprolactone, 50
 Isomerization: Polyesterification and
- ———— of maleic anhydride and 1,6hexane diol as studied by ¹H and ¹³C n.m.r., 1099
- Isophorone di-isocyanate: The kinetics of the reaction of _____ with monoalcohols, 301
- Isopropylacetylene: Polymerization of 1butyne and ————————— by transition metal catalysts and geometric structure of polymers, 793
- Isosteric heat: of sorption of CO₂ in poly(ethylene terephthalate), 2043
- Isotacticity: Stereochemical composition property relationships in isotactic polypropylenes obtained with different catalyst systems. 259
- Isotape effects: on the phase separation in polystyrene-poly(vinylmethylether) blends, 73
- Isothermal contraction: Effect of physical ageing on enthalpy relaxation and in bisphenol A polycarbonate, 1546
- Isothermal immersion: Photo-electret studies of pure and doped polystyrene films, 1025
- Kinetic analysis: of the crystallization of poly(p-phenylene sulphide), 1595
- Kinetic substrate length: The in nucleation-controlled crystallization in polyethylene fractions, 803
- Kinetics: acid catalysed degradation of cellulose triacetate in chloroalkane solvents:

 1. Dichloromethane, 297

- Kinetics: Isothermal crystallization of poly(ethlene-terephthalate) of low molecular weight by differential scanning calorimetry:

 1. Crystallization —————, 423
- Kinetics: Models for the formation of poly(butylene terephthalate): effect of water on the ______ of the titanium tetrabutylate-catalysed reactions: 3, 1745

- Kinetics: Study on of copolymerization of styrene and maleic anhydride in methyl ethyl ketone, 629
- Kinetics: The ______ of the reaction of isophorone di-isocyanate with mono-alcohols, 301
- Kinetics: Thermal polymerization of p-methyl styrene at high conversions and temperatures, 608
- Lamellar: The spherulitic and morphology of melt-crystallized isotactic polypropylene, 704
- Lamellar: On the _____ morphology of melt-crystallized isotactic polystyrene, 717
- Laser: Far-infra-red moisture monitoring in polymeric composites, 69
- Laser flash photolysis: On the photolysis of acylphosphine oxides: 1. _____ studies with 2,4,6-trimethylbenzoyl-diphenyl-phosphine oxide, 141
- Light scattering: Light and neutron scattering studies of excess low-angle scattering in moderately concentrated polystyrene solutions, 673
- Light scattering: On the molecular weight determination of a poly(aryl-ether-ether-ketone), 1994
- Linear macromolecules: Evaluation of internal dynamics in —, 1003
- Line-shape snalysis: Motional restrictions and chain conformation in various swollen cross-linked polystyrene gels from ¹H n.m.r. 253
- Liquid crystal: Investigations of polymer chains in oriented fluid phases with deuterium nuclear magnetic resonance, 177
- Liquid crystal polymer: 19. Cholesteric main chain polyesters with triad aromatic ester mesogenic units and chiral polyalkylene spacers, 1301
- Liquid crystal polymer: High-resolution laseraddressed — storage displays, 1801
- Liquid crystal polymer: Molecular correlations in sheared thermotropic copolyesters showing banded textures, 870
- Liquid crystal polymers: 21. Thermotropic properties and crystallization-induced reactions of aromatic copolyesters, 1307
- Liquid crystalline polymer: Polyblends containing a ————, 1325
- Liquid crystalline polymers: A study of the static and dynamic properties of side-chain in low molar mass mesogens,
- 1319
 Liquid crystalline polymers: as additives to enhance the device properties of low molecular mass liquid crystals, 1312
- Localization: of oxidation in polypropylene,

Macroglycols: Properties of polyisobutylene
polyurethane block copolymers: 2.
produced by the 'inifer' technique, 55

- Macroinitiators: Polymerization of methyl methacrylate with mechano-chemically synthesized -452 developments in Macroinorganics: New
- the thermodynamics of basic polymers, 1353
- Macroion transformation: Reactions of macroions leading to block and/or graft anion → cation copolymers: -and cation → anion, 1733
- Macroions: Reactions of leading to graft copolymers: crosslinking and grafting of poly(vinyl chloride) by carbanions, 1575
- Macromers: Polymerization of poly(dimethylsiloxane) — : 1. Copolymerization with styrene, 437
- Macromolecular migration: N.m.r. and in a melt or in concentrated solutions, 197
- Macromolecules: Modelling 'melting' in --, 3
- Macromolecules: The θ -behaviour of heterogeneous ----, 105
- Macrovoids: A mathematical model for diffusion with induced crystallization: 1.,
- Magnesium alkyl: Butadiene polymerization with a rare earth compound using a - cocatalyst: 1., 147
- Magnesium alkyl: Butadiene polymerization with a rare earch compound using a cocatalyst: 2., 152
- Maleic anhydride: Polyesterification and isomerization of and 1,6hexane diol as studied by ¹H and ¹³C n.m.r.,
- Maleic anhydride: Study on kinetics of copolymerization of styrene - in methyl ethyl ketone, 629
- Mass spectrometry: Gas chromatography/ mass spectrometry investigations on living oligo(ethylene) species functionalized by oxygen, 1096
- Mass spectrometry: Pyrolysis/gas chromatoof glycidyl methacrylate—alkyl acylate copolymers, 747
- Mathematical model: A --diffusion with induced crystallization: 1.,
- Mathematical model: A ---diffusion with induced crystallization: 2.,
- Mathematical modelling: Bulk copolymerization of styrene and acrylonitrile: Experimental kinetics and ---, 2001
- Mechanical: and physical properties of ultraoriented polyoxymethylene produced by microwave heating drawing, 462
- Mechanical-dynamical: Dielectric studies on poly(cyclohexyl methacrylate), 1849
- Mechanical properties: Catalytic initiation of polyacrylonitrile stabilization, 447
- Mechanical properties: Dynamic properties of polybutadiene rubbers,
- Mechanical properties: Influence of the temperature of cure on the amine-terminated rubber/epoxy blends, 1110
- Mechanical properties: Infra-red spectroscopic characterization of the α - β phase transition in poly(tetramethylene terephthalate), 235
- Mechanical properties: of poly(ether-etherketone) for engineering applications, 1385 Mechanical properties: Thermal and of solution polymerized

- segmented polyurethanes with butadiene soft segments, 895
- Mechanical relaxation: mechanism of epoxide resins cured with diamines, 457
- Melt-behaviour: Crystallization and of poly(2isotactic vinylpyridine), 283
- Melting: and crystallization behaviour of elastoplastic semicrystalline copolymers: poly(ether ester), 1202
- 'Melting': Modelling macromolecules, 3
- Stereochemical composition-Melting: property relationships in isotactic polypropylenes obtained with different catalyst systems, 259
- Melts: Dynamics of polymers in solution and **-, 163**
- Melt: N.m.r. and macromolecular migration in or in concentrated solutions, 197
- Membrane formation: Phase separation phenomena in solutions of polysulfone in mixtures of a solvent and a nonsolvent: relationship with -. 1539
- Membranes: D.s.c. investigation of the states of water in poly(vinyl alcohol) —, 1**2**07
- Mesogens: A study of the static and dynamic properties of side-chain liquid crystalline polymers in low molar mass
- Mesophases: Optical properties of (acetoxypropyl) cellulose influencing the cholesteric pitch, 1435
- Metallo-polymers: Polymerization of methyl methacrylate with mechano-chemically synthesized macroinitiators, 452
- 2-methyl aziridine: A novel cyclomatrix polymer based on (hydroxy phenoxy) : some phosphazenes and aspects of synthesis and adhesive heat resistance, 1895
- Methyl methacrylate: Polymerization of with mechano-chemically synthesized macroinitiators, 452
- Methyl orange: Calorimetric determination of the enthalpy change for the binding of - to poly(vinylpyrrolidone) in aqueous solution, 751
- p-methyl styrene: Free radical polymerization . 935
- p-methyl styrene: Thermal polymerization of - at high conversions and temperatures, 608
- Methylene-d₂ bending: Infra-red bandshapes of — vibrations in n-hexatriacontane-n-hexatriacontane-d₇₄, 219
- Microphase structure: separated and blood compatibility of segmented poly(urethaneureas) with different diamines in the hard segment, 978
- separated Microphase structure: surface composition and blood compatibility of segmented poly(urethaneureas) with various soft segment components, 987
- Microscopy: Crystallization and melt behaviour of isotactic poly(2-vinylpyridine),
- Microstructure: Anionic telomerization of butadiene with toluene and diphenylmethane: and molecular weight, 1265
- Microstructure of high modulus solid state extruded polyethylene: 2. X-ray scattering studies of 12,24 and 36 extrusion draw ratio,
- Microwave field: Polyurethane curing by a pulsed ---- 506

- Microwave frequencies: Dielectric properties of polymers at - : a review, 963 Microwave heating: Mechanical and physical properties of ulta-oriented polyoxy-
- methylene produced by drawing, 462
- Microwave heating: Morphological changes of wide polyoxymethylene rod during a drawing process, 1929
- Milling: Milled fibre reinforced epoxy resin: an engineering polymer composite, 1419
- Miscibility: Binodal and spinodal curves: a simulation for various high polymer mixtures, 418
- Miscibility: Concerning the poly(vinyl phenol) blends: FTi.r. study, 228 Miscibility: Influence of the tacticity of poly(methyl methacrylate) on with poly(vinyl chloride), 1725
- Miscibility: Predicted polystyrene and poly(α-methyl styrene) and comparison with experiment, 1662
- Mitiation: Studies on the polymerization of pcresyl glycidyl ether initiated by lightsensitive arenecyclopentadienyl iron salts,
- Modelling 'melting' in macromolecules, 3
- Modification: of polymer surfaces by farultraviolet radiation of low and high (laser) intensities, 1297
- monitoring: Far-infra-red Moisture in polymeric composites, 69
- Molecular conformation: and interactions in oligomeric mixtures of polystyrene with polybutadiene: a small-angle neutron scattering study, 1554
- Molecular connectedness: Assessment of in semi-dilute polymer solutions by elongational flow, 1219
- Molecular correlations: in sheared thermotropic copolyesters showing banded textures, 870
- Molecular dimensions: θ point of polyacrylamide in aqueous solution and temperature --, 406 dependence of the —
- Molecular dynamics: N.m.r. study in chemically crosslinked polyethylene, 557
- Molecular fractionation: in melt-crystallized polyethylene. 4. Fracture, 1469
- Molecular interpretation: Relaxation processes in crystalline polymers: a review, 1123
- Molecular motion: Deuteron n.m.r. in relation to the glass transition in polymers, 203
- Molecular motion: N.m.r. studies of in modified polypropylene, 1455
- Molecular motions: of non-crystalline poly(aryl ether ether ketone) and influence of electron beam irradiation, 501
- Molecular orientation: The determination of in oriented polypropylene by wide-angle X-ray diffraction, polarized fluorescence and refractive index measurements, 1605
- Molecular weight: Anionic telomerization of butadiene with toluene and diphenylmethane: microstructure and 1265
- Molecular weight: Butadiene polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 2., 152
- Molecular weight: Effects of and plasticization on dissolution rates of thin polymer films, 1069
- Molecular weight: Effects of sorbed water on properties of low and high

- poly(methyl methacrylate): 11. Fatigue performance, 89
- Molecular weight averages: Determination of and molecular weight distribution by g.p.c. and N-trifluoro-acetylated polyamides, 1187
- Molecular weight determination: On the of a poly(aryl-ether-ether-ketone), 1994

- Mono-alcohols: The kinetics of the reaction of isophorone di-isocyanate with _______, 301
- Monte-Carlo calculations: on statistical chains enclosed inside a sphere, 1631
- Monte-Carlo simulation: of the collapse transition of a two-dimensional polymer, 1814
- Morphological changes: of wide polyoxymethylene rod during a microwave heating drawing process, 1929
- Morphology: ¹³C and ¹H n.m.r. studies of solid polyolefines, 169
- Morphology: Crystallization behaviour of random block copolymers of poly(butylene terephthalate) and poly(tetramethylene ether glycol), 8
- Morphology: Crystallization structure and thermal behaviour of nylon-6 rubber blends, 270
- Morphology: Domain in polyurethanes, 490
- Morphology: Effect of thermal history on the

 of thermotropic liquid
 crystalline copolyesters based on
 poly(ethylene terephthalate) and parahydroxybenzoic acid, 689
- Morphology: Influence of ______ on the transport properties of polystyrene/polybutadiene blends. 1. Experimental studies, 1073
- Morphology: On the lamellar of melt-crystallized isotactic polystyrene, 717
- Morphology: The spherulitic and lamellar
 ————— of melt-crystallized isotactic
 polypropylene, 704
- Motional restrictions: and chain conformation in various swollen crosslinked polystyrene gels from ¹H n.m.r. line-shape analysis, 253
- Moynihan Model: Structural relaxation in polystyrene: changes in the recovery function with increasing relaxation, 77
- Multiple transitions: in polyalylbenzene: 1. Thermophysical properties, 1443
- Multiple transitions: in polyalylbenzene: 2. Dielectric relaxations: relationship between structure and properties, 1448
- Myelinic vesicles: Structures and crystal growth approach of polt(alkylacrylate)

 by electron microscopy, 837

- 2,6-naphthyl groups: The B-loss process in liquid crystal polyesters containing —————, 1623
- Network structure: Mechanical relaxation mechanism of epoxide resins cured with diamines, 457
- Neutron scattering: Ligh and studies of excess low-angle scattering in moderately concentrated polystyrene solutions, 673
- Nitrocellulose: Relaxation in double base propellants, 79
- Nitroglycerine: Dielectric studies of the effect of water on the relaxation properties of nitrocellulose mixtures, 1227
- Nitroglycerine: Relaxations in double base propellants, 79
- Nitroglycerine: Temperature effects on the birefringence of nitrocellulose and mixtures, 643
- p-nitrophenyl esters: Catalytic esterolysis of ______ by optically active polymeric oximes, 1191
- Non-Fickian diffusion: A mathematical model for diffusion with induced crystallization: 2., 131
- Novolacs: A ¹³C n.m.r. study of the sulphonation of ————, 1369
- Nuclear magnetic relaxation: Theory of _______, 193
- N.m.r.: Broad line study of oriented poly(vinylidene fluoride), 208
- N.m.r.: ¹³C and ¹H studies of solid polyolefines, 169
- N.m.r.: ¹³C study of the sulphonation of novolacs, 1369
- N.m.r.: ¹³C relaxation study of poly(aspartic acid), 667
- N.m.r.: ¹³C ———— study of poly[(S)-5methyl-1-heptane] and poly(1-heptene) prepared by Ziegler–Natta catalyst, 1459
- N.m.r.: Cellulose-water systems: water proton spin-lattice relaxation in the rotating reference frame, 859
- N.m.r.: Chain conformation of polyethylene in the solid state as studied by ¹³C crosspolarization/magic angle spinning

- N.m.r.: Effect of polydispersity on measuring polymer self-diffusion with the pulsed field gradient technique, 1677
- N.m.r.: Ferroelectric phase transition in a 70/30 mole% copolymer of vinylidene fluoride and trifluoroethylene. 1683

- used in the cure of carbon-fibre-epoxy prepregs, 827
- N.m.r.: Investigations of polymer chains in oriented fluid phases with deuterium
- N.m.r.: Macromolecular migration in a melt or in concentrated solutions, 197
- N.m.r. Molecular dynamics in chemically crosslinked polyethylene, 557
- N.m.r.: Molecular motion in modified polypropylene, 1455
- N.m.r.: Pulsed field gradient measurements and theoretical interpretation of the self-diffusion of polystyrene in solution, 241
- N.m.r.: Poly(vinyl chloroformate) and its derivatives: 5. New poly(vinyl carbamates) and poly(vinyl thiocarbonates), 443
- N.m.r.: Self diffusion of small molecules in aqueous solution of poly(vinylpyrrolidone), 940
- N.m.r.: Solid biopolymers, 190
- Nucleation: Kinetic substrate length in ——controlled crystallization in polyethylene fractions, 803
- Nucleation: Temperature dependence of birefringence for strained natural rubber vulcanizates, 97
- Nylon-4,6: Preparation and properties of high molar mass ————: a new development in nylon polymers, 1582
- Nylon-6: Crystallization, morphology, structure and thermal behaviour of —————— rubber blends, 270
- Nylon-6: Fourier transform infra-red spectroscopy of —————— blends: binary blends with poly(methyl methacrylate) and ethylene vinyl ester/alcohol copolymer, 45
- Nylon-6: High-modulus fibres of prepared by a dry-spinning method, 1394
- Nylon-6: Thermal expansivity of oriented ———— and nylon-6,6, 884
- Nylon-12: Cooperative relaxation processes in polymers, 1034

- Oligo(ethylene): Gas chromatography/mass spectrometry investigations on living species functionalized by oxygen, 1096
- Optical properties: of (acetoxypropyl) cellulose mesophases: factors influencing the cholesteric pitch, 1435
- Optical rotatory dispersion: and circular dichroism studies of copolyaspartates with long alkyl side chain, 848

- Optical transforms: An investigation into the structure of poly(ethylene terephthalate) fibres by the use of —————, 469
 Optical waveguiding: in doped poly(methyl
- Optical waveguiding: in doped poly(methyl methacrylate), 1423
- Oriented polymers: Compensation method for zero birefringence in ________, 1619
- Oriented polymers: Thermally stimulated shrinkage forces in ______: 2. Time dependence, 1019
- Orientation: A broad line n.m.r. study of oriented poly(vinylidene fluoride), 208
- Orientation: Doubly oriented B-form films of poly(vinylidene fluoride), 853
- Orientation: Interpretation of strain relationships in rubbers and thermoplastics, 1755
- Orientation: Investigations of polymer chains in oriented fluid phases with deuterium nuclear magnetic resonance, 177
- Orientation: Relaxation in uniaxially stretched poly(vinyl methyl ether)-atactic polystyrene blends, 879
- Orientation: Thermal expansivity of oriented nylon-6 and nylon-6,6, 884
- Oxidation: Localization of — in polypropylene, 1713
- Packing energy: Conformational and calculations on two crystalline modifications of poly(trans-1,4-butadiene), 2039
- Paraffins: On hexagonal phases of and polyethylenes, 726
- Permeation: Selective across a blend film of cellulose acetate and polymers or copolymers of c-(N^v-AcLys-Sar), 774
- Phase behaviour: Thermodynamics of the of poly(vinyl chloride)/aliphatic polyester blends, 763
- Phase behaviour: Polyethylene deuteropolyethylene — , 1523
- Phase diagrams: Binodal and spinodal curves: a simulation for various high polymer mixtures, 418
- Phase separation: in styrenated polyester resin containing a poly(vinyl acetate) low-profile additive, 109
- Phase separation: studies in RIM polyurethanes catalyst and hard segment crystallinity effects, 1145
- Phase separation: phenomena in solutions of polysulfone in mixtures of a solvent and a nonsolvent: relationship with membrane formation, 1539
- Phase separation: in polymer blends comprising copolymers: 4. Polycarbonate/polystyrene ABCP system, 1689
- Phase separation: A preliminary study of the dynamics of ————————————————————in oligomeric polystyrene polybutadiene blends, 1708
- Phase structure: and adhesion in polymer blends: A criterion for rubber toughening, 1855

- Phase transition: Infra-red spectroscopic characterization of the α - β phase transition in poly(tetramethylene terephthalate), 235
- Phase transition: in swollen gels: 7. Effect of charge concentration on the temperature collapse of poly(N,N,-diethylacrylamide) networks in water, 1514

- Photo-electret studies: of pure and doped polystyrene films, 1025
- Photoinitiators: On the photolysis of acylphosphine oxides: 1. Laser flash photolysis studies with 2,4,6-trimethylbenzoyldiphenylphosphine oxide, 141
- Photolysis: On the of acylphosphine oxides: 1. Laser flash photolysis studies with 2,4,6-trimethylbenzoyldiphenylphosphine oxide, 141
- Photon correlation spectroscopy: A study of poly(di-n-butyl itaconate) near T_g , 66
- Photon correlation spectroscopy: Evaluation of internal dynamics in linear macromolecules, 1003
- Physical ageing: Structural relaxation in polystyrene: changes in the recovery function with increasing relaxation, 77
- Physical ageing: Effect of ______ on the properties of amorphous PEEK, 905
- Physical ageing: Effect of _____ on enthalpy relaxation and isothermal contraction in bisphenol A polycarbonate, 1546

- Piezoelectricity: Piezo- and pyroelectricity in polymer blends of poly(vinylidenefluoride)/poly(methyl methacrylate), 1611
- Plastic: deformation in linear polyethylene, 1501
- Plasticization: Effects of molecular weight and on dissolution rates of thin polymer films, 1069
- Plateau zone: Properties of the of star-branched polybutadienes and polystyrenes, 1091
- Polarization: and piezoelectric coefficients of poly(vinylidene fluoride) form-I-films: A model including crystalline oreintation, 1825
- Polyacetylene copolymers: Synthesis of highly conducting polystyrene————, 622

- Polyacrylamide: Theta point of — in aqueous solution and temperature dependence of the molecular dimensions, 406
- Polyacrylonitrile: Catalytic initiation of stabilization, 447
- Poly(alkylacrylate): Structure and crystal growth approach of ——— myelinic vesicles by electron microscopy, 837
- Poly(alkyl methacrylate)s: Stereoregular polymer–polymer and copolymer–polymer blends, 1795
- Polyallylbenzene: Multiple transitions in 1. Thermophysical properties, 1443
- Polyallylbenzene: Multiple transitions in

 2. Dielectric relaxations:
 relationship between structure and
 properties, 1448
- Polyamidation: Solid state of nylon salts: possible mechanism for the solid-melt transition, 413
- Polyamide fibres: Creep of aromatic
- Polyamides: Determination of molecular weight averages and molecular weight distribution by g.p.c. and N-trifluoro-acetylated, 1187

- Poly(aryl ether ether ketone): Molecular weight determination of a ---- (PEEK), 1994

- Polyblends: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and ethylene vinyl ester/alcohol copolymer, 45
- Polyblends: containing a liquid crystalline polymer, 1325
- Polybutadiene: Butadiene polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 1., 147
- Polybutadiene: Butadiene polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 2., 152
- Polybutadiene: Kinetics of the reaction of isophorone di-isocyanate with mono-alcohols, 301
- Polybutadiene: Influence of morphology on the transport properties of polystyrene/blends: 1. Experimental studies 1073
- Polybutadiene: Influence of morphology on the transport properties of polystyrene/
 blends: 2. Modelling results, 1239
- cis-1,4-Polybutadiene: Head-to-head polymers 33. Bromination of to head-to-head poly(vinyl bromide), 1257
- Polybutadiene: Dynamic mechanical properties of ————— rubbers, 1463
- Polybutadiene: Molecular conformation and interactions in oligomeric mixtures of

Classified Contents
polystyrene with ————————————————————————————————————
Polybutadiene: A preliminary study of the dynamics of phase separation in oligomeric polystyrene—blends, 1708 Polybutadiene: Crazing in polystyrene—diblock copolymers con-
taining cylindrical polybutadiene domains, 1985 Poly(trans-1,4-butadiene): Conformational
and packing energy calculations on two crystalline modifications of ———————————————————————————————————
Polybutadienes: Properties of the plateau zone of star-branched and polystyrenes, 1091
Polybutadiene stars: Linear viscoelastic properties of mixtures of 3- and 4-arm
Poly(butylene terephthalate): Crystallization behaviour of random block copolymers of and poly(tetramethylene
ether glycol), 8 Poly(butylene terephthalate): Models for the formation of —————: effect of water on the kinetics of the titanium tetrabutylate-catalysed reactions: 3, 1745
Polycaprolactone: Irradiation effects on, 50
Polycaprolactones: Synthesis and characterization of model comb-branched polyurethanes: 1. Synthesis of model comb-branched polyurethanes, 84
Polycarbonate: Phase separation in polymer blends comprising copolymers: 4. //polystyrene ABCP system,
Polycarbonate: Rejuvenation and physical ageing of a film subjected to finite tensile strains, 1979
Poly(1,4-trans-cyclohexane diyldimethylene adipate): Polymorphism and structure of form I, using X-ray diffraction, 1029
Poly(cyclohexyl methacrylate): Dielectric and mechanical-dynamical studies on, 1849
Poly(diaryl siloxanes): Crystalline structure of, 1527
Poly(di-n-butyl itaconate): A photon correlation spectroscopy study of $\frac{1}{2}$ near T_g , 66
Poly(N,N-diethylacrylamide): Phase transition in swollen gels: 7. Effect of charge concentration on the temperature collapse of ———————————————————————————————————
Poly(dimethylsiloxane): Polymerization of macromers: 1. Copolymeri-
zation with styrene, 437 Poly(dimethylsiloxane): Dependence of properties of swollen and dry polymer networks on the conditions of their formation in solution, 1667
Poly(dimethylsiloxanes): Studies of cyclic and linear ————————————————————————————————————
Poly(dimethylsiloxanes): Studies of cyclic and linear : 19. Glass transition temperatures and crystallization behaviour,
930 Polydispersity: Effect of — on measuring polymer self-diffusion with the
n.m.r. pulsed field gradient technique, 1677 Polyelectrolyte: Sedimentation behaviour in dilute solutions of a
Polyester: Effect of compound composition on

fast reactions of polyurethane and unsaturated ————————————————————————————————————
Polyester: Unsaturated styrene resins: Effect of the catalyst
concentration on kinetic rate and activation energy of radical crosslinking reactions, 1885
Polyesterification: and isomerization of maleic anhydride and 1,6-hexane diol as studied by
¹ H and ¹³ C n.m.r., 1099 Polyesters: Concerning the miscibility of poly(vinyl phenol) blends — FTi.r. study,
228 Polyesters: Liquid crystal polymers; 19.
Cholesteric main chain — with triad aromatic ester mesogenic units and chiral polyalkylene spacers, 1301
Polyesters: The β -loss process in liquid crystal containing 2,6-naphthyl groups, 1623
Polyester blends: Thermodynamics of the phase behaviour of poly(vinyl chloride)/
aliphatic polyester blends, 763 Polyester/ether/polyols: Hydrolytic stability and protective properties of polyurethane
oligomers based on —, 1901 Polyester fibres: Degradation phenomena of
two linear aliphatic — used in medicine and surgery, 591 Polyester resin: Phase separation in styrenated
containing a poly(vinyl acetate) low-profile additive, 109 PEEK: Effect of physical ageing on the
properties of amorphous ————,
Poly(ether ether ketone): Mechanical properties of for engineering applications, 1385
Poly(ether ester): Melting and crystallization behaviour of elastoplastic semicrystalline conclumers:
Polyethers: Concerning the miscibility of poly(vinyl phenol) blends — FTi.r. study,
228 Polyethylene: Modelling 'melting' in macromolecules, 3
Polyethylene: Microstructure of high modulus solid state extruded 2. X-ray
scattering studies of 12,24 and 36 extrusion draw ratio, 17 Polyethylene: Chlorination of irradiated
single crystals: 1. Analysis of alkyl radical decay kinetics, 27 Polyethylene: Chlorination of irradiated
single crystals: 2. XES and e.s.c.a. analysis of irradiated-chlorinated PE,
38 Polyethylene: A simple thermodynamic analysis of solid-solution formation in
binary systems of homologous extended- chain alkanes, 288
Polyethylene: Fluorescence measurements of diffusion coefficient for butylated hydroxy-anisole in low-density ————————————————————————————————————
anisole in low-density — , 433 Polyethylene: N.m.r. study of molecular dynamics in chemically crosslinked
Polyethylene: Heat capacities of and linear aliphatic
polyoxides, 561 Polyethylene: The setting angle of extended chain linear
Polyethylene: Small-angle neutron scattering of partially segregated blends of
Polyethylene: Kinetic substrate length in nucleation-controlled crystallization in
Polyethylene: Structure and properties of

```
- crystallized by rapid
 linear -
  cooling of melts: 3. Effect of shear, 865
Polyethylene: E.s.c.a. studies of corona-
  discharge treated -
                                     surfaces
  using gas-phase derivatization, 1162
Polyethylene: Speciality products based on
  commodity polymers, 1372
Polyethylene: Molecular fractionation in melt-
 crystallized
                           -: 4. Fracture, 1469
Polyethylene: Plastic deformation in linear
                . 1501
Polyethylene: deutero-polyethylene phase
  behaviour, 1523
Polyethylene: Differences in the molecular
  weight and the temperature dependences of
  self-diffusion and zero shear viscosity in
                        and hydrogenated
  polybutadiene, 1651
Polyethylene: A single crystal of-
  crystallized under high pressure, 1791
                Chain
                          conformation
Polyethylene:
                in the solid state as studied by
  <sup>13</sup>C cross-polarization/magic angle spin-
  ning nuclear magnetic resonance spectro-
  scopy, 1864
Polyethylene:
                  Heat
                            capacities
                 and linear fluoropolymers,
  1875
Polyethylene: mixed crystal infra-red spectro-
  scopy: The influence of matrix isotopic
  species on guest conformation, 1921
Polyethylenes: On hexagonal phases of
  paraffins and -
                              -, 726
Polyethylenes: Post-yield behaviour of low
                       -: 2. Plastic fracture,
  density
  901
Poly(ethylene glycol): Complexation between
                and sodium thiocyanate, 81
Poly(ethylene oxide): Probing the structure of
  polymer belnds by vibrational spectro-
  scopy:
                           and poly(methyl
  methacrylate) blends, 811
                             Diffusion
Poly(ethylene
                  oxide):
                  in semidilute aqueous
  solution: Dynamic light scattering and
  gradient diffusion, 1647
Poly(ethylene terephthalate): Isothermal
  crystallization of -
  molecular weight by differential scanning
  calorimetry: 1. Crystallization kinetics, 423
Poly(ethylene terephthalate): An investigation
  into the structure of -

    fibres by

  the use of optical transforms, 469
Poly(ethylene terephthalate): Small-angle
  neutron scattering of partially segregated
  amorphous -
                            -, 655
Poly(ethylene terephthalate): Cooperative
  relaxation processes in polymers, 1034
Poly(ethylene terephthalate): An infra-red
  study of the structure
                               of oriented
               - fibres, 1779
Poly(ethylene terephthalate): Raman micro-
  probe spectra of spin-oriented and drawn
                            -, 1935
  filaments of -
Poly(ethylene terephthalate): Isosteric Heat of
sorption of CO<sub>2</sub> in ————, 2043
Poly(1-heptene): <sup>13</sup> C n.m.r. study of poly[(S)-
  5-methyl-1-heptene] and prepared by Ziegler-Natta catalyst, 1459
Poly(heptyl itaconate): Complexing of some
  transition metal ions with
  containing tetraethylene pentamine side
  chains, 1566
Polyisobutylene: Properties of -
   polyurethane block copolymers: 2. Macro-
   glycols produced by the 'Inifer' technique, 55
Polyisobutylene: Properties of
   polyurethane block copolymers: 3. Hard
   segments based on 4,4'-diclohexylmethane
   diisocyante (H<sub>12</sub>MDl) and butane diol, 70
```

Polyisocyanurate: Dependence of properties of swollen and dry polymer networks on the conditions of their formation in solution, 1667 Poly(itaconic acid ester): Polymer-metal complexes, based on derivatives as catalysts for the decomposition of hydrogen peroxide, 1571 Poly (1-[p-(mercaptomethyl)phenyl] ethylene):Debromination of di- and tetrabrominated compounds by crosslinked Polymer Investigations chains: - in oriented fluid phases with deuterium nuclear magnetic resonance, 177 Polymer films: Effects of molecular weight and plasticization on dissolution rates of thin ----, 1069 Polymer solutions: Study on solvent mixtures in vicinity of critical point of solvents: 4. Saturation phenomena, 293 Polymers surfaces: Modification - by far-ultra-violet radiation of low and high (laser) intensities, 1297 Polymer-metal complexes: based on poly(itaconic acid ester) derivatives, as catalysts for the decomposition of hydrogen peroxide, 1571 Polymer networks: Dependence of properties of swollen and dry conditions of their formation in solution, 1667 Polymers: Dynamics of solution and melts, 163 Poly[(S)-5-methyl-1-heptene]: ${}^{13}C$ n.m.r. --- and poly(1-heptene) study of prepared by Ziegler-Natta catalyst, 1459 Polymerization: A discussion of the derivation of molecular weight distribution functions of linear step-growth -Polymerization: Butadiene with a rare earth compound using a magnesium alkyl cocatalyst: 1., 147 Polymerization: Butadiene with a rare earth compound using a magnesium alkyl cocatalyst: 2., 152 Polymerization: of poly(dimethylsiloxane) macromers: 1. Copolymerization with styrene, 437 Polymerization: Poly(vinyl chloroformate) and its derivatives: 5. New poly(vinyl carbamates) and poly(vinyl thiocarbonates), 443 Polymerization: of methyl methacrylate with mechano-chemically synthesized microinitiators, 452 Polymerization: Thermal — of pmethyl styrene at high conversions and temperatures, 608 Polymerization: of N-vinylcarbazole over cobalt (II) exchanged 13X molecular sieves, Polymerization: of 1-butyne and isopropylacetylene by transition metal catalysts and geometric structure of polymers, 793 Polymerization: Thermal and mechanical properties of solution polymerized segmented polyurethanes with butadiene soft segments, 895 Polymerization: Free radical p-methyl styrene, 935 Polymerization: Non-classical free-radical -: 5. Purification and polymerization of 1-vinyl-2-pyrrolidone, 945 Polymerization: Radical

initiated by primary radicals with similar

structure to the end radical on the polymer,

Polymerization: Picosecond excimer fluores-

cence spectroscopy: applications to local

motions of polymers and —
monitoring, 1657
Polymerization control: A sensitive method
for based on ultrasonic
measurements, 1741
Polymerization: Preparation of highly active
Ci-catalysts for ethylene ,
Polymorphism: Poly(1,4-trans-cyclo-
Polymorphism: Poly(1,4-trans-cyclo- hexanediyldimethylene adipate):
X-ray diffraction, 1029
Poly(methyl acrylate): Excimer fluorescence
technique for study of polymer segment
mobility: applications to pyrene labelled
poly(methyl methacrylate) and
in solution, 1046
Poly(α-methyl styrene): Predicted miscibility
of polystyrene and ———————————————————————————————————
Poly(methyl methacrylate): Effects of sorbed
water on properties of low and high
molecular weight ————————————————————————————————————
Fatigue performance, 89
Poly(methyl methacrylate): Fourier transform
infra-red spectroscopy of nylon-6 blends:
binary belnds with — and
ethylene vinyl ester/alcohol copolymer, 45
Poly(methyl methacrylate): Effects of sorbed
water on properties of low and high molecular weight: 1.
Deformation and fracture behaviour, 511
Poly(methyl methacrylate): An inelastic
electron tunnelling spectroscopy (IETS) study of poly(vinyl acetate)
and poly(vinyl alcohol) absorbed on
aluminium oxide, 551
Poly(methyl methacrylate): Probing the
structure of polymer blends by vibrational
spectroscopy: poly(ethylene oxide) and
blends, 811
Poly(methyl methacrylate): Excimer
fluorescence technique for study of polymer
segment mobility applications to pyrene labelled ——————————————————————————————————
acrylate) in solution, 1046
Poly(methyl methacrylate): Local composition
heterogeneities occurring during crystalli-
heterogeneities occurring during crystallization in PVF ₂ /—— blends as
studied by high-resolution solid state ¹³ C
n.m.r., 1081
Poly(methyl methacrylate): Optical wave-
guiding in doped — , 1423 Poly(methyl methacrylate): Hydrogen bonding in — fluorinated
handing in methacrylate): Hydrogen
polymer blends: FTi.r. investigations using
ester model molecules, 1507
Poly(methyl methacrylate): Piezo- and
pyroelectricity in polymer blends of
poly(vinylidene fluoride)/,
1611
Poly(methyl methacrylate): Influence of the
tacticity of — on the miscibility
with poly(vinyl chloride), 1725
Poly(1,8-nonadiyne): Synthesis, crosslinking
and electrical conductivity of ———,
71
Polyolefines: ¹³ C and ¹ H n.m.r. studies of solid
Polyoxides: Heat capacities of polyethylene
and linear aliphatic ————————————————————————————————————
and linear aliphatic —, 561 Polyoxymethylene: Production of ultrahigh
modulus ——— by drawing under
dielectric heating, 84
Polyoxymethylene: Mechanical and physical
properties of ultra-oriented
produced by microwave heating drawing,
462

Polyoxymethylene: Morphological changes of

Classified Contents
wide — rod during a microwave
heating drawing process, 1929
Polypeptide: N.m.r. of solid biopolymers, 190
Poly(1,4-phenylene): Effect of compaction
pressure on the conductivity and structure in
undoped ————————————————————————————————————
undoped ————————————————————————————————————
dence of the primitive path step length, 101
Poly(p-phenylene sulphide): Kinetic analysis
of the crystallization of —, 1595
Poly(1,4-phenyleneterephthalamide: Charac-
terization of ———— in concentrated
sulphuric acid: 1. Static and dynamic
properties, 1401
Poly(1,4-phenylene terephthalamide): Charac-
terization of in concentrated sulphuric acid. 2. Determination of
sulphuric acid. 2. Determination of molecular weight distributions, 1408
Polypropylene: Sperulitic and lamellar
morphology of melt-crystallized isotactic
, 704
Polypropylene: N.m.r. studies of molecular
motion in modified, 1455
Polypropylene: The determination of mole-
cular orientation in oriented
by wide-angle X-ray diffraction, polarized
fluorescence and refractive index
measurements, 1605
Polypropylene: Localization of oxidation in
, 1713
Polypropylene: Primary nucleation behaviour
is isotactic ———————————————————————————————————
ene random copolymer blends, 1843
Polypropylene: Tearing instability in, 1963
Polypropylenes: Stereochemical composition-
properties relationships in isotactic obtained with different
catalyst systems, 259 Poly(propylene oxide): Selective gas transport
in miscible PPO-PS blends, 2055
Polystyrene: Isotope effects on the phase
separation in poly(vinyl
methyl ether) blends, 73
Polystyrene: Structural relaxation in
Polystyrene: Structural relaxation in changes in the recovery
function with increasing relaxation, 77
Polystyrene: Concentration dependence of the
primitive path step length, 101
Polystyrene: Deuteron n.m.r. in relation to the
glass transition in polymers, 203
Polystyrene: Pulsed field gradient n.m.r.
measurements and theoretical inter-
pretation of the self-diffusion of
in solution, 241
Polystyrene: Motional restrictions and chain
conformation in various swollen crosslinked
gels from ¹ H n.m.r. line-shape
analysis, 253
Polystyrene: Study on polymer solutions in
solvent mixtures in the vicinity of the critical
point of the solvents: 4. Saturation phenomena, 293
Polystyrene: Toughness of two pure block
copolymer blends in high molecular weight

moderately

solutions, 673

Polystyrene: Effect of the degree of

Polystyrene: Synthesis of highly conducting

Polystyrene: Light and neutron scattering

concentrated

Polystyrene: On the lamellar morphology of

Polystyrene: Orientation and relaxation in

studies of excess low-angle scattering in

- polyacetylene copolymers,

-, 569

melt-crystallized isotactic -

crosslinking on penetrant transport in

- uniaxially stretched poly(vinyl methyl ether)-atactic -blends, 879
- Polystyrene: Influence of morphology on the transport properties of polybutadiene blends: 1. Experimental studies, 1073
- Polystyrene: Unperturbed dimensions and the g factor of a star-shaped -
- Polystyrene: Assessment of molecular connectedness in semi-dilute polymer solutions by elongational flow, 1219
- Polystyrene: Influence of morphology on transport properties of polybutadiene blends: 2. Modelling results,
- Polystyrene: Comparative evaluation of thermal stabilities of novel sulphonic acid resins from anhydride modified - with commercial polystyrene based resins, Indion-225 and Zeocarb-225, 1365
- Polystyrene: New extensional rheometer for elongational viscosity and flow birefringence measurements: some results melts, 1477
- Polystyrene: Molecular conformation and interactions in oligomeric mixtures of - with polybutadiene: a smallangle neutron scattering study, 1554
- Polystyrene: Self-diffusion in concentrated solutions measured by fluorescence recovery after photobleaching, 1654
- Polystyrene: Predicted miscibility and poly(α -methyl styrene) and comparison with experiment, 1662
- Polystyrene: Phase separation in polymer blends comprising copolymers: 4. Polycarbonate ABCP system, 1689
- Polystyrene: A preliminary study of the dynamics of phase separation in oligomeric -polybutadiene blends, 1708
- Polystyrene: Crazing in polybutadiene diblock copolymers containing cylindrical polybutadiene domains,
- Polystyrene: Low density, microcellular - foams, 2047
- Polystyrene: Selective gas transport in miscible PPO-PS blends, 2055
- Polystyrenes: Properties of the plateau zone of star-branched and polybutadienes -. 1091
- Poly(styrene-co-divinylbenzene): mination of the glass transition temperature of by inverse gas chromatography, 1181
- Polystyrene films: Photo-electret studies of pure doped --, 1025
- Polystyrene networks: Scaling laws and : a quasi-elastic light scattering study, 1643
- Poly(styrene sulphonate): Sedimentation behaviour in dilute solutions of a polyelectrolyte, 1519
- Polysulfone: Phase separation phenomena in solutions of -- in mixtures of a solvent and a nonsolvent: relationship with membrane formation, 1539
- Poly(tetrafluoroethylene): Energy calculations for the crystal structure of the high temperature phases (I and IV) , 1944
- Poly(tetramethylene ether glycol): Crystallization behaviour of random block copolymers of poly(butylene terephthalate)
- Poly(tetramethylene oxide): Reactions of macroions leading to block and/or graft

- copolymers: Macroion transformation: anion \rightarrow cation and cation \rightarrow anion, 1733
- Poly(tetramethylene terephthalate): Infra-red spectroscopic characterization of the α - β phase transition in -
- Polyurethane: Properties of polyisobutylene - block copolymers: 2. Macroglycols produced by the 'Inifer' technique, 55
- Polyurethane: Properties of polyisobutylene block copolymers: 3. Hard segments based on 4'4-dicyclohexylmethane diisocyanate (H₁₂MDl) and butane diol, 70
- Polyurethane: curing by a pulsed microwave field, 506
- Polyurethane: Effects of unequal reactivity of functional groups on gelation phenomena in systems, 595
- Polyurethane: Effect of compound composition on fast reactions of and unsaturated polyester in the bulk state,
- Polyurethane: Thermal response of the polyether soft segment chain conformation in a — block copolymer measured by small-angle neutron scattering,
- Polyurethanes: Synthesis and characterization of model comb-branched -Synthesis of model comb-branched polyurethanes, 84
- Polyurethanes: Synthesis and characterization of model comb-branched -Dilute solution and viscoelastic properties,
- Polyurethanes: Domain morphology in 490
- Polyurethanes: Thermal and mechanical properties of solution polymerized segmented -- with butadiene soft segments, 895
- Polyurethanes: Phase separation studies in : catalyst and hard segment crystallinity effects, 1145
- Polyurethane elastomers: Kinetics of the reaction of isophorone di-isocyanate with mono-alcohols, 301
- Polyurethane oligomers: Hydrolytic stability and protective properties of based on polyester/ether/polyols, 1901
- Poly(urethaneureas): Microphase separated structure and blood compatibility of segmented with different diamines in the hard segment, 978
- Poly(urethaneureas): Microphase separated structure, surface composition and blood compatibility of segmented with various soft segment components, 987
- Poly(vinyl acetate): Phase separation in styrenated polyester resin containing a low profile additive, 109
- Poly(vinyl acetate): An inelastic electron tunnelling spectroscopy (IETS) study of poly(methyl methacrylate) and poly(vinyl alcohol) absorbed on aluminium oxide, 551
- Poly(vinyl alcohol): Surface free energy of modified with alkyl groups, 429
- Poly(vinyl alcohol): An inelastic electron tunnelling spectroscopy (IETS) study of poly(vinylacetate), poly(methyl methaabsorbed on crylate) and aluminium oxide, 551
- Poly(vinyl alcohol): D.s.c. investigation of the states of water in 1207
- Poly(vinyl alcohol): Intramolecular crosslinking of --, 1737
- Poly(vinyl alcohol-co-itaconic acid): D.s.c.

- investigation of the states of water in - membranes, 1833
- Poly(vinyl bromide): Head-to-head polymers: 33. Bromination of cis-1,4-polybutadiene to , 1257 head-to-head -
- Poly(vinyl carbamates): Poly(vinyl chloroformate) and its derivatives: 5. New and poly(vinyl thiocarbonates), 443
- Poly(N-vinyl carbazole): Dielectric and ¹³C n.m.r. studies of various stereostructural forms of --, 2014
- Poly(vinyl chloride): An n.m.r. and d.s.c. investigation of the solubility conditions of didecylphenylphosphite in rigid 307
- Poly(vinyl chloride): Thermodynamics of the phase behaviour of --/aliphatic polyester blends, 763
- Poly(vinyl chloride): Surface-grafted heparinizable materials, 1349
- Poly(vinyl chloride): Reactions of macroions leading to graft copolymers: crosslinking and grafting of carbanions, 1575
- Poly(vinyl chloride): Influence of the tacticity of poly(methyl methacrylate) on the miscibility with --, 1725
- Poly(vinyl chloroformate): and its derivatives: 5. New poly(vinyl carbamates) and poly(vinyl thiocarbonates, 443
- Poly(vinyl methyl ether): Isotope effects on phase separation in polystyrene-- blends, 73
- Poly(vinyl methyl ether): Orientation and relaxation in uniaxially stretched -atactic polystyrene blends,
- Poly(vinyl phenol): Concerning the miscibility - blends — FTi.r. study, 228
- Poly(2-vinyl pyridine): Crystallization and melt behaviour of isotactic
- Poly(vinyl pyrrolidone): Concerning the miscibility of poly(vinyl phenol) blends -FTi.r. study, 228
- Poly(vinyl pyrrolidone): Calorimetric determination of the enthalpy change for binding of methyl orange to aqueous solution, 751
- Poly(N-vinyl pyrrolidone): Glass transition temperature of by differential scanning calorimetry, 757
- Poly(vinyl pyrrolidone): Self diffusion of small molecules in aqueous solution -, 940
- Poly(*N*-vinyl-2-pyrrolidone): Copolymerizations involving N-vinyl-2-pyrrolidone, 1869
- Poly(vinyl thiocarbonates): Poly(vinyl chloroformate) and its derivatives: 5. New poly(vinyl carbamates) and 443
- Poly(vinyl thiophene)s: Preparation of substituted via lithiation of poly(vinyl thiophene), 1695
- Poly(vinylidene fluoride): A broad line n.m.r. study of oriented ———, 208
- Poly(vinylidene fluoride): Modelling of chain twist boundaries in mechanism for ferroelectric polarization, 821
- Poly(vinylidene fluoride): Doubly oriented β --, 853 form films of -
- Poly(vinylidene fluoride): Local composition heterogeneities occurring during crystal--/PMMA blends lization in studied by high-resolution solid state 13C n.m.r., 1081
- Poly(vinylidene fluoride): Piezo- and pyro-

electricity in polymer blends of/poly(methyl methacrylate),
1611 Poly(vinylidene fluoride): Polarization and
piezoelectric coefficients of
piezoelectric coefficients of form-I-films: A model including crystalline
orientation, 1825 Porosity properties: Can of
particles really be determined by inverse gel
permeation chromatography?, 575
Post-yield behaviour: of low density polyethylenes: 2. Plastic fracture, 901
Prepolymerization: Preparation and pro-
perties of high molar mass nylon-4,6: a new
development in nylon polymers, 1582 Primitive path step length: Concentration
dependence of the ———, 101
Production: of ultrahigh modulus polyoxy-
methylene by drawing under dielectric heating, 84
Propellants: Relaxations in double base
Properties Polymore with rigid enjectronic
Properties: Polymers with rigid anisotropic side groups: 2. Synthesis and
of some side chain acrylate and methacrylate
liquid crystal polymers containing the 4'-alkylbiphenyl-4-yl moiety, 615
Propylene: Structure of —————
ethylene sequential copolymers, 1155
Propylene: Homo- and copolymerization of ethylene and — with a soluble
chromium catalyst, 1888
Protective properties: Hydrolytic stability and
based on polyester/ether/polyols, 1901
Protein: N.m.r. of solid biopolymers, 190
Purification: Non-classical free-radical poly-
merization: 5. ———————————————————————————————————
Pyroelectricity: Piezo- and — in
polymer blends of poly(vinylidenefluoride)/
poly(methyl methacrylate), 1611 Pyrolysis/gas chromatography/mass spectro-
metry: of glycidyl methacrylate-alkyl acylate copolymers, 747
acylate copolymers, 747
Quasi-elastic light scattering: Scaling laws and
polystyrene networks: a ————
study, 1643 Quasi-elastic scattering: from dilute polymer
solutions, 1212
Radical termination: Radical polymerization initiated by primary radicals with similar
structure to the end radical on the polymer,
1253
Raman microprobe spectra: of spin-oriented and drawn filaments of poly(ethylene
terephthalate), 1935
Rare earth compound: Butadiene polymeri-
zation with a ———————————————————————————————————
Rare earth compound: Butadiene polymeri-
zation with a ——— using a
magnesium alkyl cocatalyst: 2., 152 Reaction injection moulding: Phase
separation studies in RIM polyurethanes:
Catalyst and hard segment crystallinity effects, 1145
Reactive rubbers: Influence of the temperature
of cure on the mechanical properties of
ATBN/epoxy blends, 1110 Recovery function: Structural relaxation in
polystyrene: changes in ———————————————————————————————————
increasing relaxation, 77
Recrystallization: Modelling 'melting' in macromolecules, 3
Refractive index: Determination of molecular
orientation in oriented polypropylene by

orientation in oriented polypropylene by

wide-angle X-ray diffraction, polarized

fluorescence and measure-
ments, 1605
Rejuvenation: and physical ageing of a
polycarbonate film subjected to finite tensile
strains, 1979
Relaxation: Structural relaxation in poly-
styrene: changes in the recovery function
with increasing ————————————————————————————————————
Relaxation: ¹³ C and ¹ H n.m.r. studies of solid
polyolefines, 169
Relaxation: N.m.r. of solid biopolymers, 190
Relaxation: Deuteron n.m.r. in relation to the
glass transition in polymers, 203
Relaxation: ¹³ C n.m.r. study of
poly(aspartic acid), 667 Relaxation: Orientation and in
uniaxially stretched poly(vinyl methyl
ether)-atactic polystyrene blends, 879 Relaxations: in double base propellants, 79
Relaxations: Thermal properties of gelatin
films, 113
Relaxation processes: in crystalline polymers:
molecular interpretation — a review, 1123
Relaxation properties: Dielectric studies of the
effect of water on ——— of
nitroglycerine–nitrocellulose mixtures, 1227
Reptation: Concentration dependence of the
primitive path step length, 101
Reptation: Pulsed field gradient n.m.r.
measurements and theoretical inter-
pretation of the self-diffusion of polystyrene
in solution, 241
Resins: Unsaturated polyester-styrene: Effect of the catalyst concentration on the kinetic rate and
: Effect of the catalyst
concentration on the kinetic rate and
activation energy of radical crosslinking
reactions, 1885
Rubbers: Investigation of nonuniformities of
chemical and topological structure of space
networks of synthetic using
statistical analysis of tensile strength
distribution curves, 918
Rubbers: Dynamic-mechanical properties of
polybutadiene —, 1463
Rubbers: Interpretation of orientation strain
relationships in and
thermoplastics, 1755
Rubber blends: Crystallization, morphology,
structure and thermal behaviour of nylon-6
, 270
Rubber elasticity: The contribution to
of topological entanglements,
1134
Rubber toughening: Phase structure and
adhesion in polymer blends: A criterion for
Rubber vulcanizates: Temperature
Rubber vulcanizates: Temperature
dependence of birefringence for strained
natural, 97
Rubber vulcanizates: Temperature depen-
dence of birefringence and stress for natural
at strained state, 247
Salt: Aqueous ———— absorption by
ampholytic polysaccharides, 1234
Saturation phenomena: Study on polymer
solutions in solvent mixtures in vicinity of
critical point of solvents: 4. ————,
293
Scaling: Monte-Carlo simulation of the
collapse transition of a two-dimensional
polymer, 1814
Scaling laws: and polystyrene networks: a
quasi-electric light scattering study, 1643 Scattering patterns: Interpretation of electron
microscope images and ————— from
crazes, 483
Second virial coefficient: The θ -behaviour of

heterogeneous maçromolecules, 105

Second virial coefficient: Theta point of

```
Classified Contents
                                                 polyacrylamide in aqueous solution and
                                                 temperature dependence of the molecular
                                                 dimensions, 406
                                               Sedimentation behaviour: in dilute solutions
                                                 of a polyelectrolyte, 1519
                                               Segment mobility: Excimer fluorescence
                                                 technique for study of polymer
                                                               : applications to pyrene
                                                 labelled poly(methyl methacrylate) and
                                                 poly(methyl acrylate) in solution, 1046
                                               Segregation: Small-angle neutron scattering of
                                                 partially
                                                              segregated
                                                                               amorphous
                                                 poly(ethylene terephthalate), 655
                                               Segregation: Small-angle neutron scattering of
                                                 partially segregated blends of polyethylene
                                                 and deuteropolyethylene, 661
                                               Self-diffusion: Pulsed field gradient n.m.r.
                                                 measurements and
                                                                        theoretical inter-
                                                 pretation of
                                                                 the
                                                 polystyrene in solution, 241
                                               Self diffusion: of small molecules in aqueous
                                                 solution of poly(vinyl pyrrolidone), 940
                                               Self-diffusion: Differences in the molecular
                                                 weight and the temperature dependences of
                                                               and zero shear viscosity in
                                                 linear polyethylene and hydrogenated
                                                 polybutadiene, 1651
                                               Self-diffusion: in concentrated polystyrene
                                                  solutions measured by fluorescence recovery
                                                 after photobleaching, 1654
                                               Self-diffusion: Effect of polydispersity on
                                                  measuring polymer -
                                                                                  - with the
                                                 n.m.r. pulsed field gradient technique, 1677
                                               Setting angle: The ---- of extended
                                                 chain linear polyethylene, 650
                                               Shear: Structure and properties of linear
                                                  polyethylene crystallized by rapid cooling of
                                                  melts: 3. The effect of
                                               Shrinkage forces: Thermally stimulated _____ in oriented polymers: 1.
                                                  Temperature dependence, 1011
                                               Shrinkage forces: Thermally stimulated
                                                               in oriented polymers: 2. Time
                                                  dependence, 1019
                                                Silica: Characterization of chain binding to
                                                  filler in silicone-
                                                  1231
                                               Silica: Electron microscopy of elastomers
                                                  containing
                                                                  in-situ
                                                                               precipitated
                                                               . 2069
                                               Silicone: Characterization of chain binding to
                                                                    filler in ----
                                                Single crystals: Chlorination of irradiated
                                                  polyethylene -

    1. Analysis of

                                                  alkyl radical decay kinetics, 27
                                                Single crystals: Chlorination of irradiated
                                                  polyethylene
                                                                              2. XES and
                                                  e.s.c.a. analysis of irradiated-chlorinated PE,
                                                Skinned membranes: Diffusion of solvent from
                                                  a cast cellulose acetate solution during the
                                                  formation of -
                                                                            , 1531
                                                Small-angle neutron scattering: of partially
                                                  segregated amorphous
                                                                              poly(ethylene
                                                  terephthalate), 655
                                                Small-angle neutron scattering: of partially
                                                  segregated blends of polyethylene and
                                                  deuteropolyethylene, 661
                                                Small-angle neutron scattering: Crosslink
                                                  distribution of epoxy networks studied by
                                                               -, 1053
                                                Small-angle neutron scattering: Molecular
                                                  conformation and interactions in oligomeric
                                                  mixtures of polystyrene with polybutadiene:
                                                                  study, 1554
                                                Small-angle neutron scattering: Thermal
                                                  response of the polyether soft segment chain
Second virial coefficient: The \theta-behaviour of
                                                  conformation in a polyurethane block
                                                  copolymer measured by
```

1915

Classified Contents
Small-angle X-ray scattering: Microstructure
of high modulus solid state extruded
of high modulus solid state extruded polyethylene: 2.————————————————————————————————————
24 and 36 extrusion draw ratio, 17
Small-angle X-ray scattering: Properties of polyisobutylene polyurethane block
polyisobutylene polyurethane block
copolymers: 2. Macroglycols produced by
the 'Inifer' technique, 55
Sodium thiocyanate: Study of the com-
plexation between poly(ethylene glycol) and
, 81
Solid-solution: A simple thermodynamic
analysis of — formation in
binary systems of homologous extended-
chain alkanes, 288
Solubility conditions: An n.m.r. and d.s.c.
investigation of the — of
didecylphenylphosphite in rigid poly(vinyl
chloride), 307
Solution: Dynamics of polymers in
and melts, 163 Sorption: ———— and diffusion of water
Sorption: ———and diffusion of water
in halogen-containing epoxy resin, 1167
Sorption: Isosteric heat of of
CO ₂ in poly(ethylene terephthalate), 2043
Speciality polymers: prospect-retrospect, 1284 Speciality polymers: New developments in
: polymeric stabilizers, 1288
Speciality products: based on commodity
polymers, 1372
Spherulites: Spherulitic crystallization in poly-
(bis(trifluoro-ethoxy)phosphazene), 1971
Spherulitic: — and lamellar
morphology of melt-crystallized isotactic
polypropylene, 704
Spinodal curves: Binodal and —————: a
simulation for various high polymer
mixtures, 418
Stabilization: Catalytic initiation of poly-
acrylonitrile stabilization, 447
Stabilizers: New developments in speciality
polymers: polymeric ———, 1288
Star polymer: Linear viscoelastic properties of
mixtures of 3- and 4-arm polybutadiene
stars, 1087
Star polymer: Unperturbed dimensions and
the g factor of a star-shaped polystyrene,
1172
Static properties: A study of the static and dynamic properties of side-chain liquid crystalline polymers in low molar mass
dynamic properties of side-chain liquid
crystalline polymers in low molar mass
mesogens, 1319
Static properties: Characterization of poly(1,4-
phenyleneterephthalamide) in concentrated
sulphuric acid: 1. — and
dynamic properties, 1401
Statistical analysis: Investigation of non-
uniformities of chemical and topological structure of space networks of synthetic
structure of space networks of synthetic
rubbers using ————, 918 Step-growth: Discussion of the derivation of
Step-growth: Discussion of the derivation of
molecular weight distribution functions of
linear — polymerization, 76 Stereochemical composition: properties
Stereochemical composition: – properties
malationahina in igotaatia malumman-lassa
relationships in isotactic polypropylenes
obtained with different catalyst systems, 259
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear magnetic relaxation, 193
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear magnetic relaxation, 193 Storage displays: High-resolution laser-
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear magnetic relaxation, 193 Storage displays: High-resolution laser-
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear magnetic relaxation, 193 Storage displays: High-resolution laser-addressed liquid crystal polymer———, 1801
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear magnetic relaxation, 193 Storage displays: High-resolution laseraddressed liquid crystal polymer—————, 1801 Strain: The interpretation of orientation—
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear magnetic relaxation, 193 Storage displays: High-resolution laseraddressed liquid crystal polymer————, 1801 Strain: The interpretation of orientation—————relationships in rubbers and thermoplastics, 1755
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear magnetic relaxation, 193 Storage displays: High-resolution laseraddressed liquid crystal polymer———, 1801 Strain: The interpretation of orientation——— relationships in rubbers and thermoplastics, 1755 Strain potential function: The time dependent
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear magnetic relaxation, 193 Storage displays: High-resolution laser-addressed liquid crystal polymer————, 1801 Strain: The interpretation of orientation————— relationships in rubbers and thermoplastics, 1755 Strain potential function: The time dependent——————————————————————————————————
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear magnetic relaxation, 193 Storage displays: High-resolution laser-addressed liquid crystal polymer————, 1801 Strain: The interpretation of orientation————— relationships in rubbers and thermoplastics, 1755 Strain potential function: The time dependent——————————————————————————————————
obtained with different catalyst systems, 259 Stochastic processes: Theory of nuclear magnetic relaxation, 193 Storage displays: High-resolution laseraddressed liquid crystal polymer———, 1801 Strain: The interpretation of orientation——— relationships in rubbers and thermoplastics, 1755 Strain potential function: The time dependent

fringence and — for natural	
rubber vulcanizates at strained state, 247 Structural relaxation: in polystyrene: changes	polyurethan
in the recovery function with increasing	Synthesis: an comb-branc
relaxation, 77	solution and
Structural considerations: and new polymers	Synthesis: Poly
for biomedical applications, 1331	groups: 2. –
Structure: Crystallization, morphology, and thermal behaviour of	some side ci liquid crysta
nylon-6 rubber blends, 270	alkylbiphen
Structure: An investigation into	Synthesis: of l
of poly(ethylene terephthalate) fibres using	polyacetyler
optical transforms, 469 Structure: Probing the of	Synthesis: and hydroxy-term
polymer blends by vibrational spectro-	butanediol
scopy: the case of poly(ethylene oxide) and	889
poly(methyl methacrylate) blends, 811	Synthesis: and
Structure, Poly(1,4-trans-cyclohexanediyldi-	charge dens
methyldimethylene adipate): Polymorphism and the ———— of form I, using X-ray	Synthesis: ph biochemical
diffraction, 1029	amine)s, 133
Structure: — of propylene-	
ethylene sequential copolymers, 1155	Tearing instab
Structure: Effect of compaction pressure on conductivity and — in undoped	Telomerization butadiene
poly(1,4-phenylene), 1628	methane: n
Structure: water absorption relationships for	weight, 1265
amine-cured epoxy resins, 1719	Temperature
Structure: An infra-red study of the of oriented poly(ethylene	swollen ge
terephthalate) fibres, 1779	concentration poly(N,N-di
Styrene: Study on kinetics of copolymerization	water, 1514
of ———— and maleic anhydride in	Temperature c
methyl ethyl ketone, 629	strained nat
Styrene: Bulk copolymerization of and acrylonitrile: Experi-	Temperature d stress for n
mental kinetics and mathematical	strained stat
modelling, 2001	Temperature
Substrate completion: Theory of the substrate	polyacrylam
length in polymer crystallization: Surface roughening as an inhibitor for	406
1763	Temperature
Sulphonation: ¹³ C n.m.r. study of the	stimulated
of novolacs, 1369	polymers: 1.
Sulphonic acid resins: Comparative evaluation of thermal stabilities of novel	Temperature e nitrocellulos
from anhydride modified	glycerine mi
polystyrene with commercial polystyrene	Tensile strains
based resins, Indion-225 and Zeocarb-225,	ageing of a p
1365 Surgery: Degradation phenomena of two	finite ——— Tensile stren
Surgery: Degradation phenomena of two linear aliphatic polyester fibres used in	Tensile stren uniformities
medicine and ———, 591	structure of
Surface composition: Microphase separated	rubbers us
structure, — and blood com-	Tensile pro
patibility of segmented poly(urethaneureas) with various soft segment components, 987	Tensile pro
Surface free energy: of poly(vinyl alcohol)	electron bear
modified with alkyl groups, 429	Theoretical
Surface grafting: Surface-grafted heparinizable	gradient
materials, 1349 Surface pressures: Studies of cyclic and linear	polystyrene
poly(dimethylsiloxanes): 18.	Theory: of nuc
of monolayers in the plateau region, 925	Thermal analy
Surface roughening: Theory of the substrate	and its de
length in polymer crystallization: as an inhibitor for substrate	carbamates) 443
completion, 1763	Thermal b
Swelling: Can porosity properties of particles	morphology.
really be determined by inverse gel	nylon-6 rubl
permeation chromatography?, 575 Swollen gels: Phase transition in	Thermal behave 3. Effect of
Swollen gels: Phase transition in 7. Effect of charge concen-	bis(amide-m
tration on temperature collapse of	Thermal dens
poly(N,N,-diethylacrylamide) networks in	correlation s
water, 1514 Synthesis: crosslinking and electrical conduc-	butyl itacon: Thermal expar
Synthesis: crosslinking and electrical conductivity of poly(1,8-nonadiyne), 71	Thermal expan
Synthesis: and characterization of model	Thermal histo
comb-branched polyurethanes: 1.	the morpho

```
of model comb-branched
           nes, 84
           nd characterization of model
           ched polyurethanes: 2. Dilute
           d viscoelastic properties, 91
           lymers with rigid anisotropic side
                        and properties of
           chain acrylate and methacrylate
           tal polymers containing the 4'-
            yl-4-yl moiety, 615
            highly conducting polystyrene-
           ne copolymers, 622
            d properties of monodisperse
            minated oligomers or 1,4-
            and 2,4-toluene diisocyanate,
           d viscometric properties of low
           sity ampholytic ionomers, 1058
           nysico-chemical properties and
            l applications of poly(amido-
           bility: in polypropylene, 1963
           on: Anionic —
            with toluene and diphenyl-
           microstructure and molecular
           collapse: Phase transition in gels: 7. Effect of charge
           on on the -
           iethylacrylamide) networks in
           dependence: of birefringence for
           tural rubber vulcanizates, 97
           dependence: of birefringence and
           natural rubber vulcanizates at
           te, 247
            dependence: Theta point of
           nide in aqueous solution and

    of the molecular dimensions,

               dependence:
                                Thermally
            shrinkage forces in oriented
                           , 1011
           effects: on the birefringence of
           se and nitrocellulose/nitro-
           ixtures, 643
           ns: Rejuvenation and physical
           polycarbonate film subjected to
                   -, 1979
           ngth: Investigation of non-
            of chemical and topological
           f space networks of synthetic
           sing statistical analysis
            — distribution curves, 918
            operties: Degradation
            — of aromatic polymers by
           am irradiation, 1039
            interpretation: Pulsed-field
            n.m.r. measurements and

of the self-diffusion of
            in solution, 241
           clear magnetic relaxation, 193
           ysis: Poly(vinyl chloroformate)
            erivatives: 5. New poly(vinyl
           and poly(vinyl thiocarbonates),
           behaviour:
                           Crystallization,
           y, structure and –
           ber blends, 270
           viour: Curing of bismaleimides:
            structure on -
           naleimide), 1561
           sity fluctuations: A photon
           spectroscopy study of poly(di-n-
           nate near T_{\rm g}, 66
           nsivity: of oriented nylon-6 and
           ory: Effect of —
the morphology of thermotropic liquid
```

----, 247

Stress: Temperature dependence of bire-

vulcanizates at ----

- crystalline copolyesters based on PET and PH B. 689
- Thermal oxidation: Catalytic initiation of polyacrylonitrile stabilization, 447
- Thermal properties: of gelatin films, 113
- Thermal response: The — of the polyether soft segment chain conformation in a polyurethane block copolymer measured by small-angle neutron scattering, 1915
- Thermal stabilities: Comparative evaluation of novel sulphonic acid resins from anhydride modified polystyrene with commerical polystyrene based resins, Indion-225 and Zeocarb-225, 1365
- Thermal stability: of xanthan gum, 1549
- Thermal transitions: of ethylene-vinyl chloride copolymers, 1195
- Thermodynamic analysis: Α simple of solid-solution formation in binary systems of homologous extendedchain alkanes, 288
- Thermodynamic model: Asymmetric composition profiles in block copolymer interphases: 2. predictions and implications, 2026
- Thermodynamics: of the phase behaviour of poly(vinyl chloride)/aliphatic polyester blends, 763
- Thermodynamics: New developments in macroinorganics: the of basic polymers, 1353
- Thermodynamics: Macromolecular conformational volume and crystal melting, 1638
- Thermophysical properties: Multiple transitions in polyallylbenzene: 1. -1443
- Thermoplastic: Polyblends containing a liquid crystalline polymer, 1325
- Thermoplastics: The interpretation of orientation-strain relationships in rubbers and --, 1755
- Theta-behaviour: The heterogeneous macromolecules, 105
- Theta conditions: Transition phenomena of polymers in mixed solvents in the vicinity of Effect of preferential adsorption, 1838
- Theta point: of polyacrylamide in aqueous solution and temperature dependence of molecular dimensions, 406
- Theta solvents: Unperturbed dimension of poly(4-acetoxystyrene) measured in good - ---, 1175 and -
- Time dependence: Thermally stimulated shrinkage forces in oriented polymers: 2. -, 1019
- Titanium tetrabutylate: Models for the formation of poly(butylene terephthalate): effect of water on kinetics of catalysed reactions: 3., 1745
- 2,4-Toluene diisocyanate: Synthesis and properties of monodisperse hydroxyterminated oligomers of 1,4-butanediol and , 889
- Topologocal: The contribution to rubber elasticity of entanglements. 1134
- Toughness: of two pure block copolymer blends in high molecular weight polystyrene,
- Toughness: plasticity Craze and of particulate block copolymer blends, 529
- Transition: Solid-state polyamidation of nylon salts: possible mechanism for the solid-melt . 413
- Transition metal catalysts: Polymerization of

- 1-butyne and isopropylacetylene by and geometric structure of polymers, 793
- Transition metal ions: Complexing of some with poly(heptyl itaconate) containing tetraethylene pentamine side chains, 1566
- Transition phenomena: of polymers in mixed solvents in the vicinity of theta conditions: Effect of preferential adsorption, 1838
- Transport: Effect of the degree of crosslinking on penetrant in polystyrene, 569
- Transport properties: Influence of morphology on - of polystyrene/ polybutadiene blends. 1. Experimental studies, 1073
- Transport properties: Influence morphology on of polystyrene//polybutadiene blends: 2. Modelling results, 1239
- Trifluorethylene: N.m.r. study of ferroelectric phase transition in a 70/30 mole% copolymer of vinylidene fluoride (VF₂) and -(TrFE), 1683
- 2,4,6-Trimethylbenzoyldiphenylphosphine oxide: On the photolysis of acylphosphine oxides: 1. Laser flash photolysis studies with -, 141
- Ultimate properties: Large deformation and of biopolymer gels: 1. Single biopolymer component systems, 1483
- Ultimate properties: Large deformation and of biopolymer gels: 2. Mixed gel systems, 1493
- Ultrasonic measurements: A sensitive method for polymerization control based on -, 1741
- Ultrasonic velocity: A sensitive method for polymerization control based on ultrasonic measurements, 1741
- Ultra-violet radiation: Modification of polymer surfaces by far-
- low and high (laser) intensities, 1297 Unequal reactivity: Effects of functional groups on gelation phenomena in
- polyurethane systems, 595 Uniaxial extensions: Superposition of small shear deformations on large -
- for viscoelastic materials, 1105 Unperturbed dimensions: of poly(4-acetoxystyrene) measured in good and theta solvents, 1175
- Unperturbed dimensions: and the a factor of a star-shaped polystyrene, 1172
- Vibrational spectroscopy: **Probing** the structure of polymer blends bv -: poly(ethylene oxide) and poly(methyl methacrylate) blends, 811
- Vibrations: Infra-red bandshapes of methylene-d, bending -- in nhexatriacontane-n-hexatriacontane-d₇₄, 219
- N-Vinylcarbazole: Polymerization over cobalt (II) exchanged 13X molecular sieves, 625
- Vinyl chloride: Thermal transitions of - copolymers, 1195 ethylene-
- Vinylidene fluoride: N.m.r. study of the ferroelectric phase transition in a 70/30 mole% copolymer of - (VF_2) and trifluoroethylene (TrFE), 1683
- 1-Vinyl-2-pyrrolidone: Non-classical freeradical polymerization: 5. The purification and polymerization of -
- N-Vinyl-2-pyrrolidone: Copolymerizations -, 1869 involving

- Viscoelastic materials: Superposition of small shear deformations on large uniaxial extensions for --1105
- Viscoelastic properties: Synthesis and characterization of model comb-branched polyurethanes: 2. Dilute solution and ----, 91
- Viscoelastic properties: Linear of mixtures of 3- and 4-arm polybutadiene stars, 1087
- Viscoelastic properties: of cellulose derivatives: 1. Cellulose acetate, 1953
- Viscoelastic properties: of cellulose derivatives: 2. Effect of diethylphthalate on the dynamic mechanical relaxation of cellulose acetate, 1958
- Viscoelasticity: The time dependent strain potential function for a polymeric glass, 543 Viscometric properties: Synthesis and of low charge density ampholytic ionomers, 1058
- Viscosity: New extensional rheometer for elongational and flow birefringence measurements: some results on polystyrene melts, 1477
- Viscosity: Differences in the molecular weight and the temperature dependences of selfdiffusion and zero shear - in linear polyethylene and hydrogenated polybutadiene, 1651
- Water: The sorption and diffusion of in halogen-containing epoxy resins, 1167
- Water: D.s.c. investigation of the states of in poly(vinyl alcohol) membranes, 1207
- Water: Dielectric studies of the effect of on the relaxation properties of nitroglycerine-nitrocellulose mixtures, 1227
- Water: Structure absorption relationships for amine-cured epoxy resins, 1719
- Water: D.s.c. investigation of the states of in poly(vinylalcohol-coitaconic acid) membranes, 1833
- Water accumulation: Solid-state amidation of nylon salts: possible mechanism for solid-melt transition, 413
- Water content: Effects of sorbed water on properties of low and high molecular weight PMMA: 11. Fatigue performance, 89
- Water dynamics: N.m.r. study of cellulosewater systems: Water proton spin-lattice relaxation in the rotating reference frame, 859
- Xanthan gum: Thermal stability of -, 1549
- X-ray diffraction: An investigation into the structure of poly(ethylene terephthalate) fibres using optical transforms, 469
- X-ray diffraction: Doubly oriented β -form films of poly(vinylidene fluoride), 853
- X-ray diffraction: Poly(1,4-trans-cyclohexanediyl dimethylene adipate): Polymorphism and structure of form I, using 1029
- X-ray diffraction: Crystalline structure of poly(diarylsiloxanes), 1527
- X-ray diffraction: The determination of molecular orientation in oriented polypropylene by wide-angle polarized fluorescence and refractive index measurements, 1605

X-ray diffraction: A single crystal of polyethylene crystallized under high pressure, 1791 X-ray energy spectroscopy: Chlorination of

irradiated polyethylene single crystals: 2. and e.s.c.a. analysis of irradiated-chlorinated PE, 38

Yielding behaviour: Molecular scale defor-


mation	in	the	 of	glassy
polymer	s, 1	807		

Zeocarb-225: Comparative evaluation of thermal stabilities of novel sulphonic acid resins from anhydride modified polystyrene with commercial polystyrene based resins, Indion-225 and —, 1365

Zeolite: Polymerization of N-vinylcarbazole over cobalt (II) exchanged 13X molecular sieves, 625

Ziegler-Natta catalyst: 13C n.m.r. study of poly[(S)-5-methyl-1-heptene] and poly-1heptene) prepared with a

This publication is available in microform.



University International

University Microfilms International reproduces this publication in microform: microfiche and 16mm or 35mm film. For information about this publication or any of the more than 13,000 titles we offer, complete and mail the coupon to: University Microfilms International, 300 N. Zeeb Road, Ann Arbor, MI 48106. Call us toll-free for an immediate response: 800-521-3044. Or call collect in Michigan, Alaska and Hawaii: 313-761-4700.

lacksquare Please send information about these til	lles
--	------

Name __ Company/Institution ___

City __

_____ Zip_____ State Phone (