

Polymer Vol. 51, No. 3, 5 February 2010


Contents

POLYMER PAPERS

- Separation of parent homopolymers from diblock copolymers by liquid chromatography under limiting conditions of desorption 3. Role of column packing** pp 587–596

Dušan Berek

Laboratory of Liquid Chromatography, Polymer Institute, Slovak Academy of Sciences,
84234 Bratislava, Slovakia




- Chain walking copolymerization of ethylene with cyclopentene – Effect of ring incorporation on polymer chain topology** pp 597–605

Shawn Morgan^a, Zhibin Ye^{a,*}, Ramesh Subramanian^a, Wen-Jun Wang^b, Gerardo Ulibarri^c

^a School of Engineering, Laurentian University,
Sudbury, Ontario P3E 2C6, Canada

^b State Key Lab of Chemical Engineering,
Institute of Polymerization
and Polymer Engineering,
Department of Chemical and
Biochemical Engineering,
Zhejiang University, Hangzhou 310027, China

^c Department of Chemistry and Biochemistry,
Laurentian University, Sudbury,
Ontario P3E 2C6, Canada




Miniemulsion polymers as solid support for transition metal catalysts

pp 606–615



Moses G. Gichinga, Susanne Striegler*, Natasha A. Dunaway, James D. Barnett

Auburn University, Department of Chemistry and Biochemistry, 179 Chemistry Building, Auburn, AL 36849-5312, USA



Synthesis of charge transporting block copolymers containing 2,7-dimethoxycarbazole units for light emitting device

pp 616–622



Kousuke Tsuchiya^a, Kota Sakaguchi^a, Hidemasa Kasuga^a, Akira Kawakami^b, Hideo Taka^b, Hiroshi Kita^b, Kenji Ogino^{a,*}^a Graduate School of Bio-Applications and Systems Engineering, Tokyo University of Agriculture and Technology, 2-24-16 Nakacho, Koganei-shi, Tokyo 184-8588, Japan^b Display Technology R&D Laboratories, Konica Minolta Technology center inc., 2970 Ishikawa-machi, Hachioji-shi, Tokyo 192-8505, Japan

Synthesis and properties of sulfonated copoly(p-phenylene)s containing aliphatic alkyl pendant for fuel cell applications

pp 623–631


Surasak Seesukphronrarak, Kayo Ohira, Koh Kidena, Naohiko Takimoto, Carlos Seiti Kuroda, Akihiro Ohira*

FC-Cubic, National Institute of Advanced Industrial Science and Technology (AIST), Tokyo 135-0064, Japan



Synthesis and characterization of low-birefringent crosslinkable fluorinated poly(arylene ether sulfide)s containing pendant phenyl moiety

pp 632–638

Kwan-Soo Lee^{a,b}, Jae-Pil Kim^c, Jae-Suk Lee^{a,b,*}^a Department of Materials Science and Engineering, Gwangju Institute of Science and Technology, 261 Cheomdan-gwagiro (Oryong-dong), Buk-gu, Gwangju 500-712, Republic of Korea^b Department of Nanobio Materials and Electronics, Gwangju Institute of Science and Technology, 261 Cheomdan-gwagiro (Oryong-dong), Buk-gu, Gwangju 500-712, Republic of Korea^c Korea Photonics Technology Institute, 971-35 Wolchul-dong, Buk-gu, Gwangju 500-779, Republic of Korea


Synthesis and characterization of in situ cross-linked hydrogel based on self-assembly of thiol-modified chitosan with PEG diacrylate using Michael type addition

pp 639–646

Da-yong Teng^{a1}, Zhong-ming Wu^{b1},
Xin-ge Zhang^{a,*}, Yan-xia Wang^a, Chao Zheng^a,
Zhen Wang^a, Chao-xing Li^{a,*}

^a The Key Laboratory of Functional Polymer Materials
of Ministry Education, Institute of Polymer Chemistry,
Nankai University, Tianjin 300071, China

^b Metabolic Diseases Hospital, Tianjin Medical
University, Tianjin 300070, China



Phase separation in polymer blend thin films studied by differential AC chip calorimetry


pp 647–654

Nicolaas-Alexander Gotzen^a, Heiko Huth^b, Christoph Schick^b, Guy Van Assche^a, Carine Neus^c,
Bruno Van Mele^{a,*}

^a Vrije Universiteit Brussel, Department of Materials and Chemistry (MACH), Research Unit Physical
Chemistry and Polymer Science (FYSC), Pleinlaan 2, B-1050 Brussels, Belgium

^b Institute of Physics, University of Rostock, Universitätsplatz 3, 18051 Rostock, Federal Republic of Germany

^c Department of Fundamental Electricity and Instrumentation, Vrije Universiteit Brussel, Pleinlaan 2,
1050 Brussels, Belgium




Synthesis and processing of PMMA carbon nanotube nanocomposite foams

pp 655–664

Changchun Zeng^{*}, Nemat Hossieny, Chuck Zhang, Ben Wang

High Performance Materials Institute Florida State University,
Department of Industrial and Manufacturing Engineering FAMU-FSU
College of Engineering 2525 Pottsdamer St, Tallahassee, FL 32310, USA




Effects of charge density on the recognition properties of molecularly imprinted polyampholyte hydrogels

pp 665–670

Daniel S. Janiak^a, Omar B. Ayyub^b, Peter Kofinas^{b,*}

^a Department of Materials Science and Engineering, University of Maryland, College Park, MD 20742, USA

^b Fischell Department of Bioengineering, 1120 Jeong H. Kim Engineering Building 225, University of
Maryland, College Park, MD 20742, USA




Steady state analysis of water vapor transport in ionomers

pp 671–678

N.S. Schneider*, D. Rivin

Natick Soldier Research Development and Engineering Center, Kansas Street,
Natick, MA 01760 0520, USA




The effect of cluster plasticisation on the self healing behaviour of ionomers

pp 679–686

Russell John Varley^{a,*}, Shirley Shen^a,
Sybrand van der Zwaag^b

^a CSIRO Materials Science and Engineering,
Private Bag 33, Clayton South, Victoria 3169, Australia

^b Faculty of Aerospace Engineering, Delft University
of Technology, Kluyverweg 1, 2629 HS Delft, The Netherlands




Role of boric acid in the formation of poly(vinyl alcohol)–iodine complexes in undrawn films

pp 687–693

Kumiko Ohishi^{a,*}, Toshiaki Itadani^a, Tetsushi Hayashi^a, Toshio Nakai^a, Fumitaka Horii^b

^a Poval Film Research and Development Department, Kuraray Co., Ltd., 7471 Tamashimaotoshima,
Kurashiki, Okayama 713-8550, Japan

^b Institute for Chemical Research, Kyoto University, Uji, Kyoto 611-0011, Japan




Hyperbranched fluorinated polyimides with tunable refractive indices for optical waveguide applications

pp 694–701

Hong Gao, Changqing Yan, Shaowei Guan, Zhenhua Jiang*

Alan G. MacDiarmid Institute, Jilin University, Changchun 130012, P. R. China




The vesicle formation in a binary amphiphilic diblock copolymer/homopolymer solution

pp 702–708


Yuejin Zhu*, Qinghua Yang, Chaohui Tong, Ming Li, Xian Yu

Department of Physics, Ningbo University, Fenghua Road 818, Ningbo 315211, China



Polyurethane–POSS hybrids: Molecular dynamics studies

pp 709–718


K.N. Raftopoulos^a, Ch. Pandis^a, L. Apekis^{a,*}, B. Janowski^b, K. Pieliowski^b, J. Jaczewska^{c,d}^a Department of Physics, National Technical University of Athens, Iroon Polytechniou 9, Zografou, Campus, 157 80, Athens, Greece^b Department of Chemistry and Technology of Polymers, Krakow University of Technology, ul. Warszawska 24, 31-155 Krakow, Poland^c M. Smoluchowski Institute of Physics, Jagiellonian University, ul. Reymonta 4, 30-059 Krakow, Poland^d The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, ul. Radzikowskiego 152, 31-342 Krakow, Poland

A quantitative method for measuring nanocomposite dispersion

pp 719–729


H.S. Khare, D.L. Burris*

Department of Mechanical Engineering, University of Delaware, Newark, DE 19716, USA



Morphology, rheology and crystallization behavior of polylactide composites prepared through addition of five-armed star polylactide grafted multiwalled carbon nanotubes

pp 730–737



Zhaohua Xu^{a,b}, Yanhua Niu^a, Liang Yang^{a,b}, Wenyan Xie^{a,b}, Heng Li^c, Zhihua Gan^a, Zhigang Wang^{a,*}^a CAS Key Laboratory of Engineering Plastics, Beijing National Laboratory for Molecular Sciences, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, PR China^b Graduate School, Chinese Academy of Sciences, Beijing 100049, PR China^c Department of Physics, Beihang University, Beijing 100191, PR China

Effects of chain conformation on miscibility, morphology, and mechanical properties of solution blended substituted polyphenylene and polyphenylsulfone

pp 738–747

Paul J. Jones, Lea C. Paslay, Sarah E. Morgan*

School of Polymers and High Performance Materials, University of Southern Mississippi, Hattiesburg, MS 39406, USA




The effect of matrix morphology on nanocomposite properties

pp 748–754

Xiaolan Hu^{a,b}, R. Bradley Johnson^b, Michelle R. Schlea^b, Jasmeet Kaur^b, Meisha L. Shofner^{b,*}

^a Department of Materials Science and Engineering, College of Materials, Xiamen University, Xiamen, Fujian 361005, China

^b School of Polymer, Textile & Fiber Engineering, Georgia Institute of Technology, 801 Ferst Drive, Atlanta, GA 30332, USA




Thermomechanical characterization of a shape memory polymer based self-repairing syntactic foam

pp 755–762

Guoqiang Li^{a,b,*}, Damon Nettles^a

^a Department of Mechanical Engineering, Louisiana State University, Baton Rouge, LA 70803, USA

^b Department of Mechanical Engineering, Southern University, Baton Rouge, LA 70813, USA




Formation of silicone elastomer networks films with gradients in modulus

pp 763–773

Julie A. Crowe-Willoughby, Katherine L. Weiger, Ali E. Özçam, Jan Genzer*

Department of Chemical & Biomolecular Engineering, North Carolina State University, Raleigh, NC 27695-7905, USA




Hierarchical structure of injection-molded bars of HDPE/MWCNTs composites with novel nanohybrid shish-kebab

pp 774–782

Jinghui Yang, Ke Wang, Hua Deng, Feng Chen, Qiang Fu*


Department of Polymer Science and Materials, State Key Laboratory of Polymer Materials Engineering,
Sichuan University, Chengdu 610065, PR China

**Comparative study on development of structural hierarchy in constrained annealed simultaneous and sequential biaxially stretched polylactic acid films**

pp 783–792

X. Ou, M. Cakmak*


Polymer Engineering Department, College of Polymer Engineering and Polymer Science,
University of Akron, Akron, OH 44325-0301, USA

**Shape memory behavior of poly(methyl methacrylate)-graft-poly(ethylene glycol) copolymers**

pp 793–798

Katsuhiro Inomata*, Keisuke Nakagawa, Chieko Fukuda, Yoshimi Nakada, Hideki Sugimoto, Eiji Nakanishi

Department of Materials Science and Engineering, Nagoya Institute of Technology, Gokiso-cho, Showa-ku,
Nagoya 466-8555, Japan

**Formation of phase structure and crystallization behavior from disordered melt for ethylene-isoprene block copolymers and their blends**


pp 799–806

Hiroki Takeshita^a, Yuan-Ji Gao^a, Yusuke Takata^a, Katsuhiko Takenaka^{a,b}, Tomoo Shiomi^{a,b,*}, Chifei Wu^c

^a Department of Materials Science and Technology, Nagaoka University of Technology, 1603-1
Kamitomioka, Nagaoka, Niigata 940-2188, Japan

^b Center for Green-Tech Development in Asia, Nagaoka University of Technology, 1603-1 Kamitomioka,
Nagaoka, Niigata 940-2188, Japan

^c School of Materials Science and Technology, East China University of Technology, 130 Meilong Road,
Shanghai 200237, China




Crystallization kinetics and crystalline structure of biodegradable poly(ethylene adipate)

pp 807–815

Jinjun Yang, Pengju Pan, Tungalag Dong, Yoshio Inoue*

Department of Biomolecular Engineering, Tokyo Institute of Technology, 4259-B-55 Nagatsuta,
Midori-ku, Yokohama 226-8501, Japan


**Mapping the real micro/nanostructures for the prediction of elastic moduli of polypropylene/clay nanocomposites**

pp 816–824

Yu Dong^{a,*}, Debes Bhattacharyya^b

^a Department of Mechanical Engineering, Curtin University of Technology, Perth, WA 6845, Australia

^b Centre for Advanced Composite Materials, The University of Auckland, Private Bag 92019, Auckland, New Zealand



*Corresponding author



Full text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.

Abstracted/indexed in: AGRICOLA, Beilstein, BIOSIS Previews, CAB Abstracts, Chemical Abstracts, Current Contents: Life Sciences, Current Contents: Physical, Chemical and Earth Sciences, Current Contents Search, Derwent Drug File, Ei compendex, EMBASE/Excerpta Medica, Medline, PASCAL, Research Alert, Science Citation Index, SciSearch. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®



ELSEVIER

ISSN 0032-3861

Author Index

- Apekis L. 709
 Ayyub, O. B. 665

 Barnett, J. D. 606
 Berek, D. 587
 Bhattacharyya, D. 816
 Burris, D. L. 719

 Cakmak, M. 783
 Chen, F. 774
 Crowe-Willoughby, J. A. 763

 Deng, H. 774
 Dong, T. 807
 Dong, Y. 816
 Dunaway, N. A. 606

 Fu, Q. 774
 Fukuda, C. 793

 Gan, Z. 730
 Gao, H. 694
 Gao, Y.-J. 799
 Genzer, J. 763
 Gichinga, M. G. 606
 Gotzen, N.-A. 647
 Guan, S. 694

 Hayashi, T. 687
 Horii, F. 687
 Hossieny, N. 655
 Hu, X. 748
 Huth, H. 647

 Inomata, K. 793
 Inoue, Y. 807
 Itadani, T. 687

 Jaczewska, J. 709
 Janiak, D. S. 665
 Janowski, B. 709
 Jiang, Z. 694
 Johnson, R. B. 748
 Jones, P. J. 738

 Kasuga, H. 616
 Kaur, J. 748
 Kawakami, A. 616

 Khare, H. S. 719
 Kidena, K. 623
 Kim, J.-P. 632
 Kita, H. 616
 Kofinas, P. 665
 Kuroda, C. S. 623

 Lee, J.-S. 632
 Lee, K.-S. 632
 Li, C.-x. 639
 Li, G. 755
 Li, H. 730
 Li, M. 702

 Morgan, S. 597
 Morgan, S. E. 738

 Nakada, Y. 793
 Nakagawa, K. 793
 Nakai, T. 687
 Nakanishi, E. 793
 Nettles, D. 755
 Neus, C. 647
 Niu, Y. 730

 Ogino, K. 616
 Ohira, A. 623
 Ohira, K. 623
 Ohishi, K. 687
 Ou, X. 783
 Özçam, A. E. 763

 Pan, P. 807
 Pandis, C. 709
 Paslay, L. C. 738
 Pielichowski, K. 709
 Pissis, P. 709

 Raftopoulos, K. N. 709
 Rivin, D. 671

 Sakaguchi, K. 616
 Schick, C. 647
 Schlea, M. R. 748
 Schneider, N. S. 671
 Seesukphronrarak, S. 623
 Shen, S. 679
 Shiomi, T. 799

 Shofner, M. L. 748
 Striegler, S. 606
 Subramanian, R. 597
 Sugimoto, H. 793

 Taka, H. 616
 Takata, Y. 799
 Takenaka, K. 799
 Takeshita, H. 799
 Takimoto, N. 623
 Teng, D.-y. 639
 Tong, C. 702
 Tsuchiya, K. 616

 Ulibarri, G. 597

 Van Assche, G. 647
 van der Zwaag, S. 679
 Van Mele, B. 647
 Varley, R. J. 679

 Wang, B. 655
 Wang, K. 774
 Wang, W.-J. 597
 Wang, Y.-x. 639
 Wang, Z. 639
 Wang, Zhigang 730
 Weiger, K. L. 763
 Wu, C. 799
 Wu, Z.-m. 639

 Xie, W. 730
 Xu, Z. 730

 Yan, C. 694
 Yang, J. 774
 Yang, Jinghui 807
 Yang, L. 730
 Yang, Q. 702
 Ye, Z. 597
 Yu, X. 702

 Zeng, C. 655
 Zhang, C. 655
 Zhang, X.-g. 639
 Zheng, C. 639
 Zhu, Y. 702