


Polymer Vol. 51, No. 8, 6 April 2010

Contents

POLYMER PAPERS


A new imine coupled pyrrole–carbazole–pyrrole polymer: Electro-optical properties and electrochromism

pp 1663–1669

Ozde Deniz Is^a, Fatma Baycan Koyuncu^a, Sermet Koyuncu^{b,*}, Eyup Ozdemir^{a,**}^a Department of Chemistry, Faculty of Sciences and Arts, Çanakkale Onsekiz Mart University, 17020 Canakkale, Turkey^b Çan Vocational School, Çanakkale Onsekiz Mart University, 17400 Çanakkale, Turkey


Carbodiimide-mediated synthesis of poly(L-lactide)-based networks

pp 1670–1678

Karina A. George^{a, b,*}, Traian V. Chirila^{a, b, c, d}, Edeline Wentrup-Byrne^{a, e}^a School of Physical and Chemical Sciences, Queensland University of Technology, 2 George St., Brisbane, Queensland 4001, Australia^b Queensland Eye Institute, 41 Annerley Road, South Brisbane, Queensland 4101, Australia^c Australian Institute for Bioengineering and Nanotechnology (AIBN), University of Queensland, St. Lucia, Queensland 4072, Australia^d School of Medicine, University of Queensland, Herston, Queensland 4029, Australia^e Tissue Repair and Regeneration Research Program, Institute for Health and Biomedical Innovation (IHBI), Queensland University of Technology, 2 George St, Brisbane, Queensland 4001, Australia


Synthesis and characterization of hexafluoroisopropylidene bisphenol poly(arylene ether sulfone) and polydimethylsiloxane segmented block copolymers

pp 1679–1686

LaShonda T. Cureton^a, Frederick L. Beyer^b, S. Richard Turner^{a,*}^a Department of Chemistry, Macromolecules and Interfaces Institute (MII), Virginia Polytechnic Institute and State University, Blacksburg, VA 24061, USA^b U.S. Army Research Laboratory, Aberdeen Proving Ground, MD 21005, USA

Synthesis and characterization of novel pH-, ionic strength and temperature- sensitive hydrogel for insulin delivery

pp 1687–1693


Nadia Rasool^{a,b,c}, Tariq Yasin^{b,*}, Jerry Y.Y. Heng^c, Zareen Akhter^a^a Department of Chemistry, Quaid-i-Azam University, Islamabad, Pakistan^b Department of Chemical and Materials Engineering, Pakistan Institute of Engineering and Applied Sciences, Nilore, Islamabad, Pakistan^c Surfaces and Particle Engineering Laboratory, Department of Chemical Engineering, Imperial College London, South Kensington Campus, London SW7 2AZ, United Kingdom

Facile preparation of poly(*N*-isopropylacrylamide)-based hydrogels via aqueous Diels–Alder click reaction

pp 1694–1702


Hong-Liang Wei^{*}, Zhe Yang, Hui-Juan Chu, Jing Zhu, Zhi-Cheng Li, Jin-Shi Cui

School of Chemistry and Chemical Engineering, Henan University of Technology, Zhengzhou 450001, PR China



Preparation of macroporous monolith with three dimensional bicontinuous skeleton structure by atom transfer radical polymerization for HPLC

pp 1703–1708

Rongyue Zhang^{a,b}, Li Qi^{a,*}, Peiyong Xin^{a,b}, Gengliang Yang^c, Yi Chen^a^a Beijing National Laboratory for Molecular Sciences, Key Laboratory of Analytical Chemistry for Living Biosystems, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, China^b Graduate School, Chinese Academy of Sciences, Beijing 100049, China^c College of Pharmacy, Hebei University, Baoding 071002, China

Acetals moiety contained pH-sensitive amphiphilic copolymer self-assembly used for drug carrier

pp 1709–1715

Jushan Lu, Najun Li, Qingfeng Xu, Jianfeng Ge, Jianmei Lu*, Xuewei Xia*

Key Laboratory of Organic Synthesis of Jiangsu Province, College of Chemistry, Chemical Engineering and Materials Science, Suzhou University, Suzhou, Jiangsu 215123, PR China

**Conducting polyaniline composite: From syntheses in waterborne systems to chemical sensor devices**


pp 1716–1722

Mathieu Joubert^a, Myriam Bouhadid^{a, c}, Didier Bégue^b, Pierre Iratçabal^a, Nathalie Redon^c, Jacques Desbrières^a, Stéphanie Reynaud^{a, *}

^a IPREM-EPCP, UMR 5254 (CNRS/UPPA), Hélioparc, 2 avenue du président Angot, 64053 Pau Cedex 9, France

^b IPREM-ECP, UMR 5254 (CNRS/UPPA), Hélioparc, 2 avenue du président Angot, 64053 Pau Cedex 9, France


^c Ecole des Mines de Douai, 941 rue Charles Bourseul, B.P. 10838 Douai Cedex, France

**Characterization of poly(*N*-vinyl-2-pyrrolidone)s with broad size distributions**

pp 1723–1727

Patrick Knappe, Ralf Bienert, Steffen Weidner, Andreas F. Thünemann*

BAM Federal Institute for Materials Research and Testing, Richard-Willstätter-Straße 11, 12489 Berlin, Germany


**Polypyrrole nanocoatings of poly(styrene-co-methacrylic acid) particles**

pp 1728–1736

M.I. Redondo^{a, *}, M.V. García^a, E. Sánchez de la Blanca^a, M. Pablos^a, I. Carrillo^b, M.J. González-Tejera^a, E. Enciso^a

^a Dpt. Química Física I, Fac. Ciencias Químicas, Univ. Complutense, 28040-Madrid, Spain

^b Dpt. Química Industrial y Polímeros, E.U.I.T. Industrial, Univ. Politécnica de Madrid, 28012-Madrid, Spain




In-situ QCM-D analysis reveals four distinct stages during vapour phase polymerisation of PEDOT thin films

pp 1737–1743

Manrico Fabretto^{a,b,*}, Michael Müller^a, Colin Hall^a, Peter Murphy^b, Robert D. Short^b, Hans J. Griesser^a

^a Ian Wark Research Institute, University of South Australia, Mawson Lakes, SA 5095, Australia

^b Mawson Institute, University of South Australia, Mawson Lakes, SA 5095, Australia




In situ evaluation of structural changes in poly(ester-urethanes) during shape-memory cycles

pp 1744–1751

I.M. Pereira^a, R.L. Oréfice^{b,*}

^a Federal Center of Technological Education of Minas Gerais, Timoteo, Brazil

^b Federal University of Minas Gerais, Department of Metallurgical and Materials Engineering, Belo Horizonte, Brazil




A novel well-defined amphiphilic diblock copolymer containing perfluorocyclobutyl aryl ether-based hydrophobic segment

pp 1752–1760

Dong Yang^a, Liang Tong^b, Yongjun Li^b, Jianhua Hu^{a,**}, Sen Zhang^b, Xiaoyu Huang^{b,*}

^a Key Laboratory of Molecular Engineering of Polymers (Ministry of Education), Laboratory of Advanced Materials and Department of Macromolecular Science, Fudan University, 220 Handan Road, Shanghai 200433, PR China

^b Key Laboratory of Organofluorine Chemistry and Laboratory of Polymer Materials, Shanghai Institute of Organic Chemistry, Chinese Academy of Sciences, 345 Lingling Road, Shanghai 200032, PR China




Tailored dispersion of carbon nanotubes in water with pH-responsive polymers

pp 1761–1770

Krishna C. Etika, Michael A. Cox, Jaime C. Grunlan^{*}


Materials Science and Engineering Program, Department of Mechanical Engineering, Texas A&M University, College Station, TX 77840, USA



Nanoscale patterning through self-assembly of hydrophilic block copolymers with one chain end constrained to surface pp 1771–1778

Xiang Gao, Shiping Zhu*, Heather Sheardown, John L. Brash

Department of Chemical Engineering, McMaster University Hamilton, ON, Canada L8S 4L7




Optimization of thermal remendability of epoxy via blending pp 1779–1785

Qiao Tian^{a,b}, Min Zhi Rong^b, Ming Qiu Zhang^{b,*}, Yan Chao Yuan^{a,b}

^a Key Laboratory for Polymeric Composite and Functional Materials of Ministry of Education, DSAPM Lab, School of Chemistry and Chemical Engineering, Zhongshan University, Guangzhou 510275, PR China


^b Materials Science Institute, Zhongshan University, Guangzhou 510275, PR China



Molecular structure–property engineering for photovoltaic applications: Fluorene-acceptor alternating conjugated copolymers with varied bridged moieties pp 1786–1795

Yaowen Li, Hui Li, Bin Xu, Zaifang Li, Feipeng Chen, Dongqing Feng, Jibo Zhang, Wenjing Tian*

State Key Laboratory of Supramolecular Structure and Materials, Jilin University, Changchun 130012, PR China




Structure & strength of silica-PDMS nanocomposites pp 1796–1804

Adrian Camenzind^a, Thomas Schweizer^b, Michael Sztucki^c, Sotiris E. Pratsinis^{a,*}

^a Particle Technology Laboratory, Institute of Process Engineering, Department of Mechanical and Process Engineering, ETH Zurich, Sonneggstrasse 3, CH-8092 Zurich, Switzerland



^b Institute of Polymers, Department of Materials, ETH Zurich, Wolfgang-Pauli-Strasse 10, CH-8093 Zurich, Switzerland

^c European Synchrotron Radiation Facility (ESRF), BP 220, F-38043 Grenoble Cedex, France



Study of the multilayered nanostructure and thermal stability of PMMA/PS amorphous films

pp 1805–1811


F. Ania^{a,*}, F.J. Baltá-Calleja^a, S. Henning^b, D. Khariwala^c, A. Hiltner^c, E. Baer^c^a Instituto de Estructura de la Materia, CSIC, Serrano 119, E-28006 Madrid, Spain^b Department of Physics, Martin-Luther-University, Halle Wittenberg, Geusaer Str., D-06217 Merseburg, Germany^c Department of Macromolecular Science, Case Western Reserve University, 2100 Adelbert Road, Cleveland, OH 44106-7202, USA

In-situ poly(butylene adipate-co-terephthalate)/soy protein concentrate composites: Effects of compatibilization and composition on properties

pp 1812–1819

Feng Chen, Jinwen Zhang^{*}

Materials Science Program & Composite Materials and Engineering Center, Washington State University, Pullman, WA 99164-1806, United States




Effect of confinement on the relaxation behavior of poly(ethylene oxide)

pp 1820–1829

C. Lai, R. Ayyer, A. Hiltner^{*}, E. Baer

Department of Macromolecular Science and Engineering, Case Western Reserve University, Cleveland, OH 44106-7202, USA




Poly(ethylene terephthalate) nanosheets prepared by CO₂-laser supersonic multi-drawing

pp 1830–1836

Akihiro Suzuki^{*}, Kyohei Arino

Interdisciplinary Graduate School of Medicine and Engineering, University of Yamanashi, Takeda-4, Kofu 400-8511, Japan




Microbeam X-ray diffraction of non-banded polymer spherulites of it-polystyrene and it-poly(butene-1)**pp 1837–1844**

Hiroshi Kajioka, Shigeru Yoshimoto, Ratan C. Gosh, Ken Taguchi,
Shinpei Tanaka, Akihiko Toda*

*Graduate School of Integrated Arts and Sciences, Hiroshima University,
Higashi-Hiroshima 739-8521, Japan*

Image of a polarizing optical microscope



Intensity map of 220 reflections of X-rays



100μm


Enhanced fluorescence and thermal sensitivity of polyethylenimine modified by Michael addition**pp 1845–1852**

Bin Fei^a, Zongyue Yang^a, Sijie Shao^a, Shengbiao Wan^b, John H. Xin^{a,*}

^a *Institute of Textiles and Clothing, The Hong Kong Polytechnic University, Hong Kong, PR China*

^b *School of Medicine and Pharmacy, Ocean University of China, Qingdao, PR China*



Computer simulation study on the shear-induced phase separation in semi-dilute polymer solutions by using Ianniruberto–Marrucci model**pp 1853–1860**Shotaro Nishitsuji^a, Mikihiro Takenaka^{b,*}, Takashi Taniguchi^c^a Graduate School of Science and Engineering, Yamagata University,
Yonezawa 992-8510, Japan^b Department of Polymer Chemistry, Graduate School of Engineering,
Kyoto University, Kyoto 615-8510, Japan^c Department of Chemical Engineering, Graduate School of Engineering,
Kyoto University, Kyoto 615-8510, Japan

*Corresponding author

Full text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.

Abstracted/indexed in: AGRICOLA, Beilstein, BIOSIS Previews, CAB Abstracts, Chemical Abstracts, Current Contents: Life Sciences, Current Contents: Physical, Chemical and Earth Sciences, Current Contents Search, Derwent Drug File, Ei compendex, EMBASE/Excerpta Medica, Medline, PASCAL, Research Alert, Science Citation Index, SciSearch. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®



ELSEVIER

ISSN 0032-3861

Author Index

- Akhter, Z. 1687
 Ania, F. 1805
 Arino, K. 1830
 Ayyer, R. 1820

 Baer, E. 1805, 1820
 Baltá-Calleja, F. J. 1805
 Bégué, D. 1716
 Beyer, F. L. 1679
 Bienert, R. 1723
 Bouhadid, M. 1716
 Brash, J. L. 1771

 Camenzind, A. 1796
 Carrillo, I. 1728
 Chen, F. 1786
 Chen, Feng 1812
 Chen, Y. 1703
 Chirila, T. V. 1670
 Chu, H.-J. 1694
 Cox, M. A. 1761
 Cui, J.-S. 1694
 Cureton, L. S. T. 1679

 Desbrières, J. 1716

 Enciso, E. 1728
 Etika, K. C. 1761

 Fabretto, M. 1737
 Fei, B. 1845
 Feng, D. 1786

 Gao, X. 1771
 García, M. V. 1728
 Ge, J. 1709
 George, K. A. 1670
 González-Tejera, M. J. 1728
 Gosh, R. C. 1837
 Griesser, H. J. 1737
 Grunlan, J. C. 1761

 Hall, C. 1737
 Heng, J. Y. Y. 1687
 Henning, S. 1805

 Hiltner, A. 1805, 1820
 Hu, J. 1752
 Huang, X. 1752

 Iratçabal, P. 1716
 Is, O. D. 1663

 Joubert, M. 1716

 Kajioka, H. 1837
 Khariwala, D. 1805
 Knappe, P. 1723
 Koyuncu, F. B. 1663
 Koyuncu, S. 1663

 Lai, C. 1820
 Li, H. 1786
 Li, N. 1709
 Li, Y. 1752
 Li, Yaowen 1786
 Li, Z. 1786
 Li, Z.-C. 1694
 Lu, J. 1709
 Lu, Jianmei 1709

 Müller, M. 1737
 Murphy, P. 1737

 Nishitsuji, S. 1853

 Oréface, R. L. 1744
 Ozdemir, E. 1663

 Pablos, M. 1728
 Pereira, I. M. 1744
 Pratsinis, S. E. 1796

 Qi, L. 1703

 Rasool, N. 1687
 Redon, N. 1716
 Redondo, M. I. 1728
 Reynaud, S. 1716
 Rong, M. Z. 1779

 Sánchez de la Blanca, E. 1728
 Schweizer, T. 1796
 Shao, S. 1845
 Sheardown, H. 1771
 Short, R. D. 1737
 Suzuki, A. 1830
 Sztucki, M. 1796

 Taguchi, K. 1837
 Takenaka, M. 1853
 Tanaka, S. 1837
 Taniguchi, T. 1853
 Thünemann, A. F. 1723
 Tian, Q. 1779
 Tian, W. 1786
 Toda, A. 1837
 Tong, L. 1752
 Turner, S. R. 1679

 Wan, S. 1845
 Wei, H.-L. 1694
 Weidner, S. 1723
 Wentrup-Byrne, E. 1670

 Xia, X. 1709
 Xin, J. H. 1845
 Xin, P. 1703
 Xu, B. 1786
 Xu, Q. 1709

 Yang, D. 1752
 Yang, G. 1703
 Yang, Z. 1694
 Yang, Zongyue 1845
 Yasin, T. 1687
 Yoshimoto, S. 1837
 Yuan, Y. C. 1779

 Zhang, J. 1786
 Zhang, Jinwen 1812
 Zhang, M. Q. 1779
 Zhang, R. 1703
 Zhang, S. 1752
 Zhu, J. 1694
 Zhu, S. 1771