

Practical


MAY 1989 £1.30

ISSN 0141-0857

Wireless

The Radio Magazine

PRE-PUBLICATION BOOK OFFER



A NEW BREED OF CB The Team TRX/404 Reviewed




Plus

Experimental HF Loopstick Antenna

Wireless Goes To War - the first time

Yaesu's FT-736R. Because you never know who's listening.



Why just dream of talking beyond earth?

With Yaesu's new FT-736R VHF/UHF base station, you can discover some of the best DX happening in ham radio. Via moonbounce. Tropo. Aurora. Meteor scatter. Or satellites.

You see, the FT-736R is the most complete, feature-packed rig ever designed for the serious VHF/UHF operator. But you'd expect this of the successor to our legendary FT-726R.

For starters, the FT-736R comes factory-equipped for SSB, CW and FM operation on 2 meters and 70 cm, with two additional slots for optional 50-MHz or 1.2-GHz modules (220-MHz North America only).

Crossband full duplex capability is built into every FT-736R for satellite work. And the satel-

lite tracking function (normal and reverse modes) keeps you on target through a transponder.

The FT-736R delivers 25 watts RF output on 2 meters, 220-MHz, and 70 cm. And 10 watts on 6 meters and 1.2-GHz. Store frequency, mode and repeater shift in each of the 100 memories.

For serious VHF/UHF work, use the RF speech processor. IF shift. IF notch filter. *CW Narrow Optional and FM wide/ narrow IF filters. VOX. Noise blanker. Three-position AGC selection. Preamp switch for activating

your tower-mount preamplifier. Even an offset display for measuring observed Doppler shift on DX links.

And to custom design your FT-736R station, choose from these popular optional accessories: Iambic keyer module. FTS-8 CTCSS encode/decode unit. FVS-1 voice synthesizer. FMP-1 AQS digital message display unit. 1.2-GHz ATV module. MD-1B8 desk microphone. E-736 DC cable. And CAT (Computer Aided Transceiver) system software.

Discover the FT-736R at your Yaesu dealer today. But first make plenty of room for exotic QSL cards. Because you *never* know who's listening.

YAESU

*CW narrow optional



**UK Sole Distributor South Midlands Communications S.M. House, School Close,
Chandlers Ford Industrial Estate, Eastleigh, Hants SO5 3BY. Tel: (0703) 255111**

Prices and specifications subject to change without notice. FT-736R shown with 220-MHz option installed.

Practical Wireless

The Radio Magazine

MAY 1989 (ON SALE 13 APRIL 1989)

VOL. 65 NO. 5 ISSUE 986

NEXT MONTH

COMPETITION

Win a Mizuho HF
QRP
SSB/CW
Transceiver

The Ten-Tec
Paragon
HF Transceiver
reviewed

Feeder Loss and
dBW

and
All the usual
features

Don't miss
it—place
your order with
your
newsagent now!

On sale May 11

Contents subject to last-minute revision

- 20 Talking Point**
What is Happening to Our Society?
- 23 ★ Pre-publication Book Offer ★**
Guide to Broadcasting Stations
20th Edition, 1989-90
- 24 A Two-tone Oscillator—2**
Roger Alban GW3SPA
- 28 Antenna Clinic—Session 5**
F. C. Judd G2BCX
- 31 PW Review**
The Team TRX-404 CB Transceiver
Richard Ayley G6AKG
- 34 Wireless Goes to War—the First Time**
Tim Wander
- 37 Valved Communications Receivers**
The Collins 75A-2
Chas E. Miller
- 47 Experimental HF Loopstick Antenna**
Richard Q. Marris G2BZQ
- 50 PW Review**
The Kenwood TS-790E Tri-band Transceiver
Ken Michaelson G3RDG
- 52 Packet Radio Update—3**
Roger J. Cooke G3LDI

We are sorry that, due to pressure on editorial space, "Practically Yours" and Part 14 of "Understanding Circuit Diagrams" have had to be held over until our next issue

Regular Features

75 Advert Index	54 On the Air	48 Snippets
42 Book Service	53 PCB Service	44,48 Swap Spot
12 Comment	46 PW Services	12 Write On
16 News Desk	40 Short Wave Mag	

Editor
Geoff Arnold I.Eng FSERT G3GSR
Assistant Editor
Dick Ganderton C.Eng MIERE G8VFB
Art Editor
Steve Hunt
Technical Features Editor
Elaine Richards G4LFM
Technical Projects Sub-Editor
Richard Ayley G6AKG
Editorial Assistant
Sharon George

Technical Artist
Rob Mackie
Administration Manager
Kathy Moore
Accounts
Alan Burgess
Clerical Assistant
Rachel Parkes

**Editorial and
Advertisement Offices:**
Practical Wireless
Enefco House
The Quay
Poole, Dorset BH15 1PP
☎ Poole (0202) 678558
(Out-of-hours service by
answering machine)
FAX Poole (0202) 666244
Prestel 20267 1191

Advertisement Manager
Roger Hall G4TNT
PO Box 948
London SW6 2DS
☎ 01-731 6222
Cellphone 0860 511382
FAX 01-384 1031

Advert Copy and Make-up
Marcia Brogan
☎ Poole (0202) 678558

COPYRIGHT © PW Publishing Limited 1989. Copyright in all drawings, photographs, and articles published in *Practical Wireless* is fully protected and reproduction or imitation in whole or in part is expressly forbidden. All reasonable precautions are taken by *Practical Wireless* to ensure that the advice and data given to our readers are reliable. We cannot however guarantee it and we cannot accept legal responsibility for it. Prices are those current as we go to press.

THIS MONTH

WSE — HAM RADIO STORE

ALINCO 2M FM ALR22E

The budget 2m FM rig that is low on price but high on spec. 25 watts with a rx coverage that extends from 140-170MHz (optional). Hundreds in use. For the full spec. see last months advert or send for full colour brochure.



£249

AZDEN PCS-6000 2M FM + AIRBAND!

This rig is unique. It provides 25 watts of FM on 144-146MHz plus full receive coverage from 108-180MHz AM/FM. 20 memories any duplex split in any memory, auto tone-burst, listen on input etc. etc. The airband section has been purpose designed for the job. Send today for colour brochure.



£329

ALINCO DJ-100E 2M FM

Latest rig from the ALINCO stable, this handheld has been developed from the successful ALX-2E. Now incorporating LCD display and 10 memory channels it will fit into even small pockets! The extended receive range cover 140-170MHz and there are no extras to buy. Chris Lorek says in Ham Radio Today, "a lovely little transceiver with a very impressive technical performance."



NEW
IN STOCK

£219

ALINCO ALD-24E Dual Bander

If you thought that dual band rigs were expensive, then look again at this one. It gives true duplex operation with a single antenna output. Basically 2 rigs in one box, it has a superb specification covering 2m & 70cms FM. Extended receive coverage is possible upon request. Probably the most cost effective rig on the market. Send for full details today.



£449

NEW!

MARINE FREQUENCY GUIDE

This is the latest addition to our frequency guides. It covers LF, HF, and VHF, and lists all the UK coastal and port stations, with simplex, duplex and channel numbers together with traffic list times, channel designations etc. Full editorial is included about the marine service including emergency channels, SSB/RTTY/CW. Also listed are the world phone channels normally receivable in the UK. Most HF coastal stations listen on quite separate frequencies to those that they use for transmit. Its all in the guide. Super value as ever!

Marine Radio Frequency Guide £4.95 + £1

SONY COMMUNICATIONS

ICF2001D	150kHz - 30MHz + Air	£297.00
ICF7600DA	150kHz - 30MHz AM + FM	£127.00
ICF7600DS	150kHz - 30MHz SSB/AM + FM	£157.00
ICFSW1	150kHz - 30MHz AM Compact	£147.00
ICFSW1S	As above with full kit etc	£247.00

QRP HF TRANSCEIVERS

Single banders for 80; 40; or 20m with 2 Watts output SSB/CW. Fits into the pocket but can work the DX. These rigs have provided us with some fun recently, and they could do the same for you. Ideal for holidays, hotels or just a new challenge. Go anywhere, no TVI and beautifully engineered. VXO control, IRT, and a host of other features. We got 569 from LA2 on 80m with an indoor wire and W's on 20m! Send for specification.

SSB/CW



***£179**

We got 569 from LA2 on 80m with an indoor wire and W's on 20m! Send for specification. ***80M Model £189**

BOOKS & FREQUENCY LISTS

THE BOOKS THAT ARE USED BY THE PROFESSIONALS, NEWS AGENCIES, RADIO STATIONS, ETC.

UK Listeners Confidential Frequency List 1.6 to 30MHz New 1989 Edition	Phone
Complete Guide to VHF/UHF Frequencies 25 to 2GHz	£5.95
VHF/UHF Airband Guide to Commercial & Military. Pub Aug 1988	£5.95
HF Oceanic Airband Communications 1988	£3.50
The Secret of Learning Morse Code	£4.95
Pocket Guide to RTTY & FAX Stations	£2.95
Marine Radio Frequency Guide HF & VHF (available end of February)	£4.95
Airband Radio Handbook Second Edition	£5.95
Air Traffic Control by D Adair	£6.99

DIAMOND POWER METERS

A superb range of VSWR & Power meters from a very famous stable! All with new styling and RMS/PEP readings.

SX-100 1.6 to 60MHz up to 1kW	£95.00
SX-200 1.8 to 200MHz up to 200W	£65.00
SX-400 140-525MHz up to 200W	£79.00
SX-600 1.8 to 525MHz up to 200W	£119.00
SX-1000 1.8 to 1300MHz up to 200W	Phone

Send for spec. sheet.



ADONIS MICROPHONES

AM-303G

Used by many stations to provide that distinctive voice quality on either FM or SSB. A switch selects the correct response for each mode. Touch buttons provide the PTT and the omni-directional microphone gives the distinctive quality that hand mics just can't match. Works with any rig and includes up/down controls.

AM-503G As above but with speech compressor. **£65.95**



£49.95

NEW! 730V-1 HF ANTENNA

Designed for DX operation on 10, 15, 20, and 40 metres, this aerial is highly efficient and yet easy to install in most situations. Full 1kw rating on SSB and full bandwidth performance at the 2:1 VSR points. No radials and single pole support point makes it ideal for even small OTH's. The robust construction and simple assembly makes this antenna a delight to use. Dimensions: Each element = 5.8m; Total span = 8.3m; Total height = 4.1m from base point to element tip line. 2" mast mounting and full instructions. **£149. Carriage £6 via Securicor.**



RETAIL & MAIL ORDER:- 18-20, Main Road, Hockley, Essex SS5 4QS.

Tel: (0702) 206835, 204965

RETAIL ONLY:- 12, North Street, Hornchurch, Essex RM11 1QX.

Tel: (04024) 44765

Visa and Access by telephone. 24hr. Answerphone.

WATERS & STANTON

ARE

COMMUNICATIONS

THE SHOP WITH THE SMILE

By popular demand, we bring back those two unloved characters "Bern & Bren". Bernie has been in hiding due to the many contracts out on him & Brenda has been to Brazil rounding up the coffee beans!



Bernie G4A0G

"BRENDA — WHEN I WAS 10 I MADE MY FIRST CRYSTAL SET"



Brenda G4VXL

"THAT MUST HAVE BEEN 20 YEARS BEFORE MARCONI"

TS680S

The fabulous TS680S. General Coverage, Multimode, now that SIX Metres is open, there is no better time to buy. Discounted price £929.00 including FREE microphone MC43S. Also available the TS140S without six, £799.00.



PHONE 01-997 4476

TS440S


Similar to the TS140/680S, but with additional "base station enhancements", the ever popular TS440S continues to be a best seller. At our discounted prices of only £1199 with ATU and £1039 without, can you really resist the temptation?



PHONE 01-997 4476

IC735/725

For the ICOM enthusiast, the IC735 is probably the most popular HF transceiver available under £1K. Still available at a very competitive price. Phone for details.



Icom have now introduced the new IC725 as an economy version. Available from stock at only £749.00

PHONE 01-997 4476

**WE ASKED —
IS IT POSSIBLE TO
PACK ANY MORE INTO
A HAND-HELD?
and YAESU SAID YES!**

**SO HERE SURELY MUST BE THE
ULTIMATE IN HAND-HELDS.**

The YAESU FT 728



FEATURES:

- Full duplex operation
- Monitor both 2/70 at the same time
- Dual display
- Full 5 watts output capability
- Programmable power save
- Auto shut-off
- FT23R/73R accessory compatible.

List price slashed!!!
£ phone!

**Phone for updated info
01-997 4476**

**Opening Hours Monday-Friday 9.30 to 5.30
NOW OPEN SATURDAY MORNINGS 10.00-1pm**



ARE Communications Limited, 6 Royal Parade,
Hangar Lane, Ealing, London W5A 1ET, England
Fax: 01-991 2565 Telex 94016185 AREC G
Tel: 01-997 4476

ICOM

IC-725 Budget HF



- General Coverage Receiver
- 105dB Dynamic Range
- 100W Output
- DDS System
- 26 Memories
- Scanning
- CI-V Computer Control
- Semi Break-in

The ICOM IC-725 budget H.F. has been produced due to the demand for a simple, high specification transceiver. Despite the limited features, compared to more expensive equipment this set retains a superior level of technical performance necessary to operate on the H.F. bands today.

Additional features include Noise Blanker, Pre-amp, Attenuator, AGC and RIT. The DDS Sytem (Direct Digital Synthesizer) ensures fast Tx/Rx switching times, ideal for Data Communications. An A.T.U. controller is built

into the IC-725 for use with the AH-3 H.F. Automatic Antenna Tuner for mobile or base station operation.

Accessory options available are the PS-55 20A P.S.U., AH-3 Auto Antenna Tuner, UI-7 AM Tx. FM Tx/Rx Unit, FL-100 500Hz CW Filter, FL-101 250Hz CW Narrow Filter and SP-7 External Loudspeaker.

For more information on the IC-725 budget H.F. and other ICOM amateur equipment contact your nearest authorised ICOM dealer or phone us direct.

Icom (UK) Ltd.

Dept PW, Sea Street, Herne Bay, Kent CT6 8LD. Tel: 0227 363859. 24 Hour.

Count on us!

"75" Series Transceivers



ICOM have a winning line-up for fixed, portable and mobile operations. The deluxe "75" series of transceivers offers a new standard of excellence from VHF to UHF communications. Each compact all mode unit delivers maximum performance, reliability and ease of operation.

The "75" series transceivers feature 99 tunable memories, twin VFO's, pass band tuning, I.F. notch, noise blanker and CW break-in. The scanning modes include memory scan, mode scan, programmable scan and frequency skip. These transceivers can be used in a variety of ways, for propagation experiments, satellite communications, moonbounce, D'xing or straight rag chewing contacts. When high speed digital systems such as PACKET or AMTOR data communications are used then the ICOM DDS system provides a lock-up time of just 5msec.

2 Meters

ICOM's 25 watt IC-275E is a superb transceiver for contest operating and for general DX working. This prestige

144MHz multimode is also available as a IC-275H 100 watt version, which requires an external AC supply.

70cms

Enjoy 430MHz operation with the 25 watt IC-475E, or go high power using the IC-475H. An optional CT-16 Satellite Interface Unit is available for combining ICOM "75" transceivers for easy tuning.

6 Meters/10 Meters


The 10 watt IC-575 covers 28-30MHz and 50-54MHz and includes the AC supply. Join in with the recent openings to the U.S.A. with this superb transceiver. Also to be released soon is the IC-575H 50/100 watt high power version, which will operate with an external AC supply.

With the introduction of the "75" series you now have all the technical quality you'll need to enjoy VHF and UHF communications. For more detailed information on these transceivers contact your local ICOM dealer or ICOM (UK) Ltd.

Helpline: Telephone us free-of-charge on 0800 521 145, Mon-Fri 09.00-13.00 and 14.00-17.30. This service is strictly for obtaining information about or ordering Icom equipment. We regret this cannot be used by dealers or for repair enquiries and parts orders, thank you.

Datapost: Despatch on same day whenever possible.

Access & Barclaycard: Telephone orders taken by our mail order dept, instant credit & interest-free H.P.



SMC**South Midlands Co**


SCHOOL CLOSE, CHANDLERS FORD IND. EST., EASTLEIGH, HANTS

FREE FINANCE - BUY NOW SAVE MONEY*YAESU PORTABLE TRANSCEIVERS AND ACCESSORIES****FT411/811**

Cases	£10.00
CSC35 (FNB9) ...	£10.00
CSC36 (FNB10) ...	£10.00
CSC37 (FNB12/14) ..	£10.00

**FT411****FT23R/73R**

Cases	£10.58
CSC22 (FNB9)	£10.58
CSC23 (FNB10)	£10.58
CSC24 (FNB12/14) ..	£10.58

**FT23****FT470****FT470****Cases**

CSC35 (FNB9)	£10.00
CSC36 (FNB10)	£10.00
CSC37 (FNB12/14)	£10.00
CSC38 (FNB11)	£10.00

OPTIONS FOR ALL SMALL HANDHELDS**CHARGERS**

NC18C (FNB11/12)	£17.71
NC27C (FNB9)	£17.71
NC28C (FNB10/12)	£17.71
NC29 DESK FNB9, 10, 11, 12, 14	£69.00
NC34 (FNB14)	£17.71
SMC18 (FNB12) 13A STYLE	£13.80
SMC28 (FNB10) 13A STYLE	£13.80

General Accessories

MH12A2B Mic/Speaker	£31.05
MH18A2B Mic/Speaker small	£31.05
YH2 Box Headset	£28.75
MH19A2B Earpiece/mic	£31.05
MMB32A Mobile bracket	£16.10
PA7 Batt extension cable	£31.05
PA6 Mobile adaptor/charger FNB9, 10, 14	£24.15
DCTPA6 Cigar light plug/lead PA6	£4.03
Clip1 Belt clip	£4.00
CSC27A Shoulder Holster	£31.86

Nicads and Cell Cases

FNB9 7.2V 200m Ah Nicad	£34.50
FNB10 7.2V 600m Ah Nicad	£34.50
FNB11 12V 600m Ah Nicad	£67.85
FNB12 12V 500m Ah Nicad	£57.50
FNB14 7.2V 1Ah Nicad	£63.25
FBA9 Case 6 x AAA dry cells	£11.50
FBA10 Case 6 x AA dry cells	£11.50

FT290R2/690R2/790R2

FBA8 Cell Case	£27.00
CSC19 Soft Case	£8.50
NC26C Charger	£11.50
MMB31 Mobile Mount	£17.50
FL2025 2M 25W PA	£115.00
FL6020 6M 10W PA	£109.00
FL7025 70CM 25W PA	£139.00

**FT290R2**

LEEDS
SMC (Northern)
Nowell Lane
Industrial Estate
Leeds LS9 6JE
Leeds (0532) 350606
9-5.30 Mon-Sat
Closed Sat afternoon

CHESTERFIELD
SMC (Midlands)
102 High Street
New Whittington,
Chesterfield
Chest. (0246) 453340
9.30-5.30 Tues-Sat

BUCKLEY
SMC (TMP)
Unit 27, Pinfold Lane
Buckley, Clwyd
Buckley (0244) 549563
10-5 Tues, Weds, Fri
10-4 Sat

JERSEY
SMC (Jersey)
1 Belmont Gardens
St. Helier, Jersey
Jersey (0534) 77067
9-5 pm Mon-Sat
Closed Wed

N. IRELAND
SMC N. Ireland
10 Ward Avenue
Bangor
County Down
0247 271875

BIRMINGHAM
SMC (Birmingham)
504 Alum Rock Road
Alum Rock
Birmingham B8 3HX
(021-327) 1497/6313
9.00-5.00 Tues-Fri
9.00-4.00 Sat

AXMINSTER
Reg Ward & Co Ltd
1 Western Parade
West Street,
Axminster
Devon EX13 5NY
Axminster (0297) 34918
9-5.30 Tues-Sat



Southampton Showroom open 9.00-5.00 Monday to Friday, 9.00-1.00 Saturday. Service Dept open Mon-Fri 9.00-5.00.

SOUTH WALES AGENT: JOHN DOYLE, TRANSWORLD COMMS, NEATH (0639) 52374 DAY (0639) 2942 EVE

TOKYO HY-POWER PRODUCTS AND ACCESSORIES

Transceivers


HT106	6M CW/SSB 10W PEP	£325.00
HT120	20M CW/SSB 10W PEP	£299.00
HT180	80M CW/SSB 10W PEP	£299.00



HT106

Transceiver Accessories

HP100S	MAINS PSU FOR HT Series	£99.00
HC100	ANTENNA TUNER 80-10M 200W	£109.00
HCF100	CW FILTER HT Series	£39.00
HNB100	NOISE BLANKER UNIT HT Series	£19.95
HBK100	Mobile Bracket HT Series	£9.99



HC100

Antenna Tuners


HC200A	80-10M 200W PEP	£115.00
HC400L	160-10M 350W PEP	£199.00
HC2000	160-10M 2kW PEP	£359.00



HC4000

HF Linear Amplifiers

HL2K	160-10M PAIR 3-500Z ...	£1425.00
HL1K	160-10M PAIR 4CX250B ...	£945.00
HL100B/10	10M 10W-100W PEP	£179.00
HL100B/20	20M 10W-100W PEP	£179.00
HL100B/80	80M 10W-100W PEP	£179.00



HL2K

VHF/UHF Amplifiers

SAGRA600	2M 25W DRIVE PAIR 4CX250b	£850.00
HL66V	6M 10W IN 50-600W PEP PREAMP	£129.00
HL166V	6M 3/10W IN 80/160W PEP PREAMP	£249.00
HL37V	2M 3W IN 30W PEP PREAMP	£89.00
HL62V	2M 10W IN 60W PEP PREAMP	£135.00
HV110V	2M 2/10W IN 100W PEP PREAMP	£215.00
HL180V	2M 3/10/25 WIN IN 170W PEP PREAMP...	£295.00
HL30U	70CM 2WIN 30W PEP PREAMP	£135.00
HL60U	70CM 12WIN 50W PEP PREAMP	£179.00
HL130U	70CM 3/10/25W IN 120W PEP PREAMP...	£389.00



SAGRA 600

SMC NORTHERN (LEEDS) CLOSED SATURDAY AFTERNOONS

*FREE FINANCE ON SELECTED ITEMS

On many regular priced items SMC offers Free Finance (on invoice balances over £120) 20% down and the balance over 6 months or 50% down and the balance over a year. You pay no more than the cash price! Details of eligible items available on request. *Subject to status.

Free interlink delivery on major equipment

Small items, Plugs, Sockets, etc by post £1.75. Antennas, cables, Wires & larger items. Lynx up to £5. Interlink delivery available, upon request for items other than radios from £7.30 depending on weight. Same day despatch whenever possible.


YAESU DISTRIBUTOR WARRANTY

Importer warranty on Yaesu Musen products. Ably staffed and equipped Service Department. Daily contact with the Yaesu, Musen-factory. Tens of thousands of spares and test equipment.

PRICES & AVAILABILITY SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

INTRODUCING THE WORLD'S SMALLEST WEATHER STATION

The amazing weather
computer that you can hold
in the palm of your hand.



*The new TWR-3 Micro
Weather Station
includes a computer,
precision wind vane and
speed sensor with
mounting hardware, and
12 metres of cable.*

**FOR ONLY
£99.95**

With the optional,
automatic-emptying RG-3
Rain Collector you can
even monitor rainfall!

To order call

FEATURES

- ☐ WIND SPEED
- ☐ WIND DIRECTION
- ☐ WIND CHILL
- ☐ WIND GUST RECORD
- ☐ TEMPERATURE
- ☐ HIGH/LOW TEMP.
RECORD
- ☐ RAINFALL (optional)
- ☐ TIME OF DAY
- ☐ AUTO SCAN
- ☐ METRIC / U.S.A.
- ☐ EX STOCK DELIVERY
- ☐ ONE YEAR WARRANTY

**FULL MONEY
BACK
GUARANTEE**

PLEASE ADD
VAT AT 15%

POST & PACKING £5.00:

ICS ICS ELECTRONICS LTD
UNIT V, RUDFORD INDUSTRIAL
ESTATE, ARUNDEL,
WEST SUSSEX BN18 0BD.
TELEPHONE: 0243 65655



TX - 3 RTTY/CW/ASCII TRANSCEIVE

The high performance, low cost system

Split-screen, type-ahead operation, receive screen unwrap, 24 large memories, clock, review store, call sign capture, RTTY auto CR/LF, CW software filtering and much more. Needs interface or T.U. **BBC-B/Master** and **CBM64** tape £20, disc £22. **SPECTRUM** tape £35, +3 disc £37 inc. adapter board (needs interface/TU also).

For **VIC20** we have our RTTY/CW transceive program. Tape £20.

RX - 4 RTTY/CW/SSTV/AMTOR RECEIVE

This is still a best-selling program and it's easy to see why. Superb performance on 4 modes, switch modes at a keypress to catch all the action. Text and picture store with dump to screen, printer or tape/disc. An essential piece of software for trawling the bands. Needs interface. **BBC-B/Master**, **CBM64** tape £25, disc £27. **VIC20** tape £25. **SPECTRUM** tape £40, +3 disc £42 inc. adapter board (needs interface also). The **SPECTRUM** software-only version (input to EAR socket) is still available £25.

TIF1 INTERFACE Perfect for TX3 and RX4, it has 2-stage RTTY and CW filters and computer noise reduction for excellent reception. Transmit outputs for MIC, PTT and KEY. Kit £20 (assembled PCB + cables, connectors) or ready-made £40, boxed with all connections. Extra MIC leads for extra rigs £3 each. State rig(s). Interface available only with TX-3 or RX-4 software.

BBC Locator with UK, Europe, World maps £10, **Morse tutor** £6, **Logbook** £8, **Locator** £7, **RAE Maths** £9 for BBC, Spectrum, CBM64, VIC20, Electron.

All **BBC** and **CBM64** programs are available on **DISC** at £2 extra.

NEW!! RX-8 for the BBC Computer

FAX, HF and VHF PACKET, Colour SSTV, RTTY, CW, AMTOR, UOSAT, ASCII.

Receive them all with every possible feature and superb performance. Full printer and disc support. The best receive system ever.

More details last month or send for full information.

PEP BOARD Converts anmy RF power meter to read p.e.p. Assembled and tested PCB + mounting kit and instruction £12.

Prices include VAT and p&p, 1st Class inland, airmail overseas, normally by return. Eire, C.I., BFPO deduct 13%.



technical software (P.W.)



Fron, Upper Llandwrog, Caernarfon LL54 7RF.
Tel. 0286 881886


MICRONTA®

MULTIMETERS ONLY FROM TANDY®

Benchtop Digital LCD Multimeter - £79.95

- Manual Or Autoranging Facility
- Measures AC/DC Volts, Current And Resistance

22-195



Pocket Autoranging Multimeter - £19.95

- Measures To 400 Volts AC/DC, Resistance To 2 Megohms
- Includes Miniprobes And Folding Case

22-171

Pocket Multitester - £8.95

- 2K Ohms/Volt DC Sensitivity
- Measures To 1000V AC/DC, DC Current To 150mA And Resistance To 100,000 Ohms

22-7212



Probe-Style Autoranging Multimeter - £29.95

- Fully Automatic Range And Polarity
- Ideal For Testing In Confined Spaces
- Data Hold Freeze Display

22-165



Tandy®

For The Best In High Quality Electronics

**Over 450 Tandy Stores And Dealerships Nationwide.
See Yellow Pages For Address Of Store Nearest You.**

InterTAN U.K. Ltd., Tandy Centre, Leamore Lane,
Walsall, West Midlands. WS2 7PS Tel: 0922 710000

GAREX THE SCANNER SPECIALISTS

POPULAR SCANNERS

AOR900UK inc UHF Airband	£235
BJ200 MkIII wide coverage	£199
Cobra 925 Economy Base	£149
Uniden 200XL inc 900MHz	£249
Uniden 50XL FM handy	£99

REVCO RS-3000

THE COMPACT SCANNER



- * Size only 6" x 2" x 8"
- * Covers: 26-32MHz, 60-90MHz, 118-180MHz, 380-512MHz
- * AM & FM all bands
- * Liquid crystal display
- * 50 memories
- * Scan, search, priority

£225

JIL SX-200N

THE SUPERIOR SCANNER



- * The choice of the professionals
- * Proven reliability
- * Covers: 26-88MHz, 108-180MHz, 380-514MHz
- * AM & NFM on all bands
- * Positive action keyboard
- * 16 memories
- * 12V dc & 240V ac

£325

AOR 2002

- * Covers: 25-550MHz, 800MHz-1.3GHz
- * AM & NFM & WFM on all bands
- * Computer interface socket
- * 20 memories
- * Compact size
- * 12V dc operation
- * Up/down step control knob



£487

AOR 800E

THE SMALLER HANDY-SCANNER

- * Covers: 75-106MHz, 118-175MHz, 406-496MHz, 830-950MHz
- * AM & NFM programmable on all bands
- * Full scan & search functions are available
- * 20 memories
- * Measures only 2.5" x 5.5" x 2"
- * Nicads, charger & BNC whip antenna included in the price



£199

NEW IMPROVED REVCONC

The British made REVCONC already renowned throughout the world has now been improved with a new exclusive feature. The addition of a vertical element to a disccone has been shown to improve the performance on a selected band.

Now the REVCONC offers YOU the choice of band

All new REVCONCS supplied by us now incorporate a mounting stud for an optional vertical whip for the band of YOUR choice. Whips may be chosen for any frequency from 27 to 950MHz from the standard REVCONC range.

Basic REVCONC, excellent value at

REVCONC with N-type socket

Add-on whips from

Remember this British product carries no overseas freight or Import Duty!

£13.75
£35.95
£3.90 to £10.75

BROADBAND PREAMPLIFIERS

REVCO PA3 inline masthead model, with special mains psu 20MHz-1GHz min. 13dB gain

PA3I instrument or back-of-set version for 12V DC operation. BNC connectors (SO239 or N-type options)

£49.95
£35.50



GAREX ELECTRONICS

MAIN DISTRIBUTOR OF REVCO PRODUCTS. PRICES INCLUDE UK P&P and 15% VAT. Ask for details of our interest free credit.

HARROW HOUSE, AKEMAN STREET, TRING, HERTS HP23 6AA.
Phone 0296 668684 or 044 282 8580. Callers by appointment only.

Ask for our secondhand scanner bargain list.



Component Centre

LISTEN INTO THE WORLD

WIN 108 Scanning Airband Receiver	£175.00
SAB9 POCKET AIR BAND—MWLW FM	£21.50
MBR7—9 BAND INC SW Air Marine Mains/Batt	£59.95
R537S TUNABLE AIR BAND—118-136MHz + 2 CRYSTAL	
CONTROLLED CHAN.	£73.00
BLACK JAGUAR MKIII Hand Held Scanner with Air Band	£225.00
AUDIO TECH AT 9560 Electric Cond Lapel Radio	
Microphone 100HT Range 88-108M Tunable	£52.80
PORTASOL GAS SOLDERING IRON 25-60watt Variable	£19.95
ANTEX SOLDERING IRON Type CS 18 watt	£5.95
ANTEX SOLDERING IRON Type CX 25 watt	£5.95
SOLDERING IRON STAND ST4	£2.95
N TYPE CONNECTOR FOR RG58U	£2.95
N TYPE CONNECTOR FOR URM203	£2.95
N TYPE CONNECTOR FOR RG8/RG213	£2.95
RG58 Cable	25p per Mtr
RG213/UR67 Cable	75p per Mtr
BFO Built & Tested	£19.95

Sony Radios

ICF 5100	£69.95
ICF 7601L	£89.95
ICF 7600DA	£129.95
ICF 7600DS	£159.95
ICF SW1S	£249.00
ICF SW1E	£149.95
AIR 7	£229.95
ICF 2001D	£299.95
PRO 80	£299.95
Radio Antenna AN3	£44.95
Radio Antenna AN1	£49.95

ALL SETS GUARANTEED. PRICES INCL VAT & P/P EXCEPT PLEASE
ADD £2.00 P/P ON RADIOS
CALLERS WELCOME MONDAY, TUESDAY, THURSDAY, FRIDAY,
SATURDAY, 9.30-5.30

COMPONENT CENTRE
7 LANGLEY ROAD, WATFORD,
HERTS WD1 3PS
Tel: WATFORD (0923) 245335

AH ELECTRONICS

G8AQN

TEKTRONIX D465 PORTABLE OSCILLOSCOPES D.C. to 100MHz (will see up to 200MHz) all in ex. cond. with manual **P.O.A.**

MARCONI TF2500 AF POWER METER/VOLTMETER 100µW to 25 Watts, 15mV to 150 volts portable unit runs from internal batteries, mint condition **£75.00.**

MARCONI TF2008 SIGNAL GENERATORS AM/FM 10KHz to 510MHz in 11 bands, fully solid state design with built in sweep generator, ideal for PMR servicing etc. from **£350.00.**

MARCONI TF2002B AM/FM SIGNAL GENERATORS, 10KHz to 88MHz, all solid state design, ideal for H.F. receiver alignment, ex. cond. **£150.00.**

CT436 DUAL BEAM OSCILLOSCOPES useable up to 5MHz, ideal as a general purpose scope, 23 valves, size only 10" x 9" x 14" deep, supplied in ex. condition. bargain at **ONLY £75.00.**

TEKTRONIX D755 DUAL BEAM OSCILLOSCOPES solid state, bandwidth 50MHz. v. good cond. **£300.00.**

EDDYSTONE 770R VHF RECEIVERS, 25 to 165MHz AM/FM, tested **£125.00.**

RACAL RA17 H.F. RECEIVERS 500KHz to 30MHz in 30 1MHz bands. a superb receiver for the serious short wave listener or radio amateur, all receivers fully serviced in our workshop & guaranteed for 3 months. with circuit, & instructions. **£260.00** buyer to collect by arrangement.

CO-AX RELAYS 28v but works OK @ 12v. input via 50ohm 'N' socket outputs via co-ax leads. power rating approx 400 watts @ 430MHz. unused only **£8.50.** p/p + 70p.

10.7MHz SSB CRYSTAL FILTERS 2.4KHz BW @ 45db. **ONLY £10.00** (no carrier xtals). p/p + 70p.

RACAL 409 MODULATION METERS AM/FM to 1200MHz requires servicing with copy of manual only **£60.00.**

CRYSTALS mixed bag if approx. 25 to 30 HC6/U types, frequencies from 4 to 54MHz. all ex PMR equipment it's pot luck **£3.50** per bag.

15 volt AVO BATTERIES type BLR121. **£2.00.**

MAGNETIC DEVICES AERIAL RELAYS s.p.c.o. ideal up to 200MHz, will handle approx. 75 watts, as used in PYE cambridge & Westminster series of radio's, unused @ 2 for **£3.00.**

TORROIDAL MAINS TRANSFORMERS primary 240v AC. secondary - 14½v - 9v - 0 - 9 - 14½v AC @ 1.5 amp. size 70mm dia. 30mm high **£3.50.** p/p £1.50.

PYE POCKETPHONE 70F.M. hand portables 68 to 88MHz. ideal 4 meter Ham Band supplied with Battery, & speaker/microphone. (antenna not supplied). in used condition & untested. **ONLY £20.00.** p/p £2.00.

50 ohm 'N' Right angle plugs, for RG213/UR67 etc. ex equipment good condition, list price over £7.00. **ONLY £2.00.**

TEST METER LEADS red & black good quality type with 4mm plug. OK for Avo meter etc. unused only **£3.00** pair.

CARRIAGE CHARGE - £12.00 via Interlink on large items. Otherwise 80p per order.

WANTED - for private collection, WW2 military radio equipment.
B2, AR11, COMMAND SETS, R1155, AR88, GOOD PRICE FOR MINT UNITS.

151a Bilton Road, Rugby, Warwickshire, CV22 7AS. Tel. 0788 76473

LONDON'S MULTI-BRAND PRODUCT DISTRIBUTOR

AMCOMM

ONE
STOP
BUYING!

FOR PRODUCT CHOICE, MAIL ORDER AND SERVICE

NOW STOCKING TEN-TEC



Paragon 100W HF Multimode	P.O.A.
Corsair II 100W HF TCVR with PTO	P.O.A.
Argosy Portable HF 50W TCVR	P.O.A.
Century 50W CW HF TCVR	P.O.A.
Titan 1500W HF Linear	P.O.A.
Hercules 1KW Super Linear	P.O.A.

All Accessories Available — Call for Prices!

MICROPHONES

Adonis AM303G	£49.55
Adonis AM503G	£65.95
Hell HM5 Table Mic	£49.95
Hell BM10 Boom/Headset Mic	£49.95
Icom SM8 All Icom	£79.00
Icom SM10 Table Mic with Equaliser	£113.00
Yaesu MD1B8 Table Mic	£75.00
Yaesu MH1B8 Hand Mic	£21.00

Add £2.00 P&P

BNOS AMPS & LINEARS

L50 6mtrs 3 in 25 out	£74.75
LP50 6mtrs 3 in 50 out	£138.00
LP50 6mtrs 10 in 50 out	£138.00
LPM 6mtrs 10 in 100 out	£235.00
L144 2mtrs 3 in 25 out	£74.75
LP144 2mtrs 3 in 50 out	£138.00
LP144 2mtrs 10 in 50 out	£138.00
LPM144 2mtrs 3 in 100 out	£235.00
LPM144 2mtrs 10 in 100 out	£205.00
LPM144 2mtrs 10 in 180 out	£355.00
LPM144 2mtrs 25 in 180 out	£305.00

UHF also available

TL50/28/25 watt	£316.25
TL50/144/25 watt	£299.00
TL70/28/25	£316.25
12/25 amp PSU	£193.20
12/12 amp PSU	£129.95
12/16 amp PSU	£78.20
12/40 amp SU	£423.20
12/5E amp PSU	£57.50
12/10E amp PSU	£91.75
12/20E amp PSU	£132.25
12/30E amp PSU	£195.50

All Units Carriage £3.00

DATONG PRODUCTS

AD 270 Indoor Antenna 200KHz-30+Mhz	£49.00
AD 370 Outdoor Antenna	
200KHz-30+Mhz	£69.00
D 70 Auto Morse Tutor	£55.00
ANF Auto Notch Filter	£65.00
FL3 Multi Mode Audio Filter with Auto Notch	£125.00

Add £2.00 P&P

ICOM

IC 781	ICOM
IC 761	ICOM
IC 735	ICOM
IC 751A	CALL AMCOMM NOW
IC 2KL	ON 01-992 5765
IC 2KLPS	FOR LATEST AND
IC AT500	BEST PRICES!
IC AT150	ICOM
IC AT100	ICOM
IC R7000	ICOM
IC R71E	CALL AMCOMM NOW
IC MICRO 2	ON 01-992 5765
IC 2E	FOR LATEST AND
IC 2GE	BEST PRICES!
IC 290D	ICOM
IC 28E	ICOM
IC 28H	ICOM
IC 275E	CALL AMCOMM NOW
IC 275H	ON 01-992 5765
IC MICRO 4	FOR LATEST AND
IC 04E	BEST PRICES!
IC 490E	ICOM
IC 475E	ICOM
IC 475H	ICOM
IC 3210E	ICOM

All accessories available.
All units add £7.50 carriage

MFJ

989B 3Kw Fully Metered ATU all inputs	£359.00
962B 1.5Kw Fully Metered ATU all inputs	£239.00
949C 300w Fully Metered ATU all inputs	£149.00
941D 300w Fully Metered ATU all inputs	£99.00
945E 300w ATU coaxial + Wire Inputs	£69.00
901B 200 Random Wire Tuner	£59.00
1Kw Dummy Load Dry	£28.35
1Kw Versaload	£50.66
204B Noise Bridge	£84.12
202B Noise Bridge	£63.10
752C SSB Tunable Audio Filter	£95.60

All Units Carriage £3.00

AMP PRODUCTS

NEW FROM USA: The Pile up Penetrator LK 5002C linear amplifier. Some of the features: Full QSK, HF tank coil and Centralab bandswitch are silver plated, Hypersil plate transformer and separate filament transformer. Computer grade capacitors. Amateur continuous duty in all modes. ALO: Auto Lock Out ceases amp operation if mistuned or over current appears on the pair of two 3-500z valves. Full coverage WARC Bands. 2 speed fan. RF output: SSB 1.5KW PEP continuous. CW 1.2KW average continuous. SSTV & RTTY 1KW average. 1.5KW PEP. Call now or write for full spec literature.

PMR & MARINE EQUIPMENT

RENT OR BUY FROM OUR
LARGE STOCK OF THE
ICOM RANGE — CALL
01-992 5765 FOR
PRICE OR LITERATURE



VHF/UHF SCANNING RECEIVERS

Uniden H/Held 50XL 66-88, 136-174, 406-512 Mhz	£99.00
Uniden H/Held 70XL 66-88, 118-174, 406-512 Mhz	£179.00
Uniden H/Held 100XL 66-88, 118-174, 400-512 Mhz	£189.00
Uniden Base Rcvr 175XL 66-88, 118-174, 400-512 Mhz	£179.00
BJ200 H/Held 26-30, 60-88, 115-178, 210-260, 410-520 Mhz	£229.00
AR2002 Base 25-500 Mhz and 800-1300 Mhz	£475.00

All £2.50 P&P + Insurance

ROTORS

AR 200XL VHF L/Weight	£49.95
Yaesu G400 Medium to Heavy	£139.00
Yaesu G400RC Med/Heavy circular compass	£169.00
Yaesu G800SDX Med/HD 450° turn, variable speed	£325.00
Yaesu G1000 SDX HD 450° turn, variable speed	£368.00
Yaesu KR5400 Elev/Rot HD Dual Control	£279.00
Yaesu G600RC Heavy Duty	£219.00

Carriage Included

YAESU MUSEN

FT 767GX	YAESU
FT 757GX MKII	YAESU
FT 747	CALL AMCOMM NOW
FC 757 ATU	ON 01-992 5765
FP 757HD	FOR LATEST AND
FT 767 2M module	BEST PRICES!
FT 767 6M module	YAESU
FT 767 70cm	YAESU
FL 7000 Lin Amp	CALL AMCOMM NOW
FT 23R	ON 01-992 5765
FT 73R	FOR LATEST AND
FT 790R	BEST PRICES!
FT 690R	YAESU
FT 290R	YAESU
FT 212RH	CALL AMCOMM NOW
FT 712RH	ON 01-992 5765
FRG 8800	FOR LATEST AND
FRG 9600	BEST PRICES!
FT 736 2M 70cm 1.2Ghz	YAESU

All Accessories Available
All Units Add Carriage £6.50

BUTTERNUT CUSHCRAFT
TONNA JAYBEAM
G WHIP HYGAIN MET

AMCOMM



DELIVERY NORMALLY FROM STOCK BY RETURN

WHERE A GOOD DEAL MORE COSTS A GOOD DEAL LESS!

373 Uxbridge Road, London W3 9RH, Tel: 01-992 5765 Telex: 24263 FAX: 01-992 5767 CLOSED MONDAYS

* Huge Range of Secondhand Equipment in Stock * All Previous Advertisements Void E&OE



Impractical?

I have been an avid reader of *Practical Wireless* for nearly 20 years, and during that time I have built many projects, 99 per cent of them successful, I may add. If anyone asked me what was the best construction magazine, without hesitation I would have said *PW* every time, until now.

Just what has happened to *PW*? It seems that ever since you acquired *Short Wave Magazine* the constructional aspect of *PW* has deteriorated. I, like my friends who were under the impression that *PW* would become the Number One constructors' magazine, with *SWM* being the theorists' bible, feel sadly let down. Where are all the major projects that were promised to us? Fair enough,

it's nice to have an occasional one-nighter—remember "Take 20"—but personally I would like something to get my teeth into, something worthwhile relating to the hobby, for example the *PW* "Meon". This in my opinion is one of the best projects that you ever produced.

Is *PW* now following the trends of the other radio mags and becoming what I would call an occasional browsing mag, of limited interest and not worthy of a regular subscription? I sincerely hope not, it would be a crying shame to have to cancel my subscription after 20 years. Maybe I am making a mountain out of a mole-hill, let's hope I am wrong. Maybe a change of title—how about "Theoretical Wireless" perhaps?

No doubt this letter will not be published as it is a criticism of *PW*, but at least I feel better for airing my views and the views of many of my radio amateur friends.

C. R. Dermott G6YPU
Blackpool.

See this month's Comment.—Ed.

Free-loaders?

Over the past couple of years, I have read with ever-increasing incredulity the many and varied letters from would-be "Free-loaders" into the world of h.f. amateur transmitting. Most of the letters showed the writers to be devious, certainly lacking in initiative, but on the whole just plain lazy.

However, the letter from G1FBH in February's *PW* really takes the cake. Why the devil should he assume that any licensed amateur would wish to entertain some half-cocked dabbler in his shack for a couple of years, with a real risk of ending up with damaged equipment, plus the added bonus of having his licence revoked if, to quote G1FBH, "things go amiss"!

Don't misread me. Over the past 30-odd years I have helped many an aspiring amateur to get his ticket, and each one of them worked very hard to obtain a call sign.

Perhaps the latter-day merchants who spend so much time and effort just whining for easy access to the h.f. bands should take a

leaf out of the book of G3MUM and his compatriots of the Radio Amateur Invalid and Blind Club. If anyone deserved an easier access into amateur radio then these gentlemen certainly did, yet they didn't ask for it, neither did they get it, and there's not a whiner among them.

Basically it boils down to this. If you want to use 150, 100 or even 5 watts on the h.f. bands, then you need to get off your backside and work for the privilege to do so. If you're not prepared to do that, then you certainly don't want it enough.

H. N. Kirk G3JDK
Rotherham.

Rallies

Regarding the glut of radio rallies (Comment, January *PW*), the number could be almost halved by making them biennial as at Maidstone (May 28 this year). It's certainly much better for everyone and helps keep standards up, although there don't seem to be many rallies in Kent anyway.

P. J. Pickering G3ORP
Chairman
Maidstone (YMCA) ARS.

PW COMMENT

Impractical Wireless?

IN OUR STAR LETTER THIS MONTH, G6YPU highlights a problem which is facing a number of technical magazines at the present time—a shortage of the right sort of articles.

Talking particularly of the radio hobbyist magazines, the number of copies of any title sold in the UK simply does not support the employment of a full-time development engineer on the editorial staff, as happens in other countries with a larger radio amateur population. This means that we are almost totally dependent upon outside contributors—keen constructors who are able to write clearly and interestingly about their latest pet project. Unfortunately, by no means all of the people developing their own circuits are willing or able to devote time to organising, checking and writing up the details of what they've done, for the benefit of other enthusiasts. Remember, for every "developer", there are many more "constructors", who enjoy getting stuck in with a soldering iron, following the instructions of others, but who do not have the technical background necessary to develop their own projects. The financial rewards for writing up a constructional project for publication don't compare with the sort of salary a professional R & D engineer would receive, of course, so to some extent it's a labour of love.

It might be argued that there are too many amateur radio magazines in the UK at the present time, competing to attract the right sort of articles. Here on *PW* we sometimes try to help potential authors by providing them with assistance in producing p.c.b.s., making performance measurements, or even in buying components where it seems worthwhile. It is not unknown for us to continue to support an attractive project for several years, only to see it eventually come to

naught.

In some ways, designing equipment for home construction is more difficult than designing for manufacture. First of all, the project must use components which are available on the hobbyist market, not always an easy task where radio components are concerned. Secondly, it must be remembered that many readers likely to be tempted to build even quite complex circuits will have no test equipment other than perhaps a multimeter and an absorption wavemeter at their disposal. So, we have to try to ensure that any design published can be correctly aligned, without perhaps filling the ether with harmonics and "sprogies", yet without need for a lab costing many hundreds or even thousands of pounds.

On the question of large projects versus small ones, opinion among our readers is divided. The majority seem to favour the smaller, less expensive items, but to try to satisfy those who prefer something more substantial to get stuck into, we try to have occasional big ones too. Unfortunately, it is usually these bigger ones that tend to fall by the wayside during development, to the intense disappointment of all concerned.

There is no shortage of some types of article, in particular on historical topics. Though these are popular with many readers including, encouragingly, the more youthful, there is obviously a limit to the number of pages we can devote to developments and happenings in those bygone days. Constructional articles are a different matter altogether. We're crying out for them!

On G6YPU's final comment, we're always prepared to publish constructive criticism in *PW*. I guess he must have been thinking of some other journal.

Geoff Arnold

The Future of Amateur Radio—the RSGB Replies

As you so rightly state in your March Editorial, Tony Nailer does paint a gloomy picture of the future in his letter in that issue. He bases his view on four main assertions, namely (1) the Government order affecting 28MHz equipment, (2) the lack of home construction, (3) EMC problems and how they are dealt with, and (4) the increasing cost of equipment.

Tony Nailer is quite right to be concerned about these and other matters. Indeed he shares the concerns of the RSGB, which was founded by enthusiasts such as himself to unite UK radio amateurs in an effort to maintain and develop amateur radio and to ensure that it had a bright future.

One of the most marvellous things about amateur radio is that it is such a diverse activity. To some, home construction is everything, to others, skilful on-air operating gives the most pleasure. There is therefore no typical or average radio amateur since everyone derives his or her own pleasure from some different aspect of the hobby. Long may this continue. The RSGB wishes to encourage every single positive aspect of amateur radio. That includes the fun, pleasure and skill in operating both home-made and commercial equipment. Some commercial equipment is expensive, but I am not convinced that it is more expensive than it was 20 years ago in absolute terms. The costs of manufacture, sale and servicing are always going to be dictated by supply and demand, but the use of commercial equipment is not the only way of enjoying amateur radio on the air. The RSGB's "Project YEAR" (Youth into Electronics via Amateur Radio) is making the Society re-examine the value of simple home-built equipment. We certainly aim to encourage more home-brew, especially for beginners, many of whom will have to work with a very low budget.

Of course, the RSGB exists in order to create and enhance the basic framework in which every UK amateur can achieve their own personal goals and objectives with the minimum of restrictions. New bands, new privileges and new licence conditions do not just happen; they are fought for and won. Changes in society as a whole and new Government, European Community and International Telecommunications Union legislation and regulations are not of the RSGB's making. Neither is the heavy demand for frequencies from other spectrum users and the commercial exploitation of the spectrum caused by the Society. However, the RSGB needs to react as positively as our resources will allow, using both volunteer and staff talents, to any threat posed to the Amateur Service(s). For that reason the RSGB seeks to encourage all caring amateurs to join its ranks because the more support there is the more likely the Society is to be able to counter the problems that will face radio amateurs in the future in an ever increasingly complex environment. The simple truth is that there is more safety in numbers.

Tony Nailer's fears about 28MHz equipment are well founded, but he has overlooked the fact that the RSGB is there to act on behalf of all UK radio amateurs. In fact, as a result of action from the Society, and support from many members, the DTI now plan to issue special orders to alleviate most of the problems which were originally envisaged by radio amateurs—a satisfactory outcome. Hopefully, the new DTI authority will have been published by the time this letter appears in print.

On the question of EMC problems, great inroads have been made in recent years, particularly in making radio amateurs more aware of likely problems and in the Society attempting to provide better advice to its members more quickly. Some EMC cases are very complex and require much patience, but that does not mean to say that the RSGB's

volunteer EMC Committee is not prepared to give advice. In fact, one piece of very complex European Community legislation—known as the EMC Directive—looms large on the horizon. There are some potentially negative aspects of this legislation which the major National Societies in Europe, including the RSGB as a prime mover, are grappling with at present. But on the positive side, we can eventually expect better immunity to radio signals from the mass of domestic electrical equipment and lower levels of radiation from thermostats, time switches and computers. While all this is in the future, the increased awareness about EMC has generally been welcomed. Procedures for dealing with EMC problems have also been discussed at great length with the DTI/RIS and should any member have a problem here then the benefit of the RSGB experience will be passed on whenever possible. To avoid any misunderstanding, let me reiterate that some EMC problems are very complex involving social and technical problems; great patience is often required both by amateurs and their

neighbours to solve such problems.

Of all the problems facing amateur radio in the future, there is none so drastic as the potential loss of our precious frequency bands, for no bands equals no amateur radio. If our numbers decrease in the UK or worldwide and the commercial pressures on the spectrum do not abate, then the argument for transferring amateur allocations to other services will become irresistible. Without the constant vigilance and activity of the RSGB at national level, and the IARU (of which RSGB was a founder and most active member today) at international level none of the eight new amateur bands, including 50MHz, would have been allocated in the UK during the past 10 years. The RSGB does have a fine record of achievement, but none of its work can be maintained without the support of the membership. To those who are genuinely concerned about the future of amateur radio, membership of the RSGB represents the best of investments at only 40p per week.

David A. Evans G3OUF
RSGB Secretary.

Satisfied Customer

I feel I should write to say what excellent service I received recently from Barenco.

I purchased from them at the Blackpool Rally a 25m length of coaxial cable. The weekend following the rally I unrolled same to fit to a new antenna, only to discover I only had 20m. Early the following week I phoned

Barenco to inform them of the error. I was asked for my name and address, apologies were made and later the same week I received from Barenco a 25m length of replacement RG213, and asked to keep the 20m length with their compliments.

In these days of much adverse comment aimed at traders, I feel the foregoing worthy of attention.

Trevor Davies G0JIX
Shrewsbury.

**FOR PW SERVICES
SEE PAGE 46**

Packet

Reading Mark Flett's letter in March *PW*, I found the story of cliques a bit hard to credit. Surely, I thought, radio amateurs **not** wanting to talk about a new mode . . . ?

Then I thought about my own experiences of the last two months—I bought a Kantronics KPC-2 in December—and began to wonder.

When I moved to this area in January 1988 I was already interested in packet since a lecturer at the Aylesbury Vale club had given a demonstration. He also mentioned that all the RTTY boys were now on packet. I had recently discovered the micro and home-brewed myself onto the empty RTTY waves so this remark had some impact!

I spent some eight or nine months trying to make my own TNC (well, I enjoy doing it myself) to no avail. It was just too complicated, although it does seem that Beeb owners can do it for about £40. Alas, I have an Einstein.

But, to get back to the point, in two months of operating I have yet to have a packet conversation with anyone. I have made Connects on half a dozen occasions but never received any but a pre-recorded reply, which, frankly I do not know how to deal with. It's rather like dealing with a telephone answering machine except that no instructions are given.

I have called CQ and

individuals but never a response, though my equipment appears to function normally on 'phone. I have met local operators who are great chaps and have offered me lots of software—for the Beeb—but I cannot at present attend the local club for personal reasons. I have not, obviously, met a packet operator.

My TNC, and I believe most others, allow the "locking out" of unwanted calls, and by listening with the well-known ears I can clearly hear ten times as many packets as ever appear on my screen. What sinister conclusions am I supposed to derive from these facts?

What does appear on the screen is far removed from what the manual tells me to expect. The same station seems to have two, three, five or more call signs and none of them seems to be manned.

Finally, I sent off my 95p plus 20p post and packing for BARTG's *Beginners Guide to Packet Radio* to find it no help and in fact an inferior version of *The Lowe Packet Guide* which is free when requesting TNC details from Matlock!

I can well understand packeteers giving up after a short while. How about (especially in the Humberside area) a few packet enthusiasts starting a 'phone net for the benefit of newcomers? There seems to be plenty of space on both f.m. and s.s.b.

Ted Cawkwell G8VEL
Winterton, S. Humberside.

What about it, you packet buffs? There certainly seems to be a need for local help-groups in some areas to aid the newcomers.

When thinking of computerising any process, the recommended procedure is always: 1. Decide exactly what you want to do. 2. Find the software to do it. 3. Buy the computer that runs that software. This is all very well until you decide you want to do something different, when all too often you'll find there's little or no software to do that task on your chosen computer.—Ed.

Packet—2

I was interested in G3LDI's article (March *PW*) on packet, especially at h.f. It seemed to me that a number of questions were well begged, and the conclusions dubious.

1. "Packet doesn't work at h.f." If it works that well, and is so suited to h.f., why does it have to have an **exclusive** sub-band? We all know h.f. packet is not a robust communications medium, so let's not pretend that it is. Of course it works on a clear channel—it's getting the clear channel that's the problem!

2. Why is 20kHz needed? 1200 baud packet using minimum shift keying and suitable filters in receivers should get about 16 channels into 20kHz (perhaps more, depending on equipment). Currently, s.s.b. bandwidths are used, which isn't very spectrally efficient. So if you need

20kHz exclusive with current receivers, packet only needs about 10kHz if the r.f. technology used was up to the same standard as the digital technology.

3. A 20kHz exclusive sub-band would leave over 200kHz on each band. Unfortunately, 200kHz of s.s.b. stations gives about 70 channels. The proposed 20kHz for packet gives 10 channels at the moment. To justify this, one in seven QSOs would have to be on packet.

4. Most packet operators are gentlemen—the inference being that they stay within the bandplan. This they definitely have not—just listen in the 14.100–14.110MHz segment. Yet Roger is saying that because their mode didn't work in the RTTY segment, they were justified in moving out. Perhaps inferring is more accurate. The packet argument appears to be that they have a mode which isn't robust, they have successfully hi-jacked a band segment by ignoring the existing bandplan, and now they want the odour of sanctity to descend upon their actions. That's a bit much!

Still, progress is necessary, and personally I would support a 10kHz exclusive packet allocation on 14MHz, with 20kHz on 21 and 28MHz. But I do think in return that packet operators should upgrade their r.f. technology to make the best use of the available spectrum.

Peter E. Chadwick G3RZP
Swindon.

HAVING DIFFICULTY GETTING YOUR COPY OF PRACTICAL WIRELESS?

Then place a regular order with your newsagent
NOW!



Dear Newsagent,
please reserve/deliver
my monthly copy of
PRACTICAL WIRELESS

Name _____

Address _____

Signed _____

Distributed
by Seymour

ICOM IC-761



100W, 1.8-30MHz Ham band TX, GCRX, 32 mems, internal ATU & PSU, DFM mixer, 105db dynamic range
IC-761 £2450.00

ICOM IC-751A



100W, 1.8-30MHz Ham band TX, GCRX, 32 mems, SSB/CW/AM/FM/RTTY, 12v operation, 40 wpm QSK keyer
IC-751A £1600.00

ICOM IC-735



100W, 1.8-30MHz Ham band TX, GCRX, and ideal contest or mobile rig, 12v operation, 12 mems, AM/SSB/CW/FM
IC-735 £970.00

ICOM IC-725



RIG OF THE MONTH! 100W, 1.8-30MHz Ham band TX, GCRX, SSB/CW, AM/FM option, DDS system
IC-725 £750.00

ICOM R7000



25-1000MHz + 1.025-2GHz, keypad entry, 99 mems, AM/FM/SSB, comprehensive scanning system
IC-R7000 £980.00

ICOM IC-R71E



0.1-30MHz RX, 32 mems, keypad entry, SSB/AM/RTTY/CW (FM option), DFM system, a classic receiver
IC-R71E £855.00

ICOM IC-3210E



Dual band mobile, 144-146MHz and 430-440MHz, 20 double memories, 25/5W on both bands, duplex capability
IC-3210E £400.00

ICOM IC-32E




Dual band HT, 144-146MHz and 430-440MHz, 20 mems, 5W on 2 and 70, duplex capacity, keypad entry
IC-32E £300.00

YAESU FT-23R/FT-73R



Yaesu's classic compact HT's, 144-146MHz or 430-440MHz, 10 mems, 5W on 2/70, 0.25uV for 12db SINAD, many options
FT-23R/FT-73R from £200.00

YAESU FT-727R



Dual band HT, 144-146MHz and 430-440MHz, 10 mems, 5W on 2/70, cross band capability, CAT V, PSS power system
FT-727 £425.00

FRG-8800



General coverage receiver, 0.15-30MHz all mode, 118-174MHz option, 12 mems, CAT system, keypad entry, 0.4uV sensitivity
FRG-8800 £640.00

FT-767GX



HF/VHF/UHF all mode 100W transceiver, 0.1-30MHz ham band TX, GCRX, 50/144/432 MHz option, built in ATU, digital SWR & power meter
FT-767GX £1600.00

FT-736R



VHF/UHF all mode transceiver, 144-146MHz and 430-440MHz (50MHz and 1.2GHz options), 115 mems, 60 watts, TV option
FT-736R £1350.00

FT-747GX



HF all mode 100W transceiver, 0.1-30MHz, RAYCOM starter pack with our MKII RX improvement mod, free 20A PSU. UNBEATABLE!
FT-747GX from £650.00

FRG-9600



VUHF all mode RX, call for info on our exclusive mode, MK2 60-950MHz, MKS 100KHz-950MHz inc. free ROYAL discone and PSU
FRG-9600 from £400.00

TEN-TEC PARAGON



All mode 100W ham band TX, GCRX, dual VFO, RIT/XIT, 62 mems, alpha display, QSK, five IF filters, PBT, speech proc, RF control
TEN-TEC PARAGON £1800.00

NAVICO AMR1000/S



VHF 25W mobile, 144-146 MHz, 12.525 KHz steps, IARU channels, R0-R7, S8-S23, auto repeater shift/tone burst, digital S-meter
NAVICO AMR1000/S from £247.25

CHALLENGER BJ200



AM/FM scanning receiver, 26-520 MHz (with gaps) includes civil and most military bands, 16 mems, with free RAYCOM air band antenna
CHALLENGER BJ200 £190.00

CTE 1600



VHF HT, (same as IC-2E), 144-148 MHz, 2.5W RF, nicad charger, complete with free 2m mag-mount antenna, while stocks last
CTE 1600 £140.00

AEA PK-232



Multi-mode HF/VHF/TNC, CW, RTTY, ASCII, AMTOR, Packet FAX, Navtex, great software for PC/CBM/BBC, come and try it now
PK-232 £290.00

ANTENNA FARM

CUSHCRAFT
A3 3 ele. beam, 10/15/20, 8dB £262.99
10-3CD 3 ele. beam, 10 m £115.04
R4 vertical, 10/15/20, 3dB £219.00
AV3 vertical 10/15/20 £56.02
Ranger ARX-2B, 2m, 5.5 dBd £42.95
Ranger ARX-450B, 70cm, 5.5dBd £42.73
215WB 144MHz beam, 15db £85.26

BUTTERNUT
HF6V THES-band HF vertical £159.00
TBR-160 160m adapter for HF6V £53.99
STR-II radial kit for HF-6V £33.49
SC-3000 scanner 30-512 MHz £53.99
HF2V vertical 40/80 £142.00

RAYCOM
BB145S broadband magmount £14.95
RCHL21J 2/70 boot mount, 2.5db £19.95
ROYAL 1300 discone £59.50
G5RV full size HF dipole £16.95
G5RV half size HF dipole £14.95
G8KW dipole £24.50
TCLDSB dipole, HF with guys, etc £59.95
TCLDSB dipole, HF with guys, etc £59.95
R30LW 30m long wire £39.95
BTDK trap dipole kit £19.95

OSCAR
70N2DX colinear, dual band £37.75
70N2M dual band colinear £24.95
WX1 base colinear £49.95
2NE fold over 5/8 £13.25

SUNDRIES
Yaesu G400RC rotator £199.95
2-way ant. switch 0-500MHz 'N' £26.99
2-way ant. switch 0-500MHz '239' £19.49
Wide range of MFJ, Sandpiper, MET, Tonna and accessories in stock. Call for details now!

MOBILES

YAESU
FT-211RH 2m/45W £300.00
FT-212RH 2m/45W £340.00
FT-711RH 70cm/35W £340.00
FT-712RH 70cm/35W £375.00
FT-2311R23cm/10W £475.00
FT-4700RH dual band 50/40W £675.00

ICOM
IC-28E 2m/25W £360.00
IC-228E 2m/25W £365.00
IC-228H 2m/45W £395.00
IC-48E 70cm/25W £380.00
IC-448E 70cm/25W £420.00
IC-1200C 23cm/10W £440.00
IC-900 multi-band btr £480.00
IC-UX19 10m band uni/10W £240.00
IC-UX59 6m band uni/10W £240.00
IC-UX29 2m band uni/25W £260.00
IC-UX29H 2m band uni/45W £260.00
IC-UX19 70cm band uni/25W £260.00
IC-UX129 23cm band uni/10W £300.00
IC-3210E 2m/70cm/25W £400.00
IC-3200E 2m/70cm/25W SPECIAL £300.00

NAVICO
AMR1000 2m/25W £247.25
AMR1000 S 2m/25W £299.00

ANTENNA ACCESSORIES
CAPCO SPN-3000 £225.00
MFJ 962B 1.5Kw cross needle £241.95
MFJ 949C 300W cross needle £157.75
MFJ 941D 300W £105.13
MFJ 901B 200W £63.07
MFJ 16010 random wire tuner £42.02
MFJ 931 artificial ground £79.53
FR7 7700 Yaesu tuner £60.95
CC701 TNC RFI filter 3-pack £4.50
R300XL rotator £39.95

HANDHELDS

ICOM
IC-MICRO 2.2m/1W £240.00
IC-02E 2m/2.5W £270.00
IC-2GE 2m/7W £265.00
IC-A20 airband btr/beacon £480.00
IC-A2 airband btr £435.00
IC-04E 70cm/2.5W £340.00
IC-06E 70cm/6W £290.00
IC-32E 70cm/2m £300.00

YAESU
FT-23R 2m/W £200.00
FT-73R 70cm/5W £220.00
FT-727 2m/70cm/5W £420.00
FT-411 2m/5W/keypad £260.00
FT-811 70cm/5W/keypad £260.00
FT-470 70cm/2m/5W/keypad £470.00

CTE
CTE-1600 2m/2.5w plus free mag £140.00

STANDARD
CS00E 2m/70cm £460.00

We always have a good selection of used handhelts and mobiles in stock. Call now for latest list of secondhand rigs and pick up a bargain.

PACKETEERS CORNER
AEA PK-88 TNC £109.95
AEA PK-232 7-mode TNC £279.95
MFJ-1278 7-mode TNC £218.84
PC-PAKRATT for PC/PK-232 £19.95
PK-FAX for PC/PK-232 £19.95
PK-232/BBC £26.95
COMM-PAKRATT for CBM64 £59.95
COM-FAX for CBM64 £59.95
MFJ1284 for PC £22.95
MFJ1282 for CBM64 £22.95

SCANNER SELECTION

At RAYCOM we are particularly proud of our scanner expertise and this has resulted in being able to offer a fine selection of scanners, some exclusive to RAYCOM. Don't take our word for it, come on in and see for yourself. We stock handhelds, base scanners and extended coverage mobiles including the unique RZ-1 mobile scanner. Check out our stocks of Bearcat 200XLT's, you might be in luck and get one at the best price around, only £199.99 complete with nicad and charger. Don't delay, we can't repeat this offer! By the way, don't forget to ask for your free 'Where to Listen' guide when you pick up your scanner! 73.

Bearcat BC200xLT

AL THE BEST HANDHELD VHF/UHF SCANNER

COVERS 29 TO 956 MHz (with some gaps). Covers all popular VHF/UHF/PMR Amateur/Air Band/Marine/Cellular and many other interesting frequencies. Features include:

- * 200 memory channels
- * helical antenna
- * nicad pack and charger
- * green backlight for keyboard/display
- * super fast scan/search

only **£229.99** (save £30)
plus £10.00 post/packing/insurance

RAYCOM COMMUNICATIONS SYSTEMS LIMITED, INTERNATIONAL HOUSE, 963 WOLVERHAMPTON RD, OLDBURY, WEST MIDLANDS B69 4RJ. TEL 021-544-6767, Fax 021-544-7124, Telex 336483 IDENTI G.

RAYCOM

COMMUNICATIONS SYSTEMS LIMITED

RAYCOM gives you more BUYING POWER

ALL MAJOR CREDIT CARDS ACCEPTED. BC, ACCESS, DINERS. INSTANT CREDIT UP TO £1000 (SUBJECT TO STATUS) WITH RAYCOM CREDIT CARD (APR 29.5%). FREE CREDIT ON CERTAIN ITEMS AT MRP. CALL NOW FOR MORE DETAILS.

ORDERING INFORMATION

WE STOCK ICOM, YAESU, BEARCAT, MFJ, BUTTERNUT, CUSHCRAFT, AEA, TONNA, NAVICO, TEN-TEC AND WELZ AMONG MANY OTHERS. CALL FOR FULL LIST.

TEL: 021-544-6767

PHONE BEFORE 4PM FOR NEXT DAY DELIVERY. MAIL ORDER PLEASE INCLUDE £10.00 P.P. PLEASE ALLOW TIME FOR PERSONAL CHECKS TO CLEAR. MANY OTHER ITEMS IN STOCK. PLEASE CALL FOR MORE INFO AND FOR EXTRA SPECIAL DEALS!

INFOLINE 0836-282228 5-9pm (ex. SUN)

OPENING HOURS 9.5.30 MON TO SAT, LATE NIGHT FRIDAY 'TIL 7 PM. 73 DE RAY G4KZH AND JIM G8ZMP

TM1000 ATU

Nevada have recently introduced a new MkII version of the TM1000 antenna tuning unit. This version covers 1.8 to 30MHz continuously and is now capable of handling 2kW p.e.p.

The input impedance of the unit is 50Ω (resistive) and the load impedance is 50–500Ω with a v.s.w.r. of 10:1 or less. The unit measures 330 x 114 x 267mm. The price is the same as original unit, £168.

For other details, contact:

Nevada,
189 London Road,
North End,
Portsmouth,
Hampshire PO2 9AE.
Tel: 0705 662145.

Clean Connection

Whether it is a specimen to be cleaned, a connection to be made perfect or two components to be made clean for adhesion, you do need some method of providing that cleanness.

Gunson's Speedplate pencil uses a tip made up from a bunch of glass fibre strands. It is in a propelling type case so that only a small piece of the 300mm refill is exposed.


It's actually very easy to use, you just gently rub the offending area and it removes the dirt and grime to give an oxidation-free surface. It worked very well on some old components I had in the junk box.

The Speedplate pencil is available from car and accessory counters of many high street shops. It costs £3.34 which includes two refills and packs of ten refills cost £2.99.

Gunson's Ltd.,
Pudding Mill Lane,
London E15 2PJ.

Berlin Video Fair

The Video Fair will take place from August 25 to September 3 in Berlin. Flights and accommodation can be booked through the organisers. For enquiries and reservations telephone: 01-408 0111.



HMS Plymouth Group

Members of the Royal Naval Amateur Radio Society living in the Devon and Cornwall area have formed an HMS Plymouth Group to be responsible for amateur radio operations from the Falklands veteran HMS Plymouth based at her namesake city.

The ship will be open to the public from March 29 until October. There will be a charge for admission.

The intention of the radio amateur group is to provide—as far as possible—a replica radio room (W/T office) and at the same time carry on radio contacts which will be seen and heard by visitors. Frequencies in use will be the usual h.f. and v.h.f. bands and QSL cards will be sent to all contacts via the bureau. The callsign has yet

to be allocated, but it is hoped to re-issue the old Devonport signal letters GUZ and the ship would then be using GB3GUZ.

Members of the RNARS both at home and abroad are invited to join the group at an annual subscription of £2. This should be sent to the **Hon. Treasurer, Chris Harper, 24 Cunningham Road, Tamerton Foliot, Plymouth PL5 4PS.** Other financial offers would be gratefully accepted and applied to the provision of additional equipment.

HMS Plymouth, the last of the Type 12 Frigates, is at present "in retirement" and was heading for a watery grave as a missile target. Since then the Warship Preservation Trust and a strong team of volunteers have worked small miracles to open the ship for public display.

Collins Owners Club

The objective of the Collins Owners Club is to bring together owners of Collins amateur radio or related equipment who would like to contribute to maintaining the marque.

The membership is mostly within the UK, but some are from Europe. It isn't intended that the club has a world-wide membership, nor that it provides a service facility or spare parts. The club does provide a copy of the list of members, their addresses and equipment and a newsletter published three times a year. They hope then that members will

communicate amongst themselves on specific problems/details or through the newsletter in the case of sales and wants, etc.

If you are interested in joining the club, all you need to do is send a number of **first class** stamped self-addressed A5 size envelopes and your details to the address below. By return you'll get a copy of the list of members and the latest newsletter. The remaining envelopes will be used to send you subsequent newsletters. **Collins Owners Club, 4 Leam Crescent, Solihull, West Midlands B92 8PD.**

Young Amateur of the Year

The DTI have announced their sponsorship of the Young Amateur of the Year Award for 1989. Anyone who is under 18 and:

is keen on d.i.y. radio construction or is interested in using radio and gaining operating skills or

is using radio for a community service, such as helping the disabled or in emergency communication networks or

is good at encouraging interest in amateur radio or is involved in amateur radio in any way, such as in a school scientific project, is eligible for the 1989 Award and its £250 cash prize.

The prize, for the most outstanding achievement between 1 April 1988 and 31 July 1989 will be awarded by the DTI and presented at the RSGB HF Convention in October.

The DTI will also send every genuine entrant a copy of the coloured chart of radio frequency allocations. The winner gets to see the DTI's radio experts at work at the RIS at Baldock in Hertfordshire.

The closing date for applications is 31 July 1989. Entrants **do not** need to be a radio licence holder to enter. The competition is open to anyone in the UK, the Channel Islands or the Isle of Man, who is under 18 on July 31.

Applications or nominations for the Award must be sent to:

The Secretary,
RSGB,
Lambda House,
Cranborne Road,
Potters Bar,
Herts EN6 3JE.
Tel: 0707 59015.

Rare WAB Squares

Two rare squares in Essex will be activated by GOKSY/P and G6XOU/P on the 7 and 144MHz bands on the following dates: Square TR09 on Saturday May 13 from 0930 to 2100UTC. Square TM00 on Sunday May 14 from 1030 to 2100UTC.

Practical Wireless, May 1989



Catalogues

The IR Group has produced its 1989 instrument sales catalogue. It's a 110-page publication featuring a comprehensive range of test and measuring instruments. Many products in the catalogue are also available under a rental or leasing agreement.

Products in the new catalogue include oscilloscopes, signal sources, multimeters, power supplies and logic analysers. There is also special-purpose test equipment for TV/audio, datacomms and fibre-optic applications.

The manufacturers featured are Tektronix, Philips, Marconi, Hitachi, Grundig, Thandar,

Racal and Stag.
**IR Group,
Dorcan House,
Meadfield Road,
Langley,
Slough SL3 8AL.**

Unitel have recently published their 56-page catalogue on capacitor ranges from AVX, Beck, Kemet, Murata-Erie, Philips, Siemens, Syfer, Thomson and Wimpey-Dubilier.

Fully illustrated, the publication is free-of-charge and provides technical and pricing details on a wide variety of products. For further details, contact:
**Unitel Ltd,
Unitel House,
Fishers Green Road,
Stevenage,
Herts SG1 2PT.
Tel: 0438 314393.**



Gold Connectors

Rendar have recently introduced a range of gold-plated jack plugs and RCA phono connectors.

Standard and miniature jack plugs are available with two and three-pole options allowing both mono and stereo operation. RCA phono connectors include cable plugs and panel-mounting sockets. Coil-

spring cable restraints are featured for both types of connector. Red or black plastics coding rings make visual channel identification quick and easy.

For further information on these products, contact:
**Rendar Ltd,
Durban Road,
South Bersted,
Bognor Regis,
West Sussex PO22 9RL.
Tel: 0243 825811.**

Antex Literature

Antex (Electronics) Ltd, have just published a new brochure called **Precision Soldering**.

Apart from details of their product range, this brochure also covers soldering topics, temperature controlled soldering benefits, safety in education and other topics.

The booklet is available from:
**Antex (Electronics) Ltd.,
2 Westbridge Industrial
Estate,
Tavistock,
Devon PL19 8DE.
Tel: 0822 613565.**

Adventure Expedition

Anyone interested in an adventure expedition to the rainforests of Belize and Guatemala in 1990?

It is hoped that the expedition will include some major firsts, not least an altitude traverse of a little explored mountain range. Therefore, communications will be a vital part of the success of this trip. Those on the trip so far have little experience of radio communications, and are looking for someone who does. A domestic, mobile and international radio network needs to be worked out.

So if you would like more details of what's involved in this trip, contact:
**Mart H. Hughes,
47 Monksbury,
Bath BA3 9HR.**

Packet Shop

Andrews Computer Services Ltd (ACS) have recently opened a packet radio and computer shop. The address is 35a Chalk Hill, Watford, Herts., which is just under Bushey Arches. The shop is open Monday to Saturday from 9am to 5.30pm.

There is a live packet station form demonstration of various TNCs as well as a wide range of computers, printers and other peripherals. They also hold a range of public domain amateur radio software. This is available for a small charge to cover the cost of disks and duplication (free if you purchase a computer!).

All enquiries are now dealt with on the Watford shop telephone number which is: 0923 229222 (the FAX number is: 0923 242102).

ADVERTISEMENT

TEMPERATURE CONTROLLED POWER

TCS 240

A new top quality temperature controlled 50 Watt power iron available in 240V, 115V, 100V or 24V yet measuring only 22.4 cms long.

- 200° to 450°C temperature range
- Analogue Proportional control within $\pm 1\%$
- Up to 450°C in 60 seconds
- Ceramic heater element
- RTD sensor

Ideal for Production, Maintenance, Repair or educational work.

**FOR
PRECISION
SOLDERING ...**



2 Westbridge Industrial Estate, Tavistock,
Devon PL19 8DE
Tel: (0822) 613565 Fax: (0822) 617598
Telex: 9312110595 AEG



Rallies

April 23: The Swansea ARS Rally will be held in the Swansea Leisure Centre from 10.30am to 5pm.

There will be trade stands, bring & buy, bookstall, h.f. & v.h.f. demo stations, catering and talk-in via GB2SWR on S22. Further details from **Roger Williams GW4HSH on 0792 404422**.

April 30: The Kelso ARS will be hosting the 6th Anglo-Scottish Rally in the Tait Hall, Kelso. The rally is open from 11am to 5pm. There will be the usual stands, talk-in on S22, Morse tests (booked through the RSGB), bar, hot and cold snacks, raffles, etc. The entrance fee is £1, junior ops, YLs and XYLs are welcome and admitted free. For further information, contact: **Bruce Cavers. Tel: Kelso 24654**.

April 30: The British Amateur Television Club will be holding their 1989 rally in new and larger premises. This year they'll be using the Founders Suite at the Coventry Crest Hotel. This is located on the A46, about 450m south of junction 2 of the M6. There will be the usual wide range of trade stands and demonstrations covering all aspects of both amateur and satellite TV equipment. The hotel training centre has been made available for technical lectures which are to be given in the afternoon. There is ample parking and the rally opens at 10am. Admission is free to BATC members who bring their ticket from CQTV and 50p to non-members.

May 7: The Southend & District Mobile Rally will be held at Roach Way Youth Centre, Rochford, Essex. Doors open at 10am. More details from: **Ted G4TUO. Tel: 0702 202129**.

May 21: The "Hobbies Fair" is the first event in the Science Museum's Wroughton 1989 season. As well as radio this event covers a wide range of interesting hobbies and also offers the rare opportunity to see some of the Science Museum's stock of aircraft

and other transport items which are stored in the hangars. Wroughton Airfield is south of Swindon, Wiltshire and easily reached by road.

May 21: The Parkanaur Rally, organised by the Mid-Ulster Amateur Radio Club will be held at the same venue as last year, the Silverwood Hotel, Lurgan, Co. Armagh. Doors open at 12 noon and the entrance fee is £1. The usual trade stands, bring & buy, bookstall, QSL Bureau will be there and talk-in will be on S22. Proceeds from this rally go to the Stanley Eakins Memorial Fund, Parkanaur, near Dungannon, so the club hope for a really good turnout of everyone interested in all aspects of radio and electronics.

May 28: The 13th Annual East Suffolk Wireless Revival will take place at the usual venue of the Civil Service Sportsground, Straight Road, Bucklesham, Ipswich. That's between Bucklesham Road and Felixstowe road, (now the A1156) and adjacent to the Suffolk Showground. There will be the usual traders, an RSGB book stand, and antenna testing range, bring & buy, car boot sale, transceiver clinic, etc., plus non-radio stands, a children's play area and a model flying display. Doors open at 10am. Further information from: **Colin Ranson G8LBS, 100 Stone Lodge Lane West, Ipswich IP2 9HR. Tel: 0473 464047**.

May 28: Plymouth Radio Club are holding their mobile rally at Plymstock School, Church Road, Plymstock. Doors open at 10am and there is a large, free car park, refreshments, raffle, trade stands, demonstrations and talk-in on S22. Full details from: **Joe G1RXR on 0752 509855**.

May 28: The rally will be at the Maidstone (YMCA) Sports Centre on the A229 at Loose Village. Admission is £1 at 10.30am, but disabled visitors can get in free at 10am. There is also free overnight parking with a snack bar, showers, etc.,

available. There are children's videos and a playground, GB2YSC active on all bands, ATV demo, a beer tent and all the usual trade stands. For more details, contact: **G6FZD. Tel: 0622 50709**.

May 29: The Doncaster Radio Rally will be held at the Bircotes Sports Centre, near Bawtry, Doncaster. This rally is organised by the Doncaster RAYNET Group and they rely on this rally as a source of income to keep the group running.

***June 11:** The Royal Naval Amateur Radio Society's Annual rally is scheduled to be held at HMS Mercury again this year. More details nearer the date.

June 11: The Mid Lanark Amateur Radio Society are having their open day at the Community Education Centre, Newarthill, by Motherwell. This is on the A723, 12km south of the Newhouse interchange on the M8. There will be trade stands, bring & buy, demonstrations of packet, RTTY and QRP together with lectures and the award of the Society's annual EHI Trophy. Talk-in is on S22 and refreshments will be available.

***June 25:** The 32nd Longleat Amateur Radio Rally will be held as usual in the grounds of Longleat House, Warminster, Wiltshire. This rally is always popular as it offers something for the whole family. More details from: **Shaun O'Sullivan G8VPG, 15 Witney Close, Saltford, Bristol BS18 3DX**.

July 9: The 1989 Droitwich Strawberry Rally will take place at the High School, Droitwich. There will be trade stands, a bring & buy, family entertainment and strawberry fields (weather permitting). There is both free entrance and car parking. Details from: **Derek Batchelor G4RBD. Tel: Worcester 641733**.

July 15: The Cornish Radio Amateur Club rally will be held at Richard Lander School, Truro. There will be the usual trade stands, a bring & buy, computer displays/demos and

refreshments. There is plenty of free parking as well as attractions for all the family. More details from: **Rolf Little. Tel: 0872 72552**.

July 23: The Burnham Beeches and Maidenhead & District ARC's are staging the sixth McMichael Rally at the Haymill Centre, Burnham, near Slough. Doors open at 10.30am (10.15 for disabled visitors). The CAMRA bar will again be attending. Tea, coffee and food will also be available. There's ample car-parking on site and the car boot sale will be staged again this year. Attractions include radio-controlled cars, ATV groups, packet station and the h.f. station GB4MR. Entrance fee is £1 and the car boot area will be £5 per car and driver for the day. Contact: **Bob Hearn G0BTY on 0494 29868**.

July 30: The Hilderstone Radio Society are holding their rally at Hilderstone College, St Peters Road, Broadstairs, Kent. There will be trade stands, a bring & buy, a talk-in station, raffle, refreshments, a licensed bar, etc. Contacts are: **Alan on 0832 593072 or Ron 0304 812723**.

***July 30:** Scarborough ARS are holding their annual rally at the Spa, on the South Shore Seafront, Scarborough. This is close to the beach and all the entertainment, so there will be something for all the family. Doors open at 11am. There will be trade stands, bring & buy, refreshments and bar, with talk-in on S22. Details from: **G4UQP on 0723 376847**.

***August 13:** Hamfest '89 will be held at the Flight Refuelling Sports Ground, Wimborne, Dorset. Gates open at 10am and there's free car parking as well as overnight camping facilities. The day will feature radio and electronics trade stands, field displays and a craft and gift fair. More details from: **Rob G6DUN. Tel: 0202 479038**.

August 28: The Huntingdonshire ARS are holding a junk sale at The Medway Centre,

Coneygeare Road, Huntingdon. Doors open from 10.30am to 5pm. Food and drink will be available all day and you can rent a table to get rid of all your junk for £5. The contacts for the day are: **G1YVS on 0487 830212 or G8LRS on 0480 56772.**

September 10: The Preston ARS 22nd Annual Mobile Rally will be held at Lancaster University, as in previous years. It will be in the Great Hall, Nuffield Theatre, Minor Hall and A35 (for the bring & buy). The licensed bar and snack bar will be located in the Great Hall foyer. A separate restaurant will be available at lunch time, too. Contact:

Godfrey Lancefield on 0772 53810.

September 10: The 6th National Amateur Radio Car Boot Sale will be held at the Shuttleworth Collection, Old Warden Aerodrome, near Biggleswade. Trading starts at 10am. Fly-in is available and permission can be obtained on Northill 288. Further details on the boot sale can be obtained from: **Tony Kelsey-Stead. Tel: Luton 508259.**

October 1: The Great Lumley Radio Rally will be held at the Community Centre, Great Lumley, Chester-le-Street, Co. Durham. More details nearer the date.

November 19: The Bridgend & District ARC will be holding their 1989 rally at the Bridgend Recreation Centre, Angel Street, Bridgend, Mid-Glamorgan. Doors open at 11am.

** Practical Wireless & Short Wave Magazine in attendance.*

If you are organising a rally and would like it mentioned in *Practical Wireless*, then drop us a line, preferably as soon as you have fixed the date, but no later than 6 weeks in advance (marking your envelope Rally Calendar) and we'll do the rest. Please make sure that you include all the details including such essential information as the venue, starting time, special features and a contact for further information.

QRP Power Meter

Hamgear Electronics intend to increase their product range to cater more for the QRP transmitting amateur. Their first design is a power meter.

The Hamgear QRP Wattmeter is designed for those amateurs who enjoy QRP transmitter construction. It is basically a non-radiating 50Ω load for use on transmitters, driver stages and v.f.o.s. It has five switched ranges: 0-10W, 0-1W, 0-100mW, 0-10mW and 0-1mW. A further switch position gives field strength only. Provision is also made to couple in an oscilloscope so that waveforms may be observed at the same time that power is read.

The cost of the meter is £36 including postage and details are available from: **Hamgear Electronics, 125 Wroxham Road, Sprowston, Norwich NR7 8AD. Tel: 0603 405611.**



Fused for Safety

TMK Instruments have announced the availability of fused test prods as part of their current safety campaign. They comply with the requirements of Guidance Note GS38 from the Health and Safety Executive and the Electricity Council's Engineering Recommendation M.15/4 CEEB Standards.

Manufactured using a tough, high-impact nylon casing, both the red and black prods have moulded finger grips and guards for additional safety. Internal contacts, assemblies and tips using solid brass,

phosphor bronze and silver plating.

The 4mm banana plugs have safety shrouds with a smooth spring-loaded action which helps when changing over to the moulded crocodile-clips.

Easy multi-turn access to the fuse assembly allows simple replacement of the recommended 500mA fuse. They are supplied as a pair of test prods in a wallet for £24.95 excluding VAT. Croc-clips are available at an extra cost.

TMK Instruments Ltd., Building 3, GEC Estate, East Lane, Wembley, Middx HA9 7PJ.

Special Event Stations

GB2TVC: The Thames Valley College will be operating this special event station from April 14 to 28. This is to celebrate the college's launch into the new Polytechnics and College funding council sector. From April 1 they will be independent from local authority control. The station will be operating on all h.f. bands and 144MHz using RTTY, AMTOR, s.s.b. and c.w. They welcome contacts especially from Universities and other higher Education Institutions worldwide and a special QSL card will be sent to all contacts.

GB2NTS, GB2NTU, GB2NTW and GB2NTE: On July 29/30 four stations will be on the air from different National Trust properties, one each in Scotland, Ulster, England and Wales. Hopefully Ireland will make up a fifth country (EI). If you live overseas and can contact two of these stations, or if you live in the

UK/Ireland and contact three stations there is a Commemoration Certificate available. Overseas the cost is \$1 or equivalent return postage by Air Mail, UK/Ireland it requires a 19p s.a.e. You need to send QSL cards or log extracts to: **Scottish Tourist Board (Radio Amateur) Expedition Group, PO Box 59, Hamilton, Scotland ML3 6QB.**

GB2WW & GB4BOB: During 1989, the Bedford & District Amateur Radio Club plan to commemorate the outbreak of the Second World War by operating several Special Event Stations using the call signs GB2WW and GB4BOB.

The locations will include a number of former RAF and USAF stations in and around the Bedford area which were in use during the hostilities.

Further details can be obtained from the Special Events Manager: **Ray GOEYM, 30 Cotswold Close, Putnoe, Bedford MK41 9LR. Tel: 0234 244506.**

VHF Comms in the UK

Many will have heard of *VHF Communications*, but not so many will have seen a copy in recent years.

Due to problems in the past, it has been several years since a UK agency existed. Consequently, obtaining the magazine, back issues, binders, kits, p.c.b.s, etc., has been somewhat difficult. A full service is now available through Mike Wooding.

VHF Communications contains constructional articles on transmitters, receivers, demodulators, test equipment, r.f. amplifiers and pre-amplifiers. In fact, on all subjects to do with v.h.f., u.h.f., and s.h.f. communication in the amateur bands.

The subscription rate for 1989 is £8.75 including all postage costs. If you're interested, send a cheque, payable to M. Wooding, to: **Mike Wooding, 5 Ware Orchard, Barby, Nr. Rugby CV23 8UF. Tel: 0788 89-365.**

What is Happening to Our Society?

Those of you who are "into" packet radio and watch the bulletin boards may well have seen displayed there the text of a letter written by Trevor Preece G3TRP, recently appointed Editor of *Radio Communication*, to Ken Willis G8VR, the VHF/UHF Columnist of that journal for the past seven years.

It is, of course, the job of an Editor to organise the material in his publication in the way which he considers will appeal to the readership. Sometimes that may involve making major changes, perhaps with a contributor being replaced by someone new—not a pleasant part of an Editor's job, but a responsibility which goes with it. There are, however, right and wrong ways of dealing with such matters.

We are not in the habit of publishing correspondence between third parties in *PW*, but in view of the publicity which this particular letter has already received on the BBS, and its indication of a disturbing attitude within the RSGB, I feel that it deserves a wider exposure. It has been suggested that the letter must be a hoax; I am assured that it is quite genuine.

On several occasions in recent years, at times when dissatisfaction with the workings of the RSGB has become more widespread than usual, it has been suggested that an "alternative" national society should be formed. Not surprisingly, that idea is being mooted again now. Although I share the concern about the present state of the Society, my personal feeling is that it is better to try to change it from within. Having two competing societies could very rapidly degenerate into total chaos, which would certainly not be good for amateur radio in the UK.

It would be interesting to know how many *PW* readers would support an alternative independent society, and how many would have nothing to do with it. What is your feeling? Your vote of "YES"—in favour, or "NO"—against, on a postcard or the back of a sealed-down envelope, addressed to our editorial offices and marked "RSGB", would help us to gauge the strength of feeling. No letters, please!

Geoff Arnold G3GSR

RADIO COMMUNICATION

Journal of the Radio Society of Great Britain

Lambda House, Cranborne Road, Potters Bar, Herts EN6 3JE

TEL: 0707 59015



4 February, 1989

Ken Willis, G8VR
6 Lerryn Gardens
BROADSTAIRS
Kent
CT10 3BH

Dear Ken,

VHF/UHF COLUMN

I shall have to admit, in my first sentence, that the content of this letter will not please you. I always hate to cause upset to anyone, and if I could take the easy way out, I would do nothing. But life is not like that.

As you know, I have recently been taking stock of RadCom, and its "sectional conflicts". You mention in your latest letter the problems which you experienced with John Nelson upstaging you, and I am acutely aware of the fact that this sort of thing cannot go on any longer. I decided to keep the band activities together, and get this under some "central control", in order to iron out duplications and ambiguities. I want hot news moved into the front-end news pages – something which you do not appear to be too happy with. But I really do think that this is the more logical approach, even though it's going to be a nightmare to control at first.

Decisions have to be made, and I have now resolved to structure the band reporting in a "tree" fashion, with John Nelson at the top of the "tree". John will be amalgamating reports from the principal areas of HF, VHF, UHF and MICROWAVES. He will take the copy in, by "wire", from principal contributors, who in turn will take as much in by the same process as possible. Telecom Gold mailboxes will be flourishing. John will pass the tidied-up copy down the line to David Gough for page-makeup. Norman Fitch has offered to compile the VHF and UHF sections, and I am coming to an agreement with him for his contributions to start with effect from the June issue.

I must – in personal vein unhappily – ask you to stand aside as columnist after contributing your May column.

How you accept this I have no idea, but clearly it will be with great disappointment, and maybe with anger. I sincerely hope that the latter is not the case. But I will understand.

You have served RadCom faithfully for many years, and that will, I am certain, be appreciated by many readers. You may not wish to labour the end of your "term" in print, but should you wish to pass comment in your column, I will be happy to print it. You may even appreciate a suggestion from me that someone include a "vote of thanks" – apart from anything which I could put into print. If you can nominate a colleague who has known you and your column well who could prepare such a notice, do let me know.


One thing is certain in my mind – I do not wish to see the end of your contributions to RadCom. You will be in receipt of valuable information, and I would like to propose that you be one of the first to be on my list of "Information Providers", who sleuth out copy for our news pages and provide items for publication. I have in mind a fee for such published items, plus a monthly fixed, but nominal, retainer, for keeping your eyes open. Please let me know if you would like to discuss this further.

I mentioned before that I have in mind to include some form of column for beginners. That is in addition to D-I-Y Radio. Would you be interested in helping in its inauguration? Your experience and knowledge would help considerably, and it might work to the common good if you were able to liaise with another contributor I have in mind – a young and literate (though maybe biased – I haven't met him yet) amateur who has potential. We need to do more for the newcomer and young amateur. I append some correspondence from him for you to peruse.


I am sorry to steal your thunder, Ken. I do hope that we shall not fall out over it.

With kind regards.


Trevor Preece, G3TRP
Editor



The new AMR1000/S It checks out from every angle




Whichever way you look at it, the Navico AMR1000/S sets new standards in 2m mobile transceivers.

The angled, reversible control panel, together with a range of inexpensive optional mounting brackets enables installation in any vehicle, whether under or on top of the dash, either side of a central console or even from the roof.


This means the display will always face you giving total access to the controls which are spaced to allow simple, safe, mobile operation. The front mounted loudspeaker will also face you, projecting the sound toward you and not at your feet or into the dashboard.

Combine this with the most sensitive and selective receiver, an audio response tailored for today's busy band and the unique, fully automatic repeater/simplex operating facilities and you have a truly remarkable mobile radio.


There is also a choice of models to suit your exact




Under dash mounted (side)



Under dash (central)



Central console mounted



Roof mounted

needs. In the words of Chris Lorek of HRT about the Navico AMR1000/S "Not only does it out-perform its competition on technical grounds but it offers many very useful operating features not found on other rigs, and sells at what appears to be a very competitive price".

Check it out for yourself, prices start at just £247.25 (incl. VAT). For more details and to arrange a personal

demonstration clip the coupon today.

PRIORITY INFORMATION REQUEST

For full details send to:

**Navico, Star Lane, Margate, Kent CT9 4NP,
United Kingdom. Telephone: 0843 290007.**

Name

Address

Tel

The professionals in amateur radio

NAVICO

Shhhhhhh

Keep this
to yourself!
the **NEW**
TRX404
TRANSCEIVER
is going to
upset the
competition

...JUST LOOK AT
IT'S FEATURES

FEATURES

- ★ **A UNIQUE NOISE SQUELCH SYSTEM** Ensuring you hear only FM transmissions through the Squelch and not interference.
- ★ **A SUPERB RECEIVER** Using double crystal filters that drastically reduce co-channel interference (Bleedover).
- ★ **A PROVISION FOR SELECTIVE CALLING** Using our new SR316D Sel Call unit that simply plugs into a socket provided on the TRX404.
- ★ **A SWITCHABLE 'ROGER' BLEEP**
- ★ **A 4 WATT TRANSMITTER THAT DELIVERS 'PUNCH'.**



MATCHING SELECTIVE CALL UNIT - £59.95

AND ALL FOR JUST

£69.95

AVAILABLE FROM AUTHORISED
DEALERS THROUGHOUT THE UK



THE TRX404 27MHz TRANSCEIVER IS AVAILABLE IN TWO MODELS

MODEL TRX404UK.
MODEL TRX404
MODEL SR316D

ON THE STANDARD UK CHANNELS
FULLY APPROVED C.E.P.T. RADIO
MATCHING SEL CALL UNIT FOR BOTH MODELS

DISTRIBUTED IN THE UK BY:—

NEVADA

TEAM UP WITH THE BEST


189 LONDON ROAD NORTH END PORTSMOUTH PO2 9AE

TEL: (0705) 662145 FAX: 0705 690626

Special Offer

To *PW* readers—a special pre-publication offer on the Twentieth Edition of *Guide to Broadcasting Stations*, edited by Philip Darrington.

Save £1.00 off the published price of £9.95



The *Guide to Broadcasting Stations* has been continuously in print for forty-three years, and during that time has sold well over 300 000 copies. This 1989-90 edition appears in a new, larger, easy-to-use format.

Around the world some thousands of radio stations are sending signals. If you're receiving, this standard guide will tell you who's where. It lists stations broadcasting in the long, medium, and short wave bands, dealing with them by frequency, geographical location and alphabetical order.

Contents include:

- ★ Choosing a short wave receiver, by Richard Lambley
- ★ A guide to listening
- ★ Writing useful reception reports
- ★ New indoor short wave aerials, by George Short

- ★ Clubs ★ Magazines ★ Tape cassettes
- ★ Computers in radio, by Jonathan Marks
- ★ Special programmes for radio enthusiasts
- ★ Broadcasts in English
- ★ And much more

Philip Darrington is Consulting Editor of *Electronics and Wireless World*.

The *Guide to Broadcasting Stations*, Twentieth Edition (ISBN 0 434 90309 4) is in paperback, comprising 224 pages 216 × 138mm with 20 illustrations, and will be published by Heinemann Newnes. The special pre-publication offer price to *PW* readers is £8.95 including post and packing. (Books are zero-rated for VAT.)

HOW TO ORDER

Complete both coupons in ink, giving your name and address clearly in block capitals. Coupon (2) will be used as the address label to despatch your book to you.

Send the coupons with your cheque to: Practical Wireless, Book Offer (May), Enefco House, The Quay, Poole, Dorset BH15 1PP. If you wish to pay by credit card (Access, Mastercard, Eurocard or Visa only), please fill in your card details and sign the coupon where indicated.

Available to readers of *PW* in England, Scotland, Wales, N. Ireland, the Channel Islands and the Isle of Man. Orders are normally despatched within 28 days, but please allow time for carriage. **The closing date for this offer is 5 May 1989.**

(1)

To: PRACTICAL WIRELESS, Book Offer (May),
FREEPOST, Enefco House, The Quay, Poole Dorset BH15 1PP

Please send me *Guide to Broadcasting Stations* @ £8.95

Name

Address

Post code

☐ I enclose cheque/PO (Payable to PW Publishing Ltd) £.....

☐ Charge to my Access/Visa Card the amount of £.....

Card No.

Valid from to

Signature TEL:

(2)

Name

Address

Post Code

If you do not wish to cut your copy of *PW* you must send the corner flash with full details and remittance.

PW Publishing Ltd., Poole, Dorset (Reg. No. 1980539, England)

**Guide to Broadcasting Stations
Book Offer
May 89**

A Two-tone Oscillator

Test Equipment—Backbone of Amateur Radio

In this second part of his article on transmitter testing using a two-tone signal, Roger Alban GW3SPA describes the design process for the Wien Bridge oscillator and the low-pass filters, and concludes with a description of the complete unit.

The Wien Bridge Oscillator

One of the simplest audio oscillators to construct is the Wien bridge oscillator. It consists of a series CR circuit in one branch of the bridge and a parallel CR circuit in another branch. In the oscillator circuit shown in Fig. 2.1, these components are R1, R2, C1 and C2. The circuit will oscillate at a frequency of F_o when the phase of V_i is identical to the phase of V_o . The frequency of F_o in terms of the circuit component values is given by:

$$F_o = \frac{1}{2\pi(R_1 \times R_2 \times C_1 \times C_2)^{1/2}}$$

If R1 is equal in value to R2 and C1 is equal in value to C2, then:

$$F_o = \frac{1}{2\pi RC}$$

If C is made to be a preferred value such as a 0.047μF (47nF), then the value of R will be given by:

$$R = \frac{1}{2\pi F_o C}$$

For the oscillator to produce a 700Hz sinewave, the value of R will be:

$$R = \frac{1}{2\pi \times 700 \times 0.047 \times 10^{-6}} = 4.86k\Omega$$


Using preferred value resistors, the value of R can be obtained by placing in series a 4.7kΩ resistor and a 100Ω resistor.

For the oscillator to produce a 1900Hz tone, the value of R will be:

$$R = \frac{1}{2\pi \times 1900 \times 0.047 \times 10^{-6}} = 1.78k\Omega$$

Careful selection of the 1.8kΩ resistors will result in the Wien bridge oscillator operating at 1900Hz.

Fig. 2.1



Oscillation cannot be sustained unless the positive feedback through R2, C1 and C2 is equal to the forward gain controlled by R3 and R5. The gain through the Wien bridge at the frequency of oscillation F_o is:

$$AF_o = 1 + \frac{R_2}{R_1} + \frac{C_1}{C_2}$$

If $R_1 = R_2$, and $C_1 = C_2$, then:

$$AF_o = 3$$

The forward gain of the operational amplifier at d.c. is:

$$A_{dc} = 1 + \frac{R_3}{R_5} = 1 + \frac{680}{330} = 3.06$$

If A_{dc} is greater than 3, then the output waveform of the oscillator will not be a sinewave. It is therefore essential to select a suitable 680Ω resistor to produce a nice sinewave output.

Low-pass Filter

The waveform produced by the Wien bridge oscillator will contain a percentage of distortion. The two-tone test is dependent for accurate results upon the two tones being pure sinewaves. The distorted waveform produced by the Wien bridge oscillator is made up of a large number of harmonically related waveforms. If the output from the oscillator is fed into a low-pass filter whose cut-off frequency is just above the operating frequency of the oscillator, then it is possible to remove the harmonically related waveforms to end up with the fundamental waveform which will be a pure sinewave. To make a low-pass filter out of passive components would result in a rather large, bulky filter. However, it is possible to enlist the advantages of an operational amplifier to produce an active low-pass filter which gives unity gain. There is no lack of active low-pass filter designs to be found in many books in the subject. The problem is choosing a design that allows the filter to be designed in a short period of time without going through many different equations. The design must also contain good feedback stability, and must be constructed using the minimum number of components. The shape of the filter response is also important if the unwanted frequencies are to be removed from the wanted audio tone. The frequency response for three typical third-order filter circuits is shown in Fig. 2.2. The slope of the three filters rolls off at 60dB per decade. The author chose the 3dB Chebyshev design because of its sharp cut-off frequency. The circuit diagram of a single third-order low-pass filter with unity gain is shown in Fig. 2.3.

Design Procedure

There are at least two simplified design approaches that are possible to calculate the component values for the third-order low-pass filter. One method is to assume that:

$$R = R_1 = R_2 = R_3$$

Solve the equation for R using pre-determined values of capacitance. The other method is to let

$$C = C_1 = C_2 = C_3$$

and solve for C using pre-determined values of R. The author has found that the first method is quite simple and straightforward.

Fig. 2.2





Fig. 2.3



The unscaled capacitance values for the circuit shown in Fig. 2.3 for a 1dB peak Chebyshev filter are as follows:

$$C^1 = 2.567 \quad C^2 = 16.18 \quad C^3 = 0.06428$$

The next step is to choose the corner frequency F_{lp} required for the cut-off frequency and perform the following frequency scaling:

$$C^1 = \frac{C^1}{2\pi F_{lp}} \quad C^2 = \frac{C^2}{2\pi F_{lp}} \quad C^3 = \frac{C^3}{2\pi F_{lp}}$$

Next, choose a suitable value of $R = R_1 = R_2 = R_3$ which will produce convenient values for C_1 , C_2 and C_3 according to the following equations:

$$C_1 = \frac{C'_1}{R} \quad C_2 = \frac{C'_2}{R} \quad C_3 = \frac{C'_3}{R}$$

The above equations assume that the gain of the operational amplifier is greater than 100 at the chosen corner frequency.

Practical Circuit

If we use a 741 operational amplifier, the gain of the amplifier at the oscillator operating frequencies will exceed the gain requirements of the design criterion. The cut-off frequency or corner frequency, f_{cp} , will require to be set higher than the operating frequency of the oscillator.

For example, set the corner frequency say 30Hz higher than the frequency of oscillation. The filter which follows the 700Hz oscillator will have a corner frequency of 730Hz. We now have sufficient information to be able to calculate the component values and complete the design.

$$C'_1 = \frac{C'_1}{2\pi f_{cp}} = \frac{2.567}{2\pi \times 730} = 0.056 \times 10^{-3}$$

$$C'_2 = \frac{C'_2}{2\pi f_{cp}} = \frac{16.18}{2\pi \times 730} = 3.527 \times 10^{-3}$$

$$C'_3 = \frac{C'_3}{2\pi f_{cp}} = \frac{0.06428}{2\pi \times 730} = 0.014 \times 10^{-3}$$

To obtain convenient values of capacitance, let us make $R = R_1 = R_2 = R_3$ equal to 100k Ω , then:

$$C_1 = \frac{C'_1}{R} = \frac{0.56 \times 10^{-3}}{1 \times 10^5} = 5595 \text{ pF}$$

$$C_2 = \frac{C'_2}{R} = \frac{3.527 \times 10^{-3}}{1 \times 10^5} = 35300 \text{ pF} = 0.0353 \mu\text{F}$$

$$C_3 = \frac{C'_3}{R} = \frac{0.014 \times 10^{-3}}{1 \times 10^5} = 140 \text{ pF}$$

For practical reasons, C_1 was made to be 5400pF (5.4nF) by shunting three capacitors together. A 2200pF was connected in parallel with another 2200pF, which in turn was connected in parallel with a 1000pF capacitor. In a similar way, C_2 was made to be 0.034 μ F by shunting a 0.033 μ F capacitor with a 1000pF. For C_3 , the nearest preferred value of 150pF was used.

The corner frequency for the low-pass filter which follows the 1900Hz oscillator was made to be 2000Hz.

$$C'_1 = \frac{C'_1}{2\pi f_{cp}} = \frac{2.567}{2\pi \times 2000} = 0.2042 \times 10^{-3}$$

$$C'_2 = \frac{C'_2}{2\pi f_{cp}} = \frac{16.18}{2\pi \times 2000} = 1.2873 \times 10^{-3}$$

$$C'_3 = \frac{C'_3}{2\pi f_{cp}} = \frac{0.06428}{2\pi \times 2000} = 0.0051 \times 10^{-3}$$

To obtain reasonable values of C , the value of R was made to be 100k Ω . Then:

$$C_1 = \frac{C'_1}{R} = \frac{0.2042 \times 10^{-3}}{1 \times 10^5} = 2042 \text{ pF}$$

$$C_2 = \frac{C'_2}{R} = \frac{1.2873 \times 10^{-3}}{1 \times 10^5} = 0.012873 \mu\text{F}$$

$$C_3 = \frac{C'_3}{R} = \frac{0.0051 \times 10^{-3}}{1 \times 10^5} = 51 \text{ pF}$$

For practical reasons, C_1 was made up by connecting two 1000pF capacitors in parallel, whilst C_2 was made to be 0.0122 μ F by connecting in parallel a 0.01 μ F capacitor and a 2200pF capacitor. For C_3 , the nearest preferred value of 47pF was used.

The resulting sinewaves obtained at the outputs of the two active low-pass filters are combined using a 741 operational amplifier configured as a variable gain audio mixer.

Complete Circuit

The complete circuit of the instrument is shown in Fig. 2.4. Either audio oscillator can be stopped from oscillating by grounding the non-inverting (+) input line to the operational amplifier. The output from the 730Hz low-pass filter (IC1b) is taken via a 2k Ω pre-set to ensure that the audio levels from the two oscillators arriving at the inverting

input of the variable gain audio mixer (IC3a) are the same.

The gain of the audio mixer is varied by a 1k Ω linear potentiometer which is a front-panel control. The output from the audio mixer is fed to a 10dB step attenuator. It is assumed that the input impedance of the unity gain buffer (IC3b) is high. The design of the step attenuator uses preferred values of resistance such that the total resistance

of the resistor chain (R_{21} – R_{26}) will be 10 001 ohms. The voltage drop across the 33 Ω resistor R_{26} will be:

$$V_{33} = \frac{V_{out} \times 33}{10001}$$

Therefore the voltage attenuation will be:

$$-20 \times \log_{10} \frac{V_{in}}{V_{out}}$$




Fig. 2.4







Fig. 2.5

**How Much?
& Difficult?**

£36

Intermediate

$$-20 \times \log_{10} \frac{10\,001}{33} = -49.63\text{dB}$$

The same exercise can be repeated for the voltage drop across the 68Ω resistor in series with the 33Ω resistor, and the attenuation figure obtained will be 39.91dB. Try the calculation for the other attenuator step values for yourself.

The output impedance of the unity gain buffer amplifier is quite low. It is common practice to make the output impedance of the audio oscillator around 600Ω. It will therefore be necessary to place a 560Ω resistor, the nearest preferred value to 600Ω, in series with the output of the unity gain buffer amplifier.

You may recall that one of the aims was to build a piece of test equipment inside a scrap mobile CB set. This set, like most others, had a front panel meter which was used to measure output power and signal strength. The author decided to make use of this meter to monitor the output level applied to the 10dB step attenuator. Another unity gain buffer utilising a 741 operational amplifier was employed. The input of this amplifier (IC4) is connected to the output of the audio mixer. The output of the buffer amplifier is fed via a 5kΩ pre-set to a bridge rectifier employing 1N4001 or equivalent low-current diodes. The output from the bridge rectifier is connected directly to the meter.

The meter used in the vast majority of CB sets is the miniature edge type. The scale calibration will require to be amended. The author carefully removed the clear plastics top which exposed the strip carrying the artwork for the meter scale. This strip was removed and wiped clean using a small piece of cloth soaked in nail-varnish remover. A new scale was added using rub-down transfers after the strip had been painted white using a car touch-up aerosol spray. The shape of the scale calibration will depend on the meter used. It is best calibrated in volts peak-to-peak, with 20V at full scale. A battery-check mark should be added at the 18V point on the scale.

Construction

The prototype circuit was constructed on Veroboard, as shown on the front cover of April *PW*, but has been redrawn as a printed circuit board as shown in Fig. 2.5. The operational amplifier integrated circuits are mounted in sockets to ease construction and any subsequent fault-finding which may prove necessary. The wiring, layout and voltage checks should be carried out prior to installing the i.c.s.

The scrap CB set being used to house the instrument was completely gutted of all components and a 122mm square aluminium plate fitted in place of the

original p.c.b. Onto this plate was bolted the new p.c.b. and the two PP9 battery holders as shown in the photograph. A second aluminium plate measuring 48mm by 123mm was attached by two bolts to the inside of the back panel to hide the holes left after removing the power and antenna sockets.

The front panel was redesigned by inserting a 50mm by 127mm aluminium plate into the front plastics cover. The square hole required for the panel meter, holes for the control knobs and output terminals can be scribed onto the aluminium plate by following the outline of the holes in the plastics front panel using a sharp pencil. The three-way rotary switch used to select the operation of the internal audio oscillators was fitted just above the output terminals by enlarging a hole formerly occupied by the radio/PA slide-switch. The variable output level potentiometer was located on the front panel in place of the microphone socket. That hole was too large in diameter to mount a standard potentiometer, and therefore two large washers were manufactured out of thin-gauge aluminium sheet to obtain a grip of the plastics front panel.

The holes to accept the control shafts were drilled in the aluminium front panel and it was then painted white using a car touch-up aerosol. The paint was allowed to dry hard over several days and the front panel sign-written

SHOPPING LIST

Resistors

0.125W 1% metal film

33Ω	1	R26
68Ω	1	R25
220Ω	4	R10,12,19,24
330Ω	2	R3,13
470Ω	2	R8,20
560Ω	1	R27
680Ω	3	R4,14,23
1kΩ	1	R18
1.5kΩ	2	R9,11
2.2kΩ	1	R22
4.7kΩ	2	R1,2
6.8kΩ	1	R21
100kΩ	7	R5-7,15-17,28

Horizontal Cermet trimmers

0.25in round type⁽¹⁾

2kΩ	1	R29
5kΩ	1	R31

Potentiometer linear

1kΩ	1	R30
-----	---	-----

Capacitors

Ceramic plate

47pF	1	C15
150pF	1	C8
1nF	4	C5,7,11,12
2.2nF	3	C3,4,14

Metallised polyester film⁽¹⁾

400V d.c. working

10nF	1	C13
33nF	1	C6
47nF	4	C1,2,9,10
0.1μF	1	C16

Semiconductors

Diodes

1N4148	4	D1-4
--------	---	------

Integrated circuits

741	1	IC4
747	3	IC1-3

Miscellaneous

M1 100μA f.s.d. miniature edge meter⁽¹⁾; SK1, 2 4mm insulated terminals; S1 Rotary switch 1p. 3w; S2 Rotary switch 4p. 8w; two-part aluminium project box; 6-F22 (PP3) battery clips 2; p.c.b.; knobs 3; p.c.b. fixers 4; connecting wire

(1) Electromail, PO Box 33, Corby, Northants NN17 9EL. Tel: 0536 204555

using rub-down lettering transfers, sealed and protected with a layer of clear lacquer spray. Whilst waiting for the lacquer to dry hard, all the front panel controls may be attached to the original plastics front panel. Finally, using a contact adhesive, glue the aluminium front panel onto the front of the old plastics front panel. Cut the control shafts to the required length to take the control knobs using a small hacksaw. The two output terminals are attached directly to the aluminium front panel. Solder the connecting wires between the p.c.b. and the front panel controls.

First Checks

To correctly set up the two-tone oscillator you will need a calibrated oscilloscope which will be connected to the output terminals. Before inserting the operational amplifier integrated circuits into their sockets, connect the two 9 volt batteries and check the battery test facility for a reasonable needle deflection on the front panel meter. With the output level control in the -50dB position, check for the correct voltages on all i.c. sockets.

If you are satisfied that all the wiring is correct, switch off and insert the integrated circuits into their respective sockets, checking that you have them the right way round.

Calibration

Turn the variable level control fully clockwise and connect the oscilloscope to the output terminals. Switch the Select Oscillator control to 1900Hz and switch the output level control to 0dB. Measure the amplitude of the output signal using the oscilloscope and adjust the meter amplifier 5kΩ pre-set to obtain the correct meter reading. Now check the frequency of oscillation by observing the periodic time of the resulting output waveform. For 1900Hz, the periodic time for one complete cycle should be approximately 0.53 milliseconds. Check also that the periodic times of each half-cycle are equal. If the periodic time is incorrect, you will need to change the values of C and R in the oscillator circuit. Remember that you are not using close tolerance components. Exchanging the 0.047μF (47nF) tuning capacitors for

others of the same marked value will possibly cause the frequency of oscillation to change because of the tolerance of the capacitors. The author used miniature metallised film capacitors which have a tolerance of plus or minus 20 per cent.

Next, switch the Select Oscillator control to 700Hz and adjust the 2kΩ balance pre-set to obtain the same peak-to-peak amplitude on the oscilloscope display as given by the 1900Hz oscillator. Check the frequency of the oscillator by measuring the periodic time of the waveform, which should be approximately 1.4 milliseconds. Also check the symmetry of the waveform. If the frequency needs to be adjusted, again exchange the 0.047μF tuning capacitors to obtain the correct periodic time.

Now switch the Select Oscillator control to two-tone and observe the oscilloscope trace. You should see that both the 1900Hz and 700Hz oscillators are operating, producing a continuous interfering pattern. Next, switch the 10dB attenuator from 0dB to -10dB, and observe the reduction in amplitude of the output signal. Continue to rotate the step attenuator and observe the continuing reduction of the output level. Check that in the Battery Test and Off positions, there is no output signal, thus ensuring that the wiring is correct and that the batteries will not be discharged when the instrument is switched off. The unit should now be fully calibrated and ready for use.

Conclusions

In its short working life, the two-tone tester has proved its worth within the radio shack. A multi-mode CB rig converted by the author for use on 10m was checked, and it was found that the power amplifier bias control needed to be adjusted to produce the desired linear output. The author also discovered that a number of transistor CB linears retuned to operate on 10m were anything but linear! The situation was improved by reducing the input level to the linear amplifier. In fact, the author modified the design of the linear amplifier to produce a linear output when being driven by a converted CB set. The two-tone tester has also found use within the radio shack as a general-purpose audio test oscillator.

I wish you all the best with this construction project, and look forward to hearing your linear signal on the air.

PW

ARE YOU "INTO" AMATEUR TV?

Watch out for a new column, covering fast and slow-scan, starting soon in Practical Wireless

Antenna Clinic

Session 5

Q I am using a discone antenna and a "Slim Jim" (this operating on 144MHz (2m)) for general reception. Is there any way I can combine these and use one coaxial cable in order to obtain the best reception characteristics from both antennas. I am also using a "Slim Jim" scaled to operate on 900MHz. This works well, but can it be modified to improve its performance at this frequency?"

A First, the two antennas cannot be connected together and then coupled to the receiver via a single coaxial cable. Each antenna must have its own coaxial feeder, connected to a changeover switch near the receiver. In this way either antenna can be quickly connected to the receiver. Use only a special coaxial switch, available from most radio dealers.

It would appear that this reader has constructed his "Slim Jim" for 900MHz to the correct dimensions, as he feels it is working reasonably well. Only specific measurements could reveal how well. At this frequency it is essential that high-grade insulating material be used in construction. Very low-loss coaxial cable and "N" type connectors should be used to keep r.f. losses and v.s.w.r. to a minimum. Apart from this, there are no additions or modifications that can be made to improve performance.

To obtain a small amount of gain (in the region of 3dB), a double Slim Jim (operating as a 2m collinear) is not difficult to construct. Details of such an arrangement were given in the first session of the "Antenna Clinic" in PW January 1989 (copies available from the Post Sales Department at Poole, price £1.40 including post and packing).

Q "I am using a 3-band vertical antenna with a 50Ω coaxial cable joining it to the transceiver. The v.s.w.r. is not the same on each band. The makers quote not greater than 1.5 to 1, but it is nearly 2:1 on the highest band and less than 1.5:1 on the others. I am told that a high v.s.w.r. means some loss of power but how much I don't know. The antenna seems to work alright but I am concerned about the power being lost with a v.s.w.r. as high as 2:1."

A Standing wave ratio (s.w.r.), or more correctly voltage standing wave ratio (v.s.w.r.), is a "voltage ratio" derived from forward power (to the antenna) and any reflected power (from the antenna), usually due to a mismatch between the antenna and the feed cable. A v.s.w.r. of 2:1 is considered to be a bit on the high side, and whatever the reason for it, it represents a power loss of about 11 per cent. This assumes no loss whatsoever due to the coaxial cable, coaxial connectors, poor insulation, etc. Attenuation due to the latter will cause additional power to be lost to the antenna.

The high v.s.w.r. mentioned by this reader could be caused by the antenna being in close proximity to another antenna, or by its height above ground, by wrong length radials if these are used, wrong coaxial cable impedance, and so on. If it can be proved to be the result of poor design then consultation with the makers or suppliers is advised.

In the course of a year, antenna specialist F. C. Judd G2BCX receives many queries from radio enthusiasts, both about his own designs and about antennas in general. These come not only from various parts of the British Isles, but also from as far afield as Australia, New Zealand, Indonesia, Sri Lanka and several European countries.

Often, several people will ask a very similar question, highlighting a point that may be widely misunderstood. This series aims to explain some of these.

Q "I have constructed the 12-element "ZL Special" which has an almost 1 to 1 v.s.w.r. at band centre on 2m. The transceiver S-meter has a mark to indicate when its 10 watts r.f. power is being fed to the antenna, and it reads to the mark when transmitting.

I have since included an antenna tuning unit in series with the antenna, but with this in use the v.s.w.r. is much higher and the r.f. power indication is less than 10 watts, as the meter reads below the mark. Why should this be so?"

A There is no necessity whatsoever to use an a.t.u. with any antenna that has adjustment for close matching to its feed cable. This reader has carried out the necessary adjustment to obtain a v.s.w.r. of nearly 1:1 in the first instance, but even if the v.s.w.r. had been, say, 1.2:1 there would still have been no need for an a.t.u. since the power loss at such low values of v.s.w.r. is almost nil.

The inclusion of an a.t.u. has the effect of creating a mismatch between the transmitter output and the antenna feed cable, some of which may be attributed to the numerous PL259/SO239 ("UHF") connectors in use. The overall amount of reflected power is probably the reason why the transceiver r.f. power output is indicated as being low.

If the v.s.w.r. could not have been adjusted to an acceptably low value when the antenna was first erected, this would have indicated some error in construction, or that the antenna was too close to some other conductor, e.g. another antenna. Whilst the use of an a.t.u. might well then have produced a low v.s.w.r. at the transmitter, the "mismatch" at the antenna would **not** have been corrected.

As described in the published articles concerning the ZL antennas, provision is made for matching the cable to the antenna with a small variable capacitance across the feed points.

NOTE — Whilst F. C. Judd is always willing to answer letters from readers about problems with antennas generally, he cannot deal with queries relating to the performance of commercially made products, which should be addressed to the manufacturer or dealer concerned.

PHOTO ACOUSTICS LTD

58 High Street, Newport Pagnell, Bucks. MK16 8AQ

Telephone

0908 610625

PHOTO ACOUSTICS LTD announce a NEW RANGE OF ON-GLASS ANTENNAS FOR 2 METRES AND 70cm

- ★ Quick and easy to install
- ★ Simple SWR tuning by means of tuning screw on matching unit
- ★ Easy removable whip for car wash
- ★ Swivel joint for 180° angle adjustment
- ★ If removal of the antenna installation is necessary, a quick dismantling procedure leaves no trace of the installation
- ★ Ideal for the radio amateur who cannot fix anything to the 'company car'

The four New Models are as follows:—

GF151/L Half Wave
0dB mobile antenna
for 2 metres.



PRICE £27.99
p&p £4.00

GF401/L Half wave
0dB mobile antenna
for 70cm.



PRICE £27.99
p&p £4.00

GF404/L 3dB
mobile colinear
antenna with open
coil for 70cm.



PRICE £28.99
p&p £4.00

GF411/L 3dB
mobile colinear
antenna with
encapsulated coil
for 70cm.



PRICE £28.99
p&p £4.00

** Please Note: Maximum power handling of these antennas is 25 watts.

21st BIRTHDAY SPECIAL OFFERS

ICOM IC-781

FREE SATELLITE TV RECEIVING SYSTEM WITH EVERY IC-781 ORDERED AND PAID FOR BEFORE THE END OF MAY 1989.



All mode General coverage receiver, Amateur band transmit, 99 memories, 150 watt. Includes internal Auto ATU, PSU and CRT display.

PRICE £4,500

ICOM IC-761

FREE AR800E VHF/UHF HANDHELD SCANNER WITH EVERY IC-761 ORDERED AND PAID FOR BEFORE THE END OF MAY 1989.



All mode General coverage receiver, Amateur band transmit, 32 memories, 100 watt. Includes internal ATU and PSU.

PRICE £2,459

ICOM IC-725

FREE AM/FM UNIT WITH ALL IC-725 ORDERED AND PAID FOR BEFORE THE END OF MAY 1989.



NEW HF Compact transceiver with General coverage receive capability, 26 memories, 100 watts.


PRICE £759

NOW APPROVED NAVICO DEALERS

NEW AMR1000 2 Metre transceiver 25 watts. This radio has lots of features, send S.A.E. for details.

PRICE £247.25 Carriage £10

FREE 2 METRE 7/8 WAVE ANTENNA INCLUDED AS INTRODUCTORY OFFER.



NEW AMR1000S. Bigger brother to the AMR1000. 25 watts with hosts of other features. Send S.A.E. for details.

PRICE £299 Carriage £10

FREE 2 METRE 7/8 WAVE ANTENNA INCLUDED AS INTRODUCTORY OFFER.



ALL THE ABOVE OFFERS ARE SUBJECT TO AVAILABILITY

AUTHORISED AGENTS FOR KENWOOD, ICOM & YAESU. FULL SERVICE FACILITIES AVAILABLE

SPEND UP TO £1,200 INSTANTLY WITH A PHOTO ACOUSTICS LTD. CREDIT CHARGE CARD — APPLY FOR DETAILS

PART EXCHANGE WELCOME. ASK FOR KERRY G6IZF OR ANDY G4YOW

RETAIL SHOWROOM OPEN MONDAY-FRIDAY 9.30-5.30, SATURDAY 9.30-4.30

Goods normally despatched within 24 hours. Please allow 7 banking days for cheque clearance. Prices correct at time of going to press—E&OE

PHOTO ACOUSTICS

S.E.M.

UNIT P, UNION MILLS, ISLE OF MAN
Telephone: (0624) 851277



S.E.M. QRM ELIMINATOR

Do you suffer from local interference? The answer is probably yes. If you moved your receiver into the country you would be amazed how quiet your reception would be. The noises you hear on the H.F. bands are produced by local electrical equipment.

This completely new idea, developed by S.E.M. can provide the complete removal of any of these problems. You don't even have to know what or where the source is. It can be your own computer next to your receiver or r.f. welding equipment in a factory several miles away.

The QRM Eliminator connects in your aerial lead (you can transmit through it) it requires an auxiliary aerial (this can be ANY other aerial e.g. a 2 metre one, or a few metres of wire, because wide band amplifiers are used to boost the level of the QRM). Your unwanted signal will arrive at the two aerials slightly out of phase and by adjusting the phase of the signal from the auxiliary aerial with the Eliminator controls, you can completely remove it BEFORE IT ARRIVES AT YOUR RECEIVER. Forget all the inadequacies of noise blankers, this is a new, different, concept. Sceptical? As W4CXH in Florida says "The power line noise is S 7 and you are coming through 5 and 4." Practical Wireless review says "Does it work? Yes it does". Other comments "A remarkable achievement", "It works like magic", "It even eliminates rain static" and comments about being able to operate again after years of enforced inactivity because of some local problem not previously curable or even traced, are many.

Size: 6" x 2" x 3" deep. Sockets SO239s. Supply 12 V (10-14) 30 mA. Frequency range 500KHz - 60 MHz continuous. May be transmitted through.

Price: £69.50 including VAT and delivery.

Packet Radio – Now in Watford!

Andrews Computer Services are pleased to announce the opening of their Retail Shop in Watford. We have a live demonstration Packet Station available to you, so that you can compare our range of products or discover what Packet Radio is all about. The shop is open Monday to Saturday 9:00am to 5:30pm and is within easy reach of M1 and M25 motorways (see map) and BR rail links.

We hold a good range of both Packet Radio TNCs and Computer Products at our shop, so whether your interest is in Packet Radio or Computers (or both) we can help you. Don't waste time – call us first!

Products:-

Packet Radio	Computers
AEA PK232 – 7 Mode TNC £279.95	Amiga range from £458.85
AEA PK88 Budget VHF/HF TNC £129.95	Atari ST range from £299.00
PK Fax and PK Packrat from £19.95	Amstrad 1512/1640 range from £458.85
Pac-Comm TINY-2 VHF TNC £109.00	Amstrad PC2086 from £688.85
Pac-Comm TNC220 VHF/HF TNC £139.00	Amstrad PPC from £458.85
Pac-Comm TNC325 VHF/HF multimode £179.00	Many many more – ring for prices.
Pac-Comm PC-TNC IBM Card VHF/HF £189.00	
All TNCs now come with CW ID fitted	
RS232 Serial Cables from £7.95	Public Domain Ham Radio Software available for all the above with purchase.
Printers	Aerial Range
Citizen 120D 9 pin dot matrix £149.95	ISOPOLE 144 £49.95
Epson LX800 £250.00	ISOPOLE 430 £79.95
please ring for others – too many to list here	call for details and full price list.
Floppy Disks and Boxes	Software
10x5.25" DSDDS 48TPI (Stui PC, BBC, etc) £4.95	Full range of home and business software for
10x3.5" DSDDS 135TPI £9.95	PC range at competitive prices. Additional
Storage Boxes 3.5" & 5.25" 100 capacity £7.95	hardware upgrades also available eg hard
50 capacity £5.95	disks, tapestreamers, expansion cards, etc. etc.

Prices INCLUDE VAT at 15%

We are authorised Amstrad, ICS, and Siskin dealers and as such provide FULL support. – Call us now for our latest catalogue.

Andrews Computer Services Ltd.,

35a Chalk Hill, Watford, Herts WD1 4BL.

Telephone:- 0923-229222 (Sales and Advice)

0923-242102 (Fax)

01-950-9381 (24 Hour Mail Order)

**SEE US AT
SANDOWN PARK
16th APRIL
AND SOUTHEAST
RALLY 7th MAY**

PACKET RADIO FROM THE SPECIALISTS!

Siskin Electronics have a policy of supplying the best range of packet radio equipment available for the radio enthusiast. We have examined the products of many manufacturers and are pleased to be able to offer what must be the widest range of equipment available from just one UK supplier. All prices include VAT and are valid until March 31st 1989.

PACCOMM	
TINY 2 with PMS.....	£109.00
TNC-225 dual port.....	£TBA
MICROPOWER-2.....	£139.00
Real Time clock option.....	£27.95
Printer port option with cable.....	£34.95
9600 baud adaptor.....	£TBA

AEA	
PK88 Budget TNC.....	£PHONE
PK232 best selling multimode.....	£279.95

KANTRONICS	
KPC2 HF/VHF with Wefax.....	£159.00
KPC4 HF/VHF dual port.....	£225.00
KAM all mode with Wefax.....	£265.00
"Smartsocket" battery backup.....	£17.95
"Smartwatch" real time clock.....	£27.95

UPDATES	
PACCOMM PMS (fits TNC-200/220, MFJ 1270/74, G0BSX and AEA PK80) £12.50	
KAM/KPC4 2.85 UK.....	£15.00
KPC2/KPC4 2.85 UK.....	£10.00
AEA PK88 (30th Dec 1988 UK).....	£10.00
AEA PK232 (30th Dec 1988 UK).....	£15.00

NOTE: All our units have CW Ident to comply with UK regulations. Plus a wide range of scanners, audio and computer connectors, and industrial packet radio products. Large SAE for catalogue and price list.

Siskin Electronics

Southampton Road,
Hythe, Southampton.
SO4 5HU.

FAX: 0703-847754

Tel: 0703-849962



S.E.M. UNIT P, UNION MILLS, ISLE OF MAN Telephone: (0624) 851277

S.E.M. TRANZMATCH MKIII. The only Aerial Matcher with UNBALANCED and TRUE BALANCED OUTPUTS. 1 kW 1.8-30 MHz, £135. Built-in EZITUNE (see below), £39.50. Built-in Dummy Load, £9.90. Ex stock.

EZITUNE. Allows you to TUNE UP on receive instead of transmit. FANTASTIC CONVENIENCE. Stops QRM. Boxed unit, £45.00. P.C.B. and fitting instructions to fit in any ATU, £39.50.

FREQUENCY CONVERTERS. V.H.F. to H.F. gives you 118 to 146 MHz on your H.F. receiver. Tune Rx. 2-30MHz, £59.50 ex stock. H.F. to V.H.F. gives you 100 kHz to 60 MHz on your V.H.F. scanner, £49.50 ex stock. Plug in aerial lead of any receiver. Tuning from 100MHz up.

2 or 6-METRE TRANZMATCH. 1kW, will match anything, G2DYM or G5RV? on VHF. £35.00 ex stock.

DUMMY LOAD. 100 W. THROUGH/LOAD switch, £24.00 ex stock.

VERY WIDE BAND PRE-AMPLIFIERS. 3-500 MHz. Excellent performance. 1.5 dB Noise figure. Bomb proof overload figures. £32.00 or straight through when OFF, £37.00 ex stock.

R.F. NOISE BRIDGE. 1-170 MHz. Very useful for aerial work measures resonant freq. and impedance. £45.00 ex stock.

IAMBIC MORSE KEYS. 8-50 w.p.m. auto squeeze keyer. Ex stock. Ours is the easiest to use. £45.00. First class twin paddle key, £27.00 ex stock.

TWO-METRE LINEAR/PRE-AMP. Sentinel 40: 14x power gain, e.g. 3 W – 40 W (ideal FT290 and Handhelds), £85.00. Sentinel 60: 6x power, e.g. 10 W in, 60 W out, £95.00. Sentinel 100: 10 W in, 100 W out, £135.00. All ex stock.

H.F. ABSORPTION WAVEMETER. 1.5-30 MHz, £39.50 ex stock.

MULTIFILTER. The most versatile audio filter. BANDPASS Hi Pass, Lo Pass and two notches. Frequency and Bandwidth adjustable 2.5 kHz-20 Hz, £75.00 ex stock.

HIGH PASS FILTER/BRAID BREAKER. Cures T.V.I., £7.50 ex stock.

CO-AX SWITCH. Three-way + earth position. D.C.-150 MHz, 1kW, £25.00 ex stock.

12 MONTHS COMPLETE GUARANTEE INCLUDING TRANSISTORS

Prices include VAT and delivery. C.W.O. or phone your CREDITCARD NO. Ring or write for further data or catalogue. Orders or information requests can be put on our Ansaphone at cheap rate times. Remember we are as near as your 'phone or post box.

PW REVIEW



Team TRX-404 CB Transceiver

It's been many years since a CB rig review has graced the pages of PW. However, we felt that equipment capable of meeting the very high and exacting standards called for in the new European CEPT Specification PR27 was worth a mention. Armed with one of this new breed of CB transceiver, Richard Ayley G6AKG decided to go back to his roots and find out what this equipment had to offer.

Since the UK CB bands were allocated back in 1981 there has been a steady increase in the number of sets available for the UK's odd non-standard set of frequencies. At first the British CB specification seemed to present a chance for our indigenous manufacturers to try their hand at supplying the home market. However, since then a great many rigs and companies have come and gone, leaving just the oriental black boxes on offer. The early UK rigs were relatively expensive but as more and more of the illegal a.m. CBers changed to the new frequencies, equipment prices dropped, ending up at around £60-70 per rig.

To start with, the UK government rather grudgingly gave us two sets of frequencies, one in the upper end of the 27MHz band and the other in the now ill-fated 934MHz band. It would seem that the British government has had a change of heart and lo and behold, we have two 27MHz CB allocations! Not bad ah? All this no doubt has something to do with 1992 and the final unification of all EEC member countries. To this end, one may surmise that everybody in Europe will have to conform to the same CB regulations and standards, CEPT PR27. As it happens the frequencies allocated to this new band are the same as the old FCC ones, but now the mode of modulation has changed from a.m. to narrow band f.m.

Time for a Change

Maybe it's time to go out and buy a new CB. Well, things could be worse, prices could be sky high, but they're not and in fact the new gear represents much better value for money. The CEPT equipment has to conform to a much higher and tighter specification, so their overall performance should be better.

I hear you say "who the hell will I be able to talk to on this new band"? Well for a start there's all the European and

World-wide F2 DX and during the evening you can have a nice quiet chat with all your new found friends, because fortunately the new band is free of the wall-to-wall wallies that inhabit the old UK band. This new band could be the rebirth of something really useful to the community, if only policed correctly. Another added advantage with the new CEPT equipment is that it can be used in any of the EEC countries. Just the thing for all the people who enjoy caravanning holidays on the continent.

Nevada

So what's all this about? Well two of the new CEPT rigs recently arrived on my desk, fresh in from Nevada Communications at Portsmouth. I guess the need to get on to h.f. without passing the Morse test got the better of me and I made off home with one of the new rigs. Also supplied by Nevada was a brand new DV27 antenna. For those among you that have never used this trusty antenna (illegally), it was to my mind one of the best top-loaded compact antennas ever made. When home, I feverishly removed the packing, noting that the rig was supplied with not only its original German language manual but also a very comprehensive English leaflet supplied by Nevada. The original manual to my surprise included a full circuit diagram, compo-

TRX 404 Manufacturers Specification

General	
Power Supply	13.2 volts nominal
Current consumption	RX 100-150mA standby TX 900mA
Weight	1.04Kg
Dimensions	192 x 145 x 50mm
Receiver	
Sensitivity	f.m. 1µV/1.5kHz dev. (20dB S + N/N)
First i.f.	10.695MHz
Second i.f.	455kHz
Selectivity	Conforms to CEPT
Audio output	2W into 8Ω
Transmitter	
Output power	4W f.m. into 50Ω
Deviation	2kHz max f.m.
Harmonic radiation	≤ 4 x 10 ⁻⁹ W (-90dB ref 4W)
Spurious radiation	≤ 2.5 x 10 ⁻⁷ W (-72dB ref 4W)

nent overlay and parts list, not to mention a functional block diagram. My German being non-existent the block diagram made little or no sense, but the circuit diagram told all.

Receiver Technology

In my experience the one thing that lets down most CB transceivers is the receiver. This is a big failing when you consider how crowded the CB bands are world-wide. The faults range from poor i.f. filtering to lack of a.m. immunity, high noise figures caused by ill-designed synthesisers and front ends; in fact the list is endless. Well what can you expect for the money! If you compare the price of a CB equipment with p.m.r. or amateur, there is a very large differential.

However, as I mentioned earlier the new European CB spec is seen to demand much better performance from CB equipment than previously expected. This is reflected in the design of the Team TRX-404 transceiver. In this rig you get a relatively well designed receiver with no less than three stages of filtering plus one of the latest dual-conversion f.m. receiver chips from Motorola. The first filter is situated between the signal frequency r.f. stage and the mixer, operating at 27MHz. This device is very similar to those ceramic filters used in the front ends of radio control equipment. The second set of filters, in this case two crystal types, are to be found in the first i.f. stage, operating at 10.695MHz. Last but not least, a 455kHz ceramic filter is used in the last i.f. stage.

Two squelch options are provided on the receiver and having used both commercial and amateur v.h.f. equipment I think the preset squelch on this unit is the best I have ever come across. Even when the band was full of a.m. and s.s.b. hash the only time the squelch lifted was when it came into contact with a bona fide f.m. signal. This piece of circuitry looks for both speech within a specified audio pass band and a preset level of carrier; only when both criteria are met does the squelch lift.

The settable squelch, which works very well on a reasonably quiet band, senses both carrier level and audio quieting. However, when band conditions become noisy this squelch has to be set so heavily, to stop false triggering, that only signals over approximately three or four S-points will lift it. This is where the pre-set squelch comes into its own. The received signal strength along with the TX power output are shown on an easily-read, four-segment i.e.d. bargraph display.

Transmitter

The transmitter circuitry is pretty standard. The audio from the microphone is fed through a two-stage amplifier and then through a peak clipping circuit. This not only gives some

speech processing, but also a means of limiting the peak f.m. deviation that can be achieved. From the clipper the audio signal is fed through a frequency tailoring stage and then on to the transmit voltage controlled oscillator (v.c.o.). The TRX-404 is a little unusual in the fact that it has two separate v.c.o.s, one for transmit and the other for receive. This I can only speculate, was done in an effort to keep the spectral purity of the frequency synthesiser as high as possible. The frequency control circuitry is pretty standard using an LC7132 phase-lock-loop chip, the reference oscillator of which also forms the receiver's second local oscillator source. The signal from the TX v.c.o. is then fed to a six-stage power amplifier strip, terminated in a three-stage low-pass filter. Another unusual feature of the TRX-404 is that the unit is fitted with an antenna change-over relay, a luxury only afforded in much higher priced equipment, run-of-the-mill CBs using diode switching which often degrades receiver performance.

Added Extras and Appearance

The TRX-404 looks much the same as any other CB, although it has some nice touches that set it apart from others. For starters it has a built-in, front panel selected "roger" bleep as well as a dedicated socket for a selective calling unit, the Team SR-316 D. Selective calling enables the user to put out a coded call at the press of a button, to alert another suitably equipped station. This call will lift the selected station squelch and also sets a warning light to let him know that he has been called, if the rig has been left unattended. Every selective calling unit supplied is factory set to respond to selective calling code 1.

The SR-316 unit has the facility to send one of 16 user-selectable codes. Suppose, for instance, you intend to use the selective calling to run a small delivery service having one base sta-

tion and six mobile units. Each of the six mobile selective calling units will need to be dealer coded to respond to one of the 16 codes available i.e., 2,3,4,5,6,7. The base station selective calling unit can be left set to code 1. Therefore if any of the mobiles wish to call the base station, provided both mobile and base are using the same frequency (channel), the mobile just sets code number 1 on his selective calling unit and presses the call button. If the base station is not busy then his squelch will lift automatically and the message can be passed. If on the other hand the base station wishes to contact mobile 5, then the base station sets code 5 on the selective calling unit, presses the call button and instantly the squelch of mobile 5 will be lifted and the message can be sent. As previously mentioned both mobile and base stations must be using the same channel, both must be in normal communicating range and the system will only operate if both stations are not busy with other calls.


As you can see selective calling could be a great asset to a small company wishing to use several CB radios for local commercial communication. It saves on all the aimless chat that one might have to undergo to contact a specific mobile out-station.

Another fine point on the TRX-404 is a mute light, this goes out when the squelch is lifted, giving you a visual indication that the channel being monitored is in use.

Looking at the inside of the rig one is reminded of the older type sturdily-built Japanese amateur equipment; a rather pleasant surprise I might add.

In Use

The unit didn't get an air test while mobile as I have an aversion to having any communications equipment in the family car. However, it was felt that if the rig performed well at home with an indoor antenna and that man-made electrical noise, then it should have no problems in a mobile environment.



DEWSBURY

G4CLX

ELECTRONICS



wavecom w 4010

professional-grade, high-performance data communications decoder/analyser, yet easy to use and at an affordable price:

- decodes morse code, standard baudot, bit-inversion, arq, fec, ascii, packet radio and variable speed baudot and ascii
- for professional users, 14 additional commercial data communications modes (on supplementary eeproms) are available
- measures baud rates with high accuracy and makes synchronous and asynchronous bit analysis
- led-bar indication for tuning
- hard-and software additions and upgrade capabilities
- built in f7-b (f6) decoder
- universal microprocessor video card (24 lines x 80 characters or 18 lines x 40 characters)
- extensive rfi-filtering on all lines
- 5 int. language sets, including cyrillic and greek.
- rs-232c/v. 24 serial port, centronics parallel port
- optimal customer's support due to in-home r + d and 1 year warranty

PRICES FROM **£895.00** inc. V.A.T.

FOR DETAILS OF THIS AND OTHER DECODERS PLEASE SEND S.A.E.

Dewsbury Electronics, 176 Lower High Street, Stourbridge, West Midlands.
Telephone: Stourbridge (0384) 390063/371228
Telex: 336712 SHEL TN G

Stockists of DAIWA — POCOM — ICOM — YAESU — TASCOTELE READERS — MICROWAVE MODULES



APPROVED KENWOOD DEALER.

Instant finance available subject to status. Written details on request.



Wireless Goes To War – The First Time

By early 1899 the British Admiralty, commanding the largest Navy in the world, was desperate for some means of reliably communicating with ships at sea. The growing success of the young Guglielmo Marconi's "wireless" communication system, especially in the recent sea trials between the East Goodwin lightship and South Foreland lighthouse, led the Navy authorities to invite Marconi to demonstrate the uses of radio at sea.

In July 1899, the cruiser HMS *Juno* was fitted with a wireless set at Devonport Dockyard and a second set was stowed away for installation on board the battleship HMS *Alexandria* in Torbay on July 16. During trials of the *Juno*'s equipment on July 14, Marconi clearly heard the Needles wireless station on the Isle of Wight over a distance of 140km and the Navy agreed to the installation of wireless equipment in a third ship, HMS *Europa*, in preparation for the August 1899 manoeuvres. The extended war games in the English Channel commenced with the *Europa* leading a squadron of seven cruisers in a "B" fleet dispatched to hunt for a convoy at a given rendezvous. With Captain Henry Jackson in command and Marconi himself aboard the flagship HMS *Alexandria*, the wireless systems allowed the *Juno* and *Europa* to maintain regular contact over 95km in poor seas. The *Juno* was detailed to act as a link to shore and to scout for the "enemy" "A" fleet while the flagship remained with the slower moving battle squadron. Continual signalling in all weathers by night and day saved many hours of steaming for the entire squadron. On one occasion a fleet signal was relayed through the *Juno* to the *Europa* over a distance of 170km and the overall result of the manoeuvres was a decisive victory for the "B" fleet. They won the day

Tim Wander tells the story of how wireless communications were used in the Boer War.

through wireless co-operation and this convinced the War Office to officially accept Marconi's wireless equipment for ship-to-shore and ship-to-ship communication.

Ultimatum



On 10 October 1899, the British Colonial Secretary Joseph Chamberlain had received a Boer ultimatum demanding the withdrawal of British forces from the South Africa frontiers and the return of 10 000 troops sent as reinforcements (mainly from India) to police the already troubled country. When the ultimatum was rejected, war became inevitable.

In theory, the British forces should have had an overwhelming superiority, mobilising some 450 000 trained troops against just 60 000 Boer irregulars. However, the Boers were excellent horsemen, masters of field craft and riflery, knew the terrain intimately and were to prove a handy, resourceful and dangerous enemy. The Boers also had the latest artillery with German trained gunners and provided an extremely flexible and manoeuvrable foe. Their supply wagons also made them independent of the railways.

The British forces entered the Boer War with tactics and organisation unchanged from the Crimean War, some fifty years earlier and possessed little military intelligence or map making facilities that were essential in such rough terrain. To match the mobile Boer forces the British army was forced to rely on infantry as it had inadequate

cavalry, and to fight a war with antique arms, archaic medical services and a class ridden officer system. Faced with the Boers' tactics and locked into a vicious hit and run war of attrition, the British Army looked hopefully to wireless to provide the means of co-ordinating the massed ranks of British infantry and providing immediate information on Boer attacks.

At the commencement of hostilities the Boer forces attacked west, besieging the towns of Mafeking, Kimberley and Ladysmith. As news broke in England, the eminent British scientist Sir Oliver Lodge wrote to the Press suggesting that an electrical method of communicating with the besieged towns should be used. However, Lodge was publicly rebuked for not raising the matter secretly with the authorities as plans were already in progress. As war was declared, the Marconi Company had quickly suggested that wireless could be used at Cape Town, Durban and other ports handling disembarkation of troops and supplies for the Boer Campaign. In November 1900, five portable wireless stations were constructed from assorted Marconi apparatus and promptly dispatched by sea to South Africa. The original plan as suggested by the Marconi Company was to use this equipment to cope with the daily arrival of troop and ammunition transports that were causing severe congestion in Durban's docks and roadsteads. The equipment was accompanied by a small team of Marconi engineers to install and operate the systems and train the Army personnel. Their arrival at Cape Town was greeted with a change in plans and the Marconi staff were "invited" to volunteer for service in the field. Within a short space of time, each found himself in charge of a "unit", consisting of soldiers drawn



from a newly formed Wireless Telegraph Section of the Royal Engineers, under Captain Kennedy RE. Each unit was then issued with a horse-drawn wagon in which the apparatus and its power supply of large capacity dry cells and jelly accumulators was somewhat crudely mounted.

Antennas

The stations were also issued with jointed bamboo rods supplied by the War Office to form 15m high antenna masts, together with two 2m linen Baden-Powell box kites and several 4m balloons as emergency antenna carriers. The photograph of a sketch by H. M. Dowsett shows the camp at Enslin with the balloon storage pit on the left, and the bamboo sectioned mast and instrument wagon in the centre.

Three of the wireless stations, complete with Marconi engineers and RE personnel, were immediately attached to Lord Methuen's column of 13 000 men marching to relieve Kimberley and Mafeking. The two remaining stations and personnel were sent to General Sir Redvers Buller's column of 18 000 men marching to relieve Ladysmith. However, the baptism of fire for wireless telegraphy on the battlefield did not have an auspicious start.

The Marconi engineers were given little time to set up or calibrate the equipment, nor confer amongst themselves before being sent into the field. They also had no time to train the Royal Engineers personnel or personally adjust to the rigours of wartime service life. It quickly became clear that the harsh climate and conditions of war-torn South Africa were to prove more than the embryonic communications system could cope with. Continual shocks, vibration, exposure to dust and extremes of temperature often rendered the equipment unuseable. Static discharges from sand storms and cyclones also desensitised the coherers, several severe storms wrecked the bamboo masts and the kites carrying antenna wires aloft were difficult to synchronise at the two stations. The 4m balloons tried as alternatives were torn adrift and lost, the wagons continually broke wheels and axles and the Marconi engineers had to contend with inexperienced teams at both ends of any link.

Criticism

Faced with these problems, Marconi was swift to spring to the defence of his engineers and the equipment. On 2 February 1900, in a paper he read to the Royal Institution in London, he criticised the War Office for supplying unsuitable antenna masts. He also stated in the *Times* newspaper on February 5 that the Marconi engineers had volunteered to take wireless equipment through the Boer lines to the besieged towns but had been refused permission to do so. Marconi further

Practical Wireless, May 1989




Fig. 3: Marconi wireless equipment of the First World War

Photograph by kind permission of GEC-Marconi




Fig. 4: Enslin Camp 1899, from a sketch by H. M. Dowsett




Fig. 5: HMS Thetis in Delagoa Bay in 1900—with antenna mast

criticised the Army for not supplying Ladysmith, Kimberley and Mafeking with wireless apparatus before hostilities began. Marconi assured the audience that he thought it extremely unlikely that the Boers had any wireless apparatus and could therefore never listen in to any British military communication. Marconi was convinced that the Boers did not possess any Marconi equipment and some German sets destined for the Boers had been seized at Cape Town but had been found, by the Marconi engineers, to be unworkable.

Dismissal

Marconi's criticism of the War Office met with an immediate hostile response and ten days later the Director of Army Telegraphs gave orders for the mobile stations to be dismantled and withdrawn. The Army's curt dismissal of wireless as an aid to wartime co-operation was not echoed by the Admiralty who immediately stepped in and asked for use of three of the five installations. These were soon installed on the *Forte*, *Thetis* and *Magicienne* of the Delagoa Bay squadron that was carrying out blockade duties and searching merchantmen for contraband intended for the Boers on the South African coast to the north of Durban.

A young engineer called Charles Samuel Franklin was one of the Marconi installation team who followed the wireless equipment from the Army into the Navy squadron. He later became a respected and prolific inventor and was the "architect" of the beam system of radio communication. Franklin noted that the ship-borne equipment was a great success, especially with the officers making their private arrangements when returning for shore leave. In service with the Navy, the wireless apparatus became a useful tool and on several occasions fast blockade runners were captured by the slower naval vessels converging on them from different points, acting in unison by use of wireless.

Most historical accounts record the experience of wireless in the Boer War as being a complete failure. In hindsight it was perhaps an ill-judged decision to throw a system hardly out of the experimental laboratory into a conflict on the scale of the South African War. But, Marconi built his Company, reputation and a viable system of wireless communication on a series of calculated gambles and the Boer War provided his Company with much valuable practical experience in all aspects of wireless communication.

The Navy used their systems extensively and managed to overcome numerous practical difficulties involved with wireless operation at sea. During patrols as part of the Delagoa Bay Squadron, the crew of HMS *Thetis*, with Captain Stokes-Rees in command, extended her mast to a height of 44m above the water-line. The ship managed to keep her spirit and antenna up and in use at all times, in all weathers and when "steaming" at full speed. Unfortunately, two masts went over the side in fifteen days, mainly due to the stretching of the hemp guys as no wire rigging was allowed near the antenna at that time. However, the crew rigged a jury-mast and the station carried on while a third mast of full height was being built, which in due course was erected whilst the ship was still at sea. An experimental twin-wire horizontal antenna was also rigged on the *Thetis* which was proved so successful that it eventually became a standard feature of later ship-board installations. During the Delagoa Bay "experiments" the Marconi engineers proved that wire guys for antenna masts were practicable and any possible screening or absorption effects were prevented by breaking them at intervals with porcelain insulators.

Large Order

There can be no doubt that the British Admiralty were impressed by the Captain's reports from the Delagoa Bay Squadron, as they had been by the

performance of the wireless apparatus used during the 1899 manoeuvres. On 4 July 1900, the Admiralty placed a large order for wireless telegraphy equipment with the Marconi Company when they contracted for the installation of wireless in 26 warships and six Naval coast stations. In addition the Admiralty also agreed to take over the three Boer War sets it was still using. Subsequently the remaining two sets of equipment were brought into service with the Army, and Warrant Officers and signal ratings were successfully taught how to operate the equipment.

The large Navy contract did demand that before delivery could take place, the Marconi system must be able to demonstrate that test signals could be exchanged between ships moored in Portland and Portsmouth harbours. The distance to be covered was 100km with the added problem that the Dorset hills lay directly between the two points, but the tests all worked perfectly and the system was accepted. The first ship to have the new apparatus installed was the *Diadem*, but by the end of 1900 the Navy had 42 ships and eight shore stations equipped with wireless telegraphy apparatus.

Jutland

Within five years, the Navy had doubled this figure and was totally dependent on wireless for its operations. By use of the "transatlantic" station at Poldhu Point, the wireless systems that grew out of the Boer War experience allowed the Admiralty to reliably communicate with any ship of the British Navy throughout the Atlantic, North Sea and Mediterranean. Wireless was no longer a laboratory experiment forced into a battlefield environment for which it was neither suited nor designed. Wireless had gone to war for the first time and the lessons learnt paved the way for the historic Naval battle of Jutland in 1916 and the British Navy's eventual domination of the sea during the First World War. **PW**

► 32

The DV27 was firmly fixed to the radiator in my radio shack and a good v.s.w.r. was obtained without much trouble. After the antenna had been installed I had a quick tune up and down the channels. Being around 5 o'clock in the afternoon every one of the 40 channels was packed with hash from the states. This is when I discovered the usefulness of the preset squelch. As the evening wore on the band got quieter and several stations were heard calling from Germany and Austria obviously using CEPT rigs.

As regards working DX, well I was acknowledged by a station in Northern Ireland, although once word got out everybody was trying to work him so I gave up. I was surprised by the number

of licensed amateurs using these frequencies for local chat nets. I made contact with two or three people waiting on the result of the last radio amateurs exam, which just goes to prove that CB is still providing a useful route into amateur radio. I think the real proof of the pudding was when I made contact with a continental lorry driver in Southampton. Living in Poole, some 28 miles away from Southampton, this may not sound much of a feat, but in my experience using three times as much output power as the CB, I can't work stations on 50MHz over that same path.

Overall the reports on transmitted audio were very good even on a noisy band. However, I did find the received

audio a little thin at times. This probably wasn't the fault of the rig, more likely my ears, they've been spoilt with the relatively wide-band f.m. signal on the 145MHz amateur band. One has to bear in mind that the spec calls for a maximum deviation of 2kHz which is very small indeed, in fact it must be getting on for the smallest usable deviation possible for normal voice communication. My final opinion of the rig and the new band is that I liked both, my only real grouch about the rig was that if you're a compulsive knob twiddler like myself, you may find the channel knob a bit woolly and flimsy. However, if you're Mr normal then this control should stand the test of time. **PW**

Valved Communications Receivers

The Collins 75A-2

Appearing just after World War 2, The Collins 75A series of receivers were purpose-built for American radio amateurs. They are high quality double-superhets of unorthodox design, covering only specific amateur bands with excellent frequency stability and very accurate tuning. Chas E. Miller examines this memorable receiver.



The original 75A series models cover the 80m, 40m, 20m, 15m, 11m and 10m bands, whilst later versions incorporate the 160m band and various other minor modifications. This article is based on the representative 75A-2 model, for which the following general data is applicable

Frequency coverage is in seven bands: (1) 1.5–2.5MHz; (2) 3.2–4.2MHz; (3) 6.6–7.8MHz; (4) 14–15MHz; (5) 20.8–21.8MHz; (6) 26–28MHz; (7) 28–30MHz. The i.f. passband is variable from 4kHz down to approximately 200Hz in five steps. As to sensitivity, 1µV r.f. input will provide 1W of a.f. output, and the maximum audio output is 2.5W. The cabinet measures 536 × 314 × 332mm (21½ × 12½ × 13in), and the receiver weighs 22.7kg (50lb).

Sockets are provided for long wire and dipole antenna inputs, and for 4Ω

and 500Ω outputs. Internally, there are sockets for the addition of n.b.f.m. adaptor and crystal calibrator units.


The receiver line-up is: r.f. amplifier stage, 1st frequency changer stage; crystal-controlled 1st local oscillator, 2nd f.c. stage, high-stability 2nd l.o. with buffer stage, three 2nd i.f. amplifiers, demodulator/a.g.c./1st a.f. amplifier stage, audio output stage; automatic noise limiter for a.m. signals, c.w. noise suppressor, tuned b.f.o., a.g.c. amplifier, built-in power supply unit. The built-in S-meter registers S9 at approximately 100µV r.f. input.

The above specification is impressive enough, but when the circuit is examined in detail one realises that here is a receiver of very careful and intricate design. So complex is the circuitry that it is recommended that the following description be read with reference to the block diagram, below.

Circuit Description

The 75A-2 operates as a double superhet on Bands 2–7 and as a single superhet on Band 1. The latter will be treated separately after the tuning of Bands 2–7 has been described. Note that Bands 2–5 are precisely 1MHz wide, and Bands 6 and 7 are 2MHz wide. For convenience the bands will be referred to as low (L) and high (H) respectively.

In order that the difference between the 75A-2 and any conventional double superhet shall be made clear, with the reader's indulgence a brief description of the latter will be given first. The usual example has one or more r.f. amplifier stages followed by a 1st frequency changer with a local oscillator working in step with the r.f. tuning to provide a constant i.f. (typically around 1.6MHz). This 1st i.f. is taken



to a 2nd f.c. with another local oscillator operating at a fixed frequency to provide a 2nd i.f. at around 450kHz. Stages of i.f. amplification, demodulation and a.f. amplification follow.

In the 75A-2, however, the r.f. amplifier is followed by a 1st f.c. with a local oscillator working at one spot frequency for each r.f. band. Thus, as the tuning is varied over the 1MHz or 2MHz of the r.f. tuning range, the 1st i.f. varies also to that amount. The crystal controlled frequencies of the local oscillator are, from Band 2 to Band 7: 5.7MHz; 9.3MHz; 16.5MHz; 13.3MHz; 31.455MHz and 33.455MHz. Subtracting the r.f. limits of frequency for each band from its local oscillator frequency gives us the amount by which the i.f. varies over that band. For example, on Band 2, (3.2 to 4.2MHz) the i.f. will vary between 5.7MHz-3.2MHz = 2.5MHz, and 5.7MHz-4.2MHz = 1.5MHz. Note that the i.f. is lower at the high end of the band and vice versa. In fact, the crystals are chosen to provide the same i.f.s for all the L bands, whilst for the H bands they provide i.f.s of 3.455MHz to 5.455MHz.

It will be seen that the coupling between the 1st and 2nd frequency changers must be tunable over 1MHz for the L bands and 2MHz for the H bands, in step with the r.f. tuning. In addition, the 2nd local oscillator must be variable by the same amounts to provide the 2nd i.f. which is, in this case, 455kHz. The 75A-2 employed a

Collins special unit, type 70E-12, which after factory alignment was dehydrated and hermetically sealed. Its actual range of tuning is over 1.955 to 2.955MHz, the second harmonic of 3.91 to 5.91MHz being used for the H bands. Thus all bands have a 2nd i.f. of 455kHz, with the local oscillator being higher in frequency in all cases.

It is evident that tuning of all relevant circuits just mentioned must be of great accuracy both in frequency and in the ganging process. The 75A-2 dispenses with the usual tuning capacitor and employs permeability tuning. Moreover, matters are arranged so that only the Band 2 r.f. coils need to have variable cores; on the other bands the inductances are selected so that when applied in parallel across the Band 2 coils, the tuning of the latter effects the tuning for the other band selected. All the other coils that have variable cores are fitted on a movable platform with the r.f. coils so that cores move in unison with great precision. Ten turns of the vernier tuning knob cover each band, divided into 100 divisions representing each 1kHz (L) and 2kHz (H). Thus the visual accuracy of the dial is well within the ranges just mentioned. Paralleling of inductors is also used to obtain the higher ranges of i.f. frequencies for the 1st-2nd f.c. coupling.

For the 160m (1.5-2.5MHz) band the antenna input is switched to a separate r.f. tuning coil, and thence to the variable i.f. coils, which cover, of course, that precise band. Likewise, the

output of the 2nd local oscillator is just right to produce the usual 455kHz second i.f.

Turning to the i.f. amplifier section, the selectivity switching is accomplished at the first i.f. transformer, which includes a crystal filter. The actual switching process involves placing resistors in series with the crystal to reduce its *Q* and thereby widen the acceptance band. For the narrowest bandwidth the series resistor is nil, whilst for the broadest the crystal is shorted out and the bandwidth determined solely by the tuned circuits.

The valves used in the r.f. and i.f. stages are as follows: r.f. amplifier V1, 6AK5 or 6CB6 (see Table 1); 1st mixer V2, 6BE6 or 6BA7 (see Table 1); 1st local oscillator V3 12AT7; 2nd mixer V4, 6BE6 or 6BA7 (see Table 1); 2nd local oscillator V14, 6BA6; buffer V15, 6BA6; 1st i.f. amplifier V5, 6BA6; 2nd i.f. amp. V6, 6BA6; 3rd i.f. amp. V7, 6BA6.

For demodulation one half of a double-diode (V8, 6AL5) is employed in a conventional manner. The resulting a.f. signals are taken to the automatic noise limiter, which is one half of another double-diode (V10, 6AL5) and thence to the 1st a.f. amplifier, one section of a double-triode (V9, 12AX7). Amplified signals are resistance-capacity coupled to the output pentode (V11, 6AQ5) via yet another double diode (V16, 6AL5) acting as c.w. noise suppressor. The limiting action is controllable by a variable

TABLE 1



No.	Valve	Pin Numbers								
		1	2	3	4	5	6	7	8	9
1.	6AK5*	-1.42	0	0	6.3ac	160	100	0		
2.	6BE6*	0	1.16	0	6.3ac	145	82	-1.72		
3.	12AT7	133	0	1.3	0	0	133	-1.1	1.8	6.3ac
4.	6BE6*	-2.9	2.23	0	6.3ac	175	69	0		
5.	6BA6	-1.55	0	0	6.3ac	168	72	0.6		
6.	6BA6	-1.55	0	0	6.3ac	175	90	0		
7.	6BA6	-1.55	1.25	0	6.3ac	168	93	0		
8.	6AL5	-56	-0.6	0	6.3ac	0	-56	-46		
9.	12AX7	-1.5	-53	-46	0	0	132	0	1.3	6.3ac
10.	6AL5 (lim on)	-0.3	0	0	6.3ac	0	0	0.4		
11.	6AQ5	-12	0	0	6.3ac	190	175	-12		
12.	6BA6 (bfo on)	-7.7	0	0	6.3ac	23	70	0		
13.	5Y3GT	0	208	0	200ac	0	200ac	0	208	
14.	6BA6	-2.2	0	6.3ac	0	50	50	0		
15.	6BA6	-2	0	0	6.3ac	100	70	0		
16.	6AL5	23	0.1	0	6.3ac	0	23	0		

Main h.t. line 180V. Bias line (across C94) -50V.

Table prepared with aid of official handbook but correcting errors found therein.

*The later version of the 75A-2 which is shown in the circuit diagram (kindly supplied by Rockwell Collins), uses valve type 6CB6 in place of 6AK5, and 6BA7 in place of 6BE6.

The table is based on the 6AK5/6BE6 version. The base connections for the alternative types are shown here.



NOTES
1. UNLESS OTHERWISE INDICATED, ALL RESISTANCE VALUES ARE IN OHMS; ALL CAPACITANCE VALUES ARE IN MICROFARADS.
2. TAP SWITCHES ARE SHOWN WITH ROTORS IN EXTREME COUNTER-CLOCKWISE POSITION.
* ASTERISK INDICATES A CAPACITOR CHOSEN TO FULFILL REQUIREMENTS OF INDIVIDUAL OSCILLATOR

resistor. The output of the b.f.o. (V12, 6BA6) is coupled to the demodulator diode.

The other half of V8 is used for a.g.c. rectification, but in reverse to the orthodox arrangement to give a more positive bias with an increase of signal input to the receiver. The positive bias is applied to the grid of the a.g.c. amplifier (other half of V9) to oppose a negative bias obtained from a resistor inserted in the line between h.t. negative and chassis. As the steady bias is overcome by an increase in a.g.c. action, the triode is able to conduct and thus pass an enhanced negative bias to the controlled valves, which are the r.f. amplifier and the three i.f. amplifiers. The appropriate degree of a.g.c. delay is obtained by the initial bias on the triode grid.

The Collins model 148C-1 n.b.f.m. adaptor unit employs a 6AU6 r.f. pentode as a limiter and a 6AL5 double-diode as discriminator. Input is received from the a.m. detector anode, the latter valve being disconnected for f.m. reception, and a.f. to the amplifier stages taken from the n.b.f.m. unit. The 75A-2 has the necessary switching provided as standard, and labelled CW-AM-FM.

The 8R-1 crystal calibrator unit employs a 6BA6 in a Pierce oscillator, providing the usual 100kHz markers. Again, all connections are ready-fitted, and the unit is brought into operation by an extra position on the LIMITER ON/OFF switch. The output of the

calibrator is injected into the grid of the r.f. amplifier valve via the capacitance between two of the pins on the connecting socket, a neat idea that minimises any stray capacitances when the unit is not fitted.

Possible Circuit Variations

A number of small changes were made from time to time in the production run or as the result of factory-advised modifications. After the passage of nearly 40 years it is unlikely that one might encounter an unmodified set, so the majority of the differences may be practically ignored. Those that may with advantage be checked out are:


1. Presence of a voltage-regulator tube for the anode supply to the 2nd local oscillator. An OA2 is used for this purpose and is wired in thus: The existing h.t.+ lead is disconnected from the oscillator and an extra 2500Ω resistor inserted in its place. The OA2 is connected from the lower end of this resistor to chassis. Its nominal regulation voltage is 150V, and whilst these devices are normally very reliable it might be as well to measure the actual h.t. voltage on the oscillator as this will have some bearing on its stability.
2. Re-alignment of the 2nd i.f. stages for narrow bandwidth. When an extreme of selectivity is required it is possible to re-align the 2nd i.f.t.s to give approximately 2.4kHz band-

width. To achieve this, four small components are removed from the i.f.t.s, thus: R68 100kΩ, from the secondary of T4; C108 7pF, from primary-secondary of T4; C109 7pF, from the primary-secondary of T5; C110 5pF, from the primary-secondary of T6. The presence or absence of these components will indicate whether the bandwidth is standard or narrow. Conversion one way or the other is simply a matter of deletion or addition, followed by a relatively simple alignment procedure. At this stage it is pertinent to remark that at least 50 per cent of the receivers that come into the writer's hands are in urgent need of i.f. realignment, not because of any inherent drift within the i.f.t.s, but due to "tweaking" on the part of unwise or unequipped previous handlers. It is as well to search for signs of interference with trimmers, since misalignment in a set such as the 75A-2 can bring about a disappointingly poor performance. Otherwise, the motto of leave well alone is apposite!

Alignment for Narrow Bandwidth

Equipment required: Accurate signal generator with good attenuator; valve voltmeter; insulated trimming tool (screwdriver bit).

Connect the signal generator to the grid of the 1st mixer, V2, and the voltmeter to the demodulator diode load at the junction of R39 and R42.



Set the selectivity control to its "0" position, the CW-AM-FM switch to AM, the RF GAIN control to maximum, and the AUDIO GAIN control to minimum.

Inject a 455kHz modulated signal, at a level where the valve voltmeter begins to respond. Adjust the cores of T3, T4, T5, T6 and T7, in that order, for maximum meter reading.

Change the SELECTIVITY switch to "4" and re-tune the generator very carefully for maximum meter deflection, keeping the input low to avoid a.g.c. action. Then return the SELECTIVITY switch to "0". Re-tune the i.f.s as before for maximum meter deflection.

Change the SELECTIVITY switch to "1". Reduce the generator tuning by 3kHz and adjust its output level to obtain a 5V meter reading. Tune the i.f. input coil L24 for maximum on the meter. At this stage the crystal PHASING control should be at its centre-scale position for minimum "hiss". If this is not so, loosen its grub screws and adjust as required.

Alignment for Standard Bandwidth

The same equipment as above is required, with the addition of a damper consisting of a 10nF capacitor in series with a 1kΩ resistor, terminated with crocodile clips.

Connect the generator and valve voltmeter as for narrow band. Set the SELECTIVITY switch at "2" and the RF GAIN and AUDIO GAIN controls as before. The generator output is set

to achieve an initial reading of 5V on the meter, and is reduced progressively as alignment proceeds to maintain that reading.

Adjust T3 for maximum meter deflection. Place the damper across the primary of T4 (avoiding shocks!) and tune the secondary for maximum. The secondary has the lower core. Change the damper to bridge the secondary winding and adjust the primary (upper core) for maximum. Follow the same procedure for the other i.f.t.s, T5, T6 and T7.

Note that for both narrow and standard bandwidths, it is possible for the degree of initial misalignment to be so great as to prevent a signal from passing through the complete stage. If this should be experienced the generator should be connected to the grid of the last i.f. amplifier, V7, for tuning of T7, and gradually worked back to V4 via the other i.f. amplifiers as the i.f.t.s are brought into tune.

RF Alignment

The r.f. alignment should not be disturbed unless there are definite grounds for suspecting that it has been seriously mis-tuned. The degree of accuracy attained by factory alignment cannot be reproduced unless equipment of a very high standard is available. Certainly, the 2nd local oscillator must remain inviolate unless it stops functioning altogether. Should the action of the DIAL CORRECTOR prove to be insufficient to correct drift on the part of the oscillator, some adjustment is possible as follows. With the receiver tuned to a frequency standard of

2MHz and the b.f.o. operating, release one side of the mechanical coupler on the oscillator control shaft. Turn the shaft for zero beat, and then re-tighten the coupler with the DIAL CORRECTOR control at mid-scale.

A check may be made on the tuning rate of the oscillator by noting the number of turns required at the main tuning control to cover any one scale. As an example, an accurate frequency standard might be set to give an output of first 3.2MHz, then 4.2MHz with the tuning moved across Band 2. The amount of travel should be 10 turns ± 3 dial divisions. Collins recommended that errors in excess of this should be treated by returning the 2nd local oscillator unit to the factory for adjustment. They issued a stern warning that home adjustment (involving breaking the hermetic seal) would inevitably worsen the error.

The full r.f. and b.f.o. alignment is a long process requiring (apart from the necessary know-how) a detailed information pamphlet several pages in length, and is thus beyond the scope of this article. As a service to readers who are in urgent need of these instructions they will be made available by the author upon application, via the *PW* Editorial offices at Poole.

Valve Voltages

To assist fault location, a list of valve voltages is shown in Table 1. They were taken with a valve voltmeter between the stated valve pins and chassis, with the set switched to the 80m band, no input, AM selected, RF GAIN at max., AUDIO GAIN at zero.

PW

REGULAR FEATURES

*The ever popular
SEEN & HEARD, AIRBAND,
SCANNING and BANDSCAN
continue to keep you informed.*

SHORT WAVE MAGAZINE
APRIL ISSUE
OUT NOW
FOR THE RADIO LISTENER

FREE !!!

PULL-OUT WALL CHART

A Great Circle Map for your shack wall.

SCOOP PREVIEW ICOM R-9000

We preview this exciting new receiver.

Guide to Broadcasting Stations 20th Edition
SPECIAL PRE-PUBLICATION BOOK OFFER

Take advantage of our special offer and save money!

HEXAGONAL LOOP ANTENNA

Build yourself this m.w. loop and improve your DX.

AT YOUR NEWSAGENT NOW !!!



AMATEUR RADIO COMMUNICATIONS LTD.

AUTHORISED ICOM, YAESU AND STANDARD DEALER



The latest
British made
2M mobile
transceiver.

Come and try it on air.

Price AMR-1000S.. £299

Price AMR-1000 £247




FT-767

Still the best selling HF Transceiver on the market. Plus the facilities for adding up to 3 extra modules for 2m, 70cms and 6m. You can buy our FT-767 Plus an FT-747 for the price of its nearest rival.

'Phone for special deals on:

ICR-7000
inc FREE Discone Antenna
FT-747
C-500 E
C-5200 ED
IC-761

NEW
STANDARD
C-150
£230
Weights
30 grammes.
RF output
5 watts.



BEARCAT
200XLT
£249

**ALWAYS A GOOD SELECTION
OF SECOND HAND AND
COMMISSION SALES, PHONE
FOR MORE INFORMATION.**

**KENT MORSE KEYS AND KITS
NOW AVAILABLE.**

**38 Bridge Street, Earlestown, Newton-le-Willows,
Merseyside WA12 9BA. Only 1 mile from Junction 23 – M6**
Telephone: N-le-W (09252) 29881
OPEN TUES-SAT 10 a.m. - 5 p.m.



INSTANT FINANCE AVAILABLE SUBJECT TO STATUS

Prices correct at time of going to Press.

E & EO.

MICROWAVE MODULES · TONNA · JAYBEAM · SANDPIPER · BNOS · AKD · CAPCO · REVEX



G4TJB QSL CARDS

24 PORTISHEAD ROAD, WORLE, WESTON-SUPER-MARE BS22 0UX
TEL: (0934) 512757. WHEN PHONE UNATTENDED, PLEASE LEAVE
NAME AND NUMBER ON ANSWERING SERVICE

ACCESS
VISA
ACCEPTED

NAVICO

AMR 1000 2 metre transceiver with
fistmike £244.99
AMR 1000S 2 metre programmable transceiver
with fistmike £296.40
FMB 6500 Flush mounting bracket/
bezel £11.99
DMB 6500 Top mounting bracket £6.79
LS 100 Extension loudspeaker (8ohm) 7m
cable £11.39
PSU 1208 12.6v 8A PSU input 240V
ac £85.99

We also stock the range of Navico marine
radios and navigational equipment. Full
information on request.

ANTENNAS

Navy special 80 metre (PL259) mobile
built £25.35
Navy special 20 metre (PL259) mobile
built £25.35
Navy special 10 metre (PL259) mobile
built £25.35
G4TJB 2M 2 metre 5/8 mobile (PL259) £26.99
Gutter mount PL259 £8.99

QSL CARDS

DIY Matt Printed black on a range of card
colours £2.75
DIY Gloss Printed black on a range of card
colours £3.95
DIY Matt Printed red map plus black text £3.95
We print a large range of personal cards for
S.W.L. and amateurs all around the world. We
print special event cards, radio club cards and
membership cards, letterheads, invoices, sets,
business cards and brochures (photo cards).
For further details of any of our products and
services please send SAE to above address
stating your requirements.

All prices quoted include postage within U.K.

TOCONPOWER

PSU 20A With over voltage, thermal short
circuit protection, ports front and
back £149.71
Torroid 16.6 Amp £25.99
Torroid 29.0 Amp £33.99
Torroid 42.0 Amp £43.99
CW Morse oscillator built £6.95
CW K Morse oscillator kit £5.99
HP 1 High pass filter kit £4.99
2M Preamp 18db gain (receive only) £7.99
Ace MP1 Condenser microphone
headset £12.99
Mike Amp Moving coil type fits MP1
direct £9.99
Mike Amp Condenser type fits MP1
direct £10.99

OTHER PRODUCTS AVAILABLE

Wavemeter (Cavity) 144-2500MHz £49.29
Wavemeter (Cavity) 430-2500MHz £42.69
Holders For QSL cards holds 20 6" x 4"
pack of 3 £3.99
Holders Albums each holds 80 cards pack
of 3 £5.99
6M VMOS Linear amp 100B gain 500Wm in
SW out moon compatible -
built £21.95
6M VMOS Kit £17.55
4M VMOS As above spec and prices as 6M
version
G5RV Full size £17.99
G5RV Half size £15.99

WE WILL BE ATTENDING A LARGE NUMBER OF CONVENTIONS AND MOBILE
RALLIES AROUND THE COUNTRY THIS YEAR AND WILL BE ABLE TO SUPPLY
MOST OF THE ABOVE AT THESE SHOWS AS WELL AS TAKE ORDERS FOR PRINTING

ANTENNAS TONNA (F9FT)

THE VHF/UHF ANTENNA SPECIALIST

50MHz	144/435MHz	POWER SPLITTERS
5 element £50.71(a)	9 & 19 element Oscar £61.07(a)	2 way 144MHz £48.36(b)
144MHz	1250MHz	4 way 144MHz £57.53(b)
4 element £29.39(a)	23 element £61.07(b)	2 way 435MHz £45.69(c)
4 element crossed £37.26(a)	4 x 23ele - stacking frame - power splitter £175.00(a)	2 way 435MHz £55.76(c)
9 element fixed £35.12(a)		2 way 1250MHz £38.35(c)
9 element portable £35.19(a)		4 way 1250MHz £43.36(c)
9 element crossed £62.10(a)	1296MHz	2 way 1296MHz £38.35(c)
13 element £49.06(a)	23 element £32.29(b)	4 way 1296MHz £43.36(c)
17 element £66.24(a)	4 x 23 ele - stacking frame - power splitter £175.00(a)	2 way 2300MHz £38.35(c)
435MHz	55 element £175.00(a)	4 way 2300MHz £43.36(c)
9 element £30.43(a)	4 x 55 ele - stacking frame - power splitter £49.27(a)	
19 element £36.64(a)		
19 element crossed £42.44(a)		
21 element crossed £47.61(a)	2300MHz	
21 element ATV £47.61(a)	25 element £43.47(b)	

All prices include VAT. Please add carriage (a) £5.00 (b) £2.20 (c) £1.20. U.K. MAINLAND ONLY. ACCESS or VISA
cardholders telephone your order for immediate dispatch. Callers welcome, but by telephone appointment only, please. Send
50p for our catalogue which contains the full specifications.

RANDAM ELECTRONICS (P)

SOLE U.K. DISTRIBUTOR
FREEPOST, ABINGDON, OXON, OX14 1BR.
Tel: (0235) 23080 (24hrs)



BOL

88 Bewick Road, Gateshead,
Tyne and Wear NE8 1RS

Phone: 091 490 1975 Fax: 091 480 1918

PRIME SPEC. COMPONENTS

Dummy, 50ohm, 30W (cooled) up to 1400MHz 4.80 ea. 10A 250Vac mains filter (RFI suppression)
Siemens 12.50 ea. Hp5082-2830 matched diode for bal mixer - 2GHz 2.50 ea. 6A 250Vac mains
interference filter, Simens 6.50 ea. muRata ceramic filter SFW-10, 7MA
1.40 for pak of 3. IC 1496 (met) bal Mod-Demod 1.30 for pak of 2. ASTEC
FM Varactor Tunehead UM1181 4.90 ea. 1mA instrument scale 88-
104MHz 4.70 ea. BNC chassis sockets 1.60 for pak of 3. LED 5mm transp
red 1.20 for pak of 25. Toshiba LCD-module 40 char 8.50 ea. Presetter 3
+ 1 channel 1.95 ea. IC AM7918 11.00 ea.

WRITE OR PHONE
FOR OUR
ILLUSTRATED
FREE LIST

Many more things not listed, don't miss our free list offering toroids, OPTO, integrated circuits,
rectifiers, semiconductors. BNC/C/SMB connectors, rechargeable battery, beads ...

All prices including VAT. Add 1.00 for P&P.

THERE MUST BE SOMETHING FOR YOU IN OUR BARGAIN CATALOGUE:



0202 678558

Practical Wireless

0202 678558



BOOK SERVICE

The books listed have been selected as being of special interest to our readers. They are supplied from our editorial address direct to your door. Some titles are overseas in origin.

HOW TO ORDER

Add 75p per order postage (overseas readers add £1.50 for surface mail postage) and send a postal order, cheque or international money order with your order (quoting book titles and quantities) to **PW Publishing Limited, FREEPOST, Enefco House, The Quay, Poole, Dorset BH15 1PP**. Payment by Access, Mastercard, Eurocard or Visa also accepted on telephone orders to Poole (0202) 678558. Books normally despatched by return of post but please allow 28 days for delivery.

★ A recent addition to our Book Service. O/P = Out of print, O/S = Out of stock.

RADIO

AIR & METEO CODE MANUAL

Joerg Klingenfuss 10th edition
Contains detailed description of the World Meteorological Organisation Global Telecommunication System operating FAX and RTTY meteo stations, and of its message format with decoding examples. Also contains detailed description of the Aeronautical Fixed Telecommunication Network amongst others. 293 pages £14.00

BETTER RADIO/TV RECEPTION

A. Nallawalla, A. T. Cushen and B. D. Clark
An Australian publication giving guidance and advice both to listeners seeking reliable reception of some distant radio station, and to DX listening hobbyists. 134 pages £9.95

BETTER SHORTWAVE RECEPTION (USA)

W. S. Orr W6SAI & S. D. Cowan W2LX
Receivers, antennas, propagation, DX listening techniques for the short waves and v.h.f. 158 pages £5.50

★ PASSPORT TO WORLD BAND RADIO 1989

This book gives you the information you need to explore and enjoy the world of broadcast band listening. It includes features on different international radio stations, receiver reviews and advice as well as the hours and language of broadcast stations by frequency. 416 pages £12.95

SCANNERS (updated)

Peter Rouse GU1DKD
A guide for users of scanning receivers, covering hardware, antennas, accessories, frequency allocations and operating procedure. 177 pages £7.95

SCANNERS 2

Peter Rouse GU1DKD
The companion to Scanners, this provides even more information on the use of v.h.f. and u.h.f. communications band and gives constructional details for accessories to improve the performance of scanning equipment. 216 pages £9.95

★ 1934 OFFICIAL SHORT WAVE RADIO

MANUAL
Edited by Hugo Gernsback
Sub-titled the "Complete Experimenter's Set-Building and Servicing Guide" this reprint is a fascinating look at a bygone age. Features a complete directory of all 1934 s.w. receivers as well as servicing information, constructional projects and circuits. Also contains ideas on how to build vintage sets with modern components. 260 pages £9.00

SHORT WAVE RADIO LISTENERS'

HANDBOOK
Arthur Miller
In easy-to-read and non-technical language, the author guides the reader through the mysteries of amateur, broadcast and CB transmissions. 207 pages £6.99

RADIOTELETYPE CODE MANUAL

10th Edition
Joerg Klingenfuss
This book provides detailed descriptions of the characteristics of telegraph transmission on short waves, with all commercial modulation types including voice frequency telegraphy. It provides comprehensive information on all RTTY systems and c.w. alphabets. 96 pages £8.00

THE SATELLITE EXPERIMENTER'S HANDBOOK (USA)

A guide to understanding and using amateur radio weather and TV broadcast satellites. 207 pages £9.25

BEGINNERS

AN INTRODUCTION TO RADIO DXING (BP91)

R. A. Penfold
How to find a particular station, country or type of broadcast and to receive it as clearly as possible. 112 pages £1.95

BEGINNER'S GUIDE TO RADIO (5th Edition)

Gordon J. King
Radio signals, transmitters, receivers, antennas, components, valves and semiconductors, CB and amateur radio are all dealt with here. 266 pages £6.95

BEGINNER'S GUIDE TO ELECTRONICS

Owen Bishop
For youngsters thinking of a career in electronics, theory and applications in computers, radio, TV, recording, medical and industrial electronics. 240 pages £5.95

ELECTRONICS SIMPLIFIED—CRYSTAL SET CONSTRUCTION (BP92)

F. A. Wilson
This is a book especially written for those who wish to take part in basic radio building. All the crystal sets in the book are from old designs but updated to take account of modern components. 72 pages £1.75

QUESTIONS & ANSWERS RADIO

Eugene Trundle
Basics of electrical theory, radio and semiconductors, receivers, amateur and CB radio, and test equipment. 110 pages £3.95

THE SIMPLE ELECTRONIC CIRCUIT AND COMPONENTS Book 1 (BP62)

The aim of this book is to provide an inexpensive but comprehensive introduction to modern electronics. 209 pages £3.50

TELEVISION

AN INTRODUCTION TO SATELLITE TELEVISION (BP195)

F. A. Wilson
Answers all kinds of questions about satellite television. For the beginner thinking about hiring or purchasing a satellite TV system there are details to help you along. For the engineer there are technical details including calculations, formulae and tables. Plenty of advice for the d.i.y. enthusiast. 104 pages £5.95

A TV-DXERS HANDBOOK (BP176)

R. Bunney
Information on transmission standards, propagation, receivers including multi-standard, colour, satellites, antennas, photography, station identification, interference, etc. Revised and updated 1986. 87 pages £5.95

GUIDE TO WORLD-WIDE TELEVISION TEST CARDS

Edition 2
Keith Hamer and Garry Smith
The main purpose of this book is to assist long distance television enthusiasts (TV DXers) around the world with signal identification. There are 240 test cards, identification slides and clock captions pictured. It is in "semi-alphabetical" order, that is the stations are in alphabetical order in their geographical sections. 52 pages O/P

THEORY

COMMUNICATION (BP89)

(Elements of Electronics—Book 5)
F. A. Wilson
Fundamentals of line, microwave, submarine, satellite, digital multiplex, radio and telegraphy systems are covered, without the more complicated theory or mathematics. 256 pages £2.95

FOUNDATIONS OF WIRELESS AND ELECTRONICS (10th Edition)

M. G. Scroggie and S. W. Amos
Covering d.c. and a.c. circuits, L, C, tuned circuits and selectivity, valves, semiconductors, transmission lines, antennas, radiation, oscillation, modulation, detection, amplification, superheter receivers, c.r.t.s, waveform generators and switches, computers and power supplies. 551 pages O/P

LEVEL II RADIO & ELECTRONICS THEORY

Ian Ridpath ZL1BCG
A sequel to Amateur Radio & Electronics Study Course, this book covers advanced theory up to a level needed on most technician courses. The handwritten format is designed to make the student feel as though the pages are his own notes. 169 pages £6.70

PRACTICAL ELECTRONICS CALCULATIONS AND FORMULAE (BP53)

F. A. Wilson
This has been written as a workshop manual for the electronics enthusiast. There is a strong practical bias and higher mathematics have been avoided where possible. 249 pages £3.95

SOLID STATE DESIGN FOR THE RADIO AMATEUR

Wes Hayward W7ZOI and Doug DeMaw W1FB
Back in print by popular demand! A revised and corrected edition of this useful reference book covering all aspects of solid-state design. 256 pages £10.95

LISTENING GUIDES

AIR BAND RADIO HANDBOOK

David J. Smith
With air band radio you can eavesdrop on the conversations between aircraft and those on the ground who control them. The author, an air traffic controller, explains more about this listening hobby. 174 pages £5.99.

DIAL SEARCH (5th Edition 1988/89)

George Wilcox
The listener's check list and guide to European broadcasting. Covers medium wave, long wave, v.h.f. and short wave, including two special maps, making the most of your portable and many more. 46 pages £3.25

AIR TRAFFIC CONTROL

David Adair
A guide to air traffic control with maps, drawings and photographs explaining how aircraft are guided through crowded airspace. 176 pages £6.99

GUIDE TO FACSIMILE STATIONS

8th Edition
Joerg Klingenfuss
This manual is the basic reference book for everyone interested in FAX. Frequency, call sign, name of the station, ITU country/geographical symbol, technical parameters of the emission are all listed. All frequencies have been measured to the nearest 100Hz. 262 pages £12.00

GUIDE TO FORMER UTILITY TRANSMISSIONS

3rd Edition
Joerg Klingenfuss
This manual is built on continuous monitoring of the radio spectrum from the sixties until the recent past. It is a useful summary of former activities of utility stations and provides information to the active radio monitor in the classification and identification of radio signals. 126 pages £8.00

GUIDE TO UTILITY STATIONS

7th Edition
Joerg Klingenfuss
This book covers the complete short wave range from 3 to 30MHz plus the adjacent frequency bands from 0 to 150kHz and from 1.6 to 3MHz. It includes details on all types of utility stations including FAX and RTTY. There are 15802 entries in the frequency list and 3123 in the alphabetical call sign list plus press services and meteorological stations. 494 pages £19.00

HF OCEANIC AIRBAND COMMUNICATIONS (3rd Edn.)

Bill Lever
Aircraft channels by frequency and band, main ground radio stations, European R/T networks, North Atlantic control frequencies. 29 pages £3.50

INTERNATIONAL RADIO STATIONS GUIDE (BP255)

Updated and completely re-written in June 1988. It provides the casual listener and DXer with an essential reference work designed to guide them around the ever more complex radio bands. 312 pages £4.95

THE COMPLETE VHF/UHF FREQUENCY GUIDE

Updated 1988
This book gives details of frequencies from 26–2250MHz with no gaps and who uses what. Recently updated, there are chapters on equipment requirements as well as antennas, etc. 88 pages £5.95

THE INTERNATIONAL VHF FM GUIDE

7th Edition

Julian Baldwin G3UHK & Kris Partridge G8AUU
The latest edition of this useful book gives concise details of repeaters and beacons worldwide plus coverage maps and further information on UK repeaters. 70 pages £2.85

THE POCKET GUIDE TO RTTY AND FAX STATIONS

Bill Laver

A handy reference book listing RTTY and FAX stations, together with modes and other essential information. The listing is in ascending frequency order, from 1.6 to 27.1MHz. 46 pages £2.95

WORLD SHORTWAVE FREQUENCY GUIDE

(previously known as UK Listeners

Confidential Frequency List

Bill Laver

Covering the services and transmission modes that can be heard on the bands between 1.635 and 29.7MHz. 147 pages £6.95

VHF/UHF AIRBAND FREQUENCY GUIDE

(Second edition)

A complete guide to the airband frequencies including how to receive the signals, the frequencies and services, VOLMET and much more about the interesting subject of airband radio. 74 pages £5.95

WORLD RADIO TV

HANDBOOK 1989

Country-by-country listings of long, medium and short wave broadcasters and TV stations. Receiver test reports. English language broadcasts. The s.w.l.'s "bible". 576 pages £17.95

INTERFERENCE

INTERFERENCE HANDBOOK (USA)

William R. Nelson WA6FGQ

How to locate and cure r.f.i. for radio amateurs. CBers and TV and stereo owners. 253 pages £6.75

RADIO FREQUENCY INTERFERENCE (USA)

What causes r.f.i.? Are all r.f.i. problems difficult, expensive and time-consuming to cure? These questions and many more are answered in this book. 84 pages £4.30

TELEVISION INTERFERENCE MANUAL (RSGB)

B. Priestley

TV channels and systems, spurious-radiation TVI, strong-signal TVI, audio breakthrough, transmitter design. 78 pages £2.94

AMATEUR RADIO

AMATEUR RADIO CALL BOOK (RSGB)

Winter 87/88 Edition

This useful work now incorporates a 48-page reference section of useful information for amateur radio enthusiasts. 310 pages O/P

AMATEUR RADIO LOGBOOK

Standard logbook for the transmitting amateur in horizontal A4 format. 25 lines per page. 96 pages £2.30

AMATEUR RADIO OPERATING MANUAL (RSGB)

A mine of information on just about every aspect of amateur operating, including international call sign series holders, prefix lists, DXCC countries list, etc. 204 pages £6.16

AMATEUR RADIO SATELLITES the first 25 years

Arthur C. Gee G2UK

The material in this souvenir publication is drawn from the author's archives. It is mainly a pictorial account on the pattern of developments which have occurred over the last 25 years. 34 pages £2.25

CARE AND FEEDING OF POWER GRID TUBES (USA)

This handbook analyses the operation of EIMAC power grid valves and provides design and application information to assist the user of these valves. 156 pages £6.75

PRACTICAL IDEAS FOR RADIO AMATEURS

Ian Poole G3YWX

Offers a wealth of hints, tips and general practical advice for all transmitting amateurs and short wave listeners. 128 pages £5.95

PASSPORT TO AMATEUR RADIO

Reprinted from PW 1981-1982

The famous series by GW3JGA, used by thousands of successful RAE candidates as an aid to their studies. Plus other useful articles for students of amateur radio. 96 pages £1.50

QUESTIONS & ANSWERS

AMATEUR RADIO

F. C. Judd G2BCX

What is amateur radio? The Radio Amateurs' Exam and Licence. The technology, equipment, antennas, operating procedure and codes used by amateurs. 122 pages £3.95

RADIO AMATEUR'S GUIDE

RADIO WAVE PROPAGATION

(HF Bands)

F. C. Judd G2BCX

The how and why of the mechanism and variations of propagation in the h.f. bands. 144 pages £8.95

RADIO AMATEUR'S MAP OF

NORTH AMERICA (USA)

Shows radio amateurs prefix boundaries, continental boundaries and zone boundaries. 760 x 636mm £2.50

RADIO AMATEUR'S

PREFIX MAP OF THE WORLD (USA)

Showing prefixes and countries, plus listings by order of country and of prefix. 1014 x 711mm £2.95

RADIO AMATEUR'S WORLD ATLAS (USA)

17 pages of maps, including the world-polar projection. Also includes the table of allocation of international call sign series. £3.50

★ THE 1989 ARRL HANDBOOK FOR THE RADIO AMATEUR

This is the 66th edition of this very useful hardback reference book. Updated throughout it has several new sections covering topics such as oscilloscopes, spectrum analysers, digital frequency synthesis and phase-noise measurement, as well as several new constructional projects. 1200 pages £15.95

★ THE ARRL OPERATING MANUAL

Another very useful book from the ARRL. Although written for the American radio amateur, this book will also be of use and interest to the UK amateur. 684 pages £12.95

★ THE COMPLETE DX'ER

Bob Locher W9KNI

Now back in print, this book covers equipment and operating techniques for the DX chaser, from beginner to advanced. 187 pages £7.95

★ THE RAE MANUAL (RSGB)

G. L. Benbow G3HB

The latest edition of the standard aid to studying for the Radio Amateurs' Examination. Updated to cover the latest revisions to the syllabus. 132 pages £5.00

THE RADIO AMATEUR'S DX GUIDE (USA)

15th Edition

The guide contains information not easily obtained elsewhere and is intended as an aid and quick reference for all radio amateurs interested in DX. 38 pages £2.95

THE RADIO AMATEUR'S QUESTIONS &

ANSWER REFERENCE MANUAL 3rd Edition

R.E.G. Petri G8CCJ

This book has been compiled especially for students of the City and Guilds of London Institute RAE. It is structured, with carefully selected multiple choice questions, to progress with any recognised course of instruction, although it is not intended as a text book. 258 pages £6.95

VHF HANDBOOK

FOR RADIO AMATEURS (USA)

H. S. Brier W9EGQ & W. I. Orr W6SAI

VHF/UHF propagation, including moonbounce and satellites, equipment and antennas. 335 pages £7.95

VHF/UHF MANUAL (RSGB)

G. R. Jessop G6JP

Theory and practice of amateur radio reception and transmission, between 30MHz and 24GHz. 520 pages O/P

DATA & REFERENCE

DIGITAL IC EQUIVALENTS

AND PIN CONNECTIONS (BP140)

A. Michaels

Equivalents and pin connections of a popular selection of European, American and Japanese digital i.c.s. 256 pages £5.95

INTERNATIONAL DIODE

EQUIVALENTS GUIDE (BP108)

A. Michaels

Possible substitutes for a large selection of many different types of semiconductor diodes. 144 pages £2.25

INTERNATIONAL TRANSISTOR

EQUIVALENTS GUIDE (BP85)

A. Michaels

Possible substitutes for a popular selection of European, American and Japanese transistors. 320 pages £3.50

NEWNES AUDIO & HI-FI ENGINEER'S POCKET

BOOK

Vivian Capel

This is a concise collection of practical and relevant data for anyone working on sound systems. The topics covered include microphones, gramophones, CDs to name a few. 190 pages Hardback £9.95

NEWNES COMPUTER ENGINEER'S

POCKET BOOK

This is an invaluable compendium of facts, figures, circuits and data and is indispensable to the designer, student, service engineer and all those interested in computer and microprocessor systems. 203 pages Hardback £8.95

NEWNES ELECTRONICS POCKET BOOK

5th Edition

Presenting all aspects of electronics in a readable and largely non-mathematical form for both the enthusiast and the professional engineer. 315 pages Hardback £8.95

NEWNES RADIO AMATEUR AND

LISTENER'S POCKET BOOK

Steve Money G3FZX

This book is a collection of useful and intriguing data for the traditional and modern radio amateur as well as the short wave listener. Topics such as AMTOR, packet radio, SSTV, computer communications, airband and maritime communications are all covered. 160 pages Hardback £8.95

NEWNES RADIO AND ELECTRONICS

ENGINEER'S POCKET BOOK

(17th Edition)

Keith Brindley

Useful data covering maths, abbreviations, codes, symbols, frequency bands/allocation, UK broadcasting stations, semiconductors, components, etc. 201 pages Hardback £6.95

NEWNES TELEVISION AND VIDEO

ENGINEER'S POCKET BOOK

Eugene Trundle

This is a valuable reference source for practitioners in "entertainment" electronic equipment. It covers TV reception from v.h.f. to s.h.f., display tubes, colour camera technology, video recorder and video disc equipment, video text and hi-fi sound. 323 pages Hardback £9.95

POWER SELECTOR GUIDE (BP235)

J. C. J. Van de Ven

This guide has the information on all kinds of power devices in useful categories (other than the usual alpha numeric sort) such as voltage and power properties making selection of replacements easier. 160 pages £4.95

RSGB RADIO DATA

REFERENCE BOOK

G. R. Jessop G6JP

The 5th Edition of an essential book for the radio amateur's or experimenter's workbench. 244 pages Hardback £8.56

SEMICONDUCTOR DATA BOOK

A. M. Ball

Characteristics of about 10 000 transistors, f.e.t.s, u.i.t.s, diodes, rectifiers, triacs and s.c.r.s. 175 pages £9.95

TRANSISTOR SELECTOR GUIDE (BP234)

J. C. J. Van de Ven

This guide has the information on all kinds of transistors in useful categories (other than the usual alpha numeric sort) such as voltage and power properties making selection of replacements easier. 192 pages £4.95

FAULT-FINDING

ARE THE VOLTAGES CORRECT?

Reprinted from PW 1982-1983

How to use a multimeter to fault-find on electronic and radio equipment, from simple resistive dividers through circuits using diodes, transistors, i.c.s and valves. 44 pages £1.50

GETTING THE MOST FROM YOUR

MULTIMETER (BP239)

R. A. Penfold

This book is primarily aimed at beginners. It covers both analogue and digital multimeters and their respective limitations. All kinds of testing is explained too. No previous knowledge is required or assumed. 102 pages £2.95

OSCILLOSCOPES, HOW TO USE THEM, HOW

THEY WORK (Revised 2nd Edition)

Ian Hickman

This book describes oscilloscopes ranging from basic to advanced models and the accessories to go with them. 133 pages £6.95

PRACTICAL HANDBOOK OF

VALVE RADIO REPAIR

Chas E Miller

The definitive work on repairing and restoring valued broadcast receivers dating from the 1930s to the 60s. Appendices giving intermediate frequencies, valve characteristic data and base connections. 230 pages Hardback £17.50

QUESTIONS & ANSWERS

RADIO REPAIR

Les Lawry-Johns

How to fault-find and repair valued and transistorised receivers, car radios and unit audio equipment. Suggested lists of tools and spare parts. 106 pages O/P

SERVICING RADIO,

HI-FI AND TV EQUIPMENT

Gordon J King

A very practical book looking at semiconductor characteristics, d.c. and signal tests, fault-finding techniques for audio, video, r.f. and oscillator stages and their application to transistor radios and hi-fi. 205 pages £10.95

TRANSISTOR RADIO FAULT FINDING CHART

(BP70)

C. E. Miller

Used properly, should enable most common faults to be traced reasonably quickly. Selecting the appropriate fault description at the head of the chart, the reader is led through a sequence of suggested checks until the fault is cleared. 635 x 455mm (approx) £0.95

PROJECT CONSTRUCTION

HOW TO DESIGN AND MAKE

YOUR OWN P.C.B.s (BP121)

R. A. Penfold

Designing or copying printed circuit board designs from magazines, including photographic methods. 80 pages £2.50

INTRODUCING QRP

Collected Articles from PW 1983-1985

An introduction to low-power transmission, including constructional details of designs by Rev. George Dobbs G3RJV for transmitters and transceivers from Top Band to 14MHz, and test equipment by Tony Smith G4FAL. 64 pages £1.50

MORE ADVANCED POWER SUPPLY PROJECTS

(BP192)

R. A. Penfold

The practical and theoretical aspects of the circuits are covered in some detail. Topics include switched mode power supplies, precision regulators, dual tracking regulators and computer controlled power supplies, etc. 92 pages £2.95

POWER SUPPLY PROJECTS BP76

R. A. Penfold

This book gives a number of power supply designs including simple unregulated types, fixed voltage regulated types and variable voltage stabilised designs. 97 pages £2.50

PRACTICAL POWER SUPPLIES

Collected Articles from PW 1978-1985

Characteristics of batteries, transformers, rectifiers, fuses and heatsinks, plus designs for a variety of mains-driven power supplies, including the PW "Marchwood" giving a fully stabilised and protected 12V 30A d.c. 48 pages £1.25

PROJECTS IN AMATEUR RADIO AND SHORT WAVE LISTENING

F. G. Rayer G3OGR

Full constructional details are given for all projects, including housing the units in a suitable case. All the projects are either on p.c.b. or matrix board. 90 pages £4.95

QRP NOTEBOOK

Doug DeMaw W1FB

This book deals with the building and operating of a successful QRP station. Lots of advice is given by the author who has spent years as an ardent QRP'er. All the text is easy to read and the drawings are large and clear. 77 pages £4.95

AUDIO FREQUENCIES

AUDIO (BP111)

(Elements of Electronics—Book 6)

F. A. Wilson

This book studies sound and hearing, and the operation of microphones, loudspeakers, amplifiers, oscillators, and both disc and magnetic recording. 320 pages £3.50

ANTENNAS (AERIALS)

AERIAL PROJECTS (BP105)

R. A. Penfold

Practical designs including active, loop and ferrite aerials plus accessory units. 96 pages £2.50

ALL ABOUT CUBICAL QUAD ANTENNAS (USA)

W. I. Orr W6SAI and S. D. Cowan W2LX

Theory, design, construction, adjustment and operation of quads. Quads vs. Yagis. Gain Figures. 109 pages £5.50

ALL ABOUT VERTICAL ANTENNAS (USA)

W. I. Orr W6SAI and S. D. Cowan W2LX

Theory, design, construction, operation, the secrets of making vertical work. 191 pages £7.50

AN INTRODUCTION TO ANTENNA THEORY (BP198)

H. C. Wright

This book deals with the basic concepts relevant to receiving and transmitting antennas. Lots of diagrams reduce the amount of mathematics involved. 86 pages £2.95

BEAM ANTENNA HANDBOOK (USA)

W. I. Orr W6SAI and S. D. Cowan W2LX

Design, construction, adjustment and installation of h.f. beam antennas. 198 pages £6.75

HF ANTENNAS

FOR ALL LOCATIONS (RSGB)

L. A. Moxon G6XN

Taking a new look at how h.f. antennas work, and putting theory into practice. 260 pages £5.69

★ NOVICE ANTENNA NOTEBOOK

Doug DeMaw W1FB

Another book from the pen of W1FB, this time offering "new ideas for beginning hams". All the drawings are large and clear and each chapter ends with a glossary of terms. 130 pages £5.95

OUT OF THIN AIR

Collected Antenna Articles from PW 1977-1980

Including such favourites as the ZL Special and '2BCX 16-element beams for 2m, and the famous 'Slim Jim', designed by Fred Judd G2BCX. Also features systems for Top Band, medium wave/long wave loop designs and a v.h.f. direction finding loop. Plus items on propagation, accessories and antenna design. 80 pages £1.80

SIMPLE, LOW-COST WIRE ANTENNAS FOR RADIO AMATEURS (USA)

W. I. Orr W6SAI and S. D. Cowan W2LX

Efficient antennas for Top Band to 2m, including "invisible" antennas for difficult station locations. 191 pages £6.75

THE ARRL ANTENNA BOOK

15th Edition (USA)

A station is only as effective as its antenna system. This book covers propagation, practical constructional details of almost every type of antenna, test equipment and formulas and programs for beam heading calculations. 327 pages £14.95

THE ARRL ANTENNA COMPENDIUM Volume 1 (USA)

This book makes fascinating reading of hitherto unpublished material. Among topics discussed are quads and loops, log periodic arrays, beam and multi-band antennas, verticals and reduced size antennas. 175 pages £9.25

THE RADIO AMATEUR ANTENNA HANDBOOK

William I. Orr W6SAI & Stuart D. Cowan W2LX

Yagi, quad, quagi, l-p, vertical, horizontal and "sloper" antennas are all covered. Also towers, grounds and rotators. 190 pages £6.75

WIRES & WAVES

Collected Antenna Articles from PW 1980-1984

Antenna and propagation theory, including NBS Yagi design data. Practical designs for antennas from medium waves to microwaves, plus accessories such as a.t.u.s, s.w.r. and power meters, and a noise bridge. Dealing with TVI. 160 pages £3.00

W1FB'S ANTENNA NOTEBOOK

Doug DeMaw W1FB

This book provides lots of designs, in simple and easy-to-read terms, for simple wire and tubing antennas. All drawings are large and clear making construction much easier. 124 pages £5.95

25 SIMPLE AMATEUR BAND AERIALS (BP125)

E. M. Noll

How to build 25 simple and inexpensive aerials, from a simple dipole through beam and triangle designs to a mini-rhombic. Dimensions for specific spot frequencies, including the WARC bands. 80 pages £1.95

25 SIMPLE INDOOR AND WINDOW AERIALS (BP136)

E. M. Noll

Designs for people who live in flats or have no gardens, etc., giving surprisingly good results considering their limited dimensions. 64 pages 0/P

25 SIMPLE SHORT WAVE BROADCAST BAND AERIALS (BP132)

E. M. Noll

Designs for 25 different aerials, from a simple dipole through helical designs to a multi-band umbrella. 80 pages £1.95

25 SIMPLE TROPICAL AND MW BAND AERIALS (BP145)

E. M. Noll

Simple and inexpensive aerials for the broadcast bands from medium wave to 49m. 64 pages £1.75

COMPUTING

AN INTRODUCTION TO COMPUTER COMMUNICATIONS (BP177)

R. A. Penfold

Details of various types of modem and their applications, plus how to interconnect computers, modems, and the telephone system. Also networking systems and RTTY. 96 pages £2.95

AN INTRODUCTION TO COMPUTER PERIPHERALS (BP170)

J. W. Penfold

Covers monitors, printers, disk drives, cassette recorders, modems, etc., explaining what they are, how to use them and the various types of standards. 80 pages £2.50

MICROPROCESSING SYSTEMS AND CIRCUITS (BP77)

(Elements of Electronics—Book 4)

F. A. Wilson

A comprehensive guide to the elements of microprocessing systems, which are becoming ever more involved in radio systems and equipment. 256 pages £2.95

MORSE

INTRODUCING MORSE

Collected Articles from PW 1982-1985

Ways of learning the Morse Code, followed by constructional details of a variety of keys including Iambic, Triambic, and an Electronic Bug with a 528-bit memory. 48 pages £1.25

THE MORSE CODE FOR RADIO AMATEURS (RSGB)

Margaret Mills G3ACC

A guide to learning to send and receive Morse code signals up to the 12 w.p.m. required for the RAE. 19 pages 0/S

THE SECRET OF LEARNING MORSE CODE

Mark Francis

Designed to make you proficient in Morse code in the shortest possible time, this book points out many of the pitfalls that beset the student. 87 pages £4.95

SWAP SPOT

Have Marconi CR100 wartime communications receiver in working order, plus circuit diagram and component list. Ideal receiver for s.w.l. beginner. Would exchange for w.h.y? Tel: 0494 20669. F399

Have Praktika MTL-50 f1.8 50mm lens and 1600A computer electronic flash. All in carrying case. Never used, new condition. Would exchange for TR-2400 or any of the following; Johnson Ranger transmitter, SX-28, NC-300 or NC-303 receivers or any combination of equipment preferably American. Mr R.M. Dotchin G3WEP. Tel: 0234 272278. F411

Have 192 *Practical Wireless* back issues, 1973-1988 inclusive, in excellent condition. Also some issues between 1971-1972. Would exchange for portable solid-state short wave receiver including amateur bands or w.h.y? Mac. Tel: 0376 513324. Between 1800-1900. F423

Have *Short Wave Magazine* 1968-86, *Practical Wireless* 1962-86 (largely complete), plus others. Also have valve multimeter Type CT38 and frequency meter Type TS174/M. Would exchange for scanning receiver, pocket TV or w.h.y? Nigel G1HZM. Tel: 0386 2095. F441

Have a Uniace 934 transceiver with Corona pre-amplifier, plus Pope H100 coaxial cable and double beam antenna. Would exchange for good scanning receiver. Phone between 1700 and 2400 or weekends. Tel: Gwalchmai Anglesey 720264. F447

Have Realistic PRO-32 scanner. Would exchange for Grundig Satellit or similar receiver. Write to: Sgt. D.R. George, 23-1 Royal Hospital, Chelsea, London. F458

Got a camera, want a receiver? Got a v.h.f. rig, want some h.f. gear to go with your new G-zero? In fact, have you got anything to trade radio-wise?

If so, why not advertise it FREE here. Send details, including what equipment you're looking for, to "SWAP SPOT", *Practical Wireless*, Enfield House, The Quay, Poole, Dorset BH15 1PP, for inclusion in the first available issues of the magazine.

A FEW SIMPLE RULES: Your ad. should follow the format of those appearing below, it must be typed or written in block letters; it must be not more than 40 words long including name and address/telephone number. Swaps only—no items for sale—and one of the items MUST be radio related. Adverts for ILLEGAL CB equipment will not be accepted.

The appropriate licence must be held by anyone installing or operating a radio transmitter.

Have back dated radio magazines and books. Would exchange for pre 1945 *Practical Wireless*, *Radio Craft*, *Service*, pre 1951 *Radio Maintenance*, *Cornell Dubilier Capacitors* volume I and II. Also wanted any issues of *General Radio Experimenter*, plus *Aerovox Research Worker* issues pre 1945 and after 1964. In addition test equipment handbooks, radio servicing books etc. B.F. Baker, Wellington Street, Russell Northland, New Zealand. Tel: 088537718. F468

Have Matsui MR-4099 portable communications receiver. Would exchange for a HRO 5T communications receiver with all coils etc. Harry H. Davey, 10 Chestnut Crescent, Maulden, Beds MK45 2DW. Tel: 0525 404165. F517

Have Rotaprint TTR offset printing press, recently overhauled, with electrostatic platemaker, includes plates, chemicals and handbook, value £650, must be collected. Ideal for starting your own printing business. Would exchange for 144MHz/430MHz base station transceiver with antenna. Swapper disabled beginner. Ron. Tel: Torquay 0803 62942. F525

More Swaps on page 48

Practical Wireless, May 1989

OUR SERVICES

QUERIES

We will always try to help readers having difficulties with a *Practical Wireless* project, but please observe the following simple rules:

1. We cannot give advice on modifications to our designs, nor on commercial radio, TV or electronic equipment.
2. We cannot deal with technical queries over the telephone.
3. All letters asking for advice must be accompanied by a stamped, self-addressed envelope (or envelope plus International Reply Coupons for overseas readers).
4. Write to the Editor, "Practical Wireless", Enefc House, The Quay, Poole, Dorset BH15 1PP, giving a clear description of your problem.
5. Only one project per letter, please.

BACK NUMBERS AND BINDERS

Limited stocks of many issues of *PW* for the past 18 years (plus a few from earlier years) are available at £1.40 each, including post and packing to addresses at home and overseas (by surface mail).

Binders, each taking one volume of *PW* are available Price £3.50 plus £1 post and packing for one binder, £2 post and packing for two or more, UK or overseas. Prices include VAT where appropriate.

CONSTRUCTION RATING

Each constructional project is given a rating, to guide readers as to its complexity:

Beginner

A project that can be tackled by a beginner who is able to identify components and handle a soldering iron fairly competently.

Intermediate

A fair degree of experience in building electronic or radio projects is assumed, but only basic test equipment is needed to complete any tests and adjustments.

Advanced

A project likely to appeal to an experienced constructor, and often requiring access to workshop facilities and test equipment for construction, testing and alignment. Definitely not recommended for a beginner to tackle on his own.

COMPONENTS, KITS AND PCBs

Components for our projects are usually available from advertisers. For more difficult items, a source will be suggested in the article. Kits for our more recent projects are available from **CPL Electronics**, and from **FJP Kits** (see advertisements). The printed circuit boards are available from our **PCB SERVICE** (see page 53 of this issue).

CLUB NEWS

If you want news of radio club activities, please send a stamped, self-addressed envelope to **Club News**, "Practical Wireless", Enefc House, The Quay, Poole, Dorset BH15 1PP, stating the county or counties you're interested in.

ORDERING

Orders for p.c.b.s, back numbers and binders, *PW* computer program cassettes and items from our Book Service, should be sent to **PW Publishing Ltd.**, FREE-POST, Post Sales Department, Enefc House, The Quay, Poole, Dorset BH15 1PP, with details of your credit card or a cheque or postal order payable to **PW Publishing Ltd.** Cheques with overseas orders must be drawn on a London Clearing Bank.

Credit card orders (Access, Mastercard, Eurocard or Visa) are also welcome by telephone to Poole (0202) 678558. An answering machine will accept your order out of office hours.

SUBSCRIPTIONS

Subscriptions are available at £15.50 per annum to UK addresses, £18 to Europe, and £19 elsewhere (by Accelerated Surface Post). For further details, see the announcement in previous issues.



MONTHLY RADIO MAGAZINE

Monitoring Times is the magazine to provide full spectrum coverage of both broadcast and utility stations around the globe,

and will improve your radio monitoring. Recent issues have featured Monitoring the Shuttle launch, Monitoring Ship's Radio Communications, Radio Wars in Nicaragua, Greenpeace, Swiss Army radio communications, Broadcasting's Secret Frequencies, and more. Regular articles cover Maritime, Aeronautical, Utility Stations, Shortwave Broadcasting, technical subjects, and lists 100s of frequencies in over 100 pages. Send for a copy today.

Only £2.20 per issue in UK, £2.45 overseas (IRC£3.50) incl. post. We will send subscription details and a copy of our free catalogue of all radio books.

INTERBOOKS

P59, 8 Abbot Street, Perth, PH2 0EB, Scotland. Tel: 0738 30707

SMC

SOUTH MIDLANDS COMMUNICATIONS

NEW FROM CREATE

ROTATORS

The **RC5 Series** of rotators from **Creative Design** are built to meet the exacting standards required by both professional and amateur users. A range of models is available designed to cater for medium to large sized antennas. All the rotators are manufactured with high quality components allowing continued and reliable operation.

RC5-1	£219.00
RC5A-3	£425.00
RC5B-3	£675.00




6M BEAMS

New from **Creative Design** are a range of 6m beams, the **CL6DX 6 element**, **CL6DX 7 element** and **CL6DX 8 element**.

All these antennas are the result of long and continued research to achieve the best possible performance whilst remaining both cost effective and extremely robust.

CL6DX 6 ele 13dB*	£115.00
CL6DX 7 ele 14.3dB*	£168.99
CL6DX 8 ele 14.5dB*	£225.00

*Manufacturers figures.



SMC LTD, SM HOUSE, SCHOOL CLOSE, CHANDLERS FORD INDUSTRIAL ESTATE, EASTLEIGH, HANTS SO5 3BY.

Tel: (0703) 255111. Telex: 477351 SMCOMM G.

Fax: (0703) 263507

G6XBH

GIRAS

G8UUS

Visit your Local Emporium
Large selection of New/Used Equipment on Show

AGENTS FOR:

F.D.K. ● AZDEN ● ICOM ● YAESU ● ALINCO

ACCESSORIES:

Welz Range, Microwave Modules, Adonis Mics, Mutek Pre-Amps, Barenco Mast Supports, DRAE Products, BNOS Linears & P.S.U.'s
★ ERA Microreader & BPS4 Filter, SEM Products ★

AERIALS, Tonna, New Diamond Range of Mobile Whips, Jaybeam

BRING YOUR S/H EQUIPMENT IN FOR SALE

JUST GIVE US A RING

Radio Amateur Supplies

3 Farndon Green, Wollaton Park, Nottingham NG8 1DU
Off Ring Rd., between A52 (Derby Road) & A609 (Ilkeston Road)
Monday: CLOSED Tuesday-Saturday: 10.00 a.m. to 5.00 p.m.

Tel: 0602 280267

R.A.S. (Nottingham)

R.A.S. (Nottingham)

Experimental HF Loopstick Antenna

A ferrite receiving antenna to cover the h.f. bands has always seemed to be an attractive idea to Richard Q Marris G2BZQ. So he set about experimenting with UK available ferrite materials, which provided good results up to 2MHz. Not content with this he looked further afield for more exotic materials and has finally come up with this interesting experimental antenna.

The author had been aware for some time that high grade ferrite materials were being used in the USA for compact h.f. rod antennas. It took only a few well placed letters to US antenna manufacturers to locate their sources of supply. Various samples of material were obtained for experimental purposes and it soon became clear that the manufacturers quoted operating data was a little optimistic, at least as far as antenna work was concerned. Some samples were quoted to have an operating frequency of up to 70MHz, when in test it was found that these materials would only work as an antenna up to approximately 6MHz. Above 6MHz, the device looked more and more like an r.f. choke and what purpose it could serve up at 70MHz one can only guess.

Eventually some Amidon type 61, $7\frac{1}{2} \times \frac{1}{2}$ inch (non metric!) nickel-zinc composite rods were selected, whose antenna operating frequency was quoted to be as high as 10MHz. These rods could also be used for r.f. chokes right up to 30MHz. It later transpired that Amidon's claims were quite conservative and much higher antenna operating frequencies could be obtained.

A range of simple tests were conducted on the Amidon material and the results that were obtained had a marked contrast to those obtained using low grade UK materials. For example the low frequency antenna performance using the new material was far from good, while its h.f. performance started to degrade at approximately 17MHz. However, ideas now exist for improving this upper limit by using a different winding technique. Certainly at these higher frequencies the directional properties become a little confused.

Practical Design

The basic circuit of the final prototype antenna is shown in Fig. 1. It consists of L1 resonated by C1 and C2, a dual-ganged 500pF airspaced variable capacitor, connected in a balanced series arrangement. The capacitor type specified for C1 and C2 has a minimum capacitance of 10pF per section, with all integral padding capacitors




Fig. 1




Fig. 2

removed. Inductor L2 is used to couple the antenna into the receiver via a length of RG58U 50Ω coaxial cable. This inductor consists of a 2-turn coil connected in series with a 350pF fixed capacitor, which helps to equalise the loading effects between the antenna and receiver. It was found in practice that the inductance of L2 was far too high to provide efficient matching at h.f., so C3 was introduced to provide the necessary compromise for both h.f. and l.f. matching, from 3.5MHz to 17MHz.

The rod manufacturers recommend that to gain the best Q from the antenna the coil turns should be well spaced apart, with an air-gap between the winding and the surface of the rod. Suitably sized Paxolin tubing was sought to wind the coil on, but after much searching nothing was found. Eventually, the problem was overcome by using pvc covered single-core wire; the thickness of the wire covering giving a uniform spacing between the wire and the rod.

The antenna assembly is built on a piece of plain copper p.c.b. material measuring 140mm x 240mm, to which all earth connections are directly soldered, the copper plated side being uppermost. The rectangle of p.c.b. material is mounted on top of two 21mm x 9mm wooden battens. The ferrite rod is mounted on a 9mm x 21mm x 192mm wooden platform and held in place with two plastics coated Terry clips. The platform is supported above the main board by two 75mm x 15mm dia. dowelling pillars. The dual-ganged capacitor is mounted below the rod antenna where the ends of L1 come down vertically through two holes in the platform and connect to C1 and C2.

The dual-ganged variable capacitor is positioned centrally under L1, mounted on a small metal bracket, giving a symmetrical and balanced layout. An epicyclic slow-motion drive is fitted to the shaft of C1/C2 and an extension spindle taken to a large knob just outboard of the edge of the chassis. The two leads from L2 drop down to connect to a small 3-way terminal block, where C3 is connected, and in turn to the coaxial cable leading off to the receiver.

Inductor L1 consists of 8 turns of single strand 1/0.6mm pvc covered wire (1.2mm o/d), spaced one thickness apart, wound centrally on the rod. Long tails should be left on the finished inductor to allow connection to C1/C2. A narrow strip of self adhesive tape is then wound centrally over the top of L1, followed by two turns of the same wire, forming L2. It should be noted that L2 must be tightly wound over the dead centre of L1 and is finally held in place with a length of sleeving, see Fig. 2 for details.

While the physical size and overall layout of the antenna are not particularly important, for correct antenna operation the following points should be noted;

- (a) L1 and L2 must be in the centre of the rod.
- (b) L1 and L2 must be constructed as prescribed.
- (c) The rod and windings must be mounted well clear of any earthy elements.

Ferrite Rod—type R-61-050-750 $7\frac{1}{2}$ inch \times $\frac{1}{2}$ inch diameter, price per order at time of writing \$3.50 each plus \$4.00 airmail and packing from: Amidon Associates, 12033 Otsego Street, North Hollywood, California 91607, USA.

C1/C2—dual-ganged, 500pF–10pF per section, variable air spaced capacitor, possible supplier J. Birkett. Tel: Lincoln 20767.

L1, L2—Single strand 1/0.6mm pvc covered wire with o/d of 1.2mm, construction see text.

Base board—140mm \times 240mm single-sided copper-clad p.c.b. material.

Wood—240mm \times 9mm \times 21mm (2); 192mm \times 9mm \times 21mm (1) wooden battens; 75mm \times 15mm dia. (2) dowelling.

Feed line—700mm RG58U coaxial cable with suitable plug to match RX.

Slow-motion drive—Epicyclic 1:6 drive fitted with extension spindle and knob.

Miscellaneous—3 way terminal block; screws, Terry clips; sleeving; insulating tape.




Fig. 3 ►

(d) The configuration of C1/2 and L1 must be symmetrical with equal lead-lengths.

(e) Alternative types of 500pF dual-ganged capacitor can be used for C1/C2, although this may alter the h.f. performance of the antenna due to the minimum capacitance of each individual device.

The component layout of the prototype antenna is shown in Fig. 3 and although it's certainly not beautiful, it does at least provide an excellent test bed for further experiments. The latest design has now been in service for

quite some time giving excellent results on the 14MHz, 7MHz and 3.5MHz amateur bands, as well as the domestic short wave bands below 18MHz.

Conclusion

This has proved to be an interesting project, well worth the trouble of tracking down and importing all the various types of ferrite material, plus all the hours of experimental work; which still goes on. It should be stated that the project described here is still very much an experimental design.

As yet the directional properties of the antenna seem ill defined, although when mastered, they provide a useful means of eliminating both QRM and QRN. However, the elimination of QRM seems to be dependent on the frequency of operation, the effect being far more pronounced on the l.f. bands, with received signals having a low angle of arrival (ground-wave) showing the most pronounced effect.

The antenna has now been used with three different receivers at the author's QTH and only one has needed extra r.f. pre-amplification. **PW**

SWAP SPOT

Have Photoguide instruction manuals plus special tools, together with 45 typewriters including IBM electric and golf ball types, could be used for spares or working items after minor repairs. Must be collected. Would exchange for 144MHz/430MHz base station transceiver with antenna. Swapper disabled beginner. Ron. Tel: Torquay 0803 62942. **F525a**

Have Howes DcRx80, built, cased and working, also CSL4 filter kit unopened. Also have *PW* back issues 1977 to 1988 (almost complete) with 3 red binders plus 9 inch monochrome TV with loop antenna and 12V d.c. supply lead. Would exchange for 430MHz to 144MHz transverter or w.h.y? Roy Bailey G6WLE. Tel: 0488 39441. **F535**

Have Belcom Liner-2 144.1MHz–144.33MHz s.s.b. transceiver, v.x.o. controlled, 10W or 0.1W o/p. In g.w.o., complete with manual, mic., p.s.u. lead and mobile bracket. Ideal driver for transverter. Would exchange for dot matrix printer in g.w.o., with graphics function and Centronics interface, must take continuous stationery, or w.h.y? Richard G6AKG. Tel: 0202 678558 office. **IH01**

SNIPPETS

As the name suggests a "Snippet" is any small piece of information snipped from the rich fabric which makes up our hobby. If you've a useful idea, hint, tip or wrinkle, that you feel is worth sharing with your fellow amateurs, then send it to our Editorial address. Each lucky person to get his "Snippet" in print will receive a £5 *PW* voucher. The "Snippet" must be original information, and not duplicated to other magazines. We reserve the right to edit or shorten any "Snippet". "Snippets" may also be placed in our Prestel Mailbox 202671191. The ideas that appear in "Snippets" have not been tried by, nor are they necessarily endorsed by *Practical Wireless*.

Did you know that nine 35mm photographic film canisters fit snugly into a Maplin FG00A Double storage drawer? This fortunate combination makes an ideal storage system for all those short-lead prototyping components. Two drawers will give you enough storage space for all the common values of resistor from 10Ω to 9.1MΩ with the canisters marked 10 through to 91. For instance, the one marked 47 will take 4.7Ω, 470Ω, 4.7kΩ, 47kΩ, 470kΩ and 4.7MΩ resistor values. A Magic Marker can be used to mark the value on the lid of each canister. This storage idea can be used for all manner of small components. Empty film canisters are available free from most photographic processing shops.

R.A.



D A T O N G
ELECTRONICS LIMITED

For products you can rely upon to give amazing results

For information on **Active Antennas, RF Amplifiers, Converters, Audio Filters, the Morse Tutor and Speech Processors** send or telephone for a free catalogue and selective data sheets as required. All our products are designed and made in Britain. Orders can be despatched within 48 hours subject to availability.



— VISA AND ACCESS WELCOME —



DATONG ELECTRONICS LTD

CLAYTON WOOD CLOSE, WEST PARK, LEEDS LS16 6QE TEL: 0532 744822.

RST

RST MAIL ORDER CO.
LANGREX SUPPLIES LTD,
1 MAYO ROAD,
CROYDON,
SURREY CR0 2QP.
**SPECIAL EXPRESS
MAIL ORDER SERVICE**

AZ31 4.00	EL360 18.50	PL509 6.00	6AH6 5.00	6K8 3.00
CL33 6.50	EM81 2.50	PL519 6.00	6AK5 5.99	6KD6 12.00
DY867 1.50	EM87 2.50	PL802 6.00	6AL5 1.50	6L6G 7.50
DY802 1.50	EN91 6.50	PY33 2.50	6AM6 6.02	6L6GC 7.50
E68C 10.33	EY61 2.75	PY81 1.50	6AN5 4.75	6L7 2.50
E180F 12.05	EY86 1.75	PY82 1.50	6AN8A 3.50	6L8C 7.50
E810F 35.48	EY88 1.75	PY83 1.25	6AOS 3.25	6O7 3.75
EAB8C80 1.25	EY500A 3.00	PY83 1.25	6ARS 25.00	6RHH8/6KN8 10.00
EB91 1.50	EZ80 1.50	PY88 2.00	6AS6 8.86	6SA7 3.00
EBF80 1.50	EZ81 1.50	PY500A 1.50	6AS7G 8.75	6SC7 2.75
EBF89 1.50	GY501 3.00	PY800 1.50	6AT6 1.25	6S57M 2.50
EC91 8.00	GZ32 4.00	PY801 1.50	6AUSGT 5.00	6S7J 3.25
ECC33 4.50	GZ33 4.75	QOV02-6 38.00	6AU6 2.50	6SK7 3.50
ECC35 4.50	GZ34 5.00	QOV03-10 26.25	6AW8A 3.75	6SL7GT 3.00
ECC81 1.75	GZ37 4.75	QOV03-20A 48.38	6B7 3.25	6SN7GT 3.00
ECC82 1.75	KT81 5.00	QOV06-40A 46.00	6B8 3.25	6SS7 2.75
ECC83 1.75	KT86 15.00	QOV03-12 6.80	6BA6 1.50	6J8A 2.25
ECC85 1.75	KT77 Gold Lion 12.00	QV03-12 6.80	6BA7 5.00	6V8GT 4.25
ECC88 3.50	KT88 15.00	R18 3.00	6BE6 1.50	6XA 3.00
ECC91 8.93	KT88 15.00	R19 9.24	6BH6 2.50	6XSGT 1.75
ECF80 1.50	N78 15.00	SP41 6.00	6BU6 2.25	12AX7 1.75
ECF85 3.00	O2 3.25	SP61 4.00	6BUN 2.00	12BA6 2.50
ECF89 3.50	O2 3.25	U19 13.75	6BQ7A 3.50	12BE6 2.50
ECF81 3.00	OC3 2.50	U19 13.75	6BR7 6.00	12BY7A 3.00
ECL80 1.50	OD3 2.50	U25 2.50	6BR8A 3.50	12E1 20.00
ECL82 1.50	PC86 2.50	U26 2.50	6BS7 6.00	12HG7 4.50
ECL83 3.00	PC88 2.50	U37 12.00	6BW6 6.00	30FL1/2 1.38
ECL86 1.75	PC92 1.75	UABC80 1.25	6BW7 1.50	30P4 2.50
EF37A 5.00	PC97 1.75	UAB89 1.50	6BZ6 2.75	30P19 2.50
EF39 2.75	PC900 1.75	UCH42 2.50	6C4 1.25	30P13 1.80
EF41 3.50	PCF80 2.00	UCH81 2.50	6C6 3.50	30P14 1.80
EF42 4.50	PCF82 1.50	UCL82 1.75	6C6A 2.50	57Z8 65.00
EF50 2.50	PCF86 2.50	UCL83 2.75	6CD6GA 5.00	505 45.00
EF54 5.00	PCF801 2.50	UF89 2.00	6CL6 3.75	807 8.75
EF55 3.50	PCF802 2.50	UL41 8.00	6CH6 13.00	811A 18.33
EF80 1.75	PCF805 1.70	UL84 1.75	6CWA 8.00	812A 52.50
EF86 5.00	PCF808 1.70	UY41 4.00	6D6 3.50	813 65.00
EF91 2.95	PCH200 3.00	UY85 2.25	6DO5 7.50	866A 35.00
EF92 6.37	PCL82 2.00	VR105/30 2.50	6DQ6B 4.75	872A 20.00
EF183 2.00	PCL83 3.00	VR150/30 2.50	6E8 3.00	931A 18.50
EF184 2.00	PCL84 2.00	Z759 25.00	6E8H 1.85	931A 18.50
EH90 1.75	PCL85 2.50	Z803U 25.00	6F5 3.00	2050 7.50
EL32 2.50	PCL86 2.50	2D21 3.25	6G6 3.50	5763 6.80
EL33 5.00	PCL805 2.50	3B28 50.00	6H6 3.00	5814A 4.00
EL34 Mullard 7.50	PD500 6.00	4CX250B 58.00	6HS6 3.77	5842 12.00
EL34 Siemens 4.50	PFL200 2.50	5R4GY 5.50	6J5 4.50	6080 14.00
EL36 2.50	PL36 2.50	5U4G 3.00	6J6 8.93	6146A 12.00
ELL80 25.00	PL81 1.75	5V4G 2.50	6J7 4.75	6146B 12.00
EL81 5.25	PL82 1.50	5Y3GT 2.50	6JB6A 7.50	6550 12.50
EL84 2.25	PL83 2.50	5Z3 4.00	6JEC 7.50	6883B 12.50
EL86 2.75	PL84 2.00	5Z4GT 2.50	6JSGC 9.00	6973 7.50
EL91 7.39	PL504 2.50	630L2 1.75	6K6GT 2.75	7025 4.50
EL95 2.00	PL508 5.50	6AB7 3.00	6K7 3.00	7027A 9.00

Tel. 01-684 1166

Fax: 01-684 3056

Open daily to callers: Mon-Fri 9 a.m.-4 p.m.
Valves, Tubes and Transistors - Closed Saturday
Terms C.W.O. only, allow 7 days for delivery
Quotations for any types not listed S.A.E.
Post and packing £1.00 per order

Prices excluding
VAT add 15%

Telex
946708

Prices correct
when going
to press

A WORLD OF OPPORTUNITY FOR RADIO OFFICERS

We offer a secure and rewarding shore-based career in the forefront of modern telecommunications technology. Thirty weeks special training (plus 6 weeks for non-typists) will prepare you to undertake a wide range of specialist duties as a RADIO OFFICER covering the complete communication spectrum from DC to light.

To qualify **you need** to hold or hope to attain:
an MRGC or BTEC HNC in a Telecommunications
subject with the ability to read morse at 20 wpm.

City and Guilds 7777 at advanced level,
incorporating morse transcription skills, would
be advantageous.

Anyone without the above qualifications
who has 2 years radio operating experience
will also be considered.

Age - preferably under 45 years.

We offer you:

Comprehensive Training; Good Career
Prospects; Opportunities for transfers
within UK and Overseas; Generous
Leave Allowances and a Non-
contributory Pension Scheme; Job
Security; Attractive Salaries - and
much more.

Salary (Reviewed Annually) - As a

Radio Officer after training:

£11,568 rising to £17,057 pa in 5

annual increments. (includes shift

and weekend working allowance)

CIVIL SERVICE IS AN EQUAL

OPPORTUNITY EMPLOYER.

For more information and application

form write or telephone:



THE RECRUITMENT OFFICE, GCHQ, ROOM A/1108
PRIORS ROAD, CHELTENHAM, GLOS GL52 5AJ
OR TELEPHONE (0242) 232912/3

MERLIN

MERLIN WAY, BOWERHILL,
MELKSHAM, WILTSHIRE SN12 6TJ.
Tel: 0225 706886.

SYSTEMS WIZARDS PACKS

RADIAL ELECTROLYTICS

10 off 1uf 350v	at 45p
10 off 2uf 35v	at 35p
10 off 2.2uf 250v	at 40p
10 off 3.3uf 160v	at 40p
10 off 10uf 250v	at 40p
10 off 10uf 50v	at 35p
10 off 22uf 10v	at 35p
10 off 22uf 35v	at 40p
10 off 47uf 35v	at 40p
10 off 47uf 250v	at 60p
10 off 47uf 25v	at 35p
10 off 100uf 60v	at 45p
10 off 100uf 10v	at 40p
10 off 220uf 25v	at 45p
10 off 220uf 16v	at 35p
10 off 220uf 10v	at 35p
10 off 220uf 50v	at 45p
10 off 470uf 50v	at 45p
10 off 1000uf 25v	at 60p
10 off 2200uf 25v	at 75p
5 off 3300uf 35v	at 80p
2 off 470uf 200v	at £1.30
2 off 220uf 315v	at £2.00

SEMICONDUCTORS

4 off 2N3055 NPN 100v 15a 117w TO3	at £1.20
5 off 2SD670 NPN 120v 5a 50w TO3	at £2.20
3 off 2N5302 NPN 60v 30a 200w TO3	at £2.00
10 off BSX47 NPN 120v 1a 50mhz TO5	at 80p
5 off 2SC2688 NPN 300v 200ma 10w TO22	at 70p
5 off 2SC1514 NPN 300v 1a TO22	at £1.10
5 off 2SB857 PNP 70v 4a 40w TO22	at £1.20
3 off 7812 12v Regulators TO22	at £1.30
10 off 2N3904 NPN 60v 200ma	at 50p
10 off 2N3906 PNP 40v 200ma	at 80p
10 off 2SC458 NPN 30v 100ma	at 60p
5 off 1.7a 200v Bridge Rectifiers	at £1.30
3 off 1a 50v Bridge Rectifiers	at 60p
10 off 1N5418 3a 400v Diodes	at £1.20
10 off Green Leds	at £1.00
4 off Red Leds	at £1.00
4 off Led Displays Com Cath	at £2.00

POWER ELECTROLYTICS

2 off 220uf + 25uf 380v	at £1.30
5 off 50uf + 50uf 200v	at 70p
2 off 3400uf + 3400uf 40v	at 80p
2 off 220uf 63v	at £1.20
2 off 1500uf 100v	at £1.80
2 off 1300uf 25v	at £1.60
5 off 3300uf 25v	at 80p

MISCELLANEOUS

1 off RS 591-118 PSU 5v 1a (240vac in)	at £7.00
1 off 12 0 12v 6va Transformer (choc)	at £2.40
1 off 20v 4va x 2 Transformer (PCB)	at £1.80
1 off 18 0 18v 6va Transformer (PCB)	at £1.70
5 off BSA Valve Bases	at 60p
1 off Selection of Grommets	at 50p
2 off 50ohm BNC sockets (Amphenol)	at £1.40
2 off 75ohm BNC sockets	at £1.30
2 off 50ohm BNC sockets B/Head	at £1.80
5 off SH BNC sockets	at £2.80
3 off Mains on/off switches 15a with neon	at £1.70
3 off Rocker switches SPDT 2a 250vac	at £1.50
5 off Slide switches DPDT	at 70p
5 off 3w 2p switches with knob	at £1.20
2 off 300vdcac 1.25a outlets	at 85p
2 off 65vdc 15a outlets	at 85p
3 off Chassis 1.25in Fuseholders	at 35p
5 off 20mm Panel Fuseholders	at £1.30
1 off Relay 12vdc coil 4PDT 10a w/socket	at £1.70
2 off 0.3 ohm 100w wire wound	at 60p
10 off Phone plugs	at 50p
1 off IEC 6a Mains filter socket	at £1.75
1 off IEC 3a Mains filter socket	at £1.50
1 off IEC 1a Mains filter socket	at £1.25

THIS MONTH'S WIZARDRY

Linear Amplifier Builders

SPECIAL THIS MONTH

8 off 220uf 400V, electrolytics with
mounting clips.....£15 post paid.

THE WIZARDS COMPUTER DESK—Save over £150.00 on this NEW desk! 110cm x 74cm x 74cm with keyboard recess and cabling
trunking. To good to miss at £50.00 + £16.00 P&P.

COMPRESSORS—Gas rotary air/vacuum pump 20Psi/29invac, 1/12th HP 240vac motor. Good for Desoldering/Airbrush work. Just £17.00
+ £3.00 P&P.

IN THE WIZARDS DEN!—We have from time to time the following new and S/H stock. Printers, Monitors mono colour. Valve amps and
PSUs. Lots of odds and ends.

WST MERLIN—At the following rallies exhibitions, 14th Drayton Manor, 21st Harrogate Radio Rally

MORE DATA—Ring the wizard on 0225 706886 (Day time) 0225 763027 (Home). For more information or for a visit to the works.

PAYMENT—Access, Cheque, PO and Cash Post and Packing on components £1.50, over £20.00 £1.00. Please add VAT to total.

Thank you John and Adrian the Sorcerers Apprentice!

PW REVIEW



In this user review, Ken Michaelson G3RDG looks at the features of a pre-production model of the latest rig from Kenwood, the TS-790E all-mode tri-bander. Production units will incorporate certain modifications to the receiver.

The maker's specification describes just the bare bones of the rig, pretty good bare bones nevertheless. It was only when I came to use it that I discovered what an excellent rig it is. This review rig was unfortunately not fitted with the optional UT-10 1.2GHz (23cm) unit, so I only had the 144MHz (2m) and 430MHz (70cm) bands to play with. However, taking the sensitivity as an example, it has a GaAs-f.e.t. r.f. amplifier and an improved type of antenna switching, which combine to give a greater operating sensitivity than I had come across for some time. My antenna system is not one of the best, being a discone which I used for 70cm and a pair of crossed dipoles for 2m, but the performance was excellent. Had there been a single antenna socket with an internal diplexer, I would have used the discone for both bands.

I understand from Lowe Electronics Ltd that the TS-790E can be modified to extend the receive range of the 70cm band, and to that end the review rig had an extra BNC socket on the back panel.

Controls

Emission modes are selected by a column of push-buttons beside the main tuning knob, a change of mode being indicated by sounding the initial

letter of the mode in Morse, for example "F" for f.m., and displaying the letters in orange in the main display area. You could, however, select a single audio beep rather than the Morse code by pressing the CW/N button when turning on the power switch. The sound level of the "beep" is adjustable by means of a control under the rig's top cover, where there are also three other controls, for Main Audio Mute, Sub Audio Mute and CW Sidetone level.

The display area is quite something, with no less than 17 different displays surrounding the excellent 7-digit fluorescent frequency readout. The rig is also equipped with a "dual watch" system similar to that fitted to the TM-721E dual-band mobile transceiver which I reviewed recently (*PW* October 1988). This means that any two of the three frequency bands can be listened to at the same time. When using the "dual watch" system, it is possible to use a separate loudspeaker for the subsidiary channel, connected via a 3.5mm jack on the rig's rear panel, next to the usual extension loudspeaker jack. I found this facility very interesting as it was possible to monitor a repeater on one band waiting for a friend while having a contact on another band.

Either the "Main" or "Sub" band could be selected by means of buttons on the front panel, as could the "Band Exchange" function which instantly

swapped the two bands over—Main to Sub, and Sub to Main. This is an excellent function, as it is not possible to transmit from the Sub band. The display on the Sub band is similar to the one on the Main band, but smaller. It is still perfectly readable, though.

Both the Main and Sub bands are controllable from the main tuning knob, giving a choice of direct or stepped tuning. The stepped method of tuning is enabled or disabled by pressing a button beside the tuning knob marked CH.Q (meaning "Channel Quick-step"), there being a further option in the alteration of the stepping rate when a key marked STEP on the keypad is pressed. The stepping rate is normally 12.5kHz for the 2m band and 25kHz for the 70cm band in the f.m. mode, and 5kHz for u.s.b./l.s.b. and c.w. on both bands. With the STEP key pressed, the stepping rate alters to 5kHz on f.m. and 1kHz on u.s.b./l.s.b. and c.w. on both bands. The tuning knob can be adjusted for "drag" by holding the outer knob and turning the inner ring, a very useful facility.

A high degree of frequency stability is achieved in the TS-790E by the use of a TCXO (temperature compensated crystal oscillator) as the reference source for the synthesiser. The specification quotes ± 3 p.p.m. (parts per million). As an alternative to tuning by means of the main knob, the operating frequency can be entered directly on the keypad.

★ MAKER'S SPECIFICATIONS

GENERAL

Frequency range:	144—146MHz (2m) 430—440MHz (70cm) 1240—1300MHz (23cm)*
Emission mode:	J3E (l.s.b., u.s.b.) A1A (c.w.), F3E (f.m.)
Antenna impedance:	50Ω unbalanced
Supply requirements:	13.8V d.c. ± 15%
Transmit:	12A (2m), 15A (70cm) 8A (23cm)*
Receive:	2.5A (standby)
Operating temperature:	−10°/50°C (14°/122°F)
Frequency stability:	(except f.m.) Better than ± 3 p.p.m.
Dimensions:	342Wx134Hx369mm (including projections)
Weight:	9.2kg (20.2lb) approx.

TRANSMITTER

RF output power:	Band		
	2m	70cm	23cm*
s.s.b.	35W	30W	10W
c.w./f.m.	45W	40W	10W
Maximum f.m. deviation:	± 5kHz		
Spurious emissions:	<−60dBc (2m/70cm) <−50dBc (23cm)*		
Carrier and unwanted sideband suppression:	>40dB with 1.5kHz mod.		
Frequency response (s.s.b.):	400—2600Hz (−6dB)		
Mic impedance:	600Ω		

RECEIVER

Intermediate frequency (MHz):		Band		
		2m	70cm	23cm*
Main:	1st	10.695	75.925	287.175
	2nd	0.455	10.695	41.415
	3rd	—	0.455	10.695
	4th	—	—	0.455
Sub RX:	1st	10.595	76.925	287.075
	2nd	0.455	10.595	41.315
	3rd	—	0.455	10.595
	4th	—	—	0.455

Note: 455 kHz i.f. used in f.m. mode only

Sensitivity: s.s.b./c.w.	<0.16μV for 10dB S+N/N
f.m.	<0.22μV for 12dB SINAD
Selectivity: s.s.b.	2.1/4.8kHz (−6/60dB)
c.w.	0.5/2.0kHz (−6/50dB)
f.m.	12/24kHz (−6/60dB)

Image rejection:	Band		
	2m	70cm	23cm*
	>65dB	>60dB	>55dB

IF Shift range:	More than ±0.9kHz
RIT range:	± 1.9kHz (s.s.b./c.w.) ± 9.9kHz (f.m.)
Squelch sensitivity:	<0.2μV (s.s.b./c.w.) <0.16μV (f.m.)
Audio output:	1.5W (8Ω, 10% t.h.d.)

*The 23cm module is an optional extra.
dBc=dB reference to carrier level.

There is no r.f. gain control, instead two push-buttons labelled MUTE can reduce the gain of either the Main or Sub receivers by 12dB. Separate controls for squelch and audio gain are provided for the Main and Sub channels. The usual Kenwood IF SHIFT control is provided. As I think I have said before, I do not think that this is as efficient as the "passband tuning" installed on Icom rigs, but that is just my opinion.

Memories

There are 59 multi-function memory channels available, all of them backed up by a lithium battery. The memories store frequency, mode, tone information, offset, and information about "quick-step", as previously described. Memories 00 to 29 are single-channel ones, whereas 30 to 49 provide a split-frequency facility allowing the storage of separate transmit and receive frequencies, for repeaters for example. In addition to these there are special memories for each band to set the programmable scan limits, the alert facility, which monitors a pre-determined channel every six seconds, and the call facility, which allows selection of a calling frequency with just one key-stroke. Both memory scan and program scan are available for either the Main or Sub channel, and unwanted memorised channels can be locked out. It is also possible to scroll through the memory channels by turning the main tuning knob, without losing the existing receive frequency information.

Additional features include a reverse repeater switch, and a variety of scan modes including band, memory and programmable scans with the option of carrier operated (CO) or time operated (TO) scan stop. Carrier operated scan holds on the station as long as the signal is there, resuming scanning about two seconds after the carrier drops, and time operated scan stops on a busy channel for about five seconds, then resumes scanning. There is provision for automatic lock tuning (ALT) which is intended to compensate for frequency shift on the 1.2GHz band, but since the UT-10 module was not installed I was unable to check this feature.

The MC-34S 600Ω dynamic microphone supplied incorporates UP and DOWN buttons as well as the usual p.t.t. Using these buttons I was able to change repeater channels without even touching the rig. The review rig was equipped with the VS-2 voice synthesiser unit, which announces the tuned frequency. Unfortunately the pre-production model supplied spoke Japanese!

On The Air

I used the rig for about a month, and during this time I connected it to my Pakratt PK-232 modem for use on packet. This necessitated careful attention to the information given in the very well-presented Owner's Manual. The necessary 13-pin DIN plug to mate with the ACC2 socket on the rear panel is supplied with the rig. Having checked everything, I started operation on 144.650MHz. The TS-790E per-

formed perfectly in this mode. In passing, apart from the normal complement of sockets on the rear panel, there is a control to adjust the "hang-time" on c.w. This altered the time that the rig would remain in the transmit condition after releasing the key. There was also a 7-pin DIN socket for connection to an amateur TV terminal unit.

The TS-790E is provided with a speech processor, but as far as my contacts were concerned, I did not find any reason to use it. I had a great many 'phone contacts all over the 2m band, both in f.m. and s.s.b., and found the rig easy to operate. Operating on 70cm was just as easy, with the added benefit that the band was much quieter. The rig includes the option of cross-band operation and full duplex facilities if so desired, and I tried this out with success. I had not done it before, and found the results quite intriguing. Without exception, I had reports of excellent speech clarity.

Overall, I would consider it an excellent piece of equipment. I well remember my original Trio TS-820 and how long that ran without any trouble, and I felt that this rig would uphold the Trio-Kenwood reputation. For those of you whose interest is in v.h.f. and u.h.f., not mobile but from home, I think this is a piece of gear that needs earnest consideration.

The price of the TS-790E at the time of going to press was £1495.00 inclusive of VAT and carriage. Thanks are due to **Lowe Electronics Ltd., Chesterfield Road, Matlock, Derbyshire DE4 5LE, telephone 0629 580800**, for the loan of the review rig. **PW**

Packet Radio Update Part 3

At the latest meeting of the Eastnet project, discussion centred on the equipment to be used and the costing. Actual investigation of the 1296MHz (23cm) linking has been held up due to the licence "procedure" and our original tentative deadline has come and gone. However, it is hoped that by the time this is being read, the link may be working.

The equipment favoured was the Cirkit receiver and a transmitter ending up with a Mitsubishi "brick" (a small black device giving about two watts output), pin-diode switching was in a separate box and finally James Miller's 9600 baud modem. Taking bulk buying of bits into consideration, the provision of labour for construction by several of the group, generous with their time, also alignment offered by some others with access to the necessary test equipment, it is still not a cheap exercise. By the time the TNC had been bought (along with ancillary bits and pieces such as die-cast boxes, plugs and sockets, antenna and cable, etc.) the cost will be well over the £300 mark.

However, the resulting improvement in the efficiency of the network should justify the outlay and I think that all internodal linking will be this way in the future. At the time of writing this, we have just heard that the licensing has now come through. Paul G4VLS is at present working on the high-speed modem board, so hopefully the link will be working by the Spring.

New Projects

Several interesting new projects have been described in the Packet Status Register from TAPR, Tucson Amateur Packet Radio organisation in Arizona, USA. The PS186 is a 5-port, high-speed packet switch (>1Mbit/sec) designed by WB6HHV, KA6IQA and N6NKF. The full details are given in the ARRL 6th Networking Conference Proceedings.

Briefly, it is being released as a kit and AEA (Advanced Electronic Applications) have acquired the rights to produce the card commercially. It is built around an 8MHz 80186 processor and up to 1 megabyte of memory. The I/O support is provided by two 8530 SCC i.c.s which are interfaced with d.m.a. (direct memory access). This provides four HDLC/ASYNC/SYNC ports, the fifth being ASYNC only. Also provided are a SCSI port (for disk or multi-board interface), a real-time clock, a watch-

This month, Roger J Cooke G3LDI gives us more details on the Eastnet Project as well as other projects in the pipeline

dog timer and a remote reset circuit. A UART has been added to the board for use as a control port. Kits will be available to those interested.

There have been several articles in the PSR devoted to digital signal processing. Much development work has been done in the USA by people like Lyle Johnson WA7GXD, Bob McGwier N4HY and Tom Clark W3IWI as well as in this country by James Miller G3RUH. Digital signal processing, d.s.p., is a means of processing a signal by digital means. The AMD 7910/7911 i.c.s, such as those used in the Kantronics TNC are examples of applying the d.s.p. technique to packet.

In general, anything you want to do to an audio signal—generation, modulation, filtering, etc.—can be done using d.s.p. The advantages include:

- 1: Uniformity and repeatability of design
- 2: One general-purpose hardware design that can be configured under software control to do many tasks.

Known as the TAPR/AMSAT DSP 1 project, it is hoped that it will be available soon. Initial applications will probably include radio modems for such tasks as h.f., v.h.f./u.h.f. and OSCAR packet systems using f.s.k., p.s.k. and other techniques. Secondary functions may include SSTV, WEFAX, RTTY and AMTOR.

Software Section

APLINK is a software system that runs on an IBM PC or clone. It provides an AMTOR mailbox via either an AMT-1 or PK-232 through the serial port. AMTOR users, via h.f., can either enter messages or bulletins to other stations. An additional feature of APLINK is that h.f. AMTOR users can enter messages to be distributed over the National Network. To do this, the sysop installs an additional serial port on the PC and connects this port to a TNC-2 or clone for a v.h.f. packet interface.

With this addition, AMTOR stations can enter messages for relay via v.h.f. packet. The converse is also true,

i.e. packet users on v.h.f. can forward messages to h.f. AMTOR stations. APLINK was written by Vic Poor W5SMM and is available for amateur use without charge. Those interested can obtain a copy by sending a formatted 5.25in 360K floppy to Paul Newland AD71, PO Box 205, Holmdel, New Jersey, USA 07733 0205, not forgetting return postage and mailer. I feel that this could be a very useful feature to the international scene. I have been forwarding via packet on h.f. for about three years and have just conducted some tests with VE7DFW. Although he was 10dB over S9 on s.s.b., the only packet we could successfully exchange was the original connect. The polar flutter put paid to any further exchanges. This, of course, does not apply to other paths, but it would seem that AMTOR might have the edge on packet over difficult paths such as this.

Updates continue on both the WA7MBL and WORLI BBS codes with 5.12 being the latest for MBL and 9.03 for RLI. Even these may be out-of-date by the time this is read, such is progress! WORLI has two nice features in its latest release. These are a hierarchical addressing scheme and a White Pages server. The hierarchical addressing system looks very interesting and could be a useful system for h.f. operators to adopt world-wide. It uses a two-letter continent designator, three-letter country designator and a two-letter state, province, county or whatever designator. For example, VE3GYQ would be VE3GYQ.ON.CAN.NA. This means that VE3GYQ is in Ontario, which is in Canada, which is in North America. Routing can therefore be sent to an h.f. gateway, basing the routing on additional address information. This would help with forming the forward files.

My addressing would therefore be G3LDI.NK.GBR.EU, which would mean G3LDI in Norfolk (adopting, presumably, the code already used for counties), which is in Great Britain, in the continent of Europe. There are standard codes available for countries published by the International Standards Organisation, the ISO, accepted internationally. It is expected that WA7MBL will be implementing this system in the near future. It can even accept a lower level of designator, below the country level, in our case, so that my final addressing could look like G3LDI.#351.NK.GBR.EU, the hash being the recommended key character for designator below the country level. This would conflict with our

underscroll at present used in our own 1 system, but it's not an insurmountable problem.

Hints for Users

I have often seen mail to individuals from Michael at GB3UP regarding communicating via the DGE onboard UoSAT OSCAR-11. This is a very reliable means of posting mail and I make no apology for reproducing the information again. Hopefully it will save Michael some typing!

There is a regular exchange of mail between the ground-station in Guildford, Surrey (GB3UP) and Adelaide, Australia (VK5AGR), Johannesburg, South Africa (ZS6SAT) and ZL1AOX

in New Zealand. The USA remains a problem at the moment (mail for the USA and Canada can be routed via G3LDI) although it is hoped to have a ground-station in California in the near future.

All you need to know is the local mailbox of the addressee. Then send it in the normal way, e.g. if you want to send a message to VK1ABC, whose local BBS is VK9XYZ, just enter SP VK1ABC @ VK9XYZ. All mailboxes in the UK know that GB3UP is the gateway to VK, ZS or ZL, so routing is no problem. Do not use @ DCE, it causes lots of extra work and the message is likely to be delayed in order that the sysop can find out where to send it. Please confine your messages

to personal mail only, no bulletins, unless they apply specifically to all the DCE gateways, no REQDIR/REQFIL requests and NO adverts.

That's about it for this month, more next time including news and views from packeteers abroad relating especially to h.f. operation and progress in other parts of the world.

**CONTINUED
NEXT
MONTH**

**REVISED SERVICE!
LOWER PRICES!**

Practical Wireless  **0202 678558** 
PCB SERVICE

Printed circuit boards for *Practical Wireless* constructional projects are available from the PW PCB SERVICE. The boards are made in 1.5mm glass-fibre, and are fully tinned and drilled. All prices include postage, packing and VAT for UK orders. Please add £2.00 per order for despatch to overseas addresses.

Orders and remittances should be sent to: **PW Publishing Limited, FREEPOST, Enefco House, The Quay, Poole, Dorset BH15 1PP**, marking your envelope **PCB SERVICE**. Cheques should be crossed and made payable to PW Publishing Ltd.

When ordering, please state the Article Title and Issue Date as well as the Board Number. Please print your name and address clearly in block letters, and do not send any other correspondence with your order. You may telephone your order using Access or Visa. A telephone answering machine will accept your order outside office hours.

Please allow 28 days for delivery. Always check the latest issue of PW for the current details of price and availability. Please enquire for p.c.b.s not listed here.

Board Number	Title of Article	Issue Dated	Price (£)
WR068	AF Speech Processor	Jan 80	5.20
WR095	Transceiver Power Supply	Sep 80	3.85
WR126	"Exe" 10GHz Transceiver	Aug 81	7.70
WR144	Iambic Keyer	Mar 82	6.50
WR143	ATV Converter	Apr 82	7.10
WR156	Repeater Time-out Alarm	Nov 82	5.20
WR160	LMS Regenerative Receiver	Feb 83	5.20
WR167	RTTY Terminal Unit for ZX81	June 83	7.80
WR165	"Severn" (VFO)	June 83	5.20
WR166	"Severn" (Receiver/Audio)	Jun 83	6.50
WR168	"Severn" (Ch. over/Sidetone)	Jul 83	6.50
WR169	"Severn" (Transmitter)	Jul 83	6.50
WR165 etc set	"Severn" 7MHz QRP TX/RX	—	14.90
WR161	"Marchwood" 12V 30A PSU	Jul 83	2.40
WR179	Transceiver VOX Unit	Mar 84	6.50
WR183	Top-band DF Receiver	Apr 84	6.50
WR184	Simple Top-band Receiver	Jun 84	6.50
WR185	Auto-notch Filter	Jun 84	6.50
WR187	Morse Sending Trainer	Jul 84	4.50
WR190	Mod FRG-7 (Switching)	Oct 84	4.50
WR189/192 pr	Bug Key with 528-bit memory	Oct 84	8.50
WR194	Mod FRG-7 (FM/squelch)	Nov 84	4.50
WR195	Stable Toneburst	Nov 84	2.60
WR196	"Teme" 7/14MHz QRP(TX)	Nov 84	3.70
WAD246	"Dart" Follow-up	Dec 84	4.00
WA001	"Teme" (VFO/Doubler)	Dec 84	2.80
WA002	"Teme" (Receiver)	Jan 85	4.30
WAD280**	Triambic Keyer	Feb 85	7.10
WAD249	Mod FRG-7 (BFO)	Feb 85	3.00
A004	"Colne" 3.5/14MHz RX (RF Amp)	Apr 85	3.10
A005	"Colne" (VFO)	Apr 85	3.10
WR198	"Colne" (Product Det/Audio)	May 85	3.90

Board Number	Title of Article	Issue Dated	Price (£)
WR197	"Colne" (Oscill/Converter)	Jun 85	3.90
WAD302	Battery Charger Controller	Jun 85	3.00
WR200	Low-cost Crystal Tester	Jul 85	2.50
WR201	Add-on BFO	Aug 85	2.50
WR202	Economy UHF Pre-scaler	Sep 85	3.70
WR199	"Meon" 50MHz Transverter	Oct 85	6.70
WR203	Simple Capacitance Meter	Oct 85	2.80
WR204	WQ Medium Wave Loop	Nov 85	3.00
WR205	RTTY/Morse Modem	Jan 86	5.40
WR206	RTTY/Morse Modem (plug-in)	Jan 86	2.80
WR207	Crystal Calibrator	Jan 86	2.10
WR208	RF Speech Processor	Mar 86	4.10
WR209	Simple Audio Oscillator	Mar 86	4.30
WR211	"Meon" Filter	Apr 86	3.10
WR210	"Arun" Parametric Filter	May 86	8.10
WR213	Mod FRG-7 (Carrier Osc)	Jun 86	2.70
WR215	Simple 50MHz Converter	Sep 86	3.60
WR217	Automatic NiCad Charger	Oct 86	2.40
WR220	Get Started Low-cost Converter	Oct 86	2.40
WR216	LF Bands Active Antenna	Nov 86	2.40
WR222	"Taw" VLF Converter	Nov 86	2.80
WR223	High-imp MOSFET Voltmeter	Dec 86	2.90
WR214	Mod SRX-30D (Audio)	Dec 86	3.00
WR224	"Westbury" Basic Wobblulator	Jan 87	3.50
WR218	Masthead Pre-amp for 144MHz	Feb 87	4.20
WR219	Masthead Pre-amp PSU	Feb 87	2.50
WR225	"Woodstock" SW Converter	Mar 87	4.10
WR298	"Itchen" LCR Bridge	Apr 87	3.40
WR226-8 set	"Blandford" Rcvr Converter	Apr 87	9.70
WR230-2 set	"Axe" Signal Tracer	May 87	9.20
WR233	"Downton" F-V Converter	Jun 87	3.90
WR234	Side-tone Oscillator	Jun 87	2.70
WR235	Mains on/off for Batt Radios	Sep 87	3.00
WR236	"Blenheim" VHF Converter	Sep 87	4.50
KANGA	High Stability VFO (see issue)	Oct 87	—
WR237	RTTY Tuning Indicator	Nov 87	5.20
WR238	"Otter" 50MHz Receiver	Jan 88	7.10
WR239-241 set	"Orwell" Medium Wave Recvr	Mar 88	9.10
WR242	"Orwell" Varicap Tune Option	Mar 88	2.90
WR243	VHF Monitor Receiver (Audio)	Apr 88	2.30
WR245	Stopband filter for PW Blenheim	Jun 88	2.90
WR244	Practice Morse Key	Jul 88	2.96
WR246	"Portland" RF Voltmeter	Jul 88	3.59
WR247	Zener Diode Tester	Aug 88	3.56
WR248	"Badger" 144MHz Receiver	Oct 88	9.10
WR249	"Marlborough" MF Converter	Dec 88	4.60
WR250	DC/AC Power Converter	Jan 89	3.22
WR251	RF Operated Relay	Feb 89	3.80
WR252	Two-tone Oscillator	May 89	6.52

On The Air

On The HF Bands

PLEASE NOTE
CORRECTED
POSTCODE
SY16 1RA

Reports to Paul Essery GW3KFE
287 Healy-Coleg, Vaynor, Newtown, Powys SY16 1RA.

As far as my activity is concerned, this month has been all but a complete blank thanks to the intrusion of other, and alas, more urgent activities. However, my spies tell me that the bands have been doing as well as could be expected. At this stage of the sunspot cycle, the best conditions are in fact provided when the negative influences are least, a different situation to that prevailing a year or so ago when a new sunspot could lift things spectacularly.

Forthcoming Events

HA5PP and the XW expedition came unstuck somewhere along the line, so Laos remains well up the "wanted" list for many people. Various stories are circulating: they couldn't get a licence; they got a licence and actually got there with the equipment, but the antennas were mis-routed by Aeroflot to Moscow; they got it all together and were then told that despite the valid licence and other documentation, they could not operate for security reasons.

Turning to the 3W DXpedition, it will be recalled that the gang were said to be going on to Spratly afterwards. Well, they certainly activated 3W, but had to admit defeat over the Spratly; but the Russians had the honesty to pass the word that they couldn't crack it in plenty of time for the rest of the world to relax. Overall, this Russian expedition was a good one.

The Laccadive operation seems to have been a bit less than perfect at least from the point of view of Europeans, partly from the point of view of the expedition's announced time-slots for Europe which were not the best, and partly because they didn't seem to have as big a signal as one could have expected.

Now for some better news. The 4W effort so far has been erratic, partly because Hans is inexperienced and has his work to do, and partly because of his antenna problems. However, word has it that the latter problem is in process of being solved and I also hear that QSL Manager PA3CXC is hoping to operate from there and take in at least one of the big contests.

VR6 hardly rates as really a rare one, but it is of interest to note that for the 200th anniversary of the Mutiny on the Bounty, there will be a little celebration. On April 28, between 0001 and 2359Z, all the licensed direct descendants of the mutiny will be operational on 14/21/28MHz. Look for VR6ID, VR6KB, VR6KY, VR6MW, VR6TC and VR6YL and exchange a report and contact number. Send this to: Bounty Mutiny Day, 7462 W Lawler Ave., Niles IL 60648, USA for a special QSL card.

April 11-19 are the quoted dates for a Revilla Gigedo operation signing XF4T; this one has OH2BH in a team of XEs and OHs, so it should come off ok.

Macquarie Is will be back on the air actively in a few days from the time of writing when Graham VK0GC gets back at the end of March; YL c.w. operator Robin is only intermittently active mainly to work friends back in VK.

A possible new one is being looked at: Marquesas Is. is being worked on by

F6EXV and F2CW, though at the time of writing I have neither dates nor callsigns. However, I understand that this one is being put into the sausage-machine for DXCC approval as a new country.

Readers of *The DX Bulletin* (PO Box 50, Fulton, California) now get, thrown in for nothing extra, a copy of the new monthly, *The DX Magazine*. Very definitely oriented to those who are interested in DX and operating techniques, the first two issues to hand are very good indeed.

Geoff Watts

Many people will be aware of the Geoff Watts World Prefix List, and I expect every DX chaser in UK already has a copy. However, Geoff also publishes a USSR Oblast Guide, which carries a map of each of the 184 oblasts, a list by number of the oblasts, a list of oblasts in prefix order, oblasts of three-letter suffix calls, oblasts of two-letter suffix calls, oblasts of single-letter suffix calls, oblasts of pre-1970 active calls, pre-1970 club station oblast list, pre-1984 club-station oblast list, "Victory-40" stations and oblasts, the R 100 0 worked 100 oblasts award, deleted oblasts that still count, future new USSR prefixes, CQ-M Contest Rules, R-150-S USSR Countries List, and CQ and ITU Zone list, on some 13 pages.

Another new one is Geoff's CQ and ITU Zone Guide, which is a companion to the Prefix-Country-Zone list most of us already have. This one lists the DXCC countries alphabetically in each CQ Zone and ITU Zone, including a cross-reference to all the other prefixes and special prefixes used in each country. The other, earlier, Geoff Watts offerings are of course the Country-Zone-Prefix List we are all familiar with, and the DXCC Countries Guide. The double-sided version of any one of the four costs £1, or 6 IRCs, or \$3 for overseas airmail.

If you prefer to have the information in single-sided sheets so you can pin them to the shack wall, then the price is £1.25, or \$4 or 8 IRCs.

Alerting

I have mentioned Geoff Watts *DX News Sheet* and *The DX Bulletin* not because we are giving them a "puff" but rather to answer yet again the newcomer's everlasting question . . . how to get to know what is planned in the way of rare or new countries. Alas, our monthly status is such that we couldn't expect to mention everything; between me shipping the material to the office and the reader opening his copy, at least half the interesting ones have come and gone. Hence I was interested to notice that G3XTT has written to remind us that 144.525 is being used as a DX alerting frequency, just as for instance 28.665MHz tends to be used to alert 6 metre operators to an opening. This started in the Thames Valley years ago, and has spread to many other parts of the country. So—listen on this channel for the very latest in DX information, and of course, if you have spotted something of DX interest, pass the word along on this frequency; even if nobody seems to be on

it there will be pairs of ears listening and the word will get round. What a pity, though, that those of us at the bottom of valleys can't make use of this, thanks to the mountains all round—but maybe someone will pass the word over the landline in such cases. The principle is important, as is the use of the given frequency, so that all get the message.

Letters

First, a nice one from G4DYO, better known as the Editor of *DX News Sheet*; this one mentions some QSL addresses needed by PA3CWN: HD8EX to PO Box DX, Cuenca, Ecuador; EL7U to OH2BN, Jarmo Jaakola, Killet 5 C 30, 00710 Helsinki, Finland; D44BC to Julio S Vera Cruz, Box 36 Mindelo, Cape Verde Is. Unfortunately, 3AOM was our old friend Slim. P4OR to K4UEE Robert C Allphin Jr, 4235 Blackland Drive, Marietta, GA 30067, USA; 6V6A was a special from Senegal for the contest, and was to F2CW, J. Calvo, Le Bois D'Essard, Nercillac, F-16200 Jarnac, France; SU1ER between Jan 31 & Feb 3 (1988) via WA7LNM, October 24/25 and the CQ WWCW to N6CW, otherwise to Ezzat Sayed Ramadan, POB 78 Heliopolis 11341, Cairo, Egypt; KP2A also to N6CW, Terry F Baxter 4639 Katherine Place, La Mesa, CA 92041, USA; and FM5BH via W3HNN, Joe Arcure Jr, PO Box 73, Edgemont PA, USA. Doubtless this list will have helped others too.

Top Band

Anyone who can brew up a competitive signal on this band in a postage-stamp garden has to be pretty smart technically. G2HKU stuck to c.w. and found YT2R, PA3DQW, OK1KRG, GM3IGW, ON4XG, UQ2GM, I4EAT, UP1BWR, DL0FJ, OH0AM, HB9BIN/P, I4EML, HB9CIP, HB9CVQ, F1JDG, PA0LOU, UR2RGN, OK5TOP, ON6CW, EI9FK, GM3NCS, PA3CMG, PA3CEF, PI4DEC, PI4FRG and HG0D.

Nice to hear again from G3BRD (Seaford); various things have kept John's activity low, but he is now back on the band with a TS940S and all the filters, to add to his totals; J52US, UM8NC, UI8BDK, UD6DC, UF6FDR, UA0WX, UA0YA (Zone 23), UA1OT, VK5BC, VK6HD, 9M2AX, VU2IN, ZS5LB and PY1RO made the total countries within two years of starting on the band 132, with all CQ Zones but one worked—though the grapevine says John has in fact since completed the set! January 26/27 was noted for a very good propagation, with some 25 W states worked, including W6, YS1GMV, YV3AZC, KP2R and KX6DS.

Next we come to G3MRS (Cooden) who is making the effort to return to the bands after a 34 year layoff. Initially, activity will be on c.w. and, as Rex says, initial attempts at 7MHz c.w. reception on the BC receiver are good c.w. practice. However, the SPR4 is now being used and listening to Top Band on an antenna comprising a wire from the RX coupled to a bull-dog clip to a length of curtain rail; headphones are ex-RAF helmet type. On



STANDARD

PLEASE REMEMBER, WE ARE THE SOLE IMPORTER OF STANDARD EQUIPMENT IN THE UK AND WE ARE ABLE TO OFFER A FULL BACKUP SERVICE AND SPARES FROM STOCK.

C150

The new Standard C150 is a supercompact 2m transceiver that has all the usual features that you would expect from a modern microprocessor controlled radio – plus several new ones.

- ★ Frequency range 144-146MHz (with extended Rx capability)
- ★ Up to 5W RF output (switchable Hi-Mid-Low)
- ★ 20 memories (20 banks of 10)
- ★ Power requirements 5.5-16V dc
- ★ Superb sensitivity – less than 0.16V (120dB SINAD)
- ★ 6 different monitoring methods (dual Watch modes)
- ★ 14 different scanning modes
- ★ Individual and group call paging functions available
- ★ Semi-duplex operation with separate Tx and Rx frequencies
- ★ Squelch Off button
- ★ Battery Save and Automatic Power Off facilities
- ★ Built-in S-meter
- ★ Splash proof case
- ★ Soft touch buttons & knobs
- ★ Rotary knob or pushbutton frequency selection
- ★ PTT and keyboard locks (rotary knob is left active)
- ★ Sockets for external microphone, speaker and power supply
- ★ A comprehensive range of accessories is available, including DTMF and CTCSS
- ★ Size 124mm H x 55mm W x 31mm D.

£230.00



C500

- ★ Full Duplex
- ★ Frequency coverage 144-146 & 430-440MHz (extended Rx capability 130-169.995 & 410-470MHz)
- ★ 2.5-5W output (depending on battery)
- ★ Hi/Low switchable RF output
- ★ User programmable step sizes (5/10/12.5/25/50kHz), repeater offset (0-39.9MHz) and CALL button (instant QSY to a favourite channel – either band)
- ★ Reverse repeater
- ★ Priority Channels (both bands)
- ★ 10 memories per band (frequency & repeater offset)
- ★ Numerous scanning modes (Pause or Busy-memories-band etc.)
- ★ Auto Power Off with Alarm (4mA on standby)
- ★ Battery Save on Rx (9 user programmable Rx Off ratios)
- ★ Keypad & PTT locks
- ★ Squelch Off button
- ★ Low Battery indicator
- ★ Can be powered directly from a car's cigar lighter (5W output)
- ★ Rotary Knob or Keypad frequency selection
- ★ Dimensions 173mm H x 60mm W x 34mm D.

£359.00

AX 700E

AT LAST – a scanner from Standard! For longer than I care to remember people have been asking why Standard don't make a scanner – well now they do. Unfortunately I only have a Japanese dealer here in the shop, so I can't tell you too much about it, but you can see from the photograph that the AX 700E has a huge liquid crystal display and a very large keypad. It is a supercompact scanner with a frequency range of 100-250 or 1000kHz. The frequency displayed at the top of the display is the frequency of the signal being scanned. The left hand side of the display shows the signal strength with a bar graph. The right hand side of the display shows the frequency range (i.e. 145-146MHz). It will show up as a spike on the display. The height will show the signal strength and the position will indicate the frequency. By simply turning the tuning knob a cursor can be slid along to line up with the new signal and its exact frequency will be displayed at the top of the screen. To receive the new signal, just press a button and that signal becomes the one that is heard and the display will shift to place it in the middle of the screen. The width of the spikes is governed by the setting of the step size (10, 12.5, 25 or 50kHz). You can also set the display to monitor the activity on up to 100 channels simultaneously. If, for instance, you are looking for a specific signal but you only know the band that it is in and not the spot frequency, just set up the appropriate band edges and then sit back and watch the display. Any signals that then appear can be instantly spotted and tuned to in seconds. That's what a pandora can do for you!

As for the rest of the scanner, it covers 50 to 994.995MHz with AM and FM (wide & narrow). It is powered by 8 or 16V dc and measures just 160mm H x 100mm W x 31mm D. For more information, I can't decipher Japanese, but we should have some English leaflets by the time that you read this ad, and maybe even some radios, so come into the shop and see for yourself. You can even play with our new active antenna which should be ideal for use with this set.

£575.00 (PSU EXTRA)

Norman G4THJ

C5200

This new generation dual band mobile transceiver is virtually two radios in one box. 70cms and 2m each have their own displays showing frequency, S-meter and so on. Both bands can be heard simultaneously through the built-in speaker or through one or two external speakers. Each band has its own Volume and Squelch controls and there is also an Automatic Mute control that can mute the audio from one band while the other is being received. Full duplex is available (Tx/Rx either frequency) and the Rx frequency can be tuned while transmitting (45 Watts available on each band).

Each band has 4 different scan modes and 10 memories. Five step sizes are available and different ones can be set for each band, for instance 12.5kHz for 2m and 25kHz for 70cms.

The supplied microphone gives remote control of some of these functions and Tone Squelch and AGC units are available as optional extras.

This radio really is different – come into the shop and try it for yourself.

£599.00




PLEASE NOTE WE ALSO STOCK
ROTATORS — SWIMMERS — MERSE
METERS — ANTENNAS — POWER
SUPPLIES — PLUGS — SOCKETS ETC

400 EDGWARE ROAD, LONDON W2
01-723 5521 Tlx 298765

OPENING TIMES: 9.30am-5.30pm Mon-Fri. 10am-4.30pm Sat.



Normally 24hr despatch but please allow 7 days for delivery.



MORE
OVER
PAGE

SONY

SONY ICF 2001D
76-108 MHz
116-136 AIRBAND
153kHz-29.995MHz
FM - AM - SSB 32 MEMORIES
INC PSU, CARRY STRAP
& EARPHONE

£295



Sony ICF 7600DS FM/AM/SSB £157
Sony SW1 150-30M C/S + FM Stereo-249 AM/FM
Sony Pro 80-150KC-108MHz, 115MHz-224MHz,
AM-FM-SSB £295
Sony Air 7 £229
Sony Anti Active Antenna £49
Sony Accessories Available

SONY ICF 7600DS
76-108MHz

76-108MHz
153kHz-29.995MHz
Complete with case,
mains power supply,
earphone and
frequency list.



KENWOOD & SCANNERS

Kenwood R5000 + ARA 30 £899
Kenwood R5000 £799
VC20 Converter £160
TS680 HF + 6 Mtr £875
TS440 inc Auto ATU £1,150
Bearcat 200XLT £239
Black Jaguar £199

191 FRANCIS ROAD
LEYTON · E10 6NQ · LONDON
TELEX 8953609 LEXTON G
PHONE 01-558 0854 01-556 1415
FAX 01-558 1298

DRESSLER ACTIVE ANTENNAS

ARA 900
ACTIVE ANTENNA



50MHz to 1300MHz
Gain 17dB Typical
TECHNICAL SPECIFICATIONS
Noise Figure
1dB at 50-180MHz
1.5dB below 300MHz
2.0dB below 350MHz
2.7dB below 400MHz
3.0dB below 500MHz
3.8dB below 650MHz
4.6dB below 1300MHz

£139.00 (PL259 Connectors)
£149.00 (N-Type Connectors)
Intercept Point 3rd Order: +18dBm at Input
Post £3.00 or Secunor £7.00 extra

ARA 30 ACTIVE ANTENNA
50 kHz . . . 40 MHz WITH LIMITED
PERFORMANCE UP TO 100MHz

Professional electronic circuitry with very wide dynamic range. Meets professional demands both in electronics and mechanical ruggedness. 1.2m long glass fibre rod. Circuit is built into waterproof 2.5 mm thick aluminium tube. Ideal for commercial and swi-receiving systems. £129. See Review in August 1985 issue p.35 Both antennas come complete with 7 metres of cable, interface, power supply and brackets. Dressler preamps available.

£129

OPEN MON - SAT 9AM - 5.30PM
INTEREST FREE HP FACILITIES AVAILABLE
ON MANY ITEMS PROMPT MAIL ORDER



Prices correct at time of going to press. Please phone for latest quote.

ICOM

ICOM R71
General Coverage Receiver £855



FIRST CLASS SHORT WAVE RECEIVER.
BUY THIS FOR £855 AND RECEIVE AN
ARA 30 FREE. WORTH £129.

Also R7000 complete with ARA900 £999.
(ASK ABOUT THE NEW TV CONVERTER)
PHONE FOR BEST PRICE

ICOM IC32G ICOM IC3210
ICOM IC2GE ICOM IC761
ICOM IC228 ICOM IC781
ALL IN STOCK ICOM IC735

+ All ICOM models available. + YAESU
Accessories.

YAESU

FRG9600 £475 FT747GX £599
FRG9600H £500 FT757 MkII £875
FRG8800 £585 FT23, 411, 4700, 767
FRV8800 £100 + All Yaesu available

Lee Electronics



SWR METERS

P+P
SWR15 Single meter SWR/Field Strength 3.5-150MHz 8.50 (1.50)
SWR50B Twin meter SWR/Power/Field Strength 3.5-150MHz 19.00 (1.50)
T435 VHF/UHF Twin Meter 2/20/120V 52.50 (1.50)

MORSE KEYS

HK707 Straight Up/Down Keyer 19.25 (1.00)
HK702 As HK707 only with a Heavy Marble Base 34.75 (1.50)
HK704 Squeeze Keyer 24.50 (1.50)
MK705 Squeeze Keyer 31.50 (1.00)
MK702 Manipulator Key on Marble Base 40.50 (1.00)
BK100 Semi Automatic Bug Key 32.95 (1.00)
EKM-1A Morse Code Practice Oscillator with variable Tone 10.25 (1.00)

ANTENNAS

TA285D 2M Colinear Base Antenna 35.00 (7.50)
TA285D 2M 70cm Colinear 35.00 (7.50)
X50 Base Antenna 70/2 60.00 (7.50)
DPCP5 Base Antenna 80-10m 198.00 (7.50)
SA450 2 Way Ant. Switch 15.50

POWER SUPPLIES

ELP40 4.2 Amp 13.8v 35.00
ELP70 6.5 Amp Cont 13.8v 55.00
ELP70M 6.5 Amp Cont variable 5-15v 69.95
ELP122M 12 Amp Cont variable 5-15v 95.00
ELP321 25 Amp Cont 30 Amp Surge 145.00
T25 25 Watt Dummy Load 10.00
T100 100 Watt Dummy Load 42.50
T200 200 Watt Dummy Load 62.50

METERED UNITS AVAILABLE AT EXTRA COST PLEASE PHONE

ADONIS MICS

AM303 Base Mic SSB/FM Switch 49.50
AM503 Desk Compressor Mic as 303 with One Output. Two levels of
compression 59.00 (1.15)
FX1 Swan Neck Fet Mic with Control Box 49.00 (1.15)
202S Mobile Clip-on Mic with Control Box 35.50 (1.15)
HW7 Head Set Boom Mic For Yaesu/Icom/Trio Portables 27.50 (1.15)

STANDARD

C120

£239

£195



Currently we have just
25 of these highly
acclaimed 2m
handheld transceivers
left in stock. The
original selling price
was £239, but for this
month the special
offer price is £195.

As the accessories for
the C120 are
compatible with the
C500, we will continue
to carry the full range,
i.e. chargers, nicads,
etc and of course we
will still maintain
spares and a full
service backup.

THIS MONTH'S
SPECIAL OFFER

s.s.b. G4PC and G3JEP have been noted, plus UA3PAU on c.w.

G3HZL uses his eighty-metre dipole strapped for Top Band, against earth; this yielded c.w. contacts with EA6ZY, EA8QO, CT1A0Z, LA2UA, OY3QN, UP1BWR, UQ2GM, UQ2RGN, VK4CY/MM off North EA, YU2TS plus plenty of small fry.

The 3.5MHz Band

If you can work DX on this band you know what it's all about. First you have to have the antenna, secondly you have to have a good attenuator in the receiver line and thirdly a pair of cast-iron ears. Of course you have to contend with conditions, absence of propagation, no rotatable antenna and umpteen other things, but these are indeed just minor!

TF3EJ sticks to his key most of the time, and on 3.5MHz (80m) he mentions SM6PXJ and TF3GBN.

GOHGA (Stevenage) mentions many contacts on c.w. with her 20 metres of wire and 15 watts or less. Some thirty or so nearer Europeans, plus OK1ATT, SP3CCT, LA3X, HB9DZ, LA0EP, SP9DBA, UC2AJF, LA9LE, HA3OD, CT1BQH, SM7PZX, the SM7GWF net, SM7KJH and HB9DLF; and of course some twenty-two G and GW stations.

Turning to G3HZL Don's c.w. went out successfully to CT3CU, EA6ZY, PJ9JT, SVOAA, TK5CW, K2LE/VP5 and lots of Ws, in all areas save W6/7.

Again c.w., this time from G2HKU who offers K4PQL, W1KM, K8HVT/1, KY1H, N2FB, W3PL, W3BGN, K3OO, NR5M, W2RQ, W1FV, N3RS and N8UM.

The 7MHz Band

G1OKOW mentions a c.w. contact with UA1ZBM and OK2BOE, plus 'phone to VE3YJ, JX1UG, U19BWE, UA4LCQ/UG, UZ9OWC/UG (Armenia), GU3EJL, HH7PV, RA9FCB, JY9LC, TG9AKE, HJs, CM5JE, YV, HKONAF, HKONZY (San Andres), the Pick of the Month in VP8BUO, YCOODQ, PT7WX, VO1SA and many others.

TF3EJ mentions c.w. contacts with K3IK, K11K, GM3BST, GM3LGM, GW4VIB, EA2NF, OZ1TL and SP3CUQ.

Angie G0HGA has a long list which included UB5LBG, CT1BQH, VO1BE, IK1JPW, HA1AG, YU2CKH, EC3CQL, UA1UBV, UA3UCL, I2RGF, OE5MSM, HA7UL, YU5DX, YT3GP and loads of nearer EU and UK stations.

Now to G3MRS's listener report; Rex mentions DLs, various Gs including G0GMH on QRP, a gaggle of Italians including IA0PS, PA3AXZ, SM1REJ, SP3BY, UW3EG, UB5CHB, UA9CM, YU4ETM, Y81ZH, YU4FRS and YU1TM. Considering the antenna arrangements currently in use, that is quite a collection!

G3HZL now; Don mentions CO2HT, CT3CU, EA6ZY, F5YB, W5PWG/J8, PR7PO, PJ9JT, UA9MEA, all W call areas, VEs, V31BB, ZL1AH, ZL3ADX, ZL3GQ, SVOAA and all the usual EU stations.

Yet another c.w. addict; G2HKU stuck to this way to hook K2SHZ, CT3CU, K2LE/VP5, N3EA, W1WEF, K3ZO, N3RS, EA6ZY, K4EWG, K1SS, N2DAN, WB4CSK, N2UU, K8CW, K1AR, K2SG, VP2V/KG6WI, and VE2HQ.

The 14MHz Band

G3NOF notes the openings on the long path to VK and ZL, 0730-1000; Asians were noted between 1500 and 1900Z.

Practical Wireless, May 1989

with s.s.b. contacts registered to DL5UF/KH8, HC5EA, 3W0A, 3W4KZ, 5H3RB, 6T2MG and 9M2QR/P.

As for G1OKOW, Robert mentions C31LHK and OX3DD for a new one as his only contacts on the band.

Angie at G0HGA uses either a half-wave vertical or the end-fed. This and the QRP yielded K2UR, plus IK1ATK, DJ1TX/A, DL6ZBA, DL3BCR, DL8TQ, DK9UP, GB2SM, F6DLX, DL3IE and IK2ILI.

A very long "heard" list from G3MRS, which prunes down to AA4AX, CX1MG, EA9PNB, IS0XBL, JX1UG (Jan Mayen), J73EH, JE8KPO, JA1ITU, KP2JA, K3RN, KP4L, K2JBD, K4FAD, LG5LG, NR1N, NB3Y, NS4L, PY2ZHV, PY2FR, PY2TN, TR8H, VK6GZF, VE2IB, VE3EJW, VO1WH, VE3MVP, VE1FW, VE3HI, VE3ICR, VE3UDX, VE1VAE, VE3YME, WA4UCI, W1CK, W3OG, W4JNE, W3FM, W7MG, W3LK, W2RSL, W6OUS, WB2ULI, W2EVW, W2HGX, W2RNH, WA1EFX, YU2SF on QRP, ZS1AU 4X6RA, all except the ZS on c.w.

Now to TF3EJ; Jakob found KI1B, SV4AAQ, LU3XPM (Cape Horn), KA1LWR, N4RTE and Europeans including several Gs on c.w., while on packet HB9BXZ was raised, plus RTTY to IE9CB and F8XT.

G2HKU used s.s.b. for his regular ZL3FV contact, but reverted to the key for contacts with JH0FFE, EA6ZY, W1RM, K2LE/VP5, VP2MT, K2SHZ, LU9DHT, HC3AV/5, VE3SRK, NQ6S, PJ2/W1WEF, NI6W and KO7N.

Once again it was c.w. all the way with G3HZL; Don hooked G4BUV/MM off Mexico/Gulf of California, JE1CKA, JE1CKL, KP4L, KL7PJ, W7R1/KH6, PR7PO, UA9AS, UA0BDO/UA10 (Franz Josef Land), VK2BPN, VK3QU, VK3RAN, VK2AXR, VK6ZE, VE6BPR, VE6AO, VE7XH, all USA call areas, ZC4JL, VK5AF, VK3XB, VS6DO, ZS5WT, ZK1XE, 4Z4OX, 9J2BO, ZL2TX and K2LE/VP5.

The 21MHz Band

G3NOF notes the short path to VK/ZL/JA has often been open 0900-1200Z. A few Africans were noted in the mornings, North Americans were around 1130-2130 and followed by a few South Americans. Contacts on s.s.b. were booked with DF2UU/KH8, FM5CW, HL5FEE, KM7E, UA1OT (Franz Josef again), VE8CB, VK2XG, WB7CHS, ZL1BQD and ZL4BMC.

Now to G0HGA; Angie is still at the 15 watts mark, and only netted YO8BOI, UA3ZJG, RB5MP and UA3LHA as a result.

Over in Armagh, G1OKOW found RA2FM, UC2BS, SV1AIN, KA8YSW, VE3PRL, KD8RP/TF, KS1T, 9J2BO, U8AFN, UL7AAC, V47RF, VP5/G0AZT, EDOMA for a special-event station, and UA9UDC.

G3HZL has a few QSOs on offer; EA6ZY, CT3CU, PJ9JT, JA3IL, VK4XA, VP2EXX, VS6DO, all W districts and K2LE/VP5.

TF3EJ mentions F6GID, F6BAJ, OE3HM, various OHs, some G stations and N2EG on c.w., while on RTTY there were UT5RP, DL8OL, W4WEB, EA1ANT and Y11BGD.

Finally we turn to G2HKU: c.w. contacts with W1FJ, K3ZO, K1AR and W3LPL.

WARC Bands

More reports than usual. G2HKU keyed with W1BYH, W6ZO, K3KK and PY1RN all on 24MHz.

G3HZL offers on 10MHz: JA6GIJ,

W5PWG/J8, VE3MFN, W1PL, W1FZY, K4CRF, W7EXR, K8DJF, KY9L, W1MK, VE8ID, WI6I/1, UA0BDU/UA10 (Franz Josef), ZL4QO and lots of EUs. As for 18MHz, there were EA6ZY (he must like Stan!), Gs, VE1BB, VE3FGU, N2DAN, N4OL and Europeans. On 24MHz, G3AZ, Ws, VEs and VK.

Turning to TF3EJ, Jakob found on 10MHz c.w. VK5FE, SM4IDB, GW3KFA, G3ID, F3IU and PA0CQ, while on 12MHz DL2ECQ, SM3CFV, HB9DGV, G2KI, GJ3EML and VE3FBG were raised. As for 24MHz, that gave him VE3WZ, W9SFB, K3DV, W1BFT, WOCM, K9CVM, EA8AB and EA6BD.

The 28MHz Band

Whilst I was listening to a couple of Gs discussing Spain for the holidays, and musing that for me somewhere like Iceland or OY would be much more interesting, the post arrived and a letter from TF3EJ (Gardabaer, Iceland). Jakob notes that his interests are c.w., RTTY and a bit of packet. On 28MHz his signals went out to YV5AE, Ws assorted, AB0M/QRP, EW2CFZ, IK2GOO all on c.w. Jakob may also be heard on occasion operating as TF3EJ/5. The rig is an FT-707 at about 25-30 watts, into dipoles or a vertical; a Cushcraft vertical is at hand but at the time of writing awaited better weather for erection. Jakob says he enjoys the WARC bands, 10, 18 and 24MHz and wishes more people would report on these allocations so he can compare his own results.

GM4ELV found, with five watts input, EW2AB which turned out to be UC2-land, SV7CO, JY9SR, IB8A, all W call areas, A22RA, VS6CT, VS6HF, DK8OT/C6A, 7X2SX, ZS6TLV, 3DA0BP, LU7JP, HC5CL, PJ2WG, HV3SJ, 8P9AF, VU2RX, VU2GUY, XX9CT (Macao, QSL via KA6V), Yis, 8P9EM, 3W8DX, DU1KT and of course plenty of smaller fry.

Having kicked off with the real QRP merchants, let us turn to **G3NOF** (Yeovil) back on the bands after a rig problem; Don found the band open around 0900 for short path JA/BY/BV. A little later some Pacific stations were heard, and on a few evenings KH6s were noted in the evening. North Americans were about from 1130 to sometimes as late as 2130Z; those below 28.5MHz often running low power and simple antennas. South Americans were noted around 1900Z. QSOs using s.s.b. were completed with CN8FC, FM5CW, FY4FC, HK0HEU, HP2/KC4BKF, JA3MDG, JA5QJD, JA7OWD, JH1IZA, JH3UHG, JH4XTN, JY5DL, K6MEF, KO6VB/C6, KH6IJ, KH0AC, KL7U, KW7E (Arizona), N6GJL, UA0WW, UZ0SXF, W5TIY/TI2, W6VIG, WA3KOG/KH6, WO6T, XX9CT, Y10VP, YJ8JS, YS1OD, ZD8JP, 4U1UN and 8P9AY.

A first letter from RNARS member **G3HZL** (Stoke-on-Trent) now safely operational from the new QTH and pretty active with 93 countries worked since arrival. He mentions c.w. contacts with CT3CU, EA6ZY, JA7NUZ, JF6TEI, PJ9JT, PT2ZDR, VP2MT, K2LE/VP5, VS6DO, OY3QN, VQ9DM, lots of W/VE, YB0BAQ, YCOUNC, Z23JO, ZS5BK, ZS6AL, UA9, UA0, XE2JNE, 9J2BO, plus s.s.b. to W, VE, Z21GU and ZS5DC.

Next **GOJBA** (Sittingbourne) who has been doing lots of overtime so little operating; however Phil did manage s.s.b. to K1IEK, N6DKP, NM5Y, PY3TD, RBOHZ, UB5JRR/RB8R, WA2YFB, WH6ACF, and ZC4RF; as for c.w. that turned the trick with KA4CLM, KA9HFF, OH8MDI and f.m. managed W4DBRZ.

GI0KOW (Loughball, Co. Armagh) comes next; again a new reporter to welcome. Robert mentions that he and others notice that there has been a tendency for stations to try to run high power on the band with consequent splatter. While it is generally true one feels that the main culprits are receivers of poor dynamic range on the one hand, and these horrible solid-state output stages which just aren't adequately linear at their rated output. Be that as it may, GI0KOW raised TG9NX, I5JHW/VP5, VP9BO, CU2BR, CX1PG, OY9JD, XE1PCP, WB7VMD (Washington), W6PAG, W6ABIL, AP5HQ, ON5NT/6W1, ZF1HJ, AP2JZB, OH0RJ (Aaland Is), UV3CC/UA1P (Franz Josef), UA9AKL, a raft of JAs where the propagation turned from long to short path half way through the string, VK4FWH at twenty over the nine, TN4NW under a king-size pile-up and hence a Gotaway, UA9BEK, BY5RT for a first Chinese contact, SV2ADP, more JAs, UD6, EA9KG, UF7, G4DUW/DU1, on both 'phone and c.w., KP4FR, OX10 for a first with Greenland, VE6VVS, VP5/G0AZT, CO7ER, V21YL (Antigua) and NP2CM (St. Croix) Robert's very welcome report also mentions that he now has some 130 countries worked on this band, 90 on 7MHz and a total overall of 147. That we reckon makes a pretty good start to a DX career.

Now another QRP operator: G0HGA (Stevenage) has a maximum of 15-20 watts when the p.s.u. behaves, but with that she made it to RA3AOD, UW6NY, UA3PIP, YO5YJ, YT2ZO, 4N7EC, WB8JYF, W3ZX, NF5Z, W1UD and VP2BPZ.

For G2HKU (Sheppey) it was all c.w., LY2ZO, N4AR, K5MA/1, K6DC, TA7A, 9J2AL, HK3RQ, N9SW, K1HZ, WB4CSK,

K4BAI, K8MFO, W6DU, K5MM, N3RS, PJ9JT, W5XJ, K4FU, K8EJ, K4FW (Mister Ten-Tec himself), K5ABW, K2LE/VP5, K4II, W4DZH, LU9CV and WA1ZAC.

Points From the Post

G8PG refers to the G-QRP Club Winter Sports results. Some 35 countries were active with QRP, plus SM6YF using two watts from MV *Tosca*. On the h.f. bands many people got across the Herring Pond; G4BUE and AA2U worked each other directly on seven bands plus a cross-band on 18MHz not yet available to USA. VS6VT was worked by several Gs, despite the local hazards posed by fishermen who pump the output from a CB set into badly adjusted 1kW "linears" which sometimes manage to wipe out both 28 AND 21MHz! G3PDL got his three watts across on Top Band too, albeit with QRO at the US end. Shades of G3ERN's first transistor rig!

Now to an award. The G2DX Memorial Award is offered by Farnborough Radio Society. From within one's own continents, one must work 100 countries outside one's own continent. Only contacts after March 1986 to count. No QSLs required but the usual GCR list and certification by two licensed operators or a leading club official. No band or mode constraints but the award can be endorsed for single band, mode, QRP or whatever if required. Cost is £2.50, five US dollars or

8 IRCs, and applications go to IF Ireland G4BJQ, c/o Farnborough Radio Society, 118 Mytchett Road, Camberley, Surrey GU16 6ET. Cheques, etc., payable to Farnborough Radio Society.

In a letter from G3KPO, the curator of the Wireless Museum, Doug indicates that one of the Museum's needs is leaflets of the sort that manufacturers used to hand out at Radio Shows years ago... can anyone help, please? Send to D Byrne G3KPO, 52 West Hill Road, Ryde, Isle of Wight PO33 1LN.

Now a letter from WAB's G8XTJ. John says that the Overseas Bookholders Award has stimulated a great deal of activity on HF bands. The idea is that WAB bookholders outside Great Britain and Northern Ireland are to be worked; to gain the award you have to work ten of them. One good place to look is around 28.666MHz where there is frequently a WAB net active. Even if you don't hold a book, you can join in and maybe give someone a "rare" WAB square, for little more trouble than that of looking at your square in the AA Handbook map section—unless you are close to a borderline in which case it might be tricky. But—it's good fun and a good cause too.

Finale

Thanks for all the nice letters and news this time. Please keep 'em coming—I love it!! CUAGN.

**The next three deadlines are
April 26, May 31 and June 28**

VHF Up

Compiled by N. A. S. Fitch G3FPK.

Many readers are very pleased with their v.h.f. results so far this year. After last month's deadline, tropo conditions continued to be much better than is usual for January. At the end of the month the pressure reached 1045 millibars. By contrast, on February 25 it was down to 952mb at G3FPK with a rock bottom value of 948mb a little further south, the lowest in the area for 120 years. The 50MHz band has brought some excellent DX and with it a few propagation puzzles.

VHF Convention

Usually by this time full details of the RSGB's popular VHF Convention have been passed to me but all I can tell you is the date, Sunday April 16. The venue is the Sandown Park Racecourse in Esher, Surrey.

Awards News

Congratulations to **Julie Yates G8MKD** from Warley (WMD/ZM41h) who was elected the 88th member of the 144MHz QTH Squares Century Club on February 1 with exactly 100 squares confirmed. First licensed in Sept 1976 when still at school, her first transceiver was an Icom IC-202E with a 20W amplifier until 1980. The present station comprises a Kenwood TS-770 and 50W Microwave Modules amplifier. Various antennas have been tried, the current one being a 9-ele Tonna Yagi at 6.1m a.g.l. The QTH is 200m a.s.l. with a good take-off from north, via east to southwest, but poor to El and Gl.

**Commencing with July PW, "VHF Up" will be
compiled by David Butler G4ASR, Yew Tree Cottage,
Lower Maescoed, Herefordshire HR2 0HP**

Ninety-eight QSOs were on s.s.b. and two on f.m. mode. Eighty-five squares were worked on tropo, including EA8BML (IL27) and EA8ACW (IL28) on 9 Sept '88, nine in Auroras and six in Sporadic-E openings. Julie is also QRV on 50MHz and 430MHz, including TV. Plans for this year include getting a telescopic tower, new antennas for all bands, Helix feeder cables for 144 and 430MHz and the enabling of 4CX250B amplifiers once her antennas are clear of the local television ones.

Paul Pasquet G4RRA (SRY), member number 86 of the 144MHz QTHCC, has submitted 24 more cards to earn his 250 sticker. Seven QSOs were on tropo, eleven via ES, three each by Aurora and m.s. Sixteen contacts were on s.s.b. the rest on c.w. Most of the cards were for really good DX and I select UO5OB (OF) on s.s.b. on 7 June '88, UO5OIW (OG) on c.w. on 10 July '88 and YO2AVM on s.s.b. on 27 May '88, all via Es; HG1WD (IH) on c.w. on 20 Sept '88 by tropo; SK7JD (IR) on c.w. on 27 March '88 via Ar and TK5EP (EB) on s.s.b. on 12 Aug '88 by m.s.

Please do not send any more awards claims or requests for information to me. If I do receive any from overseas readers I will readdress them to the new editor of *VHF UP*.

Beacon News

The Winter Newsletter has been received from the Kent Repeater Group and I noticed a statement that permission has finally been obtained to put the 70MHz beacon GB7REB on the air from the GB3RE site. The latter is a u.h.f. repeater located in Rochester, G4AKQ being its manager. No other details were given but I thought the GB7 prefix was for packet radio relays.

In the January *VHF UP* I mentioned a 50MHz beacon in Greece. From the March issue of the IARU's journal *Region 1 News*, I see that SV1SIX has now been licensed for 50.040MHz. The power is 25W to an omni-directional antenna, horizontally polarised and the site is on top of a 1100m hill near Athens.

French VHF News

Clyde Hinton G1TCH (SXW) has struck up a correspondence with Pierre Redon FC1ADT (ZE) from whom he has obtained a good insight into v.h.f., u.h.f. and s.h.f. activity in France. After paying tribute to British operators for their good QSLing record, Pierre writes that he "... is looking for a competent person in England with whom he can exchange v.h.f./u.h.f. infor-



SITUATED AT SOUTHERN END OF M23 — EASY ACCESS TO M25 AND SOUTH LONDON

RECEIVERS

HF125	£375
ICR71	£855
R2000	£595
VC10VHF Con	£161
FRG8800	£649
FRV8800 VHF Con	£100
R5000	£875

HF TRANSCEIVERS

TS940s	£1995
TS440s	£1138
TS140s	£862
TS680s	£985
FT980	£1795
FT767GX	£1599
FT757GX2	£969
FT747GX	£669
IC761	£2459
IC751A	£1500
IC735	£979
IC725	£759

2M TRANSCEIVERS

TH25E	£258
TH205E	£215
TH215E	£252
TS711E	£898
TR751E	£599
TM221ES	£317
FT23R	£209
FT411	£225
FT290R II	£429
FT211RH	£309
FT212RH	£349
IC2GE	£265
IC Micro 2	£249
IC02E	£279
IC228H	£385
IC275E Inc PSU	£1069
Navico AMR1000	£247
Navico AMR1000S	£299

70CMS TRANSCEIVERS

TS811E	£998
TR851E	£699
TM421ES	£352
TH405E	£273
TH415E	£298
FT73R	£229
FT790R II	£499
FT711RH	£349
FT712RH	£375
IC4GE	£299
IC Micro 4	£299
IC04E	£318
IC448E	£429

DUAL BAND TRANSCEIVERS

TM721E	£699
TS790E	£1495
FT727R	£425
FT736R	£1359
FT4700RH	£675
IC32E	£399
IC3210E	£499

SCANNING RECEIVERS

ICR7000	£989
FRG9600M	£509
RZ1	£465
AR2002	£487
R535 Airband	£249

ANTENNA TUNER UNITS

FRT7700	£59
FC757AT	£349
AT230	£206
AT250	£366
ICAT100	£379
MFJ941D	£105
MFJ949C	£158

DATONG

AD370 Active Antenna	£69.00	3.00
FL3 Multimode Filter	£129.00	2.00
D70 Morse Tutor	£56.35	2.00
ASP Speech Processor	£82.80	2.00

P&P

COAXIAL SWITCHES

SA450 2way SO239	£19.49	1.50
SA450N 2way N	£26.99	1.50
Drae 3way SO239	£18.69	1.50
Drae 3way N	£24.15	1.50
C54 4way BNC	£30.39	1.50
MFJ-1701 6way SO239	£30.72	1.50

ROTATORS

G250S	£78.00	2.50
G400S	£139.00	3.00
G400RC	£169.00	3.00
G600RC	£219.00	3.00

POWER SUPPLIES

BNOS 12.5E	£74.75	3.00
BNOS 12.20E	£178.25	3.00
DRAE 6amp	£78.72	3.00
DRAE 12amp	£104.71	3.00
DRAE 24amp	£151.34	3.00

HAND HELD RECEIVERS

R537S Airband	£69.00	2.00
Sony Air 7	£249.00	2.00
Win 108 Airband	£175.00	2.00
AOR AR900	£235.00	2.00

GOODS NORMALLY DESPATCHED WITHIN 24 HRS — PRICES CORRECT AT TIME OF GOING TO PRESS — £50E

MAIL ORDER & RETAIL

ANTENNA RANGE

J Beam 'Minimax'	£361.00
J Beam TB3MK3	£348.00
Butternut HF6VX	£159.00
Butternut HF2V	£142.00
Cushcraft A3Beam	£263.00
Cushcraft 2M 215WB	£86.25
Tonna 20505 5ele 50MHz	£42.00
Tonna 20809 9ele 144MHz	£31.00
G Whip tribander	£41.00

MORSE KEYS

Kent Morse key kits	£29.50	2.50
Kent Twin paddle kits	£38.50	2.50
Hi Mound MK 704	£20.00	2.00
Hi Mound MK 706	£22.00	2.00
Vibroplex original std	£70.54	2.50
Vibroplex lmbic std	£66.33	2.50
Benchner BY 2 Chrome Base	£76.97	2.50

FILTERS

AKD HPF1	£6.75	1.00
AKD Braid Breaker	£6.75	1.00
AKD Notch Filter	£7.75	1.00
BNOS Low pass filter 6m	£29.95	1.50
LF30A Low pass filter	£32.25	2.00

ANTENNA BITS

Hi Q Balun 1:1.5kW PEP	£13.95	1.00
Bricomm Balun 4:1 1kW	£13.80	1.00
Bricomm 7.1MHz Epoxy Traps (pair)	£10.95	1.50
Self Amalgamating Tape 10m x 25mm	£4.25	0.75
T-piece polyprop Dipole centre	£1.60	0.25
Small ceramic egg insulators	£0.65	0.20
Large ceramic egg insulators	£0.85	0.20

CABLES ETC.


URM 67 low loss coax 50ohm per metre	£0.75	0.25
UR 76 50ohm coax dia. 5mm per metre	£0.30	0.10
UR 70 70ohm coax dia. 2.3mm per metre	£0.40	0.10
UR 95 50ohm coax dia. 2.3mm per metre	£0.40	0.10

BREDHURST ELECTRONICS LTD HIGH ST, HANDCROSS, W. SX. RH17 6BW (0444) 400786

Open Mon-Fri 9am-5pm except Wed 9am-12.30pm. Sat 10am-4pm

USED AMATEUR EQUIPMENT?

I Buy, Sell & Exchange



WANTED!— Your TOP QUALITY USED EQUIPMENT! We pay best prices for all types of used amateur radio equipment. Is YOUR gear for sale? Is it in top condition? Why not give us a call? If our offer isn't up to your expectation, why not join the growing ranks of amateurs selling their gear through our 'RIGSEARCH' service? By the time you read this, our new showroom should be open where we can display your rig until sold, or alternatively you hang on to it until we find a suitable buyer. This service costs you nothing, your gear is offered to every prospective purchaser that calls, and we achieve the price YOU require. All with least hassle for you. Why not give us a try!

DON'T FORGET — IF YOU'RE SELLING, IT'S G4TNY and RIGSEARCH!

BUYING? — If you're looking for quality used amateur equipment, it has to be G4TNY. We have a large stock of used equipment ourselves, but, if we don't have what you're looking for, our new amateur radio brokerage **RIGSEARCH** possibly will.

Phone or write with your Requirements, here or on RIGSEARCH! We can always help you buy, or sell your used equipment!

**WHY NOT VISIT OUR NEW SHOWROOM?
ONLY 5 MINS FROM DARTFORD TUNNEL & M25.**

Much equipment now on display. Do please call before setting out on a long journey though, as I'm still a one man band! (For that personal touch!).

Phone Dave, G4TNY on (0708) 862841 or (0836) 201530. From 9.30 am to 7 pm, Tuesday to Saturday.

SAE PLEASE FOR LISTS. CALLERS BY APPOINTMENT, PLEASE.



MAIL ORDER?
OVERNIGHT DELIVERY
NOW AVAILABLE!

G4TNY AMATEUR RADIO
UNIT 14, THURROCK COMMERCIAL CENTRE, JULIET WAY,
SOUTH OCKENDON, ESSEX RM15 4YG.

PART
EXCHANGE
POSSIBLE

mation efficiently between our two countries."

The French national society REF has been reorganised and will be moving to new premises in Tours. A group of 18 volunteers from each area of the country has been formed and they meet several times a year at REF headquarters. All are keen operators, using s.s.b. and c.w. only, who activate rare and difficult squares on 144, 432, 1296 and 2320MHz. However they "... feel isolated from v.h.f. developments in northern Europe."

Pierre states that the Spanish v.h.f. operators also feel somewhat isolated, so a meeting of French and Spanish amateurs has been planned for April 30 and May 1 in San Sebastian to discuss joint activities. Some of these are covered in the following DXpedition Notes section.

Clyde has a list of the 18 correspondents showing the Departments and locator squares for which they are responsible and another of all the French contest dates from the January issue of *Radio REF*. The address of FC1ADT is Casseuil, F-33190 La Réole, France. I hope these notes will inspire UK v.h.f. enthusiasts to contact Pierre and his friends either direct or through G1TCH. Clyde can be contacted c/o 17 The Dewpond, Peacehaven, E. Sussex BN10 8EE.

DXpedition Notes

In his letter to G1TCH, FC1ADT mentioned that EA2AWD plans to operate -/MM in the Golfe de Gascogne in June from "wet" squares IN74, 75, 84 and 85 or XE, XF, YE and YF if you prefer. Pierre will be lending him his 1.3GHz station. 430MHz operation is contemplated and presumably 144MHz. At this time of the year tropo contacts into the southern region of the British Isles should be possible and Es propagation to more northerly latitudes is likely.

Looking ahead to next year a multinational team plans to activate IN52, 53, 63, 73, 83 and 93 in Spain and IN61 in Portugal. Pierre sent some photographs of previous DXpeditions including one to the Granada district in Spain. Amateurs pictured were EA7AYD, EA7XY, FC1ADT, F5WN, F6CIS and F6FHP. FC1ADT operates regularly from IN94 and JN15.

Amstrad Computer Programs

I have been getting a steady stream of inquiries for my amateur radio software for the Amstrad PCW8000 series computers. This has generated some interesting correspondence with readers from as far away as New Zealand. A recurring request is for RTTY and packet radio programs but I neither have nor know of any in CP/M Plus. Can anyone help?

I have extended the LLNGR program which works out the National Grid Reference from your latitude and longitude. This now displays the Maidenhead locator for anywhere in the world and the European locator if applicable. I am constantly adding new programs and improving existing ones so if anyone wants an up-to-date list please send an s.a.e. to my home address.

On looking through some back issues of *DUBUS* Magazine I found a short program for calculating receiving system performance which I have adapted for the Amstrad and call RSP. In spare moments I am typing in the High Performance Moon Tracking Program by WA1JXN from issue 1/86 which occupied nearly ten pages. The task should be finished by the time

you read this, and I have identified it as MOONTRAK.

I have the latest 60 page *Software Source News* from the Public Domain Software Library listing PD and Shareware for IBM PC and CP/M. There is a two page "Ham Radio" section for MSDOS and IBM PC which includes various RTTY, Morse and packet radio programs. They offer a Disk Format Translation Service and can copy between most machines from Acorn to Zenith. If you send two first class stamps they will send you the catalogue; Winscombe House, Beacon Road, Crowborough, E. Sussex TN6 1UL is the address.

On the subject of disk translation, **Peter Hunter G0GSZ** (NOR) mentioned a program called MFU, a Multi Format Utility which reads the format of other machines' software such as the IBM and BBC series, and makes the PCW emulate them. It may be in the PD but I have not had time to go through the PDSL catalogue to see if it is available. Peter writes that there seems very little difference between Microsoft BASIC and Mallard BASIC and that programs written in the former can be entered in the PCW with few, if any, changes.

Nets on 144MHz

My very first use of 144MHz some 25 years ago was in net operation on one crystal controlled frequency using an old Pye Ranger on a.m. The purpose of this net was to alert each other about any exotic DX appearing on the h.f. bands. There are scores of nets, many of them once a week local club sessions or AMSAT ones, for example.

Don Field G3XTT (OFE) writes, "I have been charged by the RSGB HF Committee to increase the awareness of 144.525MHz as an h.f. DX alerting frequency. The use of .525 for this purpose started some years ago in the Thames Valley area and has subsequently spread to a number of other areas of the country."

Don says there is no "official" endorsement of this net and its users are certainly not laying any exclusive claim to it. However, its use is now being extended to alert people about any 50MHz openings in the same way that 28.885MHz is in the 10 metre band. He hopes that operators will inquire if the frequency is in use before starting a QSO in case there is any traffic in progress. This sounds very reasonable to me but prompts a few comments.

First the Band Plan recommends this part of 144MHz be non-channelised so why does the majority seem to adopt a 25kHz channel spacing? Second, packet radio activity is increasing a great deal and spreading up and down from 144.650MHz. Consequently f.m. users feel they are being squeezed out of it. Third, far too much deviation is being used by many f.m. operators while some of the packet transmissions are so dreadful that a T3 report would be generous; and they drift badly.

Deviation can be reduced by adjusting a preset control inside the transceiver—the handbook should cover this anyway. Rough notes and drift could result from an inadequate power supply. Some seem to either have little, if any, smoothing or perhaps they are being continuously float charged by a very crude and basic old charger.

Contest Notes

The 70MHz Fixed Station Contest is on April 23, 0800–1400UTC. The two sec-

tions are F for Single-op and O for All other, which must mean multi-op. Usual radial ring scoring with county and country multipliers. Entries to G8HHI at 43 Bartons Drive, Yateley, Camberley, Surrey GU17 7DW.

The May 6/7 weekend sees the IARU/RSGB 432MHz to 24GHz Trophy and s.w.l. events. Times are 1400–1400UTC and I assume the rules are the same as for 1988 but I cannot tell you where to send your entries. The second leg of the 10GHz Cumulative Contest is on May 14, but I regret details are still awaited.

Finally a reminder about the monthly Scandinavian contests. On May 1 there is the microwave session, on the 2nd the 144MHz event, and on the 4th it is for the 430MHz band. The times are 1800–2200UTC.

The 50MHz Band

The latest issue of **Hal Lund's ZS6WB** ZS VHF News received is number 89-02 dated Feb 19. He reports that Z23JO worked into 9H1 on Feb 12; T70A and T77C (San Marino) are active mostly at weekends 1300–1600 on 50.01MHz, co-ordinating on 28.885MHz. They are limited to c.w. in the lowest 20kHz of the band for three years; several Swedish stations have permits and are now active; TU2MA is a new West African station who appeared about Feb 11; TR8CA is QRV with 0.5W to a 5-ele Yagi with TR8BL probably on by now; 5H1HK is active but his beam is fixed on Japan.

Next a bit of history sent by **John Tye G4BYV** (NOR) cut from the *Short Wave Magazine*, "Flash—Six Metre Opening, 20–23 November 1947. During the period November 20–23, the 50 "megacycles" band gave several openings, promising good conditions for the week to November 30. VE1QZ was worked by G5BY, G5MQ and G6DH, and W7FS/MM, 1000 miles east of Cape Hatteras, by G5BY and PA0UN. On the afternoon of the 22nd, G6DH had a splendid contact with VE1QZ on 6 metres—the transmission was relayed to the Amateur Radio Exhibition, and VE1QZ was able to exchange greetings with those at the show. By 1540 that afternoon, G6DH had worked nine Ws, and several Gs are known to have had a very successful session. G5ZT had 35 two ways with Ws on the 23rd."

John also enclosed a clipping, "Five-Metre Firsts." Up to the start of World War II we had 56.02–59.98MHz and afterwards, till the advent of Band I TV, 56.00 to 60.00MHz. The list starts with G2FA/F8NW on 29/3/36 and then shows countries worked by G and GM stations as I, PA, FA8 (Algeria), HB9, SM, OZ, ON, OK, ZB1 (Malta) and ZB2. I really must disinter my old *SWMs* from the cupboard under the stairs and re-read the v.h.f. reports of the immediate post war era.

Now to your reports starting with **John Acton G1DOX** (AVN) who uses a Yaesu FT-690, B.N.O.S. amplifier with RX pre-amp and a 4-ele dual band 50/70MHz Yagi. He has 33 squares worked so far including two Ws on Jan 19.

Box Nixon G1KDF (LNH) reports VE and W contacts on Jan 22 when the activity was spread over 50.1 to 50.25MHz. Despite subsequent wind damage to his antenna, on Feb 11 he worked VE1APG (FN66) in New Brunswick and VE1BPY (FN86) on Prince Edward Is. Around noon on the 25th, ZS3 and ZS6 were heard and J52US at 1515. Next day Bob heard ZS4 and ZS6, TR8CA, VE1YX and at 1446

Practical Wireless, May 1989

made a QSO with J52US after 45 minutes of calling. N3BBI was later worked with W2 and W8 heard.

Gerry Schoof G1SWH (MCH) worked WA3FAE on Jan 22 for the first USA QSO of the year and VE1APG on Feb 11. **Jim Whittle's G3EKP** (LNH) dual band beam shed two elements in recent gales and he hoped to repair it during March. **Mike Devereux G3SED** (HPH) sent a colour print of his tower with 6-ele N.B.S. Yagi at 20m. He has four acres on the side of a 122m hill overlooking the Solent, so obviously gets out very well.

On Jan 28, he managed to work T77C in a meteor burst after 30 minutes of calling. On Feb 1 he contacted ZD8MB at 1700 after hearing Mike's beacon for months. On the 8th, J52US, KP2A and FY5DG were working to Europe and the next day J52US was working Gs. CT4KQ and F6GNJ were on around midday on the 12th and an Aurora at 1845 brought GMOGEI but little else.

Russian TV was strong on the 18th, 0730-0900. Around 1225 on the 22nd, PA, F, ZS6 and 9H1 stations were peaking at 210°, very odd. On the 25th Chinese TV was up to S9+40dB from 0800. At 0910 Mike worked VS6UP who also worked Gs 4UPS, 3K0X, 4AHN, 3JVL and 4JCC plus PAOs. At 0935, JH4IUO and JA4MBM were heard for over an hour. The 5H1HK beacon was audible from 1123 to 1200 and many Gs worked TR8CA, J52US, G3GJQ/5N0 from 1255.

On the 26th JA4MBM was heard calling CQ at QTE 070° at 0950 and G3SED worked this high power station at 1010. Other Japanese heard were JA6TEW, JE3GUG, JI3OPA and JA6IML, all backscatter and S3 at 070°. At 1120, TR8CA was Mike's 38th country. ZS4s and ZS6s were worked till 1515 and from 1400 J52US was working dozens of Gs.

Welcome to new contributor **Neil Underwood G4LDR** (WLT) who uses a Spectrum transverter with an Icom IC-275, 20W amplifier and HB9CV antenna at 15m. His site is 100m a.s.l. **John Palfrey G4XEN** (NHM) found excellent tropo conditions on Jan 31 and worked PA3EUI. At 1224 on Feb 9, while beaming west, he called J52US on c.w. and got an RST559 report for a new country and continent. HC2K and HC2FG were heard on the 13th. He worked G3GJQ/5N0 at 1300 on the 16th and Roy was the strongest DX signal John has ever heard on the band. **John Lemay G4ZTR** (ESX) also worked Roy that day and J52US.

Ela Martyr G6HKM (ESX) worked the HCs on Jan 23 for a new country and on Feb 8 J52US (IK21) was new too. On the 22nd at 1309 she contacted LU5EZT/MM (3°N, 27°W), which cannot count as a contact with Argentina incidentally. She was amused to hear a subsequent exchange on 28.885MHz when a station asked VE1YX where the LU was; "Aqualand" was the answer!

Among **Bill Biltcliffe's G6NB** ten countries this year are HC5K on Feb 13 and ZS6XJ and J52US on the 22nd. When he wrote on Feb 3, **Dave Brown GD4XTT** was QRT on the band as his Yaesu FT-757, used to drive the transverter, had died.

Geoff Brown GJ4ICD claims the first GJ/TI QSO with TI2HL (EJ79) at 1434 on Jan 23. He was in his St. Helier workshop at 0215 on the 24th and was surprised to hear a few JAs for about eight minutes. Two were JAs, the other possibly a JA8. On Feb 1 at 1645 the ZD8VHF beacon was S9 and at 1659 Geoff worked ZD8MB

(II22) for another "first". He had a backscatter QSO with G8YDZ (240° QTE) at 1150 on the 8th and at 1212 worked J52US at S9+30dB. More "firsts" from Jersey by GJ4ICD were Feb 11, 1142 T77C on c.w., 14th at 1251 9Y4VU on c.w. and 16th, 1234 TU2MA.

Paul Baker GW6VZW (GWT) heard G3GNQ/5N0 and TU2MA on Feb 16 and then worked J52US, his first non-European station. He remarks on the poor example set by one or two G4 stations who deliberately kept calling the 5N0 while other Gs were in QSO with him. After eventually being "patched through" by another station, one continued to chip in with unnecessary comments.

The 70MHz Band

G1DOX uses an Icom IC-271E, R.N. Electronics transverter and 100W B.N.O.S. amplifier with pre-amp. John's antenna is the dual band 4-ele Yagi. G1SWH is now QRV on 70MHz using a Kenwood TS-930 and transverter giving 8W. Gerry's antenna is a 5-ele by Elite. Before beam damage, G3EKP had worked eleven countries including G4IDQ (SPE) and G4RFR (DOR). G4ZTR took part in the Cumulatives and John's best DX was EI9FK/P. And that is all the 70MHz news this month.

The 144MHz Band

Welcome to **Ian McCabe G0FYD** (LNH) who enters all the tables for the first time. His station comprises an Icom IC-290H with Microwave Modules 50W amplifier and RX pre-amp, the antenna being a 15-ele Cushcraft Boomer at 8.2m a.g.l. He remarks on the excellent conditions in January and took part in six Ar events as well as working many continentals in tropo openings on Jan 24, 25, 30 and 31 and Feb 8.

G1DOX has a new Kenwood TS-711E, 50W amplifier and an 8-ele Jaybeam aloft with an MGF1302 GaAs-f.e.t. pre-amp. Best DX this year is OK2KZR/P. John has a 4CX250B amplifier but it has a fault so far untraced. G1KDF lists many Fs and a couple of OZs worked in the Jan 30-Feb 1 period. G1SWH worked all his nine countries in the first eleven days of the year.

Matthew Cabban G1WPF (HFD) is a new contributor who is nearing the magic 100 squares worked already. Jan 24 brought good conditions to F, D and OE and DA4JA (EL) was busy collecting WAB squares. On Jan 26 he heard his first Ar event. The 30th was a memorable day with a couple of Fs and Ds worked during the day but with good DX from F and EI in the evening and night. He was at home the next day so was able to work more F, ON and D stations.

G4LDR uses his IC-275 at 25W to a 14-ele Yagi with masthead pre-amp at 16m. Neil's neat list shows EI3GE (WKW), EI6GF (WEX) and EI8EQ (KDR) worked on Jan 30 during the all round lift. G4XEN contacted SP1KAA and some OZs on Jan 25 and on the 31st SMs and more OZs. Feb 1 saw good tropo to the Black Forest area then for good measure, John caught the Ar and worked G0EWWX at 2052, the event continuing weakly for some time.

G6HKM worked Fs in ZH and CF squares on Jan 24 and the next day Ela found OE5MKN and OE5VRL/5, both in HI, also SM6ONH (GS), SM7IPZ (HQ) a new square, SM6DWF/P and some OZs. Jan 31 brought EI6AS (DBN), GI4OWA (LDR) and GI4GVS (ATM). G6NB lists QSOs with

QTH Locator Squares Table

Station	Band (MHz)			Total
	1296	430	144	
G3XDY	89	139	192	420
G3JXN	87	134	179	400
G3UVR	79	129	239	447
G6DER	78	110	183	371
G8PNN	63	98	128	289
GJ4ICD	59	119	254	432
G6MGL	59	89	141	289
G4RGK	49	119	280	448
G3IMV	48	124	410	582
G4DEZ	48	37	248	333
G8GXP	45	151	331	527
G6HKM	45	107	192	344
G8ATK	45	91	143	279
G3COJ	44	103	186	333
G8HHI	38	110	148	296
G1KDF	37	98	174	309
G1EFZ	32	93	263	388
G4ZTR	30	43	44	107
G4MUT	28	90	149	267
G0DAZ	27	128	277	432
G6STI	24	69	130	223
G1EGC	23	80	198	302
G6MXL	16	45	91	152
G1GEY	11	77	168	256
G4WHZ	7	—	76	83
G8LHT	6	80	148	234
G6AJE	5	57	95	157
G1DOX	2	10	58	70
G2DHV	2	7	33	42
G4AGQ	1	41	104	146
G4KUX	—	120	372	492
G4XEN	—	111	272	383
G4RRA	—	80	255	335
G4SSO	—	93	229	322
G4TIF	—	110	200	310
G4DHF	—	—	307	307
G4SWX	—	—	293	293
G1LSB	—	133	150	283
DL8FBD	—	—	280	280
G4PCS	—	3	258	261
G3NAQ	—	80	175	255
G6DZH	—	87	154	241
G4IGO	—	—	238	238
ON1CAK	—	33	204	237
G3FPK	—	—	233	233
EI5FK	—	56	172	228
G0EVT	—	49	177	226
G0EHV	—	75	146	221
ON1CDQ	—	32	182	214
G4MEJ	—	—	213	213
G8LFB	—	—	209	209
GW4FRX	—	—	203	203
GJ6TMM	—	48	151	199
G4YCD	—	—	197	197
G8MKD	—	49	145	194
G4DOL	—	—	186	186
GI1JUS	—	—	181	181
GW6VZW	—	6	125	131
G7ANV	—	—	131	131
G1WPF	—	29	97	126
G0FEH	—	24	101	125
G4TGK	—	—	118	118
G1IMM	—	17	98	115
G8XTJ	—	—	110	110
GMOHBK	—	—	107	107
GI4OWA	—	—	103	103
G0FYD	—	—	98	98
GMOGDL	—	20	73	93
G1SMD	—	—	93	93
G1TCH	—	6	79	85
G8PYP	—	10	67	77
GU4HUY	—	—	73	73
G0HEE	—	—	73	73
G1CEI	—	—	68	68
G1CRH	—	—	62	62
G0HDZ	—	—	61	61
G1NVB	—	—	58	58
G1VTR	—	23	32	55
GMOJOL	—	—	37	37
G7AHQ	—	—	34	34
G7CLY	—	—	31	31
GM1ZVJ	—	—	24	24

Starting date 1 January 1975.
No satellite or repeater QSOs.
"Band of the month" 1296MHz.

F8SQ, FC1ECQ, DC6KI and DJ7KL on Jan 31.

Another new correspondent is **John G7CLY** (HBS) whose surname I could not read. He began operating last September and enters the tables but did not give any station or QTH details. GD4XTT caught a little of the German DX on Jan 24 but was out during the night. On the 30th and 31st Dave worked distant D, F and ON stations but missed out on the weak OZs and SMs.

GJ4ICD thought he would see what was happening on the band on Feb 1 and was delighted to copy SK4MPI at S7, the first time Geoff has ever heard this beacon. From 1400 he worked SM4KYN (HT), SM6RWY (FR), SM6SKY (GS), SM6MUY (GR), dozens of OZs, a new square SM6RRQ (GT) and over 100 Germans in EN, FN, FO, etc.

Clive O'Hennessey GW4VVX (GWT) is now running a Kenwood TR-751E and 150W B.N.O.S. amplifier, the antenna being a 17-ele Yagi. He is looking for someone in 1054, 64 and 95 squares and has never heard any GIs from four of the six Ulster counties. GW6VZW worked a number of PA and D stations on Jan 24/25 and DK3LL (JO54) was an all-time new square for Paul. He heard two OEs. On the 30th he contacted more Germans and FC1MOZ (JN29), another new square. The next day brought ON and D QSOs.

The 430MHz Band

G1DOX now has a 7-ele ZL-Special antenna outdoors but thinks he could do better with a conventional Yagi. He wants to limit the boom length to about 2.4m; a DL6WU design with eleven directors and a boom length of 2.27m would provide a gain of 13.3dBd, John. The rest of his station consists of an Icom IC-471E and 100W B.N.O.S. amplifier with RX pre-amplifier.

An indication of just how good conditions were in January is illustrated by **Don Stoker G1GEY** (TWR) who worked 102 different stations up to mid-February. There were three good openings, Jan 1-3 to F and EA2; 25th to OZ, SM, D and Y; and 30-31 to D, F, ON, PA and SM. In the Fixed Contest on Feb 5 he made 39 QSOs, all Gs. In a P.S. he wrote, "No Syledis QRM heard at all during the tropo."

G1KDF worked FC1EAN (AG) and FC1EZQ (CH) on Jan 30 and F6IPG (YH) for a new square the next day which also brought EI5FK and EI4AEB for Bob. G1SWH's list also includes F6IPG on Feb 1. Gerry operated in the contest adding ten counties for 1989 in the process.

On Jan 24, G1WPF heard OE2CAL at colossal strength but could not work him through the pile up. Matthew did contact DLOUD and DK3FB (DL) though. He has installed a 50W amplifier and this helped him work FC1EZQ for a new square on the 30th. The next day brought QSOs with ON1BLY (BK), F1DEO (BI), FC1LYV (DI), FC1MJC (AG), DB8KJ (DK) and F6GYH (CI). In the Feb 5 contest he made 38 QSOs including a couple of Dutch stations.

John Quarmby G3XDY (SFK) worked OE5VRL/5 and OE5VHL (JN68) for a new square on Jan 24, and on the next day OZ1GMP (JO56) and LX1JX (JO30). On the 30th he contacted OE2CAL and on the 31st F6CGJ (IN78). G4LDR also found OE5VRL/5 on Jan 24 and on the 30th Neil had QSOs with EI5FK (CRK), EI7FS (LIM) and EI8EQ. He operated in the Feb 5 contest which provided another eight counties for the table.

DC5NA (JN49) and F8ZW (JN38) were

Annual v.h.f./u.h.f. table
January to December 1989

Station	50MHz		70MHz		144MHz		430MHz		1296MHz		Total
	Counties	Countries	Counties	Countries	Counties	Countries	Counties	Countries	Counties	Countries	
G1DOX	26	3	30	5	50	12	16	2	—	—	144
G6HKM	14	8	—	—	45	18	31	11	5	5	137
G4XEN	21	9	1	1	42	17	24	9	—	—	124
G1SWH	11	8	5	2	39	9	18	5	—	—	97
GOIMG	23	10	17	3	13	5	7	2	—	—	80
G4LDR	13	2	—	—	21	4	22	7	—	—	69
GW6VZW	21	3	—	—	33	8	—	—	—	—	65
G7CLY	—	—	—	—	46	14	—	—	—	—	60
G6NB	17	10	—	—	26	6	—	—	—	—	59
G3FPK	—	—	—	—	47	12	—	—	—	—	59
GD4XTT	18	4	—	—	23	7	4	2	—	—	58
G1GEY	4	2	—	—	—	—	34	8	2	2	52
GOFYD	—	—	—	—	30	13	—	—	—	—	43
G4ZTR	8	6	22	3	—	—	—	—	—	—	39
G6MXL	2	1	4	1	7	4	8	5	—	1	33
G3KEP	4	3	11	2	3	1	1	1	—	—	26
G1CEI	—	—	—	—	14	4	—	—	—	—	18

both new squares for G4XEN on Jan 24. In the Feb 5 contest John added ten counties but thought conditions "rough". G6HKM also worked the two above OEs on Jan 24 plus OE9ERC (JN47). On the 25th Ela had QSOs with OZ1DOQ (JO65) and OZ1BUR (JO46), while on the 31st, SM6ESG (GR) was another new square. In the Feb 5 contest she had 90 QSOs in "generally disappointing activity".

Colin Redwood G6MXL (DOR) worked OE2CAL, OE5VRL/5 and OE5MKM (JN78) on Feb 24 in what he describes as "... a truly excellent tropo opening to OE and DL." Then on the 30th he contacted F8ZW, DL5CZ and OE2CAL. GD4XTT had been limited to one watt from his Yaesu FT-790 but now has a 30W amplifier and 15-ele Yagi, so Dave should be in demand now.

The Microwave Bands

G1DOX reckons 1.3GHz "... to be rather a waste of time." John calls a great deal without replies. He uses an Icom IC-1271E, brass cavity 300W p.a. and a single 23-ele Tonna Yagi with GaAsf.e.t. pre-amp; he will probably add a second Yagi. He wonders if an activity night might be worth considering. On paper there are activity nights on different bands for different modes but I get the impression few bother with them. What will stir up some activity is a Cumulative contest so perhaps we should have more of them on 1.3GHz.

On 1.3GHz G3XDY contacted DK2LR (FH35h) and OE5VRL/5 on Jan 24, and F6EAS (ZJ75a) for a new square the next day. On the 30th John found OE2CAL and on the 31st F6CGJ (IN78), also new. G6MXL only runs two watts to a single 23-ele Yagi so was delighted to contact OE5VRL/5, a QRB of 1202km, on 1.3GHz on Jan 24. But Colin reckons much more

could be achieved if there were more stations active. (Back to the Cumulatives idea.)

Lastly to G4BYV who used the higher bands in the Jan 24 lift. John worked DF1EQ, DC8VJ, DL1EBR all in DL square and PAORDY (CM) on 3.4GHz. He also operated on 5.7GHz and contacted DF7VX (EL) at 541km. The German was only using 0.1W and was S2 in Norfolk. DF1EQ was also worked on this band.

Sign Off

I acknowledge a letter from **Ian Wright GW1MVL** (CWD) who reported on some DX worked on Jan 30/31 and Feb 2. Unfortunately no band was mentioned, nor could I understand the squares worked notes. So please make sure your reports are unambiguous, OM.

From the July issue you will have a new scribe compiling this feature so please do not send any more correspondence or awards claims, etc., to me from now on. The new address is in the heading of this piece. Nevertheless, I will be pleased to continue corresponding on a personal level with readers about Amstrad PCW matters.

Annual c.w. ladder

Station	Band (MHz)				Points
	50	70	144	430	
G4XEN	7	—	57	5	69
GOFYD	—	—	31	—	31
GD4XTT	1	—	14	—	15
G3FPK	—	—	15	—	15
GW4VX	—	—	5	—	5

Number of different stations worked since January 1.

The next three deadlines are
April 26, May 31 and June 28

Remember to send future reports for "VHF Up" to
David Butler G4ASR, Yew Tree Cottage,
Lower Maescoed, Herefordshire HR2 0HP

MacPAC

Having featured packet radio in South Africa last month, I thought it would be appropriate to move a little closer to home this month. I was spurred on by one of my regular correspondents, **Michael Greig GM1YSI**, who suggested that I might like to take a look at packet in Scotland. I took Michael up on the offer and he put me in contact with **Stuart Clint GM1VBE** who is secretary of the Scottish Digital Communications Group. As that is a bit of a mouthful they are affectionately known as MacPAC which is much easier to handle.

The implementation of a packet network in Scotland poses an unusual set of problems which results in very specific and sometimes odd solutions. The main problem is the geography of Scotland with its unique combination of mountains, deep valleys and remote islands. Although very pleasant to look at, these features are far from ideal for the transmission of radio signals. There is also a natural r.f. barrier between England and Scotland in the form of the Southern Uplands. To demonstrate how effective the barrier is, there is generally more contact with Northern Ireland than with England.

There have been many attempts to solve this particular problem, including links via the Isle of Man and Northern Ireland. The present most used link starts in Middlesbrough and routes via the GB7BMX mailbox in Alnwick. This mailbox is required as a store and forward post as quite often only part of the link is available and messages have to be held until the next link opens-up! As I'm sure you can imagine, this presents all manner of problems.

At this point, I ought to make a plea on Stuart's behalf. As you can see from my description, the route between England and Scotland is pretty tortuous and it is very annoying to find that the link is clogged up with all manner of local or trivial messages which have been wrongly addressed @ GB. So the plea is, please don't address messages @ GB unless it really is likely to be of interest to amateurs throughout the UK.

One of the major advantages that MacPAC have over many other packet networks is that most of the level 3 network nodes are under MacPAC control. This represents a significant operational advantage, as any network needs some form of common control in order to be fully effective. This task is made easier by the fact that there are, at present, only ten level 3 nodes though there are more on the way. MacPAC believe that they will need a total of somewhere near 20 nodes to give full coverage of Scotland.

MacPAC have also been very active on the technical front, their latest offering being a c.w. ident board. In the best amateur traditions, this was designed on the back of a cigarette packet and produced by a local amateur who enjoyed making p.c.b.s. The board proved to be very popular and is now produced by a commercial concern and distributed by MacPAC. The circuit sits between the TNC and the transceiver and includes its own timer, tone generator and some clever logic.

When the internal timer triggers a c.w. ident, the circuit first waits for a gap in the data transmission, then interrupts the

p.t.t. and mic input to send the ident signal. In addition, it also sends a busy signal back to your TNC to prevent it attempting to send data during the c.w. ident. It all sounds rather clever and if you would like to get your hands on one, the bare p.c.b. and documentation costs £3.75 or alternatively a p.c.b. complete with an EPROM set up with your callsign is available for £6 (don't forget to tell them your callsign!). To obtain these goodies, send your cheque to Stuart⁽¹⁾ made payable to "Scottish Digital Communications Group". There is a slight profit from the sale of these p.c.b.s and this is used to help finance the development of the MacPAC network, which seems quite reasonable.

In addition to the problems linking with England there are tremendous difficulties in giving good coverage of the main populated areas. These areas are situated in the Central Lowlands from Glasgow to Edinburgh. Even this comparatively small area needs three nodes for adequate coverage. One of these nodes GB7CS, also known as MAC2, is on the IBA mast at Blackhill. This mast is some 300m tall and thanks to the Central Scotland f.m. Group, MacPAC have managed to obtain the use of an antenna at about 180m.

The main link to the remote Western Isles is achieved using an arrangement with the Fort William Repeater Group and their voice repeater GB3HI on the Isle of Mull. This voice repeater uses separate transmit and receive antennas and MacPAC have an arrangement where they share the transmit antenna for a packet repeater, GMOFRG.

In order to preserve the emergency use of the voice repeater, voice transmissions take priority over packet. Fortunately the voice repeater usage is generally fairly low so the sharing system works very well. Incidentally, the range from this repeater is quite impressive and it can be heard as far away as Glasgow, which is some 120km distant.

I'm sure you can see from this description that packet in Scotland offers some unusual challenges which MacPAC seem to be tackling actively. In England we are often dealing with path lengths in the order of tens of kilometres, whereas in Scotland hundreds are the norm!

My thanks to Stuart for his co-operation in preparing this report. Don't forget, if you have any bright ideas for improving the path between England and Scotland, drop me a line and I will pass-on details to all concerned.

Are you beaver away on a new or difficult packet problem? If so, drop me a line with the details and I will spread the word and possibly find a solution.

Contest News

Bo Ohlsson SM4CMG has sent me a copy of the results from the SARTG (Scandinavian Amateur Radio Teleprinter Group) New Year RTTY contest. The winner of the single operator section was SM5FUG with a total score of 1617 points, closely followed by OH1AF with 1508 points. The highest placed UK station in this section was John Jones G4PKP who came a very good sixth with 693 points. Moving on to the multi-operator section, it would seem that they didn't receive too many entries as there are only two stations listed,

SK6LK first with 720 points and YU7KMN second with 168 points. The final h.f. section of this contest was for the s.w.l. and this was won by Gunter Wittig with 630 points and the highest placed UK station was D. R. Hare BRS27239 in eighth place with 104 points. The v.h.f. section was reasonably well supported and was won by SM6LKT with Frank Jensen G1HQQ flying the UK flag in fourth place. I haven't had any direct feedback on conditions during the contest but judging by the low scores and small number of contacts things cannot have been too good.

Scandinavian Award

Still with Scandinavia, Bo has sent me details of the SARTG WSRV (Worked Scandinavia RTTY Award). This award which is run by SARTG has four classes and can be claimed by any station working the appropriate number and mix of Scandinavian stations. For European stations outside Scandinavia the number of Scandinavian contacts required is 16 for the general class, 35 for bronze, 50 for silver and 75 for gold. For stations outside Europe the numbers are 8, 15, 25 and 50 respectively. In addition to the required numbers of contacts, for the gold award you must have at least one of the following prefixes; LA, SM, OH, TF, OX, OY and OZ. The fees for these awards are, 10 IRCs or \$5US for the general class and 6 IRCs or \$3US for each of the other classes. The Awards and Contest manager is Bo Ohlsson SM4CMG⁽²⁾.

Computing News

Simon Lewis GM4PLM editor of the Commodore Radio User Group has written as a result of my recent plea for details of computer support organisations. This group known as CRUG was formed in Autumn 1987 specifically to give help to those who want to combine radio and Commodore computing. The group supports all Commodore machines and offers public domain software with libraries dedicated to C64, 128 and the Amiga. In addition to software the group produces a regular magazine featuring equipment reviews and general hints and tips. As with all user groups, the quality is directly proportional to the support of the members, so if you own a Commodore machine and use it for amateur radio why not join CRUG and pool all those valuable ideas? The current membership fee is eight pounds and full details can be obtained from Simon Lewis⁽³⁾.

More computing news this time from **John Pearson G1FTU** of Pearsons Computing⁽⁴⁾. I have received many good reports concerning John's software and he has now supplied me with details of his current range. The programs are all for the Spectrum computer and cover RTTY, c.w. and SSTV. The prices for cassette based versions are £10 each for RTTY and c.w. whilst the SSTV program costs £12.

One of the main features of the Pearsons software is that all the programs run without an interface so they are particularly useful for the newcomer who wants a cost effective way to test the water. Despite this obvious appeal, I know of many experienced amateurs who use these interfaceless programs with great success.

The RTTY program has many useful features including the option to select either split or single screen working. There are the usual programmable memories, nine in this case, which can be saved to cassette or disk. The program can also handle baud rates between 45 and 110 in 5 baud steps which is very useful particularly for the short wave listener. Another advantage for the short wave listener is that it can receive all three of the most common commercial shifts i.e., 170Hz, 425Hz and 850Hz though it can only transmit using 170Hz. Last but by no

means least there is an on screen tuning indicator which is very useful.

That's it for this month but please keep those reports coming in. I would particularly like to hear about FAX activity around the country so I will look forward to your reports.

- 1) Stuart Clint GM1VBE, Southsyde, Woodhead Ave., Bothwell, Lanarkshire G71 8AR.
- 2) Bo Ohlsson SM4CMG, Skulsta 1258, S-710 41 Fellingsbro, Sweden.
- 3) The Editor, CRUG, c/o Simon and Lyn

Lewis, 22 Whiteford Ave., Bellsmyre, Dumbarton G82 2JT.

4) Pearsons Computing, 42 Chesterfield Road, Barlborough, Chesterfield, Derbyshire S43 4TT.

**The next three
deadlines are
April 26, May 31
and June 28**

Amateur Satellites

Reports to Pat Gowen G3IOR
17 Heath Crescent, Hellesdon, Norwich, Norfolk NR6 6XD.

Satellite Update

OSCAR-10: In early March OSCAR-10 was still going strong, despite the loss of power production due to the declining angle of sunlight to the solar panels. Theoretically, it should have ceased to function on or near to February 15, when the solar illumination dropped to below 70 per cent, but thanks to modest use, it is still supporting contacts on the proviso that the uplink power is kept to a minimum and frequency pulling of the plain carrier 145.810MHz beacon is avoided.

On February 20 it was at longitude 96.7, latitude 27, which **Graham Radcliffe VK5AGR** calculates to a power efficiency of 60 per cent. On March 20 it was at A.Long 67.4, A.Lat -27, whilst on April 24 it will be at A.Long 63.4 and A.Lat -26.7. Graham finds that until May 1 the solar illumination is less than 60 per cent, when better than 70 per cent is really needed to support moderate use. No eclipses are threatened until late in April, so although the beacon and the transponder will undoubtedly be off when you read this column, it should be back and in good condition again after the first week of May, as the power production efficiency will reach 64 per cent again on May 8.

OSCAR-12: Despite the difficulties imposed in maintaining the short time-fuse schedules planned only a few weeks in advance for this power depleted satellite, **Heinz Hildebrand DL1CF**, who provided the Mode JD information in last month's column, continues to use it to maximum effect. His well equipped shack that covers all satellites is shown in Fig. 1. The uplink for FO-12, OSCAR-10 and 13, and the RS satellites is provided by the 25 watt TS-711E, the 25 watt TS-811E for OSCAR-13 mode B, and the 10 watt IC-1271E which goes to a 75 watt power amplifier for OSCAR-13 mode L. For the downlinks he uses the TS-711E plus a pre-amplifier for OSCAR-13 and the UoSAT pair, and the TS-811E with a pre-amp for FO-12 Mode JA and JD and also for OSCAR-13 modes L and JL.

The DL1CF az-el antennas used for both uplinks and downlinks are shown in Fig. 2, as a pair of 7-element 145MHz Yagis vertically polarised used for mode B and the UoSATs, and a pair of 435MHz 16-element vertically polarised Yagis used for modes JA, JD, JL and L. At 1269MHz, he has a single 44-element horizontally polarised Yagi, which has yet to be mounted.

For tracking up to the 18 different satellites he is keen on following, Heinz used the 1 megabyte RAM equipped ATARI ST-520 computer with the ATARI-ST tracking program written by DF5AI, which can provide the information needed in only two seconds. The high resolution monitor



Fig. 1




Fig. 2




Fig. 3

screen output from this whilst tracking OSCAR-12, NOAA-9 and NOAA-10 is shown in Fig.3.

OSCAR-13: From Westbury in Wiltshire, **Jon Wheeler G0IUE** reports on the contacts that he has made from the station of his father, G1LJT, which antennas have now been equipped with elevation command. He reports up to RS 5 & 7 signals from G8XXJ, I10XZ, DF4TA and KK4UZ. In the meanwhile, Dad also got a look in and among others made good QSOs with VK6JJ, WB2TNL, JA3KM, JA5LG, JA8EPO and UA0ALA. They use a 50 watt uplink from a FT-276R to a pair of dual band 145MHz 9-element and 435MHz 19-element Tonna Yagis.

MIR: Lots of stations have been making contacts with Alex U4MIR on the 145.550MHz S22 simplex frequency that the cosmonauts now seem to have settled on. The favourite times appear to be late

afternoons and early evenings throughout the mid-week period, usually between about 1530 and 1930, and throughout the late mornings, afternoons and early evenings of the week-ends. OH5LK made a QSO at 1640 on February 9, OK3AU worked him at 1550 on February 10, ZS1EK reports a QSO at 1814 UTC on February 11 and VE3EFX a QSO the following day. G4UAM heard good signals at 1641 and G3IOR made a short contact at 1816 on February 12 in the Russian language. The majority of stations have just had an acknowledgement of their callsign, but at least one station is now known to have received an actual report for the log.

Colin G1YIL of Bridport in Dorset writes, "I worked U4MIR from my coastal QTH here at 1643 UTC on February 12, on 145.550MHz using my FT-290R with my FL-201 10 watt linear amplifier to a 10-element horizontally polarised Jaybeam. I was very surprised at him coming back to me, especially as I was not particularly looking for him at that time. I just happened to have my beam pointing at 235 degrees west. It was a very short QSO, with RS 5 & 5 up, RS 4 & 5 down".

We are now informed that the new crew currently proposed to go up to MIR in late April consisting of cosmonauts Alex Vik-torenko and Alex Serebrov will be pre-trained in the art of amateur radio before they leave earth. A few delays on the new large modules to be attached to MIR have occurred, now postponing the launch of these till the latter part of 1989, so the crew may yet change to permit the mission specialists to phase the duration of stay with the new module requirements. It is not yet known if U3MIR, Valery Polyakov, will stay aboard or return in April, so we may have U3, U5, U6 or even U7MIR calls all on and active in May.

The New Microsats

As promised in last month's column, here is the latest information to hand on the series of satellites that should result in having the AMSAT spacecraft up to a serial number of OSCAR-20 by the end of this year.

The first information on the coming microsats appeared in these columns in the November '88, December '88 and January '89 editions. Now from Courtney Ducan N5BF, Doug Loughmiller KO5I and Jan King W3GEY via the information service of **Peter Guezlow DB2OS** comes the full and topical current information on the new series of AMSAT satellites due for launch this year.

Prior to launch, each satellite will be known by a letter designator and once in orbit, the name will become that of the

Practical Wireless, May 1989

AERIAL TECHNIQUES

AR300XL AUTOMATIC AERIAL ROTATOR



AR300XL Aerial Rotator & Control Console£39.95
Additional Bearing (for heavier loads)£18.10

Post & Packing £2.95 (All inclusive of VAT)

DELIVERY BY RETURN OF POST

Our main Catalogue of Aerials, Amplifiers, Filters and associated components is 75p. — Send for your copy today.

11, KENT ROAD, PARKSTONE, POOLE, DORSET BH12 2EH
Tel: 0202 738232

LOSING DX?

ANTENNA FAULT? Check FAST with an **ANTENNA NOISE BRIDGE**, measure antenna RESONANCE 1-160MHz and RADIATION RESISTANCE 2-1000 ohms, measure directly — without transmitting, measure outside the bands, find where it is 50 ohms, **only £27.90**, get **ANSWERS** and **MORE DX**.

V.L.F.7 EXPLORE 10-150KHz, **Receiver £28.20**.

ATOMIC CLOCK, self setting, 8 digits show Date, Hours, Minutes and Seconds, receives Rugby 60KHz time signals, built-in antenna, 1000Km range, **only £97.90 — EXACT TIME**.

Each fun-to-build kit (ready-made to order) includes all parts, case, pre-wound coils, fibre glass pcb, instructions, by-return postage etc. and list of other kits.

CAMBRIDGE KITS

45 (PS) Old School Lane, Milton, Cambridge.

QRP KITS AT QRP PRICES!

AN 80m QRP TX/RX KIT FOR £76.25!

- ★ Ready Built — £126.50
- ★ Complete in EVERY detail!
- ★ VFO, AF Filter, Sidetone etc!
- ★ Fully Detailed Manual!

Other Super Kits include:

3 BAND RECEIVER, ATU's, AUDIO FILTER etc etc... all 'well styled' and complete!

For full details of the DTR3 and the rest of our range, send a SAE to:

LAKE ELECTRONICS, 7 MIDDLETON CLOSE,
NUTHALL, NOTTINGHAM NG16 1BX.
Or ring Alan G4DVW on (0602) 382509 (callers by appointment only).



HAMGEAR ELECTRONICS

Introducing the Hamgear QRP Wattmeter designed especially with low power in mind. The wattmeter is a non-radiating 50 ohm load in five switched ranges; 0-10 w, 0-1 w, 0-100 mw, 0-10 mw and 0-1 mw; a sixth range indicates field strength. Indication is by a moving coil microammeter. Provision is also made for connecting an Oscilloscope; this means that as well as power levels waveform can be monitored at the same time, ideal for all those homebrew projects, from H.F. to VHF. Housed in a metal case in black and brushed aluminium, sizes 4 1/2" x 2 1/4" x 3".

Also our well-known PMX Preselector, an ATU and preamplifier combined, ideal for SWL's with restricted antenna space, covering 1.8 to 34mhz. Having a gain of 20 DB or attenuation when required. All metal cased in blue and brushed aluminium.

Wattmeter£36.00
PMX unpowered.....£69.00
PMX mains powered.....£78.00

Prices include postage which is by first class mail (same day return).

Send for further details.

125 Wroxham Road, Sprowston, Norwich, NR7 8AD
Tel: Norwich (0603) 405611

OUT
NOW!

CRICKLEWOOD
ELECTRONICS

1989 100 PAGE COMPONENT
CATALOGUE PRICE £1

SEND OFF FOR YOUR COPY TODAY...

- WE STOCK AN UNRIVALLED RANGE
- ALL OUR COMPONENTS ARE FIRST CLASS BRANDED ITEMS
- WE OFFER A SAME DAY SERVICE ON ALL STOCK ITEMS
- NO MINIMUM ORDER—IF YOU NEED ONE COMPONENT WE CAN SUPPLY ONE COMPONENT
- WE HAVE ADOPTED A NEW LOWER PRICING POLICY + QUANTITY DISCOUNTS
- FREE VOUCHERS WITH YOUR CATALOGUE—ORDER ONE NOW!...

JUST FILL IN THE COUPON OPPOSITE AND POST IT WITH YOUR £1 PAYMENT TO THE ADDRESS BELOW. YOU WILL RECEIVE NOT ONLY OUR SUPERB 100 PAGE CATALOGUE, BUT ALSO FREE VOUCHERS WHICH YOU CAN USE ON YOUR NEXT COMPONENTS ORDER.

CRICKLEWOOD ELECTRONICS LTD 40 CRICKLEWOOD BROADWAY LONDON
NW2 3ET TEL: 01-450 0995/452 0161 FAX: 01-208 1441 TELEX: 914977

FREE VOUCHERS!

SEND OFF FOR YOUR CATALOGUE
AND VOUCHERS TODAY.

I WOULD LIKE TO RECEIVE.....
COPY(COPIES) OF THE 1989
CRICKLEWOOD ELECTRONICS
COMPONENT CATALOGUE. I
ENCLOSE £.....
PLEASE ENCLOSE MY FREE
VOUCHERS.

Tape your £1 coin
here, or send a
cheque or postal
order for £1.00 for
every catalogue you
require.

NAME.....
ADDRESS.....



serial OSCAR enumeration. At this time, the BRAMSAT (AMSAT Brazil, under Junior Castro PY2BJO) spacecraft is termed MICROSAT-A, to be called in orbit DOVE-OSCAR-nn where "nn" is the series number. The AMSAT-LU (Argentinian AMSAT group under Carlos Huertas) contribution is currently MICROSAT-B, to become LUSAT-OSCAR-nn. The AMSAT-NA (North America, under Doug Loughmiller KO5I) satellite is MICROSAT-C, later to be PACSAT-OSCAR-nn, whilst the Center for Aerospace Technology at Weber State College, Ogden, Utah (CAST, under the direction of Robert Twigg) is MICROSAT-D, soon to be WEBERSAT-OSCAR-nn. In addition to the dedication of the groups stated, considerable additional volunteer and financial support is being given by the Tucson Amateur Packet Radio Corporation (TAPR) and the ARRL.

Mission Objectives

The purpose and objectives of all of the satellites is multifold, but can be condensed to three statements: (1) to demonstrate to the ITU that amateurs from each of the organisations involved have a strong interest in the use of radio frequencies allocated to the Amateur Satellite Service for the improvement of amateur practices and in support of the international amateur satellite community.

(2) To provide a test bed for evaluation and validation of hardware technologies and software to be employed.

(3) The mission to build on user equipment, techniques and capabilities already utilised in the Amateur Satellite Service for digital or voice communications wherever possible. The costs of ground station construction or modification are to be minimised.

Some common constraints are shared by the mission:

- (a) Both the satellite and the ground station equipment costs are to be minimised.
- (b) The weight and size of the satellites are to be minimised, as many launch opportunities are potentially available for small, lightweight satellite packages, and one means could involve man-assisted launch from vehicles such as the Shuttle and MIR. The planned mass of the satellites is just 8.5kg, with the addition of a further 2.5kg due to the launch adaptor and separation hardware. The satellites will each be cubical, measuring only 230mm (9 inches) per side, discounting the antennas.
- (c) The mission will build on current user techniques and capabilities already used in the Amateur Satellite Service for digital and voice communications.

Individual Mission Goals

The DOVE is intended to provide an easily receivable signal for educational and scientific use from a voice modulated beacon. Planned uses include transmission of current telemetry and amateur radio bulletins with spoken messages in several national world languages.

The LUSAT is intended to provide a demonstration of amateur radio commitment extending digital communication facilities fully into the Amateur Satellite Service. It will give an easily utilised satellite based facility for data storage and forwarding using amateur radio packet techniques and a demonstration of the feasibility of digital store-and-forward facilities within the amateur radio environment for educational and scientific purposes.

The PACSAT has essentially the same

goals as LUSAT, but with the additional object of research and experimentation with specialised protocols for efficient access and utilisation of digital data satellites.

The WEBERSAT intention is to provide an easily utilised satellite based facility for video data acquisition and storage and transmission to amateur radio ground stations using amateur radio packet techniques.

Mechanical Structure

All of the series on microsats will have a similar structure plan, each composed of five aluminium frames, called modules, formed into a composite stack united by stainless steel tie bolts. This near to cubical 230 x 230 x 213mm (9 x 9 x 8.375 inches) structure is termed the "frame stack assembly". Four solar cell panels, each using the latest dual layer GaAs high efficiency solar cells, will be mounted on the four sides of the frame stack assembly, with additional solar cell assemblies on the top of the satellites. The thickness of these panels is critical and must be so designed to assure that no buckling of the side panels can occur, otherwise damage to the delicate individual solar cells responsible for the power production can result.

Each of the five frames of each microsat assembly will contain the electronic sub-assemblies, e.g. the receiver, the transmitter, computer, power supply regulator, plus any specialised modules such as the DOVE voice synthesiser, the WEBERSAT camera controller and picture storage RAM. The top and bottom panels will be used for mounting the u.h.f. and v.h.f. antennas in addition to the extra solar cell assemblies.

Electrical System

The modules are numbered from 01, starting from the -Z base of the satellite through to 05, the +Z top. Each functional module fulfils an important aspect in the overall operation of the particular spacecraft, and the separate content is as follows:

LUSAT and PACSAT

Module 01: BPSK Packet Transmitter

Module 02: Flight Computer

Module 03: Power Module

Module 04: Unused (This space available for rent)

Module 05: FSK Packet Receiver, all channels.

DOVE (Brazilian AMSAT Peacemaker)

Module 01: FM Voice Transmitter

Module 02: D to A Buffer/Converter—Voice Synthesiser

Module 03: Power Module

Module 04: Flight Computer

Module 05: Command Receiver

WEBERSAT

Module 01: BPSK Packet Transmitter

Module 02: FSK Packet Receiver, all channels

Module 03: Power Module

Module 04: Flight Computer

Module 05: Camera Module

The interconnection of the individual modules uses a standardised bus arrangement to minimise the number of wires needed for all the satellite functions. It is implemented by an "AART", or Addressable Asynchronous Receiver Transmitter, board mounted to all modules apart from the Flight Computer which serves as its own interface. Each AART uses one 25-pin D sub-miniature connector for the interconnection with each of the others.

The Transmitter Modules

The BPSK Packet Transmitter modules for the LUSAT, PACSAT and WEBERSAT all use Binary Phase Shift Keying, or BPSK packet radio transmitters on the downlink to ground stations. All transmissions are digital, termed NRZ-I, BPSK, HDLC, and compatible with the packet radio AX.25 level 2 protocol now in general amateur radio use. When under flight computer control unconnected information packets which contain the telemetry and (in the case of the WEBERSAT) picture frames plus similar user function transmissions will be available.

The transmitters will employ the latest high efficiency mode of power amplifier giving better than 60 per cent d.c. power demand to r.f. output efficiency, and some 4 watts of output power. Although the mean average solar cell power production will provide at least 6 watts of available power over an average orbit under the worst case sun-synchronous conditions, at parts of the orbit and at certain times of the year, the demand could be greater than the supply. A means of power control will be incorporated to allow the transmitter to reduce its output power and hence supply demand from 4 watts even down to zero watts in 16 steps of attenuation. This can be set either by ground control or automatically by software control command from the onboard flight computer.

In practice, it is confidently anticipated that at the highest power level of four watts output, the d.c. demand to r.f. power output of the transmitters can be maintained at some 84 per cent on 145MHz and at 74 per cent on 437MHz.

Two transmitters will be flown in each of the transmitter "01" modules for reasons of both redundancy and experimentation. One will use normal p.s.k. modulation, the other a new form called raised-cosine modulation, which exhibits a lower information harmonic content. It is anticipated that user ground stations using high gain uplink antenna arrays may well find themselves able to lock on to side lobe energy from the normal p.s.k. transmission, as the second side lobes are only some 14dB down on the main lobe. The raised-cosine transmission should give a second side lobe 38dB below the main lobe, and should reduce the possibilities of false locking by ground stations.

A further advantage is that the duality of transmitters gives the possibility of advanced protocol experimentation. As the number of users multiply, the uplink capability handling per user will degrade, so it is expected that specialised network schemes and protocols may evolve by experimental work to help to alleviate this situation.

The Argentinian LUSAT will use 437.150MHz, PACSAT 437.050MHz, and the WEBERSAT 437.100MHz, all selected so as to give minimal function interference and to occupy the little used section of the upper 70cm band. Secondary transmitter frequencies have yet to be given.

The antennas transmitting the downlink from the satellite will be 70cm turnstiles, and will permit the users to utilise linearly polarised antennas without sufferance from spin QSB. The data rate will be selectable as either 1200 or 4800 b.p.s., needing transmitted bandwidths of 4 and 15kHz respectively.

The DOVE will have a narrow-band f.m. voice transmitter, driven by a voice synthesiser, similar to that of UoSAT-2 (OS-

CAR-11) but with a far greater vocabulary and language range. It will transmit on 145.970MHz with 5kHz deviation using a 2m turnstile antenna, and will be on voice synthesised data at all times except when it is under access command by a control station, when it may go to 1200 baud a.f.s.k. compatible with Bell 202 tone standards. When the flight computer is returned to the "run" mode, the voice transmission downlink will resume. The DOVE power levels, efficiency and technology are very similar to those satellites already described.

Frequency List (to date)

Satellite	Downlink MHz	Uplinks MHz
DOVE	145.970	NONE
LUSAT	437.150	145.900, .880, .860, .840
PACSAT	437.050	145.900, .920, .940, .960
WEBERSAT	437.100	To be announced later.

Telemetry

At least 32 analogue telemetry parameters will be available from the onboard computer, the number of which is easily expandable, thus the number may change before launch. They will provide the housekeeping information relating to the health of the satellite. Analogue telemetry information will be converted to digital data that will in turn be available for transmission in unconnected beacon packets or to connected user stations. The DOVE telemetry information will be available as either spoken voice synthesiser or digital format.

Launch

AMSAT has made arrangements for the launch of all four MICROSATS as secondary payloads on the SPOT-2 mission, via an ARIANE-1 rocket from the ESA Kourou French Guiana launch site in mid-1989, possibly as early as June, but probably as late as November. Although not yet planned, it is confidently expected that AMSAT will provide an ALINS Launch Information and Network service on the usual frequencies, as performed before with earlier launches. The use of 14.282, 14.290/95, 21.280 and 28.580MHz is more than likely, usually starting some one hour prior to launch, to follow orbital injection and the first hearings. Follow up information on the latest TLM and orbital elements will occur on the following days.

The Orbit

The SPOT-2 satellite is sun-synchronous, with an apogee of 835km, a perigee of 817km and an inclination of 98.7 degrees. The ascending node time is approximately 2230 hours local time. Like RS-3, 4, 5, 6, 7 and 8, which were all put out as a series from a single COSMOS launch in 1981, all the MICROSATS will be deployed from the ARIANE-1. Although in the same polar orbit, they (like the RS series) will all have slight differences in their orbital parameters, due to the differences in the deployment speed and direction from the launch vehicle final stage. Thus, although generally available at about the same times of the day, their individual positions will appear to be random, changing from day to day to provide a wide spread of operating opportunities, with little mutual overlap.

Design a μ -Logo

Do you fancy having your own design concept flying over your head many times

a day? AMSAT are inviting would-be artists to submit designs for both the logo for the coming micro-sats and for the decal on the ARIANE launch vehicle. No prizes, other than the prestige of your success are offered. Designs should be sent to John Champer K8OCL, 7800 Hartwell Street, Dearborn, Michigan 48126, USA within the next two weeks.

Mort d'Oscar

Prizes are being offered for he or she that foretells the demise of AMSAT-OSCAR-9, alias the UoSAT-1 satellite, which is now dropping at an even faster rate of some 320 metres per day (and increasing!) and already down to 420km (and decreasing!)

In addition to the 308-page illustrated hardback book on the history of space travel offered by G3IOR for your input to this column plus that time closest to that when UoSAT-1 becomes meteor-scatter, additional prizes are available from other sources. The University of Surrey is offering space T-shirts and other useful winnings, and AMSAT-UK are giving prizes of satellite tracking computer software for the most accurate re-entry time also.

Send your entries, which must arrive no later than one whole month before the time of predicted incineration, to G3IOR, QTH at the heading to this column, and to Craig Underwood G1WTW, at the UoSAT Spacecraft Engineering Research Unit, Department of Electronic and Electrical Engineering, University of Surrey, Guildford, Surrey GU2 5XH. For the AMSAT-UK OSCAR-9 re-entry contest, send to Ron Broadbent G3AAJ, 94 Herongate Road, Wanstead Park, London E12 5EQ. Remember, only one entry per person, and although you will undoubtedly probably prove to be far closer the later you leave your entry time to the fall-out time, a clear month must be between them.

A large number of readers have asked just how, other than a random guess, they even begin to tell when the satellite is coming down, and assess when it finally decays into earth's atmosphere. A number of factors determine the course of events. The fixed factors include the mass of the satellite relative to its aspect ratio and surface area, e.g. a light balloon will have little mass and lots of area, so the effective frictional co-efficient is greater than say a streamlined lump of lead. The further a satellite drops, the more friction it gets as it descends into denser atmosphere, and so the greater the drag, bringing it into even lower denser layers until it finally vaporises in the intense friction. It is almost, but not quite, an exponential curve. If we had a uniformly graded constant atmosphere, the sum would be easy, but it is not so, as elevating solar flux with increasing sunspot activity is heating earth's atmosphere causing expansion. The decay of a low orbit earth satellite varies in the long term with the mean solar flux, and in the short term with solar rotation, being maximised as the more active side of the sun faces earth.

One good practical way to explore the decay rate is to carefully plot the TCA, time of closest approach, by noting that exact time when the pass is at the close to

centre nominal frequency without Doppler shift, e.g. 145.825MHz. Consecutive and daily passes can be measured to find the period, e.g. that time in minutes between each zero Doppler part of the pass. A mean value for these averaged over a week or so will show that the period is decreasing. It may then be plotted to predict that time when the period is that when it goes vertical to burn out. To give some idea, see past issues of *Short Wave Magazine* Info in Orbit column where the final periods prior to the demise of the infamous COSMOS-1900 nuclear fuel carrying RORSAT are supplied. Things will really start to happen at a period of 88 minutes. COSMOS-1900 was showing a 88.451 minute period and a drag factor of 0.00318463 on Julian Day 263 last year. On day 272 it had a 88.019 minute period and a drag factor of 5.81528E-3. On day 274.496 it showed a 87.90077 minute period and a drag of 6.9E-43, whilst later the same day at 274.740 it gave a 87.859 minute period with drag 7.3E-2, e.g. the drag had increased by a factor of more than 10! You know the rest from previous reports in this column!

If you want to see the changing UoSAT-1 period through time, look up our past bi-monthly mean motion values for OSCAR-9 and divide them into the number of minutes per day, e.g. 1440 to give the time of the orbital period in minutes. The associate drag factor should also be noted and applied until the next value. A plot of this value against an X axis in days will give you the slope curve toward final extinction. Below are some recent OSCAR-9 values for this current year so that you may get up to date until we print the whole new sets again next month.

A simple calculation, which may be easily turned into a small computer program, was given by **Nico PAODLO**. The time of re-entry, with a statistical accuracy of plus or minus 1 per cent, may be found by subtracting the Mean Motion, 15.44699395 from 16.66666666 recurring, and then dividing this by ten times the drag factor. If this result is added to the Reference Epoch, the time of re-entry is given as the Julian day number of the year.

For our last finding above, 16.66666666 - 15.44699395 gives a round up 12.19673. If we then divide this by 10 x 5.8464E-04 (5.8464E-3 = 0.0058464) we get 208.61949 which when added to the Epoch Julian Day 048.55577078 gives day 257.17526, or, in real time, Thursday 14 September, at 04 hours, 12 minutes and 22.464 seconds. (The precision of the calculation is for your guidance, and does not reflect the accuracy of the prediction! — please remember the +/-10 per cent!)

Finally, beware your sources and means of applying the drag factor, alias acceleration, decay etc., in any programs you use, as at least five different versions of this have appeared in the past six years, few of which fit the standard pattern used by astronomers. Some can give the drag per day, some per orbit, nodal or anomalistic period. Stick to ours that emanate from NORAD, NASA, AMSAT and come to us via Birger Lindholm.

We have had a number of enquiries as to how to incorporate the drag decay into

Year	Orbit No	Julian Day	Mean Motion	Drag Factor
89	40735	028.59009558	15.42808258	3.6887E-04
89	40989	045.05722778	15.44274521	5.3918E-04
89	41043	048.55577078	15.44699395	5.8464E-04

computer programs and calculations that do not include it. **Andy Cawthorne G3TDJ** wrote from Taunton, "I wonder if you can throw any light on the inclusion of accurate correction for DRAG into satellite tracking software. It has been very evident over the past month or so, since the MIR two metre f.m. activity, that some tracking programs are coping with high drag factors much more accurately than others". As soon as space is available, this point will be covered.

Satellite Teach-in Net

Each Sunday at 1900UTC, **Viny WB2YGA** will be holding a space information net on 28.460 MHz u.s.b. The net will cover all aspects of satellites and the amateur radio space programme, will provide the latest news and all questions and queries will be answered. Following the fundamental text, check-ins will be taken and all questions arising answered. Your check-in, participation and input will be

welcome. Later sessions will cover specialist space interests, and deal with specific matters.

**The next three deadlines
are April 26, May 31
and June 28**

Propagation

Reports to Ron Ham
Faraday, Greyfriars, Storrington, West Sussex R20 4HE.

Using the Radio Telescope

Although the sunspot cycle was declining during the early 1980s, I recorded solar noise storms at 143MHz on Feb 6-8, 12, 16, 28 and 29; Mar 2, 19, 20, 28 and 29; Apr 13-15, 17, and 19; May 16 and 18-22; July 12, 19, 22, 23, 25 and 26; Aug 7-10, 16 and 18-21; Sept 12 and 13; Oct 9, 12-15, 18 and 19; Nov 2-12, 19 and 30 and Dec 12-15. I learnt from colleagues, that solar noise was also heard on 28MHz on Feb 6, Apr 27, May 16, Aug 21 and Sept 15 and that aurora, identified by tone-A signals, manifested on March 5, Apr 13, July 25, Aug 18, Oct 15, Nov 11 and Dec 29.

Auroral reflected signals were exchanged on 144MHz between stations in southern England and Scotland on April 13 and a massive blackout occurred on April 27. No doubt there were more, but I heard the BBC World Service report ionospheric disturbances on Feb 27, April 23 and Sept 20.

During the year, **Cmdr Henry Hatfield** (Sevenoaks) experimented with a second instrument running at 198MHz and he recorded noise at this frequency on Mar 19, 20 and 23; Apr 3, 10 and 26; May 14 and 18-22; July 12; Aug 7-10, 16 and 18-21.

Back to 1989, next month I plan to include more details of the 1298MHz equipment that Henry recently installed to work alongside his 136MHz system. That's as well as the v.l.f. observations, using electrostatic measuring equipment, being conducted by **Anthony Hopwood** (Upton-on-Severn).

On the subject of v.l.f., **Dave Coggins** checked the signals of a long-wave station 3 times per day during February and, although only just audible at his home in Knutsford, its signal increased on the 12th and 22nd when there was known solar activity. Keep up the monitoring Dave, this sounds interesting.

WRM045



Fig. 1

Solar

"The graph for October shows an interesting feature. The sun did not shine for a week! Headline news? No, just with all the rough weather we had last month, the clouds covered the entire solar observing network. It is not often that this happens, as usually at least one observer between the Cape and Zimbabwe can see the sun," wrote **Jim Knight** (Boksburg). That was in his solar report in *Canopus*, the newsletter of the Transvaal Centre of the Astronomical Society South Africa. Any cloud cover, even fast moving, like Fig. 1, which I photographed over the South Downs last September, can hamper the use of projection apparatus for drawing sunspots. This emphasises the importance of having observers over a wide area.

The relative size and location of the sunspot groups observed and drawn by **Patrick Moore** (Selsey) at 0940 on January 26 and February 11 and **Mike Bennett** (Slough) on February 8 can be seen in Figs. 2, 4, and 3 respectively. "While the airwaves have been fairly quiet these past few days, I dusted down my trusty old 2in refractor and had a look for sunspots. Taking care as ever not to look at the

sun directly, I noticed some large sunspots in the sun's northern hemisphere," wrote **David Glenday** (Arbroath) on February 10. David also pointed out the large penumbra surrounding the spots. In Edinburgh, **Ron Livesey**, using a 2.5in refractor, located 9 active areas on the sun on January 15 and 8 and 6 on the 22nd and 28th respectively. At his observatory in Bristol, **Ted Waring** counted 45 sunspots on January 28 and 51 and 12 on February 10 and 20 respectively.

Henry Hatfield, using his spectrohelioscope on January 26 identified 3 sunspot groups (g), 18 filaments (f) and 8 quiescent prominences (qp) and on the 27th 3g, 22f and 7qp; 29th—3g, 21f, 6qp and 1 medium and 3 small flares; February 6—1g, 21f and 13qp; 7—2g, 21f, 10qp and a small loop prominence; 8 and 9—2g other observations spoilt by cloud; 11—3g, 27f, 12qp and 4 small flares; 12—6g, 21f, 6qp and a small flare; 14—4g, 34f, 10qp and a faint loop prominence on the NE limb and a large bright "chunky" prominence on the east limb; 16—5g, 13f and several qp (count is low owing to cloud); 20—3g, 15f and 8qp; 21—3g, 22f and 18qp and 23—3g, 26f and 10qp.

Henry also recorded individual bursts of solar radio noise, at 136MHz, on January 29, 31, February 3, 4, 5, 6, 8, 9, 12, 13, 15 and 21 and noise storms on days 13, 14, 15, 20 and 23. Recently, he installed a second radio telescope to operate on 1298MHz and recorded various sized solar bursts on February 9, 12, 13, 15, 20 and 21. At 1256 on the 9th a burst of radio noise at 1298MHz began 4 minutes earlier than its companion on 136MHz, Fig. 5. The downward spikes on the receiver noise line are the 10 minute time markers.

The monthly mean solar flux for January was 236 s.f.u. with a low of 192 on the 1st and a peak of 299 on the 16th. Details of the daily fluctuations can be seen in the computer print-out, Fig. 6, prepared by **Neil Clarke GOCAS** (Ferrybridge).




Fig. 2




Fig. 3




Fig. 4



SPECTRUM COMMUNICATIONS
MANUFACTURERS OF RADIO EQUIPMENT AND KITS

MULTIMODE CB CONVERSION KITS PHONE FOR DETAILS AND PRICES

CB TO 10 FM CONVERSION BOARDS, for rigs with LC7137 and TC9119 to give 29.31 to 29.70MHz. Built and aligned board SC29 **£18.50**. Or send your rig and we'll fit it **£31.50** inc P&P, **£35** inc P&P for base rigs. For rigs with MM55108 use SC29F board **£15**, or **£28** fitted.

FM CONVERSIONS FOR YAESU & KENWOOD, for rigs with AM **£71** boards or **£115** fitted, rigs without AM **£81** boards or **£125** fitted. Add **£16** for Valve only rigs. State rig type when ordering.

RECEIVE PREAMPS, 2, 4, 6, or 10 metres. RF switched and DC sensing. 100W power handling, gain panel adjustable 0-20dB, NF 1dB on 2m, 4m & 6m 3.5dB on 10m. 13.5V negative ground operation. Excellent performance at a reasonable price. Types RP2S, RP4S, RP6S, & RP10S. PCB kit **£14.75**, PCB built **£22.25**, Boxed kit **£25**, Built & tested **£35.50**.

TRANSVERTER, single board 1/2W out for 2m or 4m or 6m. 10m drive 25mW-500mW. Types TRC2-10, TRC4-10, or TRC6-10. PCB kit **£39**, PCB built **£54**, Boxed kit **£54**, Built & tested **£83.25**.

TRANSVERTER, receive converter and 2.5W transmit converter in single boxed unit. 10m drive 10-100mW unbuffered, types TRX4-10H & TRX6-10H. Boxed kit **£60**, Built & tested **£99.50**. Buffered types for use with 10m rigs giving -6dBm drive, TRX4-10B & TRX6-10B, Boxed kit **£68**, Built & tested **£115**. With interface unit for use with 2m drive 1/2W-5W types TRX4-2I & TRX6-2I, Boxed kit **£68**, Built & tested **£115**.

FREQUENCY MOD-DEMODO BOARD converts AM only synthesized rigs with 455 KHz IF to FM. Type FM455, PCB kit **£8.25**, PCB built **£12.25**.

NOISE SQUELCH, mutes rig when noise is too high. Allows reception of weak signals between noise bursts. PCB kit **£9.50**, PCB built **£14**.

TRANSMIT AMPLIFIERS, linear single stage, gain 10dB, 30W output, ideal for FT290, FT690, etc. RF switched and DC sensing. Types TA2S1, TA4S1, & TA6S1, PCB kit **£33**, PCB built **£40.25**, Boxed kit **£39**, Box built **£49.50**.

TRANSMIT AMPLIFIERS, linear two stage 1/2W in 20/30W out, unswitched, suitable for MEON. Types TA2U2, TA4U2, & TA6U2, PCB kit **£41.25**, PCB built **£52.50**, Boxed kit **£45**, Boxed built **£59.25**. Switched version for use with Spectrum transverter, types TA2S2, TA4S2, & TA6S2, PCB kit **£47**, PCB built **£60**, Boxed kit **£58.25**, Boxed built **£72.50**.

VAT & P&P INC PRICES
Delivery within 14 days if available
24 hr answering.

SHOP TIMES: 9am-1pm & 2pm-5pm TUES-FRI
9am-1pm & 2pm-4pm SAT
CLOSED SUNDAY & MONDAY



UNIT B6, MARABOUNT INDUSTRIAL ESTATE,
DORCHESTER, DORSET. TEL: 0305 62250



R. N. Electronics

Professionally designed equipment for Amateurs

TRANSVERTERS

● 144/50 MHz 25w p.e.p. **£189 + £4 p&p**.

Use with an FT290 or similar 2m transceiver, for the opportunity to work U.S.A., Africa, Japan, Australia, etc. In fact almost anywhere in the world.

● 28/50 MHz 25w p.e.p. **£199 + £4 p&p**

● 145/70 MHz 25w p.e.p. **£239 + £4 p&p**

● 145/70 MHz 10w p.e.p. **£199 + £4 p&p**

● 28/70 MHz 10w p.e.p. **£199 + £4 p&p**

● 7dB Switched Attenuator **£22 + £2 p&p**

POWER AMPLIFIERS

● RN690 P.A. 6m power amplifiers 25w p.e.p. **£75 + £4 p&p**

● RN490 P.A. 4m power amplifiers 25w p.e.p. **£75 + £4 p&p**

RECEIVE CONVERTERS

10M receive, 2M I.F. With thru switching on transmit use with 6m transverter and work 10m/6m Crossband **£45 + £2 p&p**

RECEIVE ONLY CONVERTERS

2m IF for 4m, 6m or 10m, receive **£39 each + £2 p&p each**

10m IF for 2m, 4m or 6m receive **£39 each + £2 p&p each**

PRE AMPLIFIERS

Low Noise (<1dB) GaAs Fet Pre-amplifiers for 6m, 4m and 2 metres. RF or DC Through Switching (Max 100W pep).

● Indoor boxed unit **£36 + £2 p&p**

● Masthead (line powered) with indoor DC feed unit **£69 + £4 p&p**

MET. ANTENNAS

50MHz 3 el. **£42.95**, 5 el. **£64.40**, 70MHz 3 el. **£37.30 + £4.50 p&p**

NAVICO 2m F.M. MOBILES

AMR 1000 5/25w 12.5/25KHz 2 Metre FM Mobile **£247.25 + £4 p&p**

AMR 1000S 10 memory + full scanning **£299.00 + £4 p&p**

Top mount bracket for above **£6.85 + £1 p&p**



All prices include VAT



**37 Long Ridings Ave, Hutton, Brentwood,
Essex CM13 1EE. Tel: 0277 214406**

C. M. HOWES COMMUNICATIONS

**Eydon, Daventry,
Northants NN11 6PT
Phone: 0327 60178
Mail order**



BUILD A RECEIVER!

Building your own receiver is one of the most satisfying aspects of amateur radio. Nothing quite beats the thrill of hearing stations from far away on a set you constructed yourself. The first contact on a homebrew transmitter comes a close second though! Fortunately we offer kits for both, but it's the receivers' turn to be featured this month:-

DcRx DIRECT CONVERSION COMMUNICATIONS RECEIVER

The HOWES DcRx series of receiver kits offer amazingly good performance for simple, easy to build equipment. These receiver kits have made an excellent introduction to amateur radio for many newcomers, as well as providing the basis of a QRP station for thousands of licenced operators around the World. These are single band receivers, and as such avoid complexity and expenses, whilst offering very pleasing results for both SSB and reception. Versions are available to cover the 20, 30, 40, 80 and 160M amateur bands, plus a 5.45MHz HF airband variant. A case and a couple of tuning capacitors are the only major parts you need to add. We can supply suitable capacitors at £1.50 each for all but the 160M version. The DcRx receivers can form part of a transceiver in conjunction with one of our transmitters, and there are many other interlinking modules that can be added as you build up your station.

DcRx Kit: **£15.60**

Assembled PCB: **£21.50**

MBRX H.F. MARINE BAND COMMUNICATIONS RECEIVER

The HOWES MBRX is a more sophisticated Direct Conversion receiver offering full coverage of the HF marine band from 1.6 to 3.95MHz, including the 80 and 160M amateur bands, international distress frequency, coastal stations etc. Additional features include a switched RF attenuator, RF amplifier stage, two stage active filtering, fine tune control, and an AGC system. As with the DcRx kits, up to 1W audio output is available for loudspeaker or headphones. Two 365pF (or 500pF) tuning capacitors are required. This kit will enable you to build an SSB and CW receiver with good facilities and performance at a sensible price.

MBRX Kit: **£29.90**

Assembled PCB: **£44.90**

TRF3 SHORTWAVE BROADCAST RECEIVER

This little set is designed principally for AM Broadcast reception, but SSB and CW signals can also be resolved with a little careful tuning. Frequency coverage is 5.7 to 12.8MHz in three switched bands. This gives reception of the busiest part of the shortwave broadcast spectrum, plus 30 and 40M amateur bands. The set features a switchable input stage that enables very short antennas to be used as well as full size ones. This kit is a very popular present for the "junior op", and has good educational value as well as being great fun to build and use. A suitable 50pF tuning capacitor is available at £1.50.

TRF3 Kit: **£14.80**

Assembled PCB: **£20.20**

NEW ACTIVE ANTENNA

AA2 ACTIVE ANTENNA KIT

Surprising as it may seem, there is no need for large receiving antennas at frequencies below 30MHz. Good results can be obtained by using the new HOWES AA2 active antenna kit and just a few feet of wire or metal rod. The AA2 can be used with a single wire or a miniature dipole, indoors or out and covers 100kHz to 30MHz applications. Direct or coax powering can be used, and there are two selectable gain settings. Ideal for use with a "black box" general coverage receiver or one of our kits!

AA2 Kit: **£7.50**

Assembled PCB: **£11.50**

If you would like more information on any item, or the rest of our range, simply drop us a line enclosing an SAE. We have an information sheet on each kit, plus a catalogue showing the full range.

All HOWES KITS come with full, clear instructions, good quality PCB, and all board mounted components. Delivery is normally within 7 days.

Please add **£1.00 P&P** to your total order value.

73 from Dave G4KQH, Technical Manager



Magnetic

Thanks again to Neil Clarke for the lower printout, Fig. 7, showing the variations in the Ap index for January. Neil's idea of placing the two graphs, Figs. 6 and 7, together should help readers to compare them at a glance with their own station log-book. Between 1800 and 2400 on January 15, 20, 21, 30 and 31, Ron Livesey's "jam-jar" magnetometer showed deflections of 32, 43, 21, 16 and 38 minutes of arc. From Saltash, **Karl Lewis** reported magnetic storm conditions, during the evening of the 15th, 1545 onward on the 16th, stormy variations on the 22nd and from 1900 on the 31st. The Hall Effect Magnetometer, built by Doug Smillie, (Wilshaw) detected large negative pulses on the 14th from 0200 to 2400; 17th/0900-2400; 18th/1930-2330; 19th/1100-2345; 20th/1000-1900; 22nd/0940; 26th/2130-2200; 27th/1500-2230; 28th/1100-2300; 29th/1100-1200 and 1930-2330; 30th/0900-2300 and 31st/0920-1620 and storm continuing to 2330. A large negative pulse between 0930 and 1030 was followed by a storm pulse on the 21st. Ron Livesey's report to the British Astronomical Association includes, from the American Continent, "Magnetic storm, mid and high latitudes and a solar flare" on the 15th, "Minor storm mid-latitude and flare 14 Jan" on the 16th, "Active" on 17, 18 and 23 and "Storm middle and high latitudes and flare 18 Jan" on the 20th and "South coronal hole" on the 23rd.

Aurora

Ron is the BAA's auroral co-ordinator and he received reports of radio signals being reflected by aurorae between 1730 and 1900 on the 20th and at 1800 on the 31st, from Gordon Hunter (Motherwell) and Doug Smillie, who logged reflections between 1910 and 1940 on the 20th and from 1620 to 1932 on the 31st. During the latter event, Doug heard tone-A signals from stations in Belgium, Denmark, Eire, England, Germany, Holland, Scotland and Sweden plus the v.h.f. beacons in Germany (DLOPR), Kent (GB3VHF) and Shetland (GB3LER). Visual displays, described as "active forms" were seen from Edinburgh overnight on days 15/16, 16/17, 17/18, 21/22 and "active storms" on 31/01. Around 1940 on February 3, Dave Coggins heard auroral signals on Band I TV channels E2 (48.25MHz) and Ia (53.75MHz) and, on the 25th, **Ern Warwick** (Plymouth) noted "echoey" signals on the 28MHz North American beacon WA4DJS.

The 50MHz Band

I noted F2 openings producing "smeary" multiple images, on Ch. R1 (49.75MHz) during the mornings of February 18 and 25. On both days the signals were strong but unidentifiable. In India, **Lt. Col. Rana Roy** observed "multiple, smeary and fluttering" pictures on Ch. E2 between 0930 and 1010 on January 21 and regular F2 propagation, mainly from TV in Malaysia, between 1630 and 2230 from January 22 to February 1.

The 28MHz Band

During the last 4 days of January, **John Levesley G0HJL** (Bransgore) received signals from stations in a variety of countries ranging across the world from Canada and




Fig. 5

the USA, Scandinavia, Europe, the Middle East, India, Japan and the USSR. From John's extensive log, I see that he heard signals from Argentina on February 21, Japan on days 11, 18 and 22 and Taiwan on the 11th. In addition he logged many f.m. repeaters from the USA on January 29 and February 19 and on the 19th the band was open until about 2100.

On the same theme **Fred Pallant G3RNM** (Storrington) wrote, "Am amazed that many W beacons are still audible at 2000". For the 11th, Dave Coggins said, "Stations on 28MHz s.s.b. were received from USA around 2130/2200 via N-pole. All signals had rapid fluttery QSB and some were very "raspy". Stations from the Michigan area seemed to be most prominent during the event."

Propagation Beacons

First my thanks are due to **Mark Appleby G4XII** (Scarborough), **Chris van den Berg** (The Hague), **John Coulter** (Winchester), **Vaclav Dosoudil OK2PXJ** (Kvasice), **Don Hodgkinson G0E2L** (Haworth), **Ken Lander** (Harlow), **John Levesley**, **Greg Lovelock G3III** (Shipston-on-Stour), **Ted Owen** (Maldon), **Fred Pallant**, **Ted Waring**, **Ern Warwick** and **Peter Wessels PE1MLG** (Nieuw Beijerland) for all the details in their 28MHz beacon logs which I used to compile the monthly chart, Fig. 8.

On February 8, Peter Wessels and Ken Lander heard PT8AA sending "VVV de PT8AA PWR 5W ANT GP LAT 0958 S LONG 6748 W LOC FI60AC RIO BRANCO/AC". Ern Warwick copied "DE PT2UIT PWR 5W GP PSE QSL INFO" on 28.225MHz and "VE1MUF/B FN65NX" KESWICK RIDGE NEW BRUNSWICK 1 WATT PSE QSL TNX" on 28.282MHz. "VE2HOT within 200Hz," said Ern.




Fig. 6

John Coulter, **Ted Owen** and **Ted Waring** heard N2ECB, on 28.23MHz, sending "NJ USA 25W BEACON PSE QSL", W2DI on 28.295MHz and W8UR on 28.215MHz with 500mW from Mackinac Island. Mark Appleby usually hears the South African beacons just after 0700.

John Levesley and **Ern Warwick** copied SK5TEN on 28.900 and among the first timers for Don Hodgkinson this period were OA4CK—28.240MHz on January 25 and KOHTF—28.250MHz on February 23. "Not too much was heard from Australia this time and some of the more usual South Americans seemed to be missing most of the time," said Don.

In addition to their 28MHz logs, **Ern Warwick** frequently heard IK6BAK on 24.915MHz, CT3B, OH2B, JA2IGY, KH6O/B, 4U1UN/B, 4X6TU/B and ZS6DN/B on 14.100MHz DKOWCY on 10.144MHz.

Tropospheric

The slightly rounded atmospheric pressure readings for the period January 26 to February 25 were taken at noon and midnight from my own barograph. For the record, it is interesting to note that, except for 10 hours during the forenoon of January 6, the pressure was above 30.0in (1015mb) for 73 days from 0600 on December 6 to midday on February 17 and what's more, for 33 of those days it was at or above 30.5" (1032mb). However, I also scored, for me at least, a record low of 28.3in (958mb) during the evening of the 25th. In Essex, **Ted Owen's** barometer peaked at 1045mb at the end of January and was low at 1015mb on February 15. Tropospheric openings increased the range of signals from many v.h.f. radio and television stations during the period of January 24 to February 6.

934MHz

"934MHz also benefited from the high pressure period with improved copy from OD-93 (Middlesex) and MK-37 (Lancing, Sussex)," wrote **Les Jenkins GB-37** from Godalming. At midday on January 31, **Terry Wyatt UK-845** (Walton on Thames) worked stations in Biggleswade and Leighton Buzzard at 100km and Peterborough at 120km. The atmospheric pressure at Terry's location was 1043mb on the 29th and 1041mb on the 31st.

From his home on Bransgore, **John Levesley** (UK-627) worked GY-186, in Guernsey, around 160km, on January 29 and February 1 plus a "very scratchy" contact on the 3rd.

Armchair Astronomy

I am delighted with the astronomy program, called *STARTRACK*, which I purchased recently, for my Amstrad PCW, from Discovery Software, 262 Regents Park Road, London N3 3HN, price £14.95. I found the package educational and user-



Fig. 7


friendly. The best feature for me, is the ability to imagine myself anywhere on earth, by keying in the longitude and latitude, and then having a sample of the night sky displayed before me. In addition, the positions of individual stars and constellations can be identified, the ecliptic, horizon and time and date of observation are selected as required, plus the option to watch the sky change as the program transports the user forward month by month. Detailed instructions are given in the easy to read handbook, supplied with the program disk, of how to set up STAR-TRACK on the 8256, 8512 and 9512 machines.

**The next three
deadlines are
April 26, May 31
and June 28**

Fig. 8 ►

	January 89												February																	
Beacon	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
DF0AAB	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DL01GI	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
EA6RAV				X								X																	X	
EA6RCM				X																										X
LY4M	X	X	X	X	X	X	X	X			X	X	X	X	X	X	X			X	X	X	X	X	X	X		X	X	X
K82BRW	X	X	X	X	X	X	X	X			X	X	X	X	X	X	X			X	X	X	X	X	X	X	X		X	
K84UP1	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
K04EC	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
KE2DI	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
KF4MS	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
KOHTF																														X
LASTEN		X	X	X	X	X	X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
LUIUG																													X	X
N2ECB																		X				X						X		
N4LMZ	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
OH1ZAA											X		X																	X
OH2TEN	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
OK0EG											X					X	X			X	X		X				X			X
PI2VIT												X	X	X																
PI7AAG											X	X	X	X	X	X	X	X	X	X	X	X	X	X						
PI8AA																						X		X	X				X	X
PY2AMI	X	X				X	X	X	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X			X
SK5TEN																								X					X	
VE1MVF		X	X	X	X		X			X	X	X	X	X	X	X	X	X					X		X	X	X	X		X
VE2HOT	X	X	X		X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
VE3TEN	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
VE6YF														X	X	X	X			X	X	X								
VK2RSY	X	X	X	X	X	X					X	X				X	X	X		X	X						X	X	X	X
VK5WI	X	X	X		X																									X
VK6RWA	X		X																											
VP9BA	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
VS6TEN	X										X	X	X	X	X				X	X	X	X	X	X	X	X	X	X	X	X
WA4DIS	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
WB4JHS			X	X		X	X		X	X	X	X	X	X	X				X											
WB9FVR			X	X	X		X	X			X	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X
WC8E	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
WJ7X																X														
W2DI														X																
W3VD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
W3JP1																	X	X				X	X						X	
W8VR																				X	X	X	X	X				X	X	X
W9UXQ	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Z08HF	X	X		X		X					X	X	X	X	X	X	X	X												

Fig. 9



Broadcast Round-up

Peter Shore

We have been covering in recent columns ongoing stories including the cessation of jamming by the Soviet Union of a number of western broadcasters, and on the sharing of h.f. transmitters by stations around the world. Further developments have occurred.

The Soviet regional press has been carrying articles on the end of jamming and asking what will become of the transmitters and of the staff who worked there. In one feature in a Byelorussian newspaper, the Minister of Communications was interviewed and said that five jamming centres had stopped work, releasing 89 transmitters which had been "ensuring the ideological defence of the republic and whole country". About 90 percent of the transmitters are to be used for the broadcast of the republic and national programmes on short wave, with a resulting improvement for listeners. The end of jamming has released around 100 people, engineers and technicians, who are now working for other communications organisations. We can only wonder whether these transmitters are going to be almost as annoying in the future, multiplying the number of Sovi-

et radio signals, as they were when used for jamming . . .

Another story we have been looking at is the planned use of Radio Norway's transmitters by Danmarks Radio. Radio Norway had rearranged its programming into half-hour blocks from the May frequency changes, to release 30 minutes air time in every hour to its Danish colleagues. It now seems that Danmarks Radio is dragging its feet and will more than likely be unable to come to a final agreement with Oslo in time (finances are apparently a problem). That will mean that Radio Norway International will be faced with a reduced amount of programme time and

wasted transmitter resources. Keep watching this column.

Continuing exchange news, Radio Austria-International will be broadcasting to North America from April using the Radio Canada International Sackville transmitters between 0500 and 0600 UTC on 6.015MHz. RCI will also carry Radio Beijing from Sackville between 0300 and 0400 on 11.845MHz to South America and between 0400 and 0500 on 5.96MHz to North America.

Meanwhile, despite the end of jamming of RFE and Liberty, the stations continue to increase their transmitting capabilities. The French Thomson-CSF company was

ICOM

Kent Showroom



Why not come along and visit the ICOM Showroom in Herne Bay, where Andy Rudd G6MRI will be happy to answer any queries that you may have.

In addition to the full range of new and secondhand ICOM products are many other well known brands such as Tono, MET, Diamond, Tonna, Jaybeam and many more.

Also available is a wide range of base, mobile and handheld scanners including AOR, Black Jaguar and the full Uniden range.

VISA

icom (UK) Ltd

Unit 8/9 Sea Street Industrial Estate, Herne Bay, Kent CT6 8LD. Telephone: (0227) 369464.

Open: 9-5.30, Lunch 1-2pm. Mondays to Saturdays.



Books for radio amateurs

NAVICO

ELLIOTT ELECTRONICS
for the Radio Enthusiast

MICROWAVE MODULES

INSTANT HP AVAILABLE

OSY OLD MAN TO

AERIAL ACCESSORIES AND MASTS

JAYBEAM AMATEUR ANTENNAS

RIGS, ANTENNAS, SWR BRIDGES, POWER SUPPLIES, TEST GEAR, COMPONENTS, MORSE KEYS, COAXIAL CABLES, ROTATORS, MICS, PLUGS AND SOCKETS, SWITCHES

Call us on (0533) 553293
OR COME AND LOOK AROUND AT
26/28 Braunstone Gate, Leicester

APPOINTED DISTRIBUTOR

COMMUNICATION CENTRE OF THE NORTH

The largest range of communications equipment available in the North. Full range of receivers, transceivers, antennas, power supplies, meters. Ali tubing - wall brackets - rotators - insulators.

FULL KENWOOD RANGE IN STOCK.

BUTTERNUT		
HF2V 40-80m vertical	£142.00	
20 MKR 20m add on kit	£33.49	
HF6VX 6 band vertical	£159.00	
TBR160S 160m Add on kit	£53.99	
HF4B Triband Mini Beam	£235.00	
CUSHCRAFT		
A3 3 element Tribander	£262.00	
A4 4 element Tribander	£350.00	
10-3CD 3 element 10m	£115.00	
15-3CD 3 element 15m	£139.75	
20-3CD 3 element 20m	£238.00	
AP8 8 band 25ft vertical	£164.00	
AV5 5 band 25ft vertical	£123.00	
18 element 2m Boomer	£106.00	
15 element 2m Boomer	£85.00	
ANTENNA TUNERS		
Kenwood AT230	£208.00	
CAPCO SPC 3000	£225.00	
CAPCO SPC 3000D	£325.00	
MFJ 962B 1.5k Tuner	£241.00	
MFJ 949C 300W Versatuner	£157.00	
MFJ 941D watt Basic	£105.00	
MFJ 1601 Random Wire Tuner	£42.02	
Kenwood AT250 Automatic	£366.00	
WELZ		
DCP5 5 band vertical with radial kit	£195.00	
DCP4 40-20-15-10 vertical with radial kit	£147.00	
JAYBEAM		
VR3 3 band vertical	£81.65	
TB1 Rotary Dipole	£117.30	
TB2 2 element Tribander	£234.60	
TB3 3 element Tribander	£348.45	
SWR/POWER METERS		
MFJ 815 HF 2kw SWR/PWR	£57.32	
SWRT Twin Meter 1.8-50MHz	£25.00	
DIAWA CN410M 35-150MHz	£61.72	
DIAWA CN460M 140-450MHz	£65.40	
NS660P 1.8-150MHz + PEP	£115.00	
Welz SP220	£67.95	
Welz SP420	£59.95	
DUMMY LOADS		
DL60 60 watt	£10.96	
DL600 600 watt	£62.75	
CT330 500 watt	£59.00	
MFJ2600 300 watt	£28.35	

A FULL RANGE OF RECEIVERS FOR AIR-BAND - MARINE - SHORT WAVE - AVAILABLE
GSRV full size £16.50, half size £14.50 Full range of Antenna - Accessories plus full range of VHF - UHF - HF mobile Antennas. Alpha HF Linears now available.

Full range of RSGB and ARRL publications in stock.
Part Exchanges welcome. Second hand lists daily.
Send S.A.E. for details of any equipment.
HP terms. Access/Barclaycard facilities.
Open 6 days a week. 24 Hour Mail Order Service.
Goods normally despatched by return of post.

FULL TEN TECH RANGE NOW AVAILABLE
"Paragon", "Corsair", "Argosy", "Century" plus all accessories

Phone 0942-676790.

STEPHENS JAMES LTD.
47 WARRINGTON ROAD,
LEIGH, LANCS. WN7 3EA.

J. BIRKETT RADIO COMPONENT SUPPLIERS

15 ASSORTED HC18/25 CRYSTALS @ £1.00.

20 HCU Crystals Assorted @ £1.00.

AIR SPACED VARIABLES With Slow Motion Drive
500 + 300 + 20 + 20p.f. @ £2.50, 200 + 350p.f. @ £2.50, 310 + 310 + 310p.f. @ £2.95, With Direct Drive
10 + 10 + 20p.f. @ £1.50, 125 + 125p.f. @ £1.95, 200 + 220p.f. @ £2.50.

CB40 TYPES 10p.f. @ £1.95, 25p.f. @ £2.50, 50p.f. @ £2.50, 150p.f. @ £2.95, 75 + 75p.f. @ £2.95.

RADIO TELEPHONES No Accessories. PYE W15FM 10 Channel 80-110MHz Dash Mounting @ £15.00 (Carr. £2.00).

PYE Europa 8-110MHz FM25FM 25 WAF FM @ £25.00 (Carr. £2.00). PYE Boat Mounting W15FM @ £8.00 (Carr. £2.00).

PYE Europa FMS UHF @ £37.00 (Carr. £2.00). Dymar Lynx 16 Channel FM 80-110MHz @ £15.00 (Carr. £3.00). Mid-Band

Stereo Boat Mounting FM Transceiver @ £8.00 (Carr. £3.00).

CARBON MIKE INSERTS 10 for £1.50. Dynamic Mike Inserts 250ohm @ 60p each or 4 for £2.00.

POWER MOS FETS VN10KN @ 50p, VN10LM @ 50p.

DUAL GATE MOS FETS Like 40673/3N/201 @ 80p each.

COMMUNICATION RECEIVER EX-MILITARY R210 2 to 16MHz in 7 Switched Bands with BFO, noise limiter, CW filter, Aerial

Inputs. Dipole, long wire or whip. With 240 volt AC power pack, loudspeaker and lightweight headphones @ £78.90 Carr

£8.00.

UNCONVERTED R210 RECEIVER As Received @ £50.00 (carr. £5.00).

EDDYSTONE TRANSISTORISED COMMUNICATIONS RECEIVER R40A Made for GPD 330KHz to 33MHz @ £195.00. Callers

only.

HC25U CRYSTAL HOLDERS @ 20p each, HC25U 12MHz Crystals @ £1.00 each.

1000 AMP RELAY 24 DC Coil @ £2.95.

ACCESS AND BARCLAY CARDS ACCEPTED. P.P. 60p UNDER £5.00. OVER FREE UNLESS STATED OTHERWISE.

C.M.HOWES AND WOOD AND DOUGLAS AND KITS AVAILABLE BY POST AND FOR CALLERS.



25 The Strait
Lincoln, Tel. 20767
(LN2 1JF)
Partners J.H.Birkett.
J.L.Birkett.

recently awarded the contract to supply three new 100kW transmitters to the Lampertheim and Biblis sites in West Germany, although it has been suggested that the two stations might actually reduce their usage of short wave frequencies now that jamming has stopped.

New transmitters will also improve reception of All India Radio: Home Service is now heard from Port Blair on a new 10kW transmitter using 7.180MHz during local daytime, and 4.76MHz during early morning and evening. At Khampur near Delhi, two 250kW transmitters will go on the air in the coming few months, to join four 50kW senders which have replaced ancient 20kW units and one 100kW transmitter.

At Aligarh, the 250kW senders are opening on reduced power (150kW) because of electricity supply problems, and six 500kW Marconi transmitters are almost ready at a site 60 kilometres from Bangalore and the first is expected to start testing shortly. New medium wave transmitters to serve Sri Lanka (100kW at Tuticorin) are being constructed.

In Italy, the IRRS in Milan has gone into commercial operation with a Sunday-only schedule, broadcasting on 9.86MHz beginning at 0800 UTC. Programmers include UN Radio material.

Deutschlandfunk in West Germany improves its coverage on long wave this Spring with the introduction of a new transmitter on its 207kHz frequency. The old 500kW transmitter in Munich is being replaced by a new 26 million DM unit at Deggendorf in Lower Bavaria and will improve coverage throughout East Germany and into other Eastern European countries.

European Stations

All times UTC (=GMT)
Radio Prague carries English programmes beamed to Europe:

1530–1625 on 21.505, 17.705, 15.155, 15.11, 13.715, 11.99, 11.685, 9.605, 7.345 and 6.055MHz.
1800–1830 on 7.345 & 5.93MHz
1900–2000 on 7.345 & 5.93MHz
2200–2230 on 6.055 & 1.287MHz

Interestingly, the 1900 programme on Saturday carries a feature entitled *Christian Comment from Czechoslovakia*—glasnost seems to be permeating everywhere in Eastern Europe.

The Voice of Greece is carrying its Greek service on new 9.375MHz at 2100, a change from 6.21MHz. The channel of 6.225 is used at 1930 for English, followed by French and German, and also for Italian at 1600.

Radio Netherlands has made a number of changes to frequencies from March 26. The complete English schedule is now:

0430 on 13.70 & 9.895MHz
(25 minutes to Mid East/Africa)
0730 on 9.715 & 9.63MHz
0830 on 9.77
(25 minutes to New Zealand ex Sun)
0830 on 21.485 & 17.575MHz
1030 on 9.675 & 6.02MHz
1130 on 21.615, 21.48, 17.575, 9.715 & 5.955MHz
1430 on 17.605, 17.575, 15.15, 13.77 & 5.955MHz
1630 on 15.57 & 6.02MHz
1830 on 21.685, 17.605, 15.56 & 6.02MHz
2030 on 15.56, 13.70 & 9.86MHz
0030 on 15.315, 6.165 & 6.02MHz
0330 on 9.715 & 6.165MHz

Regular listeners to the 1830 broadcast here in Europe on 6.02 will notice that this has been dropped, because of appalling reception due to interference from other stations, and the propagation problems for short wave transmission from the Netherlands to the UK and Ireland (we're too close). The 21 and 17MHz frequencies should provide reasonable reception in the UK. Radio Netherlands hints that a medium wave transmitter may be available for European coverage at some time in the future, but please don't hold your breath whilst waiting.

During April, *Media Network*, broadcast on Thursdays, plans to carry these features:

April 13—Local Broadcasting in West Germany;
April 20—all news with contributions from Andy Sennitt and John Campbell;
April 27—MN visits Brunsum near the border with Germany to look at the Canadian Forces Radio Service in Europe.

RDP in Lisbon has Portuguese programming at 1650 on new 15.285MHz, having dropped 11.74MHz.

R Sofia uses 11.735MHz for English between 2130 and 2200 from March 5.

Radio Moscow's English language World Service has been noted with a feeder on 7.925MHz u.s.b. at 1600, and a DX-type programme is heard at around 2245 on Wednesdays. Frequencies to try then are 15.425, 12.05, 9.84, 9.82, 9.79, 9.635, 9.625, 7.23, 7.17, 7.15, 7.115, 7.105, 5.98, 4.895, 4.86, 4.795, 1.494 & 1.143MHz.

Vatican Radio has English to Africa at 2045 on a new channel of 11.695MHz.

Middle Eastern Stations

Iraq has been heard in English on the new frequency of 11.97MHz from old 9.77MHz, with 15.23 remaining in parallel.

Kol Israel is to benefit from investment in new short wave transmitters. Meanwhile, its Georgian language broadcast at 1510 has been noted on new 17.685MHz.

Radio Jordan's English Service is using 13.655 between 0500 and 1420, a move from 11.955. From 1415, the frequency changes to 9.56MHz.

African Stations

The Voice of Ethiopia is heard between 1500 and 1600 on 9.56 and 7.165MHz.

ELBC in Liberia has been heard around 1900 on 3.255 variable with an English news bulletin. Reception is fair in the UK.

FEBA in the Seychelles is audible with English at around 1600 on 11.87. The programme runs from 1500 until 1610 in parallel with 9.59MHz, on which the English broadcast continues to Asia until 1625. On Sundays, a *DX Postbag* programme is broadcast at 0730, on 17.78 and 15.275MHz. English to Africa is heard at 1735–1805 on 11.81MHz.

Radio Tanzania in Zanzibar is heard on 6.015 and 11.735MHz variable during the

evening in the UK with varying reception quality.

La Voix du Zaïre carries a French language news bulletin at around 0430 on 7.10MHz, audible from at least 0400.

Asian and Pacific Stations

Radio Bangladesh has been heard on exactly 7.52MHz with English to Europe at 1815 until 1900, followed by Bengali from 1915 until closedown at 2000.

Radio Bhutan is to have a new 50kW transmitter in April, which may improve reception. The station broadcasts on 9.615MHz currently, with a listed alternative of 6.035, between 0600 and 0900 on Sundays, 1100–1400 weekdays.

Laos continues to benefit from a Soviet relay of its French service for Europe at 1100 on 15.19 and 11.87MHz. English is broadcast direct from the Asian country on variable 7.113MHz at 1300.

Mongolia has been heard recently in the UK, and announces this schedule:

1200–1230 on 12.015 and 9.615MHz
1445–1515 on 15.305 and 9.575MHz
1910–1940 on 21.77 and 12.015MHz
1940–2010 on 11.87 and 9.645MHz

A Japanese service has recently been introduced and includes the use of 12.015MHz (generally audible in Britain) at 1200.

Radio Pakistan has Turkish on 15.605 and 13.665MHz at 1645. The European services from Pakistan between 1645 and 1900 are on 15.545 and 11.57MHz at present.

R Veritas in the Philippines is using 15.46MHz from 1500–1530 with English including news at 1520. A parallel channel of 15.22MHz is also used.

Sri Lanka is heard after 1845 in English using 11.80MHz, although the station is scheduled to use this channel in Tamil between 1815 and 1845 closedown. This may be an additional broadcast.

North, South and Central American Stations

Argentina's complete External Service schedule for English is now:

0100–0200 on 9.69MHz
0300–0400 on 9.69MHz
1630–1730 on 15.345MHz
2100–2200 (except Tuesday and Thursday) on 15.345MHz


HCJB in Quito, Ecuador has changed frequency again for its morning broadcast to Europe, now on 6.08, 9.61 and 11.835MHz at 0730. Paraguay is heard at around 2140 on 9.735MHz.

A frequency change for Radio Surinam International: from March 5, 17.765 will replace 17.835MHz for its transmission at 1700 until 1745, including English, Dutch and Sranan Tongo. The transmission is beamed from Brazil.

TWR in Bonaire, Netherlands Antilles, carries English programmes to the Americas at 0300–0400 on 11.93 & 9.535MHz (running until 0530 on Sunday and Monday); and 1115–1255 on 15.435 and 11.815MHz (to 1330 on Sunday and to 1405 on Saturday).

KJES in El Paso, Texas, is carrying out further tests. We mentioned last month that the station's transmitter is 5kW, but in fact it is 20kW, running on just 5kW at present. Listeners may call the station during these tests, and, most unusually, suggest frequencies for the station to use. The number to call is 915-533 2911.

**Any reports for
Broadcast
Round-up
should be sent
to the PW Offices**



SMALL ADS

The prepaid rate for classified advertisements is 42 pence per word (minimum 12 words), box number 60p extra. Semi-display setting £13.90 per single column centimetre (minimum 2.5 cms). Please add 15% VAT to total. All cheques, postal orders etc., to be made payable to Practical Wireless. Treasury notes should always be sent registered post. Advertisements, together with remittance should be sent to the Classified Advertisement Dept., Practical Wireless, Enefco House, The Quay, Poole, Dorset BH15 1PP. Telephone (0202) 678558.

Whilst prices of goods shown in advertisements are correct at the time of closing for press, readers are advised to check with the advertiser both prices and availability of goods before ordering from non-current issues of the magazine.

Receivers and Components

RADIO COMPONENT BARGAINS. Details from: D. Edmunds & Co., 2 Cedar Lodge, Wolverton, Milton Keynes MK12 5ES. (0908) 319245.

QUARTZ CRYSTALS and FILTERS

Large numbers of standard frequencies in stock for amateur, CB, professional and industrial applications. Stock crystals £5.50 each (inc. VAT and UK post). Any frequency or type made-to-order from £6.50. Phone or SAE for lists.

GOLLEDGE ELECTRONICS
Merriott, Somerset, TA16 5NS.
Tel: (0460) 73718.

SCANNING? For a copy of our new catalogue of frequency listings and radio modifications, send a large s.a.e. to S.S.C. PO Box 71, Bournemouth, Dorset BH9 1DT.

AIR BAND RADIO - Steeplestone FM/AIR/MW £9.95. Also B.F.O. kit, resolves single-side-band on almost any radio, £9.95. Corrigan Radiowatch, 7 York Street, Ayr KA8 8AR.

Kits

KANGA PRODUCTS

Kits for the Amateur, Budding Amateur or the Listener

100 Watt Dummy Load	£8.95
Morse Code Practice Oscillator	£9.95
TX/RX Control Board	£10.95
Crystal Marker Kit	£10.95
The V.F.O. Kit	£10.95
P.S.U. Regulator Kit & SCR Kit	£11.00
Impedance Keyer Kit	£12.95
Frequency Counter/Dial	£21.95
Single Band Superhet Receiver	£21.95
Dual Band Superhet Receiver	£26.95
Dual Band Transmitter to Match	£26.95
Top Band for the FT107 & FT177	£29.95
(some kits are supplied semi-complete)	Please add £1.00 P&P

SEND A LARGE SAE FOR FREE CATALOGUE
3, LIMES ROAD, FOLKESTONE CT19 4AU
Tel: 0303 276171

VHF/FM transmitter kit, works up to 144MHz, only 1 1/4" x 1/2", £4.50, telephone transmitter, £4.75, Vox £9.99, bleeper transmitter, £8.99. Many other kits and built modules. Prices include p&p. S.a.e. for free catalogue. A.C.E. 99 Greenheath, Hedgesford, Staffs.

F.J.P. KITS & COMPONENTS

TEL: 05435-6487 for P.W. KITS

Amateur kits. All boxed and complete with instructions.

Transverters for 5m or 4m with 2m or 10m IF, 1.5 watts out on 6 or 4m £46.00 inc P/P

See you at Drayton Manor - Lists Free with 19p stamp

P.W. Meon 0.5w out as above 10m IF £40 or 2m IF £44 inc extra P.C.B. Attenuator.

Linear 0.5-1.5 watts in for above also suits 2m mobile KIT £29.00 inc P/P

P.W. Zenner Diode tester kit £12.50

P.W. Badger inc all components & box. A 2mtr Rx pub Oct 88 £59.00 Post £1

P.W. 455-460 kHz IF wobulator inc box etc £16.25 inc P/P

P.W. Woodstock Shortwave converter £26.50 inc P/P

P.W. Simple 50 mhz Converter to work cross band. Full kit Sept 86 £22.00 inc P/P

Frequency counter Prescaler for 600 mhz plus inc ICSP86 series, decaid box £24.00 inc P/P

P.W. Diposc Oct 85 inc decaid box £18.50 inc P/P

All kits use full spec components with reprints if required, other P.W. kits available. Orders to

F.J.P. KITS, 63 Princess Street, Chaddmoor, Cannock, Staffs. WS11 2JT.

P.O.s - Cheques, Credit cards. 7-14 days delivery on Cheques. 48 hrs plastic.

Wanted

SCANNER AOR 2002 or similar. Tel. Oswestry (0691) 653932 evenings or weekends.

SURPLUS ELECTRONIC COMPONENTS. Test gear, computers, amateur. Bought for cash. (0425) 274274.

NEED FOR DISPLAY Eddystone 830 or 940 radio. Also T1154 and manual. Give price. John Gibson, 110 Burton Street, Leek, Staffs ST13 8BX.

Service Sheets

ACCESS

TECHNICAL INFO SERVICES (PW)

**MASTERCARD
EUROCARD**

76 Church St., Larkhall, Lanarkshire ML9 1HE

Callers during business hours to 2 John Street, Larkhall ML9 2ET

Phone 0698 884585 Mon-Fri 9-5, 0698 883334 any other time FOR FAST QUOTES

IMMEDIATE DESPATCH OF ALL Phone Orders by ACCESS, etc. or to Listed Customers

WORLD'S LARGEST COLLECTION OF SERVICE MANUALS ... from £3.50 to £50 ... Most unobtainable elsewhere

Every issued FULL SIZE SERVICE SHEET in stock; CTV's or Combinations £3.50/Singles £2.50; Plus LSAE

LSAE for any Quotation, plus FREE large Catalogue, STREE Review, Pricelists, etc.

For £3 ... Comprehensive Service Manuals & Sheets Catalogues PLUS 1988 Chassis Guide & £4 Vouchers

Spectrum Repair & Service Guide £5.00 Video Recorders Service Guide 3rd Ed £20.00

TECHNICAL MANUALS, AR88, CR100, R210, HRO, £4 each. Circuits only 150 pence, plus LSAE, lists thousands. Bentley, 27 De Vere Gardens, Ilford, Essex IG1 3EB. Phone 01-554 6631.

Software

FAX FOR YOUR SPECTRUM

RECEIVE FAX PICTURES ON YOUR SPECTRUM.
WEATHER MAPS ETC.

REAL TIME CLOCK. CONTRAST CONTROL.
WIDTH CONTROL. SCREEN STORE ETC.

SAVE RECEIVED DATA TO TAPE OR DUMP TO YOUR
PRINTER

THE PROGRAMME NEEDS AN EXTERNAL DRUM
SPEED GENERATOR.

PROGRAMME ONLY £9.00
DRUM SPEED GENERATOR £24.00

Transceive programme nearing completion, send
s.a.e. for details of this and all our other products.

J.B.P. ELECTRONICS LTD.

Unit 45, Meadowhill Est., Dixon Street,
Kidderminster DY1 0HH. Tel: (0562) 753893

COMMODORE COMPUTERS (+4, C16, 64, 128). "MICROCOM" cw/rtty tx/rx with superb morse tutor. "TURBO LOG" ultimate high speed station log. "MICROCOM INTERFACE" ready built. S.A.E. to: Moray Micro Computing, Enzie Slackhead, Buckie, Moray, AB5 2BR. Tel. 0542 7384.

COMMODORE 64 converts from MHz to metres, calculates aerial length, testcard and colour bars, menu driven. Cassette £5. R. Measey, 8 College Crescent, Oakley, Nr Aylesbury, Bucks.

WORKSHOP SERVICE MANUALS

Video Recorders - £12.50
Most Colour TV, Audio, Test, Vintage,
Amateur etc. - £6.00
Please state Make/Model/Type with order.
FREE Catalogue Unique Repair and Data Guides
with all orders or LSAE for your copy.
MAURITRON ELECTRONICS LTD (PW),
8 Cherry Tree Road, Chinnor, Oxon, OX9 4QY.
Telephone: (0844) 51694.

Educational

COURSE FOR CITY & GUILDS, Radio Amateurs Examination. Pass this important examination and obtain your licence, with an RRC Home Study Course. For details of this and other courses (GCE, GCSE, Career and professional examinations, etc.) write or phone: THE RAPID RESULTS COLLEGE, Dept. JX26, Tuition House, London SW19 4DS. Tel. 01-947 7272 (9am-5pm) or use our 24hr Recordacall Service: 01-946 1102 quoting Dept. JX26.

For Sale

BACK NUMBERS RSGB Bulletins. April 1948 to August 1950 inclusive and June 1953 to June 1954. Offers Guildford (0483) 63984.

ICOM IC-751A and PS30 power supply, new August 88. £1350. YAESU FT102, £500. John GOLAQ. Tel. Wakefield 270940.

ORDER FORM PLEASE WRITE IN BLOCK CAPITALS

Please insert the advertisement below in the next available issue of Practical Wireless for insertions. I enclose Cheque/P.O. for £

CAT. heading
(Cheques and Postal Orders should be made payable to Practical Wireless)

NAME
ADDRESS
.....
Company registered in England. Registered No. 1980539. Registered Office: Towngate House, 2 Parkstone Road, Poole, Dorset, BH15 2PJ. 5/89

PRACTICAL WIRELESS
Classified Advertisement Dept.,
Enefco House, The Quay,
Poole, Dorset. Telephone (0202) 678558
Rate 42p per word, minimum 12 words.
Box No. 60p extra.
PLEASE ADD 15% VAT TO TOTAL

RCS VARIABLE VOLTAGE D.C. BENCH POWER SUPPLY
1 to 24 volts up to 1/2 amp. 1 to 20 volts up to 1 amp. 1 to 16 volts up to 1 1/2 amps.
D.C. Fully stabilised. Twin panel meters for instant voltage and current readings.
Overload protection.

Fully variable.
Operates from
240V A.C.
Compact Unit:
size 9x5 1/2 x 3ins.

£39 Incl. VAT + Post £2

RADIO COMPONENT SPECIALISTS
337 WHITEHORSE ROAD, CROYDON
SURREY, U.K. Tel: 01-684 1665
List, Large S.A.E. Delivery 7 days Callers Welcome Closed Wednesday

QUANTITY of unused BNC and 4mm test leads for sale.
Telephone 0758 614589.

ICOM IC-735 HF transceiver with matched p.s.u. and base mic. unused and boxed. Cash offers to: Mr C. Taylor, 2 Picton Place, Carmarthen, Dyfed SA31 3BY.

G3LLL C.W. FILTERS ETC. FT101ZD, 902, 707 & 107, XF8.9HCN, also XF8.2HCN for FT102, all £40 p.p. FM units FT101ZD Mk3 £45 p.p. Toshiba 2SC2290 outputs FT707 etc. £48 pair p.p. Black Star counters 2-4GHz £335 p.p. 600MHz £145 p.p. FT101 Mk1, Mk2, B&E ware band kits £19.50 p.p. Double balanced mixer for quieter RX on old FT101's £19 p.p. Datong A.S.P. (the best speech processor) wired FT102, 707, 757, 747, 726 etc £82.80 p.p. Yaesu J Beam Drae packet Antor etc. stocked. Holdings, Amateur Electronics, 45 Johnston St., Blackburn BB2 1EF. (0254) 59595. (Closed Thurs).

ICOM - VHF/HF ACTION MONITORS. Hi-Power, Hand-Compact. 53-180MHz & 500Ch 10/11m (27-32Mc - excellent 'dx'). All signals - am/fm. Squelch & vfo functions. Quality production. Hi-Sensitivity. Rubber-antenna. Only £32.50 inc p.p. C/W freq. lists. Return dispatch CWO/COD from: Taylor D/T (Dept PW) 8 Emmerson Est. Crook, Co. Durham UK (sae specs.)

QSY ON 70MHz. With full spec crystals. Now ex-stock 70.260, 70.450 and 70.475MHz (Pye WISFM) at £11.00 per pair. Your own net crystals made to order, eg 3 pairs 70.4375MHz £36.00, delivery approx 3 weeks. C.A.R.E. (North West) Ltd., 12 Leeside Close, Liverpool L32 9QT. Tel. 051 426 2546 (evenings/weekends).

BEARCAT BC950XLT SCANNER, one month old, unwanted present £200. Tel. Bristol (0272) 248679 day. 685767 evenings.

ALTRON SM30 wall mount two section mast. 33ft. high. £150. 0376 23604.

ICOM 3210E 2M/70CM TRANSCEIVER, 3 months old, A.R.E. warranty, mint, £400. Kevin, 01-491 0040 weekdays. 0532 646342 weekends.

Antennas

TRAPED VERTICAL SLOPERS. Outstanding DX performance is well known. Automatic band switching, hang from 25ft. or higher support, easy to install, kit includes all parts and 50ft. of feeder + plugs, from £21. Traped Dipoles. One neat antenna which will work like 6 separate antennas, can be used in attics, tops of houses or inverted v. kit including 70ft. of 70ohm feeder, from £35. McGregor Antennas, 42 Abbey Hill, Edinburgh. 031 557 0608. S.A.E. for list.

TRAPS FOR D.I.Y. Tribander Beams & Anti-T.V.I. Trap-Dipoles. Aerial D.I.Y. Bits, Baluns, Data: 28p SAE. Aerial guide £1. G2DYM, Upplowman, Devon, EX16 7PH (03986) 215.

Valves

VALVES/TRANSISTORS/I.Cs (WHOLESALE)

(also klystrons, CRT, magnetrons etc)

We specialise in obsolete types and stock all popular types at competitive prices. Phone/fax/telex for up to date prices.

RETAIL: ECC83 93p, ECC83 Philips £1.95, EL34 £2.25, EL34 Mullard £6.50, KT88 £14.75, 6JS6C (USA only avail) £9.50, 12BY7A (USA only) £3.50, 6146B £9.50. Please add £1.15 p&p and 15% VAT. Despatch 1-3 days after order.

We wish to purchase valves types KT66, KT88, PX4, PX25 (& certain other valves, transistors, I.Cs, plugs etc).

BILLINGTON VALVES

39 Highlands Rd, Horsham, Sussex RH13 5LS

(callers by appt only)

Phone 0403 210729, Fax 0403 40214, Telex 87271.

Office hours Mon-Fri 9am-5.30pm

Veteran & Vintage

FOR VALVES, Service Data, Amplifiers and Radios, try the Vintage Wireless Co., first. Send for free information package. 1989 Catalogue available April £4.00. Cosham Street, Mangotsfield, Bristol BS17 3EN. Tel. 0272 565472.

Miscellaneous

WAVEGUIDE, FLANGES & DISHES. All standard sizes & alloys (new material only) from stock. Special sizes to order. Call: EARTH STATION 01-228 7876. 22 Howie Street, London SW11 4AR.

LOOP ANTENNAS COMPLETE WITH ATU FOR H.F. HAM BAND TRANS-MISSION (SWR One to One 40, 15 and 10 and One Point Five to One 80 and 20) AND SWL, AND LONG AND MEDIUM WAVE BANDS FOR BCL's. Loops 21 inches square or triangle. No special skills required. Circuits. Parts Lists with sources of supply assembly data. HIGH FREQUENCY LOOP 80 to 10 Metres £3. LONG AND MEDIUM WAVE LOOP for BCL's £3. LONG WAVE MEDIUM WAVE AND SHORT WAVE LOOP 1500 to 10 Metres FOR THE BCL AND SWL £3. SHORT WAVE ATU FOR LOOP OR LONG WIRE ANTENNA £4. SHORT WAVE ATU BUILT IN PRE AMP FOR LOOP OR LONG WIRE £7. Pre-amp LW, MW and SWAVE £2. MW LOOP with pre amp ATU £3. PRE AMP FOR LOOP £4. SAE for details. All projects DIY. Photo Copy HRO Manual £4. F. G. Rylands, 39 Parkside Avenue, Millbrook, Southampton SO1 9AF Tel. (0703) 775064

HEATHKIT U.K. Spares and Service Centre. CEDAR ELECTRONICS, Unit 12, Station Drive, Bredon, Tewkesbury, Glos. Tel. (0684) 73127.

THE SCIENTIFIC WIRE COMPANY 811 Forest Road, London E17. Telephone 01-531 1568				
ENAMELED COPPER WIRE				
SWG	1 lb	8 oz	4 oz	2 oz
8 to 34	3.63	2.09	1.10	0.88
35 to 39	3.82	2.31	1.27	0.93
40 to 43	6.00	3.20	2.25	1.61
44 to 47	8.67	5.80	3.49	2.75
48	15.96	9.58	6.38	3.69
SILVER PLATED COPPER WIRE				
14 to 30	10.10	5.20	2.93	1.97
TINNED COPPER WIRE				
14 to 30	3.97	2.41	1.39	0.94
Fluxcore Solder	5.90	3.25	1.82	0.94
Post free, please add VAT @ 15%. Orders under £3.00 add 50p. SAE for list of copper and resistance wire. Dealer enquiries welcome.				

**Call Marcia on
0202 678558
for your
Classified Advertising
enquiries**

INDEX TO ADVERTISERS

AH Supplies	45	G4TJB	41	Photo Acoustics	29
A.R.E. Communications	3	G4TNY	59	RN Electronics	69
AJH	10	Garex	49	Radio Component Specialists	75
Amcomm of London	11	GCHQ	74	Radio Shack Ltd	76
Andrews Computer Services	30	Golledge Electronics	65	Randam Electronics	41
Antex	17	Hamgear	65	RAS Nottingham	46
ARC	41	Howes, CM Communications	69	Raycom Communications Systems	15
Aerial Techniques	65	Icom (UK)	Cover iii, 4, 5, & 72	RST Valve	49
Arrow Electronics	45	ICS Intertext	75	Rylands, F.G.	75
Billington Valves	75	ICS Electronics	8	Scientific Wire Co	75
Birkett J	72	Interbooks	46	SEM	30
Bitcom	41	J & P Electronics	74	Short Wave Magazine	40
Bredhurst	59	Kanga Products	74	Siskin	30
Cambridge Kits	65	Lake Electronics	65	South Midlands	Cover ii, 6, 7, 46
Colomor	45	Langrex Supplies	49	Spectrum Communications	69
Component Centre	10	Lee Electronics	55 & 5	Stephens James	72
Cricklewood Electronics	65	Maplin	Cover iii	Tandy	9
Datong	49	Mauritron	74	Technical Info Services	74
Dewsbury Electronics	33	Merlin Systems	49	Technical Software	8
Dressler Communications Ltd	56	Navico	21	Ward Reg & Co Ltd	45
Elliot Electronics	72	Nevada Communications	22	Waters & Stanton	2
FJP Kits	74				

**PLEASE MENTION
PRACTICAL WIRELESS
WHEN REPLYING TO
ADVERTISEMENTS**

MAKE YOUR INTERESTS PAY!

More than 8 million students throughout the world have found it worth their while! An ICS home-study course can help you get a better job, make more money and have more fun out of life! ICS has over 90 years experience in home-study courses and is the largest correspondence school in the world. You learn at your own pace. When and where you want, under the guidance of expert 'personal' tutors. Find out how we can help YOU. Post or phone today for your **FREE INFORMATION PACK** on the course of your choice.

GCSE / GCE / SCE
ELECTRONICS
BASIC ELECTRONIC ENGINEERING
(City & Guilds)
ELECTRICAL ENGINEERING
ELECTRICAL CONTRACTING/
INSTALLATION

CAR MECHANICS
COMPUTER
PROGRAMMING
TV, VIDEO & HI-FI
SERVICING
RADIO AMATEUR LICENCE EXAM
(City & Guilds)

Course of interest _____
Name: _____ P Code _____
Address: _____
International Correspondence Schools, Dept. EES59 312/314 High Street, Sutton, Surrey SM1 1PR. Tel: 01-643 9568 or 041-221 2926 (24 hrs.)

YOUR LOCAL DEALERS

SOUTH WALES

ELECTRO DISPOSALS

2000 sq ft of surplus equipment and components

UNIT 31, LONLAS WORKSHOPS
SKEWEN, NEATH.
Tel: 0792 818451

IRELAND

Radcom Electronics

Icom, Yaesu and most Amateur Radio Accessories ex stock.

NEW PREMISES:-

Unit 4, Albert Quay,
Cork City.

Tel: 021-632725 and
088 553947

(Mon-Fri 9-5 and Sat 9-3.45)

LONDON

Henry's

27MHz/934MHz Rigs & accessories in stock.

Lists - S.A.E. (A4) - 26p

Full catalogue (TG/P) -

large S.A.E. £1.00

404 Edgware Road,

London W2 1ED

Tel: 01-724 0323

(Open 6 days a week)

ESSEX

Selectronic

The UK's leading suppliers of 934MHz personal radio equipment

203 High Street, Canvey Island, Essex

Tel: 0268 691481

(Open Mon-Sat 9-5.30)

Amateur radio equipment also in stock

HERNE BAY

ICOM (UK) LIMITED

The Official Icom Importer

Unit 8, Sea Street

Herne Bay, Kent CT6 8LD

Tel: 0227 369464

Fax: 0227 360 155

Open Mon-Sat 9-5.30,

(Lunch 1-2.00 pm)

SOUTHAMPTON

South Midlands Communications

Official Yaesu Importer

S.M. House, School Close,
Chandlers Ford Industrial Estate,
Eastleigh Hants SO5 3BY.

Tel: 0703 255111

PORTSMOUTH

Nevada Communications

Importers of the Nevada range of 934MHz equipment

189, London Road,
North End, Portsmouth,
Hants, PO2 9AE

Tel: 0705 662145

DEVON

Reg. Ward & Co. Ltd.

The South-West's largest amateur radio stockist. Approved dealer for Kenwood, Yaesu and Icom

1 Western Parade,
West Street, Axminster,
Devon, EX13 5NY

Tel: 0297 34918

(Closed 1.00-2.00 and all day Monday)

BUCKINGHAMSHIRE

Photo-Acoustics Ltd.

Approved Kenwood, Yaesu and Icom dealer (part exchange always welcome)

58 High Street, Newport Pagnell,
Buckinghamshire MK16 8AQ

Tel: 0908 610625

(Tues-Fri 9.30-5.30, Sat 9.30-4.30)

Closed Mondays

**TO FILL THIS
SPACE
CALL:
0202 678558**

YORKSHIRE



Alan Hooker Electronics

42, Netherhall Road, Doncaster.

Tel: 0302 25690

Open Mon-Sat 10-5pm

Closed Thursdays

MERSEYSIDE

MGR SERVICES

Wirral based communications

ICOM - YAESU - M. MODULES - HOWES

- CIRKIT - WOOD & DOUGLAS -

PART-EX - AERIALS - PMR - MARINE -

MET ANTENNAS - ALINCO -

HEATHERLITE - SPECTRUM COMMS

48, Shrewsbury Road,

Oxton, Birkenhead, L43 2HZ.

Tel: 051 653 3437

(Callers by appointment 9 am-9 pm, Mon-Sat)

**PLEASE MENTION
PRACTICAL WIRELESS
WHEN REPLYING TO
ADVERTISEMENTS**

WEST SUSSEX

MAIL ORDER
RETAIL



BREDHURST ELECTRONICS LTD.

High St., Handcross, West Sussex

Tel: (0444) 400786

Situated at the Southern end of

M23. Easy access to M25 and

South London.

Open Mon-Fri 9am-5pm

except Wed 9am-12.30pm.

Sat 10am-4pm.

SCANNERS - SCANNERS - SCANNERS

AT LAST!

THE NEW PRO-2005 400 CHANNEL 25-1300 MHZ £329.95

PRO-2021 200 Channel £199.95

PR-38 10 Channel £99.95

PRO-34 200 Channel

HAND-HELD WITH FREE

NICADS AND CHARGER £249.95

BEARCAT BC-200 FB

16 Channel Scanner with Search Facility, 66-88, 138-174 & 406-512 MHZ

£99.95

UNIDEN BEARCAT 200XLT

200 Channel HAND-HELD £249.95

FREE POSTAGE



RADIO SHACK LTD

(Just around the corner from West Hampstead Station on the Jubilee Line)

Giro Account No. 588 7151 Fax: 01-328 5066 Telephone: 01-624 7174

188 BROADHURST GARDENS,
LONDON NW6 3AY



Published on the second Thursday of each month by PW Publishing Limited, Eneco House, The Quay, Poole, Dorset BH15 1PP. Printed in England by Benham & Co Limited, Colchester, Essex. Distributed by Seymour, Windsor House, 1270 London Road, Norbury, London SW16 4DH, telephone 01-679 1899, FAX 01-679 8907, Telex 8812945. Sole Agents for Australia and New Zealand - Gordon and Gotch (Asia) Ltd.; South Africa - Central News Agency Ltd. Subscriptions INLAND £15.50, EUROPE £18, OVERSEAS (by ASP) £19, payable to PRACTICAL WIRELESS, Subscription Department, PW Publishing Ltd., Eneco House, The Quay, Poole, Dorset BH15 1PP. PRACTICAL WIRELESS is sold subject to the following conditions, namely that it shall not, without the written consent of the Publishers first having been given, be lent, resold, hired out or otherwise disposed of by way of Trade at more than the recommended selling price shown on the cover, and that it shall not be lent, resold, hired out or otherwise disposed of in a mutilated condition or in any unauthorised cover by way of Trade, or affixed to or as part of any publication or advertising, literary or pictorial matter whatsoever.



ICOM

Count on us!

IC-R7000, 25-2000 MHz

Commercial quality scanning receiver



With 99 programmable memories the IC-R7000 covers aircraft, Marine, FM Broadcast, Amateur Radio, television and weather satellite bands. For simplified operation and quick tuning the IC-R7000 features direct keyboard entry. Precise frequencies can be selected by pushing the digit keys in sequence of the frequency or by turning the main tuning knob. FM wide/FM narrow/AM upper and lower SSB modes with six tuning speeds: 0.1, 1.0, 5, 10, 12.5, 25KHz.

The IC-R7000 has 99 memories available to store your favourite frequencies including the operating mode. Memory channels can be called up by pressing the memory switch then rotating the

memory channel knob, or by direct keyboard entry. A sophisticated scanning system provides instant access to the most used frequencies. By depressing the Auto-M switch, the IC-R7000 automatically memorises frequencies that are in use whilst it is in the scan mode, this allows you to recall frequencies that were in use. The scanning speed is adjustable and the scanning system includes the memory selected frequency ranges or priority channels. All functions including the memory channel readout are clearly shown on a dual-colour fluorescent display. Other features include dial-lock, noise blanker, attenuator, display dimmer and S-meter and optional RC-12 infra-red remote controller, voice synthesizer and HP 1 headphones.

Icom (UK) Ltd.

Dept PW, Sea Street, Herne Bay, Kent CT6 8LD. Tel: 0227 363859. 24 Hour.

Helpline: Telephone us free-of-charge on 0800 521145. Mon-Fri 09.00-13.00 and 14.00-17.30. This service is strictly for obtaining information about or ordering Icom equipment. We regret this cannot be used by dealers or for repair enquiries and parts orders, thank you.


Datapost: Despatch on same day whenever possible.

Access & Barclaycard: Telephone orders taken by our mail order dept. instant credit & interest-free H.P.



Superb Triple-Trace 20MHz Oscilloscope

**Our Price
is Unbeatable**




**Hurry - We Can't
Guarantee How
Long We Can Hold
This Incredibly
Low Price**

Precision laboratory oscilloscope.
3 Channels - 3 Trace.
Sensitive vertical amplifier 1mV/div allows very low level signals to be easily observed. 150mm rectangular CRT has internal graticule to eliminate parallax error. X-Y mode allows Lissajous patterns to be produced and phase shift measured. TV sync separator allows measurement of video signals. 20ns/div sweep rate makes fast signals observable. Algebraic operation allows sum or difference of Channel 1 and 2 to be displayed. Stable triggering of both channels even with different frequencies is easy to achieve. 50mV/div output from Ch 1 available to drive external instrument e.g. frequency counter. A hold-off function permits triggering of complex signals and aperiodic pulse waveforms.

ONLY

£287⁴⁹
XJ61R

40MHz Triple-Trace Oscilloscope



As above, but with 40MHz bandwidth and super bright 12kV tube even at the highest frequencies. This instrument also has a delayed sweep time base to provide magnified waveforms and accurate time interval measurement. Truly superb precision instrument.

**Includes
VAT &
Carriage
As Well!**

ONLY

£499⁹⁵
XJ60Q



Order Coupon Send to P.O. Box 3, Rayleigh, SS6 8LR

Qty.	Description	Code	Price

Add carriage 50p

Name..... Total

Address

Post Code

I authorise you to debit my Credit Card account for the cost of goods despatched.

Card No.

Access, Amex, Visa delete as required.

If ordering by Credit Card please sign.....

Expiry date of Credit Card.....

PW

Maplin ELECTRONICS

P.O. Box 3, RAYLEIGH, ESSEX SS6 8LR.



**PHONE BEFORE
5PM FOR SAME
DAY DESPATCH**

0702 554161

ALL PRICES INCLUDE VAT.

All items subject to availability. Subject to availability both items will be on sale in our shops in Birmingham, Bristol, Leeds, London, Manchester, Nottingham, Southampton and Southend-on-Sea.