

HOW-TO-MAKE-IT NUMBER

Science and Invention

June


25 cents

FORMERLY
ELECTRICAL EXPERIMENTER

HOW TO MAKE A SOLAR COOKER

See Page 147





THE HALL OF FAME


Will There Be A Niche For You?

NO man knows what is in store for him. Men now famous in business and scientific worlds were obscure only yesterday. Men today unknown may leave their names in the HALL OF FAME. Great discoveries have been born over night—marvelous scientific deeds sometimes were the results of decades of labor, other times the outcome of a scant week's research. Truly, no man can tell what the future holds for him. But it is within the power of each and everyone of us to control our own destinies, by self-training and diligent study to fit ourselves to render a lasting service to the world—a service that will bring reward, perhaps in fame, perhaps in riches. You control your own future.

Great Growth of Chemistry

What It Means to YOU

It is the growth of chemistry that has made the past century the most wonderful period in man's history. In a few years the chemist has changed the industrial customs of the world. In a little more than one century he has advanced civilization by ten centuries. Do you know you can learn chemistry at home in your leisure hours? You can—hundreds of others are learning now!



Experimental Equipment Furnished to Every Student

We give to every student without additional charge this chemical equipment, including forty-two pieces of laboratory apparatus and supplies, and seventeen different chemicals and reagents. These comprise the apparatus and chemicals used for the experimental work of the course. The fitted heavy wooden box serves not only as a case for the outfit but also as a useful laboratory accessory for performing countless experiments. Full particulars about this special feature of our course are contained in our free book, "Opportunities for Chemists."

Chemical Institute of New York, Inc.

Home Extension Division 6.

66-D-West Broadway, New York City

Industries Need Chemists—

Pay Them Good Salaries

Industrial plants of all kinds have awakened to the need of skilled, trained chemists. Good salaries are paid them. There is no reason why you, too, cannot join this small army of trained men who are reaping material benefits from their knowledge that guards and advances civilization!

—and Special 30-Day Offer!

Besides furnishing the student with his Experimental Equipment, we are making an additional special offer for a short while only. You owe it to yourself to find out about it. Write today for full information and free book, "Opportunities for Chemists." Send the coupon right now while it is fresh in your mind. Or just write your name and address on a postal and mail it to us. But whatever you do, act today. Signing the coupon may prove the most important event in your life—mail it at once and let our book give you the facts.

Act Now!

CHEMICAL INSTITUTE OF NEW YORK
Home Extension Division 6
66-D-West Broadway, New York City

Please send me at once without any obligation on my part, your free Book, "Opportunities for Chemists," and full particulars about the Experimental Equipment given to every student. Also tell me about your plan of payment and special 30-day offer.

NAME.....

ADDRESS.....

CITY.....

STATE.....

S.I. 6-23

Vol. XI
Whole No. 122

Science and Invention

FORMERLY
ELECTRICAL EXPERIMENTER

June, 1923
No. 2

PUBLICATION OFFICE: 542 Jamaica Ave., Jamaica, N.Y.
Editorial & General Offices: 53 Park Place, New York City
Published by Experimenter Publishing Company, Inc. (H. Gernsback, Pres.; S. Gernsback, Treas.; R. W. DeMott, Sec'y).
Publishers of SCIENCE AND INVENTION, RADIO NEWS, and PRACTICAL ELECTRICS

Table of Contents for June

POPULAR SCIENTIFIC ARTICLES

EDITORIAL	
\$1,000.00 IN PRIZES FOR SPIRIT PHOTOS WHICH CAN'T BE REPRODUCED	
MAPPING FROM THE AIR	By Jack D. Desha
X-RAY MOVIES OF THE BODY	By A. P. Peck
CONVERTIBLE SEDAN-TOURING CAR	By Charles G. Percival
PILOTLESS FRENCH PLANE CONTROLLED BY RADIO	By Charles G. Percival
ANCIENT DICTAGRAPHS AND ORGAN PLAYERS	By T. O'Conor Sloane, Ph.D.
IS HYDROPHOBIA A MYTH?	By Robert H. Moulton
"SPEED"—ITS SCIENTIFIC ASPECTS	By Harold F. Richards, Ph.D., Graduate College, Princeton University
OUR WONDERFUL BRAIN—HOW IT WORKS	By Leon Augustus Hausman, Ph.D., Rutgers College, Dept. of Zoology
GIANT STEEL HANDS TO SALVAGE SHIPS' TREASURES	By Burnie L. Bevill
THE GREAT FOOD PANIC	By Burnie L. Bevill
DR. HACKENSAW'S SECRETS—NO. 17—THE SECRET OF THE WALKING RADIOBILE	By Clement Fezandie
CAMOUFLAGING IN FRANCE	By Ned Wesley
SCIENTIFIC TOOLS OF MODERN DETECTIVES	By Feri Felix Weiss
NEW FRENCH COLORED MOVIE PROCESS	By Feri Felix Weiss
LIGHT BEAMS MEASURE OCEAN DEPTHS	By Edward H. London
PHOTOGRAPHING THE TRACKS OF ATOMS	By William D. Harkins, Professor of Physical Chemistry, University of Chicago
PAY AS YOU LEAVE STREET CAR	By Edward H. London
10 AVIATION RECORDS SMASHED AT DAYTON	By Edward H. London
EINSTEIN THEORY EXPLAINED IN MOVIE	By Edward H. London
MONEY FOR YOUR IDEAS—HOW I INVENTED THE WILSON SLAUGHTERING DEVICE	By John A. Wilson
POPULAR ASTRONOMY—VENUS—A PLANET OF MYSTERY	By Isabel M. Lewis, M.A., of the U. S. Naval Observatory
PRACTICAL CHEMICAL EXPERIMENTS—NO. 3—PHOTOGRAPHY SIMPLIFIED	By Raymond B. Wailes
EXPERIMENTAL ELECTRO-CHEMISTRY	By Raymond B. Wailes
PRACTICAL MOTOR HINTS—NO. 1 OF A SERIES OF ARTICLES BY AUTOMOTIVE EXPERTS	By H. Winfield Secor
MAGIC FOR EVERYBODY	By Prof. Joseph Dunninger
SCIENTIFIC PROBLEMS AND PUZZLES	By Ernest K. Chapin

PRIZE CONTESTS

\$1,000.00 IN PRIZES FOR SPIRIT PHOTOS WHICH CAN'T BE REPRODUCED	
HOW-TO-MAKE-IT DEPARTMENT — \$30.00 IN PRIZES MONTHLY	
WRINKLES, RECIPES AND FORMULAS—EDITED BY S. GERNNSBACK	

SCIENCE AND INVENTION is published on the 25th of each month. There are 12 numbers per year. Subscription price is \$2.50 a year in U. S. and possessions, Canada and foreign countries \$3.00 a year. U. S. coin as well as U. S. stamps accepted (no foreign coin or stamps). Single copies, 25 cents each. A sample copy will be sent gratis on request. Checks and money orders should be drawn to order of EXPERIMENTER PUBLISHING CO., Inc. If you change your address notify us promptly, in order that copies are not miscarried or lost.

All communications and contributions to this journal should be addressed to Editor, SCIENCE AND INVENTION, 542 Jamaica Avenue, Jamaica, New York, or 53 Park Place, New York City, N. Y. Unaccepted contributions

New York City. General Advertising Dept., 53 Park Place, Western Advertising Representatives, Finucan & McClure, 720 Cass St., Chicago, Ill.

Pacific Coast Advertising Representatives, A. J. Morris Hill Co., Hearst Bldg., San Francisco, Calif.

Kansas City Advertising Representative, George F. Dillon, Republic Building, Kansas City, Mo.

106

AUTOMOBILES

109	CONVERTIBLE SEDAN-TOURING CAR	115
111	PRACTICAL MOTOR HINTS—NO. 1 OF A SERIES	140
113	OF ARTICLES BY AUTOMOTIVE EXPERTS	By H. Winfield Secor

ELECTRICITY

115	X-RAY MOVIES OF THE BODY	114
115	GIANT STEEL HANDS TO SALVAGE SHIPS' TREASURES	121
117	SCIENTIFIC TOOLS OF MODERN DETECTIVES	126
118	LIGHT BEAMS MEASURE OCEAN DEPTHS	129
119	PAY AS YOU LEAVE STREET CAR	131
120	EXPERIMENTAL ELECTRO-CHEMISTRY	139
120	THE INSTANTANEOUS PHOTOGRAPHY OF SOUND WAVES	145
121	HOW-TO-MAKE-IT DEPARTMENT	151
122	LATEST PATENTS	162
	THE ORACLE	163
	PATENT ADVICE	187

RADIO ARTICLES


123	RADIO FOR EVERY TENANT	153
125	THE PHONOFILM—TALKING MOVIES	154
126	HUNTING TROUBLE IN THE RADIO SET	155
128	A "DX" SINGLE PEANUT TUBE RECEIVER	156
129	By Major Douglas H. Nelles	
130	RADIO FOR THE BEGINNER—PROTECTION AGAINST LIGHTNING	157
131	RADIO BROADCAST STATIONS—REVISED LIST	158
131	UP TO DATE	161
132	RADIO ORACLE	

CONSTRUCTOR ARTICLES

134	HOW TO BUILD A MOTOR SWING WHIRLER	143
136	HOW TO BUILD A WIND POWER MOTOR	144
138	THE INSTANTANEOUS PHOTOGRAPHY OF SOUND WAVES	145
139	HOW TO BUILD A SOLAR STOVE	146
140	HOW TO BUILD A SOLAR COOKER	146
141	HOW TO USE YOUR CAMERA—NO. 6—THE PRINTING OF THE PICTURE AND THE RECOVERY OF SILVER FROM THE SOLUTION	148
142	HOW TO BUILD A WOOD TURNING LATHE	149
	CONSTRUCTING A SIDE WHEEL, FLAT BOTTOM BOAT	150
	By George A. Luer	

ASTRONOMY

151	POPULAR ASTRONOMY—VENUS—A PLANET OF MYSTERY	136
152	By Isabel M. Lewis, M.A., of the U. S. Naval Observatory	



JESUS realized that men and women living in this practical, common sense world needed many different things for their comfort and happiness. Even at the time when He was here, they needed food, and clothing, and shelter, and love, and music, and the means of travel and transportation. And the needs of present-day men and women are not very different from the needs of men and women who lived in Palestine nineteen hundred years ago.

Jesus Himself had all of these things. He wore good clothes, ate good food, and went when and where He willed. The comforts and luxuries of some of the best homes in Jerusalem and other cities and towns were His whenever He chose to avail Himself of them, and among His intimate friends were many men and women of wealth, refinement and high position. In the text illuminated by the ray of light at the top of this page He tells how to get these things.

The tragedy of the whole matter is that so few people have received the things for which they prayed, and that so many good Christians are poor, and sick, and disappointed, and miserably plodding along toward the end of life sustained by the hope that the next world will be better than this one. Some who have prayed in vain attribute their failure to lack of faith. Others have concluded that Jesus had in mind some kind of vague and intangible spiritual rewards when He said people could get the things they desired by praying for them.

Whatever else Jesus might have been, or might not have been, He was a great teacher, had uncommon practical sense, and expressed Himself in clear and simple language. He was not a practical joker, nor did He give His people a stone when He knew they wanted bread. When He said, "What things soever,"

He meant, "*What things soever.*" Nor can it any longer be said that the failure of so many millions of people to get the things for which they prayed was due to lack of faith. This failure was due to the wrong kind of faith. The fault was in the quality of the faith and not in the quantity. The text at the top of the page requires that one who prays for a certain thing shall believe that he is already possessed of it, even as he prays. The American version of the New Testament puts this belief in the past tense—"believe that ye have received," etc.

But can you believe that you have already received something which you know almighty well you have not received? The chances are thousands to one that you can't do it. And believing that you shall receive will not get you anything, however fervent your faith may be. The wonder-working science of Practical Psychology, among many other remarkable achievements, has devised a number of simple little methods whereby one may induce himself to believe for a moment that he has already received the things which he intensely desires, or prays for, thereby enabling him to comply with the terms prescribed by Jesus, and actually to get the things he desires.

Judge Daniel A. Simmons, one of the most widely known practical psycholo-

gists in the world, has enabled a great many men and women to get the things they intensely desired, or prayed for—magnificent homes, fine jewels, vastly increased incomes, marvelous healing of diseases, important promotions, coveted positions, abundant success in business and professional affairs, and many other such like things. The Judge has written a plain and simple manuscript message, entitled "REALIZATION," which will reveal to you your marvelous unused possibilities, and point out to you just why and how you can get the objects of your desires and prayers. We will be glad to send you a copy of "Realization," fully postpaid and

Absolutely Free of Charge

if you will merely fill out and send to us the coupon at the lower right-hand corner of this page. We suggest that you fill it out and send it now, before something else crowds the matter out of your mind.

The REALIZATION SYSTEM of PRACTICAL PSYCHOLOGY

THE REALIZATION SYSTEM,


Law Exchange Building, Jacksonville, Florida.

I accept your offer to send me free and postpaid a copy of Judge Simmons' message, entitled "Realization," with the understanding that I thereby incur no obligation of any kind whatsoever.

Name

Street or R. F. D.

City State S.I.-6-23



Master Electricity By Actual Practice

The only way you can become an expert is by doing the very work under competent instructors, which you will be called upon to do later on. In other words, *learn by doing*. That is the method of the New York Electrical School.

Five minutes of actual practice properly directed is worth more to a man than years and years of book study. Indeed, Actual Practice is the only training of value, and graduates of New York Electrical School have proved themselves to be the only men that are fully qualified to satisfy **EVERY** demand of the Electrical Profession.

The Only Institution of the Kind in America

At this "Learn by Doing" School a man acquires the art of Electrical Drafting; the best business methods and experience in Electrical Contracting, together with the skill to install, operate and maintain all systems for producing, transmitting and using electricity. A school for Old and Young. Individual instruction.

Over 8,000 Graduates are Successful Men in the Electrical World

No previous knowledge of electricity, mechanics or mathematics is necessary to take this electrical course. You can begin the course now and by steady application prepare yourself in a short time. You will be taught by practical electrical experts with actual apparatus, under actual conditions.

The N. Y. E. S. gives a special Automobile Ignition Course as an advanced training for Auto Mechanics, Garage Men and Car Owners. The course covers completely all Systems of Ignition, Starters, Lighting and other electrical equipment on automobiles, motor boats, airplanes, etc.

Let us explain our complete courses to you in person. If you can't call, send now for 64-page book—it's FREE to you.

New York Electrical School

29 West 17th Street, New York

New York Electrical School
29 W. 17th St., New York, N. Y.

Please send FREE and without obligation to me your 64-page book.

..... NAME
..... STREET
..... CITY STATE

Volume XI
Whole No. 122

Science and Invention

H. GERNSBACK, EDITOR AND PUBLISHER

H. WINFIELD SECOR, ASSOCIATE EDITOR

T. O'CONOR SLOANE, Ph.D., ASSOCIATE EDITOR

Editorial and General Offices, - - - 53 Park Place, New York

JUNE
1923
No. 2

"Those Who Refuse to Go Beyond Fact Rarely Get As Far As Fact" - HUXLEY

Spiritism

WITH this issue, SCIENCE AND INVENTION embarks upon a far-reaching campaign to enlighten the public on Spiritism in general. SCIENCE AND INVENTION takes the stand that practically all spiritualistic phenomena that have been exhibited so far rest upon a foundation of either pure fraud or deceit or, to be more charitable, upon self-deceit of certain investigators. Every so-called spiritistic phenomenon that has been produced so far by mediums, or by other investigators, can be performed by ordinary scientific means, without the spiritistic "hocus pocus."

Let it be said right here that we are not total disbelievers, for there are many phenomena that cannot be explained satisfactorily today. These, however, are not supernatural, and certainly have nothing to do with the souls or spirits of the deceased.

For instance, science cannot explain satisfactorily how the homing-pigeon returns; also it seems to be an established fact that there is such a thing as telepathy. Moreover, the human body has a mysterious aura which can be seen under certain conditions. All of these things, however, have scientific facts as an underlying basis, although they are often confused with spiritistic nonsense.

We do not believe that up to this date a means has been found whereby dead persons can communicate in any manner, shape or form with the living. We repeat that we sincerely believe that all manifestations, said to be spiritistic, are based upon either fraud or self-deceit. There is, and will be, no effort on our part to confound religion with spiritism, as is now the vogue. SCIENCE AND INVENTION does not question the hereafter.

We do not wish to question anyone's religious beliefs, but we DO wish to take an emphatic stand against all unscientific demonstrations and all spiritistic "hocus pocus" which, as a rule, is designed only to prey upon trusting and believing people, either to extract money from them directly or indirectly, or otherwise to obtain publicity for certain individuals, be they mediums or investigators.

In making our \$1,000.00 challenge, which will be found elsewhere in this issue, we are doing this because we believe that it is our duty to uncover all spiritistic frauds that have been perpetrated too long upon a gullible public.

Of course, not everything is fraud. Much is self-deception, which may go as far as self-hypnosis. If you sit in a darkened room, and are keyed up sufficiently well, and your nervous system is receptive, your senses will play you all sort of tricks, which would not happen to the investigator in broad daylight under normal conditions.

The psychic investigator understands this phase thoroughly, and also knows how self-hypnosis under such circumstances works, particularly when the spiritistic investigator is anxious to believe the most incredible things that are going to be enacted in front of him.

The subconscious mind is a wonderful machine, as anyone who has read Coué can testify. If you are in the right frame of mind, you can make yourself believe almost anything.

Furthermore, it may be noted right here that nearly all of the distinguished converts to spiritualism are, without exception, old men, well past 50 and 60, and some of them are much older than this. Their senses are certainly not as sharp as would be those of a younger man, and this phase alone is significant to those who are looking for the bare unvarnished truth.

This condition of elderly investigators is not at all mysterious, and we do not wish to imply that these gentlemen are senile and that their minds have become affected—not at all!

In the first place, physical impressions by older men are not as well defined as those of young men. Furthermore, and most important, is the fact that the older the individual the more the chances are that he has had some great bereavement during the latter part of his life, which loss he may feel keenly. It may be his wife, it may be a grown son, a brother, or a sister, which loss is felt much more keenly by the older than by the younger persons.

Furthermore, the older a man becomes, the more he is apt to think of death, when death is a remote possibility with the younger man.

All these things make the older individual a much better subject for spiritism than the younger. His frame of mind is such that he is far more easily impressed, and he would rather believe than disbelieve comforting thoughts.

The fundamental trouble with spiritism is that it confounds psychic phenomena with manifestations from spirits, although the two are about as closely connected as radio telephony is with thought-transference.

It is a scientific fact that there is such a thing as a medium, which we do not deny. There is also such a thing as hypnosis. It is well known that you can throw a subject into a hypnotic trance, under which the body and mind take on entirely different functions from those related to a normal condition. In a trance the medium will readily do, under suggestion, what the hypnotizer orders. These are facts which no scientific authority questions. But the connection between a hypnotic trance and departed spirits through such mediums is a far cry. There is no connection whatsoever that science knows of. But any strange action of a medium in a trance is immediately interpreted to be a sign or a communication from a deceased person, for no reason whatsoever. We do not question mediums as such in trances or when under an hypnotic spell, but we find no scientific basis for any connection between such a medium and a departed spirit.

• Why must the spiritists have recourse to darkened rooms and to all sorts of other mummery in order to get their table-rockings and other manifestations? If the spirits are genuine, there is no question that they would just as readily give manifestations in the daytime as in the night—in the light as in the dark.

We believe that it is the height of cruelty to deceive well-meaning people with the present-day spiritistic hokum, and we do not believe that any good can ever come of it.

SCIENCE AND INVENTION, from month to month, will show the facts as they exist, but on the other hand it will be the first to report accurately the communications or signals from the dead, whenever it can be proven that there exists an actual scientific basis for such a phenomenon.

As long as the so-called spirits of Napoleon, Alexander the Great and hosts of other great historic personages are made to rattle dishpans, lift chairs, upset tables, and are supposed to be made to do all sorts of such childish nonsense, SCIENCE AND INVENTION will have nothing but ridicule for such rubbish as it exists today.

H. GERNSBACK.

Scientifically Produced Spirits



The Photographs Shown Above Were Taken Under Test Conditions. A Complete Expose of the Methods Employed in Taking Them Will Be Given in the Next Issue of This Journal.

A Challenge

\$1,000.00 Prize Offer!

SCIENCE & INVENTION TO INVESTIGATE SPIRITISTIC PHENOMENA!

IT is with great chagrin that SCIENCE & INVENTION has followed the recent trend in certain quarters towards spiritism and allied subjects.

Great publicity has been given to certain foreign investigators in spiritistic phenomena whose work, to our mind, is not based upon any scientific foundation.

We have made our position clear in our editorial of this issue, and we are willing to back up our contentions and beliefs by our money as well.

There is at present a marked tendency to confound psychic phenomena with spiritism, two subjects that have nothing in common whatsoever.

SCIENCE & INVENTION believes in certain psychic phenomena and certain manifestations of the subconscious mind, particularly when the body is in a trance or hypnosis. The latter are scientific facts but they have absolutely no proven connection with the spirits of the deceased.

In other words, SCIENCE & INVENTION does not believe that there is a scientific foundation at the present time for the belief that the deceased are able to communicate with the living by any means whatsoever.

SCIENCE & INVENTION also believes that all of the so-called spiritistic phenomena and manifestations can be produced by scientific means without the aid of the spirits of the deceased.

The editors take the stand that such so-called spiritistic manifestations are either based on deliberate fraud or are the result of self-deception or self-hypnosis.

SCIENCE & INVENTION believes that all spiritistic manifestations, be they table-rappings, automatic writings, spirit photographs, etc., are all based upon natural phenomena in which the spirits of the deceased play no part whatever.

SCIENCE & INVENTION offers to duplicate any such manifestations, and will forfeit \$1,000.00 if it is unable to do so.

SCIENCE & INVENTION has engaged the services of Joseph Dunninger, one of the greatest exponents of psychic phenomena in the United States, as its authority to duplicate and pass upon such tests.

Mr. Dunninger has demonstrated his ability as a mental telepathist, mind reader, and illusionist throughout the country, and is considered one of the best living authorities on spiritism.

In our investigations Mr. Dunninger will be assisted by a body of scientists, and a committee of prominent magicians, who will in-

vestigate the authenticity of the tests presented in the contest for this prize.

The contestants must abide by the following conditions:

1—The contestant must be a practising medium or spiritist, imputing supernatural or spiritistic claims to the manifestations to be presented. This offer is made as a test to spiritists directly. It does not include conjurers' tricks or optical illusions. Therefore the performances of magicians, or of those not claiming spiritistic powers, can not be considered, and such tricks will not be accepted as evidence, the contest being intended for practising mediums only.

2—Contestants must be willing to undergo tests on spiritistic phenomena or manifestations at the New York offices of SCIENCE & INVENTION, at 53 Park Place.

A \$1000.00 Challenge!

SCIENCE & INVENTION does not believe that there exists a proven scientific basis to vouch for the communication of the deceased with the living.

SCIENCE & INVENTION believes that it can't duplicate any avowed spiritistic phenomenon or manifestations effected by any medium, whether they be signals, table-rappings, spirit photographs, or other things.

SCIENCE & INVENTION is willing to pay \$1,000.00 to any company of sincere investigators, if we cannot duplicate such phenomena or manifestations, etc., to the satisfaction of a disinterested body of scientists.

3—The same committee of investigators that witnesses the tests of the medium will also witness the tests which SCIENCE & INVENTION will stage to duplicate the phenomena or manifestations in question.

4—Automatic writings will not be considered; tests such as these are considered subconscious phenomena.

5—Mediums must consent to present their offerings before the staff of SCIENCE & INVENTION'S investigation experts, general press representatives, and also Joseph Dunninger.

6—It is understood that SCIENCE & INVENTION need not necessarily expose the

methods they employ in duplicating the phenomena or manifestations. If the effect produced by the presentation of SCIENCE & INVENTION duplicates the tests submitted by the medium, this is to be accepted as a sufficient reproduction. The details or methods employed by SCIENCE & INVENTION need not be exposed, as it is understood that SCIENCE & INVENTION reproduces all manifestations in a scientific manner, minus the spirits.

7—An impartial committee will pass upon each test individually.

8—No exposés will be published in this magazine as to the methods employed by the practising mediums contesting, as it is SCIENCE & INVENTION'S desire to expose nothing other than fraud spirit medium methods, as well as self-deceptions.

9—Methods employed by telepathists, mind readers, and mental artists, will not be accepted as evidence of spirit force.

10—Should preparation for duplicating a medium effect require a space of time for building or creating the necessary paraphernalia, such time as is necessary must be granted by the contestant.

11—This challenge expires on May 1st, 1924. In case of a tie, a duplicate prize will be awarded each contestant so tying.

12—In case the \$1,000.00 has not been awarded by May 1st, 1924, SCIENCE & INVENTION may, at its option, withdraw the offer of such prize.

13—In case a prize is awarded to any contestant, SCIENCE & INVENTION agrees to pay this amount in gold, within ten days after the findings of the disinterested committee.

We desire to impress upon the minds of our readers that it is not the desire of SCIENCE & INVENTION to ridicule those who sincerely believe in so-called spiritistic manifestations. We desire to show that the communications and manifestations alleged by mediums and spiritists to emanate from the other world prove nothing and can be duplicated by an accomplished magician. We hold that these manifestations are not sufficient to prove that the communications are supernatural or that the physical manifestations are the actions of the dead.

Up to this time there has not been any scientific basis to prove conclusively by scientific means that there is a communication between the deceased and the living. Whenever scientific proof is given that such communication exists, SCIENCE & INVENTION will be the first to publish such a discovery.

Science Versus Spiritism

By JOSEPH H. KRAUS

LONG and bitter have been the battles between spiritists or spiritualists (use whichever term you desire, as they are practically synonymous), and scientists. Such eminent men as Sir Arthur Conan Doyle, Sir William Crookes and some of our own American scientists, have fallen victims to mediums and although they themselves do not willingly attempt to deceive the public, we believe that their powers of perception are weakened by clever mystifying and awe-inspiring, supposedly occult manifestations, and we see these clever men preaching to the public and announcing the possibility of communicating with those who have

passed through the veil which separates life and death. Sir Arthur has been deceived many times. One of those who found him an easy prey was the famous medium Eusapia Palladino. On the other hand we are of the opinion that Sir Arthur Conan Doyle is absolutely sincere in everything that he preaches. But we do not believe that those effects which he exhibits are actual spiritistic manifestations.

Years ago the writer, being very much interested for personal reasons, in spiritistic phenomena, visited or rather attended seances of nearly every medium who was well known in and about New York. Each had

a different version of her own powers; some would imbibe the spirit forces of those deceased, going through gyrations which in ordinary circles would class them amongst escaped inmates of hospitals for the insane. The individuals of this class would then repeat the stories which they had received after being invested with the "spirits." After this a long, weird tale was told describing the mental effects upon the poor mediums, who were so exhausted at the end of the seance (principally from their violent twitchings which they produced during the session, in order to regain their composure when they (Continued on page 203)

MAPPING FROM THE AIR







Fig. 1 Shows the Automatic Airplane Camera with Electric Control for Taking a Successive Series of Pictures, as Installed in the Cock-Pit of an Airplane. Fig. 2 Shows How the Successive Pictures Are Taken One After the Other, so as to Overlap Thoroughly as an Aid in Assembling the Prints Afterward. Fig. 3 Represents One of the Finest Aerial Photographic Pictures Ever Taken. It is a View Above the Entrance to Central Park at 59th Street and Broadway, or Columbus Circle, Looking Southward. Fig. 4 Shows Details of the Automatic Aerial Camera, While Fig. 5 is a Map View Taken Directly Overhead of Columbus Circle and Vicinity; See Also Fig. 3. Fig. 6 Shows Experts Matching Prints to Make Large Composite Aerial Photo of New York City.

Mapping from the Air

By JACK D. DESHA

AERIAL PHOTOGRAPHY EXPERT

WHY, that's the same field I planted to corn last year!"

Thus spoke a Southern New Jersey farmer when the representative of a public utility company approached him to buy a right of way through his farm for a high power transmission line. Instead of sending their representatives out with the ordinary topographic maps or blue prints, this company had secured and were using the newer and recently developed Aerial Photographic Map. By its use the farmer was easily shown the exact property they wished to buy and knowing what the company was talking about, agreed to the sale at once. He was not suspicious as he had been on similar occasions in the past when he had been asked to sell land as laid out on the typical line map which he as a layman did not understand.

While this newest variety of map is so easily read and understood—being in reality a picture composed of a series of Aerial Photographs taken looking directly down towards the earth's surface—it is not the easiest of maps to make and the science of making such maps has not sprung up over night. It is rather the result of years of painstaking effort, study, research, experiment and practice. The rather common impression which prevailed immediately after the World War, that all that was necessary in order to make an aerial map was an airplane, a camera (of any description) and a dark room, has long since been exploded. The construction of these maps requires the services of trained civil, mechanical and aeronautical engineers; photographic chemists of experience; precision instruments, specially built and adapted to this service; as well as careful plans and considerable capital.

Experiments looking toward the construction of maps made from photographs taken in the air date back into the early nineties, when engineers in Austria and Germany were trying to secure their photographs by suspending cameras in the air from such unstable and unmanageable supports as kites! Then came the dirigible, a decided improvement on the kite, but soon pushed into the background by the advent of the World War and the perfection of the fast moving and easily maneuvered airplane. That was the real start of an industry that is destined to provide maps not only of areas which are known and inhabited, but of even greater importance, of those great areas in Asia, Africa and South America which will be explored in this way and developed into habitations for man and his industries during the present century.

It was discovered early in the war that the then available cameras were unsuited for use in airplanes. Cameras of an entirely different design had to be built. The speed at which the plane traveled made it necessary that the camera body be rigid and at the same time light. The vibration of the motor must be absorbed and not allowed to shake the camera at the moment of exposure; the shutter must operate at the greatest possible speed due to the rapidity of travel, thus calling for a larger aperture to admit more light to the sensitized gelatin surface of film or plate, which film or plate must be many times more sensitive or photographically speaking, "faster," than the ordinary one.

All of the above requirements have been met and overcome. Today the Photographic Sections of both the United States Army and Navy Air Services are equipped with precision aerial cameras embodying all of the above described features and many others. This instrument or camera is known as the Model K-3, Automatic Aerial Camera.

The camera proper consists of four principal parts; the Camera Body, the Shutter in its Cone, the Film Magazine and the Camera Mount.

The Camera Body contains the main drive mechanism, which is driven by a 12-volt electric motor. The functions of the main drive are to control the motor circuit, rewind the shutter after each ex-

Mapping from the air is not only a war-time stunt, but an accomplishment which bids fair to come into use more and more for peace-time requirements. Imagine the geography of tomorrow with its dozens of aerial map views of cities and mountain ranges, lakes and rivers, which are much more instructive and comprehensive in every way than the pictures to be found in the ordinary book of travels. Surveyors will find the airplane mapping service of tremendous value, as this science has been brought down to the point where, by means of an automatic camera, successive overlapping pictures can be taken of a given piece of territory, so that eventually all of the prints can be trimmed and matched to give a technically correct panoramic view.

posure and wind the magazine drive which in turn spaces the film between exposures and operates a pressure plate for holding the film flat at the time the exposure is made. On the body are also mounted the necessary controls, such as the knob for setting the shutter speed, the level and sockets for the electrical connections as well as the levers for manually tripping and rewinding the camera.

The shutter, which is of the "between-the-lens" type and placed near the lower end of the cone immediately behind the lens itself, opens over an aperture of approximately 3 inches. The shutter speeds, three in number, are controlled by a reliable inertia device which is not affected by temperature or other varying conditions. With an efficiency of 60% at 1/150 of a second, 75% at 1/100 of a second and 85% at 1/50 of a second, the K-3 shutter is far in advance of other "between-the-lens" shutters. Interchangeable cones are made for different focal length lenses which may vary from 6" to 20". The "between-the-lens" shutter is the only type with which accurate maps can be made, as it minimizes the distortion and eliminates uneven lighting. The focal plane shutter gives both distortion and uneven lighting, the first due to the length of time required for the slot to pass over the entire film and in the second to the variation in rate of speed to which different parts of the film are exposed.

The Film Magazine takes a roll of hypersensitive, panchromatic film 9 1/8 inches wide and 75' long, which is sufficient for 115 exposures. At the time the exposure

is made vibration in the camera itself is eliminated as the motor is stopped. The film is held against an optically flat glass by the pressure plate. This glass plate is accurately marked with lines which are photographed on the film for determining shrinkage and locating the exact center of the negative.

In addition to the camera proper, the complete equipment includes the Intervalometer, which is a timing device for tripping the camera at regular predetermined intervals which can be varied from 7 1/2 to 90 seconds. Signal lights connected to the camera are placed in both observer's and pilot's cockpit and flash a warning some 6 seconds before the shutter is automatically tripped. A negative sighting lens is used by the photographer in watching his course of flight. The camera with mount and one 75' roll of film weighs 46 pounds, the intervalometer, 5 3/4 pounds.

This camera is designed to meet all the requirements of modern aerial photography being applicable for single objectives, for the oblique or perspective view and for stereoscopic views, but its greatest utility is derived in the taking of a series of overlapping pictures from the vertical over large areas to be later matched together into a single continuous picture, mosaic in character and, provided the proper ground control is used, having all of the accuracy, far greater consistency and many times the detail, that can be secured from maps made entirely by tedious, slow and costly ground methods.

In making a map by any method it is necessary to have some control, that is points whose distance apart and difference of elevation are very accurately known and which serve as a basis or starting point for measuring the position of intermediate points. The less control we use, or putting it in other words, the further apart we can place our points the less will be the cost of the map. In the development of Aerial Photographic Maps less control points obtained on the ground are used than in the past, the intermediate control points being secured by plotting from the photographs themselves.

Thus it will be seen that primarily the problem is one of engineering and that while the photography must be of the best and is an invaluable aid, it is only one of the elements that enter into the proper construction of such a map.

After the flying has been completed the first step is to plot on large boards this control "net" at the scale desired in the finished map. Then a print is made from each of the negatives secured on the flight. The first problem is that of bringing all of the prints to the same scale even though it may not be the same scale as that of the finished map. In flying and taking the negatives an overlap of at least 50% of one film on the other is always obtained. This overlap is both linear and lateral. So it is perfectly possible to measure between the same two identical points on two overlapping photographs. By doing this it is possible to determine how much the second print must be either enlarged or reduced to bring it to the same scale as the first photograph.

After the individual prints are brought to exact scale they are fastened down with special adhesive preparations which neither expand nor contract the paper.

X-Ray Movies of the Body

By A. P. PECK

ON account of the wonderful advances made in motion picture production within the past few years, the title of this article should not be a surprise. When one can see the "impossible" feats performed in the movies, it does not take a very great stretch of imagination to picture to one's self, X-ray movies. A leading electrical manufacturing concern has produced a two-reel film entitled "Revelations," which deals with the production of these rays as well as with many of their uses.

In connection with this film, animated drawings are used for depicting the process of the production of X-rays. The electrons are shown passing through the space within the tube and striking the target; the paths of the X-rays thrown off from this target are shown by dotted lines. As is usual in this type of cartoon or drawing the action is followed through very accurately and a wonderful amount of knowledge regarding the production of X-rays is obtained by viewing the picture. Of course, one must remember that particles of matter invisible to the eye are recorded on the film in greatly exaggerated size. This is especially true in the case of the electron streams and the X-rays, the constituents of both of which are invisible to the human eye. The former are, however, for clarity's sake, enlarged in size many millions of times and are represented on the screen by very large dots. The speed of flow is at the same time reduced so that they can be easily seen, and when they strike the target within the tube, they appear to burst in a manner which resembles strikingly, an explosive shell from a gun hitting the earth. From the point of impact the X-rays are shown shooting off in progressive lines.

After the showing of these animated drawings various uses of the X-rays are

shown in a very comprehensive manner. For instance, the interior of an up-to-date dental office is shown and the method of taking X-ray photographs of the teeth is entered into. It is shown how a small strip of photographic film is placed within the mouth of the patient and the X-ray tube brought into proximity to the side of the patient's face. The tube is then actuated for a few seconds, whereupon the exposed film is removed and developed. Of course, during the entire process the strip of film is kept covered by being placed in a black envelope to protect it from ordinary light rays, but the X-rays penetrate this with greatest of ease.

Various types of X-ray apparatus are shown together with many of their uses in hospitals and other institutions. It is shown how the tube can be placed in many positions such as under or over a patient reclining in a bed, in order to secure photos from various viewpoints.


One of the most spectacular portions of the film is that showing an X-ray photograph of the entire human body. When one considers that a single X-ray tube will only take a portion of the body at one time, the stupendous amount of work necessary for such a photograph will be realized. It is necessary to employ a battery of X-ray tubes arranged in a very particular manner for making this photograph and our illustration, in a somewhat simplified presentation, shows a method of doing this work.

As is well known, the continuous exposure of the human body to the influence of X-rays is highly injurious to the tissues and in cases has resulted in the necessity of amputating the hands and arms of workers continually exposed to these rays and has killed a number. The X-rays have been found valuable in treating cancer, wherein they are used to "burn" away the diseased tissue. Obviously,


if they will attack the latter they will also destroy healthy tissue, and for this reason the X-ray technician shown in the illustration must necessarily wear protective clothing. The rays will not penetrate lead and, therefore, he wears a coat composed of a metallized fabric having lead as its base. His gloves are made up of the same material and a lead helmet protects his face and head. In the front of this helmet are openings covered with a particular kind of lead glass, which protects the eyes from the rays but still allows the wearer to view his work. It is the constant exposure day after day to X-rays that results in complications, and, therefore, a patient can be safely exposed to their action for a few moments without any harm being done.

Now, in order to take a photograph of the entire human body at once, it is necessary that a large number of tubes be employed. Four are shown in our illustration, but in some cases it will be found necessary to use more of them and to employ extra powerful tubes. The subject to be examined or photographed is placed between this bank of tubes and a fluorescent screen. On the opposite side of this screen from the subject is set up a movie camera. Now, when the X-ray apparatus is put into action, an X-ray image is thrown upon this fluorescent screen and may be photographed by the operator of the camera. Extraordinary results may be obtained in this manner, and a strip of film taken from the motion picture mentioned above is shown on the right of the illustration.

The value of such photographs to the physician can easily be understood. He will be able to examine the entire body from one photograph without the necessity of making several exposures with consequent danger to the patient from exposure.—Photos, Courtesy General Electric Co.



On the Left of the Above Illustration Is Shown the Cathodic Bombardment Which Takes Place In An X-ray Tube, As Depicted By a New Motion Picture Film. The Center Illustration Shows the Method Used In Taking X-ray Motion Pictures. A Whole Battery of Tubes Connected In Series Produces the Image On the Screen Coated With Barium-Platino-Cyanide. At the Right Is a Strip of Motion Picture Film Showing X-rays of a Complete Human Body. All the Boney Movements May Be Seen In This Picture, and Inserted In the Illustration Is An X-ray Photo of the Teeth.



The Very Latest Idea In Convertible Automobile Tops Is the One Here Illustrated. It Was Designed By a French Body Builder, and It Has Now Reached America, Where It Promises To Be Popular. The Glass Sash Folds Up On Specially Built Hinges Into the Doors, As Shown. Thus One Can Enjoy All the Pleasures of An Open Car In the Summer and a Tightly Closed Car In the Cold Winter.

Convertible Sedan-Touring Car

By CHARLES G. PERCIVAL

FOR the owner who desires an all-the-year-round car, there has been designed by a French auto body builder an automobile body attractive in appearance, light in weight and yet practical for use in all sorts of weather. This new convertible type of body has reached America, where it promises to be popular.

The device is simplicity itself and it can be converted from an open to a closed car in one minute. The large plate glass windows are held firmly in a narrow metal sash. They are joined by full length, piano hinges and fold compactly upon one another. The center window is hinged at the bottom and

when all windows are folded the entire device swings down and fits snugly into a side panel of the body. Each connection is absolutely secure and there is no possibility of rattle nor danger of breakage. There is no fuss with snappers or buttons, or trouble with curtains that do not fit.

Pilotless French Plane Controlled By Radio

A REMARKABLE series of experiments has been carried out at the Villesauvage airdrome at Etampes with an airplane directed by wireless from the ground. The work has been done under the supervision of the Military Technical Committee, which is entirely satisfied with results up to the present. The inventor of the appliance used is Captain Boucher, ably seconded by two engineers, Percheron and Bernady.


On April 10th, successful flights were made at a height of 500 meters. The machine was a large Voisin bombing plane with

a 300-horsepower engine. It flew easily, maneuvered freely and landed and rose several times in succession without a hitch of any kind. Percheron and another engineer were aboard taking observations. A Sperry stabilizer with four gyroscopes maintains equilibrium automatically, while a special device cuts off the spark when the machine nears the ground so that it lands as gently as a plane guided by a pilot.

Captain Boucher pointed out many uses to which a pilotless plane could be put both in

peace and in war as soon as the appliances have been perfected, which he is satisfied will be accomplished very shortly. Among possible uses to which he pointed one of the most important is in the mail service. Captain Boucher declares that under existing circumstances a pilotless machine with a turbo compressor could fly at a high altitude and great speed and deliver at Paris mail from Marseilles in two hours, from Algiers in four, and from Tananarivo, Madagascar, in forty.

ANCIENT SCIENCE



Iconimus XXII
Tom. 2. Fol. 347
Fig. II
Numerus Deus
Empere, sander
Gloria pro combu: tripli carmine laudes
A. 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 5010. 5011. 5012. 5013. 5014. 5015. 5016. 5017. 5018. 5019. 5020. 5021. 5022. 5023. 5024. 5025. 5026. 5027. 5028. 5029. 5030. 5031. 5032. 5033. 5034. 5035. 5036. 5037. 5038. 5039. 5040. 5041. 5042. 5043. 5044. 5045. 5046. 5047. 5048. 5049. 5050. 5051. 5052. 5053. 5054. 5055. 5056. 5057. 5058. 5059. 5060. 5061. 5062. 5063. 5064. 5065. 5066. 5067. 5068. 5069. 5070. 5071. 5072. 5073. 5074. 5075. 5076. 5077. 5078. 5079. 5080. 5081. 5082. 5083. 5084. 5085. 5086. 5087. 5088. 5089. 5090. 5091. 5092. 5093. 5094. 5095. 5096. 5097. 5098. 5099. 50100. 50101. 50102. 50103. 50104. 50105. 50106. 50107. 50108. 50109. 50110. 50111. 50112. 50113. 50114. 50115. 50116. 50117. 50118. 50119. 50120. 50121. 50122. 50123. 50124. 50125. 50126. 50127. 50128. 50129. 50130. 50131. 50132. 50133. 50134. 50135. 50136. 50137. 50138. 50139. 50140. 50141. 50142. 50143. 50144. 50145. 50146. 50147. 50148. 50149. 50150. 50151. 50152. 50153. 50154. 50155. 50156. 50157. 50158. 50159. 50160. 50161. 50162. 50163. 50164. 50165. 50166. 50167. 50168. 50169. 50170. 50171. 50172. 50173. 50174. 50175. 50176. 50177. 50178. 50179. 50180. 50181. 50182. 50183. 50184. 50185. 50186. 50187. 50188. 50189. 50190. 50191. 50192. 50193. 50194. 50195. 50196. 50197. 50198. 50199. 50200. 50201. 50202. 50203. 50204. 50205. 50206. 50207. 50208. 50209. 50210. 50211. 50212. 50213. 50214. 50215. 50216. 50217. 50218. 50219. 50220. 50221. 50222. 50223. 50224. 50225. 50226. 50227. 50228. 50229. 50230. 50231. 50232. 50233. 50234. 50235. 50236. 50237. 50238. 50239. 50240. 50241. 50242. 50243. 50244. 50245. 50246. 50247. 50248. 50249. 50250. 50251. 50252. 50253. 50254. 50255. 50256. 50257. 50258. 50259. 50260. 50261. 50262. 50263. 50264. 50265. 50266. 50267. 50268. 50269. 50270. 50271. 50272. 50273. 50274. 50275. 50276. 50277. 50278. 50279. 50280. 50281. 50282. 50283. 50284. 50285. 50286. 50287. 50288. 50289. 50290. 50291. 50292. 50293. 50294. 50295. 50296. 50297. 50298. 50299. 502100. 502101. 502102. 502103. 502104. 502105. 502106. 502107. 502108. 502109. 502110. 502111. 502112. 502113. 502114. 502115. 502116. 502117. 502118. 502119. 502120. 502121. 502122. 502123. 502124. 502125. 502126. 502127. 502128. 502129. 502130. 502131. 502132. 502133. 502134. 502135. 502136. 502137. 502138. 502139. 502140. 502141. 502142. 502143. 502144. 502145. 502146. 502147. 502148. 502149. 502150. 502151. 502152. 502153. 502154. 502155. 502156. 502157. 502158. 502159. 502160. 502161. 502162. 502163. 502164. 502165. 502166. 502167. 502168. 502169. 502170. 502171. 502172. 502173. 502174. 502175. 502176. 502177. 502178. 502179. 502180. 502181. 502182. 502183. 502184. 502185. 502186. 502187. 502188. 502189. 502190. 502191. 502192. 502193. 502194. 502195. 502196. 502197. 502198. 502199. 502200. 502201. 502202. 502203. 502204. 502205. 502206. 502207. 502208. 502209. 502210. 502211. 502212. 502213. 502214. 502215. 502216. 502217. 502218. 502219. 502220. 502221. 502222. 502223. 502224. 502225. 502226. 502227. 502228. 502229. 502230. 502231. 502232. 502233. 502234. 502235. 502236. 502237. 502238. 502239. 502240. 502241. 502242. 502243. 502244. 502245. 502246. 502247. 502248. 502249. 502250. 502251. 502252. 502253. 502254. 502255. 502256. 502257. 502258. 502259. 502260. 502261. 502262. 502263. 502264. 502265. 502266. 502267. 502268. 502269. 502270. 502271. 502272. 502273. 502274. 502275. 502276. 502277. 502278. 502279. 502280. 502281. 502282. 502283. 502284. 502285. 502286. 502287. 502288. 502289. 502290. 502291. 502292. 502293. 502294. 502295. 502296. 502297. 502298. 502299. 5022100. 5022101. 5022102. 5022103. 5022104. 5022105. 5022106. 5022107. 5022108. 5022109. 5022110. 5022111. 5022112. 5022113. 5022114. 5022115. 5022116. 5022117. 5022118. 5022119. 5022120. 5022121. 5022122. 5022123. 5022124. 5022125. 5022126. 5022127. 5022128. 5022129. 5022130. 5022131. 5022132. 5022133. 5022134. 5022135. 5022136. 5022137. 5022138. 5022139. 5022140. 5022141. 5022142. 5022143. 5022144. 5022145. 5022146. 5022147. 5022148. 5022149. 5022150. 5022151. 5022152. 5022153. 5022154. 5022155. 5022156. 5022157. 5022158. 5022159. 5022160. 5022161. 5022162. 5022163. 5022164. 5022165. 5022166. 5022167. 5022168. 5022169. 5022170. 5022171. 5022172. 5022173. 5022174. 5022175. 5022176. 5022177. 5022178. 5022179. 5022180. 5022181. 5022182. 5022183. 5022184. 5022185. 5022186. 5022187. 5022188. 5022189. 5022190. 5022191. 5022192. 5022193. 5022194. 5022195. 5022196. 5022197. 5022198. 5022199. 5022200. 5022201. 5022202. 5022203. 5022204. 5022205. 5022206. 5022207. 5022208. 5022209. 5022210. 5022211. 5022212. 5022213. 5022214. 5022215. 5022216. 5022217. 5022218. 5022219. 5022220. 5022221. 5022222. 5022223. 5022224. 5022225. 5022226. 5022227. 5022228. 5022229. 50222210. 50222211. 50222212. 50222213. 50222214. 50222215. 50222216. 50222217. 50222218. 50222219. 50222220. 50222221. 50222222. 50222223. 50222224. 50222225. 50222226. 50222227. 50222228. 50222229. 50222230. 50222231. 50222232. 50222233. 50222234. 50222235. 50222236. 50222237. 50222238. 50222239. 50222240. 50222241. 50222242. 50222243. 50222244. 50222245. 50222246. 50222247. 50222248. 50222249. 50222250. 50222251. 50222252. 50222253. 50222254. 50222255. 50222256. 50222257. 50222258. 50222259. 50222260. 50222261. 50222262. 50222263. 50222264. 50222265. 50222266. 50222267. 50222268. 50222269. 50222270. 50222271. 50222272. 50222273. 50222274. 50222275. 50222276. 50222277. 50222278. 50222279. 50222280. 50222281. 50222282. 50222283. 50222284. 50222285. 50222286. 50222287. 50222288. 50222289. 50222290. 50222291. 50222292. 50222293. 50222294. 50222295. 50222296. 50222297. 50222298. 50222299. 502222100. 502222101. 502222102. 502222103. 502222104. 502222105. 502222106. 502222107. 502222108. 502222109. 502222110. 502222111. 502222112. 502222113. 502222114. 502222115. 502222116. 502222117. 502222118. 502222119. 502222120. 502222121. 502222122. 502222123. 502222124. 502222125. 502222126. 502222127. 502222128. 502222129. 502222130. 502222131. 502222132. 502222133. 502222134. 502222135. 502222136. 502222137. 502222138. 502222139. 502222140. 502222141. 502222142. 502222143. 502222144. 502222145. 502222146. 502222147. 502222148. 502222149. 502222150. 502222151. 502222152. 502222153. 502222154. 502222155. 502222156. 502222157. 502222158. 502222159. 502222160. 502222161. 502222162. 502222163. 502222164. 502222165. 502222166. 502222167. 502222168. 502222169. 502222170. 502222171. 502222172. 502222173. 502222174. 502222175. 502222176. 502222177. 502222178. 502222179. 502222180. 502222181. 502222182. 502222183. 502222184. 502222185. 502222186. 502222187. 502222188. 502222189. 502222190. 502222191. 502222192. 502222193. 502222194. 502222195. 502222196. 502222197. 502222198. 502222199. 502222200. 502222201. 502222202. 502222203. 502222204. 502222205. 502222206. 502222207. 502222208. 502222209. 502222210. 502222211. 502222212. 502222213. 502222214. 502222215. 502222216. 502222217. 502222218. 502222219. 502222220. 502222221. 502222222. 502222223. 502222224. 502222225. 502222226. 502222227. 502222228. 502222229. 502222230. 502222231. 502222232. 502222233. 502222234. 502222235. 502222236. 502222237. 502222238. 502222239. 502222240. 502222241. 502222242. 502222243. 502222244. 502222245. 502222246. 502222247. 502222248. 502222249. 502222250. 502222251. 502222252. 502222253. 502222254. 502222255. 502222256. 502222257. 502222258. 502222259. 502222260. 502222261. 502222262. 502222263. 502222264. 502222265. 502222266. 502222267. 502222268. 502222269. 502222270. 502222271. 502222272. 502222273. 502222274. 502222275. 502222276. 502222277. 502222278. 502222279. 502222280. 502222281. 502222282. 502222283. 502222284. 502222285. 502222286. 502222287. 502222288. 502222289. 502222290. 502222291. 502222292. 502222293. 502222294. 502222295. 502222296. 502222297. 502222298. 502222299. 5022222100. 5022222101. 5022222102. 5022222103. 5022222104. 5022222105. 5022222106. 5022222107. 5022222108. 5022222109. 5022222110. 5022222111. 5022222112. 5022222113. 5022222114. 5022222115. 5022222116.

Ancient Dictagraphs and Organ Players

By T. O'CONOR SLOANE, Ph. D.

In our May issue we showed reproductions of some old optical instruments—microscope, telescope and magic lantern, from the Kircherian Museum in Rome. These are most interesting, showing old-time developments of optics, and incidentally giving a very early example of a perfected magic lantern, dating but a few years after the active days of Father Kircher's life, who was undoubtedly the inventor. So it may be said that to him is due the enormous development of the moving picture, for without the magic lantern it would never have been anything but a toy affair.

We now come to sound, and here we go back to Father Kircher's old books written by him. He was responsible for some forty volumes all in Latin. One of the illustrations shows in very wonderful development what we may term the Ear of Dionysius, who was called the "Tyrant of Syracuse," a city identified with the legends of the work of Archimedes, and his ear so-called, was some sort of a speaking tube which led to a prison cell. By listening at the remote end it was said that the monarch could hear what was said in the distant chamber. It was a sort of predecessor of the modern electric dictograph.

In the illustration reproduced from Father Kircher's book, *Masurgia Universalis*, is shown what we may call the Dionysian Ear, on a very grand scale. Soldiers are seen talking and perhaps plotting together, in what seems to be a courtyard of a castle, and from it tapering tubes, resembling the shells of gigantic snails, lead to distant rooms. At the right we see a bust, which is supposed to be connected with the small end of one of these tubes, delivering the message to the imperious looking individual standing in front of it, presumably repeating the words of the men in the courtyard. A variation is shown in the same plate, where a vertical tube rises out of an apparent dome, carrying the sound to a bust as before, this time the sound waves traveling vertically upward. But still more interesting is the third arrangement where the sound waves coming from the small end of the tube are reflected from the arched roof of the listening chamber to a bust, for Father Kircher's idea seemed to be always to have a bust as the reproducer of the sound.

The author lays great stress on these helical or shell-shaped vocal tubes. He says the interior should be very smooth, and if built of stone the constructor can employ plaster to smooth the interior. It would seem that the construction of such a tube in masonry would be an exceedingly difficult proposition. A brief quotation from the author gives his views on this achievement. He says that he has beaten Dionysius in the production of these sound transferring devices. Here is what our author says:

"This mechanism being perfected, I say, nothing can be said so secret in the opposite square, court, or public place, which the orifice of the tube faces, which by the shell will not be transferred to the hidden chamber. In this, therefore, thou wilt perceive the various sounds of animals, the hidden murmuring of men, songs, weeping, ejaculations of men as distinctly and clearly, as if they were produced in the very chamber, no one suspecting whence came so prodigious an effect of sound."

Father Kircher, the great scientist, was greatly devoted to music. The early students of science gave much time and thought to the production of automata, figures representing men or animals, who performed various motions, reproducing as nearly as possible the natural movements of animals and men, and these also interested our author.

One of the illustrations shows an organ driven by a water wheel, a blast being provided, according to the description, by the same jet of water which actuated the

The scientists of a few hundred years ago entertained some novel and interesting ideas concerning dictagraphs and organ players, as the illustrations on the opposite page clearly show. By means of a gigantic ear or shell, it was planned to overhear conversations in another part of the building. One of the novel points about Father Kircher's idea seemed to be always to have a bust figure as the reproducer of the sound in the listening chamber. The mechanical organ players of the type here illustrated are really works of art. Some of these organs had birds and other figures on them, all of which figures operated and gave forth the proper sounds at the proper time.

water wheel, and to make the combination complete various automata were provided. The water entered in a great jet into a cylindrical vessel with hemispherical ends. Perforated diaphragms across this vessel are provided and they were supposed to remove water spray from the air, for Father Kircher relied on the jet of water carrying in sufficient air with it to blow the organ pipes. The water escaping from the bottom turned a water wheel, and this by a pinion and a gear wheel turned a drum. This drum acted by pins driven into its surface, and properly spaced, to actuate a number of levers and these by tracers operated the keys and admitted or cut off air for the different organ pipes, thus playing an air and incidentally causing the automata to perform various movements. The birds were supposed to flap their wings, and open or shut their beaks, so that here we have the combination of automatic figures of the marionette type and of a mechanically operated organ, in a sense the origin or better the predecessor of the modern player piano.

We now come to a still more interesting apparatus. Here we have the same mechanism for turning the drum. The levers and tracers are there but the automata are still more varied. The rather dreadful looking skeleton on the right performs a sort of dance of death, while a special gear keeps the little circle of figures near his feet turning around and around as long as the instrument performs. Near the center of the organ pipes and over the keyboard, is a little figure who is again supposed to move his arms about and play a pan pipe, when the organ is in operation. A horizontal shaft below the keyboard has a couple of arms projecting from it, one arm actuated by a tracer from a lever operated by the playing drum, and the other arm connected to the little figure to keep him in motion. On the left are a group of blacksmiths

quite elaborately constructed, so as to deliver their blows upon an anvil, reminding one of the famous figures in Venice which strike a bell with a hammer. These two are operated by cords also actuated by levers.

He alludes to Pythagorean music, and in connection with this he refers to his blacksmiths. These, he says, are three Cyclops, with Vulcan as the director of the operations at the anvil. He says that he has played this music before many a prince with applause and admiration.

The anvil is to be made of resonating substance, and hollow so as to give a good noise. He attaches much importance to a rooster on one of the organs who is to open and shut his beak, and move his wings and tail as he crows, and he even gives the notes to be used for his crowing, for in those days much interest was taken in such things, which we now regard as little more than toys.

The hydraulic apparatus for producing the blast is not all that he relies on. Ordinary bellows operated by the water wheel for blowing organs are quite elaborately described and illustrated on different pages of the book. The cylinder, into which the numerous pegs, which actuate the organ's tracers and keys, are driven, he calls the phonotacticum. He gives numerous plans or what we may call, developments, to show how to drive the pegs for producing airs and musical compositions on the instrument.


One of the automata is a faun, who, as just stated, is supposed to blow upon Pan Pipes. The author desires to produce an echo effect. The faun is in full view in the center of the organ, but off to the right, in her own little cave, is a nymph, the spirit of the echo, who has her own little organ, and by it she is supposed to repeat the notes of the Pan Pipe, so as to produce the effect of an echo coming from a hidden or partly hidden chamber.

There are many other illustrations in the book. In one of them the author shows a very elaborate set of chimes with no less than 17 bells operated by weights and governed by a clock—and it apparently is a clock depending upon rotating weights for its regulation, instead of upon an escapement.

Two or three of the illustrations show xylophones, an instrument which he terms "Zylorganum," a mistake in orthography, which is quite curious. One of these xylophones is supplemented by one or two bells, and has a block of wood on its side to be struck by a mallet, so that it really represents an instrument capable of producing the jazz music, to which modern audiences, in this city at least, seem to have become so devoted. We evidently can hardly call ourselves three centuries ahead of our author.

A theoretical question is treated as to whether sounds can be produced in a vacuum. He says comparatively little about it, but he is concise and covers the ground pretty thoroughly. He declares that a true vacuum seems hardly consistent with the philosophy of Aristotle, and to get out of this, he makes the most curious suggestion that a so-called "vacuum" may be filled with an ether—certainly a very curiously advanced theory for those days.

He credits Torricelli with the invention of his vacuum, the empty space above the barometric column.



1—Guinea Pig Inoculated With Virus From the Brain of a Dog Suspected of Having Rabies. 2—A Suspected Dog Under Observation At the Chicago Dog Pound. This Dog Developed Violent Rabies a Few Days After This Picture Was Taken. 3—Some of the Guardians (Rabbits) of Chicago's Health. 4—Wound On the Leg of a Person Bitten By a Dog Suspected of Having Rabies. 5—Injecting the Anti-Rabies Serum Into the Arm of a Patient Bitten By a Mad Dog.

Is Hydrophobia A Myth?

By ROBERT H. MOULTON

IS hydrophobia a myth? Perennially our popular prints publish doubts and denials that such a disease exists. But it is a hard and cold fact that no literature disputing the hydrophobia hypothesis is now deemed respectable by publishers whose presses grind out pabulum for the consumption of the up-to-date medico. Such writers as have gone after hydrophobia hammer and tongs in the newspapers and popular magazines are considered by men on medical training as either nature fakers or dog fanciers. These men, indeed, would as soon deny the existence of smallpox as dispute the actuality of rabies.

If there be one place where every beast of the realm is known, inside and out, from muzzle end to tip of tail, it is that great veterinary board of health, the Federal Bureau of Animal Industry. Every veterinarian upon the faculty of this busy institution believes as implicitly in hydrophobia and its communicability to man as he does in bovine tuberculosis and the possibility of its infecting the human species through the medium of infected milk.

There is no greater galaxy of names associated with the study of any of the infectious diseases than is connected with the experimental investigations of rabies. The ablest scientists who have adorned the medical and veterinary professions, and to whom we owe the greatest deference for having advanced our knowledge of contagious

diseases, have repeatedly shown by their experiments that rabies is a specific communicable disease, preeminently affecting the canine race, although all warm-blooded animals, including men, are susceptible to it.

Many years of patient scientific research have been required to lead these investigators to a clear comprehension of the nature and characteristics of this disease. It was known and described several centuries prior to the beginning of the Christian era, and from the dawn of history the disease has been feared and dreaded. But it has been only in comparatively recent years that we have arrived at a tolerably clear understanding of the facts concerning the disease, which have to a certain degree displaced many of the fallacies and superstitions that have had a strong hold upon the public mind for many years.

That supposed rabies is in reality tetanus, or "lock-jaw," is another charge which has been made by certain zealous champions of "man's best friend." According to one of the highest medical authorities in the country tetanus may be readily differentiated from rabies by the persistence of muscular cramps, especially of the neck and abdomen, which causes these muscles to become set and as hard as wood. In tetanus there is also an absence of a depraved appetite or of wilful propensity to hurt other animals or damage the surroundings. The general muscular contraction gives the animal a rigid

appearance. The dumb form of rabies in dogs is characterized by a paraparesis and pendency of the lower jaw, while in tetanus the jaws are locked. This locking of the jaws in horses is very characteristic, and in cattle or dogs it renders the animal incapable of bellowing or barking as in rabies.

In an effort to stamp out hydrophobia in Chicago, the city maintains one of the greatest and best equipped laboratories of any city in the world. A feature of this laboratory is a small menagerie of guinea pigs, mice and rabbits. These little animals are really the guardians of Chicago's health, for through their aid not only is hydrophobia discovered, but the deadly tetanus is found, the germs of tuberculosis in a human patient are detected, and the ravages of diphtheria, scarlet fever, measles, and other diseases are checked. Without the guinea pigs, the rats, the mice and rabbits the scientists would be helpless and contagion would spread in every direction.

The principal part of what may be called the city "health zoo" is located in a little room on the same floor with the laboratories in the city hall. Here numerous cages containing the little rodents are arranged along the walls. All of the animals are kept under charge of an experienced animal keeper and are cared for as carefully as if they were being prepared for prize shows. The rats and mice are fed with oats, bread and milk, (Continued on page 172)

SPEED

By HAROLD F. RICHARDS, Ph.D.

OF THE GRADUATE COLLEGE, PRINCETON, NEW JERSEY.

ZENO the Eleatic, statesman of Elea and philosopher of skepticism, convinced himself by a very logical argument that nothing in this universe, neither chariot nor river nor warrior, can possibly move. Zeno died believing that man's senses deceive him cruelly, giving him the illusion of motion although no motion is possible; and the thinkers of two thousand years sought in vain for the flaw in Zeno's logic. Yet his argument is very clear and straightforward. A hare is supposed to be swift, and a tortoise slow; can a hare catch a tortoise? Let the hare and the tortoise begin to run in the same direction at the same instant, the tortoise being one mile in advance of the hare; and let the speed of the tortoise be one mile per



The Speed of the Hare is Five Miles an Hour. That of the Tortoise is One Mile per Hour. The Tortoise Has One Mile Handicap on the Hare. Zeno Claimed the Hare Could Never Catch the Tortoise. What Do you Say?

hour, say, and that of the hare five miles per hour. While the hare runs from

A B C D

A to B, the tortoise will have gone forward one-fifth of this distance, from B to C; when the hare gets to C, the tortoise will have reached D. Thus whenever the hare travels over the distance that last separated him from the tortoise, the latter will have gone on one-fifth of that distance; and no matter how long they run, there will always remain a minute distance between them. Therefore the hare can never catch the tortoise.

The reader who can find a fallacy in this logic may account himself more acute, at least on this point, than all the thinkers from 430 B.C. to 1642 A.D.; although I hope no one will answer as one of my students once did, and suggest that finally the hare will get so close that he can leap forward and pounce upon the tortoise. Of course Zeno knew perfectly well that simple arithmetic gives fifteen minutes as the time in which the hare will catch the tortoise; but such a calculation by no means disproves the logical conclusion which he had reached, and indeed no sound refutation was offered until Newton and Leibnitz devised a new kind of mathematics, the Calculus, which showed that although the hare would need make an infinite series of advances towards the tortoise, the necessary advances would eventually become so small that the hare could make an infinite number of them in a finite time and so catch the fugitive tortoise.

Motion has always interested thinkers as a philosophical concept; but nowadays we are more concerned with speed, chiefly because of its vital importance in transportation, communication, and warfare, not to mention a dozen sports, and I know of no physical quantity which has been measured more ingeniously than the rate at which things move. Slow speeds such as that of a racehorse can of course be measured to a reasonable degree of precision with a stopwatch; but when we have to deal with objects as difficult to handle in full flight as bullets, the problem is decidedly more difficult, not only on account of the greater speed but also because the whole measure-

No. 1. Bullets, Baseballs and Brown Rabbits

ment must be made in the space of a few feet if we are to obtain any useful information about the rate at which air-resistance decreases the effectiveness of the projectile. Even the speed of a baseball pitched by Walter Johnson, which the tabulated figures show to be too slow to permit the pitcher to hit the record-holding automobile after it had passed him, presented certain difficulties of measurement until the high-speed camera used in making slow movies was perfected.

	Speed (Miles per Minute)
Runner (H. P. Drew, 100 yards)	0.355
Horse (Man-o'-War, 13/8 miles)	0.615
Mongolian Antelope (Gazella Gattutosa)	1.0
Motor Boat (record, 1 mile)	1.17
Baseball (Pitched by Walter Johnson)	2.5
Body (Speed at street after falling from roof of Woolworth Bldg., 51 stories, 792 feet)	2.55
Automobile (Record 1 mile)	2.6
Airplane (Lt. L. J. Maitland, 5/8 mile)	4.33
Sound in Air	12.54
Rifle Bullet (Army 0.30 Calibre)	30.12
Sound in Steel	192.0
Alpha-Particles emitted by Radium	750,000.
Electrons, High-Speed	10,044,000.
Radio Signals, Light, X-Rays	11,160,000.


The speed of sound in various materials has often been determined by using electro-

magnetic signals to record the instants at which the same wave passed two points separated by a measured distance; but such a method can obviously not be used to measure the speed of light or radio waves, for there is no disturbance which travels faster than these. To determine the muzzle-velocity of a 0.30 calibre bullet from an army rifle, in the space of two feet, requires the accurate measurement of a time interval shorter than one-thousandth of a second; to find how long two colliding billiard balls remain in contact necessitates measuring time to a millionth of a second; and when Foucault determined the speed of light in a space of 75 feet, he measured intervals as small as a billionth of a second.


During the war the keenest ballisticians of two continents worked feverishly to solve the new problems of speed presented by the projectiles shot from high-powered guns, and very recently methods of measuring high speeds with great precision have been perfected in this country, so that finally America does not need to rely upon the ingenuity of French military engineers. These new devices will be described in following articles; but here I wish to explain an older method which is so simple that it can be used by an experimenter outside of a technical laboratory to measure the speed of the bullet of his own rifle or pistol.

This method consists in firing the bullet into a heavy block of wood which is suspended by eight strings so that it can swing freely in one direction under the impulse given it by the arrested bullet, and then measuring the position of the block at the moment it reaches its maximum height. The suspended system forms a ballistic pendulum, and the manner of using it can easily be seen by referring to the diagram. For low-calibred bullets from target pistols, a 7-inch cube of soft pine, weighing approximately 5 pounds, may conveniently be used, suspended so that its center is about 5 feet from the support to which the strings are attached.

(Continued on page 180)



The Ballistic Pendulum for Measuring the Speed of Bullets is Shown in the Illustration at the Right. A Bullet is Fired Into a Heavy Block of Wood Suspended by Eight Strings, So That It Can Swing Freely in One Direction. It Traces Its Course in the Sand Beneath by Means of a Needle Dipping Down Into the Sand. The Formula for Calculating the Velocity from Factors so Obtained, Is Given.



Have You Ever Thought of the Number of Mental Associations Which Occur In the Brain When the Feeling of Thirst Comes Upon the Individual? The Originating Impulse, That of the Sensation of Thirst, May Find Its Seat In Many Centers, the Throat, Oesophagus, Stomach, Etc. This Is Transmitted To the Brain, Where, By Means of Various "Association Fibres," the Individual Visualizes Walking To the Water Fountain. Seeing the Fountain, Tasting and Smelling the Water, Hearing It Bubbling, and Receiving the Cooling Thirst-Quenching Drink.

Our Wonderful Brain—How It Works

By LEON AUGUSTUS HAUSMAN, Ph.D.


RUTGERS COLLEGE, DEPARTMENT OF ZOOLOGY

Of all the triumphs of modern microscopical study, none is so interesting or significant as the light which it has thrown upon the relation of our mental powers and the minute structure of the brain. The results of the numerous researches carried on in our colleges and scientific laboratories, as well as in those abroad, have established the fact

that complexity in the structure of certain portions of the brain means complexity of mental life as well. And it may be safely said, that in all the known universe we can know of nothing more wonderful than that intricate piece of machinery, the fully developed intellectual organ of man.

The human brain, built up of countless millions of tiny cells, known as neurones, is


a rather bulky structure, weighing about fifty ounces in the adult. Its three chief divisions are known as the fore-brain, mid-brain, and hind-brain. In man the fore-brain is the largest, and weighs about forty-four ounces. It consists of two large hemispherical masses, known as the cerebral hemispheres, or together as the cerebrum (Fig. (Continued on page 178)



The Brain and Its Position In the Bony Case. The Intellectual Portion of the Cerebral Hemispheres Lies Just In Back of What Is Known As the Forehead.

The Cerebral Hemispheres Seen From the Top. Note the Convolutions Which Increase the Surface Area of the Cortex or Outer Rind of the Cerebrum.

The Cerebral Hemispheres Seen From the Side, the Lobes At the Left of the Above Photograph Are the Seat of the Higher Faculties.



The Three Successive Stages In Salvaging Sunken Treasure By the Newest Method To Be Tried Out In An Endeavor To Recover the Five Millions In Gold Which Sunk With the P. and O. Liner "Egypt" Eight Months Ago Off Ushant Are Shown In the Pictures From Left To Right Above. First the Wreck Will Be Accurately Charted and Inspected By a Specially Equipped Submarine, Aided By Powerful Suspended Lights and An Under-Water Periscope, As Well As Heavy Glass Windows In the Submarine; the Submarine Will Then Back Away and Fire a Series of Torpedoes At the Proper Spots On the Hull, Which Will Burst the Hull and Deck, So That the Giant Steel Octopus With Finger-Like Arms, Shown At the Right, Can Be Lowered Down Into the Hull To Pick Up Any Valuables Such As Safes, Strong Boxes, Etc., Whence the Device Will Be Lifted To the Surface With Its Load of Treasure, Men Within the Water-Tight Hull of the Salvage Device Direct Its Movements and Can Observe Their Surroundings Through Glass Port Holes and Movable Periscopes, Aided By Powerful Electric Searchlights. The Treasure-Recovering Machine Is Lowered From and Hauled To the Surface By Means of Chains or Cables and Derricks On the Salvage Craft, While the Electric Power Needed For Operating the Motors Connected With the Claws, Etc., Is Supplied Through Rubber-Covered Cables. Air Is Supplied Through the Hose, As Well As By Auxiliary Oxygen Tanks.

Giant Steel Hands To Salvage Ships' Treasures

DURING the War it was almost a weekly occurrence that one or more ships were torpedoed—that was war! Now comes a peace-time application of the naval officers' skill in accurately aiming torpedoes at a ship, in this case a sunken ship containing treasure, for it is known that the very latest style in salvaging sunken treasure ships is to explore the supposed location of the wreck with a submarine, then to back off and fire one or more torpedoes at the top or side of the ship's hull. After this a giant steel octopus with tentacle-like claws is lowered into the shattered hull and the ship's strong boxes and safes are recovered and brought to the surface.

Recent cable report from Europe describes how in this latest salvage venture, gigantic steel hands will be lowered down through the sixty-five fathoms (nearly four hundred feet of water) in an effort to recover the five million dollars in gold which sunk with the P. and O. liner *Egypt*, eight months ago off Ushant (on the coast of France). Groping through the dark waters these almost human machines will feel their way to the vaults of the ship where the gold is stored. As the illustration shows, the machine is fitted with special movable periscopes projecting from the sides, so that the men

in the water-tight cabin within can look out at any angle desired, while powerful electric searchlights illuminate the water for a considerable distance around. The tentacle-like arms are operated from the center column by means of worm-screws, driven by electric motors under control of the crew within the air-tight compartment. The electricity for operating the motors and other devices including the powerful lamps, is brought down from the surface of the supply ship by means of heavily insulated rubber covered cables, while air is also supplied through an air hose. Telephone communication both ways between the surface and the exploring sub-sea craft, is available at all times.

A Swedish engineering concern has agreed to spend \$500,000 to raise the gold, and they seem confident of success, so the report states. If they are successful in this venture, they will keep \$3,000,000 and Lloyds, who met the heaviest loss in the shipwreck, will get the remainder.

When the wreck has been definitely located and everything is prepared, so far as the preliminary work is concerned, a specially equipped submarine will be sent to the spot and the hull will be explored from all sides and accurate charts made. From previous data on the ship the location of her purser's departments where the safes containing the

money would be stored, will be plotted and the proper target spots selected on the hull for torpedoing. The submarine will then back off a suitable distance and let go with one or more torpedoes, depending upon the final diagnosis of the engineers. The supposition is that after the hull has been properly torpedoed and opened up at the top and side, the man-made steel octopus can then readily be lowered down into the opening so formed, and the safes or other strong boxes caught in its steel tentacles and held in a vise-like grip until the exploring device is hauled to the surface, when telephone orders have been received to this effect from the men below. The steel fingers will not relax, even though the water at such a depth would overcome a diver in his suit and helmet.

It will be seen by the design of the exploring octopus-like device here illustrated that it can crawl along slowly by lowering and raising first one set of legs and then the other. The cable report states that the details of this romantic undertaking have been thrashed out by hard-headed business men who are behind it, and that work will begin this spring. If the project succeeds, it will certainly open up the prospect of recovering untold millions now lying at the bottom of the sea.


Guns of French Fleet Outrage World

Preliminary tests recently made with the modernized French battleships indicate, it is officially stated, that the sight alterations have improved the firing distance of their 16-inch guns from 30 to 40 per cent.

While French naval circles exercise the utmost secrecy as to the exact improvement in the range of the guns and the accuracy of results, there is a suggestion that the French battleships now outdistance those of

the other navies of the world unless the same process has been carried out.

It is possible to increase the range of guns, but always at the expense of accuracy and the size of the projectile used.



"Suddenly a Piercing Light Smote Upon Us Through the Open Window and, Looking Out, We Beheld the Most Grotesque Air Machine We Had Ever Witnessed. It Appeared To Be a Huge Box-Like Structure With One Circular Opening, Which I Judged To Be About Six Feet In Diameter. This Opening Was Centrally Located In the Bottom of the Machine, and From It a Dense, Yellowish Gas Was Issuing In Great Clouds. Directly Beneath the Machine Were the Immense Stockyards of the City."

The Great Food Panic

By BURNIE L. BEVILL

CARL HOLT and I sat alone in our private office at the rear end of the corridor of the seventy-eighth story of the Zolberg Building in Kokomo. It was in the latter part of July of the year 1950, and the weather being extremely warm, we had discarded our coats, and were busily engaged in the difficult task of managing the affairs of the Watermotor Company. The Watermotor Company was organized in the year 1927 by that famous inventor and scientist, John L. Gorman, after he had perfected and patented his epoch-making engine, which had revolutionized the manufacturing and transportation industry of the world by utilizing a source of power that was procurable without cost, namely, water.

The method employed by Gorman was very simple. Water in its normal state, just as it is pumped from the earth, was made to pass into an enormous electrolytic bath, which was supplied with a powerful current of electricity from a dynamo, that was operated by the same engine. In this electrolytic bath was a very light solution of trioxic acid, that extremely active and powerful reagent, which has the power of acting as a catalytic agent upon water, causing it to decompose into its constituent parts, hydrogen and oxygen, by the application of only a weak current of electricity. By passing

a strong current through the water in the bath, hydrogen and oxygen were liberated in enormous quantities and drawn into the cylinders of the engine, where they were made to explode with tremendous violence by the electric spark, just as in the old style gas engine, that was in use thirty years ago.

This invention had created a sensation in the industrial world and, consequently, the spectacular rise of the Watermotor Company was to be expected. From a tiny building of only a few rooms that were used by Gorman for his workshop and laboratory in Kokomo, there had developed a vast structure of stone and steel that had taken its place at the top in the list of the world's greatest buildings. The business of the company covered the entire world, and the income of the stockholders was in excess of \$500,000,000 per year.

Carl and I were not directly connected with the Watermotor Company, but inasmuch as we had been employed as members of the United States Secret Service we considered that the company's business was our business. Reports had been circulated to the effect that there had been seen hovering over the World Food Corporation's immense structure in Frankfort, a huge, bird-like machine, the like of which had never been heard of before. It was said further that there seemed to emanate, from a large open-


ing in the craft, a yellowish gas that was odorless and tasteless, and, apparently, harmless. But upon investigating the purity of the food which was a product of the plant, it was discovered that it was coated with a yellow film. It was observed that the machine never came within five miles of the surface of the earth, and great were the speculations concerning the purpose of this gigantic craft.

The Zolberg Building is the huge structure in which were located most of the offices of the largest manufacturing plants of the world. Several minor matters had arisen in connection with the affairs of the Watermotor Company, and Carl and I had been enlisted in its service to investigate. It was in this occupation that we were engaged at the present time. Without warning, the door burst open, and a newsboy rushed madly in screaming his wares.

"Three thousand men killed at the food plant this morning. All employees of the company," he yelled.

With a gasp I snatched the paper from his hand, tossing him a coin. A glaring red headline adorned the top of the page—"FOOD PLANT MYSTERY," it read. Perusing the lines hurriedly, I read, "Frankfort, Ky., July 31—What is proving to be the most puzzling mystery of the age was

(Continued on page 168)



Doctor Hackensaw's Secrets

By CLEMENT FEZANDIE

(Author's Note.—The automobile has accomplished wonders, both for the transportation of passengers and merchandise. Its one great drawback, however, is that it requires good roads. Isn't it about time that our inventors should turn their attention to giving us an auto that could climb over fences and travel through rough fields?)

"RE you all ready, Silas? We ought to start in about an hour." "How are you going? By the train?"

"No, I'm going in my 'Walking Radiobile'."

"A walking radiobile? What in the world is that?"

"That's my latest invention. It's an automobile that walks."

"I confess I'm no wiser than before, doctor," said Silas.

Doctor Hackensaw shrugged his shoulders. "The fact is, Silas," said he, "that I have made a new automobile, which I think is destined to be of the greatest value both in peace and in war. I, of course, realize fully how much we are indebted to our present autos, but they all have one very serious defect—they require good roads. Now the majority of roads are bad, and it takes time and money to improve them. What we need, therefore, is an automobile that can travel the poorest road, cut across fields, climb over

No. 17—The Secret of the Walking Radiobile

fences, and wade through small streams."

"Won't a tractor do that?"

"Yes, but a tractor is too slow, too heavy, and too clumsy. Besides, it destroys everything in its path. Now it struck me that a light automobile with four legs would fill a long-felt want, for it could walk over the roughest ground, climb steep mountains, and even step over a high fence with ease. As you are going to ride out to Michigan with me to inspect the timber-lands there that I am about to purchase, you will have a chance to see for yourself how the thing works."

"Why do you call it a *radiobile*?"

"Because it is run by radium. I've already spoken to you about my radio-engine, but you haven't seen it yet. As I told you not long ago, I can manufacture radium in large quantities and very cheaply. Radium is an unstable substance, continually giving off powerful emanations, and eventually disintegrating into lead. One gram of radium, in turning into lead, gives out some three million horse-power hours of energy. Under ordinary circumstances it would take about two thousand years for the radium to change into lead. In other words, one gram of

radium could furnish one-sixth of one horse-power, continuously day and night, for two thousand years! But I have found that by heating the radium I can greatly hasten the disintegration. In my radiobile here, I apply heat at will to the tube of radium that runs the machine, and by means of the heat alone, I can regulate the speed of the machine. If not used at all, my radium lasts two thousand years. If I use it to run a 20 horse-power machine six hours per day the machine would run for over seventy-five years, which is about all that any reasonable man could ask."

"You told me that you used the ocean waves to get the heat required for making the radium."

"Yes. You understand, of course, that since a gram of radium in turning into lead, gives off three million horse-power hours of energy, I cannot change a gram of lead into radium without using up *at least* three million horse-power hours of energy. As a matter of fact it takes fifteen million horse-power hours to make a gram of radium. But I consider this very little, as the ocean waves furnish the practically unlimited power."





"Only twenty per cent efficiency!" exclaimed Silas. "That seems very little."

"On the contrary it is a remarkable show-

(Continued on page 166)



"The Machine Left the Road and Approached the Fence That Bounded the Woods. A Quick Shift of a Lever Transferred a Weight To the Rear of the Car, and Lifted the Front Legs of the Machine Over the Fence. Another Shift and Down They Came On the Other Side. A Reverse Operation Brought the Hind Legs Over."



©1923 BY SCIENCE AND INVENTION

Doing a Lot of the Painting Under the Directions of Experts. The Other Illustrations Are Explained By The Captions Accompanying Them, and Show How False Gun Positions Were Outlined For the Benefit of Enemy Airplane Cameras; and How Edgeless Corners On Buildings Were Made; Why Colored spots Were Written By One of the Boys Who Helped To Do the Trick. The Picture Herewith Shows At the Top Used On Cannon Barrels, and How Edgeless Corners On Buildings Were Effectively All With the Aid of Paint, Wire, Cloth and Colors Scientifically Mixed and Applied.

Mystery, Which a Capital "M," Surrounded the Majority of the Operations Carried Out By the Camouflage Section of the U. S. Army In France, and Our Readers Will Be No Doubt Greatly Enlightened and Entertained By Reading This Interestingly Told Story On Camouflaging With the A. E. F. Overseas, Written By One of the Boys Who Helped To Do the Trick. The Picture Herewith Shows At the Top Used On Cannon Barrels, and How Edgeless Corners On Buildings Were Effectively All With the Aid of Paint, Wire, Cloth and Colors Scientifically Mixed and Applied.

Camouflaging In France

By NED WESLEY

LATE OF U. S. ARMY CAMOUFLAGE SECTION

FANTASTIC misconceptions concerning camouflage were rampant during the war. Clever and original tricks were, of course, successful in isolated cases, but, on the whole, the *land camouflage* of modern war resolves itself in the last analysis into the systematic planning and handling of bulk materials and delivery of camouflage material to front lines and strategic points in enormous quantities.

The main problem of camouflage is to hide army material and the movement and work of troops from enemy observers and expert analysts of aerial photographs.

Photographs are taken daily all along the lines, usually from a height of 10,000 feet, a height out of range of anti-aircraft guns. These views are checked up from day to day and the slightest variation in color spots shows the nature of the operations, which have taken place in such places during the night. The expert reads buildings, guns, piles of ammunition, tanks, troops, etc., by the shadows they cast. So the primary object is to eliminate shadows or to change the shape of shadows by breaking through with light colored shapes.

The *Bigoney Top* was a purely American contribution to the science, and was used to hide batteries of guns and the like. It could be set up in a few hours at night—completely concealed a battery of guns, was wind-proof, sun-proof, cast no shadow, was unaffected by rain and, if properly colored, photographed exactly the same as the ground did before the guns were moved in. It consisted of chicken wire stretched horizontally on top of rods, with knots of varicolored burlap tied in bows, thick directly over the guns and thinned out to nothing toward the edges. The shadow of each knot was relatively so small as to be invisible to the lens, yet collectively these knots afforded ample screen for the objects to be concealed. The same general idea was used for extending trenches, working on railroads, etc.

Roads were camouflaged with vertical fish-net screens, strung for miles on poles placed on the enemy side of the road if it paralleled the lines, or with screens hung across the road if it ran toward the enemy. Railroad track was often covered with burlap or raffia during the day and operated at night. Where tracks were known by the enemy to exist it was often found advisable to lay a false track parallel to the real one to draw his fire.

Shadowless buildings are an important phase of camouflage work. Tents are not sufficiently rigid; they flop in the wind and no matter how you stretch duck it will sag enough to cast billow shadows, especially when photographed in a low sun. The U. S. Army Camouflage Section developed a quickly set up type of building with sides slanted at about 30° to the ground, with thoroughly hidden windows, and rounded in shape to look like a small hill. It was made of dun-colored duck stretched over sections of chicken wire on frames. These buildings proved practicable in service and are invaluable for carrying on important army workmanship, where machinery has to be installed, within bombing distance of the enemy. They are also available for ammunition dumps, hospitals, etc.

Hundreds of women were employed by the U. S. Army in two different plants in France; some engaged in stripping and dyeing streamers of burlap; some in sewing duck or burlap together into gigantic sheets 100 to 200 feet square which were afterward

spread out in the fields and swabbed with cold water paint, in irregular shapes and colors, myrtle green, buff, black and cream, by other gangs of women under the direction of army sergeants. Motor trucks folded and rolled these sheets into cylinders in which form they were shipped to the lines where they were used for covering army material and ammunition. The colors used varied with the season and locality.

proof. However, there is room for considerable experimental research in the extraction of pigment right at the scene of operations.

For instance, brick-red earth mixed with yellow earth give a good orange; a little lamp black or chimney soot added will give a good brown shadow color. Yellow earth, lamp black and chalky earth will give a fairly good light green. Prussian blue and ashes yield a cheap blue which can be used to dye yellow earth into brilliant green. Many natural earths and minerals are abundantly available to mix with artificial pigments, and must be sifted to remove gravel.

There are several binders available for making these earths stick to any desired surface all of which can be manufactured in the field, provided such raw materials as casein, lime, sodium bichromate and cheap glue are available.

Discarded *Corned Willie* cans were revamped into paint cans at Camouflage Headquarters where raw pigment was stirred and ground and made up into officially numbered shades of oil paint and distributed as called for by camouflage details at work with the artillery and at tank and truck headquarters.

The colors used most for guns, tanks, etc., were yellow ochre, raw umber, yellow-green, blue-green, violet and black.

The painting of guns, trucks, railway equipment, tanks, etc., is a matter of more individual refinement as to arrangement and color scheme, than is the larger *whole countryside* camouflaging. Such coloring calls for a knowledge of the actinic value of colors and tints. A gun may nestle away on the outskirts of a small wood, daubed over with various colors by an enthusiastic amateur camoufleur. His mates stand off a hundred yards or so and pat him on the back saying, "the devil himself couldn't find it." Yet "Jerry" comes over and clicks the camera and there is the gun out in bleak, bare nudity.

"How is it possible?" you ask. Well, blue looked blue to the comrades a hundred yards away, but it looks white to the camera. Yellow looked to the eye exactly the same as the sunlight glinting off the seared leaves in the background, but the camera sees yellow and red as dark gray and black. If the captured German gun down in front of the American Legion has some blotches of blue tint on the lower half of the gun barrel you will know that "Jerry" put them there to lighten the shadow, thereby flattening the roundness. Green must be blue-green to photograph gray. Yellow-green photographs practically black.

The old color law, based on red, yellow and blue as primaries and green, purple and orange as secondaries has been discarded in favor of red, green and violet as primaries. Camouflage painting, based on the latter, stands up under photography, thereby bearing out the spectrum theory of Young, Helmholtz and Tyndall.

Future warfare will involve bigger and more intensive camouflage than has ever been dreamed of heretofore. It will stand at the forefront among defensive and protective measures. The ever present airplane menace will lay bare to the enemy all military strategy except as protected by camouflage. Surprise projects and even the operation of entire campaigns will have to hide behind and underneath shifting, illusive and disconcerting camouflage, well planned and applied on a broadcast scale.

FIRST

Have you ever noticed in the past years that SCIENCE AND INVENTION almost invariably prints all scientific developments, new inventions, new achievements and discoveries ahead of any other publication?

Nine times out of ten SCIENCE AND INVENTION has the news FIRST. For that reason SCIENCE AND INVENTION is quoted in perhaps more publications than any other scientific journal in the country.

SCIENCE AND INVENTION has the goods! This magazine is not made up several months in advance, as others are, but very often the forms are held on the presses and new matter is substituted for articles that are of no particular importance at the time.

SCIENCE AND INVENTION aims to be timely at all times. If you wish the news first, SCIENCE AND INVENTION is the magazine to read.

July Feature Articles In Science and Invention

STORING STEAM FOR USE WHEN NEEDED.

By Ismar Ginsberg, B. Sc., Chem. Eng.;
RADIO FOR THE BEGINNER—
LOADING THE RECEIVER FOR LONGER WAVE-LENGTHS.

By Armstrong Perry;
UNBREAKABLE GLASS—GLASS OF THE FUTURE.

By Dr. Albert Neuburger;

SPEED—SECOND ARTICLE DESCRIBING AN OPTICAL SPEEDOMETER FOR BULLETS.

By Harold F. Richards, Ph.D.;

Don't Miss Our Feature "Radio Number" for July

THE EFFECT OF HIGH TEMPERATURES ON THE BODY.

By Joseph H. Kraus, Staff Medical Expert;


DR. HACKENSAW'S SECRETS—

Another Absorbing Tale by the Popular Scientific Fiction Writer, By Clement Fezandie;

MAGIC FOR EVERYBODY,

By Professor Joseph Dunninger.

Color, as the camouflager knows it, is important. It must be furnished in such quantity that an ordinary pigment supply seems ridiculously inadequate. In future warfare color will be extracted directly from the soil and minerals near the field of operations. The U. S. Army had an excellent formula for producing a cheap cold-water paint that was sun-fast and water-



Letter E Written on a New Typewriter of a Certain Make, Enlarged Many Times to Aid in Tracing a Document to Ascertain What Machine it Was Written On.

Every Typewriter Gives Impressions Distinctly Its Own; This Becomes Evident from the Letter E Shown Above, Which is From an Older Machine of Exactly the Same Make.

Scientific Tools of Modern Detectives

By FERI FELIX WEISS

AUTHOR OF "THE SIEVE," "THE TWENTIETH CENTURY DETECTIVE," ETC.

No detective can aspire nowadays to the title of *expert investigator* unless he is familiar with the tools which science has placed at his disposal during the last half century. The ultimate aim of every detective is to gather evidence sufficiently strong to lead to the arrest of the guilty parties in the first place, and to their conviction in the last; incidentally, he may help in the elimination of innocent suspects. It is with these ends in view that he takes advantage of any and all aids offered him.

The remarkable thing about the application of scientific methods to the detection of

crime is not that it has at last broken prejudice, but that it has taken so long to do so; and as the battle is still going on, we may regard this new science as in its infancy.

Ever since man came down from the tree-tops, walked erect instead of on his hands and feet, and vanquished the giant mastodon and saber-toothed tiger by his better brain, has he striven to improve his implements of warfare in the struggle for existence.

The detective of today, slow to keep pace with the spirit of an age of invention and progress, has been perhaps among the last to take advantage of modern developments in his use of automobile, airship, submarine, wireless, and the scientific discoveries in the laboratory. Is this reluctance due to a sense of superiority, a "swelled head"? It may be so.

Sometimes I think the comic papers have had something to do with it. They have laughed to scorn the finger-print, the dictograph, the detective himself, and both the official and private detective has been cautious about accepting innovations which may make him appear ridiculous in the public eye.

This may be the reason, too, why in America, even more than in France, Germany, Italy and Austria, the awakening of the scientific detective has been so long delayed.

While the writer of detective stories sends his "Raffles," "Arsène Lupin," his "Sherlock Holmes" chasing, either as scientific crook or scientific detective, from one adventure to another with lightning-like rapidity, using all kinds of impossible means to unravel the threads of an imaginary crime plot; while the old-fashioned detective in real life plods along like a good old work horse—the


scientific investigator delves neither into the absurd nor follows the usual, but breaks open new paths for rational advancement in methods of defeating the criminal.

Even abroad few cities can boast these highly-trained, well-educated men who have created a new profession, second to none in the halls of learning—a profession by no means purely theoretical, but on the contrary, thoroughly practical.

The great difference, it seems to me, between our methods and the more advanced ones in Europe is that, here the expert with university training is called in only when the case goes to trial in the open court, while there he is employed from the very



In a Certain Murder Case a Scientific Detective Examined a Towel Found in the Room Where the Crime Was Committed, and Under a Powerful Microscope He Saw Some Short Red Hairs Caught in the Fabric of the Towel. With This Evidence as a Starting Point, the Criminal Was Finally Traced and Indicted.




The Book-Mirror Shown at Top of Illustration. Has Frequently Been Used by Detectives to Watch the Actions of People Behind or to One Side of Them, While the Small Telescope with a Mirror at One End, Shown Below, Has Proven its Worth in Many Instances.

beginning—when the trail is hot and the clues are not yet lost in fog or wiped out completely. To illustrate:

A woman was found murdered in her little apartment in Berlin. The only clue

FIELD GLASS



Opera or Field Glasses Have Frequently Been Used as in This Case to Spy on Persons Across an Alleyway or Street, the Detective in This Instance Looking Through Small Holes in the Shade Inside a Darkened Room.

to the murderer were bloody marks on the wall and on a towel on which he had apparently wiped his hands after having committed the horrible deed. No one in the neighborhood seemed to know anything of the murdered woman's past or of her recent acquaintances, and as the fingerprints on the wall could not be identified when compared with those in their files, the police were totally at a loss where to look for the murderer.

In this puzzling situation, the university professor, expert in criminology and detective science, was sent for one hour after the discovery of the murder. The policemen and detectives, acting under general instructions, had known enough not to touch anything, and when the professor arrived on the scene, the room, the woman's body, etc., were just as had been discovered. Having made a careful and minute examination, he gave the detectives this astonishing bit of instruction:

"Look for a left-handed, red-haired butcher, about six feet tall!"

Of course this was not much of a clue in a city like Berlin with its two million souls, but it was sufficient for the detectives to round up every red-headed butcher in that district, until within a day or two they had discovered one who was left-handed and in addition could not give a good alibi. A "third degree" administered with ruthless Prussian emphasis made him admit his guilt.

How did the professor know that a red-haired, left-handed butcher, about six feet tall had committed that murder?

His knowledge of anatomy told him that a man reaching as high as the man who had wiped his bloody hands on the wall must be about six feet tall. This was fact number one.

His knowledge of surgery taught him that the wounds on the woman's body were made by a butcher's cleaver. Fact number two was settled: the murderer was either a butcher himself or had used a butcher's implement.

From the marks on her throat, he observed that the murderer had held her with the right hand while swinging the cleaver with the left: fact number three.

The microscope showed the scientist that red hair from beard, head or arm had been rubbed into the rough cloth of the blood-stained towel and the towel having been clean otherwise, that is, newly hung on the rack, this fact, number four, pertained probably to the murderer. At least, it was safe to take a chance on the deduction that his hair was red.

USEFUL INSTRUMENTS

Another case where success was due to the use of the microscope was one in which a man in a boarding-house had been robbed of his savings. A thorough search of the premises led to the discovery that the money had been hidden in a pot and buried in a mushroom bed in the cellar. All the boarders and the landlady were examined and a microscopic test taken of the dirt under their finger-nails, whereupon the thief confessed.

The telescope or field-glass is another important instrument. I have used one many times in watching suspected persons, while I was hidden in a hotel room across the street from the house or apartment under surveillance, and have had success, where, without this aid, positive failure would have been the outcome.


Special night-glasses like those used by army or navy officers are particularly valuable for such work at night, permitting observation at a long distance up and down a street, over rooftops, across a river, provided, of course, the room under observation is lighted.

During the war I carried also a tiny pocket-telescope, which made it possible for me to recognize persons long before they came near enough to recognize me so that I could make a "get-away." This little pocket glass was very valuable for reading inscriptions or headlines of newspapers which the suspect may have held in his hand at some distance from me.

I always carry a little oblong metal hand mirror like those used by our doughboys. I can conceal this easily in my hand and on a train, in a hall or theater, can observe what goes on behind me without needing to turn and expose my face to the audience, some among whom might recognize me. This requires some skill in manipulating in order not to get caught.

Recently a reflex-telescope has been invented which, concealed in a book in which the detective is apparently absorbed, enables him to watch anything going on behind him at some distance.


A much greater aid than any of these is, of course, the camera. The smallest and "handiest" is the watch-camera, small as a good-sized watch, nickel-plated and shaped like a watch. This takes pictures through a lens which is located where the stem-winder of a watch is usually found. A little view-finder can be attached in a second and just as easily taken off. This is about as perfect a little jewel of its kind as can be found and may be bought for the low cost of three dollars. The picture it takes is only about the size of a postage stamp, it is true, but so clear that it can be enlarged with satisfactory results.



The Detective's Pocket Watch-Camera Containing Lens, Shutter and Film Magazine. The Author Describes How He Took Several Pictures in This Way of a British Ambassador on Board Ship Much to His Surprise and Amusement. He Never Knew That He was Being Photographed.

Before I found this watch-camera, I used a detective-camera, a weighty little black box just big enough to be secreted in the palm of my hand. This has an automatic shutter working like a curtain and opened

TYPEWRITTEN LETTERS FROM TWO DIFFERENT MACHINES



With a Big Enlarging Camera as Here Shown, the Photographer Comes to the Aid of the Detective in Enlarging Letters, Signatures, Checks, etc., for Minute Examination. The Two Highly Magnified Letter 'E's Shown on the Opposite Page, Were Enlarged in a Manner Similar to This.

with the thumb, making it especially practical as only one hand is needed to manipulate it. I have taken hundreds of pictures with this tiny camera when on board ship, on the dock, and elsewhere of persons who, most of them, never realized that they were being photographed. I remember taking one of the former British Ambassador, Sir Cecil Spring-Rice, while he talked with two of my friends on the S. S. *Laconia*. Not one of the group knew this picture had been taken until I sent him the finished prints, which were $1\frac{1}{2}'' \times 1''$, and so clear that I could use them later in my lectures as slides.

It is the enlargements which make the camera especially valuable to the detective. I have seen submitted as evidence in a court case a photo-micrograph of a human ear, enlarged to thirty inches in diameter, making the tiny hairs on the outside of the auditory canal very large. The ear covered an extra large sheet of paper. The contention of the defense was that the man whose ear was shown in the photo-micrograph had committed suicide, but the photographer proved by this picture that the tiny hairs were not scorched off and no powder had been left on the skin, showing that the revolver must have been held at some distance from the ear when it was discharged, indicating the case to be one of murder.


In another interesting picture taken by a friend of mine, one of the foremost expert photographers in criminology, a gun barrel was sawn through the middle to show the tiny scratch on the interior of the barrel made by the passage of the last bullet through that gun. Fire-arms makers and experts contend that every bullet leaves in its course a special channel scratched on the inside of the barrel, and this enlarged photograph showed some remarkably clear marks into which the protruding parts of the equally enlarged photograph of the bullet fitted perfectly.

Because these enlargements can be transferred to glass and projected on a screen by a powerful electric light, they are especially valuable before juries in exhibits of disputed writings, documents and the like. No handwriting expert can convince a jury so thoroughly of forged writing as the camera.

The detection of erasures in writings, in the so-called *invisible ink* and the reading of charred documents are all simple matters to the expert photographer. Many things invisible to the naked eye are brought out

(Continued on page 197)

A New French Scheme for Producing Colored Motion Pictures is Shown in the Illustration below. A Selective Color Screen Divided Into Three Parts, Blue, Green and Red, is Placed Between the Lenses of the Camera in the Position Indicated. Each of These Screens is Divided Into Unequal Portions, the Areas Being Determined by Experiment. In the First Camera Built for Making These Colored Movies, a Lenticular Screen Comprising a Vast Grid of Microscopic Lenses, Was Placed in Front of the Film. This Lenticular Screen or Multiple Lens Effect is Now Embossed on the Film Itself, as Shown Below. When a Beam of White Light is Sent Through the Objective Lens a Network of Areas Are Projected by the Little Lenses Upon the Film, Each Image Including Three Color Bands.



New French Colored Movie Process

ALL devotees of the film know what magnificent results the cinematograph in colors has given. It took long to obtain these results, which have been available since 1920 after numerous experiments. A system pushed to the highest degree of perfection has been developed by M. Gaumont, whose practical application is extremely delicate. By means of an apparatus comprising three objectives with selective screens, and of different colors, the operator takes simultaneously three films, each one of which represents only the parts of an image of the same color. In projecting these films, three screens, of colors identical with those which have been used in taking them, are used. For the three images should be exactly superposed, so as to melt one into the other, or blend perfectly; then the original view, is reproduced with every shade of color. It will be understood that the weak part of the process is: In spite of the small distance intervening between the objectives, the three pictures cannot be rigorously superposed, and to this initial defect there are added others very difficult to avoid during the process of projection. An apparatus of high precision makes these inconveniences practically negligible, but such apparatus costs a great deal; their price and that of the triple film often makes the cinema proprietors hesitate.

On the other hand, the colored prints of autochrome plates sustain very well the enlargement for fixed projections, but they are hardly utilizable for moving pictures. For if we consider the two successive elements of a film these two successive pictures, the distribution of the grains of silver in each are not the same and will not have the same intervals in two corresponding points of successive images; it follows that there is a lack of registration of the shades of color, which is more or less appreciable.

MM. Radolphe Berthon and Albert Keller-Dorian have invented a system of marvelous simplicity, which avoids the difficulties of the present process, permitting the sought

for results to be obtained with a single objective and an ordinary apparatus. This system, in view of its realization, is based on two facts well known, but which have never yet been utilized.


Any part of a photographic objective which is properly corrected can be masked without the uncovered portion having its focusing power of producing a complete image interfered with. This happens in the use of the diaphragm. And, if instead of arranging a symmetrical opening before the center of the objective, we cover any part of the lens with a piece of black paper of any shape, the effect remains the same. Every point of the lens, in fact, receives the luminous rays coming from the entire surface of the object, and these rays converge toward the crossing joint whence they spread and diverge, producing the image at the focal plane.

Now if we divide the objective into three zones which we mask with proper selective screens, each zone will produce upon the ground glass a complete image of the subject as far as the unscreened portion of the lens can pass it; the red screen will let the red rays pass, the green screen the green rays, and the blue screen the blue rays. We will form thus three images, each one partial as regards the whole subject, but complete with reference to each of the three fundamental colors of the subject, and these three images brought to the same focal plane are accurately superposed upon the ground glass, where are given an image identical as regards the design and color which the same objective would give without the use of the color screens.

Such is the mechanism applied to the principle which brings about the power of simultaneous selection of three colors with a single objective.

The problem of printing upon a single sensitized plate the three selective images, in conditions necessary for such plate, to give in projection all the colors of the original, now arises. The problem *a priori* would seem impossible of solution, unless

The Diagram at the Left Shows Surface of Lenticular Film Used in New French Colored Movie, Highly Magnified. This Embossed Surface of the Film is Also Shown Magnified Through the Hand Glass Below. The Embossments on the Film Are Not Noticeable to the Sight or Touch.



we have recourse to the methods of Lippmann. MM. Berthon and Keller-Dorian have solved the problem in a much simpler way by observing and utilizing the following phenomenon:

If, in the interior of a photographic camera in front of the ground glass and very near thereto we place a microscopic lens of negligible focal length compared to that of the objective, this lens will project two images upon the ground glass: 1—The portion of the principal image coming from the objective as far as included within the perimeter of the minute lens. 2—The image of the zone receiving light through the selective screen.

And now the method used by the inventors is to be described:

Between two of the lenses of an objective, a disk of glass divided into three colored bands, red, green, and blue, is to be interposed, each color being divided into unequal proportions, the areas being determined by experiment. Next, almost in the focal plane of the objective, and at a very small distance in front of the ground glass a microscopic lens, or rather a whole group or grating of microscopic lenses, one tangential or in contact with the other, honeycomb fashion, is to be placed. If a beam of white light is sent through the objective, we will find that a network of minute areas projected by the little lenses, appears upon the ground glass, each including three color bands, as shown in one of our figures. Instead of letting a beam of white light pass through the objective, let us place before it any colored object, a bouquet, for example.

In this bouquet let us consider a geranium petal: The red rays reflected by this petal only pass through the red band of the screen. The microscopic lens receiving these rays will illuminate a minute reproduction or focal image of the red colored band, which the same minute lens will project upon the ground glass, as we have just described. The remainder of the original lens

(Continued on page 188)

Light Beams Measure Ocean Depths

By EDWARD H. LONDON

A RECENT nautical invention, making it possible for the captain of a vessel to determine the depth of the waters through which he is piloting his ship, has been placed on the English pilot-boat, *Queen of the May*. This vessel is operating off the coast of England, where it awaits the summons of homeward bound liners for pilotage up the Tyne. The system was invented by Captain James Burn of South Shields, England.

Although this device is considered by some to be of incalculable value, American nautical engineers do not all entertain the same belief. The latter hold that the device may be useful in clear waters, or in shallow waters, but not in deeper seas. Inasmuch as the device was designed for shallow waters, it will be evident that the invention may prove successful. The principle is a well known one.

As will be seen in our illustration, an observation tube extends from the pilot house, vertically downward, through the bottom of the vessel. This is fitted with a system of lenses, terminating in a wide angle lens at the bottom, and in a mirror and ground glass plate at the top. Down in the hold of the vessel and immediately forward of the observation tube, we find a searchlight, sending its beam vertically downward through a large plate glass window, fitted into the hull of the vessel. The circle of


light produced by the searchlight may be seen, illuminating the bed of the river, when observed through the tube. A definite distance aft of the tube, another searchlight may be found. This is mounted on its base in such a manner that it may be swung through quite a wide angle. Its beam of light likewise passes through another glass window considerably larger in size, than the forward window. A worm-drive operating a sector on the searchlight, controls the angle of projection of this light beam. This drive is regulated by the pilot of the vessel, who merely turns a knob on a graduated dial, and reads the depth of the water in feet on this dial. The method and reason is quite obvious.

One of the light beams projects vertically downward. The other is shifted until the circle of light it casts on the river bed is superimposed upon that cast by the first mentioned searchlight. By means of simple calculations it is now possible to determine the depth of the water, as we now have a right angled triangle in which the base is known, and one angle is calibrated. An idea similar to this was used by Mr. Jenkins, an American inventor, for night landing of airplanes. For this purpose he projects a beam of light from a small searchlight fitted with an incandescent bulb, vertically downward to earth. Another searchlight, the angle of which may be shifted relative


to the airplane, is mounted near the observer's seat. By looking over the side of his airship, the observer can see the two spots of light on the ground. Let us assume now that he has fixed his two spotlights, so that the images will coincide when the airplane has reached a height of twenty-five feet above the ground, and that he has pushed his steering wheel away from him, depressing the elevating rudder and is forcing himself down to the ground. He will see from his position in the airplane that the images are far apart, as shown in C, due to the fact that the beams cross each other. These gradually approach as he continues to travel at reduced speed down to the ground. When they coincide, he can straighten out for landing. On the other hand, if he does not do so, the light images will pass their point of coincidence, and will gradually work themselves further apart. As the opposite effect takes place when the airplane is leaving the ground and ascending to the higher stratas, the aviator can tell his approximate position for the first rise with regard to the earth by means of the two beams of light. So we see that this same principle has been utilized for vessels.

Here, however, we have another difficulty to overcome. We know that it is a relatively simple matter to project a beam of

(Continued on page 164)



In the Drawing Above Is Depicted a Method Now Employed in England For Determining the Depth of Water Through Which a Ship Passes. Inasmuch As the Base of the Triangle Is Known, the Oblique Angle Calibrated and the Other a Right Angle, the Depth of the Water Can Easily Be Determined When the Two Circles of Light Coincide. The Same Method Is Used On Airplanes, As Shown In A, B and C. The Searchlight Does Not Have To Be Very Powerful In This Case. At the Extreme Left of the Illustration, the Effects of Submerging a Searchlight Beneath the Waters of New York Bay Is Demonstrated. It May Be Noted That When This Searchlight Is Completely Submerged, the Rays of Light Are So Completely Dispersed That They Engulf the Chamber Housing the Searchlight. Insert Shows Inventor, Captain James Burn.



B Represents the Polonium Speck. 1—Showing an Atomic Collision Near the Source of the Helium Nuclei. 2—Showing Collision Between Atom Nuclei at the Bottom of Photo. 3—Photo. of a Normal Set of Straight Atom Tracks. 4—Shows a Very Peculiar Fork in an Atom Track. 5—Machine for Photographing Tracks of Atoms. 6—Straight Atom Tracks on Left and Atomic Collision on Right. Upward Tracks After the Fork is Due to the Nucleus of a Nitrogen Atom, While the Downward Fork is Due to the Rebounding Helium Nucleus.

Photographing the Tracks of Atoms

By WILLIAM D. HARKINS

PROFESSOR OF PHYSICAL CHEMISTRY, UNIVERSITY OF CHICAGO

POSSIBLY the greatest triumph of photography is that of securing accurate pictures of the path of flight of single atoms, and also of the collision between an atom traveling twenty-thousand times as fast as the most rapid rifle bullet against one which is comparatively at rest. However, such a collision, as obtained photographically by the use of a universal moving picture machine, is shown in Fig. 1.

An atom is extremely small, so small that it takes 100 million atoms to make a line an inch long. Only a few years ago it was believed that an atom comprised a single particle; now it is known that it is more nearly a miniature solar system, with a central sun, called a nucleus, and a system of planets rotating around it. Each of these planets is a negative electron. Negative electrons escape from all heated wires and are now familiar to all of those who are interested in radio communication, since the electrons are the active agents in all tubes used for rectification or amplification.

The atom tracks are easily visible to the eye as bright lines of light. You simply look down into a small chamber or cylinder through a circular disc of plate glass about three inches in diameter. About half an inch below the glass plate there may be seen the blackened top of a brass piston which fits moderately closely in the glass cylinder. There is a faint diffused light in the cylinder due to the focusing of two powerful arc lights by means of large lenses. The faintness of the light in the cylinder is due to the fact that there is nothing in the cylinder which the light can illuminate, since it contains only perfectly clean moist air. On the back vertical

glass wall of the glass cylinder can be seen a very minute white speck (polonium). Suddenly the black piston goes down with a chug, expanding the air in the cylinder. Suddenly, as if by magic, there appear from one to ten lines, usually perfectly straight, white and luminous. Each of these is the path or track of the nucleus of a helium atom which has shot out at a speed of ten thousand miles a second from the white speck at the back of the cylinder. If you are fortunate, or if you wait until this process is repeated often enough, you will see one of the tracks suddenly split into two at the end (as in Fig. 1), in which case you have


been so lucky as to view an atomic collision.

The lines of light, which give the exact paths of the helium nuclei, are due to the shining of the arc lights upon many thousand water drops which are deposited in each track. These water drops are deposited upon the wreckage of the atoms of air left by the swift projectile, which, as stated in the first paragraph, shoots through the air with a speed twenty thousand times that of the swiftest rifle bullet.

If you examine many photographs of atom tracks you will see that nearly all of the tracks are perfectly straight lines. This means that the helium nuclei do not turn from their paths when they meet the atoms of the air, but simply shoot straight through them. Thus each nucleus shoots straight through more than one hundred thousand atoms of air before it reaches the end of its path. However, from most of these atoms it tears out one, or sometimes two, negative electrons. These negative electrons are charges of negative electricity, and upon each electron a minute water drop deposits from the moist air whenever the air is suddenly cooled, as it is when the air is expanded by the sudden dropping of the piston. Each atom of air from which an electron is torn is thus charged with positive electricity, and is called a positive ion. Upon each of these positive ions also a minute water drop deposits when the air of the chamber is expanded. Thus about two hundred thousand minute water drops are formed in the track of each atom. Some of these coalesce into larger drops, but altogether there are so many drops that each track gives the appearance of a luminous line.

While the very swift helium nuclei

(Continued on page 184)



Apparatus for Photographing Atom Tracks. Cylinder of Apparatus is Brass Below and Glass Above. Above This is the Moving Picture Machine. Arc Lights Are Used on Right and Left.

10 Aviation Records Smashed At Dayton

CLIMAXING a day of superior flying, Lieutenants John A. Macready and Oakley Kelley landed the Fokker monoplane T-2 at 9:45 P. M. on the night of April 17th, establishing a new world's record for sustained flying. They were in the air 36 hours 5 minutes and 20 seconds on a thirty-one and one-eighth mile course. In addition to theirs, nine other records were made.

A record was made when a naval biplane, which, with its own weight, that of its two occupants and the dead weight of 2,422 pounds it carried, weighed approximately 6,000 pounds, piloted by Lieutenant Rutledge Irvine, Anacosta Station, Washington, D. C., gained an altitude of 11,300 feet over McCook Field that afternoon. This is the highest altitude ever gained by a single motored ship carrying this much weight.

Flying under Lieutenants Macready and Kelley during their endurance test, Lieutenant Harold Harris set new speed records for 1,500 and 2,000 kilometers, going almost twice as fast as the former record holder.

Harris maintained an average speed of 114 miles an hour throughout his flight. His time for 1,500 kilometers was 8 hours and 9 minutes and for 2,000 kilometers was 10 hours and 53 minutes. He flew in a De Haviland R-B.


This flight began at 6:28 A. M. on the 17th and was conducted over the 31 1/8-mile triangular course over which Lieutenants John A. Macready and Oakley Kelley flew to set a new endurance record.

Harris landed at 5:21 P. M. and appeared in excellent condition. He also holds the world's speed record for the 1,000-kilometer course, set here in an aerial derby on March 31.

Commander K. F. Smith, naval attaché at McCook Field, tonight said that the biplane which made the record altitude for weight would have gained an altitude of 19,000 feet if it had been equipped with a super-charger.

The deadweight carried included a torpedo weighing 1,650 pounds, shot weighing 600 pounds and additional equipment making up the balance of the weight.

Commander Smith said the ship would be remodeled to capture for the navy the 2,500, 3,000, 3,500, 4,000 kilometer speed records and the distance record.



A Diagrammatic View of One End of the New Pay-as-You-Leave Car is Shown Above. One Side is Partially Cut Away so as to Disclose the Various Parts. These Parts Are All Labeled and Their Relative Positions Indicated. It Will Be Seen That the Motorman is Greatly Assisted by Various Mechanical Devices. The Insert in the Upper Left Corner is a Photograph Showing the Operator Making Change. (C)1923 by Science & Invention

Pay As You Leave Street Car

THE traffic situation in New York City has become so troublesome due to congestion and delays in handling the patrons of the surface lines that the New York Railways Company have been casting around for a solution. The main cause of the delays was found to be in the loading and unloading of passengers. Immediately the engineers of the transit company began to contend with the problem and the result of their effort is shown, in part, in the accompanying illustration.

This pay-as-you-leave car takes two operators to run it and arrangements are made so that passengers will be taken on and discharged at both ends. The patrons pay as they leave, thereby allowing them more

time to find the necessary jitney which they are to give for their fare, without causing the familiar congestion when entering. Everyone knows and loves (?) the person who, when entering a pay-as-you-enter car, misplaces his pocketbook or drops his change on the floor in an endeavor to hurry. All this is eliminated in the new car.

As will be seen in the illustration, there is a turnstile at each end of the vehicle. (For simplicity, only one of the ends is shown herewith). These turnstiles are so arranged that they automatically count the number of passengers entering, and then lock so that when the car is full no more can be taken on until someone leaves. This prevents overloading with its attendant discomfort to the patrons.

As the turnstile locks, a *car full* sign is displayed. Now as passengers leave, they deposit their fares in a coin box which releases the turnstile so that they may leave the car. If they do not have the exact fare, the operator at each end of the car is provided with a quick-action money changing box so that a minimum of time will be lost in the operation of giving change. If the passenger is traveling on a transfer, the carman collects it and releases the turnstile.

All these improvements tend toward greater speed in handling traffic; safety for the patron, and greater comfort when traveling. It is estimated that the time consumed in loading and unloading the car will be reduced by one-half with this latest improvement in the city's transportation system.

Einstein Theory Explained In Movie

IN an attempt to clarify the mysteries of the Einstein Theory, a film has recently been made from which the photos on these pages are taken. This film, produced by Edwin Miles Fadman, and animated by Max Fleischer of "Out of the Ink Well" fame, was exhibited at a private showing in the Rivoli Theater in New York City.

The introduction of the film is for the purpose of increasing man's credulity. It puts the patrons of the theater into receptive moods, so that they will be prepared to accept what follows, without having to yield to preconceived bias of mind against the possibility of accepting the Einstein idea, due perhaps to their having but a smattering of knowledge of the theory.

In this introduction the audience see, projected on the screen, pictures of the first airplane and then of the modern machine. Following this, the telephone, automobile, battleship and other modern inventions and improvements are exhibited, as well as their historic ancestors. Reference is made to what now seems simple yet was once a marvelous invention. Having put you into the mood for accepting this theory, the Newtonian laws of motion are graphically




Fig. 2. Direction is Relative. But to an Observer Out in Space a Cannon Ball Would Describe an Arc, Leaving the Earth at the Right and Returning to the Earth at the Left After It had Sped Through Space.

illustrated, following which Einstein's concept of the same effects are shown.

In Fig. 1 we have a cannon mounted on the earth, in what to us here on earth appears to be a vertical position. The cannon is fired, and the shell passes upward into the air, stops and falls again into the nozzle of the cannon. To any of us here on earth, the cannon ball's flight would be marked by two straight lines, the one




Fig. 1. To An Observer on Earth, a Cannon Ball Fired Straight Up Would Mark Two Lines; Straight Up and Straight Down.

straight up, the other straight down. We now change our position flying out into space at a speed faster than the speed of light, which is constant and definite, namely, 186,500 miles per second. As we pass from this planet to our position in space, we overtake the rays of light of yesterday, then those of the day before. Our acceleration increases, and 1922 slips by and we are looking at scenes which occurred in the year 1921. And so on decade after decade is passed. We stop, turn our superpowerful telescopes to the earth and we observe the same cannon firing a ball in exactly the same position. Strange to say, the cannon ball does not move straight up or down, but viewed from out in space its passage describes an arc, leaving the earth at its right, as shown in the illustration, Fig. 2, and returning to the earth after it has sped through space. The inference is that direction is relative.

Let us take another example of the same phase of motion. In Fig. 3 there are two ships, one located at the North Pole and the other at the South Pole. Flags are raised on both ships. To the captain at the North Pole, the flag on the ship at the South Pole went down, while that on his own ship went up, and vice versa. To an

observer out in space at the axis of the earth, the flags move outward from the center, one to the right and the other to the left, and both captains describing the action as up and down would be wrong. Here are three different versions of one phenomenon and many more could be found. Direction, therefore, is relative.

The scene changes to what appears to be an immense boulder. It is titled, "How Large is This Rock?" (Fig. 5). We ponder for a moment and then exclaim, "About twelve feet high," but someone else's guess is just as good as our own, for, with the rock still in the same position, the camera is drawn back, the size of the slab upon which the boulder rests is then completely brought to view and to our chagrin, we find both the slab and the boulder neatly nested in the palm of the hand (Fig. 6). Size is also relative.

Two chronometers are shown in Fig. 7. The lower one is to indicate a clock held by a man on earth. The one mounted upon the wheel is to indicate a clock on a planet. Both clocks are started at the same moment and are known to keep accurate time. The wheel upon which one of the clocks is mounted is rotated rapidly by an electric motor. It is then brought to a stop, and we find that the clock on the wheel has lost several seconds. Time, therefore, is




Fig. 5. How Large is This Rock? Eleven Feet High? Guess Again, and Then Take a Look at the Next Figure Showing a Photograph of the Same Rock Taken from a Different Position.

relative. The faster the planet rotates, the slower is its time. This mechanical demonstration is purely theoretical. Thus, if we had one clock on a planet and an observer on earth were viewing the clock on the planet, that clock would appear to go slower than the one in the observer's hand, because




Fig. 3.—Left—Direction is Relative. Flags Are Raised on Both Ships. To the Captain at the North Pole the Flag at the South Pole Went Down and His Own Went Up and Vice Versa.

Fig. 4.—Right—To an Observer Out in Space at the Axis of the Earth, They Move from Left to Right, and Both Captains "up and Down" Would Be Wrong. You Here Have Three Different Opinions of One Phenomenon.



Fig. 6. When We Have Something to Compare the Rock With, it Becomes a Simple Matter to Determine How Large the Rock is. Size is Relative. Of Course, Even in the Above Photograph We Could Err Slightly, as the Stones May Be Held in the Hand of a Child or by a Powerful Man.

of the fact that it requires a certain amount of time for the light ray carrying the clock's time to pass from the planet to the observer's eye. For this reason we cannot measure time with a light ray.

A dirigible is seen to glide through the air in another of the scenes, passing over one of two lighthouses. Midway between the lighthouses is an observer. Both of the guardians of the night flash their rays of light at the same moment (Fig. 8). The observer in the center would testify to this. The dirigible, however, is closer to one tower than to the other, and an observer there would swear that the tower on the left





Fig. 7. Above—Measuring Time with a Light Ray. The Greater the Speed of the Planet (Wheel) the Slower its Time. Time is Relative.


Fig. 9.—Below—Revolvers Attached to a Spinning Wheel Are Discharged at the Same Moment. The Bullet from the Upper Gun Fired with the Rotation of the Wheel Flies Faster and Further Than the Bullet from the Lower Gun Fired Against the Direction of the Wheel. The Light Flashes from the Guns are Not Effected by the Rotation of the Wheel, and Travel in Parallel Lines. The Speed of Light is Not Relative. It Always Travels at a Rate of 186,500 Miles per Second.



flashed first. Due to the fact that the speed of light is finite, both observers would be correct, but their positions relative to the source of light emission must be taken into consideration when using the term "correct." The speed of light is not relative.

Let us place two revolvers on the rim of a wheel and rotate this wheel with great rapidity. For the sake of the argument, we may assume that the wheel rotates counter-clockwise, that is, from right to left, on the upper arc (we are now not arguing in Einsteinian terms, but using the words right and left in the manner we had always been taught in our childhood). When the revolvers assume the position shown in the still photograph reproduced in Fig. 9, they are fired simultaneously. Bear in mind however, that the wheel to which they are at-

Fig. 8. Two Light Houses Flash Their Beams of Light at the Same Time. An Observer Located Midway Between Them Would Attest to the Truth of the Above Statement. An Observer in a Dirigible Flying Overhead Would Deny the Statement Made by the Man on the Ground, Claiming That the Tower Nearest the Dirigible Flashed First. The Speed of Light is Not Relative.



tached is being rotated rapidly. Both flashes of light leave the revolvers at the same time. They pass forward in the direction in which the revolvers are pointed and impinge upon the target at the same moment. Of course the light rays have passed in every direction, but we are using the target as our fixed point, and considering a few rays only. The speed of light is not relative. Sometime later the bullets strike the target, one above the bull's eye and the other below it, but the one above reaches the target much sooner than the one below, due to the fact that its speed had been accelerated by the revolving wheel, whereas the speed of the ball from the lower revolver had been decreased by the same cause. Speed, therefore, is relative in such cases.

Suppose that there is a train or a planet out in space, and we desire to measure it. We cannot do so by our fixed standards, because, as stated before, size is relative. Let us attempt to measure this train moving in space, which could be a planet or any other object, by means of a light ray. Supposing that the train in Fig. 10 is moving from right to left, a ray of light is started (as shown by the white line immediately below the train) at the tail end of the train, or at the extreme right of our illustration. This white line represents the ray of light leaving at the same moment that the train does. It eventually overtakes the train at the point marked "stop." Suppose that we now put the train back into its former position and measure it from its forward end, the light ray passing from the front of the train toward the rear in a direction from left to right. The train itself moves from right to left at the same speed as before. It is evident, therefore, that the ray of light, the lower right band in the illustration, will be much shorter than the upper one. Con-




Fig. 10. Let Us Assume that a Train Out in Space Is Moving Rapidly and We Desire to Measure its Size by Means of a Ray of Light. If the Train is Moving from Right to Left, as Shown in the Illustration Above, and We Start to Measure It by Means of a Light Ray Traveling in the Same Direction, the Size of the Train Would Be Indicated by the Upper White Line. If We Place the Train Back Into its Former Position, and Measure Its Size from the Forward End, with the Train Moving from Right to Left and the Light Beam Moving from Left to Right, the Size of the Train Would Be as Indicated by the Lower White Line.

sequently, size is relative and a light ray cannot be used to measure a moving object.

According to Einstein, light rays can be bent. A ray of light from the star at the left is turned in its course as it passes the sun (Fig. 11). Observers on earth at the right, calculating only in straight lines, believe the star is elsewhere, not allowing for its bent light ray. Einstein calculated the position of stars as they would appear in the field of a telescope during an eclipse. The calculated positions, according to other existing theories, were found by actual experience to be incorrect. The positions determined by Einstein were so accurate that their variation from the actual photographed positions were of no practical consequence.

The British Royal Academy of Science of England found confirmation of Einstein's theory of bent space in photographs taken during eclipses, such as this one of 1919 (Fig. 12).—Photos Courtesy of Edwin Miles Fadman (Premier Productions).




Fig. 11. Do Stars Peep Around Corners? The Course of Light Rays Are Bent According to Einstein. A Ray of Light from the Star at the Left is Turned in Its Course as it Passes the Sun. Observers on Earth (at the Right) Calculating Only in Straight Lines, Believe the Star is Elsewhere, Not Allowing for its Bent Light Ray.





Fig. 12. The 1919 Eclipse. The British Royal Academy of Science of England Found Confirmation of Einstein's Theory of Bent Space in Photographs Taken During Eclipses Like This.



The Illustrations Above Show Mr. John A. Wilson and the "Child of His Brain"—the Wilson Slaughtering Knife—in Actual Operation. The Photo At The Left Shows the Knife With Blade Retracted, and Also With the Blade Extended, Control Being Effectuated By Pressure On the Single Button Shown. The Lady At the Right Is Shown In the Act of Using the Wilson Individual Slaughtering Machine, the Blood Being Sucked From the Animal By a Motor Driven Vacuum Pump, Thus Bleeding the Animal More Thoroughly and More Quickly Than Was Ever Possible Heretofore.

Money for Your Ideas No. 1

Editor's Note:

This is the first of our announced articles on inventors and their inventions, entitled "Money For Your Ideas."

The following story has to do with a man who had been a practical failure until he was almost sixty years old. Then, suddenly, an idea struck him, an idea that will, in time, revolutionize the entire killing processes as used in our slaughtering houses today.

Mr. Wilson, the inventor of this device, not only knew how to perfect an entirely new invention that is basic, but knew how to finance it and put it across as well. After the invention had been made and patented, costly plants were erected in Missouri, and they are now in operation.

INVENTION experience of the writer has been the result of sudden and very impressive impulse rather than of tedious thought and deliberation. Consequently, my greatest accomplishments have been very foreign in nature to my previous line of work.

HOW I INVENTED THE "WILSON SLAUGHTERING DEVICE"

By JOHN A. WILSON

A Failure at 60!

and

How a Novel Idea Made the Inventor Independent and Sent Him on the Road to Success and Wealth!

This is the romance of a man who had an idea and set himself to the task of working it out. An idea so big that it will revolutionize the killing of cattle and hogs in slaughterhouses the world over. It is the human story of a man with an idea who persisted in the face of discouragements, even from his own family, and who won. A story every inventor should read and re-read—and profit thereby!

I was born in Ross County, Ohio, January 21st, 1863, and was taken to Indiana three years later, where I grew up in idleness on a farm. I was one of a family of eight children, and as my parents were in moderate circumstances, I only obtained a very limited education. At the age of eighteen I lost my mother and as my father died when I was eleven I went to Nebraska, where I spent fourteen uneventful years.

There I was married at the age of twenty-two, having worked only on a farm up to this time, so that until about two years later I had neither trade nor profession. However I had a great desire to make my mark in the world and do something good, and I want to express here my kind regards to a great Statesman of Nebraska, with whom I made my home three years previous to my marriage. It was in the home of this good man, Mr. C. H. Morrill, that I saw the better things of life, and was surrounded with the influence that developed my mind.

After I was married and the father of two children I commenced to study at night. I read law for a number of years which has been the greatest help in protecting my

rights in this work. Always that infinite something seemed to drive me on. The droughts of 1890 to 1895 wrought my financial ruin and I came to Kansas City. Then as my family kept getting larger and my purse smaller, I saw that I must study harder to get ahead. For years I worked and struggled and studied nights. I took up the building trades and while working with my hands by day I worked with my brain at night. I applied myself to a Correspondence Course in Architecture and Engineering, and many a night the small hours found me working over my drafting boards. For about fifteen years I was a Contracting Architect in this city, and was engaged in the building business when the World War came on and forced out so many builders. In the year 1918, at the age of fifty-five I found myself once more down and out.

Sad and discouraged and with my good wife and three dependent children to support, I started working in the mechanical department of a large packing plant, as a draftsman. It is said, "That the Lord helps those, who help themselves" and surely this seemingly great punishment was a blessing in disguise. The second week I was there I was sent to the killing floor to take measurements and make a drawing. Unused, as I was to the horrid sights and sounds,—two hundred men cutting and slashing with knives and cleavers, the lowing of the cattle as they were hastened to their death, the thud of the hammer on their heads, the blood like a crimson bog, I was so upset that I could not sleep that night, and as I lay half awake and half asleep, it seemed I could see blood running everywhere, large streams from the cattle's necks running all over the floor, and men wading around in rubber boots. Then, all at once, I saw just as plainly as I ever saw anything in my life—a knife with a hollow stem, a rubber hose attached to the stem conveying the blood away. After that it seemed so clean, so calm and peaceful, I slept so soundly, that the alarm-clock awoke me with a start. Thus the Inspiration was perfect on which to work out a great invention. I say great for it has been proven that I was the first man in the world to conceive the idea of any control of the blood in slaughtering.

Now, like many others, I had an "Idea" but how was I to develop and protect it? To be sure, I could have gone to the machine shops of the Company and by the help of the machinists there, constructed a machine and have given it a thorough trial in the plant, and gained for myself perhaps a raise of a dollar per week on my meager salary. By this course the company would have owned the invention. Instead, I wrote to a good firm of patent attorneys, whose name

I will gladly furnish, and by their advice, I did all of my work at home, making only drawings. A model was never constructed until after the Patent was applied for.

Then began the struggle of my life. To raise the money necessary for the advancement of the patent was hard. It was the same old story, no one, not even my own sons, would believe that my invention was worth a dime, but I kept on. By hard application to my work for the company, I was placed in charge of the drafting room, and had to estimate the cost of installing new machinery and changes necessary in the building. This put to use all I had learned of architecture and engineering, and in this way I learned the things necessary to know to perfect my process and machine.

Then came the place where so many inventors are delayed, baffled, discouraged and oftentimes are impelled to abandon their work, the financing. I really believe that no one is capable of putting a new article on the market except the inventor himself. With this idea in view and with the help of a friend I organized the Wilson Slaughtering Device Company in such a way that I kept absolute control. Not by retaining fifty-one per cent of the capital, but in a way that is fair and equitable. I have managed this company with no other thought or object in my mind but to make it a great success—believing that right will conquer. Now I have 800 satisfied shareholders.

I have applied for another patent on a process and apparatus to deliver the animals to the shackling floor in an unconscious condition and eliminate the great suffering of our dumb animals as they give up their lives to furnish us food. I feel that this last machine will meet the requirements of the Society for "The Prevention of Cruelty to Animals," who have offered a prize of \$10,000 to the inventor.

HOW THE MACHINE WORKS

A technical description of the apparatus and other information may not be amiss here, for the benefit of the reader:

The apparatus consists of a controlled knife, with a hollow stem, and other parts, which removes the blood from animals, in the process of slaughtering, by vacuum. In operation it is swift, humane, safe, sanitary and economical. It is the first and only apparatus that has ever been invented which will remove the blood by force. And it represents an *entirely new idea*—a method of killing animals by inflicting a wound and forcibly withdrawing the blood from the animal's body by external means.

The illustrations show the knife open and closed, and at the bottom can be seen the screw nozzle to which the vacuum hose is attached.

The device is an apparatus comprising a knife with a hollow stem and with a mechanical means for holding the knife in the wound and for holding the wound open, an air tank, and a pump for removing the air from this tank, thereby creating a vacuum which causes the blood quickly to flow from the animal's body. In addition, there are, of course, the necessary connecting and minor parts. The knife is automatic in operation and makes a quick, clean wound in the throat of the animal. The actual bleeding time in hog slaughtering is only 43 seconds, as compared to from two to five minutes bleeding time required by existing methods.

The slaughtering of meat animals in the United States is an industry so extensive that the mind scarcely can grasp its magnitude from a mere statement of figures. In this country, each year, about thirteen and one-half million cattle, nine million calves and seventy-one million swine are killed for food—a total of ninety-three and one-half millions.


In addition to the meat and other by-products obtained from these 93,500,000 animals, blood to the value of many millions of dollars is procured. Some of this is used for edible purposes, as in the manufacture of blood sausage; some is treated to extract albumen for use in the dye and sugar industries; while some is dried and used in the manufacture of fertilizer, stock food and poultry feeds.

The present practice of slaughtering hogs in serum factories is to cut the throats of suspended hogs, allowing the blood to flow into containers. There is no way at present to prevent bacteria from the atmosphere or dust from finding lodgement in the exposed blood, which is a medium in which germs multiply with the utmost rapidity.


The Wilson device, as applied to serum production, prevents the blood from coming in contact with the outer flesh of the animal at the mouth of the wound. It also carries the blood directly from the arteries and veins of the animal to sealed containers and prevents, entirely, any possibility of bacteria from the air or dust entering the blood.

The device was patented Sept. 12, 1922. Patent No. 1,428,672.

In conclusion let me say, the inventor must first have a real inspiration of something *really new*. He must secure good legal advice, and with such guidance, work out the details of his device. *Never listen to discouraging words from anyone.* After the patent is allowed or at such times as his attorneys advise, make arrangements to put the article on the market, always keeping the control.



The Diagram Above Shows the Wilson Slaughtering Device As Adapted To the Killing of Hogs. The Man At the Right Has Just Removed One Knife, Which Will Be Returned To the Sticker By the Revolving Frame. Ten Knives Are Working All the Time, Removing the Blood From Ten Hogs In Less Than One Minute—Over Six Hundred Per Hour.



This Picture Shows Mr. Wilson's Cattle Slaughtering Machine. The Blood Is Drawn From the Animals and Delivered To the Large Blood Tank Situated Below the Killing Floor. The Cleanliness, Safety and Economy of This New Method of Slaughtering Is At Once Realized. It Will Effect a Revolution In the Operation of Abattoirs.

Popular Astronomy

By ISABEL M. LEWIS, M. A.

Of U. S. Naval Observatory, Washington, D. C.

VENUS—The Planet of Mystery


TO most of us, Mars, with its peculiar surface markings thinly veiled by a rare atmosphere, its polar caps and splashes of color changing in hue with the Martian seasons, its drifting clouds or mists temporarily concealing familiar outlines, is the most fascinating and mysterious planet of the solar system. Our interest in the ruddy planet is augmented by the fact that it may be the abode of beings who equal or even surpass ourselves in intelligence. Yet between our own planet and the sun and at its closest approach coming nearer to us than any other celestial body with the exception of the moon and an occasional comet, lies our sister-planet Venus, the most dazzlingly brilliant and beautiful of all the planets, which is quite as likely as Mars to be a world inhabited, and which in size, density and, probably, atmospheric conditions, more closely resembles the earth than our next nearest neighbor, Mars.

Certain astronomers, who do not believe that Mars is an inhabited world, have called attention to the fact that the dense atmosphere of Venus and its favorable position with respect to the sun causing it to receive about twice the amount of light and heat that falls upon our own planet, are strong points in favor of its habitability. Certainly if Mars is an inhabited world it is more than likely that Venus is also. Why, then, is it that Mars, rather than Venus, comes in for the lion's share of popular interest? Chiefly because Venus keeps her fair face permanently hidden from view behind a mask of dense atmospheric vapors. In all probability no human eye has ever gazed upon the surface of Venus. Though


a few observers maintain that they have detected faint markings upon the planet, these markings are probably atmospheric in their origin, for they are so vague that the rotation period of the planet cannot be determined from them. The length of the Martian day, on the other hand, which is about equal to our own, is known accurately to a fraction of a second, owing to the clearness with which many definite surface markings can be observed, as they are carried across the visible disk by the planet's rotation on its axis.

Since we can see nothing of the planet Venus except the dazzling brilliancy of the upper reflecting layers of its atmosphere, we cannot feel as keen an interest in this neighboring world as we feel for the smaller and more distant planet Mars, with its permanent markings more or less easily discernible and the continual seasonal changes passing over its disk and giving to the planet a different aspect at each return to opposition. Moreover, though Venus comes nearer to us than Mars, it can never be seen to as good advantage because when it is nearest to the earth, at inferior conjunction, its unilluminated surface is turned toward us and the planet is between us and the sun as in the case of the moon when it is new. By the time Venus, in its crescent phase, is far enough to either side of the sun to be seen to advantage from the earth its distance from us is as great as that of Mars at an average opposition. Yet as we gaze upon the impenetrable atmospheric screen of this, our sister-planet, we cannot but feel a thrill of interest at the thought of the mysteries of life that may lie concealed beneath

it. One of the greatest puzzles that is still to be solved in the case of this planet is that of its rotation period. There have been times when it has been very definitely announced that all evidence points to a rotation period equal in length to that of the planet's revolution around the sun. But so scanty is the evidence upon which these conclusions are based that they cannot be accepted without question. If the period of rotation and revolution were equal the planet would always keep the same face turned toward the sun. One side would experience perpetual day, the other perpetual night. Strong atmospheric currents would blow continuously from the hot to the cold side of the planet. Its temperature would be one of great extremes. It has been said that all the moisture would be carried from the day side of the planet by atmospheric currents and deposited in the form of snow on the night side, but this is by no means certain. It is very probable that a condensation of moisture would take place before the currents carrying this moisture had passed beyond the boundary between the day and night sides. Though the theory of a long rotation period for Venus has been very generally favored in the past it may be said that the evidence now seems rather to be against it. In this connection a recent paper by Mr. H. Kaul in which an empirical formula is given for computing the rotation periods of the planets is of particular interest. This formula gives values for the rotation periods that agree very closely with the known periods for the earth, Mars and Jupiter and with less certainty for the three outermost planets Saturn, Uranus and Neptune.




A Ray of Sunlight Reflected To the Earth From Venus Passes Twice Through That Part of the Atmosphere of Venus Lying Above the Reflecting Layers of Its Atmosphere, and Once Through the Earth's Atmosphere. The Spectrum of Venus Is For This Reason the Same As That of Direct Sunlight, Plus Lines Due To Absorption By Elements In the Atmosphere of Venus and the Atmosphere of the Earth As Well. As No Evidence Is Found of the Existence of Water Vapor, Oxygen or Other Substances In the Atmosphere of Venus, Reflecting Must Take Place From the Upper Strata of the Planet's Atmosphere, Or Possibly From Particles of Volcanic Dust With Which the Atmosphere of the Planet May Be Filled. Finely Divided Volcanic Dust Particles Act As Almost Perfect Reflectors of Short Wave-Length Radiations From the Sun. Two Reasons Why We Are More Interested In Mars Than Venus, Though Both Worlds Are Possibly Inhabited: Compare the Photograph of Venus (On Opposite Page),



Favorably Placed For Observation, and Mars When Nearest the Earth. Note Absolute Lack of Any Detail On Venus, Showing Light Is Reflected From the Atmosphere, and Not the Surface of the Planet, and Compare With Interesting Detail Visible On Surface of Mars, Due To Rareness of Atmosphere.

When Venus Is In Position V1 It Is Only 26,000,000 Miles From the Earth, But It Is In Line With the Sun and Invisible To Us. Between V1 and V2, Or V1 and V3, It Is In The Crescent Phase; At V2 and V3 It Has the Phase of a Half Moon. In These Two Latter Positions, When Half of the Surface Turned Toward Us Is Illuminated the Distance of the Planet Is As Great As That of Mars At a Most Unfavorable Opposition. When Mars, On the Contrary, Is In Position M1 Its Surface Is Fully Illuminated and It Is Most Favorably Placed For Observation.

tune, whose period are not so accurately known. It also gives as the rotation period of Venus 26h 28m 53s, which does not differ greatly from that of the earth and Mars. This question of the rotation period of Venus is one of great interest, for, without any knowledge of the length of the planet's day, we cannot form much of an idea of the conditions that would exist upon its surface.



Not the Moon, But Venus, Photographed By Barnard With 40-Inch Yerkes Telescope. This Is How Venus Appears In the Telescope, and When She Is Most Favorable For Observation.

The greatest mystery that we have to solve in the case of Venus at the present time has to do with the nature of the atmosphere of the planet and of the reflecting surface from which the rays of sunlight are turned back to space. Until quite recently it was assumed that, since the albedo of Venus (the ratio of the light which it receives to that which it reflects) is about the same as that of the clouds in our own atmosphere, the reflecting surface of Venus must consist of dense and impenetrable clouds enveloping the surface of the planet with scarce a rift or break. We pictured the inhabitants of Venus deprived of the joy of gazing upon the sun's face by day or upon the starry heavens by night, owing to the presence of a perpetual canopy of clouds. Possibly our first hint to the effect that this might not represent the true state of affairs upon this sister world of ours was the observation of Director Evershed of the Kodikanal Observatory in India, where Venus has always been a special object of study, to the effect, some few years ago, that the albedo of Venus would be just about what it has been observed to be, if its atmosphere were dust-filled instead of cloud-filled.

Following upon this there came the announcement from Mt. Wilson last year that by an ingenious method of separating the spectral lines originating in the atmosphere of Venus, from those due to elements in our own atmosphere, through which, of course, the light from Venus must pass, the discovery had been made by Drs. St. John and Nicholson that water vapor and oxygen do not exist in the atmosphere of Venus in quantities sufficient to be detected. This was a decided shock to those who had firmly believed that our twin among the planets was shrouded in a veil of dense clouds similar to those that drift across our own skies.


That further evidence to the same effect might not be lacking there were the independent studies of the atmosphere of Venus made by Director V. M. Slipher in 1908 and again in 1921. Photographs of many spectra of Venus were compared with spectra of the sun taken at the same altitude and on the same days at times when the water vapor in the earth's atmosphere was at a minimum at the place of observation. Since lines due to the presence of water vapor in our own atmosphere would appear in both the spectra of the sun and of Venus, it was hoped that the presence of water vapor in the atmosphere of Venus would be shown by an increase in the intensity of these lines in the

Venus spectra. Yet not the slightest sign of any accentuation of the lines of water vapor or oxygen in any of the Venus spectra could be observed. Dr. Slipher concluded, then, as a result of his observations, that "this study shows no evidence that by oxygen, water vapor or other substances does the atmosphere of Venus selectively absorb the sunlight she reflects us, and so it leaves this remarkable planet a challenge to further study."

Quite recently also Dr. W. W. Coblenz, of the Bureau of Standards at Washington, D. C., who has been measuring the radiations of the planets by the same method employed in measuring the radiations of the stars, has found that only five per cent of the radiations that come to us from the planet Venus are radiations from the surface of the planet or from its lower atmosphere. The remaining ninety-five per cent of the radiations that we receive from the planet are due entirely to reflected sunlight. Yet Venus receives from the sun almost twice the amount of solar energy that our own planet receives, and it would be expected that its surface and lower atmospheric layers would be heated to a much greater extent if the solar energy is transmitted by the atmosphere of Venus in the same manner that it is by our own atmosphere. It is interesting to remember in this connection that the outgoing radiations from the surface of our own planet at sea level on clear nights is only about ten per cent of the intensity of the solar radiation at the surface and on cloudy nights this is reduced to zero. Also forty per cent of the incoming radiations from the sun, it has been estimated, are reflected away to space from the earth's upper atmosphere without having any heating effect upon the lower atmosphere or the earth's surface. This raises a question as to how our own planet would appear from a neighboring world. Would the dense atmosphere of the earth and the strong reflection of the sun's rays from its upper strata mask the surface features of the earth and the lower strata of the atmosphere in which float our terrestrial clouds as completely as the surface markings of Venus, and probably the lower strata of its atmosphere, are masked by the reflection of sunlight from its upper strata?

In his "Physics of the Air," Prof. W. J. Humphreys has shown that volcanic dust in the atmosphere has a powerful effect on the incoming rays from the sun, being almost as effective as a mirror in turning back to space the rays of shorter wave-length, while permitting the long wave-length outgoing radiations from the earth's surface to escape. He attributes to this fact the noticeable drops in the earth's surface temperature, that follow periods of exceptionally great volcanic activity, such as the eruption of Krakatoa in 1881 and of Katmai in 1912. It is a possibility not to be entirely overlooked that volcanic activity may be far more intense upon the planet of Venus than it is upon the earth. Even upon our own planet volcanic activity, it is generally conceded, has been much more intense in the past than it is today, and it is probable that Venus is not as far advanced in evolution as our own planet, though there may be little difference between the two in this respect. The fact that Venus receives a greater intensity of radiation from the sun than our own planet receives would probably be conducive to volcanic activity also. If great volcanic activity existed upon the planet its atmosphere would doubtless be permeated with volcanic dust to a great distance above its surface, as has been the case with our own planet at times of exceptional eruptions. The finely divided particles of volcanic dust would act the part of a screen in turning back a considerable proportion of the incoming rays from the sun. As a result most of the radiation that

reaches our eyes would come from this reflecting layer, and the lower strata of the planet's atmosphere would be largely hidden from view. An effect of the presence of this volcanic dust in the planet's atmosphere would also be to lower the surface temperature of the planet by shutting out much of the solar radiation. Without reference to the possible effect of the composition of the atmosphere upon surface temperatures and taking into account simply the relative dis-



Contrary To Venus, the Three Views Above Show Mars and the Markings of Its Lands. On Venus, Due To Its Atmosphere, We Cannot Get a Glimpse of the Underlying Lands At All. (Photo By Barnard, With 40-Inch Yerkes Telescope.)

tances of the earth and Venus from the sun, it has been calculated that the surface temperature of Venus is 69 degrees C. (156 degrees F.) as compared with 17 degrees C. (63 degrees F.) for the earth. In estimating the probable surface temperature of a planet, however, the composition of the atmosphere is a most vital consideration. Such heat absorbing substances as water vapor, ozone and carbon dioxide in the atmosphere are of the greatest importance in their effect upon the surface temperature of the planet and it is the qualitative, rather than the quantitative content of the atmosphere, that determines the habitability of the globe that lies beneath it. Though one would expect the temperature of Mars to be considerably lower than that of the earth, owing to its greater distance from the sun, it is essential to consider the composition of its atmosphere before making any estimate of its surface temperature, and the same is true in the case of Venus. It is not the intensity of the solar radiation that reaches the outer atmosphere of a planet that determines its surface temperature, but the amount that is absorbed by its atmosphere and transmitted to its surface and this depends upon the nature of the gases and substances that make up the content of its atmosphere.

It was, indeed, a great surprise to astronomers to find that there exists no trace either of water vapor or oxygen in the radiations that come to us from Venus, but it does not seem essential to assume that for this reason water vapor and oxygen do not exist in the atmosphere of this planet. The reflecting strata of the planet's atmosphere may lie, for some reason, far above its surface and low-lying clouds may be masked by these upper reflecting layers. In the case of our own planet practically all clouds lie within seven miles of the surface though the atmosphere extends in appreciable quantities to an elevation of at least one hundred miles and we know that a considerable proportion of the sun's rays are reflected directly back to space from these upper layers of the atmosphere. If the atmosphere of Venus were permeated with volcanic dust, for instance, and this is by no means improbable, then the principal reflection of the sun's rays would be from the upper strata of the atmosphere carrying these particles.

We have seen that Venus, the planet that lies nearest to the earth, and that is believed to more closely resemble it than any other planet of the solar system, is in some ways a more mysterious object than

(Continued on page 181)

Practical Chemical Experiments

By RAYMOND B. WAILES


No. 3—PHOTOGRAPHY SIMPLIFIED

THE march of science overwhelms us. A silver spoon crossed with a late lethal war gas, bromine, is capable of producing faithless, lifelike resemblances of friends, objects and places. This can all be accomplished through the aid of *photography*.

A photographic film or plate is composed of a film of celluloid or a piece of flat glass coated with an emulsion of gelatin and a silver chemical compound. Silver bromide, the compound which could be obtained from a silver spoon and the lethal bromine, is employed in suspension with gelatin to coat the film of celluloid or sheet of glass in order that the light reflected towards the focused camera can be converted into visible images faithfully following the contour and lines of the original subject.

Many substances become active when under the influence of light. Hydrogen and chlorine gas, another lethal substance, will combine chemically and explosively with each other, when light is allowed to fall upon the mixture of the two. Chlorine and carbon monoxide—a deadly constituent of automobile-exhaust gas and of illuminating gas—will also combine when mixed and exposed to a source of light.

Silver bromide has these same light-active characteristics. Light changes it into other substances, as can be seen by adding several cc. of silver nitrate solution to a solution of potassium bromide and exposing the resulting precipitate of yellowish silver bromide to a strong light. It darkens in color. The reaction for the formation of this precipitate is:



The latter substances, salt peter or potassium nitrate, goes into solution.

If now this light-affected silver bromide be treated with a photographic *developing* solution called the *developer*, an interesting change can be perceived. The precipitate assumes a dark grey color, for a precipitated metallic silver has been formed. This metallic formation of silver is due to the active principles of the developer taking away the bromine from the light-affected silver bromide, leaving the silver free, or uncombined. A tube of "M-Q" developer obtained from a photographer for a few cents will serve as a developer. The directions furnished with the tube should be followed.

Now if the tube containing the precipitated silver precipitate from above be treated with a solution of sodium thiosulphate, commonly called the *fixer*, or "hypo," any silver bromide which escaped actinic, or light change, when the precipitate was exposed to the light, as in the case of shadows in actual photography, will be dissolved out so that nothing but minute particles of metallic silver will remain.

This is the state of affairs of negatives of photographs. They are nothing but glass or celluloid coated with an irregularly distributed layer of finely divided metallic silver.

If a tube containing silver bromide, prepared as before, but not exposed to the light, being kept in a dark room, is treated with a developing solution, the liquid then poured

off and hypo or fixing solution added, little, if any, silver bromide will remain behind. Hypo dissolves silver bromide which has not been exposed to the light.

MAKING A GELATIN PLATE

In actual practice, the silver bromide is suspended in a gelatin composition, the result being the formation of a bromide emulsion.

difficult, take 50 grams of sodium carbonate, Na_2CO_3 , and dissolve in 150 cc. of water. Boil so as to bring the chemical into solution, then divide the solution into two parts. Reserve one part for future use and divide the remaining half portion into portions of 60 cc. and 15 cc. each.

Connect the apparatus as shown in Fig. 3



1—Simple Water Bath for Preventing Substances to be Heated from Attaining Temperatures Higher Than 100° C. 2—Photograph of Chemicals Used in Manufacturing Photographic Film. A Silver Spoon and Bromine Gas May Be Combined to Do This. 3—Apparatus for Making Hypo in the Form of Large Crystals.

This is coated upon celluloid or upon glass.

Just how these plates or films are made can be easily demonstrated by the chemical experimenter. Prepare a dilute solution of silver nitrate in a test tube as before, and also a tube of potassium bromide solution. Add several pinches of powdered "dessert" gelatin to the tube of potassium bromide. Both of the tubes should then be placed in a water bath, a suitable bath being made from ordinary laboratory apparatus as shown in Fig. 1. The beaker contains water, and the two tubes are immersed in it. The burner from below heats the water in the beaker and soon brings it to a boil. In this manner the substance in the tubes never becomes heated to a temperature higher than 100 degrees Centigrade.

When the gelatin has passed into solution, remove the tubes while still hot and pour the contents of one into the other. A precipitate of silver bromide will form, but will not fall to the bottom of the tube as was the case when the gelatin was not present as in the previous experiment. The gelatin forms an emulsion with the precipitate. If the resulting emulsion be allowed to spread, by flowing, over a sheet of cleaned glass and dried, a photographic *dry plate* will result. The above operations should be performed in a dark room.

Exposure of the plate, covered by a suitable design cut from stiff paper, to the light, will produce a darkening as with the original silver bromide. Development, followed by immersion, after washing with water, in hypo solution will remove the light-unaffected portions of the silver bromide.

URANIUM PRINTS

If a card of paper be dipped into a solution of 10 per cent uranium nitrate solution and the paper then dried in the dark, it will have become *sensitized*. Covered with a design and exposed to a strong light for several minutes will *expose* the paper, and if it is then removed to the dark room and brushed with or dipped into a solution of potassium ferricyanide, the image will be clearly produced by *development*.

MANUFACTURE OF "HYPO"

Hypo or sodium thiosulphate is a product of the interaction between sodium carbonate and sulphur compounds. The substance can be prepared and obtained as large beautiful crystals in the experimenter's laboratory.

For the preparation, which is not at all

and put the 60 cc. portions of sodium carbonate solution in flask B, and the 15 cc. portion in flask C. Flask A is used to generate sulphur dioxide gas and contains copper scraps. Strong sulphuric acid previously gently warmed is poured into the thistle tube, whereupon the liberation of sulphur dioxide gas commences. Heating the flask A will hasten the reaction. Weak sulphuric acid can be used instead of the strong sulphuric acid, and the copper substituted by a sulphite, such as sodium sulphite, if desired. This is a much safer method and should be adopted by the beginner.

The sulphur dioxide gas forms sodium sulphite with the sodium carbonate, as the gas bubbles through the two flasks. Carbon dioxide is also disengaged from the carbonate, as can be seen by a frothing of the liquids in the flasks. When the exit tube, X, delivers a steady stream of sulphur dioxide gas, the reaction is complete, and sodium sulphite remains in B and C. Unite the two solutions and add the 75 cc. of sodium carbonate solution which was held in reserve to them. Flowers of sulphur should now be added and the whole boiled for about an hour. About ten grams of sulphur flowers will be sufficient. After the required boiling time, filter, and concentrate the liquid somewhat, and allow the solution obtained to cool. Crystals of sodium thiosulphate (or sodium hyposulphite) will form and should be collected. The mother liquid from these crystals can also be concentrated by heating, and another crop of crystals obtained.

This reaction ensues when the sulphite is boiled with sulphur:



EXTRACTION OF SILVER FROM A SILVER COIN

A silver coin is composed of 90 per cent silver and 10 per cent copper. The two metals can be separated, and the silver obtained in the form of silver nitrate for use in the preceding experiments by the following process:

Dissolve the coin in nitric acid, heating if necessary. This operation, as well as that of defacing a coin is not unlawful, if the coin is not recirculated. The solution obtained when the coin has been dissolved contains silver and copper nitrates, the latter imparting a bluish color to the solution. If a solution of sodium chloride (in large amount) be added to the warm acid solution, silver chloride, white and curdy, will be precipitated.

(Continued on page 164)

Experimental Electro-Chemistry

By RAYMOND B. WAILES

PART 11—PREPARATION OF THE INFLAMMABLE GASES ETHANE AND HYDROGEN BY ELECTROLYSIS; POLARITY TESTERS; NEWLY BORN OR NASCENT ATOMS.

ETHANE AND HYDROGEN FROM SODIUM ACETATE

ETHANE is a gas having the chemical formula, C_2H_6 . It is colorless, odorless and tasteless, burning with a faintly luminous blue flame. It exists in small amounts in illuminating gas. Ethane and hydrogen can be sim-




Fig. 1—Preparing Hydrogen and Ethane Simultaneously. Carbon Dioxide Gas is Also Formed During the Electrolysis, and is Absorbed in Flask A. So as Not to Dilute the Inflammable Ethane.

ultaneously prepared by the electrolysis of sodium acetate. Sodium acetate could be said to be formed from caustic soda and vinegar, or acetic acid.

The apparatus used for generating and washing the gases is shown in Fig. 1. The two flasks A and C contain sodium hydroxide and water respectively. A 10 per cent solution of sodium hydroxide, ($NaOH$), ten grams of the solid dissolved in a small amount of water and then diluted with water to 100 cc. is sufficient. Bottle B has its stopper centrally perforated for a test tube cut off a quarter of an inch from its closed end, thus making a large-sized tube. A thickness of white blotting paper about three inches wide is tied by thread to the lower end of the test tube, forming the porous diaphragm P.D. as shown. This allows current to pass, but tends to keep the gases formed during electrolysis from mixing.

The anode consists of a rod of carbon previously heated to burn off any paraffin present. Its lateral area should be measured by the formula $L = 2\pi R H$, where R is the radius, H the length and L the area. For every ten square centimeters of area of the carbon anode, one ampere should be passed through the cell during the experiment. The voltage should be about six or eight volts.

The cathode should be of nickel. This electrode is not shown in the photo for sake of clearness. The electrolyte consists of a saturated solution of sodium or potassium acetate in water. The whole should be kept cool during the electrolysis, since a "run" with a high temperature results in low "yields" of gas. Immersion of the whole cell in water containing some ice is sufficient.

Flask A contains sodium or potassium hydroxide. This absorbs the carbon dioxide gas which is generated during the electrolysis as shown by equations 3 and 4 below. Ethane, C_2H_6 , and carbon dioxide are both formed at the anode, but the hydroxide solution allows only the ethane to pass through the outlet tube, where it may be collected after running the electrolysis after a while, by allowing it to bubble up through an inverted test tube filled with water. It is inflammable and gives a bright flame.

Hydrogen gas is liberated at the cathode and can be collected and burned, or exploded in small quantities after mixing with air.

The equations showing the electrolysis are as follows:

- (1) $2Na + 2H_2O = 2NaOH + 2H$
- (2) $2CH_3COO + H_2O = 2CH_3COOH + O$
- (3) $2CH_3COOH + O = C_2H_6 + 2CO_2 + H_2O$
- (4) $CH_3COOH + 4O = 2CO_2 + 2H_2O$

Equation (1) shows the interaction of the sodium atom set free from the sodium acetate at the cathode reacting with water to produce hydrogen. It is this gas which passes through tube S and out of the flask C.

The second equation shows the liberation of oxygen by the interaction between water and the radical of the sodium acetate after the sodium has left it. This oxygen is never obtained free from one of the tubes during the experiment, for it reacts as in equations (3) and (4), the first substances in the equations being acetic acid, the active ingredient in vinegar. The carbon dioxide which is absorbed by the hydroxide or alkali in flask A is evolved from the fourth equation, and being absorbed by the caustic alkali, it does not pass on and mix with or contaminate the ethane.

ELECTROLYSIS OF SULPHUROUS ACID

Sulphurous acid, H_2SO_3 , has one less oxygen atom than sulphuric acid, which has the formula H_2SO_4 . Sulphurous acid can be prepared by passing sulphur dioxide gas, SO_2 , into cold water. The sulphur dioxide gas can be made by burning sulphur and sucking the gas from it into the water by means of suitable apparatus, or more conveniently by the action of sulphuric acid on sodium sulphite. This can be done in a simple gas generator made from a test tube with a one-holed stopper through which a tube passes.

When an electric current is passed through sulphurous acid solution (for this experiment pass sulphur dioxide gas into weak sulphuric acid and use the resulting solution), containing sulphuric acid, the gases hydrogen and oxygen are liberated, as has been before explained in a previous paper. These two gases are produced from the sulphuric acid, very little gas, if any, is formed with sulphurous acid and the sulphuric acid, very little, if any, gas is formed. Instead, a white cloud of sulphur emanates at the negative pole or cathode.


The hydrogen at the moment of liberation at the cathode is said to be in a *nascent* state; that is, newly born. When in this condition, the hydrogen reduces the sulphurous acid, forming water and free or uncombined sulphur. The oxygen liberated at the anode is also in the *nascent* state when liberated and oxidizes the sulphurous acid to sulphuric acid. This is accomplished by simply adding one oxygen atom to sulphurous acid, H_2SO_3 , forming H_2SO_4 , sulphuric acid. In other words, as fast as hydrogen and oxygen are formed, they are used up.

It must not be thought, however, that the sulphur of today is obtained in this manner, or that sulphuric acid is produced from easily obtained sulphurous acid by electrolysis. The action of the *nascent* hydrogen and oxygen should be contrasted with the "ordinary" or atomic hydrogen and oxygen, for the two gases bubbled through sulphurous and sulphuric acid will not cause conditions as in the above experiment. However, *nascent* substances will quickly convert

themselves into atomic, or "ordinary," forms, but a small fraction of a second being required.

POLARITY TEST PAPER

Another experiment which is somewhat similar to the previous and shows the differ-



If Nascent Hydrogen Gas Could Be Compressed Into Cylinders as Here Indicated, One Hundred Times as Much Gas as Ordinary or Atomic Hydrogen, Could Be Compressed Into the Same Sized Cylinder.

ence between combined and uncombined elements and at the same time shows electrical polarity can be performed with starch and potassium iodide. This latter substance is used in medicine and photography, and no trouble will be experienced in procuring it.

Potassium iodide has the formula KI , and consists of potassium and iodine. Free iodine, or iodine which is not chemically combined with other elements, will cause a blue color to form when brought into contact with starch. This can readily be seen by diluting several drops of tincture of iodine with considerable water and allowing the mixture to fall upon several drops of starch water or a freshly cut potato (which contains starch). A blue color will immediately form. If, however, a solution of potassium iodide is brought into contact with starch water no color will form. The iodine in potassium iodide is chemically combined with the potassium.

The electrical current will liberate iodine from potassium iodide, and the liberated or free iodine will cause a blue color with starch. To a hot solution of starch water add a few crystals of potassium iodide and soak white porous paper in the solution obtained. After drying, the paper should then be cut into strips of a convenient size. In order to show the chemical effects of the electrical current at hand, simply wet a piece of the prepared iodo-starch paper and press the terminals of the current-carrying wires upon it. The positive wire will produce a blue spot upon the paper at its contact.

Iodine, being negatively charged when in solution (when the paper was moistened), was attracted to the positive pole (anode), and there liberated, whence it reacted with the starch present on the paper to produce the blue color.


There are many other substances which could be employed in the making of test papers for determining the polarity of the terminals of current carrying wires, and the experimenter will undoubtedly stumble upon some of these himself. Phenolphthalein, for instance, causes a very marked indication if it is in solution. The experimenter can saturate blotting paper with this solution and try it.

Practical Motor Hints

FIRST OF A NEW SERIES OF ARTICLES, EACH COMPLETE IN ITSELF.
By H. WINFIELD SECOR

In the following paragraphs the writer has endeavored to describe a few practical hints suggested by his many experiences with cars, and which may be of value to other motorists. Figs. 1 and 2 illustrate two points concerning a


New steel rim with teeth



If You Have Trouble In Knocking Out Teeth On a Cast Iron Flywheel of a Motor Car, a Good Solution of the Problem Is To Have a Machinist Turn Out a Groove On the Flywheel, As Shown In the Drawing Herewith; Then Insert a Steel Rim With the Teeth Cut Into It.

particular starter motor and flywheel trouble, which cost the writer over \$100 before the trouble was finally remedied.

The start of this story was initiated by an incompetent service station mechanic, who replaced a broken Bendix starter gear with another gear having the wrong number of teeth on the pinion which meshed with the fly-wheel. The pinion should have had eleven teeth, but a twelve toothed pinion was substituted unknown to the writer, and there was always more or less trouble with the starter, a noticeable grinding noise invariably being present when using the starter motor; and in the course of a few months a number of teeth were knocked out of the cast iron fly-wheel. It was shortly necessary to replace the fly-wheel with a new one which cost about \$40.00, and this had already happened once before. When the last overhaul job was made the garageman was intelligent enough to check up the starter motor, and the number of teeth on the Bendix gear with the specifications of the car in question, and found that an eleven tooth pinion was the proper one. Incidentally, he found on close examination that the shaft of the starter motor was bent, due to the straining and extra friction due to the twelve tooth gear, which of course was



The Diagram Above Shows How To Hook Up Two 3-Way Or Simply Two 2-Point Battery Switches, To Control a Dome Or Other Light In the Car, So That It Can Be Switched On Or Off From Two Positions.


of larger diameter than the eleven tooth pinion, so he straightened the shaft of the starter motor for one thing.

The next job he performed was to turn off all of the remaining teeth on the cast iron fly-wheel after it was removed from the car, and in this recess, as shown in Fig. 1, a steel toothed ring or crown-gear was carefully fitted and secured in place by several tap bolts, in the manner indicated. Of course, there are numerous ways in which to secure the steel rim. The idea of the steel tooth rim replacement was to avoid any further possibility of knocking out the teeth on the new cast iron fly-wheel, which are of course very weak compared to steel; and it is cheaper to replace a broken Bendix gear costing about \$7.00, than it is to take chances in replacing another fly-wheel costing originally about \$40.00 and involving the expense and trouble of removing and replacing the transmission, etc. The motto to be learned here is always to keep a watch on any changes or replacements on your car, especially around the engine or gears, and be sure to check up the number of teeth.

in and also the rings. Some of the old valves had burned until they were as thin as paper, so all new valves were placed in the cap with new springs, it being foolish

Cast iron piston

Aluminum piston



The Illustration Shows the Greater Clearance Required In Fitting Aluminum Pistons Instead of Cast Iron Pistons, and Also Shows a Couple of Tricks To Help Oil Throwing Engines.

RADIO

WILL BE THE SPECIAL FEATURE IN THE JULY NUMBER OF SCIENCE & INVENTION. ESPECIALLY WRITTEN VALUABLE ARTICLES TELLING HOW TO BUILD VERY LATEST TYPES OF RADIO RECEIVING SETS, WITH FULL DETAILS, WORKING DRAWINGS AND DIAGRAMS.

DON'T MISS THIS JULY RADIO NUMBER.


ALUMINUM VERSUS CAST IRON PISTONS

The story of the aluminum versus the cast iron pistons is as follows: About a year previous to last July, the car was purchased with aluminum pistons and a well-known form of patent piston rings, and everything went well for some twelve months, and then the engine suddenly lost compression, and became so weak that it could hardly climb a five per cent grade. Tests were made by an automobile expert with a standard compression gauge, and the best of the cylinders showed very poor compression, and as the valves were in fair condition, it was concluded that it must be the pistons and piston rings that were giving trouble and causing the loss of compression, allowing the compressed mixture to leak past the pistons and rings during the compression stroke.

The car was put in the garage, the bottom of the crank case was removed, and all the pistons were taken out. One or two rings were found broken and the others had burned fast to the aluminum pistons, and it was the final advice of the automobile engineer who supervised the job that new aluminum pistons would have to be fitted. In view of the fact that these had to have a much greater clearance in the cylinders than cast iron, owing to the coefficient of expansion being about two and a half times that of iron, it appeared to be more satisfactory to put light weight cast iron pistons in the engine. Hence six light weight cast iron pistons of the reenforced ribbed type of the correct size to allow about one and a half thousandths of an inch clearance were purchased, and the proper piston rings, determined from micrometer measurements of the cylinders by the engineer, were obtained for the job. The pistons were then lapped

to do an overhaul job like this and still retain the old valve springs as a few weak springs will cause irregular closing of the valves, and part of the power in certain cylinders will therefore be lost. Another important thing that experience has taught the writer, is that the valve rocker arms should not be adjusted absolutely tight, but there should be a few thousandths of an inch clearance, even as much as six to seven thousandths of an inch, between the end of the rocker arm and the tops of the valve stems. In one case after a regrinding and carbon cleaning job, the garage mechanic thought he had the engine tuned up in fine shape, and had tightened the valve rods and rocker arms so that there was no play at

(Continued on page 192)



A Lot of Time and Money Was Lost In One Case In the Writer's Experience, All Because a Garage Mechanic, In Repairing a Bendix Starter Gear, Used a Pinion Having Twelve Teeth Instead of Eleven, Which Caused the Bendix Gear To Bind Tightly With the Flywheel. This Shortly Caused Teeth To Be Knocked Out of the Flywheel and Also Bent the Shaft of the Starter Motor, Which Had To Be Straightened.


Magic For Everybody

By PROF. JOSEPH DUNNINGER

NO. 3 OF A SERIES

THE HINDU BLOCK MYSTERY

The effect which I am about to describe is perhaps one of the most puzzling and mysterious parlor tricks ever created. It has its advantages over many tricks of a similar nature inasmuch as it is one that will bear repeating over and over again without any possible danger of its secret being detected.



Four Blocks of Wood Are Placed in Any Order in a Box, Which Box Is Locked. This Box Is Again Placed Into a Still Larger One, Which Is Likewise Locked. The Performer Enters the Room and by Peering Through an Open Tube Tells His Audience the Order in Which the Blocks Appear. The Compass and Steel Plates Do the Trick.

THE EFFECT: Two small boxes are passed for thorough inspection. They are so constructed that one will nest conveniently into the other. In the smaller of these chests are found four small blocks of wood, each individually numbered with digits from one to four. The closest inspection of this apparatus is invited, but nothing can possibly be found to arouse the slightest suspicion as to any concealed trickery or mechanism. A small metal tube about two inches long and one-half inch in diameter is also exhibited and freely passed around. The magician explains that he possesses a weird power of concentration, and by the assistance of this tube can place himself in a cataleptic state by which he acquires the power of X-ray sight, and is able to look through solid objects. In order to demonstrate his marvelous power he explains that during his absence from the room the spectators may arrange the blocks in any position they desire in the smallest of the boxes. By this arrangement he suggests that the total number of combination possible with an arrangement of four digits are considerable. He further explains that after this box has been locked it is to be placed in the second or larger box and this one also is to be securely locked and the key thereto retained by a member of the audience. The magician is then to re-enter the room, and will, by running the small tube over the top surface of the box, be able to penetrate the covers with his X-ray eyes and at once to state the exact arrangement of the numbers. The magician leaves the room and his skeptical spectators at once go to work to test the ability of the conjurer. The numbers are, we will state for example, arranged so as to indicate 4,132. The wizard re-enters, and as previously stated, mysteriously calls the total of the numbers, apparently doing nothing more than running the small tube or concentration instrument over the surface of the box.

Again and again the numbers are rearranged, and yet the performer states their arrangement with amazing ease and without


an error. All of the paraphernalia can be passed for thorough inspection at any period of the trick. Now for the explanation:

A glance at the diagram makes all clear. The boxes are unprepared, but the blocks are not as innocent as their appearance may suggest. It will be found that they are really composed of two layers of wood, between which in each respective block is placed a small piece of magnetized steel in different respective positions, as indicated in the diagram. Unknown to the spectators, the conjurer has secreted in his pocket a small tube, an exact duplicate of which he has passed about for inspection. In the lower end of this cylinder is affixed a compass. The tube otherwise is identical with the one examined. The workings of the trick are practically simple, as my readers will surmise. Regardless of the position of the blocks, the magnetized pieces of steel will register upon the compass point through the upper surfaces of the boxes. As the bars of steel are placed in different positions in the blocks, the indications of the compass will naturally divulge the number. The performer must, of course memorize the four positions, so that he will be in position to locate the individual digits during the test. The prepared tube is secretly exchanged for the one examined during the performer's absence from the room.

WALKING THROUGH A ROPE


This amazing and bewildering illusionary effect has for years baffled large audiences and has deceived magicians and those well up in the studies of the art of deception as well. I have presented this effect for a number of years, and have found it to be one of the most talked of sensational problems in any of my programs.

As the curtain rises, the stage is free from any paraphernalia of an unusual type with the possible exception of two posts, similar in appearance to those illustrated in Fig. 1. Two rows of chairs on either side of the stage and a table complete the stage furniture. The magician enters, clad in a costume of white flannel, the importance of which will afterward be understood. He states that he is about to present a miracle, and, contrary to all natural laws, will demon-



Walking Through a Rope Previously Passed Out for Examination. This is Pushed Through Holes in Both Posts. Two Men Hold the Ends of the Rope While the Performer Covering It in Front of His Body, Passes Right Through It. Note the Rope Concealed in the Post, Which is Fitted with the Trick Joint.

strate that it is possible to pass a *solid* through a *solid*. For the objects of his experiment he will use his own body and prove that there is nothing that can obstruct his passage through a solid substance. Upon the table, standing upon the stage, are several lengths of unprepared rope, each about ten yards long. To heighten the effect of



The Method of Reading the Figures on a Bill from a Distance of Thirty or Forty Feet, is Illustrated in the Above Chart. The Performer, if Possible, Maintains an Almost Ceaseless Patter with His Spectators on Either Side. The Medium is Twenty or Thirty Feet Away. By Straightening the Bill Repeatedly, and Changing the Position of His Fingers, the Magician Informs the Medium of the Proper Figures in Their Correct Sequence.

the offering and to further convince his audience that the items of this experiment are absolutely without pre-arrangement, or preparation, he invites a committee from the spectators to go upon the stage, so they might partake in the offering and inspect all that is used.

After the committee has been secured, the ropes are passed for thorough inspection, and one is selected for the purpose of the test. This rope is passed through two holes in the top of the posts as indicated below, and the performer stations himself directly back of the rope at a point midway between these posts. The magician explains that the posts act as an obstruction should he be accused of lifting or lowering the rope at any time during the presentation of the trick. The opposite ends of the rope are held by two assistants, one on either side of the stage. Two attendants now come forth and hold a small cloth two feet wide and three and one-half feet long in front of the performer's body, so as to obstruct the view of the section of rope between the posts and that part of the performer's body from the sight of the audience. The upper part of the performer's body and his legs are in full view at all times. The performer is now seen to mysteriously walk forth and pass through the rope. The cloth is removed and the rope is found intact as before the presentation. The rope is now withdrawn from out the posts and passed for thorough inspection. Nothing can be found to help solve the mystery.

Now for the secret: One of the posts is genuine and entirely unprepared, the other not quite as innocent.

Referring to diagram Fig. 3, it will be seen that in the hollow post is constructed an arrangement composed of a series of three wheels over which passes a duplicate piece of rope which is concealed from view prior to the performance. In a section of this rope is a trick-joint operated similarly to a screw-plug, which can be opened or closed by one or two twists. To one of the free ends of this rope is affixed a bayonet-catch, and to the other end a catgut loop.

(Continued on page 164)


Scientific Problems and Puzzles

By ERNEST K. CHAPIN

NO. 9 OF A SERIES

IMPERMEABILITY

EVERY traffic collision impresses upon us the well known law of impermeability which states that two or more bodies cannot occupy the same space at the same time. Why, then, is it possible to sprinkle a whole spoonful of sugar into a cup brimful of coffee or hot water without a drop of the liquid over-



Two Bodies Cannot Occupy the Same Space at the Same Time. How Then Would You Account for the Fact That Sugar Dropped Into a Cup of Coffee Does Not Cause the Volume of the Liquid to Increase Appreciably?

spilling the edge? Or, to take another instance, why is it that certain liquids such as water and alcohol can be mixed together with the result that the volume of the mixture is less than the sum of the volumes of its constituents?

COMPARISON OF HEAT QUANTITIES

The great variety of current expressions employed to describe hot objects and hot places has scarcely a counterpart in any other phase of our descriptive vocabulary. "As hot as a Dutch oven," "red hot," "white hot," "boiling hot," "as hot as blazes," we say rather indiscriminately when sometimes we refer to extremes of temperature and sometimes to great quantity of heat—an entirely different thing.

All of which goes to show that our ideas of heat quantity are often confused with those of temperature and are usually rather vague in any case. If anyone is inclined to doubt this statement let him attempt to arrange a number of characteristically hot or cold bodies in order according to the relative amount of heat which he thinks each contains. Let him determine which of the bodies considered would melt the greatest amount of some solid, say mercury at -39° C., which would melt the least, and what would be the order of those intermediate. For example, let him compare the relative amount of heat contained in the following bodies: A pound of red-hot iron, a cubic foot of boiling water, the air in a baking oven at 400° F., the air in a room containing 1,000 cubic feet of air at 90° F., and the ice of known area and thickness on a frozen lake.

A QUESTION OF WEIGHT

Mistakes are often made, too, in comparing the weight of different objects. It is probably not very rash to assert that 90 per cent will fail on answering the following simple question when first confronted with it: Which weighs the most, a pint of milk or a pint of cream?

THE FLYING BIRD AND THE FLOATING STICK

Does a bird weigh anything when flying in the air, or a stick weigh anything when floating in water? To make the question more definite, suppose a bird is standing on


a perch in a large air-tight case. Will the weight of the case and contents change if the bird leaves the perch and flies around the case at the level of the perch? Or suppose we weigh a stick and a pail of water side by side on the same scale and then weigh them again with the stick floating in the water. Will any difference in weight be found?

THE SLIDING ROPE

Suppose we have a flexible rope lying out straight on a perfectly level and frictionless surface considerably elevated above the ground. Now let us pull one end of the rope to the edge of the surface and let it hang down over a light pulley at the edge. How will its motion change as the rope slides off? Will the acceleration of the rope be constant, as it is for a freely falling body, or will it increase? If it increases in acceleration will its rate of increase be constant or variable? The whole problem can be solved on the basis of Newton's first law of motion, which states that: The acceleration




Which is Heavier, a Pint of Milk or a Pint of Cream?



A Bird in a Glass Cage is Sitting on its Perch. The Bird and Cage Are Weighed by a Spring Balance. When the Bird Commences to Fly, Does the Weight of the Cage Increase or Decrease?


of a body is proportional to the force applied and inversely proportional to the mass of the body moved.



A Balloonist Suspended Himself from the Under Side of the Basket of a Rapidly Falling Balloon. When His Feet Struck the Water, the Descent of the Balloon Was Checked. Why?

THE BALLOONIST

During a balloon race not long ago one of the balloons sprung a leak while crossing a large lake. As the balloon neared the surface of the water the pilot got out of the basket and clung to some ropes from the



A Flexible Rope Lying Out Straight on a Perfectly Level Frictionless Surface is Permitted to Hang Down Over the Pulley. How Will its Motion Change as the Rope Slides Off?

under side so that he might free himself and thus escape being enveloped by the great bag when it struck the water. Strangely enough, as soon as his feet touched the water, the balloon ceased dropping so rapidly and actually supported the pilot until he was rescued. How can you account for its curious behavior?

Answers

IMPERMEABILITY


Sugar, and probably other substances, dissolves in water without producing much change in volume. Other substances such as ammonium chloride on dissolving produce a greater increase in volume. Some liquids, on the other hand, like alcohol and water seem to contract appreciably when mixed. While the theory which completely accounts for these facts has yet to be formulated, it is safe to say that these phenomena are made possible by the relatively large distances which separate adjacent molecules in a liquid. The molecules of the added substance can find room for themselves in the interspaces of the solvent much as a quart of beans might find room for themselves in the interspaces of a bushel of potatoes. In the case of the sugar the molecules by their presence produce little displacement of the water molecules, and hence little change in volume results when they are added. In the case of the ammonium chloride, there is evidently a little more displacement produced with a resultant increase in volume, while in the case of alcohol and water the affinity of the molecules for each other seems to result in bringing them closer together with a consequent diminution of volume of the mixture.

COMPARISON OF HEAT QUANTITIES

The quantity of heat that can be liberated by a certain body on cooling through a given temperature interval can be readily calculated by multiplying the weight of the body by the temperature interval considered and again by a constant called the *specific heat*, a constant which varies widely with different substances. Thus the specific heat of water

(Continued on page 164)

HOW-TO-MAKE-IT



This department will award the following monthly prizes: First prize, \$15.00; second prize, \$10.00; third prize, \$5.00. The purpose of this department is to stimulate experimenters toward accomplishing new things with old apparatus or old material, and for the most useful, practical and original idea submitted to the Editors of this department a monthly series of prizes will be awarded. For the best idea submitted a prize of \$15.00 is awarded; for the second best idea a \$10.00 prize, and for the third best a prize of \$5.00. The article need not be very elaborate, and rough sketches are sufficient. We will make the mechanical drawings. Use only one side of sheet. Make sketches on separate sheets.

FIRST PRIZE \$15.00


PENCIL SHARPENER

In need of a faster pencil sharpener and desiring to do away with the nuisance of always cranking it when a sharp point is needed, I remodeled one as follows:

Two pieces of phosphor bronze $\frac{1}{2} \times \frac{1}{4}$ inches are arranged as in the diagram. This constitutes the switch. The crank is removed from the pencil sharpener and a 1-inch pulley is put in its place. This is belted to an electric motor. No definite size is given for the base as no two motors take the same floor space. When the pencil is inserted in the sharpener the switch is closed and the motor turns it until the switch is opened as the pencil is withdrawn. A strong battery motor can be used in this sharpener, the pulley in this case should be small.

Contributed by

HAROLD STRAAT.




A Very Handy Pencil Sharpener is Shown Above. Driven by an Electric Motor, Which is Actuated Upon the Insertion of the Pencil Into the Sharpener.

SECOND PRIZE \$10.00

BOTTLE SIPHON

The accompanying picture shows the construction of a burette siphon, suitable for use with reagent bottles. The siphon is so constructed that a measured amount of the liquid may be removed from the bottle without pouring or applying suction by the mouth. We have the burette arm, A, graduated in cubic centimeters from 0 to 25, and a glass tube, G, which is supported in the bottle, K, by the stopper, L. To the upper end of A a three-way connection is fastened and to one of these tubes a rubber bulb, F, of a slightly larger capacity than the burette, is attached. The side tube, D, is provided with a rubber tube, E, and pinch-clamp. The lower end of A is, of course, provided with a stopcock, E. C is a glass plug which must be removed before withdrawing liquid from the bottle. To start the burette, close B, compress bulb F, with E clamped, then release the pressure on F, and the bulb will

draw the liquid through G into A. If it is desired to withdraw a large quantity of the liquid from the bottle, let the entire tube fill up to H with liquid. When B is opened, the liquid siphons over. To stop the siphon-



A Siphon Which is Operated by Means of a Rubber Bulb is Shown Above. This May Also be Used to Measure Certain Amounts of Liquids.

ing, close E. If it is desired to measure out a small quantity of the liquid, repeat the directions as given, but before the arm, H, fills with liquid, open E and keep open while adjusting the height of liquid in A by means of the stop cock.

Contributed by W. J. DUNMIRE.


THIRD PRIZE \$5.00.

A FUSE KINK

In experimental work, fuses are frequently blown out and the room left in total darkness, which often causes the experimenter to get a shock while inserting new fuses. To prevent this, equip two sockets with two 25-watt lamps and cut them in on the circuit, as shown in the diagram. With this arrangement, when the fuses blow the lamps will light dimly. This circuit is very efficient and useful to the average laboratory worker, as it will suggest many other uses for itself after its installation.

Contributed by

BYRON WILLIAMS.



A Lamp Indicator for Blown Fuses May Be Made and Connected as Shown Above. This Eliminates the Necessity of Hunting for the Fuse Which Was Blown Out.

ANTIQUE GREEN FINISH FROM BRASS.

An antique finish may be given to brass articles such as binding posts, switch arms


and the like by repeated applications of a dilute solution of acetic acid and exposure to the fumes of ammonia. A similar color can be given to copper by applying a solution of vinegar, blue vitriol and common salt. This mixture is applied with a brush. When the desired color is obtained, the work is washed, dried slowly (with applying heat) and then polished.

Contributed by CHESNEY Q. VOIGT.


HOME-MADE TAP.

To make the tap, get a bolt on which the threads have not been worn off and place it in a vise. Procure a drill and drill four holes about 2 inches deep in the crack between the nut and bolt proper. Have the holes drilled as evenly apart as possible. Unscrew the nut and you have a tap which will prove nearly as good as one purchased. In this manner you can make taps according to the holes required. Of course, in smaller bolts the holes that are to be drilled are made proportionately smaller. It is good to taper the end of the bolt after drilling the same.

Contributed by MICHAEL B. COHEN.



FINISHED TAP



METHOD OF FLUTING TAP

The Accompanying Drawing Illustrates How to Make a Home-Made Tap from a Bolt. The Threads Can be Hardened if Desired by the Well-Known Case-Hardening Process, Any Blacksmith or Machinist Being Familiar With It.

WATER-GLASS AS A CLEANSER

Of course everyone knows that eggs can be preserved in water-glass, but how many know of the various other uses for it? You can mix this water-glass with boiling water to the consistency of syrup and keep it in a bottle. If very dirty clothes are steeped in water to which some of this "syrup" is added, and they are afterward rinsed out and soaped, they will be much whiter than if washed in soap and water alone. This treatment often removes stubborn stains. Discolored glass dishes and vinegar bottles, etc., may be made brilliantly clear by washing with the solution, as also may stained pottery or enamel ware. Dark stains on marble may often be removed by mixing the "syrup" with whiting, rubbing the place well and then washing off with clean water. Sponges become beautifully clean and fresh if washed in hot water with water-glass in it and afterwards well rinsed. No doubt stone floors could also be cleaned with this mixture.

How To Build A Wind Power Motor

By G. G. McVicker

THE REAR AXLE UNIT OF A SMALL AUTOMOBILE AND A FEW OTHER PARTS COMPLETE THE PLANT FOR HOME OR SHOP POWER.

THE vast amount of wind pressure which sweeps over the earth's surface every twenty-four hours would perform a good part of the tedious jobs about the home or about the shop if in some way it could be harnessed and utilized in belt-power form. The expense of purchasing a power windmill, such as will deliver power to a pulley or belt, is enough to keep most experimenters with wind power from attempting the erection of such a power plant.

With this conviction in mind together with the thought that there are thousands of good mechanical parts discarded from old automobiles every month, caused me to plan some arrangement to make use of the latter and with their use secure the services of the air. The following drawings and explanation will give the reader the idea of a plant which may be erected at but little cost and as can be seen will be a practical wind motor.

With the development of generators and storage batteries for storing wind power, this plant will make an ideal home lighting plant, as the electrical units may be attached at the ground floor in place of being attached at the top of the tower.

At a glance the main part of the plant will be recognized as the rear axle unit of a popular small automobile. The tubings, shafts, bearings, gears and wheels are left intact as they were when in service as an automobile part. The parts not found in an old car from which the unit is taken will be easily constructed without a lathe or machine tools other than a forge and drill press.

The front end of the torsion tube is sawed off just back of where the radius rod lugs are attached. This leaves the end of the drive shaft protruding sufficiently far for

connecting a hollow shaft on the square end of the drive shaft. This also leaves a collar on the part of the tube to be used and makes a bearing for the latter to rest against. It will be seen that the tower for this plant is nothing more than a pipe two and one-half inches in diameter which is held in its upright position by means of four or more guy wires attached at the top of the pipe and well anchored in the ground on several sides of the pipe and well back from it. As the axle tubing is tapering the tower pipe will equal the latter diameter about $\frac{1}{3}$ the distance up from the end collar. At this point there is clamped a collar on the tube which will carry the weight of the upper parts and allow these parts to turn freely as the various directions of the wind will demand.


At the top of the tower pipe is attached a clamp arm extending about 8 inches to one side. This to form a support for the link (F) and arms (I) which are operated by a wire from the ground to stop the wheel by turning the edges to the wind. The arm (G), better shown in the small drawing, is clamped to the tube and also has a set screw to prevent it from turning. This piece carries two pulleys both with wide grooves so that the chain will not run off when it has to operate at an angle with the sides of the pulleys. The arms (J) and (K) are formed to fit freely on the tube and both carry the vane which extends to the side to keep the wheels to or from the wind as wanted. A coil spring formed from $\frac{3}{8}$ spring steel rod has its lower end attached to the vane arm and the upper end attached to the tube. This is to turn the wheels to the wind and thus hold them when the controlling wire at the ground is released. A chain connected to the swivel collar (E) passing around the pulleys pulls the vane arm around when stopping the

mill. This action is better understood by the drawing at Fig. D.


To hold the fans or blades on the wind wheels, irons as at (Fig. P) are bolted to the rims of the wheels, using two bolts between each spoke. Or for more power more blades may be attached by bolting on more of these supporting irons. Each of these are formed from $1\frac{1}{8}$ by $\frac{3}{8}$ machine steel, and each prong is given a 45 degree twist so that the wind blades will sit in position to receive action from the wind. The blades are each 36 inches long and eight inches wide and made from flat sheet steel of 20 gauge thickness. These are riveted to the supports on the wheel rims.

The base of the pipe tower is clamped between two six by six timbers and rests on a metal plate having a hole large enough for the shaft to pass through but not the pipe which serves as the tower. This plate is bolted to the bottom of the timbers which clamp the pipe, and these timbers are bolted to posts set in the ground which support the whole. The shaft which transmits the power from the end of the automobile drive shaft to the bevel gear at the bottom of the tower may be a piece of $1\frac{1}{4}$ inch pipe squared at the upper end to fit the drive shaft, and with a piece of shafting of its own inside diameter riveted in the bottom end to pass through a bearing at the bottom of the pipe tower and to receive the bevel gear. A horizontal shaft with gear and pulley may be arranged at the base as conditions best call for. The shaft from the tower may extend on into a well beneath and be connected direct to a rotary gear pump placed therein, if a part of the power is to be used for pumping water. Or a crank may be placed on the belt pulley to operate a stroke pump.

(Continued on page 164)



By Removing the Complete Rear End From An Old Automobile, and Fitting the Wheels With Vanes, It Becomes Possible To Develop a Very Efficient Type of Wind Power Motor Which May Be Used For Generating Current and May Be Employed In Various Other Ways, Such As For Running Small Lathes and Pumping Water.



The Principles Employed By Professor Foley of the University of Indiana In Actually Photographing Sound Waves, Some of Which Photos Were Published In An Article In This Magazine Several Years Ago, Are Brought Within the Scope of Experimentation By the Apparatus Here Described By Mr. Kenworthy. A Small Static Machine Is Used To Charge the Condenser, Which Causes a Spark To Jump In Both Gaps, the Electrodes of the Gap At the Left Being Made of Short Pieces of Magnesium Wire, While Copper or Brass Wire Will Serve As the Electrode Material For the Sound Wave Gap At the Right. Detail A Represents the Shadow of the Spark Gap and the Sound Wave Before It Has Progressed Very Far. In B the Wave Is Further Away From the Gap. C Represents a Wave That Has Been Reflected From a Plain Surface, and D, a Wave Reflected From a Concave Surface.

The Instantaneous Photography of Sound Waves

By ALLAN R. KENWORTHY

A NUMBER of years ago Professor Foley of the University of Indiana devised a means of photographing a sound wave in a gaseous medium. The method is thoroughly reliable and practical and is available for the average experimenter, who possesses or is capable of constructing the required apparatus, the one essential being a fairly large static generator, preferably of the Toepler-Holtz or Wimshurst types.

In principle, the method consists of the generation of a sound wave of peculiar shape by an electric discharge in a specially constructed spark gap. By the laws of refraction the sound wave, which is of different density than the medium through which it progresses, is capable of casting a shadow, therefore, by illuminating the sound wave by a properly timed electric spark of great actinic intensity, the shadow may be photographed.

The apparatus required to make this unique experiment consists, essentially, of five parts; a high-voltage condenser, a static generator for charging the condenser, the spark gap at which the sound wave to be observed is produced, the spark gap for illuminating the sound wave, and the photographic plate which may be replaced, if desired, by a screen or a piece of ground glass, should direct visual observation of the progression of the wave be required.

The condenser, from which the necessary electrical energy is taken, should consist of a battery of Leyden jars arranged in a series-parallel connection and adjusted so that when fully charged the potential is just sufficient to break down the resistance of the spark gaps. To charge the condenser, a static generator of the induction type should be employed, preferably a Wimshurst machine. Both condenser and static machine should be placed as near the other apparatus as possible in order that the wiring between the various parts can be kept at a minimum. If necessary, suitable screens should be arranged about the condenser and generator to prevent stray rays of light due to corona, etc., from reaching the photographic plate.

The spark gap at which the sound wave is created should be made of a piece of hard rubber rod approximately .5 inch in diameter and 1.5 inches long. Reference to the illustration will show the manner of its construction, which is such that the sound wave formed, instead of being spherical as is the normal shape of a sound wave generated at a point source, is cylindrical, the contour of compression being parallel with the normal axis of the spark gap. Heavy copper wire is suitable material for the electrodes of this gap.

The spark gap at which the light illuminating the sound wave is produced should be constructed from a piece of fibre or bale-

lite tubing approximately 1 inch in diameter and 3 to 4 inches long. The electrodes of this gap should be short pieces of magnesium wire arranged in such a manner that they can be conveniently renewed. As the metallic magnesium is usually available in the form of ribbon, the wires forming the electrodes will have to be cut from this material. By using magnesium, the actinic properties of the light from the gap are materially increased.

Both spark gaps should be mounted on suitable supports to permit their ready adjustment. All connections between the spark gaps and the condenser should be made as direct as possible and sharp turns avoided, especially in the connections to the spark gap which supplies the necessary illumination.

While the light furnished by the discharge at the magnesium electrodes is very intense, it lasts but for a very small fraction of a second, therefore, to produce a good photograph of the shadow of the sound wave, the plate used must be very sensitive. Photographic plates of the ultra-rapid type may be employed in the experiments, but specially prepared plates sensitive to ultra-violet radiations or the plates used for X-ray work are to be preferred. The size of the plates used is rather immaterial, although the use of plates smaller than four by five

(Continued on page 195)

A Solar Stove of Tin Plate

By W. I. GRIPENBERG

LIKE wind power, solar radiation, as available on the surface of the earth, is fitful and uncertain and the flow of power is comparatively weak.

The concave mirror, whose serviceableness for cooking small meals was shown many decades ago, has apparently not yet undergone the requisite simplification as to material and construction.

The writer was some years ago led along a chain of reasoning, that need not be described here, to build a cooking-mirror of tin plate, and this, despite the seeming worthlessness of the material, has proved so useful that he cannot help thinking that a great many people the world over would be most glad to avail themselves of a similar apparatus.

To procure tin plate is easy, but shaping it into a spherical mirror requires special machinery or professional skill. It was therefore cut into seven strips each one meter (3.28 feet) long and fifteen centimeters (5.9 inches) broad and bent by hand into cylindrical mirrors of 1.5 meter (almost 5 feet) radius and then arranged into a frame made of laths so as to form roughly a spherical surface. Obviously, this mirror has also the advantage that it can easily be taken apart and transported or can have


parts replaced if damaged. The construction is clearly shown in the figures and needs hardly any description.

The focus covers approximately the bottom (which always must be black) of an average sized cooking vessel. The bottom may be painted with lamp black or covered

rinsed in pure water. Touch the mirror surface as seldom as possible.

The frame of the grate, if made of wood, must be protected by means of bright tin plate.

What is the main value of the apparatus described?



Side, Top and Front View of a Solar Stove Made of Tinplate and a Wooden Frame. For Camping Purposes This Kind of Heat is Very Efficient. The Alarm Clock and Weight System Maintain the Focal Point Directly Under the Pot.

with soot.

Although the mirror is very inaccurate, the focus, none the less, possesses remarkable power of setting fire to paper, wood, etc., which must be borne in mind when the mirror is set aside after use. It is inclined face downwards and in a northerly (southerly if south of equator) direction, to about 45 degrees and so is also protected against dust.

In the beginning it is almost unavoidable that splotches on the mirror occur. These are removed with a wet sponge several times

It enables all those interested to get practical first hand knowledge of what solar power can do and they will in most cases be agreeably surprised.

Whether the average housewife will take easily to the solar stove is another matter. Necessity can do much, however.

That solar power is independent of social disturbances is perhaps not its least advantage. All other fuels are mainly provided by the grown-up male population, but the solar stove can be tended by the children, a good thing in critical times.

How to Build a Solar Cooker

By DR. C. G. ABBOT

ASSISTANT SECRETARY SMITHSONIAN INSTITUTE

*Polly put the kettle on
And we'll all take tea.
—Old Song.*

A HOT oven without a fire, a kitchen as cool as the parlor, these are the luxuries that come with a *solar cooker*. There are two ways of making one. The simpler kind is like that which Mr. W. Adams of Bombay made nearly a half century ago and described in the *Scientific American* of June 5, 1878. He built of wood an eight-sided cone which he lined inside with mirror glass and hinged upon a board so it could face the sun. The dish to be cooked was enclosed in a blackened, tightly covered pail hung at the center. A glass cover enclosed the pail to keep away wind. If, now, the cone was kept pointed towards the sun, a lot of its rays would be roughly focused upon the blackened pail, and its contents to be cooked could quickly be brought to boiling or, if no water was present, even hotter. Mr. Adams states that the rations of seven soldiers, consisting of meat and vegetables, were thoroughly cooked by it in a couple of hours, in January, the coldest month of the year in Bombay; and that the men declared the food to be cooked much better than in the ordinary manner. The dish is stewed or baked according as the steam is retained or allowed to escape.

But suppose the sun goes behind a cloud

just as one wants to get dinner, and the clouds hangs provokingly in front of the sun for an hour though the rest of the sky remains clear. Such a catastrophe, a few times repeated, would be apt to make the men of the house kick the sun-cooker out into the brush.

To avoid this unreliability in solar cooking, a new scheme designed to keep the food cooking during nights and cloudy weather has been tried on Mount Wilson, California, at the solar observatory of the Smithsonian Institution. Instead of hanging the dish to be cooked directly in focus of the sun-rays, we provided a hot reservoir of oil above the mirror in which were ovens for the cooking. In order to carry heat from the focus of the mirror to the ovens, there was a circuit of oil pipe running up from the mirror focus to the top of the reservoir and back from the bottom of the reservoir underneath the mirror to complete the circuit. This plan is exactly like the gravity water circulation used with cook stoves and furnaces to heat a reservoir of water for the house, only that gas engine oil, instead of water, had to be used for the solar cooker, so that baking temperatures much higher than the boiling point of water would be possible.

In the contrivance as shown in the illustration, the sun-rays are focused by a great concave parabolic sheet of shiny metal upon a *blackened brass tube* containing the oil.

The tube must lie so as to point at the polar star, and the metal mirror must rotate around it to follow the sun from east towards west every day.

In order that the solar heat may not be wasted, or the mirror be dimmed by dust, the whole top of it, about 10 feet by 7 feet in area, is covered by 10 sheets of flat window glass, laid on a steel frame work. This glass may be easily cleaned occasionally, so that the sun-rays can pass through it freely and it keeps out the wind currents which would tend to cool the focus-tube. To still further prevent loss of heat, the focus tube, which is about 1½ inches in diameter, is surrounded by a glass tube about twice the diameter. Notwithstanding its two glass protectors, more heat is lost from the focus tube than from all other parts of the apparatus. All the other parts, including the reservoir and connecting tubes, are covered to a thickness of about six inches with layers of asbestos and cotton-battening enclosed by bright steel metal to keep out the rain.

The iron reservoir, 40×40×120 cm. (16"×16"×4') outside, has approximately 20,000 cm.² (21.5 sq. ft.) area. It is protected from wind by its galvanized iron case, and from heat conduction by 10 cm. (4") of boxwood and 10 cm. (4") of cotton wool, moderately compressed, on every side.

The mirror itself, 10 feet long, 7 feet wide, was made up of structural steel in five

sections each 2 feet in length. Each section was framed by a pair of L-shaped members bent to the form of a parabolic bow and its chord. On the front of each pair of curved L-irons was fastened a thin sheet of smooth steel which itself, if it were polished, would accordingly have formed a mirror, but as this would have been a very poor reflector, it was proposed to cover the steel sheets with sheets of tin-foil and this experiment was first tried. Owing to an unfortunate leakage of oil which occurred at a certain joint in the pipe, the tin-foil became very dirty before the end of the experiments, but this was not the most serious trouble. It was found that no suitable means of fastening the tin-foil to the sheets of steel could be arranged. For as the mirror became heated, as the experiments went on, the tin-foil puffed up in blisters all over the surface and so spoiled the definition of the mirror. Accordingly, the preliminary experiments, although very promising, were not satisfactory, for the reason that no suitable mirror surface had been provided. An order was accordingly given for sheets of polished aluminum, somewhat thicker than the tin-foil to take its place.

The polished aluminum sheets were screwed to the parabolic steel backing to serve as a mirror surface. Their reflecting power was measured by fastening a piece of aluminum sheet to a flat board and attaching it as a mirror to an instrument to reflect sunlight. Two observers then observed the sun's brightness, the one close to and pointed at this mirror, the other pointed directly at the sun. The mean of 5 pointings to different parts of the mirror indicated its average reflecting power as 77.3 ± 2.2 per cent. In several months' use no apparent change appeared in the hot mirror. Some loss of heat occurred by imperfect shape of the aluminum mirror surface, so that a small proportion of the rays reflected shot by on the sides of the oil tube. This proportion, thought it could not be measured accurately, seemed small, perhaps 10 or 15 per cent at most.

Recalling that the mirror was covered by window glass only fairly clean, as it could not be continually kept in the condition of a lens or prism, we may set the transmission of it at 85 per cent. Further recalling that the oil tube was protected by a glass tube, another loss of 15 per cent may be admitted for it. Within this glass was the lampblack-painted tube whose absorption may be set at 95 per cent. Recalling further that no provision was made for the seasonal motion of the sun, so that the mirror was right only on the equinoxes, a small loss occurred at the mirror ends by rays not reaching the mirror surface and reflections not reaching the tube. This diminution of the effective size of the mirror varies with the time of the year. An average value for it is 5 per cent. A great loss, not a feature of the instrument, but of its location, was due to the shade of trees that could not well be removed. This practically cut off all sun rays after 1 o'clock in the afternoon, besides

producing a little shade in the early morning, and thus amounted to a loss of about 40 per cent during the day.

Summing up the seven transmissions:




Glass, 85 per cent; aluminum, 77 per cent; glass, 85 per cent; focus, 85 per cent; blackening, 95 per cent; declination, 95 per cent; shade, 60 per cent; or $85 \times 77 \times 85 \times 85 \times 95 \times 60 = 25.6$ per cent.

At the Right Is Shown the Solar Cooker Built By Dr. C. G. Abbot. Polished Aluminum Sheets Serve As the Reflectors. This System Is Today Being Employed.

It thus appears that only about one-fourth of the sun's heat available during the day was collected to warm the oil. Of course, the shade of the trees was absent much of the time. The factor would then rise to 43 per cent. The loss at focus could be avoided by more accurate construction, and perhaps means could be found to keep the glasses clean enough to raise their transmission to 90 per cent. It would be impracticable to substitute silver on front of glass for the aluminum, and silver on back of glass reflects but little better than aluminum, besides being costly, heavy and fragile. Hence we may set the maximum attainable efficiency at $90 \times 77 \times 90 \times 95 \times 95 = 56$ per cent.

Of this possible maximum efficiency, by neglecting the tree's shading, we attained 77 per cent.

The mirror motion is arranged in a very cheap but effective way. A large grooved wheel attached to the mirror has hung from its outer edge a wire and heavy weight which tends to turn the mirror westward. But on a groove in a second smaller part of the wheel is another wire wound around the wheel in the opposite way, which restrains the turning of the mirror. This second wire ends in a clock-work, so that as the mirror turns westward the clock-work hums along pretty fast. But soon a hand like a clock hand, which it carries, hits a pin, and the motion is stopped. Then the mirror must




wait motionless until a little common alarm clock with a 12-pin wheel on its back has ticked off about two minutes and released the catch which held back the mirror. This happens once each five minutes. So the mirror is always within a very small angle of exactly right in its position to focus the sun-rays on the hot tube of oil. A single setting of the mirror to face the east in the morning is all the attention it needs. The clock-work does the rest.

But why does the oil run uphill from the mirror to the top of the reservoir? Because the heating of the oil makes it expand, and become lighter. So the hot oil tends to rise to the top like froth on a boiling kettle. The cooler, heavier oil at the bottom of the reservoir sinks to take the place vacated by the hot oil in the tube. In this way gravity keeps up a continual circulation as long as the sun shines.

There are two ovens inserted, one near the top, the other near the bottom of the reservoir and surrounded on all sides, except where the door opens, with oil. The upper one is always hottest because the hotter oil is lighter and keeps on top. Accordingly, bread-baking must be done in the upper oven, but cooking meat, vegetables, or breakfast foods may be done in the lower one. The upper oven reaches a temperature of more than 310° Fahrenheit during sunny days, and sinks only to about boiling temperature, 212° Fahrenheit, at night.

All kinds of cooking except frying can be done with this range of temperatures. The dishes are prepared in a cool kitchen, and carried just outside the door to be placed in the oven. That there may be no danger of burning anything, a self-regulator of temperature was devised. This is a float on the top of the oil in the reservoir which, when the oil is below a desired temperature, and therefore below a certain level, opens a side pipe about half way up so that the lower half of the oil in the reservoir does not enter the circulation. But if it gets hotter this side pipe is closed by the float, and then all the cooler oil enters into circulation from the bottom. Thus it is safe to leave the dinner to cook without watching.



1—The Filtered Precipitate of Silver Sulphide Is Boiled With Nitric Acid Until It Assumes a Yellow Color. 2—Apparatus For Precipitation of Silver Sulphide From the Hypo Bath. The Flask At the Right Generates Hydrogen Sulphide; the Second Contains the Hypo; and the Third Is a Beaker Containing Caustic Soda. 3—Printing At An Angle, If One Part of the Negative Is Dense and the Other Soft. 4—Spotting Out Holes and Bad Spots On the Negative On a Retouching Table Made of Thin Wood. 5—Special Printing Outfit. The Printing Is Done In Subdued Light. No Dark Room Being Required. 6—Making Clouds With the Aid of a Pocket Flashlight, Whose Lens Is Covered With a Black Sheet of Paper Perforated With a Pin Hole.

How to Use Your Camera

By Dr. ERNEST BADE

NO. 6—THE PRINTING OF THE PICTURE AND THE RECOVERY OF SILVER FROM SOLUTION

THE thoroughly washed and dried negative is seldom ready to be printed. Here and there a few spots will often be found, as well as tiny holes in the silver layer, many of which originate from specks of dust. These must first be removed with Chinese ink, the black ink being placed over the holes. These holes, which are now black, appear as white spots upon the paper print. They can easily be removed, after printing, by painting over with negative ink. Black holes upon the positive can seldom be removed effectively.

Such work is best accomplished upon a so-called retouching frame, which illuminates the negative from the back, so that all faults can readily be seen. It can be built up of either thick cardboard, or thin wood. It is also excellent for opaqueing parts of the negative which are not to be printed.

Daylight printing papers are seldom used now. They do not keep long if they have not been carefully prepared, and many a successful photo on such paper deteriorates rapidly and bleaches.

The modern gas-light papers are far better for general use, and the manipulation of the print, after it has been exposed in the copying frame, is similar to the development of the negative. But the papers are less sensitive to light, and then, too, there are various grades of paper, some for very thin negatives, some for normal negatives, and some for very hard or dense negatives. With this choice of papers, it is a comparatively simple matter to select the correct paper

to attain any desired effect and to work well with any density of negative.

Although the hydrochinon developer gives excellent results for the production of negatives, it cannot be used for the development of the print. The best results are always obtained with developers of those special types recommended by the manufacturer of the paper selected. The process of printing is simple. The negative is placed in the printing frame in such a manner that the emulsion side faces the paper which is placed on top of it. The frame is then closed by clamping in the backboard, and exposed to gas or electric light. With a comparatively strong source of illumination, an exposure of about one minute will be sufficient. Never judge the time, always use a watch. If the first print is not satisfactory, make another, but this time lengthen or shorten the period of exposure as the case may be.

Nothing is visible on the exposed paper. It only becomes visible after developing, which does not have to be carried out in a dark room although the light, in which this process is carried out, must be subdued. When the positive is sufficiently dense, it is washed in water and quickly placed in a hypo solution (32 oz. water and 8 oz. of sodium thio-sulphate), where it is fixed. Ten or 15 minutes in this last bath is sufficient, although it may remain longer without injury.

When fixed, the paper positive is to be washed in water, the cork clips being again used for this purpose. After all hypo has been removed by the wash water, the prints

are placed, face up, upon news-papers and the surplus water remaining on the print is carefully and gently rubbed off with a soft, clean rag, the prints then being left on the paper until completely dry. The prints are wrinkled and curled. Quickly ironing them with a hot iron on their back makes them perfectly smooth, although they may roll slightly. This last defect is most readily removed by simply pressing them between two books, or otherwise, for 24 hours.

If a few spots were blackened on the negative, these will be visible on the print as white areas. With the aid of black retouching pigment (or Chinese black) the spots are easily removed, care being taken that the tone given equals that of the surroundings. If the print is to be mounted, this slight retouching must wait until this has been accomplished. The "spotting out" of holes is the last thing to which the positive is subjected.

Under certain conditions, a negative must be retouched if certain parts print too dark. Here nothing else can be done than to use a soft pencil, and make these parts slightly denser. Larger areas, which demand extensive drawing, are not to be considered in this way. When a negative, on the other hand, prints unequally, one side being too dark while the other is too light, no retouching is necessary. This fault can be equalized by printing. In such a case the printing frame is held in such a position to the light that the denser parts are strongly illuminated while the softer weaker parts receive less light, and this is accomplished by simply

turning the frame at an angle to the source of illumination.

A process for printing difficult negatives with gas or electric light consists in exposing the paper for a sufficient length of time so that the darkest parts attain the correct shade. The lighter thinner parts are, of course, over-exposed, and this is corrected by treating the print in a solution of bichromate, whose strength is varied according to the degree of softness desired. The solution is first tested with a few pieces of paper before it is used; then, after the paper has been exposed, and before it is developed, the print, whose image is still invisible, is placed in this solution for about 2 minutes. A special developer is not necessary, but cleanliness is essential.

The stock solution consists of


Ammonium bichromate..... 28 gr.

Water 280 cc.

The salt is dissolved in the water after it has been heated. This stock solution is largely diluted for use, a dilution of 1 part to 1,000 parts of water being approximately correct.

It is quite a venturesome expedient to produce clouds on the print of a landscape with a flashlight whose opening has been reduced to a pin point, although this, as well as smoke from a chimney, can be produced in this manner before the print is developed. Such a trick is sometimes very effective. An acquaintance of mine was unable to print the enlargement of a portrait successfully, although the negative was excellent with the exception of the details of the eye which were flat. Only after he had used a flashlight, after normal exposure, to intensify the light in the eye, was an exceptionally pleasing and artistic print secured.

Clouds can also be printed into a landscape by simply smoking the reverse of the negative with soot from a candle, but the soot should only be deposited where there is sky.



Detailed Drawing of the Generating Flask. The flask is an olive bottle whose mouth is closed with three-holed stopper. A is the safety manometer, an ordinary test tube cut off and fitted to a glass tube by means of a one-holed stopper. B is a perforated glass basket containing iron sulphide. D is hydrochloric acid diluted, and C is the delivery tube.

otherwise the result will be a failure. In fact, these artificial clouds seldom, if ever, compare favorably with those taken naturally.

Many amateurs consider glossy paper prints with a certain degree of disfavor, which is quite unnecessary. The gloss gives the prints an apparent depth which is lacking in some other types. This is quite important since depth, even if only apparent, is a necessary qualification for any good photograph. To attain the same effect upon a matt paper requires a negative giving good contrasts, a

characteristic lacking in many negatives. For artistic enlargements, only a matt paper is recommended, and then a type which is as rough as it is possible to obtain. This reproduces artistic effects to the best degree.

Since quite a little silver is dissolved in the old fixing baths, both from the negatives and from the prints, it sometimes is advisable to remove it from the solution, the recovered silver being either sold if it is obtained in quantities sufficiently large, or used for experimental purposes. The old hypo baths are collected until a quart, a gallon, or more, as the case may be, is at hand. Then the silver is precipitated from the solution by hydrogen sulphide generated in a safety generator, which consists of an old olive bottle, a long safety tube, and a glass basket containing iron sulphide and which can be raised and lowered. The bottle contains dilute hydrochloric acid. The gas is passed into the large flask of used hypo until the solution is saturated. The silver sulphide precipitate is black in color, and is filtered out, and the precipitate is washed once with water. Then the filter paper with the precipitated silver sulphide on it is placed in strong (not concentrated) nitric acid, and the whole is boiled until of a straw color due to separated sulphur. When yellow, the mass is filtered to remove the sulphur and fibres of the filter paper, after which it is carefully evaporated to dryness, and the silver nitrate is collected and kept separate. When a quantity of this crude silver nitrate has been obtained, it is purified by careful fractional crystallization. On long standing, old hypo solutions decompose, forming hydrogen sulphide, which precipitates some of the silver as silver sulphide on the walls of the vessel. This can usually be recovered by the use of nitric acid. Care must be taken that the potash solution is not drawn back into the flask.


Simple Wood Turning Lathe

The chuck of this home-made wood turning lathe (3) is held by a set screw in a hole bored in any free end of a shaft. Mine is held in the little piece of crank shaft extending from the fly wheel of a 1½ horsepower gasoline engine. The engine, which runs at about 550 r. p. m., furnishes the driving power. The chuck itself is only a ½ inch bolt hammered flat and then filed into the desired shape.

The center, 1, is probably the only thing the amateur will need to have made, unless he happens to have access to a metal turning lathe. The screw, 2, preferably a square threaded one, and hand wheel, 4, can be found almost anywhere. The length of the screw will of course limit the length of material that can be handled in the lathe and therefore it is advisable to have it at least 2 feet in length, which would then allow the lathe to take work up to about 18 inches in length. The center, 1, is held securely by means of a rivet. Before attaching the center, however, the bearing for the screw should be made.

The bearing, 5, shown in end and sectional elevations is a piece of good, sound wood about 8x8x4 inches and cut in the manner shown. A hole

1½ inches in diameter for a ¾ inch screw is drilled; the screw is put into the hole and the hole is poured with babbitt metal the same as an ordinary bearing. Care, however, must be taken before pouring the babbitt to have the screw centered perfectly in the hole or there may be some difficulty in aligning the lathe later. The best way is to lay the flat side of the block on a smooth surface so the babbitt will have no chance to run out and brace both block and screw well prior to pouring. The notches shown cut on each side of the hole are to prevent any possibility of the babbitt turning with the screw.



The Wood Turning Lathe Shown in the Diagram is Made Entirely Out of Material Usually Found in the Experimenter's Laboratory. Its Construction is Very Simple and the Time Required to Build the Same Has Been Reduced to a Minimum.

The whole is then securely bolted to a heavy plank or bench, as the case may be, facing the shaft end.


The rest for the cutting chisels is fastened to the same base as the bearing block. The 2 x 4's, 6, are slotted to allow their sliding in and out according to the size of work required to be done. The round blocks, 8, may be turned on the lathe before the rest is ready and are made about 2 inches in diameter and 4 inches high. This, however, may vary to suit conditions. The rest, however, should be up about level with the center for best results. The angle iron, 7, for resting the cutting chisels on, should

run at least the distance between the end of the shaft and the face of the block.

Very good cutting chisels may be ground out from old files of different sizes and shapes.

With a lathe of this nature it becomes possible to construct floor lamps and various larger and really appealing articles of furniture. If the distance between the centers is not great enough to allow for the construction of the floor lamp in one piece, the entire is made up of sections and then coupled together by doweling and gluing.

Contributed by E. V. S.



Wherever There Is Available a Small Body of Water, Such As a Lake, Brook or Other Small Stream, Barrels of Fun and Pleasure May Be Obtained By Young Boys or Grown-Ups With This Home-Made Side-Wheel, Flat-Bottom Boat. The Cost Will Vary, Depending Upon Whether the Lumber Can Be Obtained Second-Hand, Or Whether It Has To Be Purchased New, But In Any Case the Cost Will Not Be Excessive. A Small Gasoline Engine, Such As a Motorcycle Engine, Might Be Attached To One of the Paddle Wheels, Preferably Arranging This Paddle Wheel At One End of the Boat. As Pointed Out By the Author, a Short Mast, Boom and a Triangular Sail May Be Added to the Craft, and Advantage Taken of the Wind to Propel the Boat.

Constructing a Side Wheel, Flat Bottom Boat

By GEORGE A. LUERS

THERE is hardly a stream which cannot be dammed up in an hour or so of work with shovels, to provide a half acre of shallow lake of a foot or foot and a half in depth. With this small lake and the side wheel driven boat shown in the attached drawings, four boys can find many an hour of sport and fun, skimming rapidly over the surface, turning wide circles, all the while learning something about navigation and boating. The foremost feature in this type of boat, is that it is perfectly safe. The outriggers prevent it turning over, while the boys will find further that there is considerable more real sport in turning the propelling wheels and feeling it glide away, ever alert to make changes in its course under the guidance of the rudder, than they will in the usual bad practice of trying to find how much tipping or rocking they can get out of it.

The details have been made to involve the least amount of work or materials. Boys who are handy with the saw and hammer will find no difficulty in assembling the parts of this simple flat bottom boat, fitting the outriggers, the rudder and the propelling side wheels. To carry this boat, to and

from the lake, the outriggers, provide a most advantageous set of handles, the boat being carried by four boys, one at each corner. Of course the weight of the boat depends upon the material which can be obtained for the construction. White cedar is the best; white pine is usually the most convenient but hard to get. Cypress is very good, but is a somewhat heavy wood. Five-eighth inch white pine, not dressed or planed can very frequently be obtained from the saw mill and will provide a light boat that can be carried for long distances, without tiring those who are carrying it.


The side planking of the boat is made of one piece on each side, while the bottom is of two pieces, with a center strip over the seam. The ends are made of two pieces of wood and a center strip, placed with the grain of the wood crosswise of the boat. The outriggers are continuous strips, with cross fasteners at the extreme ends of the boat. The side wheels are made with crank handles as are shown in the details. In turning the side wheels the boys sit on seats, facing each other. Two boys can of course propel the boat; however, the speed is greater when all hands turn to the

work of rotating the side wheels. The rudder is a single part or plank, fitted with a hinge and control cords convenient to a member of the crew, who is facing forward and in a position to control the direction of the boat. The seams of the boat should be securely nailed to prevent them leaking. Before nailing up the seams of the thin sections joining the bottom, strips of doubled cloth or canvas should be placed between the edges of the wood. Saturate this cloth in some old oil paint, put the nails in close together and the finished boat will be kept practically free of water.

Later on it may be desired to add a short mast, boom and a triangular sail, that is after the operation of the boat is learned and the mystery of the sailing boat opens up a field for further experimenting. For this reason it is well to be careful in making up a good tight boat, fitting up the seams tight, and taking care of the boat after it is made. A coat of paint on both inside and outside will keep it in good condition, especially through the winter, when for protection and safety it should be kept under the covering of a barn or other house, where it will not fill with water and freeze.



THE CONSTRUCTOR



How To Build A Motor Swing Whirler

By LAWRENCE B. ROBBINS

AN amusement device that combines the thrill of a giant swing with the exhilaration of a swiftly turning merry-go-round is here described. Furthermore, it is power driven and thus can be made to operate as long as desired and at any predetermined speed and is under the control of the occupant at all times.

A site should be chosen directly under a strong, horizontal limb of a tree at least 16 ft. from the ground. The ground should be hard and level and all holes or bumps smoothed off. This space should also have a radius of at least 10 ft. from a point determined by dropping a plumb bob from the limb. Twelve feet is better and will give a diameter of 25 ft. for the device to operate in and will allow room for spectators at the sides.

At the point on the limb where the plumb bob was finally held smooth off the bark and make the limb as nearly round as possible without lessening its strength. Then


have a "limb ring" made of flat strap iron as shown in the detail sketch. As will be seen, it is provided with ears at one point, drilled with holes to take a bolt and nut. Opposite the ears an eye should be welded into the flat iron with a short, flat base on the inside of the ring to give additional strength. To this eye the small end of a common log-chain swivel should next be firmly attached, and lastly a metal pulley and a large spiral spring about 2 ft. long and 1½ to 2 inches in diameter and sufficiently stiff to withstand a pull of at least 250 lbs, before expanding much should be attached to the large loop of the swivel. The detail sketch shows this assembly plainly. Attach it to the tree and then set the post for the whirler to pivot upon.

This should be of cedar and about 6 in. in diameter and at least 6 ft. long. Set it in the ground exactly in the spot indicated by the plumb bob and bury solidly, using heavy stones at the bottom of the hole to

prevent the post from working loose as much as possible. Allow about 12 or 13 in. of the post to project above ground and saw off the top horizontally. This can be determined with a spirit level. Bore a deep, vertical hole in the center of the post and then drive in a long, iron bolt or bar threaded at the top end. It will be advisable to use a heavy wooden mallet to pound with or else protect the threaded end with a bar of brass to receive the blows. Otherwise the threads will be ruined. Let about 10 in. of the bolt project above the top of the post.

The ball bearing can be removed from some discarded automobile part. A thrust bearing should be used if possible and a large iron washer placed above and below to take up the friction on the wooden parts of the device. If the holes in the ball races are larger than the diameter of the pivot bolt make up the difference by slipping a short

(Continued on page 182)



In the Illustration and Description Herewith Are Given the Necessary Details For Building a Very Interesting Motor-Driven Swing Whirler. This Whirler May Be Operated With a Gasoline Motor Wheel of a Well Known Type, or Else By a Small Electric Motor.

Wrinkles Recipes Formulas

EDITED BY S. GERNBACK

HEAT INDICATING COMPOUNDS

A German scientist discovered many years ago that the double iodide of copper and mercury could be used as an indicator of a moderate heat. Although normally red, a black modification is produced upon heating to a temperature of 96° Centigrade. If heated water is stirred with a sealed glass tube containing two or three grams of the substance, the color change will occur before the water boils. A piece of paper painted red with a suspension of cuprous mercuric iodide in gum solution turns black when gently warmed. On cooling, the reverse change takes place. The compound is often used as a paint for sensitive bearings, the transition giving warning of overheating.

To prepare a sufficient amount to perform these experiments, first make three solutions as follows:

- (1) Dissolve 2.7 grams potassium iodide in 20 cc. of water.
- (2) Dissolve 1.1 grams mercuric chloride in 20 cc. of water.
- (3) Dissolve 2 grams cupric sulphate in 10 cc. of water.

Then mix (1) and (2). When the precipitate which is first formed dissolves, add (3). Set up a sulphur dioxide generator (sodium sulphite treated with sulphuric acid in an ordinary gas generator) and pass a rapid stream of the gas through the mixture in order to reduce the cupric sulphate. Collect the red precipitate of cuprous mercuric iodide on a filter paper, wash it in cold water and dry.

Since this discovery, several other substances have been obtained which exhibit similar changes. Most of them are mercury compounds. By far the most sensitive of these is silver mercuric iodide, which, at ordinary temperatures is yellow, but when heated to 45° is dark red.

Preparation:

- (1) Dissolve 3.3 grams potassium iodide in 25 cc. of water.
- (2) Dissolve 1.3 grams mercuric chloride in 25 cc. of water.
- (3) Dissolve 1.7 grams silver nitrate in 10 cc. of water.

Mix these solutions as in the preparation of cuprous mercuric iodide, but omit the treatment with sulphur dioxide.

Mercuric iodide is scarlet. When heated to 127° it turns yellow. However, the change is slow to reverse. It is prepared by precipitating a solution of 2.7 grams mercuric chloride in 50 cc. of water with a solution of 3.3 grams potassium iodide in 25 cc. of water.

Mercuric oxide, historically noted because of its relation to the discovery of oxygen, is brick red at ordinary temperatures. When heated it gradually grows darker and just before decomposition is dead black. When it is cooled by liquid air, however, the shade of red gives way to a yellow, similar to the color of sulphur.

Contributed by CHAS. D. TENNEY.

THIS MONTH'S \$5.00 PRIZE


RAPID FILTRATION

Filtering as a rule is a slow and tiresome process, unless suction is used. Every chemical experimenter is not blessed with a suction filter and has to watch the filtrate seep

through the paper and fall, drop by drop into the beaker or test tube.

If the experimenter will fold his filter paper as described below and follow instructions, he can filter a solution many times as fast as in the usual way. No suction is required and there is no danger of sucking a hole in the paper.

An ordinary glass funnel is used. The size will depend upon the size of the filter paper employed. A funnel about three inches across the top is the best to use for an 11 cm. filter paper. Instead of folding



If Filter Paper is Folded as Shown in the Above Diagram Instead of in the Usual Way, Much More Rapid Filtration Will Be Accomplished.

the paper in the usual way, fold as shown in the illustrations.

First fold filter A on the line, ab, as in the usual way. Now instead of folding B at a 90 degree angle as usual, fold along the line, cd, so that the fold is about one-eighth of an inch from the edge at the top as shown in C. Now tear off one corner of the filter as shown in D. This permits the filter to fit tightly to the sides of the funnel when wet.

Open the funnel into the customary cone shape and place in the funnel. Wet the paper and press the top edge of the filter tightly to the edge of the funnel. The tip of the cone of filter paper should be exactly in the center of the funnel. The filter will rest in the funnel as shown in E.

If the solution does not flow through fast when poured into the filter, move the filter paper slightly by pressing the thick fold of the paper. When once started, the solution

will flow in a steady stream. If air bubbles pass down the stem of the funnel, press to the filter at the folds of the paper.

The reason for this rapid filtration is that you secure more filtering surface by folding the paper this way and the paper fits tightly in the funnel. This prevents air from passing down the stem of the funnel. Once the stream is started it acts as a gravity suction.

Sometimes this suction causes the filter paper to be pulled down into the tip of the funnel, decreasing the filtering surface and slowing filtration. You will find that the better the grade of filter used the less apt this is to occur.

Contributed by G. B. ASHTON.

SOURCE OF TRANSFORMER CORE IRON

Sooner or later every electrical experimenter comes to the place where he needs laminated iron for the core of a transformer.

This source is the so-called tin cans. It might be well for me to correct a too general false impression concerning the supposed-to-be tin cans. They are in reality made of thin sheet iron coated with a layer of tin on each side. The purpose of this coating is to prevent rusting and corroding.

Consequently for core iron save your empty food cans. However, take pains to save cans made of thin metal and affording material of convenient size. This depends largely on the nature of the core desired. I usually use condensed milk cans and those with their ends soldered on because of the greater ease in removing them without spoiling the rest of the material.

Cut the cans to whatever sizes and shapes may be required for the particular job on hand. Tie these strips in a rather loose bundle and place this in a fire, allowing it to come to a red heat and remain thus for about ten minutes. This heating has a three fold purpose. It melts the tin off the surface of the iron, making it thinner and increasing its resistance to eddy currents, it oxidizes the surface of the iron further increasing its resistance to eddy currents, and it anneals the iron thus lowering the hysteresis losses.

While the iron is heating prepare a bath of air-slaked lime large enough to bury the iron. It is not absolutely necessary that lime be used for this purpose, but whatever is used must have the property of holding heat and must be able to stand a high temperature. I have often used with good success carbide ash which is almost the same as lime. It is best that this be preheated to some extent before the iron is buried so as not to cool it too quickly which would have a tendency to harden it.

When the heap of lime has been prepared and the iron has been heated properly, remove the latter from the fire and bury it well in the lime or whatever is used for this purpose. Permit the iron to cool for at least a half a day after which it is ready for use.

Avoid as much as possible hammering the metal at any stage of the work as this greatly reduces the permeability.

Contributed by KENNETH E. MILES.



Radio for Every Tenant


IN Newark, New Jersey, the *Ritz Apartments* have recently been built, whose owners furnish to the tenants *free radio service* throughout the day and evening. This is accomplished by means of a very selective radio receiving set and suitable amplifiers located in a small house on the roof of the apartment building from

ularity of this innovation in apartment house service is shown by the fact that comparatively little elevator service is required in the evenings. It has been found that a greater number of the tenants prefer to stay at home and listen to the radio programs, which are selected by the operator.

It will be seen that the latter mentioned

the house, however, are figuring on just such an emergency whereupon they will install an additional receiving set to repeat from other broadcasting stations.

The equipment now used lends itself very well to the work. It consists of an extremely selective receiving set of well known make, used in connection with a high power ampli-



In an Up-to-Date Newark, New Jersey, Apartment House, a Radio Set is Installed, Having an Operator in Attendance at All Hours of the Day. By Simply Inserting a Plug into a Jack in the Wall of the Room, Radio Concerts Are Supplied to the Tenants Without Additional Charge. The Photo at the Left Shows the Very Selective Receiving Set in This Apartment House, and at the Right the Loud-Speaker Located in One of the Apartments.

which wires are run to each of the seventy-two apartments in the house.

This apparatus was installed by a leading American radio company and is an adaptation of a well-known public address system, which has been used so successfully in many large installations.

In each of the seventy-two suites in this building there is a jack to which is connected, by means of an ordinary telephone plug, a head-set or loud speaker, as may be desired by the listener.

The jack used has three contacts, so arranged that when the plug is inserted therein, it will make contact with two of them, the third remaining idle. When the plug is removed a circuit is closed shunting a non-inductive resistance of 20,000 ohms across the jack. This compensates for the removal of the resistance of the phones or loud speaker, as the case may be, and allows equal reproduction of signals at each of the outlets, in the other apartments. The phones or loud speakers are all connected in parallel and the sound volume for each head-set is practically the same whether one or seventy-two of the instruments be in the circuit.

A noteworthy point of this installation was brought out by the superintendent of the building, when he said that the pop-

personage must needs combined great diplomacy and ability to select and pick up from the air a program that will suit the preferences of all the people in the seventy-two suites. Thus far, however, he has been reasonably successful and not even one complaint has been registered. The owners of


tier. The receiving set proper utilizes four vacuum tubes, giving two stages of radio frequency amplification, a detector and one stage of audio frequency amplification. The tubes used in this set can be operated on dry cells. The output of the audio-frequency amplifying tube is led through a specially designed transformer to the power amplifier, which makes use of four vacuum tubes giving three stages of audio-frequency amplification. The last two tubes are arranged through a push-pull transformer.

With this set the operator has been able to pick up practically every broadcasting station in the United States which has a power of 500 watts or more.


If a particular tenant desires quietness rather than great volume of sound he can plug in his head-set or if on the other hand he desires sufficient music to dance by he can plug in a loud speaker.

The owners of the building have also had installed in the basement of these apartments a loud speaker whereby at intervals during the day, the workers in the boiler room and the janitors are furnished with occasional entertainments. The effect is usually an increased amount of work from those thus entertained.

(Continued on page 179)



The Hook-Up of the Apartment House Radio Receiving Station is Given in the Diagram Here-with. The Loud-Talkers in the Various Apartments Are Connected with a Plug and Jack, the Jack Closing the Circuit Through a 20,000 Ohm Non-Inductive Resistance, When the Loud-Talker Is Not Plugged In.



The Phonofilm—Talking Movie

By DR. LEE DE FOREST*

THE Phonofilm, as its name suggests, is combined on the same film with motion pictures, the voice or music being photographically recorded along the margin. Standard cinematograph film is used. The sound record occupies a very narrow strip of the film about $\frac{3}{2}$ " wide on one margin, and does not materially reduce the width of the picture.

Recording: "An especially designed gas filled lamp called the Photon tube is inserted in the moving picture camera a short distance away from the usual objective lens. The light from this Photon tube passes through an extremely narrow slit and falls directly upon one margin of the film. This margin is screened from the picture itself, so that only the light from the Photon falls upon it. The film is driven continuously at an even speed in front of this narrow slit, but with the usual intermittent step-by-step motion in front of the picture aperture.

"Now the light in the Photon tube is generated by the electric current which is passing through the gas enclosed therein. The intensity of the light depends on the intensity of the electric current. Therefore if a powerful telephonic current is passed through the Photon, the light emitted varies exactly in accordance with the strength of the telephonic current at any instant. This light therefore fluctuates in brightness hundreds or thousands of times a second in perfect rhythm with the telephonic current pulses, and varies in strength with the current.

*Abstract of address given before the New York Electrical Society in the auditorium of the Engineering Societies Building, New York City, April 4th.

"This telephonic current originates in the first place from the special microphone transmitter which is quite unlike the ordinary telephonic microphone, but serves the same general purpose. This transmitter picks up the sound waves at distances of five to fifteen feet from the source of sound these sound waves producing very weak telephonic currents. The Audion Amplifier is then used to amplify these weak currents 100,000 times, to bring them up to sufficient strength to influence the Photon lamp in the camera. Without the Audion Amplifier the entire arrangement would be utterly impractical because of the weakness of the voice currents.


"Thus we have three ostensible trans-

formations—first sound waves into electric telephonic currents, then the amplification of these currents into light waves, and the registering of these light waves through the narrow slit upon the photographic film.


Reproducing: "The negative film, carrying picture and sound record, is now developed in the usual manner, but using a special developer to bring out the details of the sound record. Positive prints are made through a special printer to give the necessary light values for picture and sound record. This positive print is then run through the moving picture projection machine. This is a standard projection machine such as is found in any moving picture theatre. A small attachment is added to this machine, which attachment in no wise interferes with its ordinary use, and which includes a small incandescent lamp and a highly sensitive photo-electric cell, the latter being the invention of T. W. Case. Between the lamp and the photo-electric cell passes the film as it travels through the projection machine. The light from this incandescent lamp is concentrated upon a tiny slit similar to that above described in the motion picture camera. This light therefore passes through the sound record, which has been photographed on the film, and on into the chamber containing the photo-electric cell. The passage of the sound record therefore, across this narrow slit, controls the intensity of the light falling upon the sensitive cell.

"The photo-electric cell has this peculiar property—its electrical resistance at any instant is determined by the amount of light falling upon it. Therefore, as the film travels across the slit and the light falling

(Continued on page 194)



The Circuit Diagram For the Connections of the Photon Tube and Its Attendant Apparatus Is Shown Above.



Hunting Trouble In the Radio Set Is Not the Simplest Thing In the World Nowadays. With the Rapid Advance In the Development and Manufacturing of Multi-Stage Vacuum Tube Receiving Sets, Having Anywhere From Three To Six or More Tubes. It Is Impossible, of Course, To Tell All the Troubles Which May Happen To a Certain Set In a Single Chart Like This One, But If All of the Instructions Given Thereon Are Checked Up When Trouble Is Met With In Operating a Vacuum Tube Set, and Each Suggested Remedy Thoroughly Applied, the Weak and the Strong Points In the Set Will Be Checked Up, and the Trouble Systematically Located In Nine Cases Out of Ten.

Hunting Trouble in the Radio Set

By H. WINFIELD SECOR

"TROUBLE shooting" on radio sets a few years ago was relatively a simple matter. If trouble was experienced in the operation of the simple crystal detector receiving sets of that period, the difficulty was usually found by examining the slider or switch connections to the tuning coil or loose coupler, or possibly the detector crystal was a poor one, or again some poor joints in the aerial or ground circuit were the cause behind the effect. But today the trials and tribulations of the radio trouble hunter have multiplied many fold, due to the advent of multiple stage vacuum tube amplifiers of both radio- and audio-frequency types.

Some of the faults with which the writer has come in contact in operating multiple stage V. T. receiving sets are discussed here, and it is difficult to tell just where to begin, as many of the different troubles may happen at any time, or in conjunction with "one or more complications," as the doctor would say.

VACUUM TUBE TROUBLES

One of the most persistent troubles which was hard to locate in one case which the writer recollects, was that where the voice came in all broken up. Of course, faulty connections were looked for as one of the ostensible reasons for this trouble. New grid leaks and grid condensers in various sizes

were tried, as these were suspected of possibly having become defective, but the voice still came in unintelligible. The transformers were tested by means of a galvanometer and battery through both primary and secondary windings to see that the fine wire coils were continuous and not open circuited, and the B batteries were very strongly suspected as a possible cause of this trouble. Complaints are heard every now and then concerning them, a poorly soldered connection having suddenly developed into a high resistance or loose joint, which would be very difficult to locate, except by placing a voltmeter across the battery and watching it for some time to see if any fluctuations occurred. To make this test effective, the meter must be very sensitive, and the battery must be shaken up a little now and then, so as to vibrate the loose connection if present.

After hunting over the whole set, and having no other detector tube, one of the amplifier tubes was placed in the detector socket. The phones were switched into the detector circuit, and with the amplifier tube of the U. V. 201 type, perfect reception was had at once, thus proving that it was the detector tube which had started to leak air, or for some other reason had proclaimed itself ready for the scrap pile or repair shop, several companies now repairing and re-exhausting vacuum tubes. The next day a


new U. V. 200 detector tube was purchased and the set worked fine.

GRID LEAKS AND GRID CONDENSERS

Cheap grid condensers and grid leaks are a frequent source of trouble. A set may work for months in good shape; grid condenser and grid leak may not be suspected, but my advice to any radio enthusiast today is to use nothing but mica insulated grid condensers. One of the best grid leaks is of the type which is sealed in a glass tube with a bakelite or other suitable insulating base and spring clips to hold it. These parts cost but a very small sum, and it pays to purchase two or three of them of different sizes and try them on your set, and in some cases increased efficiency will be found by changing them when the detector bulb becomes aged, or when a new detector bulb is placed in the set, as the characteristics change and vary for different bulbs.

The grid condenser is, of course, of very small capacity, and if a pair of headphones and a battery are connected across the condenser to test it, a slight click only will be heard as the contact is completed; if the condenser is short-circuited, a loud click will be heard in the phones the same as if no condenser were in circuit at all. In testing a grid leak, the phones and battery connected

(Continued on page 189)



The Two Photos Above Show the Simple Yet Very Efficient Single Vacuum Tube Receiver Here Described By Major Nelles, of Ottawa, Ontario, Canada, Who Has Accomplished Some Very Fine Results With This Set, Using a W. E. Peanut Tube For the Detector. Other Tubes Can Be Used, of Course, In Its Place.

A "DX" Single Peanut Tube Receiver

By MAJOR DOUGLAS H. NELLES

IN the majority of articles and answers to questions published in radio magazines, the distance that a single valve set with a regenerative circuit will receive radiophone broadcasts, is generally placed at from 75 to 200 miles. To show that this is a very conservative figure and to describe how to build a set that will do better work is the object of this article. The average distance of 43 stations received with such a set is 555 miles, the longest distance was 1,401 miles.

One of the first Peanut Tubes (No. 215-A) to be placed on sale in Ottawa was used in this set, and has brought in over 45 phone stations loudly and clearly. Of this number 2 were local, 3 at 111 miles, 3 at about 215 miles and the rest between 300 and 1,400 miles distant. Local stations 2 miles distant can be heard 20 feet away from the phones and a whole concert has been listened to by putting a phone over the phonograph tone arm and thereby turning it into a loud speaker.

The hookup is of the single circuit regenerative type as illustrated; but the points that make it efficient are the arrangement

of instruments so as to get the shortest possible wiring connecting them; the use of a special main condenser, vernier condenser, special vario-coupler, vernier rheostat and special grid leak. These features will be described in turn.

The wiring should be made with copper strips, $\frac{1}{3}$ of an inch wide, where the connections are rigid. Where connections are movable, such as leads to batteries, heavy rubber insulated, flexible lamp cord should be used. All connections should be soldered. In making connections to the valve socket, solder leads to the projecting piece of brass to which the valve makes direct contact and not to the bolt that holds it in place, as all loose connections add resistance to the circuit, and should be avoided wherever possible.

To make connections to the axes of instruments which rotate, bend a strip of thin copper like a watch spring and solder in such a fashion that the spring takes up the twist. Many noises that are generally attributed to "static," "tube noises" or "battery noises," are caused by sliding contact connections and so avoided in this way.


Never brighten contact connections, such as valve tips with emery cloth or paper; use a file as a small bit of emery on a valve socket connection will produce a cataract of noises.

In order to avoid any possible high resistance leaks all of my wooden panel connections were insulated from the panel by making the holes larger than the screws and bushing the holes with mica.


A .001 mfd. condenser is placed in the aerial. In the set illustrated the writer designed and had made a condenser with only two plates, having a calculated capacity of .0019 mfd. This gave splendid results over a wave-length range of from 360 to 440 meters with the primary coil set at 41 turns. By experiment a .001 mfd. condenser gave equally good results.

When using a large condenser in the aerial, a slight rotation will throw the receiver out of tune. It is therefore necessary for fine tuning, especially when tuning in distant or weak stations to have a "vernier" or three plate condenser shunted across the main condenser.

(Continued on Page 183)



View of the Front Panel of the Single Tube Receiving Set Here Described By Major Nelles.



Hook-up of Various Instruments Used In the Single Tube Receiving Set. The Use of the Vernier Condenser Is Optional.

Radio For The Beginner

By ARMSTRONG PERRY

No. 16--Protection Against Lightning

AS Summer approaches, radio beginners who hastily installed their antennas in the quickest and easiest way, and got away with it, begin to worry about the fire inspector, the electrical inspector and the fire insurance man. The underwriters' rules that they skipped in reading the directions for installing their sets begin to haunt them and the first thunder shower keeps them shivering for fear that retribution for their sins of omission is about to overtake them.

Peace of mind can be secured at small expense of time and money, and it is worth whatever it costs.

A direct hit by lightning on an antenna is a rare occurrence. But it does happen and it is so serious when it occurs that the mere possibility justifies the expenditure of a ten dollar bill for protection. Besides the danger of a direct hit there is the greater danger that a heavy charge of electricity, placed by a lightning bolt on other wires, will produce by induction a heavy surge in your antenna and its connections that will be almost as disastrous as the bolt itself.

An antenna is like an upward-opening funnel, ready to catch any electrical current that comes near it and pour it down into the apparatus below and on into the ground. Like water, electricity tries to get to the ground. When it comes in large quantities, as it does when the lightning flashes, we want it to get there as soon as possible and by some other route than the one through the house. Protection against lightning, therefore, is merely the providing of a path so much easier for the lightning than the one through our radio apparatus, that it will choose the safe instead of the hazardous route.

In installing a receiving antenna the main idea is to erect it so that it will hold every bit of energy picked up and send it into the receiver. In installing protection against lightning the idea is exactly the opposite, to get rid of the electricity as quickly as possible.


The safest method, except for the human element involved, is the lightning switch. An efficient one must be able to carry a current of high voltage and of a strength of 100 amperes. Such switches cost from \$3.00 to \$5.00, for they contain much copper, several terminals, and a heavy insulating base to keep the current from jumping from blade or terminals to the woodwork or other material to which the switch is attached.

When the radio apparatus is in use, this switch connects it with the antenna. To the novice it seems as though the weak radio currents would get lost in the bulky lightning switch, but the fact is that they flow through it much more easily than through the fine wires of the receiver and phones. The larger the wire or switch blade, the less its resistance to the current. A pair of ordinary phones presents three thousand times as much resistance to the passing current as the enormous switches and ground

wires of a high-power transmitting station. Resistance, however, does not keep a powerful current out. A flash of lightning will burn up a receiver in an instant if it finds a pathway to it. When not operating his apparatus, the radio user is supposed to have his lightning switch changed over to

preparations are made for taking a ride with them, and the switch is forgotten until a sudden blackening of the horizon reminds the far-away operator that his home is in danger.

To supplement the switch, therefore, a lightning arrester is recommended. There



With the Coming of Summer Months It Is Necessary To Provide Your Radio Receiving Station With the Proper Protection Against Electrical Surges Due To Thunder Storms. The Methods Shown At the Left Will Pass Inspection. The Diagrams Illustrate the Correct Installation of Lightning Switch, Lightning Arresters and a Combination of Both.

its other position, the blade connecting the antenna with a heavy wire leading to the ground instead of connecting antenna and apparatus.

Right here is the weak point of the switch. It is not automatic. It does not change itself. If the operator is in the house when the electrical storm breaks he usually thinks of the switch and throws it. But while skies are fair, friends arrive in a car, hurried

are many types, but the principle is always the same, namely, to provide an out-of-doors path to the ground for the antenna current to follow when that current becomes so strong as to menace the apparatus and the house. In some lightning arresters there is an air space between two rows of copper teeth. If a heavy current comes in on the antenna, part of it jumps this gap and goes down the ground wire to the earth, just as water bursts from a pipe when the volume and pressure are excessive.

In purchasing a lightning arrester it is advisable to select one that is approved by the National Board of Fire Underwriters. Any kind gives protection if it works, but if the house burns as a result of being struck by lightning, and it is discovered that an unapproved safety device was used, the insurance company may refuse to pay the loss and the law will sustain the company.

There is little use in installing a proper switch and lightning arrester if, as sometimes happens, a small wire is used to connect them with the ground. The regulations require a wire as large as No. 14, B. & S. gauge, copper. Any dealer who sells wire knows how large that is. The ground wire should be well insulated, otherwise heavy currents will leap from it to the house as lightly as monkeys. Also it should be held away from the house by brackets with insulators.

Any ground wire is inefficient unless it makes good contact with the ground. It should connect with a metal pipe or stake driven down far enough to reach moist earth in all seasons, or to sheets or pieces of metal buried in moist earth. It is better to avoid connecting it to a pipe that enters the house.

After the lightning ground has been installed, the ground-lead from the set may be connected to it between the switch and the ground.

With loop aerials, inside the building no lightning switch is required, and reception can be carried on through thunderstorms if desired.

Broadcast Listener's Number

In the June issue of RADIO NEWS will be found a new department edited for the Broadcast Listener.

This department aims to give the Broadcast Listener—that is, the non-technical radio fan—such information as he cannot find in any other magazine.

RADIO NEWS will pay good prices for all contributions to this new department. Do not fail to get a copy of the June issue of

RADIO NEWS

Some of the interesting articles appearing in the June issue are as follows:

SOME NEW DUAL AMPLIFICATION CIRCUITS.

By John Scott-Taggart, F. Inst. P.: ELECTRONS, ELECTRIC WAVES AND WIRELESS TELEPHONY.

By J. A. Fleming, M.A., D.Sc., F.R.S.: MATCHING IMPEDANCES.


By Professor W. Palmer Powers: VAST RANGE OF ETHER VIBRATIONS.

By Sir Oliver Lodge: CONSTRUCTION OF D-SHAPED VARIMETERS,

By D. R. Clemons: A SPARK COIL C.W. SET,

By Fred A. Burgess: TUNING RADIO RECEIVERS: AN EXPLANATION FOR THE NOVICE,

By Jesse Marsten.



Complete List of Broadcast Stations in United States

REVISED AND CORRECTED TO MARCH 1, 1923

All stations transmit entertainment, (concerts, lectures and music). Those with † transmit market reports; those with ‡ transmit weather reports.

Call	Name	City and State
††KDKA	Westinghouse Electric & Manufacturing Co.	East Pittsburgh, Pa.
††KDN	Leo J. Meyberg Co.	San Francisco, Cal.
KDPM	Westinghouse Electric & Manufacturing Co.	Cleveland, Ohio
KDPT	Southern Electric Co.	San Diego, Cal.
†KDYL	Telegram Publishing Co.	Salt Lake City, Utah
KDYM	Savoy Theatre	San Diego, Cal.
†KDYQ	Oregon Institute of Technology	Portland, Ore.
†KDYS	The Tribune	Great Falls, Mont.
KDYW	Smith Hughes & Co.	Phoenix, Ariz.
†KDYX	Star Bulletin	Honolulu, Hawaii
KDZA	Arizona Daily Star	Tucson, Ariz.
KDZB	Frank E. Siebert	Bakersfield, Cal.
KDZE	The Rhodes Co.	Seattle, Wash.
KDZF	Auto Club of Southern California	Los Angeles, Cal.
KDZG	Cyrus Peirce & Co.	San Francisco, Cal.
†KDZH	Fresno Evening Herald	Fresno, Calif.
KDZI	Electric Supply Co.	Wenatchee, Wash.
KDZK	Nevada Machinery & Electric Co.	Reno, Nev.
KDZQ	William D. Pyle (Hal G. Nichols)	Denver, Colo.
KDZR	Bellingham Publishing Co.	Bellingham, Wash.
KDZT	Seattle Radio Association	Seattle, Wash.
KDZX	Glad Tidings Tabernacle	San Francisco, Cal.
KDZZ	Kinney Bros. & Sipprell	Everett, Wash.
KFAD	McArthur Bros. Mercantile Co.	Phoenix, Ariz.
KFAE	State College of Washington	Pullman, Wash.
KFAF	Western Radio Corp.	Denver, Colo.
KFAJ	University of Colorado	Boulder, Colo.
KFAN	The Electric Shop	Moscow, Idaho
KFAP	Standard Publishing Co.	Butte, Mont.
KFAQ	City of San Jose	San Jose, Calif.
KFAR	Studio Lighting Service Co.	Hollywood, Calif.
KFAT	S. T. Donohue	Eugene, Ore.
†KFAU	Independent School District of Boise City	Boise, Idaho
KFAV	Abbot Kinney Co.	Venice, Cal.
KFAW	The Radio Den (W. B. Ashford and T. White)	Santa Ana, Cal.
†KFAY	Virgin's Radio Service	Medford, Ore.
KFAZ	C. H. Weatherill	Reedley, Calif.
††KFBB	F. A. Buttrey & Co.	Havre, Mont.
KFBC	W. K. Azbill	San Diego, Calif.
KFBD	Clarence V. Welch	Sanford, Calif.
KFBE	Reuben H. Horn	San Luis Obispo, Calif.
KFBG	First Presbyterian Church	Tacoma, Wash.
KFBH	Thomas Musical Co.	Marshfield, Ore.
†KFBK	Kimball-Upson Co.	Sacramento, Calif.
KFBL	Leese Bros.	Everett, Wash.
KFBS	Trinidad Gas & Electric Supply Co.	Laramie, Wyo.
KFBU	The Cathedral	Trinidad, Colo.
KFCB	Nielsen Radio Supply Co.	Phoenix, Ariz.
KFCF	Salem Electric Co.	Salem, Ore.
KFCF	Frank A. Moore	Walla Walla, Wash.
KFCH	Electric Service Station (Inc.)	Billings, Mont.
KFCK	Colorado Springs Radio Co.	Colorado Springs, Colo.
†KFCL	Los Angeles Union Stock Yards	San Antonio, Calif.
KFCM	Richmond Radio Shop (F. T. Doeing)	Richmond, Calif.
KFCP	Ralph W. Flygare	Ogden, Utah
KFCQ	Motor Service Station (N. R. Hood)	Casper, Wyo.
KFCV	Fred Mahaffey, Jr.	Houston, Tex.
KFCY	Western Union College	Le Mars, Iowa
KFCZ	Omaha Central High School	Omaha, Neb.

Call	Name	City and State	Call	Name	City and State
††KFDA	Adler's Music Store	Baker, Ore.	KPO	Hale Bros.	San Francisco, Cal.
	Mercantile Trust Co. of California	San Francisco, Cal.	KQI	University of California	Berkeley, Cal.
KFDC	Radio Supply Co. (E. B. Crane)	Spokane, Wash.	KQV	Doubleday-Hill Electric Co.	Pittsburgh, Pa.
†KFDD	St. Michaels Cathedral	Boise, Idaho	†KQW	Charles D. Herold	San Jose, Cal.
	Wyoming Radio Corporation	Casper, Wyo.	KQY	Stubbs Electric Co.	Portland, Ore.
KFDH	University of Arizona	Tucson, Ariz.	KRE	Berkeley Daily Gazette	Berkeley, Cal.
KFDJ	Oregon Agricultural College	Corvallis, Ore.	†KSD	Post Dispatch	St. Louis, Mo.
KFDL	Knight-Campbell Music Co.	Denver, Colo.	KSL	The Emporium	San Francisco, Cal.
KFDO	H. Everett Cutting	Bozeman, Mont.	KSS	Prest & Dean Radio Co.	Research Society of Long Beach, Cal.
KFDP	Hawkeye Radio & Supply Co.	Des Moines, Iowa	KTW	First Presbyterian Church	Long Beach, Cal.
KFDR	Bullock's Hardware & Sporting Goods	York, Neb.	††KUO	Seattle, Wash.	
KFDU	Nebraska Radio Electric Co.	Lincoln, Neb.	KUS	Examiner Printing Co. (San Francisco Examiner)	San Francisco, Cal.
KFDV	Gilbrech & Stinson	Fayetteville, Ark.	KUY	City Dye Works & Laundry Co.	Los Angeles, Cal.
KFEB	City of Taft	Taft, Calif.	KWG	Coast Radio Co.	El Monte, Calif.
††Kfec	Meier & Frank Co.	Portland, Ore.	†KWH	Portable Wireless Telephone Co.	Stockton, Calif.
KFEJ	Guy Greason	Tacoma, Wash.	KXD	Los Angeles Examiner	Los Angeles, Calif.
KFEL	Winner Radio Corp.	Denver, Colo.	KYI	Modesto Herald Publishing Co.	Modesto, Calif.
KFEQ	Radio Equipment Co.	Denver, Colo.	†KJY	Bakersfield Californian (A. Harrell)	Bakersfield, Calif.
KFER	J. L. Scroggin	Oak, Nebr.	KYQ	Leo J. Meyberg Co.	Honolulu, Hawaii
	Auto Electric Service Co.	Fort Dodge, Iowa	††KYW	Westinghouse Electric & Manufacturing Co.	Chicago, Ill.
††KFEV	Radio Electric Shop	Douglas, Wyo.	KZC	Public Market, Department & Market Stores Co.	Seattle, Wash.
KFFA	Dr. R. O. Shelton	San Diego, Calif.	KZM	Preston D. Allen	Oakland, Calif.
KFFB	Jenkins Furniture Co.	Boise, Idaho	†KZN	The Deseret News	Salt Lake City, Utah
KFFE	Eastern Oregon Radio Co.	Pendleton, Ore.	KZU	Wenatchee Battery & Motor Co.	Wenatchee, Wash.
††KFFQ	Marksheffel Motor Co.	Colorado Springs, Colo.	WAAB	Valdemar Jensen	New Orleans, La.
KFGB	Lowenthal Bros.	Pueblo, Colo.	WAAC	Tulane University	New Orleans, La.
KFGF	Buchanan Stevens & Co.	Mount Vernon, Wash.	WAAD	Ohio Mechanics Institute	Cincinnati, Ohio
KFGH	Leland Stanford University	Stanford University, Calif.	††WAAF	Chicago Daily Drovers Journal	Chicago, Ill.
KFHJ	Fallon & Co.	Santa Barbara, Calif.	WAAH	Commonwealth Electric Co.	St. Paul, Minn.
KFI	Earle C. Anthony (Inc.)	Los Angeles, Calif.	WAAJ	Eastern Radio Institute	Boston, Mass.
KFV	Foster-Bradbury Radio Store	Yakima, Wash.	††WAAK	Gimbels Bros.	Milwaukee, Wis.
KFZ	Doerr-Mitchell Electric Co.	Spokane, Wash.	WAAL	Beamish Electric Co.	Minneapolis, Minn.
KGB	William A. Mullins Electric Co.	Tacoma, Wash.	WAAM	I. R. Nelson Co.	Newark, N. J.
KGG	Hallock & Watson Radio Service	Portland, Ore.	†WAAN	University of Missouri	Columbia, Mo.
KGN	Northwestern Radio Manufacturing Co.	Portland, Ore.	WAAP	United Electric Co.	Wichita, Kans.
KGO	Altadena Radio Laboratory	Altadena, Calif.	WAAQ	New England Motor Sales Co.	Greenwich, Conn.
KGU	Marion A. Mulroney	Honolulu, Hawaii	WAAS	Georgia Radio Co.	Decatur, Ga.
†KGW	Portland Morning Oregonian	Portland, Ore.	†WAAW	Omaha Grain Exchange	Omaha, Neb.
KGY	St. Martins College	Lacey, Wash.	WAAY	Yahrling-Rayner Piano Co.	Youngstown, Ohio
†KHJ	Times-Mirror Co.	Los Angeles, Calif.	WAAZ	Hollister-Miller Motor Co.	Emporia, Kans.
KHQ	Louis Wasmers	Seattle, Wash.	WBAA	Purdue University	West Lafayette, Ind.
KJJ	The Radio Shop	Sunnyvale, Calif.	WBAD	Sterling Electric Co.	Minneapolis, Minn.
KJQ	C. O. Gould	Stockton, Calif.	†WBAG	Fred M. Middleton	Moorestown, N. J.
KJR	Northwest Radio Service Co.	Seattle, Wash.	WBAH	Diamond State Fibre Co.	Bridgeport, Pa.
KJS	Bible Institute of Los Angeles	Los Angeles, Calif.	WBAN	The Dayton Co.	Minneapolis, Minn.
KLB	J. J. Dunn & Co.	Pasadena, Calif.	WBAO	Wireless Phone Corp.	Paterson, N. J.
KLN	Monterey Electric Shop	Monterey, Calif.	†WBAP	James Millikin University	Decatur, Ill.
KLS	Warner Bros.	Oakland, Calif.	WBAU	Wortham-Carter Publishing Co.	Fort Worth, Tex.
KLX	Tribune Pub. Co. (Oakland Tribune)	Oakland, Calif.	†WBAV	Republican Publishing Co.	Hamilton, Ohio
†KLZ	Reynolds Radio Co.	Denver, Colo.	WBAW	Erner & Hopkins Co.	Columbus, Ohio
KMC	W. W. Lindsay, Jr.	Reedley, Calif.	WBAX	Marietta College	Marietta, Ohio
†KMJ	San Joaquin Light & Power Corp.	Fresno, Calif.	WBAX	John H. Stenger, Jr.	Wilkes-Barre, Pa.
KMO	Love Electric Co.	Tacoma, Wash.	WBAY	American Telephone & Telegraph Co.	New York, N. Y.
KNI	T. W. Smith	Eureka, Calif.	WBL	T & H Radio Co.	Anthony, Kans.
†KNJ	Roswell Public Service Co.	Roswell, N. Mex.	WBS	D. W. May (Inc.)	Newark, N. J.
KNN	Bullock's	Los Angeles, Calif.	†WBWT	Southern Radio Corporation	Charlotte, N. C.
KNT	Grays Harbor Radio Co.	Aberdeen, Wash.	WBU	City of Chicago	Chicago, Ill.
KNV	Radio Supply Co.	Los Angeles, Calif.	WBZ	Westinghouse Electric & Manufacturing Co.	Springfield, Mass.
KNX	Electric Lighting Supply Co.	Los Angeles, Calif.	WCAB	Newburgh News Printing & Publishing Co.	Newburgh, N. Y.
†KOA	Young Men's Christian Association	Denver, Colo.	WCAC	John Fink Jewelry Co.	Fort Smith, Ark.
†KOB	New Mexico College of Agriculture and Mechanic Arts	State College, N. Mex.			
KOP	Detroit Police Department	Detroit, Mich.			

Call	Name	City and State	Call	Name	City and State	Call	Name	City and State
†WCAD	St. Lawrence University	Canton, N. Y.	†WFAN	Hutchinson Electric Service Co.	Hutchinson, Minn.	WIAV	New York Radio Laboratories	Binghamton, N. Y.
WCAE	Kaufmann & Baer Co.	Pittsburgh, Pa.	WFAQ	Missouri Wesleyan College and Cameron Radio Co.	Cameron, Mo.	WIAW	Saginaw Radio & Electric Co.	Saginaw, Mich.
WCAG	Daily States Publishing Co.	New Orleans, La.	†WFAT	Daily Argus-Leader		†WIAY	Woodward & Lothrop	Washington, D. C.
WCAH	Entrekkin Electric Co.	Columbus, Ohio	WFAU	Edwin C. Lewis	S. Dak.	WIAZ	Electric Supply Sales Co.	Miami, Fla.
WCAJ	Nebraska Wesleyan University	University Place, Neb.	WFAV	University of Nebraska	Lincoln, Neb.	WIK	K. & L. Electric Co.	McKeesport, Pa.
WCAK	Alfred P. Daniel	Houston, Tex.	WFAW	Miami Daily Metropolis	Miami, Fla.	WIL	Continental Electrical Supply Co.	Washington, D. C.
WCAL	St. Olaf College	Northfield, Minn.	WFAZ	Daniels Radio Supply Co.	Independence, Kans.	†WIP	Gimbel Bros.	Philadelphia, Pa.
WCAM	Villanova College	Villanova, Pa.	†WFI	South Carolina Radio Shop	Charleston, S. C.	†WIZ	Cino Radio Manufacturing Co.	Cincinnati, Ohio
WCAO	Sanders & Stayman Co.	Baltimore, Md.	WGAD	Strawbridge & Clothier	Philadelphia, Pa.	WJAB	American Electric Co.	Lincoln, Neb.
WCAR	Alamo Radio Electric Co.	San Antonio, Tex.	WGAH	Spanish-American School of Radiotelegraphy	Eusenada, P. R.	WJAD	Jackson's Radio Engineering Laboratories	Waco, Tex.
WCAS	William Hood Dunwoody Industrial Institute	Minneapolis, Minn.	WGAI	W. H. Gass	Shenandoah, Iowa	†WJAG	Norfolk Daily News	Norfolk, Neb.
†WCAT	South Dakota State School of Mines	Rapid City, S. Dak.	WGAK	Waco Electric Co.	Macon, Ga.	†WJAJ	Young Mens Christian Association	Dayton, Ohio
†WCAU	Durlam & Co.	Philadelphia, Pa.	WGAL	Lancaster Electric Supply & Construction Co.	Lancaster, Pa.	†WJAK	White Radio Laboratory	Stockdale, Ohio
WCAV	J. C. Dice Electric Co.	Little Rock, Ark.	WGAM	Orangeburg Radio Equipment Co.	Orangeburg, S. C.	WJAM	D. M. Perham	Cedar Rapids, Iowa
†WCAY	Quincy Electric Supply Co.	Quincy, Ill.	WGAN	Cecil E. Lloyd	Pensacola, Fla.	†WJAN	Peoria Star	Peoria, Ill.
WCAY	University of Vermont	Burlington, Vt.	WGAQ	Glenwood Radio Corporation	(W. G. Patterson)	WJAP	Kelley-Duluth Co.	Duluth, Minn.
WCAZ	Kesselman O'Driscoll Co.	Milwaukee, Wis.	WGAR	Shreveport, La.	WJAQ	Capper Publications	Topeka, Kans.	
WCE	Robert E. Compton & Carthage College	Carthage, Ill.	WGAT	Southwest American, Fort Smith, Ark.	WJAR	The Outlet Co.	Providence, R. I.	
WCK	Minneapolis, Minn.		WGAU	American Legion, Department of Nebraska	Lincoln, Neb.	WJAS	Pittsburgh Radio Supply House	Pittsburgh, Pa.
†WCM	Stix-Baer & Fuller Dry Goods Co.	St. Louis, Mo.	WGAW	Marcus G. Limb	Wooster, Ohio	WJAT	Kelly-Vawter Jewelry Co.	Marshall, Mo.
†WCN	University of Texas	Austin, Tex.	WGAX	Ernest C. Albright	Altoona, Pa.	†WJAX	Union Trust Co.	Cleveland, Ohio
†WCX	Clark University	Worcester, Mass.	WGAY	Radio Electric Co.	Washington Court House, Ohio	WJAZ	Chicago Radio Laboratory	Chicago, Ill.
†WDAC	Detrit Free Press	Detroit, Mich.	WGAY	Northwestern Radio Co.	Northwestern, Wis.	WJD	Richard H. Howe	Granville, Ohio
WDAD	Illinois Watch Co.	Springfield, Ill.	WGAZ	South Bend Tribune	South Bend, Ind.	WJH	White & Boyer Co.	Washington, D. C.
†WDAAE	Central Kansas Radio Supply	Lindsborg, Kans.	†WGF	The Register and Tribune	Des Moines, Iowa	WJX	De Forest Radio Telephone & Telegraph Co.	New York, N. Y.
†WDAAF	Tampa Daily Times	Tampa, Fla.	†WGI	American Radio & Research Corp.	Medford Hillside, Mass.	†WJZ	Westinghouse Electric & Manufacturing Co.	Newark, N. J.
WDAG	Kansas City Star	Kansas City, Mo.	WGL	Thomas F. J. Howlett	Philadelphia, Pa.	†WKAA	H. F. Paar	Cedar Rapids, Iowa
WDAAH	J. Laurance Martin	Amarillo, Tex.	WGM	Atlanta Constitution	Atlanta, Ga.	WKAC	Star Publishing Co.	Lincoln, Neb.
†WDAAI	Trinity Methodist Church (South)	El Paso, Tex.	†WGR	Federal Telephone & Telegraph Co.	Buffalo, N. Y.	WKAD	Charles Looff	(Crescent Park)
WDAAJ	Hughes Electrical Corporation	Syracuse, N. Y.	†WGV	Interstate Electric Co.	New Orleans, La.	WKAF	W. S. Radio Supply Co.	East Providence, R. I.
WDAAK	Atlanta & West Point R. R. Co.	College Park, Ga.	†WGY	General Electric Co.	Schenectady, N. Y.	WKAH	Planet Radio Co.	Wichita Falls, Tex.
†WDALK	The Courant	Hartford, Conn.	†WHA	University of Wisconsin	Madison, Wis.	WKAK	West Palm Beach, Fla.	West Palm Beach, Fla.
WDAL	Florida Times-Union	Jacksonville, Fla.	WHA	State University of Iowa	Iowa City, Iowa	†WKAL	Oklfuskee County News	Okemah, Okla.
WDALO	Automotive Electric Co.	Dallas, Tex.	†WHAB	Clark W. Thompson	Galveston, Tex.	WKAN	Alabama Radio Manufacturing Co.	Orange, Tex.
†WDAP	Mid West Radio Central (Inc.)	Chicago, Ill.	WHAC	Cole Bros. Electric Co.	Waterloo, Iowa	WKAP	Dutee W. Flint	Montgomery, Ala.
WDAR	Lit Bros.	Philadelphia, Pa.	WHAD	Marquette University	Milwaukee, Wis.	WKAQ	Radio Corporation of Porto Rico	San Juan, P. R.
WDAS	Samuel A. Waite	Worcester, Mass.	WHAE	Automotive Electric Service Co.	Sioux City, Iowa	WKAR	Michigan Agriculture College	East Lansing, Mich.
WDAU	Slocum & Kilburn	New Bedford, Mass.	WHAG	University of Cincinnati	Cincinnati, Ohio	WKAS	L. E. Lines Music Co.	Springfield, Mo.
WDAX	First National Bank	Centerville, Iowa	WHAH	Hafer Supply Co.	Joplin, Mo.	WKAV	Laconia Radio Club	Laconia, N. H.
†WDAY	Fargo Radio Service Co.	(K. M. Hance)	WHAI	Radio Equipment & Manufacturing Co.	Davenport, Iowa	WKAW	Turner Cycle Co.	Beloit, Wis.
WDM	Fargo, N. Dak.		WHAK	Roberts Hardware Co.	Clarksburg, W. Va.	WKAX	William A. McFarlane	Ridgeport, Conn.
WDT	Church of the Covenant	Washington, D. C.	WHAL	Lansing Capital News	Lansing, Mich.	WKAY	Brenau College	Gainsville, Ga.
WDZ	Ship Owners Radio Service	Stapleton, N. Y.	†WHAM	University of Rochester (Eastman School of Music)	Rochester, N. Y.	WKC	Joseph M. Zanoiski Co.	Baltimore, Md.
WEAA	James L. Bush	Tuscola, Ill.	WHAO	Courier-Journal and Louisville Times	Louisville, Ky.	WKN	Riechman-Crosby Co.	Memphis, Tenn.
†WEAB	Fallan & Lathrop	Flint, Mich.	WHAQ	Wilmingtton Electrical Specialty Co.	Wilmingtton, Del.	WKY	WKY Radio Shop	Oklahoma, Okla.
WEAD	Standard Radio Equipment Co.	Fort Dodge, Iowa	WHAQ	Pierce Electrical Co.	Tampa, Fla.	†WLAC	North Carolina State College	Raleigh, N. C.
WEAF	Northwest Kansas Radio Supply Co.	Atwood, Kans.	WHAQ	Huntington Press	Huntington, Ind.	†WLAG	Cutting & Washington Radio Corp.	Minneapolis, Minn.
WEAG	Western Electric Co.	New York, N. Y.	WHAQ	Rensselaer Polytechnic Institute	Troy, N. Y.	WLAII	Samuel Woodworth	Syracuse, N. Y.
†WEAH	Nichols-Hineline Bassett Laboratory	Edgewood, R. I.	WHAZ	Sweeney School Co.	Kansas City, Mo.	†WLAJ	Waco Electrical Supply Co.	Waco, Tex.
WEAI	Wichita Board of Trade and Lander Radio Co.	Wichita, Kans.	WHAZ	West Virginia University	Morgantown, W. Va.	WLAK	Vermont Farm Machine Corp.	Bellows Falls, Vt.
WEAJ	Cornell University	Ithaca, N. Y.	WHAZ	Radiovox Co. (Warren R. Cox)	Cleveland, Ohio	WLAL	Tulsa Radio Co.	Tulsa, Okla.
WEAK	University of South Dakota	Vermilion, S. Dak.	WHAZ	Ridgewood Times Printing & Publishing Co.	Ridgewood, N. Y.	WLAW	Putnam Hardware Co.	Houston, Mo.
WEAM	Julius B. Abercrombie	St. Joseph, Mo.	WHAZ	Joslyn Automobile Co.	Rockford, Ill.	WLAP	Arthur E. Schilling	Kalamazoo, Mich.
†WEAN	Borough of North Plainfield	North Plainfield, N. J.	WHAZ	Galveston Tribune	Galveston, Tex.	WLAQ	Central Radio Supply Co.	Hutchinson, Kans.
†WEAO	Shepard Co.	Providence, R. I.	WHAZ	Ocean City Yacht Club	Ocean City, N. J.	WLAT	Radio & Specialty Co.	Burlington, Iowa
WEAP	Ohio State University	Columbus, Ohio	WHAZ	Mrs. Robert E. Zimmerman	Vinton, Iowa	WLAV	Electric Shop	Pensacola, Fla.
WEAR	Mobile Radio Co.	Mobile, Ala.	WHAZ	Gustav A. DeCortin	New Orleans, La.	WLAW	Police Dept.	City of New York
WEAS	Baltimore American & News Publishing Co.	Baltimore, Md.	WHAZ	Continental Radio & Manufacturing Co.	Newton, Iowa	WLAX	Putnam Electric Co.	New York, N. Y.
WEAT	Hech Co.	Washington, D. C.	WHAZ	Heer Stores Co.	Springfield, Mo.	WLAY	Community Broadcasting Station	Greencastle, Ind.
†WEAU	John J. Fogarty	Tampa, Fla.	WHAZ	Fox River Valley Radio Supply Co.	(Quinn Bros.)	WLAZ	Northern Commercial Co.	Fairbanks, Alaska
WEAV	Davidson Bros. Co.	Sioux City, Iowa	WHAZ	Journal-Stockman Co.	Omaha, Neb.	WLAW	Hutton & Jones Electric Co.	Warren, Ohio
WEAX	Sheridan Electric Service Co.	Rushville, Neb.	WHAZ	School of Engineering of Milwaukee and Milwaukee News	Milwaukee, Wis.	†WLW	University of Minnesota	Minneapolis, Minn.
WEAY	T. J. M. Daly	Little Rock, Ark.	WHAZ	Chronicle Publishing Co.	Marion, Ind.	WLK	Hamilton Manufacturing Co.	Indianapolis, Ind.
WEB	Iris Theatre (Will Horowitz, Jr.)	Houston, Tex.	WHAZ	Paducah Evening Sun	Paducah, Ky.	†WLW	Crosley Manufacturing Co.	Cincinnati, Ohio
†WEH	Benwood Co.	St. Louis, Mo.	WHAZ	Burlington Hawkeye-Home Electric Co.	Burlington, Iowa	WMAB	Radio Supply Co.	Oklahoma, Okla.
†WEV	Midland Refining Co.	Tulsa, Okla.	WHAZ	Leon T. Noel	Tarkio, Mo.	WMAC	J. E. Page (Olive B. Meredith)	Cazenovia, N. Y.
WEW	Hurlbut-Still Electrical Co.	Houston, Tex.	WHAZ	American Trust & Savings Bank	Le Mars, Iowa	WMAD	Atchinson County Mail	Rock Port, Mo.
WEY	St. Louis University	St. Louis, Mo.	WHAZ	Paducah Telegram Co.		WMAF	Round Hills Radio Corporation	Dartmouth, Mass.
†WFAA	Cosradio Co.	Wichita, Kans.	WHAZ	Kansas City, Mo.	WMAF	Tucker Electric Co.	Liberal, Kans.	
WEAV	Dallas News and Dallas Journal	Dallas, Tex.	WHAZ	Leonard Hardware Co.	Asheville, N. C.	WMAH	General Supply Co.	Lincoln, Neb.
WFAB	Carl F. Woese	Syracuse, N. Y.	WHAZ	Hi-Grade Wireless Instrument Co.		†WMAJ	Drovers Telegram Co.	Kansas City, Mo.
WFAC	Superior Radio Co.	Superior, Wis.	WHAZ	Times Publishing Co.	St. Cloud, Minn.	WMAK	Norton Laboratories	Lockport, N. Y.
WFAF	H. C. Spratley Radio Co.	Poughkeepsie, N. Y.	WHAZ	St. Cloud, Minn.		WMAL	Trenton Hardware Co.	Trenton, N. J.
WFAG	Radic Engineering Laboratory	Waterford, N. Y.						
WFAH	Electric Supply Co.	Port Arthur, Tex.						
WFAJ	Hi-Grade Wireless Instrument Co.	Asheville, N. C.						
†WFAM	Times Publishing Co.	St. Cloud, Minn.						

Call	Name	City and State	Call	Name	City and State	Call	Name	City and State
WMMAM	Beaumont Radio Equipment Co.	Beaumont, Tex.	WOAV	Pennsylvania National Guard, 112th Infantry, 2d Battalion,	Erie, Pa.	WQAL	Coles County Telephone & Telegraph Co.	Mattoon, Ill.
WMAN	Broad Street Baptist Church, Columbus, Ohio		WOAW	Woodmen of the World, Omaha, Neb.		WQAM	Electrical Equipment Co.	Miami, Fla.
WMAP	Utility Battery Service, Easton, Pa.		WOAX	Franklyn J. Wolff (Monument Pottery Co.), Trenton, N. J.		WQAN	Scranton Times	Scranton, Pa.
WMAQ	Fair Corp. and Chicago Daily News, Chicago, Ill.		WOAZ	Penick Hughes Co., Stamford, Tex.		WQAO	Calvary Baptist Church, New York, N. Y.	
WMAR	Waterloo Electrical Supply Co., Waterloo, Iowa		WOC	Palmer School of Chiropractic, Davenport, Iowa		WQAO	West Texas Radio Co., Abilene, Tex.	
WMMAT	Paramount Radio Corporation, Duluth, Minn.		WOE	Buckeye Radio Service Co., Akron, Ohio		WQAR	Press Publishing Co., Muncie, Ind.	
WMAV	Alabama Polytechnic Institute, Auburn, Ala.		WOF	Iowa State College, Ames, Iowa		WQAS	Prince-Walter Co., Lowell, Mass.	
WMAW	Wahpeton Electric Co., Wahpeton, N. Dak.		WOO	Pine Bluff Co., Pine Bluff, Ark.		WQAT	Radio Equipment Corporation, Westhampton, Va.	
WMAX	K. & K. Radio Supply Co., Ann Arbor, Mich.		WOO	John Wanamaker, Philadelphia, Pa.		WQAV	Huntington & Guerry (Inc.), Greenville, S. C.	
WMAY	Kingshighway Presbyterian Church, St. Louis, Mo.		WOS	Western Radio Co., Kansas City, Mo.		WQAW	Catholic University, Washington, D. C.	
WMAZ	Mercer University, Macon, Ga.		WOU	L. Bamberger & Co., Newark, N. J.		WQAY	Gaston Music & Furniture Co., Hastings, Neb.	
WMC	Commercial Appeal, Memphis, Tenn.		WOZ	Missouri State Marketing Bureau, Jefferson City, Mo.		WRAA	William M. Rice Institute, Houston, Tex.	
WMH	Precision Equipment Co., Cincinnati, Ohio		WPA	Metropolitan Utilities District, Omaha, Neb.		WRAB	Board of Public Education, Savannah, Ga.	
WMU	Doubleday-Hill Electric Co., Washington, D. C.		WPA	Palladium Printing Co., Richmond, Ind.		WRAC	State Normal School, Mayville, N. Dak.	
WNAB	Park City Daily News, Bowling Green, Ky.		WPA	Fort Worth Record, Fort Worth, Tex.		WRAD	Taylor Radio Shop, Marion, Kans.	
WNAC	Shepard Stores, Boston, Mass.		WPA	Anderson & Webster Electric Co., Wahoo, Neb.		WRAM	Lombard College, Galesburg, Ill.	
WNAD	Oklahoma Radio Engineering Co., Norman, Okla.		WPB	Pennsylvania State College, State College, Pa.		WRAN	Black Hawk Electrical Co., Waterloo, Iowa	
WNAK	Manhattan Radio Supply Co., Manhattan, Kans.		WPAC	Donaldson Radio Co., Okmulgee, Okla.		WRAO	Radio Service Co., St. Louis, Mo.	
WNAL	R. J. Rockwell, Omaha, Neb.		WPAD	W. A. Wieboldt & Co., Chicago, Ill.		WRAR	Jacob C. Thomas, David City, Neb.	
WNAM	Ideal Apparatus Co., Evansville, Ind.		WPAF	Peterson Radio Co., Council Bluffs, Iowa		WRAU	Amarillo Daily News, Amarillo, Tex.	
WNAN	Syracuse Radio Telephone Co., Syracuse, N. Y.		WPAH	Wisconsin Department of Markets, Waupaca, Wis.		WRAV	Antioch College, Yellow Springs, Ohio	
WNAP	Wittenberg College, Springfield, Ohio		WPAJ	Doolittle Radio Corporation, New Haven, Conn.		WRAY	Radio Sales Corporation, Scranton, Pa.	
WNAQ	Charleston Radio Electric Co., Charleston, S. C.		WPAK	North Dakota Agricultural College, Agricultural College, N. Dak.		WRK	Doron Bros. Electric Co., Hamilton, Ohio	
WNAR	C. C. Rhodes, Butler, Mo.		WPAL	Superior Radio & Telephone Equipment Co., Columbus, Ohio		WRL	Union College, Schenectady, N. Y.	
WNAS	Texas Radio Corporation and Austin Statesman, Austin, Tex.		WPAM	Auerbach & Guettel, Topeka, Kans.		WRM	University of Illinois, Urbana, Ill.	
WNAT	Lennig Bros. Co., Philadelphia, Pa.		WPAP	Theodore D. Phillips, Winchester, Ky.		WRP	Federal Institute of Radio Telegraphy, Camden, N. J.	
WNAV	Peoples Telephone and Telegraph Co., Knoxville, Tenn.		WPAQ	General Sales & Engineering Co., Frostburg, Md.		WRR	City of Dallas, Police and Fire Signal Department, Dallas, Tex.	
WNAW	Peninsular Radio Club, Fort Monroe, Va.		WPAR	Ward Battery & Radio Co., Beloit, Kans.		WRW	Tarrytown Radio Research Laboratory, Tarrytown, N. Y.	
WNAX	Dakota Radio Apparatus Co., Yankton, S. Dak.		WPAS	J. & M. Electric Co., Amsterdam, N. Y.		WSAA	B. S. Sprague Electrical Co., Marietta, Ohio	
WNAY	Ship Owners Radio Service, Baltimore, Md.		WPAT	St. Patricks Cathedral, El Paso, Tex.		WSAB	Southeast Missouri State Teachers' College, Cape Girardeau, Mo.	
WNJ	Shotton Radio Manufacturing Co., Albany, N. Y.		WPAU	Concordia College, Moorehead, Minn.		WSAC	Clemson Agricultural College, Clemson College, S. C.	
WOAA	Dr. Walter Hardy, Ardmore, Okla.		WPAV	Paul Tinetti & Son, Laurium, Minn.		WSAH	A. J. Leonard, Jr., Chicago, Ill.	
WOAB	Valley Radio, Grand Forks, N. Dak.		WPAW	Radio Installation Co., Wilmington, Del.		WSAJ	Grove City College, Grove City, Pa.	
WOAC	Maus Radio Co., Lima, Ohio		WPAX	S-W Radio Co. (J. R. Shumate, Jr.), Thomasville, Ga.		WSAL	Franklin Electric Co., Brookville, Ind.	
WOAD	Friday Battery & Electric Corporation, Sigourney, Iowa		WPAY	Bangor Radio Laboratory, Bangor, Me.		WWSAS	State of Nebraska, Department of Agriculture, Lincoln, Neb.	
WOAE	Midland College, Fremont, Neb.		WPAZ	Dr. John R. Koch, Charleston, W. Va.		WSAT	Plainview Electric Co., Plainview, Tex.	
WOAF	Tyler Commercial College, Tyler, Tex.		WPE	Central Radio Co., Independence, Mo.		WSAV	Clifford W. Vick Radio Construction Co., Houston, Tex.	
WOAG	Apollo Theatre (Belvidere Amusement Co.), Belvidere, Ill.		WPG	Nushawg Poultry Farm, New Lebanon, Ohio		WWSB	Atlanta Journal, Atlanta, Ga.	
WOAH	Palmetto Radio Corporation, Charleston, S. C.		WPI	Electric Supply Co., Clearfield, Pa.		WWSL	J. & M. Electric Co., Utica, N. Y.	
WOOAI	Southern Equipment Co., San Antonio, Tex.		WPM	Thomas J. Williams, Washington, D. C.		WWSY	Alabama Power Co., Birmingham, Ala.	
WOAJ	Ervins Electrical Co., Parsons, Kans.		WPO	United Equipment Co., Memphis, Tenn.		WTAC	Penn Traffic Co., Johnstown, Pa.	
WOAK	Collins Hardware Co., Frankfort, Ky.		WQAA	Horace A. Beale, Jr., Parkersburg, Pa.		WTAS	George D. Carpenter, Elgin, Ill. (near) Ruegg Battery & Electric Co., Tecumseh, Neb.	
WOAL	William E. Woods, Webster Groves, Mo.		WQAB	Southwest Missouri State Teachers' College, Springfield, Mo.		WTAW	Agricultural and Mechanical College of Texas, College Station, Tex.	
WOAN	Vaughn Conservatory of Music, Lawrenceburg, Tenn.		WQAC	E. B. Gish, Amarillo, Tex.		WTG	Kansas State Agricultural College, Manhattan, Kans.	
WOAO	Lyradion Manufacturing Co., Mishawaka, Ind.		WQAD	Whitall Electric Co., Waterbury, Conn.		WTP	George M. McBride, Bay City, Mich.	
WOAP	Kalamazoo College, Kalamazoo, Mich.		WQAE	Moore Radio News Station, Springfield, Vt.		WWAC	Sanger Bros., Waco, Tex.	
WOAR	Henry P. Lundskow, Kenosha, Wis.		WQAF	Sandusky Register, Sandusky, Ohio		WWAD	Wright & Wright (Inc.), Philadelphia, Pa.	
WOAS	Bailey's Radio Shop, Middletown, Conn.		WQAH	Brock-Anderson Electrical Engineering Co., Lexington, Ky.		WWAX	Wormser Bros., Laredo, Tex.	
WOAT	Boyd M. Hamp, Wilmington, Del.		WQAJ	Ann Arbor Times News, Ann Arbor, Mich.		WWAY	Marigold Gardens, Chicago, Ill.	
WOAU	Sowder Bolling Piano Co., Evansville, Ind.		WQAK	Appel-Higley Electric Co., Dubuque, Iowa		WWB	Daily News Printing Co., Canton, Ohio	
						WWI	Ford Motor Co., Dearborn, Mich.	
						WWJ	Detroit News, Detroit, Mich.	
						WWL	Loyola University, New Orleans, La.	
						WWZ	John Wanamaker, New York, N. Y.	

New Wave-Lengths For Broadcasting

To clear up the congestion in radio broadcasting, the Department of Commerce has ent out a new schedule of wave-lengths, which goes into effect on May 15th. Definite wave-lengths have been allotted to each of five zones into which the country has been divided, and broadcasting stations will have to adhere to these or else suffer the penalty of loss or suspension of license.

For the Class B stations, there will be en wave-lengths in each zone, and all of these will be adjusted so as not to conflict with ny other.

Of the ten wave-lengths assigned to Zone 1, which extends from New England through the District of Columbia, three of them, 405, 455 and 482 meters, have been assigned to New York City and Newark.

Other assignments of wave-lengths thus far in this zone are:

Springfield, Mass., and Wellesley Hills, Mass., 337 meters.

Schenectady and Troy, 380 meters; Philadelphia 509 and 395 meters, and Washington, 435 meters. Wave-lengths of 303, 319, 469 meters also are reserved for this zone.

Assignments in the other zones up to this time are:

Zone 2—Pittsburgh, 326; Chicago, 448; Davenport and Des Moines, 484; Detroit and Dearborn, 517; Cleveland and Toledo, 390; Cincinnati, 309; Madison and Minneapolis, 417.

Zone 3—Atlanta, 429; Louisville, 400; Memphis, 500; St. Louis, 546.

Zone 4—Lincoln, Neb., 341; Kansas City,

411; Jefferson City, 441; Dallas and Fort Worth, 476; San Antonio, 385; Denver, 323; Omaha, 527.

Zone 5—Seattle, 492; Portland, 455; Salt Lake City, 312; San Francisco, 509 and 423; Los Angeles, 395 and 469; San Diego, 536.

None of the wave-lengths go above 600 meters.

Besides the Class B stations, which broadcast to long distances, there are 540 Class A stations which use the 360 meter wave-length. These will be allowed to retain that wave-length or can come into a special band between 222 and 300 meters. If a new station is erected and it cannot meet the qualifications of Class B station, it will not be allowed to use 360 meters, but must go into the 222-300 band.

Radio Oracle

In this Department we publish questions and answers which we feel are of interest to the novice and amateur. Letters addressed to this Department cannot be answered free. A charge of 25c is made for all questions where a personal answer is desired.

A SELECTIVE DX SET

(140) Frank Holut, La Grange, Ill., refers to the diagram of the set used by the first prize winner in our Radio Interference Preventer Contest and asks:

Q. 1. Can you give me a diagram of two


the base on its back edge. With this you can have all the connections made back of the panel.

Q. 2. Why is an aluminum sheet used in the rear of some radio panels, and how thick should the same be?

A. 2. The idea of the aluminum shield against

radius of radio sets, such as detector alone, detector and one step amplifier and detector and two step amplifiers.

A. 1. The editor of this department respectfully requests that readers do not ask questions of this nature. As has been stated many times in



A Five Tube Circuit Diagram As Requested By Mr. Holut Is Shown Above. The Tuner Is the Same As That Awarded First Prize In Our Interference Preventer Contest and Will Give Exceptional Results. Standard Transformers May Be Used Throughout This Circuit.

stages of radio frequency amplification, a detector and two stages of audio frequency amplification used in connection with this tuner?

A. 1. We are giving in these columns a circuit diagram as requested. The tuning apparatus is the same as illustrated in our Interference Preventer Contest and is not regenerative.

Standard radio and audio frequency transformers may be used in this circuit and the potentiometer illustrated is absolutely necessary for efficient results.

TWELVE-INCH SPARK COIL

(141) Edward C. Hanson, Quebec, Canada, asks:

Q. 1. What is the correct data for the construction of a spark coil capable of giving a 12-inch spark, and what is the required voltage for operating same?

A. 1. We give here the required data on a 12-inch spark coil. The core is 21 inches long and is composed of a cylindrical bundle of iron wires built up to a diameter of $1\frac{1}{2}$ inches. The primary is wound with 3 layers of No. 10 D. C. C. wire, and over this is slipped an insulating tube with a wall $\frac{3}{8}$ of an inch thick. The secondary is wound with No. 30 enameled or S. S. C. wire in 80 pies. Thirty pounds of wire will be required for this work. The primary voltage should be about 20 volts.

ADDITIONAL RECEIVING RANGE

(142) Edward Hesher, Decatur, Ind., requests:

Q. 1. Will one stage of audio frequency amplification increase the receiving range of a radio set?

A. 1. In some cases, signals are rectified by a detector tube, but are so faint as to be practically inaudible. In such a case the addition of one stage of audio frequency amplification will virtually add to the receiving range as it will bring into the range of audibility signals from distant stations which otherwise could not be heard.

LAYOUT OF PANEL

(143) C. R. Hill, Newark, N. J., asks:

Q. 1. Can you give me the lay-out for the panel of a radio set consisting of a standard short wave regenerative tuner employing a vario-coupler, two variometers and a detector tube?

A. 1. We cannot supply patterns for laying out panels for radio sets, inasmuch as almost every amateur desires to use different makes of apparatus. We could advise you to decide upon what kind of a set you wish to have and then to purchase all the apparatus necessary. Lay this out on your panel and re-arrange it to suit your own taste. Then you can go ahead and drill the panel and you will have a set of your own design. If you desire, you can place the binding posts upon hard rubber or bakelite strips mounted perpendicular to

the back of the panel to shield the instruments from body capacity. The aluminum need not have any particular thickness, but may be of any thickness you may happen to have on hand or can readily purchase. Copper or tinfoil is widely used.

SETTING UP A LARGE RECEIVING SET

(144) J. F. Hathaway, Akron, Ohio, says that he has constructed a set similar to one appearing in our June issue, but his results have not been very good. He says he has checked the circuit carefully and can find no mistakes. He asks:

Q. 1. Can you give me any help towards obtaining good results with this set?

A. 1. Before setting up a receiving outfit of the size you mention, it is always advisable to test each piece of apparatus separately for short or open circuits. Such may be the trouble with your set, but it is practically impossible for us to say whether or not it is, because we do not have complete information on your results. It may be that your vario-coupler or variometers are not designed correctly, or that your antenna inductance is not of the correct value. If your condensers have fibre ends, you no doubt are losing considerable energy there by leakage.

If you used acid soldering flux in connecting up your set, you may find that the flux has caused high resistance shorts in your radio frequency amplifier, which results in their being unable to operate efficiently. We would advise you to look into the above items.

REMANETIZING HEAD PHONES

(145) George Koci, East St. Louis, Ill., asks:

Q. 1. How can I remagnetize the magnets of my radio receivers which have lost their strength?

A. 1. We would advise you to send your radio receivers which have lost their magnetism back to the manufacturers, who are fully equipped to restore the strength of the same.

Q. 2. Can shellac be employed on radio sets? Can iron parts, such as brads and screws, be used in making the sets?

A. 2. Shellac may be used in making radio sets, but there are several disadvantages in the use of iron parts. They influence the magnetic fields of the various instruments, sometimes to the detriment of the receiving qualities. Also, where these iron parts carry radio frequency current there is a loss due to the high skin resistance.

Q. 3. Can a six volt automobile generator be used for lighting the tubes in a radio set?

A. 3. If you attempt to use your six volt generator to supply the potential for lighting the filament of an audion bulb, you will encounter serious trouble from the hum produced by the generator.

RECEIVING RANGE

(146) John C. Kane, Mt. Pleasant, Mich., asks several questions regarding the receiving

past issues of this magazine the receiving range is such a variable quantity that it can only be guessed at. Numerous factors enter into the estimation of the receiving range for each individual case, which are impossible for us to know. Therefore, we will have to refuse in the future to give any guesses at such ranges. With one detector tube alone an amateur situated in a certain position might be able to receive stations only within the radius of thirty-five miles, while another operator in a different locality might, with the same set, receive over a thousand miles.

The only way to get any kind of an answer to this question is to put up a set and try it out.

FADING

(147) Carl Kirkwood, Summerland, Calif., wants to know:

Q. 1. Can you tell me what is wrong with my radiophone receiving set; when I tune in a station the music will come in loud, only to fade out until it cannot be heard and then will come in loud again? This keeps up all through the program.

A. 1. The trouble you mention is due undoubtedly to what is known as *fading*, and for which practically no remedy has yet been found.

However, various types of receiving sets are affected in different ways by fading, and you may find that by changing your particular type, you may eliminate the trouble. The addition of one or two stages of radio frequency amplification will in most cases also assist.

AERIALS

(148) Henry Jarvis, Jr., Glasgo, Conn., asks:

Q. 1. Will an indoor aerial located in my attic be a lightning hazard?

A. 1. An antenna located in such a position will incur no danger from lightning.

Q. 2. In a multi-wire aerial should all the strands be connected together at both ends or only at one end?

A. 2. If you use an aerial with several strands of wire, only one end of the wires need be connected together, and a lead-in taken from the connection to the radio set.

A. C. ON TUBES

(149) F. A. Jewell, Henderson, N. C., requests:

Q. 1. Can you tell me where I can get complete data on the construction of the transformer necessary for use in connection with the five tube set developed by the Bureau of Standards which operates on A. C.?

A. 1. Complete data on the transformer you mention appeared in the September, 1922 issue of SCIENCE AND INVENTION on page 469.



LATEST PATENTS



Aircraft

(No. 1,427,314, issued to George Francis Myers)

A combined aircraft body and radiator so constructed and arranged with reference to each other, as to




form a substantially rigid construction, and to minimize their combined resistance through the air without impairing the efficiency of the radiator as a cooling agent, is embodied in this patent. This radiator, for use in cooling the water of a gasoline engine, comprises two manifolds of crescent form, arranged one in front of the other in the upper part of the body within the covering, the upper part of one of said manifolds being connected with the outlet pipe of the engine cooling system, and the lower part of the other with the inlet. Automatic doors for the aviator which are normally closed but may be opened for determining location, etc., and a manually controlled stabilizer are also claimed.

Surgical Device for Optical Operations

(No. 1,441,754, issued to Ernest E. Sanders)

This instrument is to assist in




surgical operations on the eyes, whereby the eye-ball is held against movement, or may even be retracted by means of a suction socket instead of the usual pressure method of holding the same. The suction will tend to keep the vitreous humor within the eye instead of tending to expel it. It will be seen in the diagram that a head gear is strapped to the patient to be operated upon. Suspended from this is a suitable holder which grasps the vacuum cup. This holder may be drawn away from the patient, or may assume any desired position, the adjustment being made by a micrometer screw. Because of this micrometer adjustment, undue strain will not be brought to bear upon the muscles of the eye.

Autogenous Welder

(No. 1,438,285, issued to James L. Anderson)

In hand welding of comparatively heavy sections, where it is impos-



sible to secure sufficient thickness of metal in the weld, it has been customary to add metal to the seam while in fusion from the end of a wire or rod melted by the flame of the single jet tip. In this device a tip having chambers and jet passages for oxy-acetylene, is also provided with a channel through which wire passes to the region immediately adjacent to the ends of a seam to be welded, preceded and followed by the welding jets.

Sex Calculator

(No. 1,428,065, issued to Hubert Royds Tidswell)

This sex calculator comprises a




series of scales which are to be set by the user, in an effort to determine the sex of the offspring. The inventor presupposes that a certain sequence of ovulation is followed, and bases his patent on this surmise, claiming that the theory is proven. As a matter of fact, in 1887 no less than two hundred and sixty theories on such predeterminations advanced prior to that time were compiled, proven and then disproven again. It is our opinion that the theory upon which this patent is based, is no more infallible than any of those two hundred and sixty to which we refer. The device consists of two or more parts on which are marked the months of the year with suitable subdivisions. The time of ovulation and the nature of the sex is likewise indicated. Means are provided for moving the parts relative to one another.

Recorder

(No. 1,438,829, issued to Fred B. Howell)

For recording pressures the improvement embodied in this patent, is of interest. In adapting such an instrument to a test railroad tie for recording the forces acting upon a rail as the locomotive passes over it, the instruments heretofore caused irregular markings due to the sudden pressure brought to bear and



which they had to register. In this invention, the recording arm is pressed against the record with a comparatively large force. The recording arm does not rigidly support the stylus but contacts with the record sheet on a smooth hard surface, such as steel. Such an arrangement enables the recording arm to slide over the record sheet with comparatively little friction. The recording stylus is carried in the recording arm in the form of a slender needle, preferably of brass coating with a record sheet made of paper having a metallic coating, and although the pressure on the recording arm may become great, the pressure of the needle may be so adjusted as to be extremely delicate and sensitive.

Tunnel Construction

(No. 1,441,698, issued to James C. Meem)

In order that subaqueous tunnels may more easily be built, this meth-



od is proposed. The tunnel is built on a floating barge in the form of a shell, which may be of wood or steel, and there is added thereto interior trussing means, such as precast concrete ribs spaced sufficiently apart from each other to allow for flexibility. One end is sunk in place, and the remainder of the tunnel is continued, section after section being added to the one already sunken, by attaching it thereto and paying it out as the barge moves ahead. The tunnel rises in a gradual curve to its place on the permanent construction barge; it becomes very easy to continue building the same. The rocking cradle which does not permit bending to less than two thousand feet radius, is used to slide the continuously constructed tunnel to the bottom of the waters.

Heating Element

(No. 1,438,424, issued to Charles C. Armstrong)

An improved arrangement of resistance element over the usual




device, is embodied in this patent. In this system parallel slots are cut into the faces of the insulating members, thus forming upstanding projections. The resistance element coming from the current fixture, socket or plug runs back and forth between the end members passing around the projections. Thus each plane of heating element is independent of the other. Such a construction is beneficial as either element may be removed without disturbing the other. The arrangement of the element around projections instead of passing around end members, effects a material saving in the length of the resistance element, without reducing the effectual heating area.

Wave Motor

(No. 1,439,984, issued to Charles S. Talbert)

A cylinder is so mounted that it projects rearwardly and horizontally from the sea wall. Its front end is closed by an end plate and a piston




rod passes through this end plate terminating in a large surface against which waves are to act. Valves are arranged within the piston, so as to provide for the compression of air or other fluid. A spring is mounted on the piston rod, so as to bring back the piston and the external abutting surface on which the waves act to the original positions. It will be seen, therefore, that the impact of the waves will cause the piston to move again, compressing the air contained in the cylinder, which air can be used for driving motors.

Flying Machine

(No. 1,435,235, issued to William S. Hull)

This flying machine has a globular




body, a flat bottom and side walls. On the walls are mounted a number of adjustably mounted propellers carried on a ring, so that the relative positions of the propellers with respect to the body, can be changed for causing the machine to travel in a vertical direction, in a horizontal direction or at an angle. The screws are claimed to be so disposed, that when in operation they cut out the air in front of the car and discharge it backward, so as to allow the force of the atmospheric pressures to be exerted against the under sides and rear end of the body, forcing the machine forward. The inventor says that he has found that if he is able to create partial vacuum in front of the car, which he claims he does by means of these screws, the car would rise much more easily. Any type of driving mechanism may be employed.

Electric System for Vehicles

(No. 1,440,879, issued to Thomas L. Lee and Raymond H. Sullivan)

In an effort to overcome present charging methods for storage batteries in automobiles, the inventors have provided a three brush generator, in which a shunt field winding is connected between one or more of the main brushes and one or more auxiliary brushes are interposed between the main brushes. Assume such a generator to be operating at any given speed, charging a battery which has been charged



to any given degree, and has attained a corresponding electromotive force. If the resistance of the charging circuit be increased by increased heat in the battery, the voltage across the generator terminals increases. In such a system, while the condition of the battery as to charge, cannot be gauged by the voltage alone, it can be gauged by reference to the related variation of both voltage and current. The charge controller is a relay having a voltage winding of high resistance, connected across the generator terminals, and a current winding of low resistance connected in series with the generator and the battery and in opposition to the voltage winding.



THE ORACLE

The "Oracle" is for the sole benefit of all scientific experimenters. Questions will be answered here for the benefit of all, but only matter of sufficient interest will be published. Rules under which questions will be answered:

1. Only three questions can be submitted to be answered.
2. Only one side of sheet to be written on; matter must be typewritten or else written in ink, no penciled matter considered.
3. Sketches, diagrams, etc., must be on separate sheets. Questions addressed to the department cannot be answered by mail free of charge.

4. If a quick answer is desired by mail, a nominal charge of 25 cents is made for each question. If the questions entail considerable research work or intricate calculations a special rate will be charged. Correspondents will be informed as to the fee before such questions are answered.

INVISIBILITY

(1477) Charles Portanier, Valletta, Malta, asks:

Q. 1. Can you give me data on any methods whatsoever of making a person become invisible?

A. 1. If you have an audience before you and can hypnotize this audience, it is a relatively simple matter to suggest to them that you are becoming invisible, and finally that you are invisible. Under the hypnotic spell, they will be unable to contradict, and when they come out of it, they will believe that you have actually become invisible.

Magicians today use a method of becoming seemingly invisible, which make use of the fact that the color of their costumes, skin, etc., blend with the surrounding colors. If, for instance, they are covered completely with orange materials standing against an orange background and an orange light be projected upon them, they automatically become invisible. If they stand behind a bank of flood lights, the flood lights being thrown toward the audience, they also fade from view. Draping the body in black against a black curtain, renders it invisible to the audience. If a performer is now completely clothed in black with his head and arms uncovered, and the entire theatre is thrown into darkness, a purplish light thrown upon the performer's face gives him a very weird appearance. Concealing the body behind mirrors is often used for becoming seemingly invisible.

FILTERING LIGHT AND HEAT WAVES

(1478) Wilson Post, New York City, refers to the filter experiment described on page 246 of the July, 1922, issue of *SCIENCE AND INVENTION*, and asks the following questions:

Q. 1. How long will the iodine and carbon disulphide solution last, and will light have any detrimental effect upon the same?

A. 1. The iodine and carbon disulphide solution will last indefinitely if kept in a bottle and tightly corked. The light will have practically no detrimental effect upon the same.

Q. 2. Do you know of any chemical that will have the reverse result, that is, that will absorb the heat rays and permit the light rays to pass through?

A. 2. A bottle filled with solution of alum in water will absorb quite a good percentage of the heat rays and the water itself becomes heated.

You might try a series of interesting experiments along this line, using the above facts as a basis. At any time you may be sure of our assistance in any matters of this kind which may puzzle you.

AUTOMATIC GAS LIGHTER

(1479) O. Riddel, Chicago, asks:

Q. 1. What is the substance used on gas jets so that the latter is lighted automatically when the gas is turned on?

A. 1. If a piece of platinum sponge is placed over a gas jet, so that when the same is turned on, the gas will come in contact with the sponge, the sponge will become red hot, and cause the gas to ignite. The sponge is apt not to last very long if left in this position, consequently it should be removed as soon as the gas is lit.

Q. 2. How are selenium cells connected to detect a fire?

A. 2. We believe that the idea you have in mind for connecting selenium cells so as to detect fire is that the light of the fire will lower the resistance of the selenium cell, which in turn will close the circuit through a relay and sound an alarm. This, however, would not make a very good fire alarm because of the fact that so many selenium cells would be necessary to cover all the spots at which a fire might start and it would take a very bright fire to cause them to function. However, you could connect a selenium cell in series with a battery and a relay. The contacts of the relay are then connected in series with another battery and a gong or other form of alarm.

Q. 3. Kindly give me the equations involved in Ohm's laws applied to power calculations.

A. 3. The following are the equations which you request:

V times A equals W
 W divided by A equals V
 W divided by V equals A
In which V equals voltage, A amperage and W wattage

WOLLASTON WIRE

(1480) Fred P. Roman, Halifax, Canada, asks:

Q. 1. How is Wollaston wire made?

A. 1. This wire is made by plating a platinum wire with a heavy coat of silver, and drawing the same out to a very small diameter. In this way the platinum wire inside is drawn out to almost infinitesimal size, subsequently the silver is dissolved by nitric acid.

SOMETHING FOR NOTHING

(1481) Minter Wherritt, Pleasant Hill, Mo., wants to know:

Q. 1. Is there any possible way in which an object can be moved without the person moving it doing any work whatsoever, in the true sense of the word?

IMPORTANT TO NEWSSTAND READERS

In order to eliminate all waste and unsold copies it has become necessary to supply newsstand dealers only with the actual number of copies for which they have orders. This makes it advisable to place an order with your newsdealer, asking him to reserve a copy for you every month. Otherwise he will not be able to supply your copy. For your convenience, we are appending herewith a blank which we ask you to be good enough to fill in and hand to your newsdealer. He will then be in a position to supply copies to you regularly every month. If you are interested in receiving your copy every month, do not fail to sign this blank. It costs you nothing to do so.

To Newsdealer

Address

Please reserve for me copies of *SCIENCE & INVENTION* every month until I notify you otherwise, and greatly oblige,

Name

Address

A. 1. No matter how you attempt to move an object, you will always have to perform a certain amount of work, even though the object be perfectly balanced upon bearings and otherwise arranged so that friction is reduced to a minimum and may be treated as zero value. This work, of course, may be very light, but nevertheless, it is still work, and can be measured.

RECTIFIER TROUBLE

(1482) C. B. Noe, Jackson, Mich., states that he has constructed a rectifier such as described upon page 155 of the June, 1922, issue of *SCIENCE AND INVENTION*. He wishes to use it to charge a 6-volt, 60-ampere hour storage battery, but states that he does not obtain enough current to do this work. He asks:

Q. 1. Can you tell me what is wrong?

A. 1. The reason you do not get enough current through your rectifier is because you have too high a resistance in the 110-volt circuit. You should use eight carbon filament or other type of lamps which consume one ampere each and connect them in parallel. The entire set is then connected in series with one side of the A. C. line. This will allow the rectifier to deliver about 8 amperes.

ALUMINUM SOLDER

(1483) Max Van Arsdol, Fort Wayne, Ind., asks:

Q. 1. Can you give me a formula for a solder which can be used to join together pieces of aluminum?

A. 1. A solder for aluminum which does not require the use of flux, may be made as follows:

Silver 2%
Aluminum phosphide 9%
Tin 39%
Zinc 50%

The surfaces to be soldered are first scraped clean, then tinned with the solder itself. The surfaces may be cleaned by dipping them in a solution of nitric acid in three times its bulk of hot water, containing about 5% of commercial hydrofluoric acid.

WEHNELT ELECTRODES

(1484) W. B. King, Denver, Colo., wants to know:

Q. 1. Can you tell me what Wehnelt electrodes consist of and where they can be purchased?

A. 1. These electrodes consist of platinum wires encased in porcelain tubes, the ends of the wire being bared. We do not know of any hook dealing with the construction of these electrodes only, but can supply upon receipt of a stamped self addressed envelope the names of companies from whom they may be purchased.

CUTTING BRASS WITH AN OXY-ACETYLENE TORCH

(1485) E. J. Kenner, Somerville, N. J., asks:

Q. 1. Can an oxy-acetylene torch be used for cutting thick sheet brass in the same way that it is used for cutting steel?

A. 1. We have obtained the following information on the cutting of various metals with the oxy-acetylene torch, from one of the leading companies of New York using this process. All kinds of steel can be actually cut with the oxy-acetylene torch. Other metals that are drawn can be cut in the same manner. This includes brass, copper, iron and other metals. These latter, however, if cast, cannot actually be cut by the flame, but the point at which the flame is applied will melt, and by a continued process of melting along the desired line, a result will be obtained somewhat similar to the cutting, but the work will have ragged edges.

COLD CREAM AND SOAP FORMULAS

(1486) W. C. King, Vancouver, B. C., Canada, asks:

Q. 1. Can you give me a formula for making a greaseless cold cream?

A. 1. We are giving you herewith the formula for making a greaseless cold cream.

Stearic acid (stearin) ... 2 oz. av.
Sodium carbonate, pure ... 1 1/4 oz. av.
Borax powder ... 1 1/4 oz. av.
Glycerine ... 4 fl. oz.
Water ... 32 fl. oz.
Oil of rose ... 20 drops
Heliotropin ... 20 gr.
Alcohol ... 4 fl. oz.

Mix all the ingredients except the perfumes and alcohol together, and heat on a water bath until effervescence ceases. Remove and stir at intervals until the mixture begins to stiffen. Then incorporate the aromatic substances dissolved in the alcohol. Beat thoroughly with a paddle or egg beater. It may be made more creamy by re-heating and beating it again. There is very little difference between the greaseless cold cream and the so-called vanishing cream, and the above preparation will do for either.

Q. 2. Can you give me a formula for making white pumice soap?

A. 2. You may make a white pumice soap as follows:

Cocoanut oil ... 20 parts
Tallow ... 4 parts
Soda lye (38-40° Baumé) ... 12 parts
Phenol ... 1 part

Prepare the body soap by stirring the liquified fat into the lye at 113° F., and when the two have combined, incorporate the phenol and any desired amount of ground pumice. Stir quickly and pour into the molds. The amount of pumice will depend upon your own personal taste as to whether you require a large or small quantity.

Magic for Everybody

By PROF. JOSEPH DUNNINGER

(Continued from page 141)

After the genuine and inspected rope is passed through the opening of the post it is caught in the bayonet catch and carried down over the pulleys and into the post proper. The duplicate is drawn from out the post and carried through the unprepared post so that the trick-joint is brought to a point directly in front of the performer. When the cloth is held up before him so as to obstruct his action from view he has but to open the trick joint with his hands, pass before it and again close it behind him. He has to all appearances passed through the rope. As the rope is drawn out of the posts,

the mechanical action is reversed and the duplicate or trick rope is once more drawn into the post and the original one brought to view.

Bank-Note Trick: The mind-reader and the assistant enter. The lecturer or the assistant requests a bill or bank-note from anyone of his many spectators. He explains that codes or forms of mechanical communication are out of the question as the mind-reader will call all the numbers upon the bill without one word of conversation prior to the calling. This, the lecturer asserts, eliminates all suspicion as to verbal communication.

The lecturer holds the bill between his fingers, and at once the mind-reader mysteriously calls the exact serial numbers thereupon. The mind-reader, of course, stands at a distance of some twenty or thirty feet away from his assistant.

Now for the explanation; the diagram makes all clear. A signal finger system is employed. The entire code is disclosed in the drawing. The reader will understand that the lecturer during the action of deep concentration is quite naturally handling the bill and is secretly signaling the information to the mind-reader unawares.

Scientific Problems and Puzzles

By ERNEST K. CHAPIN

(Continued from page 142)

is approximately one calorie per gram per degree Centigrade, that of air 0.24, etc. On calculating the amount of heat that would be liberated by various substances on cooling from their respective temperatures to the temperature of melting mercury (-39°C), it develops that the four cubic feet of air in the baking oven would liberate about 8,500 calories, the red-hot pound of iron over ten times as much, the room at 90°C nearly 80 times as much, and the cubic foot of boiling water about 600 times as much. The amount of heat which would be liberated by the ice on a frozen lake on cooling from, say zero Centigrade to -39°C , would depend upon the quantity of ice present, but certainly the amount of heat would be thousands, yes, hundreds of thousands of times greater than that of a cubic foot of boiling water, for it would take but eleven cubic feet of ice to yield the heat equivalent of the boiling water.

A QUESTION OF WEIGHT

Since cream floats on milk, its density is

obviously less than that of milk. Hence a pint of cream weighs less than a pint of milk.

THE FLYING BIRD AND THE FLOATING STICK

No change in weight will be noticed in either of the cases mentioned. The weight of the flying bird is transmitted to the floor of the case by the downward beating of its wings which is necessary to support it in the air. The weight of the floating stick is transmitted to scales through the medium of the water.

THE SLIDING ROPE

The acting force on the rope at any instant is evidently equal to the weight of the rope hanging over the edge of the surface. Then, since the mass of the rope is constant, the acceleration produced in it is directly proportional to this acting force. If the force on the rope were constant the acceleration would be constant as it is for a freely falling body, but, as the force is increasing all the time, as more and more of the rope

passes over the pulley, we can see that the acceleration must increase. However, there is evidently a limit to this, for by the time the last of the rope has passed over the pulley its acceleration will be constant and equal to that due to gravity. Thus it is apparent that while the force of acceleration of the rope must start at zero and increase until all of the rope is free of the surface, the rate of change of acceleration will be maximum at the start, get less and less, and finally equal zero the instant the last of the rope is clear.

THE BALLOONIST

As soon as the body of the pilot reached the surface of the water the buoyant force of the water relieved the balloon of some of his weight and thus checked its descent until the pilot had been rescued. Of course, the balloon was still leaking and the pilot was slowly sinking, but it required a very considerable leakage to make him sink very far, the buoyant force of the water being so much greater than that of the air.

Light Beams Measure Ocean Depths

By EDWARD H. LONDON

(Continued from page 129)

light through the air, but in water we encounter much greater difficulties.

An experiment in projecting a beam of light through the water was tried by the Sperry Gyroscope Company. Here a three-foot Sperry projector capable of developing three hundred million candle-power, was placed in a large tank, having a two-inch plate glass window in it and also housing an observer to determine the amount of penetration. Mr. P. R. Bassett of the Sperry staff recounted his experiences in this connection. The searchlight beam projected out to sea for many miles. As the structure was lowered it seemed as though part of the beam was chopped off and that below the water level was much shortened, as shown in the illustration at 3. Looking at

the tank from the top, one could see that the rays of light were being dispersed in the water about forty feet in front of the tank, whereas the top half of the ray not below the water level, projected outward an indefinite distance, see 4. When the tank in which the searchlight was housed was completely submerged, the light rays stopped in some cases but fifteen feet from the tank, and in others not more than thirty-five feet from their point of origin. It was strange to note that the beams of light were so completely dispersed that they enshrouded the tank in a complete ovoid of light, so that there was as much illumination on the back of the tank opposite the egress of the light beam as there was at any other point, see 5. When the tank was lowered to a depth of

thirty feet, the water became greenish in color, but one could not see the path of the light beam. Visibility from the tank itself in some places was not greater than twenty feet.

The reason that this experiment was tried, was that a certain inventor proposed placing searchlights in the front of submarines so that they could see when they were running into a submerged bomb or net. It is evident, therefore, that the invention of Captain John Hurns, whose photo we show in the act of looking through a bubble sextant, which has nothing to do with the apparatus mentioned, may be good for plotting depths of water which do not extend beyond the limit of visibility with the type of lights he employs.

Practical Chemical Experiments How to Build a Wind Power Motor

(Continued from page 138)

(Continued from page 144)

tated. Violent shaking will cause this to collect, leaving the liquid almost perfectly clear. This is filtered off and washed well with water. It can afterward be mixed with dry sodium carbonate and the mixture of the two heated on a charcoal block with a blowpipe flame, resulting in the formation of pure metallic silver.

[It may be interesting to note that in a twenty-five mile wind, an eight foot windmill will develop $1\frac{1}{2}$ horsepower. With a lower wind pressure, such as that of a gentle pleasant breeze of five miles per hour, the eight foot windmill develops .011 horsepower. With a wind at ten miles per hour this same mill will give .088 horsepower.

A very brisk wind at twenty miles per hour, will with the same mill develop .7 of a horsepower; and with a high wind of thirty miles an hour, we can obtain more than two horsepower from such a windmill. A 12 ft. mill will develop 1.6 H. P. with a 20 mile wind; and a 16 ft. mill will give 1.2 H. P. with but a 15 mile breeze.—ED.]

"BUILD YOUR OWN" WITH "RASCO" PARTS!

THE Radio Specialty Company—"RASCO" for short—now in its third year, is unquestionably the most unique radio parts supply house in the United States, if not in the whole world. This Company makes a specialty of very small orders. No order is too small to get immediate and prompt attention. The reason is simple: 80% of our orders are small. The reputation of this house was built upon service. Ask any of your radio acquaintances what they think of "RASCO" service, "RASCO" promptness. Thousands upon thousands of unsolicited testimonials are in our files, to prove that we serve the public as it has never been served in radio merchandise before. Be sure to get our great 68-page catalog, containing over 500 different parts. Catalog contains over 300 illustrations.

Order direct from this page. All goods sent prepaid in 24 hours. We pay all transportation charges. Money refunded if goods do not satisfy

RADIO FREQUENCY TRANSFORMERS



The best Radio Frequency Transformer developed so far. Designed for us by Mr. R. E. LaSault, Associate Editor of RADIO NEWS. For wavelengths of 820 to 420 meters. Air core. Guaranteed to do the work. This Transformer brings in the long distances.

R-2800 Radio Frequency Transformer, size 1 1/8" x 2 1/2" \$2.00

VACUUM TUBE SOCKET

Made entirely of composition. Gives no rise to capacity effects, as metal sockets do. Positive contacts.

R-6500 Vacuum Tube Socket \$35



ANTENNA CONNECTOR
Made entirely of aluminum. Will not rust. The four wires go to upper holes. Lower hole takes lead-in. Don't solder your aerial. Dimensions, 2" high, 1 3/4" wide.

R-999 Antenna Connector \$30

MOULDED DIALS

Highest grade made. Brilliant black composition. Figures inlaid in white enamel. For 1/4" or 3/16" shaft.

R-3074 Dial, 2 1/2" \$55
R-3075 Dial, 3 1/2" .65
R-3076 Dial 3 7/8" .80


FLUTED KNOBS

Made of best black composition, provided with 8/32" bushing. Height, 1" Diameter 1 1/4".

R-2055 Fluted Knob \$15

"RASCO" POSTS

R-650, Post made entirely of best black composition—3/32" screw—each .08
R-202, Post has nickel-plated bottom part, each .08
Dozen, each style .90



RASCO SWITCH POINTS

Nickel-plated and polished. The following have been found the most popular.

1, 1/4" x 1/4", 6/32" thread, doz. .35
2, 3/16" high, 3/4" dia., 6/32" thread, doz. .35
3, 3/16" x 3/16" x 1/4", 4-36 thread, doz. .35
4, 3/4" dia., 5/8" thick; shank 6/32" doz. .40
5, 1/2" dia., 3/16" thick; shank 4-36, doz. .40
6, 3/16" dia., 3/16" thick; shank 4-36, doz. .40
7, 3/16" dia., 5/8" thick; shank 4-36, doz. .40
25, Switch Stop, 5/8" long, 4-36 thread, complete with nut, each .04
76, New style Switch Point, to be pressed into bakelite panels with forced fit. Wire is soldered to pin end. Head 1/4" dia., 1/16" thick, doz. .40
77, same as above, but head is 1/4" dia. x 3/16" thick, doz. .40

SOCKETTES

Substitute for Vacuum Tube Socket. Four of these take one Vacuum Tube. Grasp tube firmly. It's contact possible. Take less room. Are better.

R-1550, Sockets, nickelized, set of 4 .25
R-1551, Sockets, nickelized, set of 4 (to take WD-11 Tube) .25
Note: Set of 4 sufficient to hold 1 tube.

VAC JUM TUBE FUSES

Insure your tubes against blow outs.

R-2575, Fuse, 1 ampere .15
R-2576, Fuse, 1 1/2 ampere .15
R-2577, Fuse, 2 ampere .15

UNIVERSAL BEARING

THE bearing to hold varicoupler and varicoupler rotors. Total length of bearing 2 1/4". Outside shaft, 1 1/4". Length of thread 1". Length of threaded sleeve, 3/4".

R-1375, Bearing .25

This business was originated with the sole idea in mind to cater to the radio amateur who has small orders. ALL OF OUR ORDERS ARE SMALL. THAT IS WHY YOUR SMALL ORDER CAN NEVER BE SIDE-TRACKED BY US. A trial order will make you a life customer. Order from the above illustrations. 24-hour service guaranteed. "WE CAN ONLY DISAPPOINT YOU ONCE." Try us with a 50c. order and make us prove what we say. Prices include delivery to your door.

AUDIO FREQUENCY TRANSFORMERS



No better Transformer on the market. Highest class materials. Impregnated coils. Silicon steel stampings used. Save 50 per cent by assembling it yourself.

R-1100, A.F. Transformer, ratio 4 1/4 to 1 .26
R-1150, A.F. Transformer, ratio 6 1/2 to 1 .26

HONEYCOMB COILS

No better coils on the market. Too well known for lengthy description. Firm impregnation. Range given is in meters when varied with a .001 Variable Condenser:

No.	Turns	Range	Price
R-5000	25	120-250	\$.40
R-5011	35	175-450	.45
R-5002	50	210-720	.50
R-5003	75	390-910	.55
R-5004	100	500-1450	.60
R-5005	150	600-2000	.65
R-5006	200	900-2500	.75
R-5007	250	1200-3500	.80
R-5008	300	1500-4500	.85
R-5009	400	2000-5000	1.00
R-5010	500	2800-6100	1.15
R-5011	600	4000-10000	1.30
R-5012	750	5000-12000	1.45
R-5013	1000	7000-15000	1.70
R-5014	1250	9750-19500	1.95
R-5015	1500	14500-26500	2.20

CORD TIP JACKS
Take the place of binding posts on instruments or panel. Cord tip firmly gripped by jack. Made of brass, highly nickel-plated and polished. Screw to attach lead wire. No soldering necessary.

R-1500, Cord Tip Jack, each .15

CARDBOARD TUBING

Only seamless tubing made in United States. Perfectly seasoned. Heavy wall. (I.D.—Inside Diameter, O.D.—Outside Diameter, L—Length).

R-6600, 3/8" I.D., 3/4" O.D. x 7" L	\$.30
R-6601, 3 1/2" I.D., 3 3/4" O.D. x 7" L	.35
R-6602, 3/4" I.D., 3 1/4" O.D. x 5" L	.25
R-6603, 3/8" I.D., 4" O.D. x 5" L	.27
R-6604, 4" I.D., 4 1/4" O.D. x 5" L	.35
R-6605, 2 1/2" I.D. x 2 1/2" L	.15

MICANITE TUBING
Especially suitable for CW work. Nothing better made. Natural color.

R-250, Micanite Tubing, 4" dia., 6" long .12

R-251, Micanite Tubing, 6" dia., 6" long .16

R-252, VERNIER

Cleverest vernier made. Can be used with any dial. Soft rubber ring engages dial. Does away with vernier condenser. We guarantee results. All metal parts moulded apart. Biggest hit of the season.

R-140, Vernier .30

R-834 to 866, Square Name Plates, each .04

Doz. .04

R-839 "INCREASE CURRENT" (Right) .40

R-840 "INCREASE CURRENT" (Left) .40

Each .10

R-253, VERNIER

For the experimenter we list this composition shell and cap. No holes in shell whatsoever. Takes standard 2 1/2" diaphragm.

R-2700, Shell-and-Cap, complete .65

R-2701, Shell only .40

R-254, TELEPHONE SHELL AND CAP

For the experimenter we list this composition shell and cap. No holes in shell whatsoever.

R-2700, Shell-and-Cap, complete .65

R-2701, Shell only .40

R-255, COPPER FOIL

Thinnest copper foil made, .001" thick. Comes 4" wide.

R-525, Copper Foil, per ft. \$10

10-ft. length .80

R-256, RADIO CEMENT

Weather resisting. Used particularly for cementing covered wires.

Coils covered with this cement require no form. Wires hold together solely with this cement.

R-1750, Cement, 2-oz. bottle .50

R-257, TELEPHONE SHELL AND CAP

For the experimenter we list this composition shell and cap. No holes in shell whatsoever.

R-2700, Shell-and-Cap, complete .65

R-2701, Shell only .40

R-258, MICA DIAPHRAGMS

Made of special India mica in two sizes, 2 1/2" diameter and 1 13/16" diameter.

Excellent for experimentation in telephone work.

R-2550, Diaphragm, 2 1/2" .20

R-2551, Diaphragm, 1 13/16" .15

R-256, RHEOSTAT WINDINGS

These windings, with the switch arm shown below, constitute a complete rheostat for lamp dimmer.

Resistance wound on flexible black fibre. Carries 1 1/2 amperes, resistance 6 ohms.

R-4300, Rheostat, Resistance each .20

R-4301, Potentiometer, Resistance each (200 ohms) .35

BLADE WITH COLLAR

Blade above, R-1675, each .10

"RASCO" BABY DETECTOR

Base is solid black composition; mounted on same is nickel holder and binding post, which holds the fitted hard rubber knob with its sliding rod member. Patent cup holds crystal.

R-1898, Baby Detector, with Galena \$50

"RASCO" LUBRICATED PANEL SWITCH

Our patent spring fork holds the switch handle always at a uniform tension. At the same time it insures best contact possible. New wiping contact covers every portion of the switch point. Double leaf blades used.

R-1921, "Rasco" Switch .40

PANEL SWITCH LEVER

Impossible for this lever not to make positive contact. Lever has a 1 1/4" Nickel-plated and polished. Lock fork holds the screw (in which it rotates) securely. Loose contact impossible.

R-200, Switch Lever .30

"RASCO" NAME PLATES

The circular plate is our new Binding Post Name Plate. Diameter, 3/4". These denominations: PHONES, GROUND, GROUND, OUTLINE, GROUND, BATTERY, BATTERY, LOOPS, TICKLER, PLATE, C, BATTERY, FILAMENT.

R-6000 to 6019, Binding Post Name Plates, each .03

Dozen .30

R-2514, E No. 20 .30

R-2515, E No. 22 .55

R-2516, E No. 24 .60

R-2517, E No. 26 .65

R-2518, E No. 30 .70

R-2519, E No. 32 .80

R-2520, E No. 36 .90

RHEOSTAT WINDINGS

These windings, with the switch arm shown below, constitute a complete rheostat for lamp dimmer. Resistance wound on flexible black fibre. Carries 1 1/2 amperes, resistance 6 ohms.

R-4300, Rheostat, Resistance each .20

R-4301, Potentiometer, Resistance each (200 ohms) .35

BLADE WITH COLLAR

Blade above, R-1675, each .10

MAGNET WIRE

We list only best qualities. "DCC" means Double Cotton Covered. "GS" means Green Silk. "E" stands for Enamelled.

The following come on 8-ounce spools:

R-2500, DCC No. 18 .50

R-2501, DCC No. 20 .60

R-2502, DCC No. 22 .75

R-2503, DCC No. 24 .85

R-2504, DCC No. 26 .95

R-2505, DCC No. 28 .115

R-2506, DCC No. 30 .15

The following come on 4-ounce spools:

R-2507, GS No. 20 .50

R-2508, GS No. 22 .55

R-2509, GS No. 24 .60

R-2510, GS No. 26 .65

R-2511, GS No. 30 .70

R-2512, GS No. 32 .80

R-2513, GS No. 36 .85

The following come on 8-ounce spools:

R-2514, E No. 20 .45

R-2515, E No. 22 .55

R-2516, E No. 24 .60

R-2517, E No. 26 .65

R-2518, E No. 30 .70

R-2519, E No. 32 .80

R-2520, E No. 36 .90

LITZ WIRE

R-323, equals No. 25 B&S, per foot

R-890, equals No. 28 B&S, per foot

R-891, equals No. 21 B&S, per foot

R-892, equals No. 20 B&S, per foot

R-893, equals No. 14 B&S, per foot

Discounts of 10 per cent in 100-foot lots.

The "Rasco" Catalog

CONTAINS 75 VACUUM TUBE HOOK-UPS, 300 ILLUSTRATIONS

500 ARTICLES, 68 PAGES

All Armstrong Circuits: These are explained clearly, all values having been given leaving out nothing that could puzzle you.

Just to name a few of the Vacuum Tube circuits: The V.T. as a detector and one-step amplifier; Armstrong circuits: one-step radio frequency amplifier; short wave regenerative circuits; three stage radio frequency amplifiers; radio frequency amplifiers; radio and audio frequency amplifiers; inductively coupled amplifier; Armstrong superautodyne; radio frequency amplifier and crystal detector; combination V.T. detector one stage amplifier; two stage radio frequency amplifier and detector with feedback coupling (regenerative); regenerative receiver, using single spider web coil; Armstrong super-regenerative circuit; two stage radio frequency amplifier coupled to a two-circuit tuner, using two-slide tuner regenerative receiver; two stage radio frequency amplifier, using crystal or V.T.; three stage radio frequency detector, using crystal or V.T.; two stages radio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with feed-back coupling; three stages radio frequency loop receiver; two stages audio-frequency with feed-back coupling to first tube; power amplifier with load speaker; regenerative receiver and one stage amplifier for D.V. work; one stage radio frequency detector with



FREE—This Book on Home Beautifying

S.C. JOHNSON & SON.
"The Wood Finishing Authority"
RACINE, WIS., U.S.A.

THIS book tells how to finish wood in artistic stained and enameled effects. Gives practical suggestions on making your home artistic, cheery and inviting. Tells just what materials to use and how to apply them. Includes color card—gives covering capacities, etc. Use coupon below.

JOHNSON'S WOOD DYE

With Johnson's Wood Dye inexpensive soft woods, such as pine, cypress, fir, etc., may be finished so they are as beautiful and artistic as hardwood.

Johnson's Wood Dye is very easy to apply—it goes on easily and quickly, without a lap or a streak. It penetrates deeply, bringing out the beauty of the grain without raising it—dries in 4 hours and does not rub off or smudge.

Full instructions for finishing all wood—old or new—soft or hard, are given in the book.



S. C. JOHNSON & SON, Dept. SI-6
Racine, Wis. (Canadian Factory—Brantford)
Please send me free and postpaid your Instruction
Book on Home Beautifying and Wood Finishing.

The best dealer in paints here is.....

MY NAME.....
MY ADDRESS.....
CITY & STATE.....

Doctor Hackensaw's Secrets

By CLEMENT FEZANDIE

(Continued from page 123)

ing, when you consider the losses of heat that occur at the incredibly high temperature I am obliged to use to decompose the lead. I have to use all kinds of devices to prevent loss of heat, and I make the cooling gases impart their heat to the new gases whose temperature is to be raised."

"What material do you use to resist these high temperatures?" asked Silas.

"Ah, that was indeed a difficult problem to solve," replied the doctor. "Given a heat sufficiently high to decompose any substance, I had to find some substance that would not be decomposed by the heat."

"Why, that's an utter impossibility!" cried Silas.

"It would seem so," said Doctor Hackensaw, chuckling. "Nevertheless I solved the problem, and it isn't the first impossible problem that has been solved, by any manner of means."

"But what in the world did you do?"

"My solution was really a very simple one. I made use of a portion of the very gas I was decomposing, to serve as a container for the portion that was being decomposed. For example, in decomposing lead, I first vaporize the lead, and then gradually heat this lead vapor. At the final stage of the process this vapor passes in a slow stream between the two electrodes that carry the electrical current. The resistance to the current, offered by the gas, raises the central portion of the stream of vapor to a temperature high enough to decompose it, but the outer portion of the stream is not decomposed. The decomposed portion, owing to its lightness, rises very rapidly and can thus be separated from the other portion, which is led back and fed through the electrode with the new lead vapors."

"But don't the electrodes themselves melt?"

"No, the heat there is not so intense. Besides I use special means to refrigerate them, utilizing the heat itself for the purpose of cooling them."

"By the ammonia process?"

"No. The evaporation of ammonia to produce cold is too clumsy a method for use in my furnace. I produce cold electrically. You probably know that, by heating two dissimilar metals, you can produce electricity. It is also possible to produce cold by passing an electrical current through two such metals. But to return to what I was saying. In these experiments of mine I struck a new and altogether unlooked-for obstacle. I had not reckoned on the isomeric and allotropic forms of my products."

"What do you mean by 'isomeric' and 'allotropic'?"

"It often happens, especially in organic compounds like the sugars and alcohols, that two entirely dissimilar substances have nevertheless exactly the same chemical composition—they are made up of the same elements in the same percentages or relative amounts. The arrangement of the elements in the molecule appears to be what causes the difference in the compounds. Such compounds are called 'isomeric.' 'Allotropy' is precisely the same thing, but applies to our so-called 'elements.' Thus the diamond, graphite (what you call the lead in your lead-pencil), and charcoal are all nothing but different forms of carbon. As what we call 'elements' are really compounds, the inference is that here, too, the arrangement of the entities that compose the element differs in some way."

"Well?"

"Well, to return to what I was saying, After I had decomposed some substance, say carbon, by subjecting it to a heat so intense

that after changing it first into carbon dioxide and then forcing the atoms of carbon and of oxygen to separate and finally be decomposed, I found that my carbon when it recombined, sometimes cooled in the form of graphite, sometimes as diamonds, sometimes as charcoal—almost always the latter. And I discovered in this way many new, hitherto altogether unsuspected allotropic forms of the elements. It was only after much experimenting that I learned how to produce the form I sought."

"How do you accomplish it?"

"It would take too long to explain in detail. But I depend principally on 'catalysis'."

"Catalysis? What's that?"

"In chemical experiments we often find two substances which, when placed together, have no effect on each other. If, however, we introduce a third substance into the mixture, chemical combination takes place, and yet the third substance is unchanged at the end of the operation. This is called 'catalysis.' Sometimes the third substance acts mechanically. In all true catalysis, however, the third substance is really decomposed and re-composed a number of times. It takes something from one of the two substances and gives it up to the other. By the introduction of such catalysts into my cooling carbon I found I could force the entities, that composed the atoms, to cool in the form of diamonds, of graphite, or of carbon, whichever I wished. I have some specimens of diamonds that I shall show you, obtained in this manner, that are larger than ostrich eggs, and yet perfect in every respect."

"Is it possible!" cried Silas, with dilated eyes.

"To me," continued Doctor Hackensaw simply, "these diamonds are interesting merely from a chemical point of view. My interest is chiefly centered on my radium. I find I can manufacture my radiobile engines at very low cost. The one-sixth horse-power size, (i. e. a tube containing one gram of radium), is useful for ordinary household work, running a sewing-machine or phonograph, etc. If a higher horse-power is wanted, for a vacuum cleaner or for cooking and lighting purposes, the heater attached to the tube must be used. I have a patent device by means of which the radium may be made to heat itself."

"Heat itself?"

"To be sure. In my earlier experiments I used an acetylene burner to heat my radium whenever I wished to increase the horse-power. Then it occurred to me that it was foolish not to use the energy of the radium itself for the purpose. The stream of radium emanations could be easily reflected back upon the tube and produce the degree of heat required. This leaves my radium engine so compact that it can be carried in my vest pocket. There is one that I always carry around with me, and which fits any of my automobile or airplanes, my motor boat, my drills and other machines, my electric lighting and heating arrangements. In fact, these six grams of radium are really a hundred horses that I carry around in my pocket, ready for use at any moment."

Silas Rockett took the small metal tube handed for his inspection and surveyed it gingerly.

"Isn't it rather dangerous to use?" he asked at length.

"No, it is fool-proof. The tube is made of a metal absolutely impervious to the emanations. It can only be opened by a special key which fits into this keyhole. I

never manufacture a loose key, but always have the key cast in the automobile or other apparatus which the engine is to run, as an integral part of it. Consequently the tube can only be opened by placing it in the proper socket in the automobile and then giving it a turn. This turn locks the tube into the automobile at the same time that it releases the emanations. But these find themselves shut in by a valve in the auto which the driver opens or closes at will to let on or shut off the power. The driver has also control of the heating attachment and can with a six gram engine obtain any range of power from nothing to one hundred horsepower at will, and can use this power not only to run the car, but to heat and light it, or even work an electric fan to keep the flies off the baby. No gasoline, no spark plugs, no cranking, no batteries, no noise, no fuses. The machine is so quiet that I fear I shall have to attach sleigh-bells to it to warn people of its coming. In war-time, however, a quiet airplane will be a great advantage.

"By the way, speaking of war reminds me that I am taking along with me some new gas-bombs to test out. Gas-bombs will certainly be used in future warfare and it seemed to me that a humane gas could be found which would incapacitate the enemy for the time being, yet cause none of the atrocious sufferings or injurious after-effects of the chlorine and other war gases. My snap-on gas masks, too, are a great improvement on the ordinary masks. They can be snapped on in one second."

* * * * *

"It's a great pity, doctor," said the landlord of the inn. "Tonight the *White Caps* are going to tar and feather that young couple that's just come here. They're believed to be the ones who set fire to Smith's house, but, to tell you the truth I think they're innocent."

"Why doesn't the sheriff prevent them?"

"Him? Why the white-livered skunk, knowing there would be trouble, has gone to the next township so as to wash his hands of any responsibility. You can see the fire in the woods from here. They're melting the tar and getting thing ready."

"Come along, Silas," cried the doctor. "Jump into the radiobile. We two have got to take a hand in this business!"

The radiobile was a somewhat clumsy looking machine. The body resembled that of an airplane. The wheels were light like bicycle wheels and could fold up under the car when the legs were used. The legs were long and joined at the knee. They resembled the trestle-work of a bridge, and were built of triangular units, the triangle being the strongest unit possible for such work. A square unit can be pulled or pushed into the shape of a rhombus, but a triangle will give in no direction.

In order to avoid danger from the radium emanations, they were changed into helium gas before being allowed to escape from the machine, and hence could not harm anyone. In fact, the helium gas, owing to its lightness, rose high in the air as soon as released.

There was no trouble in finding the spot where the mob were assembled. In the dusk the fire was visible several miles away. The spot chosen was an open field near some large woods. A crowd had already collected, and automobiles, carriages, motorcycles and bicycles were visible in large numbers.

"You've undertaken a pretty big contract, doctor!" said Silas, setting his teeth together. "If, as I imagine, your intention is to save the young couple, you'll have no easy job. Besides we could never escape from those autos and motorcycles!"

The doctor made no reply. He pressed down the lever that let down the four legs of the machine and that simultaneously folded the wheels flat under the car. The



If He Had Passed It Up

He would still be a laborer at \$2.00 a day. No money, nothing ahead but hard work, longer hours—and regrets.

But He Didn't Pass It Up. He decided to learn MECHANICAL DRAWING. He buckled down to work with the Columbia School of Drafting. When he had a quiet half hour to spend he spent it—as a wise man spends money—to get full returns.

Made \$275 Extra in 3 Days. He recently received \$275 for one drawing that only took him three days to draw.

Now How About You? Are you working up hill or down? Count the money in your pay envelope next pay day. You'll find the answer there.

Make \$35 to \$100.00 a Week. We will train you to be an expert draftsman in your spare time at home by mail. There's lots of room for you if you act now.

Promotion is Quick. WE'LL QUALIFY YOU for a high-salaried position in the drafting field and keep you in touch with openings for draftsmen in the big machine shops, industrial plants and United States Government departments. Men who start

as draftsmen are often advanced to Chief Draftsman, Chief Engineer, Production Manager and so on.

Get the Right Training. Mr. Claflin, the founder and director, stands personally in back of the Columbia School of Drafting. You spend no time in long-winded theories—useless and expensive to you. You start on actual drawing work the day you receive your first lesson.

You Need No Previous Training. The course is easy to understand and easy to follow. Many students are qualified even before they complete the course.

Success Calls Men of Action Only. If you are a man of action clip the coupon now and show that you are a man of action. Keep right on top of this opportunity to make real money. Don't go looking for a pair of scissors. Tear the coupon off and mail it right now. We have a special offer for those who reply promptly. Get started now.

What You

Practical Problems. You are carefully coached in practical drafting work.

We Help You Get a Job. We help you get a position as a practical draftsman as soon as you are qualified.

Free Training as a Drafting Specialist. After completing the course in mechanical drawing we'll train you free in your choice of one of our special elective courses.

Get FREE

Draftsman's Equipment. We give you Free a full set of drafting equipment as shown in the picture below.

Consultation Privileges. You are free to write us any time for advice and suggestions regarding your success.

Diploma. The diploma we give you on completing the course attests to your proficiency as a draftsman. It is an "entering wedge" to success.

Free Subscription to Draftsman's Publication "The Compass"

U. S. Civil Service Commission Calls for Draftsmen. A few of many positions constantly open in Government departments.

Salaries are starting salaries, subject to increase. Practically all of them carry a bonus of \$240 a year additional.

ARCHITECTURAL DESIGNER—\$4,000.

CHIEF DRAFTSMAN (Aeronautical) — Naval Aircraft Factory, \$15.04 per day.

AERONAUTICAL DRAFTSMAN—Field Service of Navy Department, \$5.20 per day to \$12.00 per day.

Free Book Send in this coupon today. Immediately

on receiving it we'll send you our book, "Drafting—Your Success." It tells you all about our new method of teaching mechanical drawing and gives full details of our offer.

COLUMBIA SCHOOL OF DRAFTING


ROY C. CLAFLIN, Pres.

Dept. 2005, 14th & T Sts.

Washington, D. C.

FREE Drafting Outfit

We give you free with your course this professional drafting outfit. It's yours to keep.



FREE BOOK COUPON

COLUMBIA SCHOOL OF DRAFTING
Dept. 2005, Washington, D. C.

Enter my name for a subscription to "The Compass" and without obligation to me, please send me your illustrated book on Drafting, telling how I can secure your complete home study course and your help in securing a position as Draftsman.

Name Age

Address

City State



"The Best Hunch I Ever Had!"

"I was feeling pretty blue. Pay-day had come again and the raise I'd hoped for wasn't there. It began to look as though I was to spend the rest of my life checking orders—at \$20 a week!"

"I picked up a magazine. It fell open at a familiar advertisement, and a coupon stared me in the face. Month after month I'd been seeing that coupon, but never until that moment had I thought of it as meaning anything to me. But this time I read the advertisement twice—yes, every word. *And this time I tore out the coupon!*"

"That was the turn in the road for me. The Schools at Scranton suggested just the course of training I needed and they worked with me every hour I had to spare."

"In six months I was in charge of my division. In a year my salary had been doubled. And I've been advancing ever since. Today I was appointed manager of our Western office at \$5,000 a year. Tearing out that coupon three years ago was the best hunch I ever had."

For 31 years, the International Correspondence Schools have been helping men to win promotion, to earn more money, to get ahead in business and in life.

You too, can have the position you want in the work you like best. All we ask is the chance to prove it. Just mark and mail this coupon. Do it right now!

INTERNATIONAL CORRESPONDENCE SCHOOLS

Box 6197-C, Scranton, Penna.

Without cost or obligation on my part, please tell me how I can qualify for the position or in the subject before which I have marked an X:

BUSINESS TRAINING DEPARTMENT

- Business Management
- Industrial Management
- Personnel Organization
- Traffic Management
- Business Law
- Banking and Banking Law
- Accountancy (including C.P.A.)
- Nicholson Cost Accounting
- Bookkeeping
- Private Secretary
- Business Spanish French Illustrating

TECHNICAL AND INDUSTRIAL DEPARTMENT

- Electrical Engineering
- Electric Lighting
- Mechanical Engineer
- Mechanical Draftsman
- Machine Shop Practice
- Railroad Positions
- Gas Engine Operating
- Civil Engineer
- Surveying and Mapping
- Metallurgy Mining
- Steam Engineering Radio
- Architect
- Blue Print Reading
- Contractor and Builder
- Architectural Draftsman
- Concrete Builder
- Structural Engineer
- Chemistry Pharmacy
- Automobile Work
- Airplane Engines
- Agriculture and Poultry
- Mathematics

Name.....
Street.....
Address.....

1-10-23

City..... State.....
Occupation.....
Persons residing in Canada should send this coupon to the International Correspondence Schools Canadian, Limited, Montreal, Canada

Make the Parts You Need on a MONARCH

Jr. Lathe

9 in. Lathe
2½ ft. bed
with bench legs
\$245

Metal or wood parts needed in your experiments, on your invention, or on your automobile can be made with a MONARCH Jr. Lathe. This 9" Engine Lathe is fully equipped—semi-quick change gear and automatic safety devices. Does any small work with 1/1000 inch accuracy.

Also built up to 5-foot bed lengths and up to 11-inch swing—at slightly higher price.

SEND for Free Catalog of MONARCH Lathes which are built up to 30" swing.

THE MONARCH MACHINE TOOL CO.
418 Oak Street Sidney, Ohio

radiobile now walked at a rapid rate, its legs being lifted alternately by revolving eccentrics.

The machine left the road and approached the fence that bounded the woods. A quick shift of a lever transferred a weight to the rear of the car lifted the front legs of the machine over the fence. Another shift and down they came on the other side. A reverse operation brought the hind legs over. The machine had stepped over the fence with the greatest ease, and was now climbing a very steep hill, for the four hollow rubber balls which had previously served as feet, were pushed aside to make room for sharp points which dug into the turf and would have pulled the machine up an incline of more than forty-five degrees.

"Now, Silas," said Doctor Hackensaw, "We'll leave the machine here on the edge of the woods. Take two gas masks with you and two bombs. Get as close to the girl as you can. I will attend to the man. When I give the signal, throw your two gas bombs into the crowd, and I will do the same. Then get the gas-masks on yourself and the girl as quickly as you can, and meet me at the car."

As the pair approached the mob, it was evident that the young couple had just been given a mock trial while the tar was being heated. A young ruffian had been chosen for the judge, and he now pronounced sentence:

"Guilty, both of them! I sentence the man to three dozen lashes on his bare back, and then we'll hang him to the nearest tree. As for the girl, we'll only give her ten lashes, and then we'll tar and feather her and ride her out of the township on a rail!"

At the words, a great shout went up from the mob, and a dozen willing hands tore off the man's coat and shirt. The girl, too, was stripped to the waist in a twinkling.

Doctor Hackensaw's blood boiled. He saw there was no time to lose, and pushing forward, he shouted to Silas: "Now!"

The four gas-bombs exploded with a single deafening report. The crowd fell back in alarm except one tattooed brute who was holding the struggling girl. But Silas sent the fellow sprawling with a well-directed blow of his fist.

By the time the crowd, sneezing and sputtering, realized what was happening, Silas and the doctor, with the rescued pair had reached the radiobile and were hastening along the lumber-road in the woods to the

Science and Invention for June, 1923

main road a mile distant. They had not gone far, however, before a chugging of autos warned them that pursuit was at hand. Luckily they reached the cross-road before their pursuers, so the chase was behind them.

Escape seemed possible for a time, and then it became evident that some of the pursuers were catching up. At the same time a dozen autos appeared in front of them and blocked the road.

"It's no use, doctor; we're done for!" cried Silas. "We're hemmed in, in front and behind!"

"I'm afraid that's the end, sir," observed the man. It was kind of you to try and save us, and I swear to you we are both innocent. Mitzi and I will get out of the machine, and you two gentlemen may then be able to escape."

"Sit right where you are!" cried the doctor. "We're not lost yet." With the words he pulled a lever, and some concealed wings opened out like a fan, and a propeller appeared as if by magic at the back of the car. The machine was really a combined auto and airplane.

They rose rapidly from the earth, and a few shots that went wide of the mark showed how narrow had been their escape.

But even now the danger was not at an end. Three or four of the lynching party owned airplanes, and a few minutes later, three of the machines could be seen in pursuit. And what was worse, the pursuers were gaining upon the doctor's party.

Doctor Hackensaw's face clouded. Then suddenly he gave a cry of joy. "Look, Silas!" he exclaimed, "There's Lake Michigan! We're saved!" And sailing out over the lake, the doctor pressed two levers in rapid succession. Instantly the car closed hermetically and dived down into the water, for the doctor's radiobile was not only a walking automobile and an airplane—it was also a submarine fitted with automatic gills for obtaining air under water.

The machine was now beyond the reach of its pursuers. When, after an underwater voyage of a hundred miles, it came to the surface, not a pursuer was in sight.

The wings were again called into requisition and the whole party soon reached a hotel in a large city, safe from the lawless mobs, whose only useful function seems to be to remind us how little man has really evolved above the level of the savage.

The Great Food Panic

By BURNIE L. BEVILL

(Continued from page 122)

discovered at the World Food Corporation's plant this morning. Apparently the entire force of the factory has been wiped out at a blow, and the greatest mystery is that none of the equipment of the plant is injured in the least. All of the concentrated food bricks that are stored at the plant are covered with a dense coat of a yellowish powder, and it seems that the people have been poisoned. For the last four or five days a huge air machine has been seen hovering over the factory, and it has been noticed that during this time the food has been covered with a thin coating of the powder. It is believed that the gaseous material that has been seen to issue from the airship is the cause of the disaster, but all this is conjecture. As well as could be estimated, there are about two thousand women and one thousand men killed."

Since the days of Jonathan Horton, the World Food Corporation had supplied the world with its entire quantity of food. Horton was a great scientist, and by extensive experimentation he had discovered the scientifically perfect food—a food that

contained everything that is necessary for the maintenance of life,—and he had invented a process for its economical manufacture. Hence, the founding of the World Food Corporation. The monstrous factory that supplied the world with food was capable of producing 2,000,000,000 food bricks of food per day, and as these bricks were highly concentrated, each of them contained sufficient nourishment for one person for a day. The company employed only about three thousand persons as it was supplied with every conceivable labor-saving device known to man. Now this entire force was destroyed at one blow. The fact was appalling beyond measure.

"That's the work of those scientist-devils of Wake Island," exclaimed Carl. "Since their failure in the attempt to destroy civilization by setting fire to everything with their fiendish tenth ray, they have been striving with every ounce of their diabolical cunning to hatch up some other method of attack."

This scientific alliance that had been formed on Wake Island by that notorious

rascal, who claimed that he was imbued with the spirit of the devil and had the devil's own cunning, in short, none other than the late Dr. Szolcoze, of the University of Russia, had upon several occasions almost caused the downfall of civilization by its scientific plots. None other than the evil brains of the alliance could hatch up such far-reaching schemes as that of destroying the world. They had chosen Wake Island for the purpose of promoting their plans because of its remoteness from civilization; and upon its tiny coral reef there had been erected a gigantic steel and aluminum laboratory, the like of which has never been witnessed by an outsider. Only distant glances of the building have been obtained through the most high-powered Einsteinscopes, those tiny instruments that were invented by Einstein and which employ curved light rays. Numerous attempts have been made to overrun their stronghold, but without success, as it has always been the case that, when approaching the island, such gases have been encountered as to positively preclude the possibility of one's getting within ten miles of the place. Radio warnings have been coming every night at midnight for the world to beware the hand of the alliance, every scientist of the country had directed his skill upon the case, and the world had become accustomed to the menace, and now, as we supposed, the hand of the alliance had struck. Alas! We were soon to learn that we surmised the truth.

Suddenly a piercing light smote upon us through the open window and, looking out, we beheld the most grotesque air machine we had ever witnessed. It appeared to be a huge box-like structure with one circular opening which I judged to be about six feet in diameter. This opening was centrally located in the bottom of the machine, and from it a dense, yellowish gas was issuing in great clouds. Directly beneath the machine were the immense stock-yards of the city—that fascinating maze of steel and aluminum fencing that enclosed the live product of the world—millions of well-fed cattle that were to be used soon to furnish the meat element of the scientific food that was manufactured in Frankfort. It was feeding time, and enormous autotrucks were dumping out great bundles of a special grade of food, that was suitable for cattle. As we watched, a wave of yellow gas rolled over the food and immediately gave to it a golden hue. The cattle continued to eat, however, and presently there could be seen thousands of the beautiful animals staggering and falling to earth, dead—the poisonous gas had done its work. In five minutes the entire number of them was lifeless. This was the second blow of the alliance. The machine shot upward.

The telephone rang. Carl answered it, conversed with someone a moment, then turned to me. "Chief wants us in Washington," he said, as he hung up the receiver. "He refused to give details, but asked that we rush there immediately."

Making hasty preparations, we left the office and hurried to the roof of the building, where we obtained the fastest flier of the Zolberg station. It was of the Olson type and guaranteed to make at least four hundred miles per hour. In less than two hours we were in the chief's office in Washington.


"Gentlemen," he commenced, "conditions of the gravest import to the world confront us today. There has been committed the most fiendish crime in the history of mankind—the destruction of the three thousand workers of the food plant and the annihilation of the world's cattle supply. Something must be done, and that at once. You two gentlemen, being of superior intelligence and of exceeding fearlessness, have been chosen by the Secret Service Department to make investigations upon Wake Island. The Government's most powerful

Short cuts to bigger pay

Examine any of these McGraw-Hill Libraries for 10 days FREE!

CAPITALIZE your spare time! Master electricity, power plant or machine shop practice, and win your way to a big pay job.

Thousands of men are stepping ahead in their work with the aid of McGraw-Hill books. Make YOUR start towards a bigger job by sending TODAY for one of these famous home-study courses.



Library of Machine Shop Practice

9 volumes—3065 pages—3608 illustrations

This is the 1923 edition of this famous work—completely revised and brought up to date, with many new books added. The set is packed to the covers with the kind of information that every machinist, every apprentice, every toolmaker, every draftsman and every foreman wants.

Each volume is a complete record of work as it is done today. All the latest methods—all the latest machines—all the latest kinks and shortcuts—are described and pictured for you in clear, interesting text and illustrations.

Only \$1.50 in ten days and \$2.00 a month until paid.

The Croft Library of Practical Electricity

8 volumes—3000 pages—2100 illustrations

40,000 sets of this great library are now in use—without a doubt the greatest sale ever attained by an electrical library. The books cover the entire field of electricity, from the fundamental principles to central station work—from the operation of electrical machinery to outdoor and indoor electrical illumination.

The set is the last word in practical electrical education. The man who masters these books will know electricity as experts know it and put himself in line for an experts' pay.

Only \$1.50 in ten days and \$2.00 a month until paid.



Library of Power Plant Practice

9 volumes—3978 pages—3778 illustrations

This library—just off the press—cost over \$80,000.00 to produce. Nothing like it in the history of power plant publishing has ever been seen. It marks a distinct step ahead in technical literature.

The books cover everything that the power plant engineer needs to know to fill a big-pay position. Thousands of first-hand facts—thousands of specially-drawn illustrations. Edited by Terrell Croft, assisted by a large staff of contributors. Practical from preface to index.

Only \$1.50 in ten days and \$2.00 a month until paid.

Send No Money—Just the Coupon

Check on the coupon below the library you want to see and we will send it to you, ALL CHARGES PREPAID, for 10 days' Free Examination.

FREE EXAMINATION COUPON

McGRAW-HILL BOOK CO., INC.,
370 Seventh Avenue, New York.

(Publishers of Books for
Practical Men Since 1876)

GENTLEMEN:

Send me for Free Examination, all charges prepaid, the Library checked below. If satisfactory I will pay \$1.50 in ten days and the balance at the rate of \$2.00 a month until the full price of \$19.50 has been paid.

Croft Library of Practical Electricity, 8 volumes, \$19.50.
 Library of Machine Shop Practice, 9 volumes, \$19.50.
 Library of Power Plant Practice, 9 volumes, \$19.50.

Signature

Residence Address

City and State

Firm employed by

Occupation

S & I 6-23



Be Master of a Real Job

Then you can walk confidently into the office or the plant, knowing you are needed and appreciated—that you have a future bringing more power, better pay, bigger leadership. You won't have to "cool your heels" in waiting rooms looking anxiously for a job at "almost anything."

Good Advice from One Who Climbed

R. H. McElroy, one of the vice-presidents of the Standard Oil Company, who climbed to a \$30,000 salary from a clerical position says—(*N. Y. Times*, July 2, 1922): "Any young man who has the right stuff in him, who is willing to work at his job and study after working hours, who will keep his eyes open . . . can achieve the same success." In a letter to us, Mr. McElroy adds: "The correspondence and evening schools provide a splendid opportunity for the young man of limited time and means to prepare himself for a brilliant future."

After a quarter-century of experience in aiding men to become their Bigger Selves, the United Y. M. C. A. Schools offer this tested service by mail, so that wherever you may be, whatever you may need or whatever your hours are, you can now get this valuable aid.

SOME OF OUR 300 CORRESPONDENCE COURSES

Technical Courses		
Agricultural Courses	Electrical Courses	Radio Telegraphy
Architecture	Farm Management	Rural Engineering
Automobile Courses	Foremanship	Shop Courses
Building Construction	Highway Engineering	Blacksmith
Civil Engineering Courses	Mechanical Engineering	Machine Foundry Pattern
Concrete Engineering	Plumbing	Steam Engineering Structural Drafting
Drafting Courses	Poultry Husbandry	Surveying
	Radio Engineering	
Commercial and Other Courses		
Accountancy	Business Law	Physical Directors' Training
Advertising	English Courses	
Applied Psychology	Foreign Languages	Public Speaking
Banking	Grammar School Courses	Salesmanship
Better Letters	High School Courses	Shorthand and Typewriting
Bookkeeping	Illustrating	Show Card Writing
Business Administration	Insurance Courses	Mathematical Traffic
Business English	Mathematical Courses	Management
Business Finance		

Mark and mail the coupon for our friendly counsel.

Without obligating me, please advise regarding the course in

Name

Full Address

Dept 64-Ju

Please write plainly.

United Y.M.C.A. Schools
Correspondence Instruction
The most Service for the least Money
347 Madison Ave. New York City, N.Y.

Have a Business of Your Own



Get into the Automobile Business, — the world's Greatest Industry. Twelve million Autos, Trucks and Tractors to repair. Millions of Batteries and Tires to repair and replace. Start a business in your own town. Thousands of opportunities for Trained Men. Many of our Graduates

Earn \$2,000 to \$10,000 Yearly

Fit yourself for better job at bigger pay. Auto factories and service stations endorse our school and continually ask for our graduates. Detroit is the "Heart of the Auto Industry" and the logical place to learn it. You can now start your training at home and finish in Detroit. For two years we have been preparing a complete Home Study Course. It is now ready. We will send you a detailed outline of these lessons, and illustrated 100-page catalog showing pictures of our shop practice, equipment, and what our graduates are doing. Get the facts. Be a winner! Write today to

MICHIGAN STATE AUTOMOBILE SCHOOL
665 Auto Bldg., Detroit (The Auto Center)

flier is to be furnished you and a crew of the most fearless men are to accompany you."

Accordingly, the following morning we mounted the steps of the U. S. Government flier, the Chaser, for the purpose of frustrating the aims of the alliance on Wake Island, which meant that we were to endeavor to rescue the world from starvation.

The Chaser was the largest of the Government's fliers. It was manned by a hundred husky men of proven courage. In addition to these, there were four of the most famous scientists of the age, including the world renowned Dr. Barton Gregory, of the School of Hawaii. The machine was equipped with the very latest of scientific apparatus and materials. The craft was supplied with a powerful watermotor of the latest type, which was capable of developing a thousand horsepower and was able to drive the machine at the enormous speed of four hundred miles per hour. Two immense evacuation tanks surmounted either side of the cabin, and these were capable of sustaining a hundred tons. Thus equipped, we departed for Wake Island.

As the island is about ten thousand miles from Washington, we were some hours in making the journey. As we neared our objective a perceptible odor was noticed in the atmosphere. This the scientists pronounced to be chlorine. Undaunted, we donned our gas masks and sped onward. We were at this time traveling at an altitude of about ten miles, but, as we approached close to the magnificent metallic structure occupied by the alliance, we began to descend.

Suddenly it seemed that the entire ocean leaped up to meet us and a terrific explosion rent the air. A tremendous spray of water rose two miles into the air and enveloped our craft as if it had been a moth flying through the mists of Niagara Falls. With a sickening plunge we were drawn down into the depths of the Pacific and my last view as the waters closed over us was of a huge, box-like machine hovering over the place where we struck. As Carl and I had been the firmest of friends in life, so we decided to be the same in death and we clung to each other until we lost consciousness in the salty foam.

When I again recovered consciousness, I found that immense aluminum walls rose perpendicularly upon all four sides of the inclosure in which I lay. Turning on my side, I beheld Carl lying beside me, but as yet unconscious. Dazedly, I arose to my feet, and then I saw that the floor on which I stood was of plate glass and that below this rolled the blue waters of an ocean. Without loss of time, I set to work to revive my companion, and after laboring with him for a half hour or so I succeeded in arousing him from the coma into which he had fallen. We were unhurt as far as we could ascertain, and we started at once to make an investigation of our prison. The mighty aluminum walls extended some five hundred feet high and were surmounted by a huge skylight, through which we could see the blue sky. There was no opening in the walls, and we were at a loss to know what to do. However, we had not long to wait before something developed.

An invisible panel slid upward in one of the walls, and we were confronted by a grinning Celestial of about the age of twenty. In his hand he carried a golden goblet which was filled with some liquid.

"Drink this," he said, as he passed the goblet to us.

We were somewhat hesitant to touch the liquid, fearing that it was some potent drug, but upon being informed by the Chinaman that it was only a cooling beverage, we tasted it gingerly and found that it was good. By this time we had developed quite an appetite and a thirst, and we found that the drink satisfied both ways. We were

Science and Invention for June, 1923

refreshed to the utmost, and felt much better.

"Come," said the Chinaman, as he took the goblet and motioned us through a doorway; "me show you to big Mogul." So saying he led us through the opening and down a long hallway, admitting us at last into a well-lighted room, that was filled with every conceivable scientific instrument that could be imagined. At the farther end of the room, upon a gilded dais, was seated an old, much wrinkled Chinaman, dressed in all the splendor of an Oriental monarch. Upon his head, there reposed what appeared to be some sort of crown, but upon closer inspection we decided it to be a new kind of radio receiving instrument, the like of which we had never seen. There seemed to be a dense maze of very minute aluminum wires stretched across the top of the device and there depended from the sides of it, upon either side, a contrivance that fitted over the ears, which we judged to be the receivers of the instrument.

Upon entering the room, the Chinaman slave saluted the monarch after the manner of his kind, by bowing the left knee and raising his right hand straight above his head.

"Your Scientific Majesty," he addressed the Royal one, "these are the two remaining survivors of the impudent American ship of the air that dared to approach your Royal Kingdom of Science."

We observed that the servant could speak almost perfect English when he wished to do so.

"The others of the crew are dead," he continued, after which he bowed and withdrew.

"You infernal Chinese dogs," Carl raged. "You shall pay dearly for this. You have destroyed three thousand people already and annihilated the entire cattle supply of the world. Why, the world is now afire by your devilish outrages."

The Chinese received this outburst of Carl's without the least sign of emotion. "I am Hong Farlo, the Imperial Master of Science," he replied. "It is my purpose to conquer the world for science, and in order to do this, I must first destroy the greater portion of it. My illustrious predecessor, the Honorable Dr. Szolcoze, made several attempts to depopulate the earth, but failed. I have originated a plan that cannot fail. I purpose to starve the people of the world. As you have seen, I have destroyed the entire force of the World Food Plant and poisoned the entire cattle supply. Within the immense storage vat that is hidden beneath the food company's plant is enough food and materials to supply the world for three days in case of emergency. I intend to plant one of my gas bombs that contain in each bomb enough of the special compound sulphate of mirconium to poison the entire lot. Gentlemen, that is my next step. I shall start at once and you shall have the pleasure of accompanying me. In order to give you a few extra thrills, I shall kill the mob that is thronging around the food plant at the present time. Ah! I hear them now through the earphones. There are, I should judge, about ten thousand people clamoring for food. The pangs of hunger are beginning to gnaw at their soul. Soon there will be a riot and I shall be there on the scene to witness it and, methinks, I can add to the fun by giving them a dose of my Prussian pentoxide. Think of the pleasure of seeing the thousands of the human beings stagger and fall to rise no more! Then I shall be nearer my goal. Soon the people will all starve to death and the alliance, with myself as master, will be the only group of human beings left. The world will be ours and we will be the absolute masters of it. Come let us go."

By this time Carl was almost ready to swoon and I was seized with an ague. This fanatic was about to destroy another ten

thousand persons and eventually the entire world, merely to satisfy his insane passion for dominion. It was uncanny—ghastly. But I was powerless to do anything to prevent the carrying out of this evil design—I could only stand speechless and gasp.

He led us forth through a tiny door that opened outward upon an equally tiny platform that was built over the blue water of the Pacific. Resting upon the mighty ocean, adjacent to the platform, was the immense box-like aircraft that it had been our lot to behold several times and always to our dismay. At the sharp command, "Kek," a tiny doorway began to recede into the machine. It had moved about three feet into the craft when it glided noiselessly to the right. Through this aperture, we entered, to be ushered into a magnificently appointed salon. The room was well lighted, but there was not a light to be seen. Two Hawaiians, dressed in the manner of slaves, attended to our wants. We were fed with the best of food—a food that was unlike the scientific product to which we were accustomed, but which we found to be of a superior quality. Having supplied us with food and drink, our host, the Master of Science, and his servants, vanished through a panel in the doorway. We were alone.

Having made sure that we were not watched, we began to examine the room. We discovered that the light which illuminated it was supplied by stored sunlight that was emanating from the ceiling. Seeing a row of tiny buttons along one of the walls, I pushed one of them. To my amazement, a small drawer slid outward upon noiseless bearings and, to our satisfaction, we found that it contained several brands of cigarettes and a cigarette lighter. Having no cigarettes with me when we embarked on this ill-fated cruise, I was almost famished for a smoke, and we were not long in regaling ourselves with one. Suddenly my head swam, and the next instant I fell to the floor and lost consciousness.

When I regained my senses, Carl was standing over me. "Look beneath you!" he cried. Rolling over, I perceived that I was lying upon a clear glass through which I could see the ground far below. I perceived that we were directly over a large city, and seeing the immense sign board that had been placed for the direction of the aircraft, I realized that the city was none other than Frankfort, Kentucky. A large crowd was gathered before the mighty pile of steel and stone that was the food plant. A loud cry arose from the mob. With a crash, the mob made an attempt to rush past the guards that had been placed there by the Government.

As we watched, a serene and calm little man with a smile upon his face, forced his way through the howling mass of starving humanity and made his way to a large platform that was in front of the building. It was President Woods of the United States.

"Ladies and Gentlemen," he began, his voice sounding clear and loud through a horn in the corner of our room, "today we are confronted with the greatest peril that has ever befallen the human race. It seems that starvation is before us, but we must do our best to defeat the evil. There is stored beneath this building enough food to last the entire world three days, and we will bring it forth for you to eat. It will be distributed evenly among you, so that none shall suffer."

A mighty shout went up from the crowd. "Long live the president!" was the cry. Immediately, a great army of workers began to carry forth the food bricks in large hods, and stacked it in rows in front of the assembled masses. When it was all ready for the distribution to those present, a dense cloud of yellow gas began to descend from the machine in which were imprisoned. Great God! It was terrible. To see this mass of



A Moving Picture of Electrical Success!

—Responsibility and Big Pay in One Year—

This series of pictures tells a true story of what others have accomplished through this course. Think of it—a year, or less, from the very start to a position of real responsibility and big pay.

ELECTRICAL experts earn from \$300 to \$1,000 a month. There is a greater demand for competent men than the market can supply. Big business is crying for them, and is willing to pay almost any reasonable salary for trained ability. There is room for all in this wonderful new industry.

Why not fit yourself for a position of prominence in this Big, Money-making Man Market? Marconi and Steinmetz, wizards of electricity, once stood where you are now. Think what they have accomplished!

You can become an electrical expert through the American School Electrical Course INSIDE OF ONE YEAR. And you don't have to give up your present earnings and go away to school. Instead, you can actually increase your earnings while you study and EARN WHILE YOU LEARN. Hundreds of American School students have done this.

Our files are full of letters from such graduates telling how satisfied they were with the Course and what it accomplished for them. We will gladly supply you with their names, and let you write and ask any of them what they think of us; how they have stepped into money-making positions, assuming responsibility in extensive organizations and superintending the electrical work on large public and national enterprises.

20 Big Electrical Experts Prepared the Special Instruction Papers For This Course

The American School Electrical Course is short and simple, but thoroughly practical. It begins with the fundamentals of electricity and takes you step by step through all the detailed stages of training until you know the profession thoroughly. The Course is taught by high-powered men who know electricity—from its generation to its application. They are practical electricians who know how to impart their knowledge in a common sense, understandable way. All our lessons and text books are simplified to the greatest degree.

FREE Laboratory Outfit

We furnish all books and other essentials without extra charge, including a real Electrical Outfit, containing a high grade motor, wheatstone bridge, electrical magnet, etc. It is not a plaything, but a practical experimental outfit that would cost you \$30.00 retail.

The cost is extremely moderate and within easy reach of all. You may pay in installments, if you wish.

If you want to get into a line of work where you can make good money right from the start—in the least-crowded of all professions—write us today for full information and interesting book, "Your Future in Electricity." Every moment of delay will cost you money in loss of earning power. Fill out the coupon NOW and make your first move toward a real man-size job at a salary such as you've only dreamed about before. Those who act today will be the men who are filling these big-pay positions a year from now!

American School
Dept. EA26 Drexel Ave. and 58th St. Chicago
© A. S. 1923

AMERICAN SCHOOL

Dept. EA26
Drexel Ave. and 58th St., Chicago

Send me the free booklet, "Your Future in Electricity." This request places me under no obligation.

Name.....

Street.....

City..... State.....



YOUR BOY'S HAPPINESS

is one of your first considerations. Get the BOYS' MAGAZINE for him. He needs this great boys' periodical. Parents owe it to their sons to give them clean, interesting and instructive reading that will make them self-reliant, manly and courageous.

AN 8 MONTHS' TRIAL SUBSCRIPTION FOR ONLY 50 CENTS!

(This is way below the regular price)

Each issue of THE BOYS' MAGAZINE contains from two to four splendid serial stories and from twelve to twenty thrilling short stories, besides special departments devoted to Radio, Mechanics, Electricity, Popular Science, Athletics, Physical Training, Stamp Collecting, Outdoor Sports, Amateur Photography, Cartooning, etc. Beautiful big pages with handsome covers in colors. Profusely illustrated throughout. A big lot of Jokes and Comic Drawings. Eight issues equal 20 big volumes, which would cost, as books, at least \$20.00.

A special feature is the award of \$220.00 in cash prizes for the best amateur work in many subjects. There is no reason why YOUR boy should not win some of these prizes. Remember, only 50 cents for eight months. If you are not satisfied, we will refund your money promptly and without question. Remit in stamps if more convenient.

(On sale at all newsstands—10c a copy.)

TEAR OUT HERE

The SCOTT F. REDFIELD Co.,
9242 Main St., Smethport, Pa.

I accept your special half-price introductory offer and enclose 50 cents for which send THE BOYS' MAGAZINE for eight months to

(Write name and address plainly)

Name

Street or R.F.D.

City State

FAST MONEY FOR AGENTS

Cash in "Repeater 6"

While it is New

It's a wonder. Every home wants it now. Millions are needed. Ends fuse trouble. Saves time, money and annoyance. 6 fuses in one plug. Turn the button and a new fuse is in place. No waiting. Agents are cleaning up. Any one can sell it. You must act quickly. Territory being rapidly allotted. You can't find out about it too quickly. Send 25c for sample and complete information, or \$1 for 5. This offer open to agents only.

MOSS-SCHURY MFG. CO., Inc.
440 E. Woodbridge St., Detroit, Mich.



Sell TIRES

DIRECT FROM FACTORY

We want one auto owner in each locality to use and advertise Armour Cords. You can make big money and get your own tires free by simply sending us orders from friends and neighbors. No Capital or Experience needed. We deliver and collect direct. Pay you daily.

Most Liberal Guarantee Ever Written

Armour Cords are bonded against Accidental Damage, Wear and Tear, Tread Separation, Blistering, Blow-Outs and Rim-Cutting for 10,000 miles. We are actual manufacturers. Write today for Great Special Offers to Agents and low Factory Prices.

ARMOUR TIRE & RUBBER CO., Dept 548 DAYTON, O.

humanity denied the food that was to keep them from death was a ghastly sight.

A hoarse wail arose and thousands of men, women, and children snatched at the food as though nothing should keep them from it. A powerful barrage of machine-gun fire was directed upon us, but to no avail. Slowly but surely the door of our prison opened and a tiny, shrivelled old man entered, silently as death. He appeared to be of a great age, and he was almost as emaciated as a mummy. Standing before us in the pale gray of morning, with the pandemonium that was raging beneath, he reminded me of Death himself, that grim reaper, come to claim us for his own. I shuddered.

"Be not afraid; I bring you news," he said, in a thin, cracked voice. "My good men, he, whom you see before you, was once the associate of the late Dr. Szolcoze, the mighty King of Science. The great Doctor and I could not agree and I killed him with this dagger, which I carry at my side. I have repented since that time, and now Hong Farlo, that infamous Chinese devil, seeks to hold the position that Szolcoze once held. He shall not so long as I live, and this day I see a chance to revenge myself upon him for the crime he committed against me by depriving me of the rightful place that should be mine. Come, follow me, men." So saying, he made his way through the door.

We followed him through and up a small ladder that led to a hole in the ceiling of the aircraft. Through this we crept also. "Here," said the old man, "is the mechanism that operates the ship. Here is a tiny radium crystal that gives up enough of its energy

to overcome gravitation." That it was—a tiny crystal that gleamed in the sunlight as a scintillating diamond. A leaden cover was arranged for it that was capable of being moved in any direction so as to guide the craft.

With a huge hammer that he picked up from the floor, the old man smashed the crystal at a blow and bade us leap to an iron rod that was above us. With a hissing sound the huge aircraft shot downward upon the ground a mile from the city. We found that the rod was sustained by a parachute device and we sailed gracefully to earth.

Needless to say, the little old man was pardoned by the president, for it developed that he was the Government's Secret Service Scientific investigator, who had been living with the alliance for the last ten years awaiting an opportunity to bring the master mind of the alliance to justice. The old Chinese, Hong Farlo, was killed in the fall to earth, together with all of his followers, there being only a handful of his servants left at Wake Island.

A speedy airship was despatched to the island at once and the place was soon captured. Today it is used for the Government experimental station for the production of various kinds of food.

The food plant resumed its operations at once, and what came near to being the greatest calamity that has even befallen the world was averted—not by the brains of two young upstart detectives, but by the greatest scientist of the present day, Dr. Middleton, who made possible the scientific achievements of the present, the like of which have never been known before upon the earth.


Is Hydrophobia A Myth?

By ROBERT H. MOULTON

(Continued from page 118)

and occasionally with a little cheese. The guinea pigs are kept fat on carrots and other guinea-pig dainties, and the rabbits rejoice

dog is sent to the city dog pound and put in a cage in a room set aside for such suspects. The animal is then carefully watched



How the Hydrophobia Serum Is Prepared. When a Dog Dies of Rabies, Which Is Invariably Within Thirty Days, the Fluid From the Spinal Cord of the Dead Dog Is Injected Into a Rabbit, and Then the Rabbit Dies With Rabies. The Serum Used For Injecting For Hydrophobia Cases Is Made From the Spinal Cord of the Rabbit. The Brain of the Dead Dog, In the First Place, Is Examined Under a Microscope For Rabies Germs.

in green lettuce and cabbage. The animals are kept in perfect health and as far as possible in good spirits in order that the diseases given to them may be directly diagnosed and studied.

Probably the most interesting test is that for rabies, in connection with the effort now being made to stamp out hydrophobia in Chicago. In the examination for rabies the suspected dog's brain is examined and a portion of it injected into a guinea pig. If rabies existed, the effect will be apparent in the guinea pig in a couple of days. Measures are then taken to safeguard any person who may have been bitten by the dog or otherwise brought into contact with the germs.

Of course every dog that bites a person is not mad; the important thing is to find out whether it is or not. If a dog bites a person, it is taken by the police and never killed if it can be avoided. The suspected

for thirty days. If it is mad, it will die before thirty days. In this case its head is cut off and sent to the city laboratories and its brain is examined for rabies germs. If these are found, it is certain the dog had rabies and persons bitten by the dog are then communicated with and urged to go to the hospital for treatment. These germs, called "Negri" because of their discovery by Professor Negri of the Italian University of Pavia, are in the form of little spots and are located in the nerve cells of the brains of rabid animals. If they are found in the brain of a suspected dog, it is certain that the animal had rabies.

To secure the serum used in treating the patient, the spinal cord of a mad dog is taken out, a culture made and this is injected into a rabbit. Then when the rabbit dies its spinal cord is taken out and hung up to

(Continued on page 177)

KNOW WHO IS SENDING

Get twice the pleasure and usefulness out of your receiving set. Look up the name and location of any ship or land station whose messages you pick up—learn the name and address of that amateur whose sending set you just heard.

4th Edition of the

CONSOLIDATED RADIO CALL BOOK



7 Two-Color Radio Maps

Five of them are Continental Maps showing all stations throughout the world handling commercial traffic, with their calls; one showing the amateur radio districts of the United States and the principal radiophone broadcasting stations with their calls; and a map of the United States Weather Forecast Zones. Seven wonderful, two-color radio maps with a wealth of information that will give you a great deal of pleasure and knowledge.

Ninety-five per cent of all Amateur Calls in the U. S. and Canada are Listed Besides Other Valuable Information Contained in This Book

Amateur Radio Calls of the United States and Canada; Every Vessel, Coast Station, and Radio-Compass Station in the World; Radiophone Broadcasting Stations of the United States; Every High-Power Station in the World; Special Land Stations of the United States; Time Signals, Hydrographic and Weather Reports of the United States and Principal Foreign Countries; International Abbreviations; Assignment of International Calls; Press Schedules; Radiogram Rates; Cable Rates; International Morse Code and Continental Signals; and Complete General Information covering Distress Calls, International Safety Signal, Use of 800-Meter Wave Length, Amendments

and Changes in Various Governmental Regulations, How to Determine Charges on Radiograms, Free Medical Advice by Radio to Vessels, and much other useful information.

And every vessel and land station in the world is represented and listed alphabetically, according both as to name of vessel or land station, and to call letters. The Consolidated Radio Call Book is the only book in print officially listing all the Radio calls as issued by the Bureau of Commerce. And the New Radiophone Broadcast Section is particularly complete and gives all available information concerning calls, wave lengths, PROGRAMS, etc.



Published by

Consolidated Radio Call Book Co., Inc.
96-98 Park Place, New York City

**Great 40-page Supplement FREE to all
who have the 4th Edition Call Book**

HOW I SAVED MY HAIR!

The Tragedy of Baldness

BY ALBERT WOODRUFF

WHEN the barber told me my hair was getting thin I merely smiled and let it go at that. When my wife said, "Bert, I do believe you are becoming bald," I gave a little laugh and passed it off with a jesting remark. I took the gibes of my friends in the same spirit—and I laughed when the comedian at the theatre made his "cracks" about candidates for the "bald-headed row."

But it wasn't until my business associates commenced to notice that I was rapidly becoming bald and gray that I worried. For while I was just as full of pep and vim as I had ever been—while my business judgment was just as keen as ever, yet I worried for fear my associates might think of me as heading toward the "has been" class. I decided to try to save my hair—if it could be saved.

Then I became a slave to hair tonics. If a tonic was new I bought it on sight. I tried every kind of shampoo that I heard of. I was a victim of the barber's wiles. The money I spent—and all to no purpose. My hair continued to come out just as fast as it ever did before I had tried to stop it. Every time I combed my hair it told the story.

How I Prevented Baldness

One day I read a very interesting advertisement by the celebrated Physical Culturist, Bernarr Macfadden. Now, it so happened that I had seen Mr. Macfadden several times and I knew that he himself had wonderful thick hair. Naturally I was interested—although it was news to me that Mr. Macfadden had made a study of the hair and had written a book on the subject, entitled, "Hair Culture."

In the advertisement Mr. Macfadden said he was amazed to learn how little really authoritative information had been written about the proper care of the hair and scalp. He said that one need not let the hair grow thin and gray. He said that if the hair is

falling out or getting gray a reasonable amount of proper care will restore it, unless one is completely bald. And this same care will keep the hair strong and healthy throughout life. He spoke of simple, natural and effective methods for treating the hair and scalp by following a few laws of nature. Then he casually mentioned that he was startled at the tremendous demand that existed for his comprehensive work. In fact, the first edition of his treatise was very quickly sold and a new edition had to be printed to take care of the orders that were flooding in on each mail.

I made up my mind right then that since Mr. Macfadden had written the book it was sure to be very practical—and the fact that so many had been sold clearly proved to me that the treatise must be filling a popular demand.

So I just jotted my name and address down on the coupon and returned it. When I received the book on five days' free examination I immediately read it very carefully and that



"Only a short while ago my hair was falling out by combfuls, yet today I have fine, thick hair, with not the slightest trace of baldness or dandruff."

is one of the most valuable—if not the most valuable—and instructive books ever written on Hair Culture.

Albert Woodruff.

Send No Money

If you would like to take Mr. Woodruff's advice we will gladly let you examine "Hair Culture" for yourself, without obligation, and see how easily you can follow the methods that should bring new life, new lustre and luxuriance to your hair. Don't send one cent in advance—just fill in and return the coupon and the book will come to you by return mail. When the postman hands it to you, deposit only \$2.00 with him. Then after you have kept "Hair Culture" for 5 days—after you have tested the methods—if you are not absolutely satisfied return the book to us and your money will be promptly refunded. If, however, you decide to keep this remarkable book, as you surely will, there are no further payments of any kind to be made—the book becomes your property for the one sum of \$2.00 which you deposited with the postman.

MACFADDEN PUBLICATIONS, Inc.

Dept. S.I.-6, Macfadden Building
1926 Broadway New York City

MACFADDEN PUBLICATIONS, INC.

Dept. S.I.-6, Macfadden Building,
1926 Broadway, New York City

Without obligation on my part, please send me a copy of Bernarr Macfadden's Book giving me all of Nature's simple methods for preserving and beautifying the hair. I will pay the postman \$2.00 on arrival, but I also have the privilege of returning the book if I desire and you will refund my deposit.

Name

Address

.....

Bernarr Macfadden's Secrets of Hair Culture

These chapter titles will give you an idea of the scope and value of this remarkable book:



Bernarr Macfadden. Note his thick, luxuriant, healthy hair.

Hair as an attribute to beauty.
Facts everyone should know about hair.
Care of healthy hair.
How to care for baby's scalp.
Facts about soap and shampoo.
The cause of hair troubles.
Dandruff.
Dry Hair, Oily Hair, Split Hair.
Falling Hair.
Baldness.
Gray Hair.
Hair Dressing.
Eyebrows and Eye-lashes.
Superfluous Hair.
Hair tonics.

very same night I started to follow the few simple rules. I must confess that within a very short time I noticed a decided improvement in the growth of my hair—it became thicker and more glossy. Then dandruff disappeared. Today, after following the rules laid down in this new method, I have just as fine a head of thick hair as you would see on any man—even a young man of eighteen or twenty has no thicker or glossier hair than mine. In fact, many haven't anywhere near such fine hair. The grayness has all disappeared and my hair has the glowing color of youth. My wife and children also adopted the rules which we discovered in Mr. Macfadden's treatise entitled "Hair Culture" and their hair is the admiration of all their friends. If you will examine the book I am quite sure that you will agree with me that it

GUARANTEED RADIO

AT LOWEST PRICES

Wessco



BETTER
THAN THE
BEST

WORTH MANY
TIMES ITS
COST



\$20.00 WESSCO BATTERY CHARGER

DE LUXE, fully guaranteed—complete and ready to use including Ammeter, Socket, Plug and Jumper Clips. Easy to operate on any 110 volt socket (alternating current). Our introductory price

\$12.95

"B" BATTERIES

\$3.00—22½ v. variable highest quality, large size . . . \$1.45
\$1.75—22½ v. variable highest quality, small size . . . 75



"A" BATTERIES

\$24.00—100 amp.,	6 v.	\$16.75
\$19.00—80 amp.,	6 v.	11.75
14.50—60 amp.,	6 v.	8.75

TRANSFORMERS

\$6.00 Wessco Audio Transformer	\$3.25
\$5.00 Acme Transformer	3.40
\$3.00 Radio Frequency Transformer	1.50

RHEOSTATS \$0.45

SABCO SOLDERING IRON

Special Electric Radio Soldering Iron, two heat \$4.95

COIL MOUNTINGS

3 coil mounting	\$2.75
2 coil mounting	2.50

HONEY COMB COILS

20% off standard list on all coils mounted or unmounted.

Switch points, per dozen \$.08
Binding Posts, nickel plated, 3c ea. Black 5c ea. 25
75c Dials, 3 in.

CATALOG

If you don't see what you want above, send for our catalog.


has it—All merchandise offered is standard and guaranteed against defective workmanship. If any goods are found defective they will be exchanged or money will be promptly refunded. Orders must include money orders or cash. No checks accepted and postage must be included.

OUR PRICES SPEAK LOUDER THAN WORDS




CONDENSERS

\$5.00—23 pl. variable condenser	\$1.85
\$5.50—43 pl. variable condenser	\$2.10
3 pl. Verner variable condenser	\$0.75
\$.50 Mica Condenser25
Grid Condenser10
Bronze Bus Bar, tinned, ft.02



VARIO-COUPLES

180° Variocoupler	\$2.40
\$4.25 variocoupler, guaranteed, highest quality	\$2.25



VARIOMETERS


\$6.60 WESSCO Variometer, highest quality guaranteed	\$3.25
--	--------



PHONES

Regular \$10.00 value,	
NOW \$3.95	

WESSCO PHONES



VACUUM TUBE SOCKETS

\$1.00 genuine bakelite socket	45c
--	-----

PANELS: Guaranteed Genuine.

DILECTO Bakelite panels—

7x10	\$1.25	7x9	\$1.15
5x545	9x10	1.60
7x12	1.50	6x12	1.25
7x18	1.85	12x14	3.00
5x995	7x24	3.00

CABINETS: Mahogany finish.


Panel size — 7x12 in.	All these cabinets re-
7x18 "	gardless of the size at
7x24 "	\$2.50 per piece.
6x12 "	

SPAGHETTI, per length 07½

Better Than The Best AERIAL-A

The Radio Tube Set
WESSCO QUALITY

That
Made Good
In a Night



THE AERIAL-A is the most outstanding value ever given in a highly efficient and perfected Vacuum Tube Radio Receiving Set. Its efficiency is equal to or greater than sets worth many times its cost. This is a WESSCO product backed by the principles of Highest Quality, volume production and small profit which combine to give you greater value and complete satisfaction. Beautifully designed, Silver Gray Oak Cabinet, Composition Rubber Knobs, Nickel Plated Metal Parts. Bakelite Panel. Wave Length—150 to 750 meters (Tested with General Radio Wave Meter). Receiving Radius—Guaranteed for 250 miles in summer and 500 miles in winter. Many owners are receiving broadcasting from stations 1000 miles distant. Audibility and Selectivity are unusually good. Awarded certificate of Excellence by New York Evening Mail. Guaranteed by New York Tribune Institute. High Grade material and workmanship in every detail. Price Complete \$35.00, including Receiving Set, Phones, Aerial, Tube, "A" Battery, "B" Battery, Insulators, etc. All ready to use. Terms: Money order, including postage, must be sent with your order. Shipping weight is 10½ pounds. Complete \$35.00

ELECTRICAL

\$18.00 Whippal Electrical Mixer	\$12.75
Electric Coffee Percolator	6.50
5-Piece Electric Grill	7.00
\$12.00 Electric Vibrator	9.00

Orders must include postage. Money order or bank draft acceptable. All merchandise offered is standard and guaranteed on a money back basis against defective workmanship.

W.E. Supply & Service Corp.

20 MURRAY STREET, NEW YORK

DEALERS:

Write for special attractive proposition.

Is Hydrophobia a Myth?

(Continued from page 172)

dry at room temperature. After eight days, and not later than twelve days, it is cut up and a quantity sufficient to treat one person is culled. The serum is injected into the patient by means of a needle syringe.

The behavior of suspected dogs which eventually turn out to be mad varies with the individual. Some of them remain passive throughout their period of confinement, others are sullen and growl at persons approaching their cages, while a few keep up a continual barking, snapping and snarling as long as anyone is in sight. There is a common idea that a mad dog shows an intense fear of water, and in case such an animal is seen to ford a creek or lake, this is taken as proof that he did not have rabies. Authorities declare, however, that this is a fallacy. This fear of water is a symptom usually marked in human cases, but is never present in the dog at any stage of the disease. Animals in the early stages when running about the country will cross bodies of water without the slightest fear. Even after the throat becomes paralyzed the animal will often constantly attempt to drink water from a pail or bucket if placed within its reach, but owing to the paralysis of the throat muscles, which may not occur until late in the course of the disease, swallowing is impossible.


After a person is bitten by a dog it frequently occurs that some friend will immediately look into the mouth of the animal. In case the mucous membrane is black, he will at once conclude that the bite is dangerous, even though the dog appears perfectly normal; but if the mouth happens to be red, he thinks there is no danger from the bite. This is entirely erroneous. The black color is due to a normal deposit of pigment in the mucous membrane of the mouth. It is present in a certain percentage of all dogs and has no connection with rabies.

Equally general is the erroneous idea that a mad dog is necessarily violent. The fact is that there are two forms of the disease; the quiet or dumb form, and the active or violent form.

It should be remembered that secretions from the mouth of a rabid dog are poisonous whether he shows any tendency to bite or not, and if they come in contact with a sore or open wound on the person of a healthy animal or human being they transmit the disease. The only safe rule to follow in handling a sick dog is to wear heavy gloves and to avoid secretions from the mouth. It is commonly supposed that the danger from hydrophobia comes from the roving, ownerless, stray dogs of the city. This is not the real truth. Most of the victims of hydrophobia are bitten by house dogs or cats that are household pets. For this reason, until it is absolutely certain that one's sick dog has not got hydrophobia, the only safe thing is to assume that he has and act accordingly. The dog should be kept under observation and out of the way of human beings and other animals for at least three weeks. If he has the disease, he will succumb to it in that time.

The curative value of the so-called "mad-stone" is still devoutly believed in by many.

After a person has been bitten the mad-stone is applied to the wound, and it is believed that the longer it adheres the more sure it is of preventing the disease. Whether it will stick or not depends entirely on the amount of hemorrhage or discharge from the wound. Its specific value against rabies is no greater than that of a piece of blotting paper applied in the same manner.



A telephone personality

In your face to face contacts with people, your appearance, your bearing and many other things help you to make the right impression. But in your telephone contacts there is only one thing by which you can be judged—your speech.

An effective telephone personality is to-day a business and social asset. Everybody appreciates the person who speaks distinctly and pleasantly, neither too fast nor too slow, with a clear enunciation of each word, with lips facing the mouthpiece and speaking into it. In business, this is the telephone personality which induces favorable action on the part of the listener. To the salesman it may mean the difference between an order and no order; between an interview

granted and an interview refused.

Curiously enough, people who are careful to make themselves effectively heard and understood face to face, often disregard the need for effectiveness in their telephone speech. Perhaps they shout, perhaps they mumble, perhaps they hold the mouthpiece far from their lips. And frequently they never realize that their carelessness has defeated the purpose of their talk.

The Bell System maintains for telephone users the best facilities that science, modern equipment, skilled operation and careful management can bring to telephone speech. But these facilities can be fully effective only when they are properly used.



BELL SYSTEM
AMERICAN TELEPHONE AND TELEGRAPH COMPANY
AND ASSOCIATED COMPANIES
One Policy, One System, Universal Service, and all directed
toward Better Service

WHAT'S YOUR GAME?
If it's outdoor sport, select your equipment now.

BASEBALL	TENNIS	GOLF	FISHING
Complete suits, men's \$4.75 " boy's 2.95 Shoes \$3.25 to \$5.00 Catcher's mitts \$3.50 to \$6.00 First Baseman's gloves \$2—\$5.00 Fielder's gloves, "boy's 85¢ up. Men's \$1.60, \$2.75, \$3.50, \$5.00	Hackets \$3.00 to \$13.00 Balls 40¢ and 50¢ each Shoes \$1.50 and \$3.00 Hacket cases 50¢ to \$2.50	Set. 5 clubs, bag and 2 balls \$14.00 Shoes \$6.00 Jackets \$5.50 to \$8.00 Sweaters \$8.00	Rods \$2.90, \$4.00, \$10.00 Reels \$4.00, \$6.70, \$14.00 Lines 35¢ per 100 ft.
Do you like to take pictures? Here is your chance. A post card size folding roll film camera with double f. 8 lens and flex shutter Catalogue price \$19.00. OUR SPECIAL \$9.49. We carry a full line of Kodaks, Cameras, Graflex, Films, chemicals, papers and accessories.			
Send Money Order for prompt delivery			
Money back if not satisfied			

CAPITOL SPORT SHOP!
522 Sixth Avenue, New York City

\$1.00 DELIVERS to Your Home

Complete Outfit

Violet Ray

ONLY \$1.00 brings this complete, scientific Violet Rays outfit to you. Treat yourself and family at home, save delay, costly doctors and medicines. Thousands use Violet Rays at home to relieve pain and sickness. The identical outfits doctors have bought from us for years and with which they successfully treat many ailments, including those listed below.

QUICK RESULTS —No Medicine

Violet Rays work quickly, it's scientific, goes after the cause. That's why results are quick, permanent. Dr. Duncan, Kewanee, Ill. writes, "Violet Rays is the finest thing I ever used to relieve pain, treatments are so pleasant all my patients like it." Use it yourself at home, you save Doctor's bills.

Beauty Aid Brings natural, magnetic beauty of health, no dieting, exercise or drugs. FREE book tells in detail how high priced beauty specialists use it to improve scalp and skin.

EARN CASH

Men, women, without experience earn liberal profits in spare time showing Violet Rays to neighbors. Proves results first demonstration, sells on sight. Get attractive offer and wholesale prices now.

Send **FREE** Book For

Explains how Nikola Tesla discovered Violet Rays, how it works, why it heals. Tells what doctors and plain folks accomplish in conquering pain, disease and nervous trouble with Violet Rays.

Reveals Marvelous Shows charts of Scientific Discovery human body, explains where pains start, how to banish them. Offered FREE for a limited time only, to introduce Violet Rays. Send for FREE copy.

Check Your Ailment Below for Free Advice

Here is a partial list of ailments successfully treated with Violet Ray:

Catarrh	Hay Fever	Piles
Viblaines	Headache	Rheumatism
Colic	Gout	Skin Diseases
Constipation	Insomnia	Sore Throat
Ears—aches	Itching	Sprains
Eczema	Nervousness	Tonsillitis
Eye Diseases	Neuritis	Whooping Cough
Falling Hair	Paralysis	Asthma

Mail coupon—Send no money

VI-REX ELECTRIC COMPANY,
326 W. Madison Street, Dept. 46, Chicago

Please send me without cost or obligation your free book describing your VI-REX Violet Ray outfit, and details of your \$1.00 offer.

Name _____

Address _____

City _____ State _____

Our Wonderful Brain—How It Works

By LEON AUGUSTUS HAUSMAN, Ph.D.

(Continued from page 120)


1). Covering the entire brain is a thin layer of "gray matter," which is distributed with great regularity over the cerebral hemispheres, where it is known as the cerebral cortex. And it is this portion of the brain, this rather thin layer of nerve cells which harbors the higher mental faculties. Think of it: our memories, our loves, our hates, ambitions, reverences, adorations, chagrins, logic, in short our personalities, all locked up in a smear of gray cells just underneath the roots of our hair!

Let us look into the minute structure of so remarkable a mechanism. It is the frontal region of the cerebrum, Figs. 2 and 3, which has to do chiefly with those faculties which distinguish man from his lower kindred, the anthropoid apes. The structure which the microscope reveals in the cortex of the cerebrum (cerebral cortex) is a complex mass of nerve cells, called neurones, arranged in four rather well-defined layers, from the surface downward (right). Each separate nerve cell consists of a cell-body, with long root-like tendrils reaching out and branching and ramifying in every direction. A closer examination of the cells in the four layers of the cortex shows that they are not all alike. The outer layer, or superficial layer, contains few minute cells, and the fourth, or deep layer, contains few, while in layers 2 and 3 are located the largest and most important cells of the cortex. They are known, from their general form, as pyramidal cells, and are chiefly concerned with our intellectual, and other advanced mental capabilities. These cells send out a large number of rootlets or tendrils (called dendrites), in such a way as to connect with one another and with other cells in the various portions of the brain.

As the result of numerous studies by scientists it has been shown that a direct relationship exists between the intelligence of an individual, and the number and development of his pyramidal neurones, and interestingly enough, his pyramidal neurones of the third layer. So it seems that these cells, these large pyramids, of nervous tissue, are the main workers in our brains, with respect, at least, to our mentalities. In persons of superior mental attainments, these neurones become larger, are more numerous, and what is perhaps most important of all become more perfectly connected together by reason of their branching rootlets, or dendrites. In short, we are now in a position to say that the mental capability of an individual depends upon: (1) the number of pyramidal cells or neurones present in the cerebral cortex, and especially in the frontal region of the cortex, (2) the size, or healthy development of these neurones, and (3) the length and richness of branching of the nerve rootlets, or dendrites. Furthermore we can say that this also conditions the mental powers of those animals with brains similar to our own.

A most curious fact about these precious pyramidal neurones is that until the tiny embryo within the womb of the mother attains the third or fourth month of foetal life the neurones continue to increase in numbers, and then stop. When the embryo, or foetus, is four months old, the number of its pyramidal neurones is fixed. No additional ones can ever be developed. Thus each individual starts off in life with a fixed number of these all-important brain cells, which he never can increase. He can, however, by education and mental training increase the size and vigor of the cells, and also increase the length and number of branches and interconnections of the dendrites.

For each of us, then, growth in mental ability means growth of the neurones and their root-like dendrites. Now, as we might expect, the brains of idiots and feeble-



A Diagrammatic View Representing a Vertical Section Through a Portion of the Rind or Cortex of the Cerebral Hemispheres, Showing the Cells Upon the Size of Which the Higher Faculties Depend.

minded persons exhibit pyramidal neurones either few in number, small, or possessing few and short dendrites. In other words such persons "fail to make the connection" as we say, and in this phrase we express a deep physiological truth. Their pyramidal cells are not interconnected, and they can, in truth not make the connections between words, ideas, and what they have experienced. The brain of such a person is a machine with its parts not coordinated.

In extreme cases of idiocy, no rootlets, or dendrites, are present at all. This means that correlation of ideas, of memories, of acts are not possible. Such individuals do not live long.

Mentally incapable parents, such as the feeble-minded, cannot, therefore, transmit to their offspring anything better than their own mental machinery, and they often may contribute a worse one! This is a tragic fact. But if we may not add to the number of our "thought-producing units," we can at least take comfort from the reflection that we can, by education, increase the number of the interconnections of those pyramidal cells that we do already possess, and by sane and simple living and high thinking, become better and better, each day, mentally.

The fact is that most of us are feeble-minded when we compare what we now are mentally, to what we might be, if we would give to the systematic training of our minds as much time and thought as we now give to, say, the selection of our clothes.

When we consider that there may be, in the average cerebral cortex millions upon millions of nerve cells, with the possibility of each one developing millions of dendrites, and that this would mean millions times millions of interconnections, with resulting mental powers, imagination itself is staggered when it attempts to conjecture what latent forces each of us possesses.

Radio for Every Tenant


(Continued from page 153)

The immense influence of radio on our daily life is very forcibly brought home to us in connection with this installation. How it will affect our lives in the future can only be imagined. Will it interfere with the welfare of the newspapers and eliminate the necessity of traveling from our homes to our places of business every day? This is not a very far cry from the radio set of today, especially when the above described "radio apartment house" is considered. Here the tenants get the very best of entertainment without the necessity of even leaving their comfortable abodes. The various weather reports and quotations on the stock market may also be heard, the latter being of great importance to the business man.

The opera brought to the dweller in the apartment house, as prophesied years ago, is now a reality in one case at least. That other builders will follow this precedent there is no doubt, as it offers a great inducement to prospective tenants, thereby increasing the value of the houses. The saving to the tenants is also appealing, for a set capable of bringing in the stations that the one described above will do, would be very expensive. Here the radio enthusiast can get all the joy of a high priced radio set without the attendant expense and trouble. All he has to do is plug in the phones or loud speaker and listen.—Photos courtesy of Western Electric Company.

See How Easily You Can Learn to Dance This New Way

Arthur Murray,
Dancing Instructor to the Vanderbilts.



Send coupon today. Just enclose 25 cents (stamps or coin) to help pay cost of postage, packing, etc. and the free five lessons will be promptly mailed to you. You do not place yourself under any obligation by sending for these lessons. Send for them NOW.

ARTHUR MURRAY
Studio 769, 290 Broadway, New York City

Arthur Murray, Studio 769, 290 Broadway, New York City
To prove that I can learn to dance at home in one evening, you may send the FIVE FREE LESSONS and I agree to give them very careful consideration. It is understood that I do not obligate myself in any way by sending for the free lessons, neither do I need to return them. I enclose 25 cents (stamps or coin) to help pay for postage, packing, etc.

Name
Address
City State
Would you like to teach dancing?



8 Hour Constant Potential Battery Charging—Pays Big!

An HB Constant Potential Outfit charges batteries perfectly in 6 to 8 hours. Reduces by half, investment in rental batteries. Saves half on current bills and labor costs. Quickly pays for itself in savings and profits or trade pulled from competitors. \$30 MONTHLY PAYS FOR OUTFIT. Small cash payment, long free trial, money-back guarantee. Balance easily carried by big monthly profits. Write today for information.

Box S64



Small Down Payment-Increased Profits Carry Balance

MOTOR-FREE

Announcement Extraordinary—TO LIVE WIRES



S. V. Smith, Chief Engineer,
H.S. Dept. S. & H. Electrical Works
When you're ready, call on me for a job, for I can and I will give you free employment service. All graduates granted S. & H. Registered Certificate of Efficiency.

RADIO COURSE AND SHOP TRAINING—FREE
All my Home Study Students are entitled to a Review Course in my great Monroe Street Plant and a thorough training in practical Radio Work *without extra charge*. We also accept a limited number of Resident students monthly for instruction by our wonderful Shop Training System in our Monroe Street plant. Here you work—not on phoney material or make-believe problems—but on **NEW** apparatus of the latest type. You are turned out a **REAL** expert by a system of **ACTUAL** experience training. Send Coupon or write at once, while this great offer is in force, for free catalogue and full particulars. **S. V. SMITH, Chief Engineer.**

S. & H. ELECTRICAL WORKS, Dept. F. F. 2
1422 W. MONROE STREET, CHICAGO.

Why haven't
you
clipped this
coupon

INTERNATIONAL CORRESPONDENCE SCHOOLS
Box 6196-C, Scranton, Penna.

Without cost or obligation on my part, please tell me how I can qualify for the position or in the subject before which I have marked an X:

BUSINESS TRAINING DEPARTMENT

Business Management	Salesmanship
Industrial Management	Advertising
Personnel Organization	Better Letters
Traffic Management	Foreign Trade
Business Law	Stenography and Typing
Banking and Banking Law	Business English
Accountancy (including C.P.A.)	Civil Service
Nicholson Cost Accounting	Railway Mail Clerk
Bookkeeping	Common School Subjects
Private Secretary	High School Subjects
Business Spanish	Illustrating

TECHNICAL AND INDUSTRIAL DEPARTMENT

Electrical Engineering	Architect
Electric Lighting	Blue Print Reading
Mechanical Engineer	Contractor and Builder
Mechanical Draftsman	Architectural Draftsman
Machinist Practice	Concrete Builder
Railroad Positions	Structural Engineer
Gas Engine Operating	Chemistry
Civil Engineer	Pharmacy
Surveying and Mapping	Automobile Work
Metallurgy	Airplane Engines
Mining	Agriculture and Poultry
Steam Engineering	Mathematics

Name.....
Street.....
Address.....
City.....
Occupation.....
Persons residing in Canada should send this coupon to the International Correspondence Schools Canadian, Limited, Montreal, Canada

1-10-23

Free Book
Containing complete story of the origin and history of that wonderful instrument—the

SAXOPHONE

This book tells you when to use Saxophone—solo, in quartettes, in sextettes, or in regular band; how to play from cello parts in orchestra and many other things you would like to know. The Saxophone is the easiest of all wind instruments to play. You can learn to play the scale in an hour and soon be playing popular airs. It will double your income, your pleasure and your popularity. Three first lessons are free. Nothing can take the place of the Saxophone for Home Entertainment, Church, Lodge or School, or for Orchestra Dance Music. You may try any Buescher Saxophone, Cornet, Trumpet, Trombone or other instrument 6 days, free, and pay for it by easy payments. Mention instrument interested in when sending for Free Book.

BUESCHER BAND INSTRUMENT CO.
Makers of Everything in Band and Orchestra Instruments
604 Buescher Block ELKHART, IND.

Speed

By HAROLD F. RICHARDS, Ph.D.
(Continued from page 119)

Under the blow of the bullet, the block and the imbedded bullet are lifted a certain height against the force of gravity. Such a rise can only be produced by doing work upon the block, and the amount of work is equal to the vertical rise multiplied by the total weight lifted. This work is done at the expense of the energy of the moving bullet, and we have only to express it in terms of the speed and mass of the bullet in order to find the speed. We can not use the principle of conservation of energy, because a good deal of the energy of the bullet is dissipated inside the wooden block in heat and molecular deformations; but the principle of the conservation of momentum, however, helps us over the difficulty, stating that regardless of any dissipation of energy the whole momentum of the bullet is imparted without loss to the block.

By means of these laws we arrive at the simple formula given in the diagram. Thus if the experimenter will take the square root of the vertical rise, in feet, through which the center of the block is lifted, multiply that result by eight times the combined weights of the block and bullet, expressed in pounds, and then divide the result by the weight of the bullet, also in pounds, he will have as an answer the speed of the bullet, in feet per second, just before it struck the block. For example, if the vertical rise was 0.52 feet, the weight of the block 5 pounds, and the weight of the bullet 0.016 pound, the speed of the bullet would be calculated to be 1,800 feet per second, or 20.4 miles per minute.

The accuracy of the result will depend chiefly on the precision with which the vertical rise of the block and the weight of the bullet are determined. A druggist's scales may be used to weigh a sample bullet which has been discharged into wet sand and then cleaned. The farthest distance to which the pendulum swings should be determined by means of a self-recording device. A slender iron nail may be fastened into the lower face of the block, so that it will mark out the track of the swing in wet sand which has been carefully smoothed and curved just below the pendulum. The height can of course be calculated from the angle of swing, with the aid of a trigonometric table; but the method which I have indicated will give satisfactory results in all cases where great precision is not required.

It is necessary that the bullet be fired horizontally and from a sufficient distance to avoid adding the effect of the expelled gases to the impulse of the bullet, and the block should be struck at the center of the face. Strictly speaking, the point of impact should be 0.01 inch below the center, for a pendulum of the dimensions given. The suspension should be sufficiently long, and the block heavy enough, to prevent the pendulum from swinging through more than a quarter of the distance to the horizontal. Thus a shorter suspension, and a lighter block, would be used to measure the speed of the shot of an air rifle; while a long suspension, together with a large box filled with some dough-like material, should be used if the experimenter wishes to estimate the speed with which he can throw a baseball. In the latter case the side of the box towards the baseball should be open, so that the ball sinks into the softer material contained inside; since the reasoning which has been given cannot be applied if the projectile does not remain imbedded in the block of the pendulum.

(Part II will appear in next issue.)

SEX

Facts other sex books don't dare discuss are plainly told in "Where Knowledge Means Happiness." Creates a new kind of married love. One reader says: It contains more real information than all other sex books put together.

From "Where Knowledge Means Happiness" Sent in plain cover, by return mail, for \$1.00, cash, money order, check or stamps.

Copyright 1921 Dept. 39 COUNSEL SERVICE, 257 W. 71st St. N.Y.

DEAFNESS IS MISERY

I know because I was Deaf and had Head Noises for over 30 years. My invisible Antiseptic Ear Drums restored my hearing and stopped Head Noises, and will do it for you. They are Tiny Megaphones. Cannot be seen when worn. Effective when Deafness is caused by Catarrh or by Perforated, Partially or Wholly Destroyed Natural Drums. Easy to put in, easy to take out. Are "Unseen Comforts." Inexpensive. Write for Booklet and my sworn statement of how I recovered my hearing.

A. O. LEONARD

Suite 369, 70 5th Avenue -- New York City

STAMMER NO MORE

Kill the fear of stammering. Re-education the key. The widely famed Hatfield Method fully outlined in an accurate, dependable, worthwhile book—"HOW TO STOP STAMMERING." It has inspired thousands. Free copy today.

THE HATFIELD INSTITUTE, 109 N. Dearborn, Chicago, Ill.

109 N. Dearborn, Chicago,

MARVEL TIRES

"The Mileage Ace"

Manufacturers Guarantee 10,000 Miles IN WRITING

This tire is the product of the foremost tire builder in America.

**TIRE ECONOMY
SERVICE
DURABILITY**

90% Puncture Proof
ONE TIRE SELLS A
SET. TRY ONE
TODAY.

	Tires	Tubes		Tires	Tubes	
30x3½	\$ 9.85	-\$1.35		32x4½	\$19.75	-\$2.50
32x3½	12.50	-\$1.50		33x4½	20.75	-\$2.60
31x4	13.75	-\$2.00		34x4½	21.75	-\$2.70
32x4	16.50	-\$2.10		35x4½	22.50	-\$2.80
33x4	16.75	-\$2.20		36x4½	23.50	-\$2.90
34x4	17.50	-\$2.30		33x5	24.75	-\$3.00
	35x5	-\$25.50				

\$1.00 Deposit with every tire ordered.
Balance C.O.D. For Examination.

AMERICAN TIRE COMPANY

1461-63 S. Michigan Blvd., Dept. 1
CHICAGO, ILL.

Phone—Victory 3289

Taylor COMPASSES Taylor FOR EXPERIMENTERS

Taylor Compasses are made with the greatest care and precision. The bar of each is permanently magnetized and mounted on jeweled pivots. Made in several types and designs suitable for laboratory purposes as well as for outdoor use by tourists and campers. Write for prices. Send ten cents for booklet "The Compass of the Sign Post of the World." There is a *Taylor* or *Taylor* temperature instrument for every purpose.

Taylor Instrument Companies
Rochester, N. Y., U. S. A. C143

Filters 4 Gallons in 5 minutes

*Fastest Portable Filter in the World
FOR GRAPE JUICE,
CIDER, ETC., ETC.*
HOME SIZE filters quart of water a minute, No. 6A \$8.00.
LARGE SIZE filters gallon of water a minute, No. 6B \$15.00. Write for free circular.
VACCU-FILTER SALES CO., Inc.
Dept. 6 70 Fifth Ave. New York

Learn Photography at HOME

Make \$75.00 a Week on the Side

Establish yourself as a photographic expert quickly—during your spare time—through the use of my book. It shows you how to start your own business—or command a large salary. Send for my unusual offer—it's only temporary. Act at once. A postcard will do.

International Studios, Inc., Dept. 717A
3601 Michigan Ave., Chicago, U. S. A.

\$4.00 ADDING MACHINE

The GILSON ADDER will do your figuring easily, quickly and with absolute accuracy. It adds, subtracts, multiplies and divides and automatically carries from one column to the next. Capacity 109,999,999 or \$1,099,999.99. Size 3½" x 6" x 1¾". Made with aluminum case and steel operating parts. Written Two-Year Guarantee. Catalog free.

Price, postpaid, \$4.00
Your money back if you are not satisfied.

GILSON SLIDE RULE CO.,

NILES, MICH.

Popular Astronomy

By ISABEL M. LEWIS, M. A.

(Continued from page 137)

Mars, and the mystery surrounding this twin-world of ours is, if anything, deepening.

Here is a planet known beyond doubt to possess a dense atmosphere, a planet that has always been assumed to be enveloped in dense clouds of water vapor, that has recently been found to exhibit not a sign of the existence of water vapor, oxygen or any other substance in its atmosphere! Moreover, recently, decided doubts have been raised once more as to the length of its day, which it seemed for a time had been definitely settled to be equal to the planet's period of revolution around the sun, or 225 days.

This planet, which we have every reason to believe is an inhabited world, challenges the astronomer to solve its mysteries, which are fully as puzzling as those that are presented to us by the planet Mars.

Statement of the Ownership, Management, Circulation, etc., Required by the Act of Congress of August 24, 1912, of

SCIENCE AND INVENTION,

published monthly at New York, N. Y., for April 1, 1923,

State of New York, } ss.
County of New York, }

Before me, a Notary Public in and for the State and county aforesaid, personally appeared Hugo Gernsback, who, having been duly sworn according to law, deposes and says that he is the Editor of the SCIENCE AND INVENTION, and that the following is, to the best of his knowledge and belief, a true statement of the ownership, management (and if a daily paper, the circulation), etc., of the aforesaid publication for the date shown in the above caption, required by the Act of August 24, 1912, embodied in section 443, Postal Laws and Regulations, printed on the reverse of this form, to wit:

1. That the names and addresses of the publisher, editor, managing editor, and business managers are: Publisher, Experimenter Publishing Co., 53 Park Place, New York City; Editor, Hugo Gernsback, 53 Park Place, New York City; Managing Editor, Harry Winfield Secor, 53 Park Place, New York City; Business Manager, R. W. DeMott, 53 Park Place, New York City.

2. That the owners are: Experimenter Publishing Co., Hugo Gernsback, Sidney Gernsback, H. Winfield Secor, R. W. DeMott, Dr. T. O'Conor Sloane, Mrs. Catherine Major, all of 53 Park Place, New York City; and M. M. Finucan, 720 Cass St., Chicago, Ill.

3. That the known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities are: None.

4. That the two paragraphs next above, giving the names of the owners, stockholders, and security holders, if any, contain not only the list of stockholders and security holders as they appear upon the books of the company, but also, in cases where the stockholder or security holder appears upon the books of the company as trustees or in any other fiduciary relation, the name of the person or corporation for whom such trustee is acting, is given; also that the said two paragraphs contain statements embracing affiant's full knowledge and belief as to the circumstances and conditions under which stockholders and security holders who do not appear upon the books of the company as trustees, hold stock and securities in a capacity other than that of a bona fide owner; and this affiant has no reason to believe that any other person, association, or corporation has any interest direct or indirect in the said stock, bonds, or other securities than as so stated by him.

5. That the average number of copies of each issue of this publication sold or distributed, through the mails or otherwise, to paid subscribers during the six months preceding the date shown above is

(This information is required from daily publications only.)

H. GERNNSBACK,
Editor.

Sworn to and subscribed before me this 27th day of March, 1923.

[Seal] JOSEPH H. KRAUS,
Notary Public,
(My commission expires March 30, 1923)
Queens County Register's No. 2951,
New York County Register's No. 3337,
New York County Clerk's No. 439.

When the Marriage Call Comes to You

One day the marriage call—the call of mate to mate—will come to you. How will you meet the test? Are you physically fit to marry? Will you look into the eyes of the girl you love and admit that you are unworthy of her trust and affection? Can you truthfully promise that you will measure up to her vision of manhood—and that your offspring will be strong, healthy and normal? Stop and THINK now before it is too late. Don't do it, my brother—don't gamble with the welfare of your wife and children—don't mortgage your future success and happiness. Be absolutely CERTAIN that you are sound, healthy, vital and a real man in the fullest sense of the word BEFORE you marry.



Poor Health Should Bar You From Matrimony

The girl you love looks up to you as her ideal of vigorous, virile manhood. She pictures you as her husband and the father of her children. She cannot know the things about your past that YOU know—she doesn't know that you have squandered your manly powers—that your blood is impure—your nerves weak and your vigor reduced to impotency. Her judgment is blinded by her love for you. She does not suspect for one moment that you are anything but the ideal man of her dreams.

STRONGFORT The Perfect Man

Be a Man—Deception Is Cowardly

Misery and failure in Marriage are woven from lies and deception. If you are any part of a man, you will be true to the best that is within you. No decent, self-respecting man will deliberately lie to an innocent girl and shatter her ideals—ruin her happiness and be a drag on her for life. You can't do that—yet you hesitate to tell her that you are a physical misfit—that you are guilty of youthful errors and excesses—that every part of your body shows the results of wrong living. You won't dare tell her that you are not even half the man she thinks you are—a miserable WEAKLING whom she will loathe and despise when she learns the truth. It is disheartening, to be sure—but cheer up—I have saved thousands from the folly of unfit marriage when they had seemingly wrecked their lives thru neglect and indiscretions—I can save you with

STRONGFORTISM

The Modern Science of Health Promotion

Strongfotism has been the salvation of many men who had fallen in the ways of bad habits, excesses and physical neglect. It has shown a multitude how to banish such ailments and weaknesses as Constipation, Indigestion, Dyspepsia, Rupture, Rheumatism, Impotency, Vital Losses, Prostate Troubles, and the numerous other results of abuse and violating Nature's Laws. (See consultation coupon.) Strongfotism can do the same for YOU—no matter what your condition is or what caused it and irrespective of your age, sex, occupation or surroundings—I GUARANTEE IT.

Send for My Free Book It's a Revelation

Every married man and woman—every man and woman who plans to marry—should read my famous book "Promotion and Conservation of Health, Strength and Mental Energy." It tells the truth about Nature's corrective forces—it frankly points out the errors and pitfalls that wreck most happy marriages. It contains a vital message for YOU—a message that will mean health, strength and vigor. It's yours for the asking, and absolutely FREE. Just mark the items on the consultation coupon on which you wish special confidential information and send with 10c (one dime) to help pay postage, etc. Send for my free book Right now—TODAY.

LIONEL STRONGFORT

Physical and Health Specialist

Dept. 418 Founded 1895 Newark, N. J.

FREE CONSULTATION COUPON

Mr. Lionel Strongfort, Dept. 418, Newark, N. J.—Please send me your book, "Promotion and Conservation of Health, Strength and Mental Energy," for postage on which I enclose a 10-cent piece (one dime) I have marked (X) before the subject in which I am interested.

• Colds	• Blackheads	• Weak Eyes
• Catarrh	• Inflammation	• Gastritis
• Anemia	• Short Wind	• Heart
• Hay Fever	• Flat Feet	• Weakness
• Obesity	• Stomach	• Poor
• Headache	• Disorders	• Circulation
• Thinness	• Constipation	• Skin
• Rupture	• Biliousness	• Disorders
• Lumbago	• Torpid Liver	• Despondency
• Neuritis	• Indigestion	
• Neuralgia	• Nervousness	
• Flat Chest	• Poor Memory	
• Deformity	• Rheumatism	
(Describe)	• Manhood	
• Successful Marriage	• Restored	
• Female Disorders	• Youthful Errors	
• Increased Height	• Vital Losses	
• Diabetes	• Impotency	
• Pimples	• Falling Hair	
	• Prostate Troubles	

Name _____

Age _____ Occupation _____

Street _____

City _____ State _____

Two Valuable Books On Armature Winding

No technical library can be complete without "*How to Wind D. C. Armatures*" and "*Single Phase Armature Winding*" By W. E. Hennig.


These books are well indexed for quick reference. All subjects are handled in such a very clear, thorough, able manner and so profusely illustrated by diagrams of windings that the reader requires no technical knowledge or education to fully understand this important subject.

They are really indispensable to every man engaged in electrical work, and are of particular value to the electrical student, the electrical salesman and supply dealer. In fact, they will be highly valued by anyone interested in armature winding.



As a practical electrician and armature winder I have been handicapped on account of lack of information on armature winding and other special problems associated with armature winding. In such cases I obtained the desired information from your books and found I was able to solve the most difficult as well as the simpler problems. By applying the knowledge in your books I have bettered my position and am not dependent on others for information. These books fill a long felt want, as they can be understood by non-technical as well as technical students.

W. B. NEEPER, Electrician,
Pabst Building, Milwaukee, Wis.



Send today—**NOW**—get these books—the most valuable, helpful and interesting of any ever written on the subject of Armature Winding.

-----**USE THIS COUPON**-----

MCCLURE PUBLISHING CO.
720 Cass Street, Chicago, Ill.

Inclosed find \$..... for which send me:
"How to Wind D. C. Armatures", price 3.50
"Single Phase Armature Winding", " 1.50

Name.....
Address.....
City..... State.....

How to Build a Motor Swing Whirler

By LAWRENCE B. ROBBINS
(Continued from page 151)

piece of pipe over the bolt to act as bearing. It must allow all parts to turn easily without danger of binding.

The body of the whirler consists of a piece of straight grained 2" x 4" stuff, 14 ft. long set on the narrow edge. Square the ends and then bore a hole through the exact center into which should be driven a 4-in. length of pipe which will turn freely about the pivot bolt. Set this timber down over the bolt letting it rest upon the assembled bearing; put on washer and nut.

The running gear consists of a bicycle wheel at one end and the motive power at the other. The bicycle wheel forms the trailer and serves to keep the equilibrium of the timber. A suggested strap-in bracket is shown in detail. It is not intended to state a definite method of attaching this wheel but it should serve the purpose admirably. Part A is bolted to the top and bottom edges of the timber and projects out about 2 in. from the end. Part B is a bracket shaped piece, projecting out at each side, surrounding the wheel, and passing along in front of it. Holes should be drilled in each piece in exact line with each other to receive the axle of the wheel which must run at right angles to the timber. Then a third iron must be bolted to the piece B, near the hole, and bent up over the top of the wheel and bolted to the top edge of the timber about a foot back from the end. Parts A and B are shown in the top view detail sketch and part C in the assembly drawing.

The track, as illustrated, is of $\frac{1}{2}$ in. round iron rod. From corner to corner it is 8 ft. long and bent to conform to an arc with a $14\frac{1}{2}$ ft. radius.

The seat is made from a 1-in. hard wood board 24 in. long and 10 in. wide. Bore a $\frac{3}{8}$ -in. hole 2 in. from each end for the bridle which consists of a U-shaped frame of $\frac{3}{8}$ -in. round iron with an eye in the center of the U and each end threaded. Make this frame 40 in. long and 20 in. wide. Force the threaded ends through the holes in the seat, placing washers and nuts below, drilling the rod for cotter pins above. Clamp an electric snap switch to the left hand upright. Attach a strong turn-buckle to the eye and then, setting the seat on the track, attach the guides to the under side of the seat at the ends. These are made of strap iron as shown in detail.

Now connect the top eye of the turnbuckle to the bottom eye of the spring suspended from the limb with a piece of $\frac{1}{4}$ -in. wire rope, so that the bottom of the seat is just lifted clear of the track when the timber is level. Further adjusting will be necessary later which will be explained.

The power is obtained from a popular type of Motor Wheel. Several kinds are on the market—any one of which may be adapted to this purpose but the kind illus-

WANTED
Railway Postal Clerks
\$1600 to \$2300 Year
MEN—BOYS 18 or Over
Mail Coupon Immediately

Travel—See the country, while being well paid.
Steady Work. No Layoffs. Paid Vacations.
Common Education Sufficient.
Send Coupon Today—**SURE**.

875 (73 Thin Model)
NOW
Was \$25

Agents: buy at \$3.75 sell at \$16. We are one to show the latest pattern gold filled case. Case stamped and guaranteed Gold Filled 25 years. 21 JEWEL CHAIN, Vest or coat-lapel style. Li FREE limited offer order today!

SEND NO MONEY!
We pay postage. Pay only \$3.75 on arrival. State if coat or vest chain. FREE MONEY BACK IF YOU'RE NOT SATISFIED.

No experience needed to sell this 21 jewel adjusted watch with Gold Filled Case at big profit.

UNIVERSAL JEWELRY CO.
Dept. 166 1857 Armistice Ave., Chicago

Electrical Engineering men with training are in demand. For more than a quarter of a century this school has been training men of ambition and limited time for the electrical industries. Condensed course in Electrical enables graduates to secure good positions and promotions. Theoretical and Practical Electricity, Mathematics, Steam and Gas Engines and Mechanical Drawing. Students construct dynamos, install wiring and test electrical machinery. Course with diploma complete

In One Year
Over 3000 men trained. Thoroughly equipped fireproof dormitories, dining hall, laboratories, shops.
Free catalog. 30th year opened Sept. 27, 1922.
BLISS ELECTRICAL SCHOOL
108 TAKOMA AVE., WASHINGTON, D. C.

"ELECTRO-CONDITE"
STARTLES THE WORLD
Thousands of people are marveling at the wonderful performance of the "Electro-Condite" Converter. Clarifies, purifies, sterilizes, matures and mellows most kinds of beverages. Makes hard water soft, etc. May prevent poisoning. Send \$5.00 for device with 5 days' trial money-back guarantee or ask for circular.

Best grade Proof Hydrometers, \$1.00 each prepaid.

"Electro-Condite" A-B-C LABORATORIES, INC.
CONVERTER Dept. X, 200 West 72d St., New York

BLUE PRINT READING
A BIG JOB IS WAITING FOR EVERY MAN, who is trained to read Blue Prints. Here is your chance to get this training—to become a Foreman or Superintendent and earn more money. You can learn in spare time. Write now before it is too late. Tell us what trade you want and for all details of our plan.

BE A DRAFTSMAN—Earn \$35-\$100 a week. We train you quickly at home on the pay as you study plan. Book and tools FREE. Write for Catalog G.

Dept. 18-C, Drexel Bldg., Philadelphia, Pa.
COLUMBIA CORRESPONDENCE SCHOOL Est. 1904

LATHES
9 to 18-inch Swing
List price \$150 and up, according to size. When ready to buy, send for Lathe Catalog and prices.
W. F. & John Barnes Co.,
442 Ruby Street
ROCKFORD, ILLINOIS

5 Master Keys
Work like magic in emergencies or prove whether your door or padlocks are burglar-proof. Open and test thousands of different locks. Recommended by users in ten different nations. Most wonderful and only keys of their kind. Send \$1 today. Novel key chain FREE with set.

MASTER KEY CO., 8-T Manhattan Block, Milwaukee, Wis.

FRANKLIN INSTITUTE, Dept. T183, Rochester, N. Y.
Sirs: Send me without charge, (1) Specimen Railway Postal Clerk Examination questions, (2) List of Government jobs obtainable, (3) Send sample coaching lessons and tell me how I can get a position.

Name
Address

NEW Style OLIVER NOW READY

1923 Model

Every trained typist can operate the new Oliver without loss of speed or output. Why? Because it has the

Standard 3-Bank Keyboard

Send today for catalog explaining this new 1923 typewriter.

The New Oliver—Quiet Speedster—is the crown achievement of 25 years of manufacturing. Absolutely standard 3-bank keyboard, almost silent action, AND unquestionably the most durable typewriter built. You'll like the beautiful, clear, legible typing of the Oliver. The perfect alignment and the symmetrical spacing. No typing equals it.

SAVE \$25 to \$50

The superb new model Oliver is offered at the lowest price and on the easiest terms ever offered for a FIRST QUALITY standard typewriter. It has every modern improvement and many original features. Simplified construction and efficient manufacturing make it possible for us to make our money-saving offer on the NEW Oliver.

A Week's Free Trial—Send for Details Get the FACTS about our FREE TRIAL OFFER. Our catalog explains all. No money in advance.

Terms as low as \$5 a month if you decide to buy. Return at our expense if not delighted.

CATALOG FREE It illustrates every detail and explains fully all the features of the New Oliver, the Quiet Speedster with the standard 3-bank keyboard, the most durable of all typewriters. Learn WHY and HOW you can save \$25 to \$50, or more, on each machine—the world's best. No charge. No obligation.

THE OLIVER TYPEWRITER COMPANY
676 Oliver Typewriter Building Chicago

Don't just ask for
a Head Set—Say:

DICTOGRAPH

Choice of experts
Sold by all
Responsible
Dealers &
Department
Stores

DICTOGRAPH PRODUCTS CORP.
220 W. 42nd St., New York

STANDARD TIRES

Slightly Used; Demonstrating All Leading Makes

Tires	Tubes	Tires	Tubes
30x3	\$3.00	—	\$1.25
30x3 1/2	—	1.35	—
32x3 1/2	3.50	—	1.50
31x4 1/2	5.00	—	2.00
32x4	5.50	—	2.10
33x4	5.75	—	2.20
34x4	6.00	—	2.30
31x4 1/2	6.50	—	2.00
		32x4 1/2	6.75
		33x4 1/2	7.00
		35x4 1/2	7.25
		36x4 1/2	7.50
		33x3	7.75
		35x5	8.00
		37x5	8.00
			3.10

When Order ng specify S. or C.
Shipped C.O.D. Subject to Examination.
\$1.00 Deposit with Every Tire Ordered.

American Tire Company
1461 S. Michigan Av., Dept. 2, Chicago

GO INTO BUSINESS FOR YOURSELF

Get out of the salaried class. Be independent of your job. Big new uncrowded field offers unlimited possibilities for making BIG money in every town or city. Make \$100 and more weekly as Floor Surfacing Contractor. Every floor, old or new, is your prospect. Experience necessary. American Universal Electric Machine does work of its kind better. BIG profits. Positive guarantees and 5-day trial offer protect you. Write today for complete details of what others are doing.

AMERICAN FLOOR SURF. MACH. CO.
560 S. St. Clair St., Toledo, Ohio.

ADULTS!

SEX KNOWLEDGE BOOKS
Instructive, authoritative, profusely
illustrated in natural colors, etc.
Not the cheap sort. Contains every-
thing one should know both before and after marriage to insure health and happiness. **LARGE CATALOG FREE.**
E. SMETANA AND COMPANY, OWOSO, MICH.

trated in the sketch will probably do as well as any of them. I have not endeavored to explain any exact way of attaching this to the end of the timber but merely suggested a method. That is—have a heavy flat iron bracket made and bolted to the end of the timber with two holes to take a pivot bolt running parallel with the timber. To this the motor wheel is attached and a spiral spring and thrust shim made of a short nipple or a short length of pipe takes up side thrust and gives some flexibility. Then a second piece of lighter strap iron should be bolted to the opposite end of the motor wheel frame, curved around the wheel and brought around on the outside and pivoted to the same pivot bolt. This second strap iron should also be braced with a short piece to the mud guard. An eye should also be fastened to the end of the mud guard at the free end of the wheel. Conditions will probably suggest other and perhaps better methods of attaching this and other types of motor wheels but this can be used as a guide. They all should, however, operate at right angles to the timber and turn it counter-clockwise.

With the motor wheel in place, let's adjust the swing wire and try the whirler out. The timber should be exactly level and the seat resting over the pivot bolt. Put your passenger in position and then take up on the turnbuckle until the bottom of the guides touch the track. Run a length of small window wire from the eye in the motor wheel mud guard, through the pulley attached to the swivel and down through two or three small metal rings fastened to the swinging wire. A handle made from a bundle carrier should hang from it near the left hand. Also connect the motor wheel ignition with a loose braided wire to the switch of the bridle as indicated. A throttle control can be also extended to the bridle if desired but is not really necessary. With the passenger aboard, turn on the gas and ignition and let the wheel rest on the ground. Push this end of the whirler ahead until the motor starts, then let it pick up its own momentum. The whirler will gain headway and as it does so the swing will gradually travel outward along the track until it reaches the end at a wide angle. The spring overhead will allow any necessary flexibility and adjustments can later be made by means of the turnbuckle.

The whirler can be stopped any time by either cutting off the ignition at the bridle switch or by lifting the motor clear of the ground by pulling down on the handle. In the latter case,—when the passenger wishes to start another ride all he has to do is to lower the wheel gently until it gains traction—then let go the pull handle entirely.

After a few experimental turns the speed of the wheel can be set as desired and the arc of the swing thus regulated.

A "DX" Single Peanut Tube Receiver

By MAJOR D. H. NELLES

(Continued on page 156)

Rheostats with the resistance wire wound upon a core are more solid and do not get out of order as easily as those where the resistance wire is a coil with no supporting core. In the latter instrument the resistance wire spacing is liable to become uneven.

On a $1\frac{1}{2}$ volt tube the adjustment of the filament is very critical, especially when the carrier wave is weak, and a vernier rheostat proves very efficient. This is made by getting a switch knob, flattening out the brass strip, giving it a right angle twist and filing the lower edge to a knife edge. A short piece of resistance wire is bent in a semi-



HIGH SCHOOL COURSE IN TWO YEARS

YOU ARE BADLY if you lack
HANDICAPPED High School training.

You cannot attain business or social prominence. You are barred from a successful business career, from the leading professions, from well-paid civil service jobs, from teaching and college entrance. In fact, employers of practically all worth-while positions demand High School training. You can't hope to succeed in the face of this handicap. But you can remove it. Let the American School help you.

FIT YOURSELF FOR A BIG FUTURE

This course, which has been prepared by some of America's leading professors, will broaden your mind, and make you keen, alert and capable. It is complete, simplified and up-to-date. It covers all subjects given in a resident school and meets all requirements of a High School training. From the first lesson to the last you are carefully examined and coached.

USE SPARE TIME ONLY

Most people idle away fifty hours a week. Probably you do. Use only one-fifth of your wasted hours for study and you can remove your present handicap within two years. You will enjoy the lessons and the knowledge you will gain will well repay the time spent in study.

Check and mail the coupon NOW for full particulars and Free Bulletin.

American School

Dept. H.A.-26
Drexel Ave. and 58th St., Chicago

American School
Dept. H.A.-26 Drexel Ave. & 58th St., Chicago
Send me full information on the subject checked and how you will help me win success.

Architect	Lawyer
Building Contractor	Machine Shop Practices
Automobile Engineer	Photoplay Writer
Automobile Repairman	Mechanical Engineer
Civil Engineer	Shop Superintendent
Structural Engineer	Employment Manager
Business Manager	Steam Engineer
Cert. Public Accountant	Foremanship
Accountant and Auditor	Sanitary Engineer
Bookkeeper	Surveyor (& Mapping)
Draftsman and Designer	Telephone Engineer
Electrical Engineer	Telegraph Engineer
Electric Light & Power	High School Graduate
General Education	Fire Insurance Expert
Vocational Guidance	Wireless Radio
Business Law	Undecided

Name.....

Address.....

\$2.50
Per Day

and upward

is one reason for the rapidly growing popularity of the Hotel Martinique.

Another is the consistent economy of the entire establishment. Here you may enjoy a Club Breakfast at 45c., consisting of Fruit or Cereal, Bacon and Egg, and Rolls and Coffee — Special Luncheon and Dinners of superior quality are also served at the most moderate possible prices.

No location can be possibly more convenient than that of the Martinique. One block from the Pennsylvania Station (via enclosed subway) — Nine blocks from Grand Central — one block from the greatest and best Shops of the City — half a dozen blocks from the Opera and the leading Theatres — and directly connected with the Subway to any part of the City you wish to reach.

The **BEST** without **extravagance**

Hotel
Martinique
Affiliated with Hotel *McAlpin*
Broadway-32nd to 33rd Sts.
NEW YORK
A. E. Singleton, *Manager.*

A.E.Singleton, *Manager*,



note again. Keep the condenser on the low note and adjust the instruments until voice or music is heard; then with the vernier condenser tune it in as clear as possible. When the hand is taken away from the vernier condenser it will be found that the music is out of tune to a greater or less extent. The capacity of the hand adds to the capacity of the condenser and when the hand is taken away it has to be compensated for by adding to the capacity of the condenser by turning more of it into circuit. Note the two readings and the difference is equal to the body capacity and is to be allowed for in tuning other stations. Now

Science and Invention for June, 1923

adjust the filament with the vernier rheostat so as to obtain maximum clarity.

Each of the big broadcasting stations should be experimented with to find out the number of turns of the primary coil that will bring in the station the loudest and at the same time give the lowest filament current consumption. When the operator has this information the reading of the dials should be taken and noted. Then when he wishes to listen to any station on his list, all he has to do is to set the instruments at the readings for the station and slowly turn on the filament current and the music or voice will come in directly.

Photographing the Tracks of Atoms

By PROF. WILLIAM D. HARKINS

(Continued from page 130)

shoot straight through most of the atoms of the air, once in a while they hit the nucleus of an atom of one of the constituents of air, and the nucleus which is hit shoots forward at high speed, while the nucleus of the helium atom rebounds backward, as may be seen in Fig. 1. This is undoubtedly the best photograph of an atomic collision ever obtained. The nucleus of an atom contains nearly all of the mass (or weight) of an atom, yet it has a diameter about ten thousand times smaller than that of the atom itself. One marvelous feature of photographs like that shown here is that by measuring up all of the angles in the tracks, wherever they bend, it is possible to determine the diameter of the nucleus of an atom of any gas which is present in the cylinder. Air consists largely of two gases, nitrogen, 80 per cent, and oxygen, 20 per cent. It is probable that the nuclei of these two kinds of atoms have almost the same diameters, but pure nitrogen or pure oxygen can easily be used in the apparatus. In making a determination of the diameter of an atom nucleus it is necessary to obtain two photographs, instead of one, of each set of tracks. These two photographs are taken so as to give two views at right angles with each other, but upon the same strip of motion picture film. This is done by using a set of mirrors and a prism set between the camera and the apparatus.

There has been much interest of late in what is termed the disintegration of atoms. When an electron is knocked out of an atom it is not said to be disintegrated, but only to be ionized, since the atom can easily pick up an electron from the surrounding materials, and thus becomes itself again. However, if the nucleus is broken apart, the atom is converted into another kind of atom, and is said to be disintegrated.

About twenty-four years ago Madam Curie discovered a radioactive substance, *polonium*, which disintegrates by itself, as all radioactive substances do. An atom of polonium shoots off a helium nucleus at a speed of about ten thousand miles a second, and thus changes into the nucleus of an atom of lead. The white speck on the back of the glass cylinder in our apparatus contains a minute speck, too small to be seen, of polonium. From this polonium shoot out the atom-nuclei, whose tracks are visible in the apparatus. Thus it is possible to photograph the effects of the disintegration of atoms of polonium and their transmutation into lead.

While the natural disintegration of atoms may be thus photographed, it has not been possible thus far to photograph their artificial disintegration. To secure this artificial disintegration it is necessary to bombard the atoms of nitrogen by

helium nuclei, which are traveling faster than those which escape from polonium, and this can be done by using Radium C, Thorium C, or other radioactive substances in place of polonium, since helium nuclei from these substances travel about twice as fast as that radiated from polonium. These extremely fast particles, it has been shown by Sir Ernest Rutherford, sometimes disintegrate the nitrogen atom nuclei which they strike. The disintegration occurs so seldom, however, that it would be necessary to take an enormous number of photographs in order to secure a single one showing a disintegration.

The object of the present experiments is to see if there may not occasionally be cases in which the bombarded atom nucleus breaks up in such a way as to shoot off a helium nucleus. In any event, if such a disintegration were to be caught photographically, a single track would be seen to split into *three* instead of into *two* tracks, as in Fig. 1. One of these tracks would be due to the bombarding helium nucleus, one to the helium or hydrogen nucleus knocked out from the bombarded nucleus, and the third to the remnant of the bombarded nucleus left behind. In some cases one of these tracks might be so short as to escape detection. The difficulty of the problem lies in the rarity of the events we are endeavoring to photograph.

The development of the present apparatus is due to two fundamental discoveries. First, Aitken, a meteorologist, found that rain drops will not form in perfectly clean air, but easily form around dust particles in the air when the air is cooled in any way, as it is when it is expanded. About twenty-five years ago, C. T. R. Wilson, of Cambridge, England, found that water drops would deposit also on electrons or upon charged atoms; the latter are ions. About ten years ago he invented an elaborate apparatus by means of which he could photograph the tracks of helium nuclei in air. This apparatus worked so slowly that he obtained no photographs of atom collisions. About two years ago, Shimizu, a Japanese, working with Wilson, discovered that the cylinder of a pump could be used for cooling the air. The present photographs were obtained by R. W. Ryan and the writer, using a still further improved form of the apparatus by means of which we have taken more than ten thousand photographs. These are made by the machine at the rate of one in two seconds, if we wish to get a new set of tracks in each picture; or at a rate of 16 per second, if we wish to exhibit them in a moving picture. Moving pictures of the apparatus and of the flashing tracks have been exhibited in the Chicago theaters by the Pathé Co., but our own pictures are not yet ready for exhibition.

CLARENCE A. O'BRIEN

PATENT ATTORNEY

REGISTERED IN UNITED STATES PATENT OFFICE

MEMBER OF THE BAR OF
SUPREME COURT OF UNITED STATES COURT OF APPEALS DISTRICT OF COLUMBIA
SUPREME COURT DISTRICT OF COLUMBIA UNITED STATES COURT OF CLAIMS
PRACTICE CONFINED TO PATENTS AND TRADE MARKS

EXPERIENCE

SERVICE

PROTECT YOUR IDEAS

Any new article, machine, design or improvement thereof, or any new combination of parts or improvements in any known article which increases its efficiency or usefulness, may be patented, if it involves invention.

IF YOU HAVE ANY NEW IDEAS

which you feel are useful, practical and novel, *take prompt action toward protecting your rights.* If you have invented any new machine, or new combination of parts or improvement, or new process or design,

SEND DRAWING, MODEL OR DESCRIPTION

of it for information as to procedure to secure protection.

WRITE TODAY FOR BLANK FORM

“Evidence of Conception”

to be returned to me with drawing, description or model of your idea. Promptly upon receipt by me of your idea I will write you fully as to procedure and costs.

NO CHARGE FOR THE ABOVE INFORMATION

All communications are held in strict confidence. My personal, careful and thorough attention is given to each case. I offer you efficient, reliable and prompt service—based upon practical experience. *Highest references.*


Write to-day for free book "*How to Obtain a Patent.*" This book will give you valuable information, and it may save you much time and effort. *Send for it NOW.*

My practice is devoted exclusively to United States and foreign patents and trade marks. Very probably I can help you. Write to-day.

CLARENCE A. O'BRIEN, Registered Patent Attorney
1900 Southern Building Washington, D. C.

CLARENCE A. O'BRIEN, 1900 Southern Bldg.,
Patent Attorney, Washington, D. C.

Please send me your free booklet *"How to Obtain a Patent,"* and blank form *"Evidence of Conception"* without any obligation on my part.





Edited by
Joseph H. Kraus

In this Department we publish such matter as is of interest to inventors and particularly to those who are in doubt as to certain Patent Phases. Regular inquiries addressed to "Patent Advice" cannot be answered by mail free of charge. Such inquiries are published here for the benefit of all readers. If the idea is thought to be of importance, we make it a rule not to divulge all details, in order to protect the inventor as far as it is possible to do so.

Should advice be desired by mail a nominal charge of \$1.00 is made for each question. Sketches and descriptions must be clear and explicit. Only one side of sheet should be written on.

NOTE:—Before mailing your letter to this department, see to it that your name and address are upon the letter and envelope as well. Many letters are returned to us because either the name of the inquirer or his address is incorrectly given.

COVER FOR STRAW HATS

(711) Benjamin Katz, Brooklyn, N. Y., submits an idea for a transparent rubber covering for straw hats and asks whether we would advise that he patent the same.

A. You are just a little too late with your rubber covering for straw hats. We would advise that you look at the August, 1922, issue of SCIENCE AND INVENTION, under the section entitled "Patent Digest." You will find that you have been anticipated by just about eight months.

MULTIPLE CONTACT PUSH BUTTON

(712) Walter Kepler, St. Louis, Mo., asks what we think of a multiple contact push button, the drawing of which he has enclosed.

A. The only way in which your multiple contact push button could be used in radio is as a switching arrangement. Unfortunately, your illustration is not clear at all, and neither do you tell how the push button is supposed to operate. Therefore, we cannot advise more fully.

FOUNTAIN PEN BLOTTER

(713) George Kira, New York, N. Y., submits two models of a fountain pen blotter attachment, which attachment folds against the pen. He requests our advice.

A. With reference to your fountain pen blotting attachment, we are under the impression that although it may be possible to patent it, the idea is neither unique nor novel.

The writer believes that you would not care to have one of these attachments on your pen, and he is positive that he would not want one, even if they sold for only 10 cents. Consequently, assuming that the device would be made even smaller than that shown by you, its added bulkiness would be very undesirable, and it, therefore, would not be employed by ninety-nine and nine-tenths per cent of fountain pen users.

We have seen better suggestions than this, but inasmuch as such add to the bulkiness of the pen, and likewise make the pen unattractive, overbalancing the upper end of the same, we have not advised application for a patent in any case. This same advice would hold true for your suggestion.

CHECK PROTECTION

(714) Harry Schiff, Brooklyn, N. Y., requests our opinion on a check on which two signatures are placed under each other and upon one of these the amount of the check is stamped with rubber stamps.

A. Instead of suggesting a worthwhile idea, you merely substitute one evil for another. At least that is our opinion. A check writer is a comparatively neat small looking affair. Can you imagine what a hundred or a thousand rubber stamps would look like with amounts written thereon, "not over \$5.00," "not over \$10.00," etc., and don't you also know that a rubber stamp can easily be substituted by another, and that chemical ink erasers can be employed for eradicating a former mark; wherein, because of the two signatures on the same check (a waste of time and money), the forger may recopy the name with ease? We doubt very much if applying for a patent on your suggestion will give you any more than the patent itself, if it gives you that.

PATENTED STEAM BOILER

(715) Frank Slorka, Schuyler, Neb., asks our opinion of a steam boiler on which he holds a U. S. patent, the number of which is 1,199,623, granted to him in September, 1916.

A. We have no doubt whatever that the suggestion embodied in your invention is of value, but the difficulty lies here with the fact that an

invention involving the expenditure of so much money in order to bring it to a successful termination, rarely if ever, is profitable. In order that experiments be conducted on the particular plant you have designed, a great expenditure of money is required to build the outfit. Then after the same has been developed, you obtain no more efficiency from the device than with oil sprayed into a boiler, by means of the ordinary types of nozzles. It is evident, therefore, that manufacturers would not care to undertake building a plant such as you have designed, as there is nothing gained in such a structure. Why should they then pay royalties to you for the use of your invention, and be compelled to experiment with it in order to obtain its most efficient results? We would suggest that if you can interest any manufacturer in the installation of the particular type of furnace you have designed, you permit him to do so without charge and even assist that manufacturer in making the plant a success. The publicity from this will probably be a means toward placing your device upon the market.

It would also be advisable to advertise your device in any publication interesting power plant engineers.

KEY SAFE

(716) J. B. Bellingham, San Francisco, Cal., requests our opinion of a Key Safe or holder made in the form of a pocketbook or wallet.

A. With regard to your Key Safe, we would advise that there is a possibility of sale, particularly if manufactured, advertised and exploited by yourself, you financing such exploitation. The wallet is not as clever, however, as those key holders now found on the market which sell for 25c. In your arrangement the keys will not hang in any fixed order; neither will the arrangement hold the wallet flat, but will tend to buckle it into the form of a roll. There are two changes which we would suggest. The first is to have the ring so arranged that it will present a flattened portion upon which the keys are hung; the second is to have a strip of leather to button around this flattened portion, so as to separate the keys, and at the same time to hold the wallet in a flat shape. If you will construct a model of this device, you will find that you must follow our suggestions or improve upon the same in order to make the device practical.

U. S. PATENTS



Don't Lose Your Rights

Before disclosing your invention to anyone send for blank form "Evidence of Conception" to be signed and witnessed. A sample form together with printed instructions will show you just how to work up your evidence and establish your rights before filing application for patent. As registered patent attorneys we represent hundreds of inventors all over the U. S. and Canada in the advancement of inventions. Our schedule of fees will be found reasonable. The form "Evidence of Conception" sample, instructions relating to obtaining of patent and schedule of fees sent upon request. Ask for them,—a post card will do.



255 OURAY BLDG.,
WASHINGTON, D. C.

"Originators of form Evidence of Conception"

PATENTS

TO THE MAN WITH AN IDEA

I offer a comprehensive, experienced, efficient service for his prompt, legal protection and the development of his proposition.

Send sketch, or model and description, for advice as to cost, search through prior United States patents, etc. Preliminary advice gladly furnished without charge.

My experience and familiarity with various arts frequently enable me to accurately advise clients as to probable patentability before they go to any expense.

Booklet of valuable information and form for properly disclosing your idea, free on request. Write today.

RICHARD B. OWEN, Patent Lawyer
164 Owen Building, Washington, D. C.
2276-8 Woolworth Bldg., New York City

PATENTS TRADE-MARKS AND COPYRIGHTS

Before disclosing an invention, the inventor should write for our blank form, "RECORD OF INVENTION." This should be signed and witnessed and if returned to us together with model or sketch and description of the invention we will give our opinion as to its patentable nature. Radio and Electrical cases a specialty.

Our illustrated Guide Book, "HOW TO OBTAIN A PATENT," sent Free on request. Highest References. Prompt Attention. Reasonable Terms.

FREE COUPON

VICTOR J. EVANS & CO., Patent Attorneys

Chicago Offices: 1114 Tacoma Bldg. Pittsburgh Offices: 514 Empire Bldg. Philadelphia Offices: 714-715 Liberty Bldg. San Francisco Offices: Hobart Bldg.
New York Offices: 1001 Woolworth Bldg.

MAIN OFFICES: 779 NINTH, WASHINGTON, D. C.

Name.....

Address.....



Take This Short Cut to Accomplish Your Ambition

The field of electrical engineering offers wonderful opportunities for trained men to direct and carry out great industrial and commercial projects. Get a thorough and practical training here in our course of

ELECTRICAL ENGINEERING with B. S. Degree in 3 Years

A faculty of specialists is leading hundreds of ambitious young men to sure success. Why not you? If you are lacking some preparatory studies you can make them up here as you go along. This is an exceptional opportunity to become an electrical engineer in the shortest possible time.

COMMERCIAL ELECTRICAL ENGINEERING IN 1 YEAR

To fill the ever increasing demand for electrically trained business men, consulting and efficiency engineers, men who can handle commercial engineering problems, we offer a thorough, condensed, and very practical electrical engineering course, to high school graduates. Get details of this remarkable course today.

ELECTROTECHNICS

From 1 to 2 years in this course makes you a completely trained electrotechnician—prepared to fill such positions as general plant superintendent, director of construction, superintendent of maintenance, chief draftsman, etc. The electrotechnician is the man between the Electrical Engineer and the Electrician—a well-paid position and a stepping stone to higher executive work. A grade school diploma or equivalent admits you without examination. New terms open every 6 weeks.

PRACTICAL ELECTRICITY

In this complete 6-months' Electrical Course—8 hours daily—you can learn house, factory and theatre wiring, testing and meter work, A. C. and D. C. motor installations, repairing and maintenance; including shop work in A. C. and D. C. Armature Winding and all necessary mathematics.

A three-months' Course in A. C. and D. C. Armature Winding, or in Light and Motor Wiring.

AUTOMOTIVE ELECTRICITY

Electrical specialists who instinctively diagnose and locate automotive electrical troubles command good positions and are well paid. Command the big jobs—specialize in starting, lighting, ignition and storage batteries.

"EARN WHILE YOU LEARN"

If you like, and attend classes half-days and secure, with our assistance, employment for half-days.

ESTABLISHED 17 YEARS AGO

The S. of E. stands absolutely alone in the field of thorough, practical education and in electrical and commercial engineering.

NO NEED OF YOUR BEING WITHOUT AN S. OF E. TRAINING

It does not matter how old you are or what schooling you have had. Students from 16 years up to 50 are in attendance here.

SCHOOL of ENGINEERING of Milwaukee

— TEAR OFF COUPON HERE —
Be sure to give your age and education.
SCHOOL of ENGINEERING of MILWAUKEE,
Dept. S.1-623, 415 Marshall Street, Milwaukee, Wis.

Please send, without obliging me in any way, your Free, Illustrated Book "Electricity, and the One Best Way to Learn It in All Its Branches," and further particulars regarding the course I have marked with an "X."

.....Electrical Engineering, B.S. Degree in 3 Years.

.....Commercial Electrical Engineering.

.....Electrotechnics.

.....Drafting.

.....Automotive Electricity.

Practical Electricity

.....3 mo. Armature Winding Course.

.....3 mo. Light and Motor Wiring Course.

.....6 mo. Complete Course.

Name

Address

City State

Education Age

D. C. COMMUTATORLESS GENERATOR

(717) Chester Shurr, Berthold, N. D., submits three ideas; one of them is a radio dial with insulated bushing to fit the shaft; another is a potato picker, and a third is a direct current dynamo.

A. We doubt if you can obtain either a basic or any other kind of patent on your dial. There are many potato pickers on the market today, some of which may be attached to a plow directly, and which cost anywhere from \$12.00 to \$20.00. Unless we have further information on the same, we cannot suggest applying for a patent.

Your third idea regarding the direct current commutatorless dynamo, cannot in our opinion, be made practical, as regardless of how many frequencies or phases you have, and regardless of how even the ripples between waves of different phases may be made, you will always get the alternating current effect, due primarily to the fact, that even if the waves are but a fraction of a degree apart, each is a distinct and separate impulse, not always audible, but they may be measured and recorded and would ruin direct current instruments. This idea has been tried many times with practically no success. Many commutatorless D. C. dynamos now found are of the uni-polar type.

SPARK PLUG

(718) Sylvester Sage, Greenville, Mich., asks for our opinion of a spark plug with ball electrodes.

A. A spark plug with ball electrodes is very old. One of these was published way back in 1915 in the first issues of the "Electrical Experimenter Magazine," (this journal was then known under that name). We doubt very much if you can secure a patent on the plan, as suggested.

New French Colored Movie Process

(Continued from page 128)

corresponding to the green and blue, will stay dark, and will not impress an image upon the photographic plate, for it can only be lighted by rays which are respectively green or blue, and so it goes on. A point of complex color will impress itself simultaneously on two zones; the white and neutral rays will act upon the three zones.

The parts impressed will be transparent upon the developed positive.

To project these pictures, the operation is reversed from that of the exposure, but utilizing the same apparatus.

Placing the positive in the place of the ground glass, we light it from the rear by a beam of white light. The rays, of course, only pass through the transparent portions of the picture. The microscopic lenses follow the law of reversibility of the path followed by the luminous rays, distribute the white rays on the different zones of the color screen and the objective, which colors them, and this gives us in projection an image of the object photographed, reproduced on the screen in its exact colors.

As said in the beginning, the system is exceedingly simple, and in practice the great difficulty is to construct a practical screen of microscopic lenses.

The inventors now mould these lenses in the film itself. The surface of the film is embossed inappreciable by sight or touch, with a myriad of minute lenticular cells, whose respective intervals apart must be rigorously the same in all directions. Furthermore, the lines of junction must present a thickness comparable to the edge of a razor blade.

The first trials were carried out with films having 225 and then 520 cells to the square millimeter. They hope soon to carry the number up to 1000 or 1500 cells.

It is not necessary to work to this last stated degree of minuteness for obtaining good results. Thus, in ordinary films the precision may reach the twentieth of a millimeter, 1/800 inch, that is to say, each distinct point of the image is only one twentieth of a millimeter in diameter, which gives 400 points to the square millimeter, 640,000 points to the square inch.

CAN YOU

think of a simple, practical idea that will fill one of the many requests we have on file for new inventions? It may mean a fortune for you. Thousands of things are needed RIGHT NOW. Your brains can help. Send today for our great new book—"Inventions and Trade Marks, Their Protection and Exploitation" and learn more about making money from ideas than you ever knew before. It tells many things that are wanted, too. A postal will do—it's free.

PATENTS ADVERTISED For SALE FREE In INVENTION And MANUFACTURING SUPPLEMENT.

We help our clients, without charge, to get the dollars out of their ideas—having facilities none others possess.

Advice free.
Don't delay—get the book at once.

AMERICAN INDUSTRIES, INC.
225 Patent Dept.,
WASHINGTON, D. C.

Published for the man with an idea. Send for free sample copy. One year's subscription 50¢.

PATENTS

If you have an invention and desire to secure a patent, send for our Free Guide Book. HOW TO GET YOUR PATENT. Tells our Terms, Methods, etc. Send model or sketch and description for our opinion of its patentable nature.

RANDOLPH & CO.
Dept. 172 Washington, D. C.

PATENTS

PROTECT YOUR INVENTION TODAY
Write for FREE illustrated Patent Book.
Radio-Electrical, Chemical and Mechanical Experts; Over 25 years' experience.
Prompt, Efficient Service. Write today

A. M. WILSON, Inc.
311-17 VICTOR BLDG. WASHINGTON, D. C.

MR. INVENTOR

WE can develop that IDEA and build that working MODEL for you. Consult us—with our staff of expert engineers, and thoroughly equipped experimental machine shops, we can develop any invention into a commercial proposition, whether mechanical, electrical or automotive—simplify and perfect it, and MAKE IT WORK. Design, build and test gasoline motors a specialty. Experts on automatic lathe and testing machinery. Mechanical drawings made from sketches or specifications. All business confidential and absolute secrecy guaranteed.

EELK MFG. CO., Inc.
• 1926 Broadway New York

PATENTS

C. L. PARKER
Formerly Member Examining Corps, U. S. Patent Offices.

PATENT LAWYER
McGill Bldg., Washington, D. C.

Patents, Trade Marks, Copyrights, Patent Litigation

Handbook for Inventors, "Protecting, Exploiting and Selling Inventions," sent upon request.

PATENTS, TRADEMARKS PROTECT YOUR INVENTION!

Prompt, Efficient, Personal Service.
Reasonable fee. Full explanation in my booklet "PATENTS." Send for free copy today.

AMBROSE T. BUCKLEY
150 NASSAU ST. NEW YORK CITY

HAVE YOU SOMETHING TO SELL OR EXCHANGE?

A Classified ad in SCIENCE AND INVENTION will reach over 160,000 at a cost of only 12 cents a word.

READ!!
THE MARKET PLACE
Where Minds Meet
 in the
WORLD OF INVENTION
 A monthly magazine.

DEVOTED TO THE INTERESTS OF THE "INVENTORS OF THE WORLD."

Many instructive and attractive features, including a department on engineering.

Subscription \$2.50 for one year.
 Advertising rates on request.

For full particulars address,
World of Invention Company
 Three Thirty-four Fifth Ave.
 New York City U. S. A.

PATENTS

Hand Books on Patents, Trade Marks, etc., sent free. Our 77 years of experience, efficient service, and fair dealing assure fullest value and protection to the applicant. The *Scientific American* should be read by all inventors.

MUNN & CO.
 618 Woolworth Building, New York
 Tower Bldg., Chicago, Ill.
 Scientific American Building, Washington, D. C.
 Hobart Bldg., 562 Market St., San Francisco, Cal.

PATENTS and TRADE MARKS

We offer a strictly professional service to inventors and manufacturers in the protection of their patent and trade mark rights. Validity and infringement investigations conducted. Correspondence solicited. Moderate fees. Preliminary advice without charge. No literature.

MILO B. STEVENS & COMPANY
 Suite 500 Barrister Bldg., Washington, D. C.
 Suite 337C Monadnock Bldg., Chicago, Ill.
 ESTABLISHED 1864.

INVENTORS who derive largest profits know and need certain simple but vital facts before applying for Patents. Our book *Patent-Sense* gives those facts; free. Write **Lacey & Lacey**, 644 F St., Washington, D. C. ESTABLISHED 1869.

PATENTS
 BOOKLET FREE
 PROMPTNESS ASSURED
 Send drawing or model for examination
 and report as to patentability.
WATSON E. COLEMAN, Patent Lawyer
 624 F Street N. W., Washington, D. C.

Hunting Trouble in the Radio Set

By H. WINFIELD SECOR
(Continued from page 155)

in series across the leak will give a slight click each time the circuit is closed and opened, depending upon the resistance of the device. If no click at all is heard, or an extremely faint one, it is possible that one of the connections of the grid leak is not properly made, and it is better to try a new one in its place. A pencil line drawn on a piece of paper is a very changeable quantity as a grid leak, for paper is hygroscopic, and unless the grid leak has been thoroughly paraffined, it will change with the weather.

TRANSFORMERS

Transformers are now and then the cause of trouble in multiple stage V. T. receiving sets, whether they happen to be of the radio or audio frequency type. Either type of transformer may be tested in the same way as shown in the diagram, by means of a galvanometer, millivoltmeter, or milliammeter, and a battery of a few cells connected across first the primary and then the secondary terminals. If the winding in either case is continuous, a deflection will be noted on the instrument, or a click will be heard in the phones. The phone test is often very disconcerting, as in some transformers having very high resistance windings the click is very faint, but by making this test in a dark corner, a tiny spark may be seen as the wire is touched to the binding post, and this is a pretty sure sign that the click heard is bona fide and the circuit is continuous. With the usual radio head phones, which are very sensitive, a faint click can be heard in some cases with a winding open-circuited, owing to the capacity effect of the windings and a uni-lateral charge effect, which may give a false diagnosis of the trouble; i. e., the transformer may be open-circuited and yet be thought perfect. The meter test, therefore, is the best, and some radio-electricians prefer to use a 110-volt lamp connected in series with the electric light line, or with a 90-volt B battery, and then make a lamp test across the terminals of each transformer winding.

In testing transformers, it is always a good plan to see that the windings are not grounded to the iron core; do this by connecting one of the test wires to the core and touching the other wire to both primary and secondary terminals. The windings should not be grounded to the core, and if such a condition is found to be present, the transformer should be disassembled and the trouble remedied, as this may be the cause of endless trouble in the operation of the set, and it is better to buy a new transformer if the trouble cannot be cleared up. Usually it can be cured, even if the transformer has to be disassembled, in order to find whether the wire of the windings is touching the iron core. This would be the cause of serious trouble, particularly in the case where the iron cores are grounded to earth as practiced by some designers and builders of large radio sets, in order to reduce squealing and howling to a minimum.

DEFECTIVE OR WEAK "B" BATTERIES

Either by opening one of the main connections to the B battery or batteries, these units can be tested by means of a milliammeter placed in series with the circuit, which tests are made more convenient by means of a plug and flexible cord connected to the meter, and self-closing jacks connected in the main B battery feed wires. It is a very good investment to have a milliammeter on the panel of the receiving set, which will show the plate current passing at all times.

How to Invent

Edison Says "Invention is a Science and should be taught as a Profession"

One Idea May Win You a Fortune

Thousands of inventions are needed today. Just one little idea can bring you fortune and fame. The world is waiting for new inventions in engineering, chemistry, household articles, radio, and other fields and will pay big money for even the simplest idea. Little things like the tin bottle cap, the crimped hair-pin, the rubber on the end of a pencil brought their inventors hundreds of thousands of dollars. Couldn't you make some equally simple invention? Haven't you ideas that could be turned into money? Inventing isn't a matter of blind luck—it isn't a question of guess-work. Invention is based on certain principles, just as any other profession. It follows a definite course of procedure step by step from the origination of the first idea to its final development on a commercial scale.



RAYMOND F. YATES

from the origination of the first idea to its final development on a commercial scale.

Learn at Home in Spare Time

Hitherto, every inventor had to work out these principles of invention for himself. For every successful inventor knows and uses these principles. He knows **WHAT TO INVENT** and **HOW TO INVENT**. But now you can learn in a few months what it took great inventors years of discouragement and terrific struggle to acquire. Fifteen famous inventors have now revealed, for the first time, the secrets of invention. They explain how to originate ideas, how to develop and perfect your ideas, how to patent your inventions, and how to sell them to your best advantage. In short, they make it amazingly easy for you to become an inventor, simply by learning the whole wonderful science of invention, step by step, from beginning to end. It requires just fascinating moments of your spare time at home.

First Course of Its Kind

This is the first course in practical Invention that has ever been devised. Now you can take Edison's advice and actually learn **HOW TO INVENT**—how to make Invention a profession! In simple, easy-to-understand language, you are told how successful inventors work; you learn how to use the secrets of invention that convert a simple little idea into money.

FREE New Book on Inventive Science

A wonderful new book has just come from the press that tells all about the Science of Invention; that shows how great inventors work, how little ideas have made fortunes; how you, too, can easily learn the secrets of successful invention. This fascinating Book will be sent free to all those who are genuinely interested. Send for this Book today, as only a limited number are available for free distribution. Write your name and address on the coupon below, or send a post card NOW! There is no cost or obligation.

BUREAU OF INVENTIVE SCIENCE
 Dept. 76, Wisner Building, Rochester, N. Y.

Bureau of Inventive Science, Dept. 76
 Wisner Building, Rochester, N. Y.
 Please send me your free book, "The Science of Invention."

Name

Address

City

State

5000 More Driver AGENTS WANTED

Guaranteed SALARY or Commissions!
\$50 to \$200 A WEEK

2000 lbs. Hydraulic Pressure

AS EASY TO USE AS AN OIL CAN

100% lubrication

42 Fittings included—fit all CARS

SAAL HEAVY OIL System

Heavy Oil 100% Lubrication

\$5.00 for FORD, OVERLAND, CHEVROLET, STAP. GRAY \$8.00 for ALL OTHER CARS

Saves Repairs, Depreciation!

Less than half price of other systems, but pays for itself quick in repair bills and depreciation saved. Lubricates steering, shackles, entire chassis. So easy to use you actually use it! Makes lubricating a white-collar job, and you get service-station results. Cheapest insurance the car-owner can buy!

30 Days' FREE TRIAL Offer!

Agents without selling experience are selling 9 out of 10 calls simply by following our instructions. FREE TRIAL and money-back offer gets them all. No investment, no waiting for your profits, no delivering or collecting. Sell dealers, garages, motorists.

DEALERS! Leading auto-makers have adopted "SAALS" as standard equipment. Standard Oil Co., Western Electric Co., and many similar corporations have equipped every truck with "SAALS." Coupon brings biggest profit-making opportunity of 1923. Mail it today!

H. G. SAAL CO., Resources \$2,500,000.00
Established 22 Years
Dept. 211, 1800 Montrose Avenue, CHICAGO

Agents! GET YOURS FREE!

Complete outfit for your own car, SAAL OIL-SHOOTER and 42 fittings, given absolutely FREE! Territory rights will be granted to driver-agents first to start producing in every locality. 15 million "SAALS" will be sold—\$30,000,000.00 will be divided among our Agents.

No money in waiting, don't let others skim off all the cream. Get the facts, then act!

Mail Coupon Today! Don't Wait!

**H. G. SAAL CO., Dept. 206
1800 Montrose Avenue, Chicago**

If the opportunity for making money selling the SAAL Heavy-Oil System is as big as you state, I want facts as marked X below:

Salary Offer to Driver-Agents.
 Commission Offer.
 Free Outfit Offer.
 Offer to Dealers, Garages, etc.

Name
Address

25c brings big Telescope 3 ft. long

View objects miles away just like they were close. Watch persons at a distance on land and sea. See the Sun, Moon and Stars as you never saw them before. The Wonder Telescope opens out over 3 ft. long, closed measures 12 in. Brass bound, fitted with powerful lenses. Can be used as a microscope.

Special Offer

On Wonder Telescope. Telescopes of this size have sold for \$8.00 to \$10.00—
FERRY & CO., 75 W. Van Buren, Dept. 1251, Chicago, Ill.

Useful and Entertaining

"I trained Wonder Telescope on butterflies 28 miles away, then looked to be to miles instead"—C. A. Storey, Ft. Robinson, Neb.
"I count windows in houses 10 miles away"—Henry Conner, Manor, Tex. "Can see children playing in school yard 6 miles away"—P. H. Hennington, Me Dade, Tex. "Can tell exact minute on Court House clock 2 miles away"—Jennie Beers, Columbus, Ind. "Don't know anything we ever enjoyed so much"—Chas. Hunter, Neenah, Wis.
"Wouldn't take \$10 for it"—W. A. Eskridge, Ammon, Ky.
"Can read numbers on freight cars a mile away"—A. C. Palmer, Indianapolis, Ind.

More Profits for Woodworkers

"I made \$20.00 clear profit in 2½ days, beside my time at \$8.00 per day." That's how a man in Fall River, Mass., doubled his earnings with the

BOICE JUNIOR BENCH SAW

A wonderfully practical, compact, all metal machine designed for accurate and speedy sawing, ripping, grooving, etc. Cuts 1½" stock. Dadoes ½" deep and ¾" wide. Driven by ½ or 1-3 h.p. motor. Special saws cut type-metal, bakelite, brass, etc. Portable. Attaches to lamp socket.

Write for descriptive literature on the Junior Bench Saw, 4" Jointer, 14" Bench and Band Saw, Bench Drills, Motors, and larger Bench Saws.

W. B. & J. E. BOICE
Dept. S. I. 6, 114 23d St., Toledo, Ohio



Experimental Electricity Course in 20 Lessons

By S. Gernsback and H. W. Secor, E.E. A course of the theory and practice of Electricity for the Experimenter. Every phase of experimental electricity is treated comprehensively in plain English. New experiments are described and explained and nearly every application of Electricity in modern life is given. 160 pages—400 illustrations. Flexible cloth cover, 75c, postpaid. Stiff cloth cover, \$1.25 postpaid.

Experimenter Publishing Co., Book Dept., 53 Park Place, New York City


If a defective B battery should be at fault at any time and be the cause of trouble, this fact will be noted instantly by connecting up the milliammeter in the plate circuit of the vacuum tubes, as the usual current value will not be indicated. Again, the needle may rest at the zero point on the scale, as it did in one case with the writer a short time ago, one of the small units in a four B battery set having gone completely dead in one day; it was working well the night before and by the next noon-time when the set was started up, it had developed such a high resistance joint or defect in the connections somewhere, that it would not pass a fraction of a milliampere when 120 volts was applied to it from another set of B batteries. This is almost unbelievable, yet it actually happened. If a milliammeter or other testing appliance had been available and had been used at once, a lot of endless hunting for poor joints in the set or other suspected weak spots might have been saved. It is well to make a test about once a week to see what kind of condition B batteries are in; the writer finds a 110 volt, thirty to forty watt lamp one of the best means for testing such batteries. It lights dim red on a small 22½ volt unit, so long as the battery is fit to be kept in the circuit, and will no longer light the lamp even dim red when it is about time to discard it. The lamp lights up brighter and brighter, of course, as it is shunted across more cells of the B battery, and at 120 volts the lamp lights up to full brilliancy.

In one set the writer had this test lamp rigged up behind a peep hole in the front panel, with a push button on the panel, so that a test of the B battery with the lamp could be made at any time. A short circuiting switch or two placed across the loud-talker and head phone terminals will be found useful in testing out these devices, or in operating the loud-talker at full efficiency once the station has been tuned in by means of the head phones. Sometimes it may be desirable to cut out the loud-talker when the telephone rings, and with such short-circuiting switch this is very easy.

"A" OR STORAGE BATTERY

The storage battery, providing it is not too old a one, usually gives but little trouble in the operation of the multiple stage V. T. receiving set. Sometimes when batteries are rented while your own battery is being charged, it will be noticed that the operation of the set is not as smooth or as quiet as when your own battery is in use. In some cases this inferior result will be found due to the fact that the rental battery is in a poor stage of charge, and not in nearly as fine a condition as the garageman intimated. A quick test with hydrometer or voltmeter will determine the condition of the battery in any case. Explicit directions for reading the hydrometer, together with diagram, were given on page 1194 of the April issue of this journal, in the article entitled "Radio for the Beginner," by Mr. Armstrong Perry. A number of other useful wrinkles with respect to determining the polarity of batteries and other practical points of importance were also there given.

In trying out a new set, it is very important to see that the polarities of the various battery terminals are right and connections correctly made. Usually a voltmeter is available which indicates potential when a current passes through it in one direction, and deflects below the zero line when the current is reversed; knowing the positive terminal of the meter, it is the work of a moment to determine the positive and negative terminals of any battery. If two wires from the battery are dipped into a glass of salt water or acidulated water, the wire at which the most gas bubbles are generated is the negative wire. The positive terminal of the B battery is always connected to the



Bound Volume No. 9

May, 1921—April, 1922

CONTAINS

1200 Pages wth over 1500 Illustrations

and

Over 700 Articles by the Foremost American and Foreign Writers

We have also a limited amount of the following Bound Volumes of *Science and Invention* (Electrical Experimenter):

Vol. No. 6—May, 1918, to April, 1919.

Vol. No. 7—May, 1919, to April, 1920.

Vol. No. 8—May, 1920, to April, 1921.

Each volume bound in stiff board covered with green velum and gold stamped.

Price for vol. No. 9.....\$2.25

Price for vol. No. 6, 7 or 8 2.00

ALL FOUR VOLUMES 7.00

Send Express Collect.

EXPERIMENTER PUBLISHING Co.
53 Park Place, N. Y.

Gentlemen:

Enclosed find \$..... for which send me bound vol. of S. & I. No. 6 (), No. 7 (), No. 8 (), No. 9 (), by express collect.

Name

Address

Town State

plate terminals (marked P on V. T. sockets), and where several B battery units are connected in series to attain a higher voltage, the positive terminal of one battery is connected with the negative of the next, etc. The negative terminal of a C battery in the grid circuit, when used to help stabilize or quiet down noisy tubes, such as a power tube with high plate voltage frequently connected in the second or third stage of audio-frequency, is connected so as to impress a negative charge on the grid, as shown in the diagram.

The grid leads of amplifier tubes should usually be connected to the negative A battery line, as the diagram indicates, and the detector grid wire to the positive A battery wire. It is always good practice to connect a volt or ammeter in the A battery circuit. To prevent flexible leads which go from the storage battery to the set getting loose and causing a short-circuit and a possible fire during the night, it is a good idea to have a short lead with a spring clip on it connected to the storage battery from a switch. This switch in the writer's apparatus is a double-pole, single-throw twenty-five ampere knife switch, connected as shown. As will be seen, this serves only as a single-pole switch, while the two top terminals are joined by a piece of ten ampere fuse wire, so that if a short-circuit should happen when the switch is closed, the storage battery will be protected by the blowing of the fuse.

AERIAL, GROUND AND TUNING APPARATUS

The principal troubles that arise in connection with the aerial, ground and tuning system are faulty connections, and with some types of variometers and vario-couplers, trouble can be looked for where flexible wire or *pig tail* connections are not used to connect the rotor or moving coil winding with the terminals of the instrument. A very good type of vario-coupler sold at a low price, has this decidedly bad feature, that the bearings are relied upon to carry the current into and out of the rotor winding; in one case these bearings served as first class connections for the rotor for about ten days and then trouble began to develop, manifesting itself by slight noises and crackles in the loud-speaker. This trouble was cleared up entirely by simply taking two short pieces of ordinary lamp cord and soldering them to the brass bearing uprights, and also to the two shafts of the rotor. Switches on vario-coupler primaries are often a source of trouble, as the springs frequently do not hold them tight enough in the bearings to give a perfect circuit. This is overcome by soldering a piece of lamp cord to the circuit wire and to the switch blade shaft.

All aerial and ground connections should be soldered for best results, if you care to have peace of mind and do not wish to hunt for trouble about every other night or so. If you have no soldering iron, borrow one from your local plumber or electrician, and solder every joint you can find, scraping it clean first and then applying some non-corrosive soldering flux, several of which are available on the market, powdered rosin being very good for the purpose. A note of warning may be sounded against spring binding posts in audion circuits, at least; the writer has found it the best practice, once the circuit has been tried out and found to be satisfactory in its operation, to solder the wires to the spring binding post, and not rely on the tension of the slotted spring member against the wire, as the slightest change or weakness of pressure at such a point will be amplified many times by the audions and cause disagreeable noises in the head phones or loud-speaker.

The writer has also found it best to solder short lengths of lamp cord or other wire to the flat brass terminals found on some makes of B batteries, and not to rely on spring

Your Choice 75c a Week



No matter what your occupation, one of the home study sets listed below will quickly fit you for a better job and bigger pay. Any set you select will be sent for seven days' examination, and if you decide to buy you may pay the rock-bottom price at the rate of only 75c a week. But you must act now! We cannot guarantee these reduced prices for any great length of time.

These books are the work of recognized authorities. They are written in plain, easily understood language, by recognized authorities, and contain hundreds of photographs, diagrams, tables, etc., that make difficult points as simple as A-B-C. Handsomely and durably bound in half or full Morocco leather (except as noted), and stamped in gold.

Pay - Raising Books At Greatly Reduced Prices

Management, 8 vol., 2500 pages, well illustrated. Was \$52.50	Now \$29.80
Carpentry and Contracting, 5 volumes, 2138 pages, 1000 pictures. Was \$37.50. Now 19.80	
Civil Engineering, 9 volumes, 3900 pages, 3000 pictures. Was \$67.50.....	Now 34.80
Electrical Engineering, 8 volumes, 3000 pages, 2600 pictures. Was \$60.00	Now 29.80
Automobile Engineering, 6 volumes, 2600 pages, 2000 pictures. Was \$45.00....	Now 21.80
Machine Shop Practice, 6 volumes, 2300 pages, 2500 pictures. Was \$45.00....	Now 21.80
Steam and Gas Engineering, 7 volumes, 3300 pages, 2500 pictures. Was \$52.50	
Now	24.80
Law and Practice (with reading course), 12 volumes, 6000 pages, illustrated. Was \$97.50	Now 49.80
Fire Prevention and Insurance, 4 vols., 1500 pages, 600 pictures. Was \$30.00....	Now 14.80
Telephony and Telegraphy, 4 volumes, 1728 pages, 2000 pictures. Was \$30.00....	Now 14.80
Sanitation, Heating and Ventilating, 4 volumes, 1454 pages, 1400 pictures. Was \$30.00	Now 14.80
Drawing, 4 volumes, 1578 pages, 1000 pictures, blue-prints, etc. Was \$30.00....	Now 14.80
Employment Management and Safety, 7 vols. 1800 pages, 540 illustrations. Was \$52.50	
Now	24.80

SEND NO MONEY Shipped for 7 Days' Trial

Yes, we'll gladly ship any set right to your home or office upon your simple request. Pay only shipping charges when the books arrive. Don't send a penny until after you have used them seven days, then remit only \$2.80 or return them at our expense. Pay balance at the rate of \$3.00 a month—75c a week.

Act now—while these splendid books are being offered at 20% to 50% less than regular prices. This offer is open to every person within the boundaries of the U. S. and Canada. Grasp your opportunity—fill in and mail the coupon NOW!

American Technical Society

DEPT. X-25-A, CHICAGO

American Technical Society, Dept. X-25-A, Chicago, U.S.A.
Please send me set of

for 7 DAYS' examination, shipping charges collect. I will examine the books thoroughly and, if satisfied, will send \$2.80 within 7 days and \$3 each month, until I have paid the special price of If I decide not to keep the books, I will return them at your expense and owe you nothing.

To insure prompt shipment fill out all lines.

Name

Address

Employed by

Down goes the price!

BOXING \$1.97
Jiu-Jitsu
Wrestling \$1.97
 Was \$5.00



Think of it! For only \$1.97 you can now have the famous Marshall Stillman Course—the same identical \$5.00 course by which Marshall Stillman has taught boxing, jiu-jitsu and wrestling to over 30,000 men! You can have it on 10-day trial—send no money.

Over 80 complete lessons—six volumes, hundreds of pages and over 200 illustrations—all for \$1.97, or less than 3 cents a lesson!

He teaches you right in your own home. You learn all the fundamentals of boxing and the blows and guards used by the topnotchers—the Benny Leonard Triple, the Jack Dempsey Triple, the Fitzsimmons Shift, etc. All the secrets of the ring, all the fine points of feinting, ducking, clinching, breaking ground, judging distance and timing—including three lively rounds of *Shadow Boxing* to develop speed and confidence. In short, you will become a good boxer in quick time—able to box rings around that "fellow who thinks he knows it all!"—and for only \$1.97.

In *Jiu-Jitsu* you will learn how to disarm an opponent, how to break a stranglehold, etc., and, in *Wrestling*, the Gotch Toe Hold, Stecher Scissor Hold, the Head-lock, etc.

With the course you get a Free History of 69 Famous Boxers, with their pictures and "inside" stories about them.

SEND NO MONEY. Simply fill in and mail the coupon. When you have the course in your hands, deposit 97 cents (plus the actual postage) with the postman. Then examine the course for 10 days—try it out thoroughly. At the end of 10 days, either send us the small balance of \$1.00 in final payment, or return the course, and we'll send your deposit back. Marshall Stillman Association, Dept. 1423-F, 42nd Street and Madison Avenue, New York.

Marshall Stillman Association,
Dept. 1423-F, 42nd St. & Madison Ave., New York.

You may send me on approval the Marshall Stillman Course. I will deposit 97 cents (plus the actual postage) with the postman, with the understanding that if, after 10 days, I wish to return the course I may do so and my money will be instantly refunded. If I keep the course, I am simply to send you \$1.00 in final payment.

Name

Address

SAVE YOUR BODY

Conserve Your Health and Efficiency First
"I Would Not Part With It for \$10,000"

So writes an enthusiastic, grateful customer. "Worth more than a farm," says another. In like manner testify over 100,000 people who have worn it.

THE NATURAL BODY BRACE

Overcomes WEAKNESS and ORGANIC AILMENTS of WOMEN and MEN. Develops erect, graceful figure. Brings restful relief, comfort, ability to do things, health and strength.

**Wear It 30 Days Free
At Our Expense**

Does away with the strain and pain of standing and walking; replaces and supports misplaced internal organs; reduces enlarged abdomen; strengthens and strengthens the back; corrects stooping shoulders; develops lungs, chest and bust; relieved backache, curvatures, nervousness, ruptures, constipation, after effects of Flu. Comfortable and easy to wear.

Keep Yourself Fit

Write today for illustrated booklet, measurement blank, etc., and read our very liberal proposition.

Howard C. Rash

Pres. Natural Body Brace Co.
286 Rash Bldg., Salina, Kansas



For
Boys
and
Girls
Also



THE CAMP AXE SUPREME
 Your Individual
SPORTSMAN AXE
 With Your Own
INITIAL
 Permanently etched in Gold
 Delivered anywhere postpaid
 for \$1.50. Sent C.O.D. for 10c extra.

Weighs 1½ lbs. has 3½" cutting edge of finest crucible steel. Best 13" hickory handle with "can't slip" grip.

Fine Leather Sheath Twenty-Five Cents Extra—Send for yours now. Circular on request.

MURKIN SUPPLY CO. Desk S. Warren, Pa.

South Bend Bait
\$2000.00
FISH-PHOTO Contest



Anyone may enter. To compete, catch one or several fish—photograph them, send photo to us. There's no entrance fee. Contest now on—closed October 31st. 273 prizes in all, totaling \$2,000.00.

Get further particulars from any South Bend Bait dealer by asking for our Contest Book. Tells about prizes, rules, etc. If there is not a dealer near you, write us.

South Bend Bait Company 46
28235 High St., South Bend, Ind.

clips for such connections, as this is a fruitful source of crackling noises and variations in the strength of speech as heard in the loud-talker.

A peculiar trouble which came up with one set a short time ago, and was made manifest by a slight roughness mixed with slight but disagreeable and noticeable noises of the same crackling order, in the speech, was finally found to be due to dust which had settled between the condenser plates in a rotatable variable condenser. Therefore, if your cabinet is not thoroughly dust-tight, it is a good idea to use a pair of bellows or else your lungs, and blow between the plates about once a week or so, so that they are free from all such dust particles. This trouble is particularly noticeable in houses where hot air furnaces are used. In one case the too familiar noises heard in the loud-talker were traced to particles of dirt and oil in the bearing plate on a variable condenser. After this was removed and the bearing wiped dry and clean, no further trouble was encountered.

LOUD-TALKERS

If everything else in the set has been checked up and gone over carefully and nothing else is suspected, except the loud-talker, it is a good idea to connect a pair of phones in the place of the loud-talker. If the arrangement shown in the accompanying diagram is in use, it enables you to make a test with the phones alone, and if speech is heard perfectly and clearly in the phones, then there is something wrong, no doubt, with the loud-talker. Where a separately excited field type of loud-talker, such as the Magnavox or Vitalitone, is used, the field frame will usually get slightly warm after the instrument has been used for an hour or so, and this is due to the heating effect of the current passing through the field coil and to the absence of ventilation, owing to the design of this instrument, and need occasion no alarm.

Practical Motor Hints

By H. WINFIELD SECOR

(Continued from page 140)

all. Contrary to what might be expected, the motor behaved very poorly and the car would hardly climb small grades with any show of pep. After the valve rocker arms and push rods had been adjusted to leave a few thousandths of an inch clearance between the valve stems and the ends of the rocker arms, the engine performed very nicely and gave an entirely different performance than previously.

It is not the writer's idea to recommend cast iron pistons as replacements for aluminum pistons, as if the car is especially designed and built in the first place for use with aluminum pistons, these are, of course, very light, and cast iron pistons, even the lightest ones, are heavier than aluminum pistons; but ordinarily, at least in the writer's case, which concerns a light six-cylinder sedan, and providing the car is not driven at high speed most of the time, the cast iron pistons will not be too heavy for the engine and they certainly do help to keep the oil consumption down, owing to the fact that they can be closely fitted to the cylinders. At any rate the writer's car has worked very finely indeed with respect to the engine, ever since last July, almost a year ago, with the cast iron pistons, and he has been able to use light oil ever since, which he could not do previously.

One or two practical hints which the writer has found to be efficacious in a car which he owned previous to the present one,

Electricity

Taught by Practical Men

If you expect to become an electrical expert in three or four months you are thinking wrong. Being an electrical engineer is a real job and cannot be learned overnight. Haphazard instruction may get you by for a time, but will not give you the solid foundation for the bigger positions.

You can get the necessary training without losing a day from your present work. Learn at home in your spare time. Hundreds of Burgess-trained men are working in every field of electrical engineering. Burgess Home Study Methods are approved by Electrical Engineers. If you are in earnest to succeed in any branch of Electricity, write us today. Let us show you how we teach men to think. Send us a few lines of your present work on Electricity, tell us of your ambitions, and we will send you the Burgess catalog on "Electricity," tells of opportunities open and how Burgess Methods train you for them.

YORK BURGESS, Consulting Engineer

BURGESS ELECTRICAL SCHOOL
745 E. 42nd St., Dept. 6 Chicago, Ill.

Canadian Branch, 201 Crawford Street, Toronto, Ont., Canada.

ELECTRICAL HANDBOOK

We have prepared a pocket size note book for practical men. Contains drawings and diagrams of electrical machines and connections over 200 formulas with problems worked out.

BURGESS BLUE BOOK contains drawings for Motor Starters, Controllers, Switches, Resistors, Rectifiers, Circuits, Calculations, include Electrical Mathematics, Units, Resistance, Wire Gauge Rules, Ohm's Law, Unknown Resistances, Dynamo Troubles, Also Alternating Current Calculations, finding Impedance, Frequency, Speeds, Power Factor, Formulas for Line Transformers. Price only \$1.00 postpaid on money back guarantee.

THE BURGESS COMPANY, Consulting Electrical Engineers
745 East 42nd St. Radio Apparatus and Supplies Chicago, Ill.

Agents: \$10 a Day

Get started at once selling this wonderful Perfection Pie Filling. Makes the most delicious home made tasty pies ever—in just a jiffy. No eggs, no milk, no butter needed. Everything in the Filling. Just add water, then bake. Perfection is always ready and never fails to delight.

Work Spare Time or Full Time

Sell to housewives, restaurants, bakeries, hotel keepers, etc. Everybody buys Perfection. A trial order means a steady customer. Put up in four varieties Lemon, Coconut, Chocolate and Boston Cream. Each package makes from 5 to 6 pies. Not sold in stores. Write for money-making proposition.

AMERICAN PRODUCTS CO., 7644 American Bldg., Cincinnati, Ohio

EARN MONEY AT HOME

YOU can make \$15 to \$60 weekly in your spare time writing show cards. No canvassing or soliciting. We instruct you by our new simple Directograph system, pay you cash each week and guarantee you steady work. Write for full particulars and free booklet.

WEST-ANGUS SHOW CARD SERVICE LIMITED
Authorized Capital \$1,250,000.00
67 Coborne Building Toronto, Can.



Airplane Free

With our course in Building, Flying, Repairing of Airplanes and Motors.

Write for Catalogue No. 1

Lincoln Standard Aircraft Corp.
LINCOLN, NEBR.



\$35 Brings Your Shop GUARANTEED

With H3 Automatic Twin Compressor
Good free air service Day and Night pulls trade, brings new customers, helps you sell tires, oil, gas and accessories. The H3 Compressor is extremely compact, quiet in operation, entirely automatic. Maintains pressure 24 hours per day. Single-unit construction. Saves current. Fully equipped, ready to connect and operate. Easy terms. Write for information.

HOBART BROS. CO. Box S69, Troy, Ohio

Absolute Satisfaction Guaranteed or Money Back

ALL MAKES

Underwoods, Monarchs, Remingtons, L. C. Smiths, Oliviers, Royals, Coronas AT REDUCED PRICES. \$20.00 Prices as low as....

Write for our Catalog No. 15
BERAN TYPEWRITER CO.
Dept. 21, 58 W. Washington Street, Chicago

Cheapest Way to Go

to work or school and recreation is on a Ranger bicycle. Choice of 44 styles and sizes. 30 Days' Free Trial. Express prepaid.

12 Months to Pay if desired. Saved time and carfare easily meets the small payments.

Tires parts, equipment—at half usual prices. *Send no money.* Write for our remarkable factory prices and marvelous terms.

Mead Cycle Company Write us today for free catalog
Dept. S-107 Chicago

and which had a particularly strong penchant for throwing oil and fouling the spark plugs, is shown in Fig. 4. One of the leading American cars, at least in earlier models, had a habit of passing oil by the pistons, this being the type of car previously owned by the writer. This company finally overcame the oil trouble by using an extra long skirt cast iron piston, having four rings on it instead of three. It is frequently the case where such trouble is encountered that there is a sufficient space and stock on the piston, so that a fourth groove can be turned in the piston in order to use four rings instead of three. Another trick to help oil throwing engines is to drill a series of small holes about 3/32" in diameter, in the bottom of the lower groove, and in behind the piston ring so that any oil seeping around this ring will pass through these holes to the inside of the piston, and thence down into the oil pan.

As shown in Fig. 3, still another piston trick for oil throwing engines is to bevel off the square lower edge of the bottom piston ring groove and drill half a dozen small holes downwardly toward the inside in this beveled face, as the drawing shows. The theory of this trick is that the square edge of the piston ring will act as a scraper and force the oil into these holes, whence it will pass to the inside of the piston and drop back into the oil tank.

A handy trick in switching the electric lights on a closed car is that shown in Fig. 4. A pair of two point battery switches or, better still, two standard three-way switches are used to control the dome light, one of these switches being placed on the dash instrument panel, and the second switch on the rear of the front seat, or else on the side wall, convenient for those occupying the rear seat. In this arrangement the dome light or lights can be switched on or off from either switch.

"MOTOR HINTS" CORRECTION

A reader has called our attention to a seeming mistake in the "Motor Hints" department in the March issue. He refers to the article awarded first prize, which describes a device for preventing the overcharging of the battery used in a car. He states that if this arrangement were applied to the average car, the generator would burn out, providing such generator was of the three brush type used on some cars today.

The reader is right in the case of the three brush generator, but this machine is not used on all cars and even if a car owner were to try this stunt on such a dynamo, we hope that before trying it he would know enough about electricity to place fuses in the circuit to protect the machine. This is already done on the majority of the cars on the market today.

If, however, this appliance were tried on a car using an ordinary shunt wound dynamo, or one of the old style series wound machines, the generator would not be harmed in the least. Also the editors presumed that the car owner would investigate the fusing of his particular machine before applying this suggestion, whereupon no trouble could possibly ensue, regardless of the type of generator used.

RADIO

WILL BE THE SPECIAL FEATURE IN THE JULY NUMBER OF SCIENCE AND INVENTION. ESPECIALLY WRITTEN VALUABLE ARTICLES TELLING HOW TO BUILD VERY LATEST TYPES OF RADIO RECEIVING SETS WITH FULL DETAILS WORKING DRAWINGS AND DIAGRAMS. DON'T MISS THIS

RADIO NUMBER



What Are You Thinking About?

Day-dreaming led many a man to make plans that brought him big success. Don't be ashamed when your thoughts are wandering away, when you dream that you are a leader of men—a doer of big things in the business world—a builder of lasting structures. Your day-dreams are an indication of your ambition and of your desire to accomplish things. The man who never dreams has no imagination, he will not get very far. But you can make your dreams real—You can materialize your ambition.

Just dreaming alone won't do. Hitch your dreams up to facts and you will go far. You will get the facts through special training along the line in which you want to succeed. And the place to get just that training is the American School. This is proven by the quarter of a century of successful experience we have in helping many thousands of men and women gain an enviable place in business and social life.

Another reason why the American School is the place to get your training—it is not a business corporation but a Chartered Educational Institution, incorporated not for profit.

Space here is too limited to tell you of all the advantages you will gain by getting your training from the American School, but the coupon will bring you full information and a descriptive book, without cost or obligation to you. Fill out and mail the coupon NOW, while you are thinking about it. *No agents will bother you.*

American School
Dept. GA26, Drexel Ave. & 58th St., Chicago

American School
Dept. GA26, Drexel Ave. & 58th St., Chicago

Send me full information on the subject checked and how you will help me win success.

Architect	Lawyer
Building Contractor	Machine Shop Practice
Automobile Engineer	Photoplay Writer
Automobile Repairman	Mechanical Engineer
Civil Engineer	Shop Superintendent
Structural Engineer	Employment Manager
Business Manager	Steam Engineer
Cert. Public Accountant	Foremanship
Accountant and Auditor	Sanitary Engineer
Bookkeeper	Surveyor (& Mapping)
Draftsman and Designer	Telephone Engineer
Electrical Engineer	Telegraph Engineer
Electric Light & Power	High School Graduate
General Education	Fire Insurance Expert
Vocational Guidance	Wireless Radio
Business Law	Production Manager
Advertising Manager	Undecided

Name.....

Address.....



I Can Make You Over In Nine Lessons

If you are one of those chaps that have narrow shoulders, a "Pigeon Breast" and one of those "Undersized" necks, don't come to me for exercises "just to keep you in condition." Man! I would be ashamed to let you stay in that condition, because I can show you how to make your shoulders noticeably broad, how to "round up" your neck, and how to add anywhere from 4" to 8" to your chest measurement all in a few weeks.

If you are mortified because you have to wear a 44" belt, don't be ashamed to tell me about it. I can show you how to reduce your waist line to 34" in a few weeks.

If your legs are so skinny that you are ashamed to wear knickers, don't pretend that you are looking for only a little gain, but admit that you would like to increase your calves from 12½" to 15".

I TEACH MASTER METHODS

I can take men who are so weak that they cannot "chin the bar" even once; so fat that they resemble a tub of butter, or so under-developed that they look like a string bean, and turn them into shapely athletic specimens of real manhood. How? By giving them professional knowledge, and professional methods.

I suggest that you send 10c (stamps or coin) for one of my Art Booklets, "THE ROYAL ROAD TO HEALTH AND STRENGTH." It tells why my pupils make such tremendous improvements in a short time.

CHARLES MACMAHON
5519 N. Fifth St.
Studio C-1
PHILADELPHIA PA.

You, Too, Can Play the HAWAIIAN GUITAR Just as the Natives Do—

After Your FIRST LESSON You Will Play "ALOHA". We Guarantee That—

Our method is so simple, interesting and appealing that you begin in your first lesson to learn the famous Hawaiian Folk Song "ALOHA". Think how happy you will be when you surprise your friends by playing the fascinating Hawaiian Guitar just as the natives do!

Only Four Motions—
and You Master Them Quickly!

In following you require the four motions necessary to play any piece—after that, when you practice, you will have mastered this weirdly sweet music. Complete course of 62 lessons includes FREE a beautiful Hawaiian Guitar, necessary picks, steel bar, etc. No extras.

No Previous Musical Knowledge Necessary

If you never read a musical note in your life—if you haven't even the slightest knowledge of music, we can quickly and positively teach you to play this wonderfully popular instrument. Don't be just a "listener" when you can easily be the center of interest among your friends.

Just Mail a Post Card for Details
of our remarkable FREE Hawaiian Guitar Offer—simply write: "I am interested"—but do it today.

Address
First Hawaiian Conservatory of Music, Inc.
Desk 40—223 B'way
(Woolworth Bldg.)
New York City

FREE
A Beautiful Hawaiian Guitar

Special arrangements for lessons if you have your own Hawaiian Guitar.

The Phonofilm-- Talking Movie

By DR. LEE de FOREST.
(Continued from page 154)

upon the cell is made to fluctuate hundreds or thousands of times per second, the electrical resistance of the cell is varied in strict accordance therewith.

"Connected to this photo-electric cell is a small battery for supplying current, which current is therefore controlled by the light falling upon the cell, and thereby made to exactly reproduce the original telephonic current which was derived from the transmitter when the sound picture was first recorded. This new telephonic current, however, is extremely weak, and must be amplified, again and again through a series of especially designed Audion Amplifiers, until it is increased in power hundreds of thousands of times. This powerful telephonic current then is passed through especially designed loud reproducers, which are located behind or alongside of the moving picture screen, upon which the picture itself is being thrown from the projection apparatus. In this way the reproduced sound appears to come from the voice of the speaker or the musical instrument, whose picture is being thrown upon the screen.

Synchronism: "By the Phono-film process the problem of synchronism is obviously completely solved. The photograph of the sound and of the object are always together on the same film and always in the same relative positions thereon. If the film breaks it is only necessary to insert a new piece equivalent in length to the part cut away, so that the synchronism is never impaired."

Dr. Lee de Forest has patented a light-controlling means which he uses in his talking moving pictures, and which he calls the *Pholion*, although in his patent he calls it the *Luxion*. This device is similar to the vacuum tube patented by Dr. de Forest on February 18th, 1908, containing three electrodes, one of which is adapted to be heated, and each of the non-heated electrodes being located at relatively different distances from the heated electrode. These electrodes are located within an exhausted or partially exhausted envelop, in this particular instance, glass.


Referring to Fig. 1, U indicates the three electrode vacuum tube, which preferably contains within its glass walls a gas or vapor, such as mercury vapor at relatively low pressures. F is the filament lighted, as in the case of the audion, from a current source A, controlled by the variable resistance rheostat R. The grid electrode g, may be interposed between the filament F, and may be wound spirally around, but out of contact with the filament, as shown in the figure and the plate or wing electrode or anode W, preferably located at the end of the tubular extension E, and out of direct line with its axis, as indicated. This tubular extension E, is preferably located tangential to the vessel U, so that light from the filament F, may not travel through the tubular extension. A source of direct current B, of relatively high voltage, is arranged in series with the choke coil, K, and the plate electrode, W, at one terminal, and with the filament electrode, F, at the other terminal. C designates a battery located between the grid electrode, g, and one leg of the filament electrode, F. This current source is regulated by means of a standard type of potentiometer diagrammatically shown. T is an iron core transformer, whose secondary winding is connected in the grid-filament circuit, and the primary winding of which is in series with the microphone, M, and a suitable source of current, A. V designates

How to Hook - Up A Transmitter Button to Make an Efficient Loud Talker

A Transmitter button with a few dry cells and a telephone receiver will make a remarkably simple and efficient loud talker. A Microphonic amplifier of this type is just the thing for use with a radio set. The weak music and signals may be amplified many times their original value. It is possible to entertain a large audience with a simple radio equipment if a transmitter button is used in the circuit as explained in diagram A.

The cost is extremely low and the results are comparable with those produced by highest grade of expensive loud talkers.

As may be seen in the diagram, two dry cells or a small storage battery are connected in series with the transmitter button and a 4 to 75 ohm telephone receiver. The transmitter button is secured to the diaphragm of the telephone in the radio receiving set. To accomplish this properly, scrape off the enamel (if diaphragm is enameled) on the face of the diaphragm and solder the small hexagon nut supplied with the button to the exact center. Care should be taken that the thin diaphragm is not bent or otherwise



harmed. The transmitter button is then screwed into place. Connections, as shown in the diagram, are made with flexible wire. A horn may be placed over the low resistance receiver if desired. When the radio set is properly tuned and signals are being received, the transmitter button is operated by the vibration of the diaphragm of the receiver. As the receiver diaphragm vibrates, the mica diaphragm on the transmitter button also vibrates. The carbon grains are compressed at varying pressure; the current flowing through the local battery circuit is thus varied and results in an amplification of the sounds in the low resistance telephone loud-talker.

Diagram B, which includes a step-up transformer, is to be used with loud talking receivers of high resistance. The primary of the transformers should have a resistance of about 75 ohms. An ordinary telephone induction coil will serve as the transformer in this circuit.

You can get the above-described transmitter button FREE in subscribing to "Practical Electrics Magazine" at \$2.00 per year (12 months). Send your subscriptions today.

Make all remittances payable to Practical Electrics Co., 53 Park Place, New York City.

—Adv.

This is the New DICTOGRAPH RADIO Loud Speaker

with The Adjustable
Air Gap That Tunes
Out All Harshness

Invite your friends tonight. Surprise them with a real concert or dance.

The wonderful new Dictograph will create the illusion that the artists are in the very room with you. Just go to your dealer's and hear this remarkable, new entertainment instrument. Take it home and plug in for the finest entertainment you've ever known. You don't need extra batteries.

Like all the other famous Dictograph Products, the Dictograph is guaranteed for one year.

If your dealer hasn't the DICTOGRAND in stock, write to us direct.

DICTOGRAND

Mahogany Finish

\$2850

DICTOGRAPH
PRODUCTS
CORPORATION
220 W. 42nd St., N.Y.C.

Make Your Range a GAS STOVE

No more sweltering kitchens all Summer-long—no more coal fires all day just to do a little cooking or baking—no more dirty coal, or wood, ashes, soot or smoke. No more back breaking lifting, carrying or chopping. No more smelly oil stoves.

Does Away With Dirty Coal and Wood

The Oliver Oil-Gas Burner turns any range or stove into a real gas stove. On and off just as needed. Bakes twice as fast as it does on any range. Burns 95% air, 5% oil, cheapest fuel there is. Absolutely safe. Lasts a lifetime. 150,000 already in use.

30 DAYS FREE TRIAL

Write to Oliver, Mr. Oliver, 30 Day Free Trial and Spec. Low Introductory Price Offer. No obligation.

OLIVER CIL-GAS BURNER & MACH. CO.
2156-F Oliver Bldg. St. Louis, Mo.

LEARN WATCH REPAIRING

You can learn by our modern and original system of instruction every part of the Watch Repairing Trade at home as good or better than at a shop. You can earn money while learning and securing a position with either or both houses after completing our course of instruction. Good watch repairers are always in demand and earn from \$30 to \$65 per week. For particulars apply to the

MILWAUKEE SCHOOL OF WATCH REPAIRING, 166 Mason St., MILWAUKEE, WIS.

You Can Save \$35.00
Recover it yourself.
\$4.45 and Custom tailor made to fit all
Parcels Postpaid
and quarters sewed together, with rear fasteners, welts and tacks, complete. Anybody can put it on. Give name, year, model number of your car, Catalog FREE. Agents wanted.
Liberty Top & Tire Co., Dept. E4, Cincinnati, O.

\$25 A DAY
Selling Shirts
Large shirt manufacturer wants agents to sell complete line of shirts, pajamas, and nightshirts direct to wearer. Advertised brand—exclusive patterns—easy to sell. No experience or capital required. Entirely new proposition. Write for free samples.
Madison Shirt Co., 603 Broadway, N.Y.C.

an auxiliary electrode, either surrounding the tubular extension or extending into the same, the purpose of which will presently be explained.

Dr. de Forest has found that when the filament is lighted, a luminous discharge will appear between the filament and the plate, unless too high a negative charge exists upon the grid. Sometimes in order to start this discharge, it is necessary to impress a positive charge from the grid source, C, on the grid electrode, g, or to close the switch, Y, thus putting the high positive charge from the current source, B, upon the auxiliary electrode, V. When the discharge is once established, its intensity is extremely sensitive to the voltage impressed on the grid electrode, the potential of which, either positive or negative, can be regulated by means of the potentiometer shunted across the current source. The light from the anode discharge, through the tubular extension, E, will of course be most intense when viewed at its end, so for that reason, when the light variations are employed for any of the various purposes, such as recording sounds on light-sensitive surfaces, photographic films, for instance, or for controlling photo-electric cells, a lens, L, is mounted in alignment with the axis of the tubular extension, so as to focus the light on the light sensitive device (such as a thalofide cell) diagrammatically illustrated in Fig. 1 at D.

The Instantaneous Photography of Sound Waves

By ALLAN R. KENWORTHY
(Continued from page 145)

inches is not recommended. A printing frame from which the glass has been removed, mounted on a block of wood affords a very convenient means of holding the plates in position and readily permits their adjustment or interchange. If desired, a screen of white paper may be substituted for the photographic plate, permitting direct visual observation of the shadow of the wave by a number of observers; in fact, in the adjustment of the apparatus and the initial experiments the use of the screen is recommended, and not until the experimenter is assured of good results should the photography of the shadow be attempted.

In the adjustment of the apparatus, the object to be attained is a properly timed discharge at the spark gap from which the sound wave is illuminated. As the time elapsing between the discharge which creates the sound wave and the discharge producing the illumination is inappreciable, and is determined largely by the length of wiring between the two gaps, it will probably be a matter of some experimentation before the correct adjustment will be found.

When correctly adjusted, it is but necessary to charge the condenser until a discharge occurs across the two gaps, with the result that a sharp, clearly defined shadow of the spark gap at which the sound wave is generated will appear on the screen, surrounded by a dark ring; the shadow of the sound wave.

That the experimenter may gain some idea of the results he may expect from the apparatus, the illustrations in Fig. 2 are presented. Detail A, represents the shadow of the spark gap and the sound wave before it has progressed very far. In B, the wave is further away from the gap and just above the gap can be seen the shadows caused by the heated air as it rises from the gap. C represents a wave that has been reflected from a plane surface, and D, a wave reflected from a concave surface.


Numerous other experiments can be devised by the ambitious experimenter.

YOU CAN EARN

\$50 A Week

six months from now—if you sign the coupon at the bottom of this column today.

We will teach you in half a year's time, from the day you enroll as a home student, the vital principles of Practical Electricity. We will loan you the big laboratory outfit shown in this advertisement, and a similar outfit, later. Other helps and suggestions will be offered as fast as you are ready for them. Students will receive personal instruction from the President of the school.



This is Laboratory Outfit No. 1, given to every home study student. It is not a toy outfit, and in a month after you have had it you can do anything an ordinary electrical worker can do.

Have you a Radio receiving set? If you have, you can listen to two lectures a week delivered from our Broadcasting Station by our President. If you haven't a receiving set, you can hear these lectures at places in your home town, that we will send you to as soon as you enroll as a student.

You need not be told that Electricity offers a better chance for advancement and a bigger starting salary than any other trade or profession.

With our certificate of qualification you can enter this great profession at a salary of \$50.00 or more a week, and as you advance in knowledge and expertise, your salary will be increased surprisingly.

We operate, in Milwaukee, the largest Electrical School in the United States. With the help we offer students, who study at home an hour or two each evening, through the President's lectures given in our Radio Broadcasting Department, reaching every city, town and hamlet in the United States, you get, twice a week, free, knowledge that will help you amazingly in your studies.

The lessons are written in simple language, and anyone who can read a newspaper can understand them.

We will make it easy for you to become a member of our great home student body if you will sign the coupon below. It is best not to delay, as our offer will be withdrawn when one thousand additional students are enrolled.


Extension Division,
School of Engineering of Milwaukee,
Dept. F6, 415 Marshall Street, Milwaukee, Wis.

Please send me free and without any obligation on my part copy of the "President's Message," and full details of your special offer to home students in Practical Electricity.

Name

Address

City State



The Complete Book of
All Radio Information
PRICE POSTPAID \$2.00
PRACTICAL ELECTRICS COMPANY

RADIO FOR ALL

By H. GERNSBACK

Editor "Radio News," "Science and Invention" and "Practical Electrics"

With over 130 illustrations and diagrams, and 12 photographs, 300 pages, size 8 1/4" x 5 1/2".

What the novice in radio needs is a book in which he can get all the information necessary for him to understand radio telephony and telegraphy, to make or buy a receiving set suitable to his means, to know how to operate his set, and after he has an understanding of the radio art, information that will enable him to advance and get the most out of his outfit. All this must ordinarily be dug out of text-books, pamphlets and government publications, but the aim of this book is to have all the data and information that the beginner will need from the time that he takes up radio. It is a permanent, comprehensive reference book for the dyed-in-the-wool dabbler in Radio.

What the Book Is.

A combination of a radio course for the novice in radio telephony and telegraphy with a reference book for the more experienced amateur. Half a dozen books in one.

For the Beginner.

The theory of radio carefully explained with drawings. Description of and instruction for operating instruments of receiving and sending sets, with all picture diagrams of the wiring of the apparatus. How to make your own receiving set, costing from \$3.00 to \$50.00. How to read diagrams; for every picture diagram there is a corresponding technical diagram using the symbols instead of drawings. How to tune sharply and eliminate interference from other stations. How to protect your set from lightning and the laws regarding installation. Explanation of time and weather signals.

For the More Experienced Amateur.

How to make a practical vacuum tube detector, two stage amplifier set costing less than \$50.00, that will work. How the radio compass works. All about underground aerials, loop aerials and directional aerials. Formulae for finding wave length; miscellaneous formulae for finding capacity of condenser and other instruments. Tables of wire resistances, wave lengths and their corresponding frequencies, approximate wave lengths for different aerials, tuning coil data, and much more invaluable information.

Special Features.

Lists of all the broadcasting stations in the United States and Canada for concerts, time signals, weather reports, press, stock market reports, etc., with their call, wave length and time of sending.

Detailed description of Washington weather signals and their translation. Description of a modern broadcasting station and its operation. Large map showing location of all U. S. radio telephone broadcasting stations suitable for hanging up in radio room. Collection of miscellaneous radio information for the amateur.

In Other Words.

The information that you ordinarily have to dig out of government publications, text-books, pamphlets, etc., is handily combined in this one book.

:: :: 53 PARK PLACE, NEW YORK CITY

NEW AND POPULAR BOOKS

Every Radio Enthusiast Should Have These Books:

Wireless Course in 20 Lessons



By S. Gernsback, A. Lescarboura and H. W. Secor, E.E. (11th Edition)

A Course that tells you everything you wish to know about "Wireless," starting lesson No. 1 by explaining the Principles of Electricity. By simple, easy stages, this wonderful Course takes you into "Wireless" by the use of simple language so skillfully used that you understand every word. There is a lesson devoted to Theory and Mathematics. The last lesson is devoted to a history of Wireless.

This Course has been considerably revised in order that it meet many important changes which have occurred in Radio Telegraphy and Telephony within recent years.

Size of book is 7 x 10 1/4 inches, 160 pages, 350 illustrations, 30 tables.

Cloth bound in Vellum de Luxe, stiff \$1.75 covers, hand-sewed, gold stamped, each... \$0.75

Same book, limp binding, colored cover.... \$0.75

The How and Why of Radio Apparatus



By H. W. Secor, E.E.

This newest book on radio matters fills a distinct gap in wireless literature. While the treatment is made as understandable and as free from mathematics as possible, it at the same time incorporates a wealth of technique and instruction for the Radio Amateur—the Radio Operator—the Installation and Designing Expert—as well as teachers and students of the subject in general.

A very broad field has been covered by the author, giving a great amount of information not found in other text-books. If you are engaged in any branch of the Radio or allied arts you will surely need this latest contribution to radio literature.

This newest of Radio Work has 160 pages, 6 x 9 inches. Hundreds of illustrations and tables. Cloth bound in Vellum de Luxe, stiff \$1.75 covers, hand-sewed, gold stamped, each... \$0.75

Same book, limp binding, colored cover.... \$0.75

Experimental Electricity Course in 20 Lessons



By S. Gernsback and H. W. Secor, E.E.

Every phase of experimental electricity is treated comprehensively in plain English. New Experiments are described and explained and nearly every application of Electricity in modern life is given in simple language.

A masterpiece. Explains every electrical device from a push button and bell to the biggest generator made. Worth its weight in gold for the man who wishes to know about electricity, and to the experimenter it is still more valuable because of its many facts, tables, etc.

The Best Electrical Text-Book on the Market. Size of Book is 6 x 9 inches.

The book contains 128 pages, and more than 400 illustrations.

Cloth bound, stiff covers, hand-sewed, green and black stamped, each..... \$1.25

DEALERS—Ask for wholesale discount

EXPERIMENTER PUBLISHING CO., Inc.

::

53 PARK PLACE, NEW YORK



Sharp turns are easy for the Auto Wheel

Sharp turns are easy for the Auto-Wheel Coaster even with the heaviest load. The special hound brace which runs from the tongue through the steering pivot to the bed of the wagon gives you the supporting strength which you need for easy steering.

Auto-Wheel Coasters and Auto-Carts

This special hound brace is only one of the features which make Auto-Wheel Coasters sturdy, substantial, easy to control. Other features are: rubber-tired disc wheels; steel-tired disc or wood spoke wheels—all wheels interchangeable; hand brake; special hub cap and locking pin; sides mortised as well as nailed; self-contained roller bearings. Write for catalog which shows all models of the Auto-Wheel Coaster and the Auto-Cart, the Auto-Wheel's junior companion for little brother and sister. Send the names and addresses of three local coaster wagon dealers and we will give you a year's subscription FREE to the "Auto-Wheel Spokes-man" a dandy magazine for boys.



Big Short Story
Writing Contest
on. Write for
Particulars and
WIN A PRIZE

Auto-Wheel Coaster Co., Inc.
North Tonawanda, N. Y.



Scientific Tools of the Modern Detective

By FERI FELIX WEISS
(Continued from page 127)

in the enlarged photograph. Chemical erasing stains being in most cases yellow, and the ordinary plate of the camera being sensitive to yellow, the faintest stains, scarcely visible, are reproduced sometimes so strongly that words may be read where only a faint yellow smudge appears in the original.

In a recent case dozens of checks were put in evidence which the depositor claimed had been raised from ten dollars to larger amounts by using ink eradicator, bleaching out the first amount and raising the check to three, four, or five hundred dollars. Both original and raised amounts on the checks were in the same handwriting, and it was charged that the bookkeeper had made the changes after the depositor's signature had been affixed. This was, of course, a comparatively easy thing to do, but a fraud difficult of detection. Yet the camera plainly showed the alterations, and the conviction of the forger resulted.

Two instruments which are of the greatest help to the examiner of questionable documents and handwritings are the *color comparison microscope* and the *stereoscopic binocular microscope*.

The color comparison microscope shows the delicate differences in color of inks, papers, or articles of any kind; and by the use of the color glasses, the color of inks can be recorded with wonderful accuracy. Another advantage of this instrument is that it brings the two objects into one eyepiece so that they may be observed side by side. It is possible to detect with it the changing color of an ordinary nutgall ink every three hours during the first day it is put on paper. Later a change can be recorded every month or so.

The stereoscopic binocular microscope aids in the detection of *overwriting*, *patching*, *erasures*, *folds*, and *crossed lines*, and shows them up with startling distinctness; it also shows if the calendering of the paper has been removed, and whether anything has been applied to the surface of the paper. Where chemical erasures have been made and some of the original ink remains in the fibres of the paper, this ink—if it contains iron—may be partially restored by chemical means. This restoration of the original writing, however, is only for an hour or so, after which it fades out, though the process can be repeated. While in its restored state the original writing may be photographed and preserved permanently. A glass desk is used in the examination of handwriting with the light shining from beneath and showing every detail.

Enlarged photographs of typewriting are useful for observing design and defects, slant, spacing, alignment and the sizes of type in the different makes of machines. The date of certain typewritten documents can be positively established by proving that the type used to write that document was not in the market until many years later. On the other hand, the type of another machine, then rather new, may not have shown certain defects which may be seen now, proving that the document was not written when the machine was new, but is of a much more recent date.

Ruled squares on glass, the *arcimeter*, which measures the degree of curvature of connecting lines, and the *glass protractor*, measuring exactly the slant and angles, are other aids to the scientific investigation of handwriting.

Evidence of this kind is admitted in every court in the land, since the use of micro-



Just Like a Movie "From Rags to Riches" By the Magic of the COYNE "Job-Method" Drafting Course



Bennett Wellington Cooke
President of the Coyne School of Drafting, "greatest
Institution of its kind in the
World." Mr. Cooke has
an international reputation
for turning out big-job big-
pay Draftsmen.

Draftsmen Wanted! \$300 a Month!

Big-pay jobs open for Draftsmen everywhere, all the time! Before machines, buildings, autos, ships or most anything can be built a Draftsman must draw the plans. Look at the want-ads—thousands of opportunities for Draftsmen right now. "Loan me part of your spare time for a few weeks," says President Cooke, "and I'll Guarantee to make a Draftsman of you quick or refund your money."

Quickest Way to Big Pay!

Men in mechanical and building lines can smash ahead to bigger pay and better jobs after learning Drafting. The "Job-Method" course gives you actual Drafting Jobs, not lessons out of books or mere theory. Most complete course ever produced, yet you get it all in half the time!

Radio Course Free!

This month only, our \$45 Radio course free to "Job-Method" students. Teaches you to design, build, install and operate Crystals and all other radio parts. You can make extra money on the side. Up to the minute Radio facts, written so you can understand them.

Coupon brings Pocket-Rule 2 Books FREE!

If you want to get ahead, make more money, the Coyne School will help you. Mail coupon today and get Draftsman's Irvone Pocket rule FREE and complete information. Let the other fellow do the hesitating—you act NOW!

Address B. W. Cooke, President

COYNE
SCHOOL OF DRAFTING
Dept. 109 552-598 So. Throop Street,
Chicago, Ill.

Coyne School of Drafting
B. W. Cooke, President
Dept. 109, 552 to 598 So. Throop Street, Chicago

Without obliging me in any way, please send me Draftsman's Pocket Rule, and your 2 books on Drafting, the foundation of Industry, and "Learning Drafting by the Job-Method"—all absolutely free. Also complete information of your rapid home-study Drafting course. Free Radio offer and Free Instruments.

Name.....

St. No.....

City..... State.....

Be A Practical Electrician

YOU can qualify in three months for a real job by the Sweeney System of Practical Experience. You don't need to be an engineer or scientist to install, operate and repair all kinds of electrical machinery. We teach with tools. You learn by actually working on our \$150,000 special equipment in this world famous Million Dollar Trade School where we have turned out 55,000 trained mechanics.

FREE Simply send name today. Get our Special Offer and interesting Electrical Catalog. Free radio course. Free Railway fare to Kansas City. Big opportunities in Electrical industry for young men. No colored students accepted.

WRITE US AT ONCE

LEARN A TRADE
Sweeney
AUTOMOTIVE & ELECTRICAL SCHOOL
5 SWEENEY BLDG. KANSAS CITY, MO.

The Court of Last Appeal



YOU are the judge and the jury. Your verdict is final. There can be no appeal—for this is the High Court of Public Opinion.

The wares of the world must appear before you—the product of every factory—the merchandise of every store. Those things that fail to measure up to your requirements are quickly condemned to oblivion.

The manufacturer who advertises deliberately places his merchandise on trial. He openly courts your critical inspection. He invites comparison. He directs your attention to his goods and then forces those goods to stand on their own merits.

If he were not sure of his wares he would not dare to advertise. For advertising would put him to a test he could not meet, and thus hasten the end of his business career. It would be business suicide.

You can depend on the man who advertises. He knows his product is good.

That's one reason why it pays to read the advertisements you find in this paper. It is through advertising that you are able to keep in touch with the good things that progressive business men are spending their money to introduce and to keep before you.

Base your judgment on the advertisements

BE A REAL MAN

LOOK LIKE ONE AND
FEEL LIKE ONE


Broaden your shoulders, deepen your chest, enlarge your arms, and get a development that will attract attention. Fill yourself full of energy and be powerful.

My New Book
"Muscular Development"
Will Explain How

This book is illustrated with 26 full page photographs of myself and of some of the world's finest developed athletes I have trained. It will interest and benefit you greatly.

Send 10c (stamps or coin) for a copy NOW, today, while it is in your mind.

EARLE LIEDERMAN, Dept. 206, 305 Broadway
NEW YORK CITY



FACTORY SALE \$2.95

100% Copper
Non-explosive, fire-proof, air-tight cans made of pure cold-rolled heavy gauge copper, for home and garage use. Only factory in U. S. selling at old prices in spite of higher copper costs. 6 inch screw-top permits easy cleaning. Prices must go up soon—so order today!

Old, Low Prices!

2 gallons	\$2.85	8 gallons	\$7.45
4 gallons	4.35	12 gallons	9.80
6 gallons	6.35	15 gallons	9.95
3-8 Inch tubing 29c foot			
1-2 Inch tubing 38c foot			

Send No Money
Shipped in plain wooden box. Remit in any convenient form or order.

O. O. D. DON'T WAIT or you will have to PAY MORE!

DORMAC MANUFACTURING COMPANY
Dept. 187, cor. Racine & Roscoe Sts., Chicago

scope and camera is only an extension of the principle of every-day eye-glasses, and objections on the part of a lawyer may be over-ruled by requesting him to take off his eye-glasses or to order the jurymen to remove theirs.

One of the most extensive uses of photography in criminology is, of course, in the field of identification. The collection of pictures in the Rogues' Gallery is for this purpose—*sight recognition*, it is called. Yet I remember many cases where a photograph and general description fitted two different individuals to a dot, and if it had not been for the Bertillon measurements and fingerprints, grave injustice would have been done by the police and court.

THE FINGER-PRINT

In fiction, the use of the finger-print as a means of identification has been dramatically illustrated in Mark Twain's "Pudd'nhead Wilson," in which the hero proves the innocence of the suspected man and the guilt of the criminal by means of finger-prints which he has taken previously of everyone in town as a fad. His dissertation on the subject is well worth reading.

The finger-print system originated in the East, where it was in practice among the natives from very early times and was adopted by Sir William Herschell in the latter part of the 18th century in the district of Hooghly in Bengal to identify the Hindus who came to the government offices to make or receive payments. It was well-nigh impossible for the British authorities to tell these people apart, so singularly alike are they in features, color of hair, eyes, stature and so on, until the wonderfully simple and efficient means of identification by thumb-prints was hit upon.

I myself noticed the great similarity in the Hindus for the first time when a ship-load of them arrived in Boston, destined for Luna Park at Coney Island, where they were to show some tricks. Not one of the party, excepting perhaps the leader from the Island of Ceylon, was able to read or write, so we made them sign the bond under which they were permitted to enter the country for exhibition purposes by putting down their thumb-prints.

The feasibility of the finger-print system once established and its infallibility proven beyond the slightest doubt, it is only a question of time when everybody in this country will be finger-printed. The value of this system to the police was forcibly illustrated to me not long ago. I happened to be talking with the chief of police in a small western town, when a long distance telephone call brought the request from Philadelphia for a certain finger-print record. The chief looked into his files and within two minutes had the record of a man who was wanted for the shooting of one of his own patrolmen. The man arrested in Philadelphia had given a false name, and although the label on his clothes betrayed the fact that he had bought his clothes in this small western town, without the finger-print record he would not have been known because of the Philadelphia alias.

It would lead too far for me to go into a technical description of this system. Suffice it to say that it is based upon the number and character of the arches, loops and whorls on the human finger-tips and their relation to lines from a given center, no two human beings having the same design or number of lines. The best book on the subject has been written by Sir E. R. Henry, the British expert, who spent a lifetime perfecting it. Recently there have been established special schools for teaching this aid to the detective, and an international conference has taken place where papers were read, cases discussed and recommendations made.

The apparatus of the professional detective for taking records consists of a tube

of special finger-print ink, a metal ink-plate, roller for distributing ink, magnifying glass, metal pointer for counting lines in finger-prints, a bottle of benzine used in removing ink from the finger-tips—all contained in a birch tray: the whole thing costing less than ten dollars.

Records are usually taken in the following manner: the specially prepared ink is spread evenly with the rubber-roller on the light steel plate. This dries very quickly. The subject rolls each finger separately upon the inked plate. If the fingers are covered with mud or clay, as is sometimes the case, rubbing them lightly with a benzine cloth will cleanse them thoroughly. They are then quickly withdrawn and rolled gently upon the identification or index card. The operation takes less time than telling about it. Police departments take a separate impression of each finger and thumb of each hand in a square of special size, and a regular code is followed in describing the lines, loops and whorls. A full impression is then taken of all four fingers together, so that no mistake is possible by substituting one finger for the other. Identification bureaus, jails and other institutions, besides police departments, place this record on file, often together with Bertillon measurements and Rogues' Gallery photographs. In a pinch the detective might use, with fair results, an ordinary inking pad, such as is used for rubber-stamps, clearness of lines only being necessary for identification purposes.

Crooks, knowing that the marks of an individual's finger-tips do not change in character from infancy to old age, are anxious to keep their hands in gloves at all times. The latest method of concealment used by burglars is to smear the finger-tips with collodion, which, forming a thin, skin-like covering, leaves no marks behind on any object touched, such as safe or window-sill.

Finger-prints left by the criminal on doors or elsewhere are made visible by the application of a *dark powder* on a light object and by a *white powder* on a dark object. They are usually photographed and enlargements made.

BERTILLON MEASUREMENTS

The *Bertillon* system was invented by Professor *Bertillon* of Paris and had quite a vogue before the finger-print gave a much simpler and quicker means of identification. It is founded on measurements (anthropometric) of certain parts of the human body. The word *anthropometry* comes from two Greek words: *anthropos*, man; and *metron*, measure.

Bertillon in his system takes for granted that certain parts of the human body change very little once maturity is reached. The measurements are: (1) Length and width of head; (2) length of left foot, middle and little finger of left hand; (3) length of lower part and upper part of body, as well as total height; (4) reach of arms; (5) height and breadth of left ear; and (6) length of left arm. He prefers the measurements of the *left side* because they are less *variable*. The height of a man is half an inch less at night than in the morning owing to the squeezing together of the vertebrae of the spinal column. These measurements are duly recorded on a card-index and the description becomes still more explicit when the color of the *iris* of the eye, which *Bertillon* grades in *seven shades*, is added.

Before leaving the subject of identification and going on to a new one, I should like to add that *Forgeot*, a prominent criminologist, has discovered that a two per cent silver solution will reveal clearly naked *foot-prints* on *hardwood floors*, and osmiosmic acid or hydrofluoric acid those of the *fingers* on *window-panes* or other glass as well as on *tapestry* and *wall paper*.

(Continued on page 201)

RADIOGEM

The Dollar Radio Receiving Set

The Simplest Radio Outfit Made —Yet as Practical as the Most Expensive!

You need know absolutely nothing about wireless to operate and enjoy the RADIOGEM. It is so sturdy, so simply constructed that it is small wonder radio engineers who have tested it have pronounced the RADIOGEM a brilliant achievement. The RADIOGEM is a crystal radio receiving set for everyone at a price anyone can afford.

Why The RADIOGEM Can Be Sold For Only \$1

Here's the secret: The RADIOGEM Construction eliminates all unnecessary trimmings, cabinets and the like, which do not play any part in the operation of a set. You receive the RADIOGEM unassembled, together with a clearly written instruction book, which shows you how to quickly and easily construct the set, using only your hands and a scissor. The outfit comprises all the necessary wire, contact points, detector mineral, tube on which to wind the coil, etc., etc. The instruction book explains simply and completely the principles of radio and its graphic illustrations make the assembling of the RADIOGEM real fun. Remember the RADIOGEM is a proven, practical radio receiving set and will do anything the most expensive crystal set will do.

The RADIOGEM is the Prize Winner of the Age

Out of hundreds of radio models submitted recently in a great nation-wide contest, radio engineers, the judges, unanimously chose the RADIOGEM as the winner—the simplest radio-receiving set made! And the RADIOGEM costs you nothing to operate; no form of local electricity is required.

Sent Postage Prepaid on receipt of \$1
—stamps, money-order or check.

Order Your Radiogem To-day— or send for Free Descriptive Circular

DEALERS

The RADIOGEM is the wonder item of the radio age. It is storming the country, for the RADIOGEM's price is so low everyone is able to buy one. Write immediately for full particulars before that shop across the street beats you to it.



"THERE'S MONEY IN IT"

AT HOME LEARN TELEGRAPHY AT HOME MORSE AND WIRELESS

TEACH YOURSELF

in half usual time, at trifling cost, with the wonderful Automatic Transmitter THE OMNIGRAPH. Sends unlimited Morse or Continental messages, at any speed, just as an expert operator would. Adopted by U. S. Government, and leading Universities, Colleges and Telegraph Schools. 3 styles. \$14 to \$30. Catalog free. If you own a Radio Phone Set and don't know the Code, you are missing most of the fun.

OMNIGRAPH MFG. CO.

22 Hudson St., NEW YORK



BATTERY CHARGING PAYS \$1500 to \$3000 a Year

Small cash payment bring your HB8 Hour Charging Outfit. Easy terms of only \$30 monthly let your profits pay balance with nice surplus besides. Long free trial on money-back guarantee lets you try outfit at our risk. Don't delay and let some competitor get the lead yourself. Order your HB outfit NOW on free trial. Write today for full information and our easy-payment plan.

HOBART BROS. CO., Box S6, Troy, Ohio.

Hear the programs of the Broadcasting Stations on the RADIOGEM



\$1 without
PHONE or
AERIAL
(Patent Pending)

What They Say About RADIOGEM

I am enclosing herewith \$1.00 to pay for the RADIOGEM. I had it carefully wound by our wireless operator and find that it works beautifully—fully as good as any crystal set we know of.

Radiogem received, which we assembled and were very much astonished at results obtained and the clearness and volume of tone produced.

The greatest distances I heard on one of your sets is 1000 miles, having heard WGY at Schenectady, N. Y. I think your set is the best I have ever sold at any price.

On an aerial 150 feet long and 20 high one of my customers has heard WOC and WIB, KSD, WMC on one of your sets using a Peerless headset.

Herewith P. O. M. O. amt. \$1.00 for another "RADIOGEM". The one received is O. K. Placed about 15 ft. of picture cord under front porch and grounded to a gas meter, and heard the Sacramento Bee and Sacramento Broadcasting Union much better than with my large crystal set.

Your RADIOGEM RECEIVER is a wonder. I have received every station in Philadelphia with it much louder than with a high-priced crystal set.

Your two Radiogem sets received last night, and one was wired up for testing. WOC is about 40 miles away, and their signals could be heard with headphones on table. After they quit KVV at Chicago about 170 miles east was heard. Every word could be plainly heard here. WMC at Memphis, Tenn., could also be easily heard and understood.

We find that this set does a great deal more than you claim for it. We took WEAR on our audion set last night; this being the Baltimore American Broadcasting station, and then cut in the Radiogem and got excellent results. After the Baltimore concert was over, we continued to use the audion set and about ten o'clock were listening to WEAF New York and a little later we disconnected the audion set entirely and hooked up the Radiogem, very clearly hearing both piano music and announcement of name of station and its location.

You claim a radius of 20 miles over your "Radio-gem" is sometimes possibility. You should adhere to the truth. I constructed one for my mother, installed it with an aerial, and she listens not once in a while, but at her will, to Schenectady, Newark, New York, or Providence, R. I., and her home is Attleboro, Mass. I can't give your set too much praise.

(Names and Addresses on Request)



Each Packet
contains
ILLUSTRATED DIRECTIONS
LIST OF PARTS REQUIRED
WIRING DIAGRAM
and full size
PANEL DRILLING
TEMPLATE

*Six Packets
50c. Each*

No. 1. How to make a Short Wave Regenerative Set.

No. 2. How to make Detector and Amplifier Units.

No. 3. How to make a Radiophone Crystal Set.

20 Radiophone Diagrams and Hook-ups.

14 Radio Formulae and Diagrams.

All About Aerials.

GO TO YOUR NEAREST DEALER OR JOBBER

There's not space enough to list them all. But here are a few firms who carry our line


(More names of our dealers in your town furnished on request)

Alamo Sales Corp., Indianapolis, Ind.
Almed Radio Corp., Albany, N. Y.
Almed Radio Corp., N. Y. C.
Harry Almed & Co., Chicago, Ill.
Julius Ambras & Co., Milwaukee, Wis.
Jacob Andressen Co., Minneapolis, Minn.
American News Co., N. Y. C.
Atlantic Radio Co., Boston, Mass.
Bamberger & Co., Newark, N. J.
Bannister & Pollard Co., Newark, N. J.
Barawick Co., Chicago, Ill.
Jos. A. Becker, Baltimore, Md.
Beckley-Ralston Co., Chicago, Ill.
J. Belmont, N. Y. C.
The Benwood Co., St. Louis, Mo.
Brooklyn Radio Service Co., Brooklyn, N. Y.
J. H. Bunnell & Co., N. Y. C.
Butler Bros., N. Y. C.
Capital Elec. Co., Atlanta, Ga.
Capital Radio Supply Co., Indianapolis, Ind.
Carnahan & Dalzell, Inc., N. Y. C.
Geo. H. Chase, Newport, R. I.
Chicago Radio Apparatus Co., Chicago, Ill.
Clapp-Eastham Co., Cambridge, Mass.
L. M. Cleveland Co., Portland, Me.
Continental Radio & Elec. Sup. Co., N. Y. C.
Cutter & Wood Supply Co., Boston, Mass.
Detroit Elec. Co., Detroit, Mich.
Delaney-Felch & Co., Pawtucket, R. I.
Dewey Sporting Goods Co., Milwaukee, Wis.
Doubleday, Page Co., Pittsburgh, Pa.
T. Eaton Co., Ltd., Winnipeg, Can.
Fleet Appliance Co., Chicago, Ill.
The Elec. Shop, New Brunswick, N. J.
Elec. Supply & Equipment Co., Hartford, Conn.
Elliott Elec. Co., Cleveland, Ohio.
Fairbanks Elec. Co., Stamford, Conn.
Federal Elec. Supply Co., Detroit, Mich.
Federal Radio & Elec. Co., Paterson, N. J.
Fenn & Co., N. Y. C.
Fergus Elec. Co., Zanesville, Ohio.
Findley Elec. Supply Co., Minneapolis, Minn.
Fleron & Sons, Trenton, N. J.
Frank Radia Co., N. Y. C.
Fremont Radio Co., N. Y. C.
Fuetterer Battery Service, St. Louis, Mo.
Seth Fuller Co., Boston, Mass.
Gain-a-day Elec. Co., Pittsburgh, Pa.
Galveston Wireless Supply Co., Galveston, Texas.
Gardner Hardware Co., Gardner, Mass.

Gee Elec. Co., Wheeling, W. Va.
Gimbel Bros., Philadelphia, Pa.
Goldsmith & Sons Co., Pittsburgh, Pa.
Great Bend Radio Elec. Co., Great Bend, Kan.
Harry C. Grove, Inc., Washington, D. C.
V. M. Gurd & Co., London, Ont., Can.
Hall Electric Co., Columbus, Ohio.
Hatfield Elec. Co., Indianapolis, Ind.
Havens Elec. Co., Albany, N. Y.
Hess Bros., Allentown, Pa.
Hickson Electric Co., Rochester, N. Y.
Holt Electric Co., Jacksonville, Fla.
Ludwig Hommel & Co., Pittsburgh, Pa.
Huey & Philip Hdwe. Co., Dallas, Texas.
Hughes Elec. Corp., Syracuse, N. Y.
Ignition Service Supply Co., Albany, N. Y.
Inland Electric Co., Chicago, Ill.
International Radio Corp., Boston, Mass.
Interstate Elec. Co., Birmingham, Ala.
Interstate Elec. Co., New Orleans, La.
Interstate Elec. Co., Shreveport, La.
A. H. Jarvis, Ottawa, Ont., Can.
James H. Jones, Boston, Mass.
J. J. Kelleher Elec. Shop, N. Y. C.
David Killoch & Co., N. Y. C.
Klaus Radio Co., Euclid, Ohio.
Kuebler Radio Co., Toledo, Ohio.
& Kusel Co., Watertown, Wis.
Lewin Radio Co., Bethlehem, Pa.
Lewis Elec. Supply Co., Boston, Mass.
Liberty Incandescent Sup. Co., Pittsburgh, Pa.
Liberty Radio Co., N. Y. C.
Linze Elec. Sup. Co., St. Louis, Mo.
R. H. Macr. Co., N. Y. C.
Manhattan Elec. Sup. Co., N. Y. C.
Marshall-Field & Co., Chicago, Ill.
McArthur Elec. Co., Chicago, Ill.
McCarty Bros. & Ford, Buffalo, N. Y.
A. C. McClurg & Co., Chicago, Ill.
Messersmith & Sons, Niagara Falls, N. Y.
Leo J. Meyberg Co., San Francisco, Calif.
Leo J. Meyberg, Los Angeles, Calif.
Midwest Radio Co., Cincinnati, Ohio.
Milien & Son, Ltd., Montreal, Can.
Milnor Electric Co., Cincinnati, Ohio.
Missoula Elec. Supply Co., Missoula, Montana.
Modell's, N. Y. C.
Montana Electric Co., Butte, Mont.
Montgomery Ward & Co., Chicago, Ill.
W. A. Mullins Elec. Co., Tacoma, Wash.

W. G. Nagel Elec. Co., Toledo, Ohio.
Nagell Hdwe. Co., Minneapolis, Minn.
National Radio Inst., Washington, D. C.
Newark Electric Co., Chicago, Ill.
Newman-Stern Co., Cleveland, Ohio.
E. P. Noll, Philadelphia, Pa.
Northern Radio & Elec. Co., Seattle, Wash.
North-West Elec. Equip. Co., St. Paul, Minn.
Northwest Radio Service Co., Seattle, Wash.
Overland Radio & Equip. Co., N. Y. C.
Henry Paulson & Co., Chicago, Ill.
Wireless Elec. Co., Minneapolis, Minn.
Peerless Light Co., N. Y. C.
Precision Equip. Co., Cincinnati, Ohio.
Premier Radio Mfg. Co., St. Paul, Minn.
Philadelphia Wireless Sales Corp., Philadelphia, Pa.
Pioneer Electric Co., St. Paul, Minn.
Pittsburgh Radio & Appliance Co., Pittsburgh, Pa.
F. D. Pitts Co., Boston, Mass.
Radio Specialty Co., N. Y. C.
Reinhard Bros. Co., Inc., Minneapolis, Minn.
Reynolds Radio Co., Denver, Colo.
H. C. Roberts Elec. Supply Co., Philadelphia, Pa.
Rochester Elec. Sup. Co., Rochester, N. Y.
Rose Radio Supply Co., New Orleans, La.
R. I. Elec. Equip. Co., Providence, R. I.
Salem Power & Light Sup. Co., Salem, Mass.
Sayre-Level Radio Co., Philadelphia, Pa.
Schimmel Electric Supply Co., Philadelphia, Pa.
Rudolph Schmidt & Co., Rochester, N. Y.
Sears-Roebuck & Co., Chicago, Ill.
Stanley & Patterson, N. Y. C.
Southern Calif. Elec. Co., Los Angeles, Calif.
Stern Novotny Elec. Co., Charlotte, N. C.
Sterling Elec. Co., Minneapolis, Minn.
Stubbs Electric Co., Portland, Ore.
Sutcliffe Co., Louisville, Ky.
Southwest Radio Supply Co., Dallas, Texas.
U. S. Radio Co., of Penn., Pittsburgh, Pa.
Union Elec. Supply Co., Providence, R. I.
Viking Radio Co., N. Y. C.
Warner Bros., Oakland, Calif.
Western Radio El. Co., Los Angeles, Calif.
Western Radio Co., Kansas City, Mo.
Wheeler-Green Elec. Supply Co., Rochester, N. Y.
Whitall Elec. Co., Springfield, Mass.
Williamson Elec. Co., Seattle, Wash.
Wilmington Elec. Spec. Co., Wilmington, Del.
The Winchester Store, N. Y. C.
Wolfe Electric Co., Omaha, Nebr.
Jos. M. Zamoiski, Baltimore, Md.

ASK FOR
"Consolidated"
Patterns
FOR MAKING YOUR OWN



For sale everywhere in the United States and
eleven foreign countries

Consolidated Radio Call Book Co., Inc.

98 PARK PLACE, NEW YORK CITY

NOTICE TO DEALERS—YOUR name may appear in next issue—ASK US!

RUSONITE

CRYSTAL RECTIFIER
MULTIPOINT

(Patent Pending)

A Synthetic CRYSTAL DETECTOR, sensitive over its entire surface.

Eliminates all detector troubles. Extraordinary clearness and volume. Endorsed by Radio experts and press. Sold in Sealed Packages only. Join the ever increasing Rusonite fans.

Price, Postpaid, mounted. **50c.**
Sensitivity guaranteed ...

RUSONITE CATWHISKER

14 Karat Gold Multipoint Contact **25c.**

Supersensitive

Order from your dealer or direct from us.

RUSONITE PRODUCTS CORP.

15 Park Row, N. Y. Dept. "S"



CHARGE YOUR BATTERY (RADIO OR AUTO) at HOME for a NICKEL The HOMCHARGER

POPULARLY PRICED — PAYS FOR ITSELF
SEND FOR THE AUTOMATIC ELECTRICAL
FREE BOOK 118 W. THIRD ST., CINCINNATI, OHIO.

**Hear Atlanta
On Crystal** We receive programs from Atlanta
Minneapolis, Davenport, Fort Worth, Dallas, Kansas
City, St. Louis, Denver on Crystal without batteries.
Usual crystal set requires only easy, inexpensive
changes. Send stamp for further information or \$1
for copyright drawing and instructions. Everything
clearly explained. Satisfaction GUARANTEED.

Leon Lambert, 541 South Voltsia, Wichita, Kan.




Radio Headsets 3000 OHMS SUPERSENSITIVE

Price, **\$3.98**Plus 20c. postage—Total, \$4.18
Send 10c in Stamps for Radio Catalog
ERNEST ELECTRIC CO.

847 Easton Ave., St. Louis, Mo.

BE A NEWSPAPER ARTIST!

Win fortune and fame. MANUEL ROSENBERG COURSE IN NEWSPAPER AET tells you how. 71 Lessons and 100 illustrations. Drawing made easy. Complete instruction in layouts, lettering, illustration, cartooning and sketching. Ten years' experience as staff artist of important American dailies. Price only \$5 cash or order C. O. D. Order TODAY. Your money refunded if you do not agree that this is the greatest art course value ever offered.



MANUEL ROSENBERG, P. O. Box 717, S. I., Cincinnati, O.



GET YOUR BEARINGS

In this great and glorious universe. Unlock the mysteries of the heavens by sending for a large Map and Supplement of the Solar System, drawn to scale, and explaining in detail all about this interesting subject. Also by aid of this Map and Supplement you can trace the movements of the Earth and Planets and know their positions in relation to each other at all times. Price only \$1.00. THE McFARLAND MAP WORKS, A-1181 Clay St., San Francisco, Calif.

LEARN ENGINEERING

Courses, 3 months to 2 years—practical, technical training under experts. Not a Trade School, but a practical, technical college teaching electricity, steam, gas, autoelectric, armature winding, drafting, radio. Extensive laboratory and shop. Degrees awarded. Day and night sessions. Enroll any time. Finley Engineering College, 1003 Indiana Avenue, Kansas City, Mo.



Wonderful, new device, guides your hand; corrects your writing in few days. Big improvement in three hours. No failures. Complete outline FREE. Write C. J. Ozment, Dept. 44, St. Louis, Mo.

You can be quickly cured, if you

STAMMER

Send 10 cents for 288-page book on Stammering and Stuttering, "Its Cause and Cure." It tells how I cured myself after stammering 20 yrs. B. N. Bogue, 795 Bogue Bldg., 1147 N. Ill. St., Indianapolis.

Scientific Tools of the Modern Detective

(Continued from page 199)

PSEUDO-SCIENCES

Chemistry, like all modern sciences, has developed from a pseudo-science, which is only a more polite name for *fake-science*, called *alchemy*. During the dark ages, when humanity was groping in blackest ignorance and superstition, when women were burned at the stake as witches in order to clear up mysterious happenings; or to make them confess crimes of which they were innocent and ignorant, people were walked barefoot over burning coals or red-hot iron, strung up by their thumbs and subjected to all kinds of cruelty by instruments of torture; when poor lunatics, living in a frightful condition of filth and degradation, were chained and abused that "the devil or evil spirit" which possessed them might "be driven out"—it was then that alchemy flourished. Under its influence attempts were made to change baser metals, such as lead, into pure gold.

While alchemy has but few adherents nowadays, *astrology*, fake-sister to astronomy, has millions. Astrology pretends to read one's destiny as written in the skies at his birth. *Palmistry*, another pseudo-science, distantly related to the finger-print, is supposed to tell the past, present and future of an individual from the lines of his hand. *Mesmerism* and *clairvoyance*, too, are frauds which have cost many a dupe a lot of money and many a swindler a long term in jail.

LITTLE KNOWN SCIENCES

Of course, we cannot utterly ignore and positively deny certain phenomena in *telepathy*, *mind reading*, *thought transference*, which are beyond the sphere of the present development of modern scientific research, with its apparatus and instruments. Modern science admits that there are certain phenomena the origin of which it cannot explain. Professor Flammarion, director of the Paris Observatory, in his book "The Unknown" cites some three hundred cases of authenticated experiences of premonition, dreams that came true, thought-transference across oceans of water and other things of this nature, which he has gathered from all corners of the globe, and which before the age of the wireless might have impressed us as *supernatural*.

The various societies of *psychical research* also are reporting and investigating impartially cases which are brought to their attention.

Modern science also admits *magnetism*, *hypnotism*, *suggestion* and *auto-suggestion* as facts, and is trying to uncover the laws of nature which govern these phenomena. Professor Charcot of Nancy and Dr. Bernstein of Paris, Dr. Kraft-Ebbing of Vienna and many others have used this latent power to change formed habits, cure disease and even as an anesthetic agent in surgery.

In a few cases recently, hypnotism and psychology have figured in the courts—especially *psychology*. In almost every trial there are baffling points in the testimony: Was the witness telling the truth when he said he saw Mrs. Jane Jones wearing a black silk skirt and a green hat trimmed with red flowers, just before the fatal shot was fired around the corner in front of him? He asserts that he looked at the town clock at that moment and that it was just eight o'clock daylight-saving time.

The psychologist, called in by the defense, tells the jury that the witness has a very vivid imagination for no human eye can distinguish colors in the twilight. He also insists that the witness could not have been



Just so sure as this magic called Radio is here to stay, just so sure will SIGNAL folks be making Radio apparatus. For in manufacturing Radio equipment, as in every other phase of human life, the law of the survival of the fittest holds good.

The big thing in SIGNAL'S survival and success is that SIGNAL Radio Sets and parts, are designed for service. They're made right. They look right. They work right. Expert engineering, fine materials, workmanship of utmost precision, all guarantee this.

Getting right down to brass tacks, when professionals tell us that they "get what they want when they want it" with SIGNAL apparatus—when amateurs tell us that they "get what's going and get it easily" with SIGNAL apparatus—and they do tell us that repeatedly—then you can buy SIGNAL apparatus and know that it will "deliver the goods."

For sale by dealers everywhere.
Insist on SIGNAL—it's your protection.

SIGNAL Electric Mfg. Co.

Factory and General Offices

1911 Broadway, Menominee, Mich.

Atlanta Cleveland Pittsburgh
Boston Minneapolis St. Louis
Chicago New York San Francisco
Montreal Toronto

INFORMATION COUPON

Signal Electric Mfg. Co.,
1911 Broadway,
Menominee, Mich.Please send catalog and bulletins giving complete information about SIGNAL Radio equipment to name and address written in marking—without obligation.
(2277)

24 HOUR SERVICE

No order too small—No Dealer too far away.

We ship everywhere.

COMPLETE STOCK Radio Standard Sets

and Parts.

LARGEST COMPLETE STOCK
of Standard Supplies in Middle West
Write for 64-Page Catalog No. D-10.

—DEALERS—

Greater Discounts

Better Profits

AMERICAN RADIO MFG. CO.
107 E. 13TH ST. Dept. F KANSAS CITY, MO.

W. T. 501 DETECTOR TUBE

\$2. For tube sets, or to convert crystal sets into tube sets at small cost. Special socket 40c extra. Special adaptor 75c extra.

RADIO RESEARCH GUILD
40 CLINTON ST. NEWARK, N. J.

A Revolution in Radio Receiving
**NATIONAL AIRPHONE
GOLD GRAIN DETECTOR**
Guaranteed Fool-proof

NEW PRICES

**PRICE
\$1.00**

Actual Size
with Brackets
and screws for
panel mounting.
This Detector
is not a fixed
detector but a
revolving one.
Uses no Cat-
Whiskers, no
springs, no balls
—BUT PURE
GOLD as the
contact elements.
Is always ready
and Stays - Put.
Most sensitive
point of the
detector is found
by revolving the
cartridge slightly
while tapping.

*For Panel Mounting
(Patents Pending)*

After you have fussed with cat-whiskers, springs, balls and adjusting handles, and after you have become almost a nervous wreck hunting for the "elusive spot," you will welcome with open arms our

**100% FOOL-PROOF
"GOLD-GRAIN" DETECTOR**

Awarded certificate of Merit by Institutes of New York Eve. Mail and New York Tribune.

National Airphone Outfit \$8.50

**NATIONAL
AIRPHONE
CORPORATION**
REG. U.S. PAT. OFF.

16-22 HUDSON STREET
NEW YORK
Dealers—Write for Prices



The Height of Efficiency
Crosley Model X—Price \$55.

For Sale by Best Dealers Everywhere.
Write for catalog showing complete
Crosley line.

New York Office,
C. B. Cooper, 1803 Tribune Bldg., 154 Nassau St.
Boston Office,
B. H. Smith, 929 Blue Hill Ave., Dorchester.
Chicago Office,
1311 Steger Bldg., 28 E. Jackson Blvd., R. A. Stemm, Mgr.
CROSLEY MANUFACTURING CO.
624 Alfred Street, Cincinnati, O.

Remarkable
Regenerative
Receivers
**ACE Model V
\$20**
Formerly known as
Crosley Model VC

A Great Summer Seller.

Licensed under Armstrong U. S. Patent No. 1,113,149. Live Jobbers and Dealers are taking advantage of the wonderful sales of this instrument. Free catalog on request.

THE PRECISION EQUIPMENT CO.
"Powel Crosley Jr. President"
624 Gilbert Avenue, Cincinnati, O.

Have You Something To Sell or Exchange?
A classified ad in Science & Invention will reach
over 160,000 at a cost of only 12 cents a word.

positive where the shot was fired, as it is impossible to tell whether a shot is fired directly in front or directly behind unless the flash of fire is seen.

Courts and lawyers, however, regard psychology rather skeptically, with uplifted noses, as if to say, "Ah, these new-fangled theories—you cannot take much stock in them!" Yet the fool-proof detective who regards it as mere bunk is just as childish as was the detective who thought finger-prints were nothing but picture-puzzles for the baby. It takes time to convince a doubting world of all these things, but the scientific detective will be an established institution once this science of psychology can approximate one hundred per cent degree of accuracy in its statements and facts.

CHEMISTRY

There is scarcely an article in every day use but that somewhere in the process of creating or finishing the chemist enters. All industry today is eight per cent chemical. And as many sided as these industrial uses, is the detective's application of chemistry to his own ends. Take, for instance, a simple case like the following:

A coat was picked up not long ago in the investigation of an assault on a young girl, who could give no clue to her assailant, except that he had his coat on his arm, which he threw to one side and forgot to pick up when he ran away, scared off by approaching footsteps and the girl's screams. The detective who worked on this case knew enough to put the coat in a moth-proof paper bag and beat it with a whip. The dust collected in the bag in this manner was then chemically analyzed. It revealed pulverized particles of wood-fibre, gelatine and glue. "Woodworker!" I hear you exclaim. Yes. But what kind? Carpenter, joiner, piano-maker, pattern-maker, saw-mill worker—which? The glue suggested more than a saw-mill worker or even a carpenter. And as there was a piano factory nearby, the employees were carefully checked up by the detectives and the ones absent the day of the assault were shadowed and "roped." The right man was thus discovered among these men, and brought to justice.

The chemist helps the detective as expert on narcotics, drugs, liquors and various chemical.

I have a case in mind where a friend of mine, a prominent American chemist and explosives expert, was called in to help the state police. A man was accused of having murdered his wife and of having then set fire to his home in order to collect the insurance money on her life and on the house. The man proved an alibi that was apparently indisputable: he was fifty miles from his home on the day of the fire. He said he knew nothing whatsoever about the fire till he was notified of the tragedy by the authorities upon his arrival in town. The case looked rather weak for the prosecution. What happened?

My friend, the chemist, called in by the authorities, looked the place of the fire over most carefully. The house had been burned down to its foundations, into the cellar. Everything that had not been inflammable had dropped into the cellar, much of it melted by the heat. The chemist noted how trees at some distance from the house were badly scorched. He ascertained by inquiries in the town and from U. S. Weather Bulletins the direction of the slight breeze blowing on the day of the fire, and knew that it would have taken a gale blowing at the rate of seventy to eighty miles an hour to have affected trees so far away.

Next he searched among the wreckage which had piled up in the cellar. He found the remains of a brass bedstead melted into big lumps of metal. As an expert chemist he knew that the heat of a fire resulting

BRACH
VACUUM
RADIO PROTECTOR

Ask Your
Insurance Agent

Approved by
National Board
Fire Underwriters

*The Choice of the Foremost Engineers
for Over 17 Years*

SOLDERALL
The Only Convenient Metal Solder

Every Electrical
Connection Needs SOLDERALL
For Perfect Reception

AT JOBBERS
AND DEALERS OR BY MAIL
25¢ A TUBE

L. S. BRACH MFG. CO.
NEWARK, N. J.

**FREE VACUUM TUBE
RADIO SET**

The Set you always Wanted, FREE

A real RADIO SET — Listen in on
Concerts, Lectures, Singing, etc. Can
receive 75 to 100 miles and more.

RUSH your name and address and we
will tell you HOW you can get
VACUUM TUBE RADIO SET
ABSOLUTELY
FREE

Don't delay. Write today
for FREE RADIO PLAN.

Home Supply Co.
Dept. 483
131 Duane St., New York

FREE Radio Catalog

Our big stocks of standard
makes of radio sets, parts
and supplies enables us to
make prompt shipment
from stock. Play safe—
buy standard equipment
from a reliable house. No
cut price material.

Send \$5.00 for Murdock Complete Loud
Speaker, 70c for "A" Battery Switch, 80c
for pair Rubber Ear Muffs.

JULIUS ANDRAE & SONS CO.
In business since 1860
128 Michigan St., Milwaukee, Wis.

CUT RATE RADIO

STANDARD APPARATUS ONLY
Write for 54-page Catalogue of Bargains

BALDWIN TYPE "C" PHONES	\$10.25
BRANDES SUPERIOR PHONES	6.45
RADIOTRON U V 200 DETECTOR TUBES	4.25
ACME AUDIO TRANSFORMERS	4.45

Everything for Radio at less. Immediate Delivery

FEDERAL RADIO ELECTRIC CO.
1235 GRAND AVENUE Dept. F KANSAS CITY, MO.

CHARGE
YOUR OWN BATTERY

You can do it—without removing your
battery or even disconnecting terminals.
The Valley Battery Charger will end your battery
troubles. Plug in on lamp socket; clamp
battery to battery. Cannot overcharge or harm
battery. Price \$18.00. Send for booklet.

Valley Electric Company
Department S. ST. LOUIS, MO.

**Science Versus
Spiritism**
By JOSEPH H. KRAUS
(Continued from page 111)

were stumped by a rather difficult question), that they could scarcely stand up. Everyone present envied the powers (?) which the medium possessed.

OUR OWN "GHOSTS"

In the spirit photographs which we show on the present page, we see not only manifestations of ectoplasm—a term invented for a supposed fluid or substance which is supposed to emanate from the medium's body—but we also see fairies and complete manifestations of spirit faces and forms. Some of these were taken by Mr. Dunninger, the well-known telepathist and mind reader, and others by Father de Heredia, S.J. Mr. Dunninger produced these spirits right in our own office as follows. He arrived with a small satchel containing the usual five by seven view camera. Placing the camera-carry case down upon the desk he requested that we load our own plate holders with our own plates, in our own dark room. He did not at any time come into the dark room or otherwise interfere with what we were doing. He then requested that we scrutinize the camera, or if we desired, use our own. We preferred to do the latter. So our five by seven camera was placed on a tripod. It was focussed upon Mr. Dunninger and photographs were taken. In each case the spirit form will be clearly seen, and the position was always different. This plate holder never left our hands, and Mr. Dunninger did not handle any of the apparatus whatever.

Father de Heredia on the other hand came into the dark room with us, and told us to write our names across the bottom of each individual plate. His hands were held. We used five by seven cameras, eight by ten cameras, and in fact even used the Graflex. We could not see the spirit on the ground glass, but noticed that we not only got spirits, but also fairies.

In spirit photographs, such as those submitted by Mr. Dunninger, the pictures are printed for their educational value, as in opposition to those submitted by many writers of psychical books. Note the fairies as in opposition to Sir Arthur Conan Doyle's "The Coming of the Fairies." Professor Caesar, author of "The Unseen World," the world famed exponent of spiritualism, also posed with Mr. Dunninger in some of these pictures. Professor Caesar is opposed to the method employed by fake mediums, who are, as he claims, a menace to genuine spiritism. Recently at The City Hall, New York, before Mayor Hylan and a prominent audience of city officials, Mr. Dunninger exhibited scientific manifestations of supposed spiritualism. Although many of the newspapers have misquoted Mr. Dunninger as exposing spiritualism, such statements were incorrect inasmuch as the demonstrations consisted merely of duplicating spiritistic phenomenon by natural scientific means. The method of doing this is known to no one with perhaps the exception of Mr. Dunninger himself and a few of his followers.

A world-wide challenge has therefore been extended through the press and through this magazine to any medium who produces alleged spiritistic manifestations, or to any other medium now professionally practicing and claiming to demonstrate the possibility of communicating with the dead, to meet Mr. Dunninger at the offices of SCIENCE & INVENTION, who will duplicate under test conditions those same phenomena.

**Your Dealer Probably Has
"ALL-AMERICAN"
Amplifying Transformers**
(RADIO and AUDIO Frequency)

If he has thus far missed these highly important aids to clear strong radio reception, tell him you'll buy "All-American" or nothing.

They cost no more; and your set is entitled to the best the art has produced. Our Radio Frequency Transformers should be used to amplify the radio frequency impulses before they reach the detector tube and the Audio Frequency Transformers to strengthen the detected signals. The combination of the two forms the ideal long-distance radio reception hookup for either headphone or loudspeaker reproduction.

Audio Frequency Transformer



"ALL-AMERICAN" Amplifying Transformers

R-10—Radio Frequency*(150-550 meters)	\$4.50
R-12—Audio Frequency (Ratio 3 to 1)	4.50
R-13—Audio Frequency (Ratio 10 to 1)	4.75
R-21—Audio Frequency*(Ratio 5 to 1)	4.75

Ask your dealers first, before you write. If none of them can supply you, send orders to us with name and address of Dealer you wish to favor, and transformers will be sent you postpaid at the prices named.

FREE Hand Book of Radio Hookups—25 up-to-date diagrams of Successful Circuits. Send 2c stamp to cover postage.

RAULAND MFG. CO.
200 No. Jefferson St., Chicago, Ill.



75c



SINCE selling our "Rico" Loud Speaker 'Phone we have had a tremendous demand for an adapter by which a 'Phone can be adapted to any phonograph. Our new Phonodapter is the result of this demand. The "RICO" Phonodapter presents many unique advantages over other similar adapters. In the first place, the entire adapter is made of pure rubber and will stretch over any make of 'phone. It has, however, been especially developed for the "RICO" Loud Speaker 'Phone. This adapter does not give rise to echoes, as is the case with most of the others that we have examined. There are no echo air chambers left after the adapter is attached to the 'phone, as is the case with so many others.

Study the illustration carefully and become convinced why ours must be better than most others. The illustration also shows the brass tube inserted in the smaller part of the Phonodapter. With this brass tube the Phonodapter fits all Columbia phonographs. By removing this tube, the Phonodapter fits Victor, as well as Sonora phonographs. It will be seen, for this reason, that the Phonodapter is a universal article, which must appeal instantly to every one.

OTHER USES

The above, however, does not exhaust the uses of the "RICO" Phonodapter, because it can be used in connection with standard horns. It is realized that it is almost impossible to fit the "RICO" Loud Speaker 'Phone, or, for that matter, any receiver, to a horn. If you should happen to have such, without an adapter, the "RICO" Phonodapter can be used to couple any 'phone to a horn. If you have one, the Phonodapter will solve your difficulty. If you do not wish to go to the expense of a horn, and wish to improvise one it can be easily made by drilling and pasting together a sheet of stiff Bristol Board and fashioning the brass tube of the "RICO" Phonodapter you will at once have a horn which in an emergency will prove quite satisfactory. Such horns can be made as large as desired. We guarantee the Phonodapter to do all that we say. No. 131 "RICO" Phonodapter, as described, each, prepaid \$.75

THE "RICO" LOUD SPEAKER 'PHONE. The Rico Loud Speaker 'Phone has a heavy aluminum shell, hard rubber composition cap, non-rusting sherardized diaphragm. It is furnished complete with a 5-foot cord, ready to attach to your horn.

**RADIO
INDUSTRIES
CORPORATION
131 Duane St., New York**

We are so convinced that every user will be enthusiastic about this 'phone that we have made a special offer of 5 days' trial, whereby we shall take back and refund the money for any Rico Loud Speaker 'Phone at the end of 5 days, if it does not prove entirely satisfactory.

Send No Money. Don't send us a penny now. Just write and tell us you want this wonderful 'phone and we will rush the order to you at once. Pay your postman the price of the 'phone and then **\$4.50**.

Send for our free illustrated circular listing all our other types.

Qualities Best—Prices Lowest

The Largest Radio Store in the World offers out-of-town buyers the same bargains that crowd the floors with Chicago buyers from early morning 'till late at night every week day.

As a sample of hundreds of bargains, we offer by mail prepaid \$10.00 value long range Radio Headsets. \$3.65 Two hundred other wonderful bargains. All goods ordered are shipped the day the order is received.

Send in your name for our weekly catalogue price list. It will astonish you.

CHICAGO SALVAGE STOCK STORE
509 South State St., Dept. S.I., Chicago, Illinois

LEARN RADIO

Here's your opportunity. Radio needs you. Win success in this fascinating field. Trained men in demand at highest salaries. Learn at home, in your spare time.

Be a Radio Expert

I will train you, quickly and easily, to design, construct, install, operate, repair, maintain, and sell all forms of Radio apparatus. My new methods are the most successful in existence. Learn to earn.

\$1,800 to \$10,000 a Year

FREE receiving set, of latest design. Write for "Radio Facts" free. Engineer Mohaupt. American Electrical Association Dept. 66 4613 Ravenswood Ave., Chicago

Opportunity Ad-lets

YOU will find many remarkable opportunities and real bargains in these columns. It will pay you to read and investigate the offerings made every month by reliable firms, dealers and amateurs from all over the country. No matter what you may be seeking, whether supplies, automobile accessories, the opportunity to make money, or anything else, you will find listed here the best and most attractive specials of the month.

Advertisements in this section twelve cents a word for each insertion. Name and address must be included at the above rate. Cash should accompany all classified advertisements unless placed by an accredited advertising agency. No advertisement for less than 10 words accepted.

Ten per cent. discount for 6 issues, 20 per cent. discount for 12 issues. Objectionable or misleading advertisements not accepted. Advertisements for the August issue must reach us not later than June 15.

The Circulation of Science and Invention is over 160,000 and climbing every month

EXPERIMENTER PUBLISHING CO., INC., 53 Park Place, New York City, N. Y.

Advertising Service

For quick results use direct mail advertising. Letters, folders, campaigns. Free suggestions. Wilson, 247 William St., East Orange, N. J.

Agents Wanted

Agents—if you have formerly sold felt rugs write for our new proposition concerning new goods. It's a winner. Newark Felt Rug Company, 56 S. Bergen Street, Newark, N. J.

Agents—Best seller; Jem Rubber Repair for tires and tubes; supersedes vulcanization at a saving of over 800 per cent; put it on cold. It vulcanizes itself in two minutes, and is guaranteed to last the life of the tire or tube; sells to every auto owner and accessory dealer. For particulars how to make big money and free sample, address Amazon Rubber Co., Dept. 601, Philadelphia, Pa.

Big money and fast sales. Every owner buys gold initials for his auto. You charge \$1.50; make \$1.35. Ten orders daily easy. Write for particulars and free samples. American Monogram Co., Dept. 71, East Orange, N. J.

Agents—Sodereze; we are paying \$2.00 an hour taking orders for this newest invention; send for free outfit and samples. American Products Co., 8182 American Bldg., Cincinnati, Ohio.

300 Per Cent Profit—Sells like wildfire! Kleanrite Magic Washing Compound. Sample free. Bestever Products Co., 1945-D Irving Park, Chicago.

Start your own business as our sole agent, selling 100 famous home products. All or spare time. Dr. Blair Laboratories, Dept. 535, Lynchburg, Va.

Make \$25 to \$50 week representing Clow's Famous Philadelphia Hosiery, direct from mill—for men, women, children. Every pair guaranteed. Prices that win. Big book "How to Start" tells the story. George Clow's Company, Dept. 27, Philadelphia, Pa.

Agents Wanted in Every City to sell standard Badie apparatus on a liberal commission basis. A few stocking agencies open to reliable parties. Delfisco, 12 Meeting St., Pawtucket, R. I.

Ambitious Men, write today for attractive proposition, selling subscriptions to America's most popular automobile and sportsman's magazines. Quick Sales. Big profits. Pleasant work. Digest Pub. Co., 9541 Butler Bldg., Cincinnati.

We want Salesmen and Agents, either whole or side line, to sell our low priced radio books to the trade. Excellent proposition for live wires. The E. I. Company, Publishers, 233 Fulton Street, New York City.

We wish representatives in every community to secure subscriptions for Science and Invention, Radio News, and Practical Electricity. This is a wonderful opportunity for Amateur Radio Enthusiasts to make big money quickly. Write Experimenter Publishing Co., Inc., 53 Park Pl., New York City.

27,000 Records guaranteed with one Everplay phonograph needle, new, different; cannot injure records; \$10.00 daily easy. Free sample to workers. Everplay, Desk 67, McClurg Bldg., Chicago.

Greatest Sensation! Eleven Piece toilet article set selling like blazes at \$1.75 with \$1.00 dressmakers shear free to each customer. Spring rush on. Foster Reid Co., 28 Winslow Bldg., Station C, Chicago.

Agents Sell Harper's Household Cleaning Set. Washes and dries windows, mops, scrubs, cleans walls, hangs paper, sweeps, etc. Complete set sells for less than \$5. Over 100 per cent profit. Can start without a cent. Harper Brush Works, 112 A St., Fairfield, Iowa.

Write and learn how to start profitable business without capital or experience. Silvering mirrors, refinishing auto headlights, tableware, plating. Outfit furnished. International Laboratories, Dept. 25, 309 Fifth Ave., New York.

Earn big money fast applying gold initials to autos. Every owner buys—\$1.35 profit on \$1.50 sale—particulars and samples free. Write quick. Lithogram Co., Dept. 19, East Orange, N. J.

Live Agents make \$10 Day selling Eureka Strainer and Splash preventer for every water faucet. Takes on sight. Widely advertised and known. Get details today. A. J. Seed Filter Co., 73 Franklin, New York.

Are You Old at Forty? See our advertisement on page 206 of this issue. The Electro Thermal Company, Steubenville, Ohio.

\$10 daily silvering mirrors, plating and refinishing lamps, reflectors, autos, beds, chandeliers by new method. Outfits furnished. Write Gunmetal Co., Ave. D, Decatur, Ill.

Rummage Sales make \$50.00 daily. We start you. Representatives wanted everywhere. Wholesale Distributors, Dept. 32, 609 Division Street, Chicago.

Agents Wanted (Continued)

Only one sale a day means \$200 per month! Five sales, \$1,000 per month! Marvelous new adding machine. Retails \$15. Work equals \$350 machine. Adds, subtracts, multiplies, divides automatically. Speedy, accurate, durable, handsome. Five-year guarantee. Offices, stores, factories, garages, buy one to dozen. A fortune for live agents. Write quick for protected territory and free trial offer. Lighting Calculator Co., Dept. W., Grand Rapids, Mich.

Agents, \$60 to \$200 a week. Free Samples. Gold Sign Letters for Store and Office windows. Anyone can do it. Big Demand. Liberal offer to general agents. Metallic Letter Co., 5322 N. Clark St., Chicago.

Large Shirt Manufacturer wants Agents to sell complete line of shirts direct to wearer. Exclusive patterns. Big values. Free samples. Madison Mills, 503 Broadway, New York.

Side Line Salesmen. Big profits assured. National organization selling staple specialties to trade or consumer. Send for catalogue and winning sales plan. Ostra Corporation, 114-T East 25th Street, New York.

Agents—Big returns, fast office seller; particulars and samples free. One Dip Pen Co., 12 Daily Record Bldg., Baltimore, Md.

Free Book. Start Little Mail Order Business. Home employment evenings. Pier, Dept. 191-A, 74 Cortland St., N. Y.

World's fastest agent's seller. 300 per cent profit. Needed in every home and store. Establish permanent business. Premier Mfg. Co., 819 E. Grand Blvd., Detroit, Mich.

Agents and Salesmen. World greatest necessity specialties. Agents made \$60 a week. Valuable samples free with first mail. Ro-d-ex Co., 70C, Council Bluffs, Ia.

\$75.00 weekly with new specialty. Sells on sight to auto owners and trade. One man in Columbus, Ohio sold 55 gross in 60 days. 100 to 200% profit on small investment. Write today for wonder selling plan and information. C. L. Winegar, Dept. 14, West Fort Ann, N. Y.

Agents—Household necessities galore, food products, toilet preparations, extracts, remedies, soaps; two big lines; catalogues free. Western Products, 606 N. Oakley, Dept. AG, Chicago.

Manufacturers on large scale, also homeowners, wanted to manufacture Metal Toys and Novelties. Millions needed of Barking Dogs, Wag-Tail Pups, Wild Animals, Automobiles, Indians, Cow-Boys, Baseball Players, Cannons, Toy Soldiers, Crowning Roosters, Statues of Liberty, Miniature castings of Capital, Bathing Girl Souvenirs and others. Unlimited possibilities. Guaranteed Casting forms furnished manufacturers at cost price from \$5.00 up, with complete outfit. No experience or tools necessary. Thousands made complete per hour. We buy goods all year and pay high prices for finished goods. Cash on Delivery. Contract orders placed with manufacturers. Catalog and information free. Correspondence invited only if you are in business. Metal Cast Products Co., 1696 Boston Rd., New York.

American Made Toys

Painters, Decorators, Printers, Artists—Color Mixing Guide, 3,000 colors (gives proportions), \$1.00 return mail. King Publishers, 1125 W. 27th, Indianapolis, Indiana.

Automobiles

Automobile owners, garagemen, mechanics, send today for free copy America's most popular motor magazine. Contains helpful articles on overhauling, repairing, ignition, carburetors, batteries, etc. Automobile Digest, 541 Butler Bldg., Cincinnati.

Batteries

Batteries. Edison Storage "B" Battery Elements 5c per pair; 18 will make one 22.5 volt Battery. Gilman's Battery Shop, Chelsea Sq., Chelsea, Mass.

Correspondence Courses

Dollars Saved. Used correspondence courses of all kinds sold, rented and exchanged. List free. (Courses bought) Lee Mountain, Pisgah, Alabama.

Duplicating Devices

"Modern" Duplicators save Time, Labor and Money. Gets Business. Reproduces Typewritten or penned letters, Drawings, Lessons, Music, Menus, Bills, Notices, Specifications, Maps of anything in one or more colors. Prints two per minute. Special Sale On. 30 Days' Free Trial. \$2.25 up. Booklet Free. B. J. Durkin-Reeves Co., Pittsburgh, Pa.

Books

Perpetual Motion, by Percy Verance. A history of the efforts to discover same from earliest days to the present, together with a scientific discussion regarding the possibility of its ultimate achievement. Profusely illustrated, 357 pages. Price postpaid, \$2.00. The Enlightenment Specialty Co., 305 Fourth St., Edwardsville, Ill.

Ecclesiastic Stigmasee Emmerich, Nativity, Egypt, Cana; 4 books for 20c. Klein Co., Brandon, Minn.

Diseases and Their Innate Healer. Book 50 cents. Arthur Stevens, Wauseon, Ohio.

Hypnotism—Astounds, Controls others, 25 easy lessons, \$1. "Mindreading" (any distance), 30c. Science Institute, 5114 Belmont, Chicago.

Send for New Illustrated Catalog of Books on Mechanical Subjects Free. Spon & Chamberlain, 122 S Liberty Street, New York.

300 Book Bargains on Occultism, Mind-reading, Clairvoyance, Hypnotism, Spiritualism, Astrology, Dreams, Ancient Magic, Self and Drugless Healing, Sex Secrets and other rare books, 64 page catalog, 4c. C. E. Winegar, Pub., West Fort Ann, N. Y.

Autosuggestion and kindred subjects. Coue's latest books and others. New catalog now ready. Book League, Dept. SI., Columbus Circle, New York.

Sexology—Complete International Catalog sent to members of professions and advanced adult students. Send 10c postage for International Catalog. The Book League, Dept. SI., 5 Columbus Circle, New York.

Free—Upon request will send you my literature illustrating the following books. Astrology, Character, Clairvoyance, Concentration, Healing, Hypnotism, Magnetism, Mediumship, Personal Magnetism, Personality, Physiognomy, Salesmanship, Seership, Success, Sex, Will, Yogi Philosophy, Gazing Crystals, etc. A. W. Martens, E.E. 6, Burlington, Iowa.

Coue's "Self Masterkey" 50c. "Power of Will" \$3.00. "The Master Key" \$2.50. All for \$5.00. Phipps Studio, 1014 Belmont, Chicago.

Business Opportunities

Chemical Expert will furnish formulas and trade secrets. All lines. Lists free. W. L. Cummings, Ph. D., 238 Gordon Ave., Syracuse, N. Y.

Start a cleaning, dyeing, pressing shop. Big profit. Experience unnecessary. Plans 25c. International, Dept. 21, Excelsior Springs, Mo.

Make money with your camera. P. Lancaster, Box 687, Los Angeles.

Will pay cash for sole right to novelty idea or invention that retails for 10 cents. Address Lock Box 66, Station F, New York City.

Dollars yearly in your Backyard. No mushroom dopes. Particulars free. Metz, 313 E. 89th St., New York.

Big Money in Radio. Thousands of men needed in fastest growing industry. Best positions go to holding U. S. Government License in Radio. Easy to qualify for this at home in spare time. Write for free book on radio. Describes bigger opportunities in Radio; tells how you can easily qualify for them. Address National Radio Institute, Dept. M-5, 1345 Pennsylvania Ave., N. W., Washington, D. C.

Join National Institute Inventors, 8 E. 14th St., New York City, strong protective membership society. Will secure, develop, manufacture, market patents. Dues, \$10. Booklet free.

Advertise. Country town newspapers. Lists free. Penwell Company, Corington, Ky.

Sell us your spare time. You can earn Fifteen to Fifty dollars weekly writing show cards at home. No canvassing; pleasant profitable profession, easily, quickly learned by our simple, graphic block system, artistic ability unnecessary; we instruct you and supply work. Wilson Methods, Limited, Dept. J, Toronto, Canada.

You can have a business-profession of your own and earn big income in service fees. A new system of foot correction: readily learned by anyone at home in a few weeks. Easy terms for training, openings everywhere with all the trade you can attend to. No capital required or goods to buy, no agency or soliciting. Address Stephenson Laboratory, 18 Back Bay, Boston, Mass.

Prepare—Sell Your Own Products. Formulas, trade secrets. Different, dependable. Catalog free. D. Thaxby Co., Washington, D. C.

Movies. Get your share of the billions of nickels that roll into the movies every year without capital or experience. Booklet explaining how—25c. Circular free. Address L. Sandelin, Laurium, Mich.

Chemistry

How to Make and Use Small Chemical Laboratory. 100 pages. Illustrated. Construction of laboratory furniture, electric furnace, chemical balance and other apparatus; inorganic chemistry, novel experiments, glass blowing, etc., fully explained, 75¢ prepaid, with catalog of scientific books. D. Altman Company, 225 East 110th Street, New York.

Your chemical problem solved and working process furnished for Five Dollars. Write me. W. Stedman Richards, Consulting Chemist, Box 2402, Boston, Mass.

Learn Chemistry at Home. Dr. T. O'Connor Sloane, noted educator and scientific authority, will teach you. Our home study correspondence course fits you to take a position as chemist. See our full-page ad on page 105 of this issue. Chemical Institute of New York, 66 W. Broadway, New York City.

Experimenters—Complete supplies for the Chemical laboratory. Send 5¢ for catalogue. National Scientific Supply Co., 241 Pa. Ave., N. W., Washington, D. C.

Apparatus, Books, Chemicals for experimenters. Catalog 10c. Wright Laboratory, Caldwell, New Jersey.

Ford Owners

Sport Cars. Fast, saucy, hug the turns and stick to the road—make you glad you're a Ford owner. Can easily be built by aid of life size "Red-i-Kut" patterns and picture instructions. The "Pal" system delivered complete with pressed metal streamline tall for \$6.30. Garage men make big money building them. Send for prospectus on making sport cars—Jiffy Tops and Gosum windshields. Kuempel Co., 1100 Kuempel Bldg., Guttenberg, Iowa.

For Inventors

Your chemical problem solved and working process furnished for Five Dollars. Write me. W. Stedman Richards, Consulting Chemist, Box 2402, Boston, Mass.

Get your own patents. Application blanks, complete instructions \$1. Cutting Bros., Campbell, Calif.

"Inventors' Guide" free on request, gives valuable information and advice for all who have original ideas or improvements. Frank Ledermann, Registered Attorney and Engineer, 15th Park Row, New York.

Before or after filing your application for patent, it will pay you to read over my "Inventors Advisor No. 4." Free for asking. Write M. Labine, Registered Patent Attorney, 3 Park Row, New York.

Unpatented ideas can be sold. I tell you how and help you make the sale. Particulars free. Write W. B. Greene, 106 The Atlantic, Washington, D. C.

For Men

Homespun Tobacco—Chewing, 5 lbs., \$1.25; 10 lbs., \$2.50; 20 lbs., \$4.50. Smoking, 5 lbs., \$1.25; 10 lbs., \$2.00; 20 lbs., \$3.50. Farmers Union, Mayfield, Kentucky.

Pipesdream Pipe Cleaner. Patent. Sample 10c. Vinobar Co., 229 Summit, Jersey City, N. J.

Are You Old at Forty? See our advertisement on page 206 of this issue. The Electro Thermal Company, Steubenville, Ohio.

Enjoy Life. Smoke "Old Field Tobacco." Sample 10c. Hatt Mailing Company, Paducah, Ky.

Formulas

3,500 Money Making Formulas and trade secrets. Over 400 pages, \$1.00. Catalogue free. Englewood Book Shop, 7021 B. South Winchester, Chicago.

Moneymaking Books, Plans, Formulas. Catalog Free. Ideal Book Shop, 5301-E, North Robey, Chicago.

For Sale

2-12" Inductance Coils. These coils throw a spark 12" long, and originally cost over \$300.00 each to build. They are excellent for X-ray work and other research work where a large spark coil is required. Coils have independent magnetic vibrators and can be used for many different purposes. These inductance coils will be sold at a very low price, as the owner no longer requires them. For further particulars address Box 86, in care of this publication.

For the Photographer

Have You a Camera? Write for free sample of our big magazine, showing how to make better pictures and earn money. American Photography, 465 Camera House, Boston 17, Mass.

Camera Hospital—Camera repairing a specialty. Expert on all shutters, parts. Send your broken camera. Turner, 1679 Ave. A, N. Y.

Games and Entertainment

Tricks, Puzzles, Jokes, Magical Apparatus, Plays, Stage Supplies, Mind-Reading, Acts and Sensational Escapes. Send 10¢ for 160-page illustrated 1922 professional catalogue. Oaks Magical Co., Dept. 549, Oshkosh, Wis.

Health

Tobacco or Snuff Habit Cured or no pay; \$1.00 if cured. Remedy sent on trial. Superba Co., S. A., Baltimore, Md.

Free to Men—Information of a scientific nature that has brought physical vigor and happiness to thousands. No charge; no obligation. Enclose stamp for reply. Dr. C. I. Wood, 551 East 47th Street, Chicago.

Insects Wanted

Get posted—Good prices paid for butterflies, insects. See Sinclair display advertisement, page 206.

Help Wanted

We want Salesmen and Agents, either whole or side line to sell our low priced radio books to the trade. Excellent proposition for live wires. The E. I. Company, Publishers, 233 Fulton Street, New York City.

Detectives Earn Big Money. Travel. Excellent opportunity. Great demand everywhere. Experience unnecessary. Particulars free. Write, American Detective System, 1968 Broadway, N. Y.

Start a pressing, cleaning and dyeing shop, excellent field, splendid profits. We tell you how. Write for booklet. Ben-Vonde System, Dept. A-c, Charlotte, N. C.

Gov't Railway Mail Clerks start \$133 month; expenses paid. Specimen examination questions free. Columbus Institute H-4, Columbus, Ohio.

Be a Mirror Expert. \$3 to \$10 a day; spare time home at first; no capital; we train, start you making and silvering mirrors French method. Free prospectus. W. R. Derr, Pres. 26 McKinley St., Baldwin, N. Y.

Firemen, Brakemen, Baggage Men. Sleeping car, train porters (colored). \$140-\$200. Experience unnecessary. 837 Railway Bureau, E. St. Louis, Ill.

Men, 18-35. Become Railway Mail Clerks. \$1,600-\$2,300. List Government positions—free. Franklin Institute, Dept. S-25, Rochester, N. Y.

Be a Landscape Architect! Fascinating work, big salaries paid! Interesting free information. Landscapers, 425 Union League Building, Los Angeles, California.

Be a Detective! Excellent opportunity; good pay; travel. Write C. T. Ludwig, 1417 Westover Bldg., Kansas City, Mo.

All men, women, boys, girls, 17 to 60, willing to accept Government positions. \$117-\$190, traveling or stationary. Write Mr. Ozment, 293, St. Louis, Mo., immediately.

Earn \$25 Weekly. spare time, writing for newspapers, magazines. Experience unnecessary; details free. Press Syndicate, 5663 St. Louis, Mo.

Earn \$10 to \$250 monthly, expenses paid. as Railway Traffic Inspector. Position guaranteed after 3 months' spare time study or money refunded. Excellent opportunities. Write for Free Booklet G-57, Stand. Business Training Inst., Buffalo, N. Y.

Get posted—Good prices paid for butterflies, insects. See Sinclair display advertisement, page 206.

Silvering Mirrors. French plate. Easily learned, immense profits. Plans free. Wear Mirror Works, Excelsior Springs, Mo.

Are You Old at Forty? See our advertisement on page 206 of this issue. The Electro Thermal Company, Steubenville, Ohio.

Improved Made Toys

We show you how to earn big money easily with our casting forms making Whistling Birds, Wild Animals, Crowing Roosters, Automobiles, Baseball Players, Statue of Liberty, Indians, Toy Soldiers, Cowboys, Barking Dogs, Wag Tail Pups, Miniature castings of Capitol, Bathing Girl, Souvenirs and others. No experience necessary. We furnish you with molds and necessary outfit from \$3.50 up. We buy large quantities of finished goods at highest prices. Spot cash. Send for catalogue and information free. The Improved Metal Casting Co., 312 East 145th St., New York.

Instruction

Learn Chemistry at Home. Dr. T. O'Connor Sloane, noted educator and scientific authority, will teach you. Our home study correspondence course fits you to take a position as chemist. See our full-page ad on page 105 of this issue. Chemical Institute of New York, 66 W. Broadway, New York City.

Used Correspondence Courses only one-quarter original price. Free bargain price list. 1,000 courses. Courses bought. Students Exchange, 45 W. 42d St., New York.

Languages

World-Romantic System. Masterkey to All Languages. Primers, 23 languages, \$1.91 each language. Arabic, Bohemian, Bulgarian, Cantonese, Chindian, Danish, Dutch, English, Scotch, English, French, German, Hungarian, Italian, Japanese, Latin, Persian, Punjabi, Polish, Portuguese, Romanian, Russian, Sechuana, Spanish, Swedish. Pronunciation-Tables, 97 languages, 3¢ each language. Languages Publishing Company, 8 West 10th Street, New York.

Machinery and Tools

Concrete Building Block Machines and Molds. Catalogue free. Concrete Machine Co., 305 South Third St., St. Louis, Mo.

Mail Order Business

\$50 week evenings—I made it. Mail Order business; booklet for stamp tells how. Sample and plan, 25¢. Free 12 articles worth \$3. A1 Exp. Scott, Cohoes, N. Y.

Motion Picture Business

\$35 Profit Nightly. Small capital starts you. No experience needed. Our machines are used and endorsed by Government institutions. Catalog free. Atlas Moving Picture Co., 470 Morton Bldg., Chicago, Ill.

Motorcycles—Bicycles

Largest stock of new and used motorcycle parts in the world at your disposal via Uncle Sam's mail. Motorcycle Parts Mfg. Co., 2030-38 Wabash Ave., Chicago, Ill.

Don't buy a Bicycle Motor Attachment until you get our catalogue and prices. Shaw Mfg. Co., Dept. 6, Galesburg, Kansas.

Office Devices

Save half on office Machines, Equipment, Addressers, Multigraphs, Duplicators, Dictaphones. Pruitt Company, 172 North Wells, Chicago.

Miscellaneous

We're Inside Hollow Earth! Circular Free. Arendt's, 14th and State, Milwaukee, Wis.

Crystal Gazing: An Art! Can you scry? Lessons 50c. Explanatory Book 75c. Also Crystals. Crystal Gazing Company, 623 Station "B," Kansas City, Missouri.

Questions Answered. \$1.00 each, any subject. If answer impossible, money returned. Dept. 2, 31 N. E. 14th Street, Miami, Florida.

Get posted—Good prices paid for butterflies, insects. See Sinclair display advertisement, page 206.

Movie Films Rented. Particulars free. George Fisher, Cos Cob, Connecticut.

Ford, Chevrolet, Overland, Dort owners—Protect your generator, lights and battery with the G-L-B Protector. Quickly installed. Guaranteed for life of car. Saves its cost in first long trip you make. Valuable circular FREE. Complete protector prepaid \$2.50. Satisfaction guaranteed. Lupton, Hill & Lupton, Dayton, Ohio.

Lights, Colors and Nature's Finer Forces, including Scientific Principles, Cold-lights, Odics, Radio, Electronic, Magnetic activities—225 pages illustrated—\$2.00—Insured, Postpaid. Guaranteed satisfaction. Index Free. Table contents free. Stevens Research Laboratories, 212 Powell, San Francisco, Calif.

Drawing Outfit. Newest aid to quick and accurate drawing—Golden Combination-Drawing Outfit in one instrument—\$3. Book of instructions furnished. Money back guarantee. Golden Compass Company, Elkhart, Indiana.

I write booklets, folders, letters, complete follow-up for manufacturers, mail-order dealers. Long Experience. Write for prices. L. Taylor, Box 44, Freeport, Ill.

Stencil Duplicator—Two dollars. Prints Typewriting—Handwriting. On approval. Primos Specialty Co., Primos, Pa.

Patents

Inventions Commercialized. Patented or unpatented. Write Adam Fisher Mfg. Co., 205 St. Louis, Mo.

Free search of Patent Office records to determine patentability of your invention. Save \$10.00 on your patent. Particulars free. Write M. D. Johnston & Company, Washington, D. C.

Patents promptly procured. Booklet and advice free. James N. Lyles, 734 E. 8th St., Washington, D. C.

Reliable information about securing patents will save you much money and disappointment. Send stamped envelope. Youths' Guide-Post, Box 872, Newport News, Va.

Patents For Sale

A Silo-Door-Attachment Patent, which brings Silo-door close up to inner side of Silo-Wall by a sliding motion. Simple and easy to apply. United States and Canadian patent rights; drawings on request. Cash, or on royalty basis. Write Frederick Gross, 138 East Mound Street, Columbus, Ohio.

Patent.—For sale or royalty. Piston Ring Vise. Holds rings while filing ends. Time saver in auto repairing. R. L. Shell, Hopkins, Mo.

Personal

Exchange Cheery Letters with New Friends. Write Betty Lee, Inc., 1251 Broadway, New York City. Stamp appreciated.

Exchange jolly letters with new friends. Lots fun! Send stamp. Eva Moore, Box 208, Jacksonville, Fla.

Lonely Hearts. join our Club, be happy; correspondence everywhere; many wealthy, descriptions, photos free. Standard Club, Box 609, Grays Lake, Ill.

Phonographic Supplies

Build Your Phonograph. Quality phonoparts. Famous Serenado Motors. Also original Perfection Motors. Electric Motors, tonearms, reproducers, amplifiers, case material, accessories. Free blueprints and building instructions. Big Saving. Wonderful results. Prompt delivery. Catalog mailed for ten cents. Hoosier Mfg. & Supply Company, 321 Baldwin Block, Indianapolis, Indiana.

Photo Developing

Special Trial Offer. Any size Kodak film developed for 5¢ prints 3¢ each. Overnight service. Get a free Auto. Ask for details. Roanoke Photo Finishing Co., 255 Bell Ave., Roanoke, Va.

Photoplays, Stories, Etc.

Wanted. Men and women ambitious to make money writing Stories and Photoplays. Send for wonderful Free Book that tells how. Authors' Press, Dept. 131, Auburn, N. Y.

Printing

Lowest prices all kinds printing. Long Run Specialties. Journal Printing Co., Tallapoosa, Ga.

Real—Letterheads. One Hundred Each letterheads: envelopes \$1.50. Jacobus Advertising Service, Irvington, New Jersey.

Correspondence Stationery—For only One Dollar we will send postpaid 200 Letter Sheets; 100 Envelopes, all neatly printed in Blue Ink in type of the latest style. The Oberon Letter Service, Box 599, Milwaukee, Wisconsin.



No craving for tobacco in any form after you begin taking Tobacco Redeemer. Don't try to quit the tobacco habit unaided. It's often a losing fight against heavy odds and may mean a serious shock to the nervous system. Let us help the tobacco habit to quit YOU. It will quit you, if you will just take Tobacco Redeemer according to directions. It is marvelously quick; thoroughly reliable.

Not a Substitute

Tobacco Redeemer contains no habit-forming drugs of any kind. It is in no sense a substitute for tobacco. After finishing the treatment you have absolutely no desire to use tobacco again or to continue the use of the remedy. It makes not a particle of difference how long you have been using tobacco, how much you use or in what form you use it—whether you smoke cigars, cigarettes, pipe, chew plug, or fine cut or use snuff. Tobacco Redeemer will positively remove all craving for tobacco in any form in a very few days. This we absolutely guarantee in every case or money refunded.

Write today for our free booklet showing the deadly effect of tobacco upon the human system and positive proof that Tobacco Redeemer will quickly free you of the habit.

Newell Pharmacal Company, Dept. 983, St. Louis, Mo.

65% Have This Gland Trouble AT MIDDLE AGE

Do you suffer with sciatica, pains in back, legs or feet, frequently nightly risings, bladder or kindred trouble; have you lost the old pep and aggressiveness; do you have blues or mental depression? Scientists and medical authorities agree that 65% of all men past a certain middle age (thousands younger) have a disorder of the prostate gland, often responsible for these annoying conditions.

But a new treatment has been discovered by a member of the American Association for the Advancement of Science. Already over 10,000 men have used this method with astonishing success. It has saved many of them from the surgeon's knife. Yet the method is so simple that it can be used by anyone—no drugs, lessons, electric rays. Nothing to pay unless you get immediate relief. If you have prostatic trouble, or any of the symptoms mentioned, send immediately for a Free Book, "Why Many Men Are Old at 40," which tells all about this method—and the truth about glands. No obligation. Just give your name and address. Write immediately to The Electro Thermal Company, 4521 Main St., Steubenville, Ohio.



FREE WRITE TODAY for my FREE Booklet—"A CLEAR-TONE SKIN"—telling how I cured myself after being afflicted for fifteen years. **E. S. GIVENS**, 168 Chemical Bldg., Kansas City, Mo.

Patent Attorneys

Inventors. Protect your invention through A. M. Wilson, Inc., Washington, D. C. Over 25 years of efficient, expert, confidential service. Skilled in Radio-Electrical, Chemical and Mechanical fields. Our new illustrated booklet, giving much necessary and very useful information which every inventor should know, will be sent free upon request. Prompt and careful attention. Highest references. Moderate fees. Send sketch or model for our careful opinion and preliminary advice. Write today to A. M. Wilson, Inc. (Radio 3 ARH), 312 Victor Bldg., Washington, D. C. (Successor to business established in 1891 by A. M. Wilson).

"Inventors' Guide" free on request; gives valuable information and advice for all who have original ideas or improvements. Frank Ledermann, Registered Attorney and Engineer, 15-E Park Row, New York.

Inventors. Send sketch or model of invention for opinion concerning patentable nature and exact cost of patent. Book, "How to Obtain a Patent," sent free. Tells what every inventor should know. Established twenty-eight years. Highest references, prompt service, reasonable charges. Chandler & Chandee, 441 Seventh Ave., N. W., Washington, D. C.

Patents. Send for free booklet. Highest references, best results. Promptness assured. Send model or drawing for examination and opinion. Watson E. Coleman, Patent Attorney, 624 F Street, Washington, D. C.

Inventors write me about patents. My fees payable monthly. Booklet free. Frank Fuller, Washington, D. C.

Herbert Jenner, Patent Attorney and Mechanical Expert, 624 F Street, Washington, D. C. I report if patent obtainable and exact cost. Send for circular.

Patents Secured. Prompt service. Avoid dangerous delays. Send for our "Record of Invention" form and Free Book telling How to obtain a Patent. Send sketch or model for examination. Preliminary advice without charge. Highest Reference. Write Today. Jacob & Jacob, 418 Ouray Bldg., Washington, D. C.

Lacey Patent-Sense. "The book the inventor keeps." Free. See page 189.

Patent application filed on partial payment plan. Trademarks, copyrights. Millo B. Stevens & Co., 692 F. Street, N. W., Washington, D. C.

Inventors should write us for our book, "How to Obtain a Patent," which clearly sets forth what may be patented and the necessary steps to protect an invention. It describes the procedure in Patent Office and tells about assignments, licenses and trade-marks, and gives many useful facts about patents which every inventor should know. Many persons well versed in patent matters have pronounced the book the best of its kind they have ever read. It is written so you can understand it. Copy sent free upon request. Talbert & Talbert, Patent Lawyers, 458 Talbert Bldg., Washington, D. C.

Inventors: Record invention legally before disclosing to others. Our Invention-Record and Data Sheet shows how. Sent free and valuable information given on patent procedure, costs, etc. Report on patentability includes copies of patents nearest your idea. O'Connell & O'Connell, 400-7th St., N. W., Washington, D. C.

Patents Procured; Trade Marks Registered—A comprehensive, experienced, prompt service for the protection and development of your ideas. Preliminary advice gladly furnished without charge. Booklet of information and form for disclosing idea free on request. Richard B. Owen, 130 Owen Bldg., Washington, D. C., or 2278 T Woolworth Bldg., New York.

Monroe Miller, Ouray Building, Washington, D. C. Patent attorney, mechanical and electrical expert. Best quality of work and results. Moderate charges.

Inventors—Send for form "Evidence of Conception" to be signed and witnessed. Form, fee schedule, information free. Lancaster and Allwine, 232 Ouray Bldg., Washington, D. C.

Protect your rights—Write for "Record of Invention" and booklet about Patents. Prompt personal service. Advice without charge. J. Reaney Kelly, 612-V Columbian Building, Washington, D. C.

Patents—Prompt, personal, efficient service by an attorney-at-law skilled in all branches of Patent Practice. Over 18 years' actual experience; full information upon request. H. P. Fishburne, 330 McGill Bldg., Washington, D. C.

Millions spent annually for ideas! Hundreds now wanted! Patent yours and profit! Write today for free books—tell how to protect yourself, how to invent, ideas wanted, how we help you sell, etc. 212 Kresge Bldg., American Industries, Inc., Washington, D. C.

Patents are valuable. Protect your ideas. Send sketch for preliminary search and advice by competent lawyer. Ralph Burch, Patent Lawyer, 2 Jenifer Building, Washington.

Radio Outfits and Supplies

Agents Wanted in Every City to sell standard radio apparatus on a liberal commission basis. A few stocking agencies open to reliable parties. Delfalco, 12 Meeting Street, Pawtucket, R. I.

Short Stories, Manuscripts Wanted

Earn \$25 Weekly Spare Time writing for newspapers, magazines. Experience unnecessary; details free. Press Syndicate, 566 St. Louis, Mo.

Short Stories, poems, plays, etc., are wanted for publication. Literary Bureau, 165 Hannibal, Mo.

Old Money Wanted

\$2 to \$500 Each paid for hundreds of old or odd coins. Keep all old money. You may have very valuable coins. Send 10 cents for New Illustrated Coin Value Book, 4x6. We pay Cash. Get Posted. Clarke Coin Company, Ave. 15, Le Roy, N. Y.

Song Poems Wanted

Write the Words for a Song. We compose music. Our Chief of Staff wrote many big song-hits. Submit your song-poem to us at once. New York Melody Corp., 412 Roman Bldg., New York.

Stamping Names

Make \$19 a Hundred stamping names on keychecks. Send 25¢ for sample and particulars. Ex Kayes Co., Cohoes, N. Y.

Stamps and Coins

Stamps—20 Unused. All different. Free. Postage 3¢. Mention paper. Quaker Stamp Co., Toledo, Ohio.

California Gold, quarter size, 27¢; half-dollar size, 53¢. Columbian nickel and catalogue, 10¢. Norman Schulz, Box 146, Colorado Springs, Colo.

Typewriters

Typewriters sold on payments. Free trial. Payne Company, Rosedale, Kansas.

Wanted To Buy

Full Value Paid for Old Gold, Jewelry, Watches, Diamonds, crowns, bridges, dental gold, silver, platinum, gold or silver ore, magneto points, old false teeth. Packages returned if our offer is not satisfactory. United States Smelting Works, (The Old Reliable) 120 So. State St., Dept. 73, Chicago, Ill.

War Relics and War Photos

For Dens, Collections. Relics from Europe's Battlefields. Firearms, shells, medals, insignia, helmets, etc. Completely illustrated catalogue with sample War Photographs 25¢. Lieut. Welch, 2117 Regent Place, Brooklyn, N. Y.

Wireless

Attention! 50 Vacuum Tube Hook-Ups. The greatest collection of Vacuum Tube Circuits ever brought under two covers at such insignificant cost. These diagrams will be found in the great "Rasco" catalogue which contains raw materials and parts in a greater profusion than any other catalogue. 15¢ in stamps or coin will bring the catalogue to you. Radio Specialty Company, 100 Park Place, New York City.

Boys, don't overlook this! The "Rasco" Baby Detector. Greatest detector ever brought out with molded base. Fully adjustable. See former advertisements in this publication or our catalogue. Detector with Galena Crystal complete, 50¢; the same Detector with Radiocite Crystal, 75¢, prepaid. Send for yours today. Radio Specialty Company, 100 Park Place, New York City.

How to Make Radio Frequency Amplifiers. This book is for the more advanced amateur, showing the construction of the Radio Frequency Amplifying Transformer and giving complete constructional data. It shows the application of Radio Frequency to amplifying units that the amateur may already possess and gives 15 hook-ups showing practically every use. Radio Frequency Amplifying Transformers can be put to, 32 pages, 15 illustrations; bound in beautiful two-color cover. Prepaid 25¢. The E. I. Company, 233 Fulton St., New York City.

Major Armstrong's New Epoch-Making Invention Will Solve Your Loop Antenna Problem. The New Armstrong Super-Regenerative Circuit is a means now that is made possible with two vacuum tubes and an indoor loop antenna to receive broadcasting music up to 100 miles distant. Our engineering department has compiled a pamphlet that gives an exposition of the theory of operation with full working directions, etc. A large blue-print is included with this pamphlet. Your dealer cannot supply you with these pamphlets. Send us 25¢ and we will mail you this wonderful exposition prepaid. Tell your dealer to ask us for our proposition. The E. I. Company, 233 Fulton St., New York City.


Wireless Course in 20 Lessons. By S. Gernsback, A. Lescarbou and H. W. Secor, E. E. Tells you everything you want to know about "Wireless"—theory, practice and history. A clear, concise course on every phase of this subject. 160 pages—350 illustrations, 30 tables. Stiff cloth cover, \$1.75 postpaid. Experimenter Publishing Co., Book Dept., 53 Park Place, New York.

How to Make Wireless Receiving Apparatus. 100 pages—100 illustrations. Only strictly modern radio apparatus are described in this book and the illustrations and descriptions are so clear and simple that no trouble will be experienced in making the instruments. Paper covered, 35¢ postpaid. Experimenter Publishing Co., Book Dept., 53 Park Place, New York City.

Science and Invention Bound Volume No. 9, May, 1921-April 1922; contains 1200 pages with over 1500 illustrations and over 700 articles by the foremost American and Foreign writers. We have also a limited amount of the following Bound Volumes of Science and Invention (Electrical Experimenter) Vol. No. 6—May 1918 to April 1919; Vol. No. 7—May 1919 to April 1920; Vol. No. 8—May 1920 to April 1921. Each volume bound in stiff board covered with green vellum and gold stamped. Price for volume No. 9—\$2.25. Price for volume No. 6, 7 or 8—\$2.00. All four volumes \$7.00, sent express collect. Experimenter Publishing Co., 53 Park Place, New York City.

The How and Why of Radio Apparatus. By H. W. Secor, E. E. This newest book on radio matters fulfills a distinct gap in wireless literature in that, while the treatment is made as understandable and as free from mathematics as possible, it at the same time incorporates a wealth of technique and instruction for the Radio Amateur—the Radio Operator—the Installation and Designing Expert—as well as teachers and students of the subject in general. A very broad field has been covered by the author, at the same time giving a great deal of information not found in other text books. If you are engaged in any branch of the Radio or allied arts at all you will surely need this latest contribution to radio literature, which is destined to be found on every radio man's book shelf before long. A glance at the following list of chapters gives but a very small idea of the extensive and useful radio knowledge provided in its text: The Induction Coil; The Alternating Current Transformer; Radio Transmitting Condensers; The Spark Gaps; Radio-Transmitting Inductances; Radio Receiving Tuners; Radio Receiving Condensers; Detectors; Telephone Receivers; Radio Amplifiers; Construction of a Direct Reading Wavemeter and Measurement of Inductances; Appendix containing very useful tables, covering all subjects treated in this very unusual book. This newest of Radio Works, cloth bound in Vellum de Luxe. Gold Stamped and Hand Sewed, has 160 pages. Size of book 6x9 inches. The How and Why of Radio Apparatus. Postpaid, \$1.75. Experimenter Publishing Co., Book Dept., 53 Park Place, New York City.

CIRCULATION 60,000 COPIES



"The Electrical Magazine for Everybody"

PRACTICAL ELECTRICS is probably the most novel magazine of its kind ever conceived. It is personally edited by H. Gernsback, editor of SCIENCE & INVENTION and RADIO NEWS. Mr. Gernsback, who founded the old "Modern Electrics" as well as the "Electrical Experimenter," knows thoroughly what his readers want and have wanted for many years. PRACTICAL ELECTRIC'S, the 100% electrical magazine eclipses the best that was in "Modern Electrics" and "Electrical Experimenter."

Electricity covers such a tremendous field that the man who does not keep abreast with it does himself a great injustice. PRACTICAL ELECTRICS covers that field from every angle. It is written in plain every-day language that all can understand. It portrays the entire electrical development of the month faithfully in non-technical language. It caters to everyone interested in electricity, be he a layman, an experimenter, an electrician or an engineer—each will find in this magazine a department for himself and plenty more.

The June issue now on the news-stands contains 48 pages and over 100 different articles and over 100 illustrations, with an artistic cover in three colors. Professor T. O'Connor Sloane, Ph.D., is associate editor of the magazine.

INTERESTING ARTICLES IN JUNE "PRACTICAL ELECTRICS"

New Theory of Magnetism, By T. J. J. See, Ph.D., Professor of Mathematics, U. S. Navy.
Odd Uses for Electrical Appliances, By J. E. Bullard.
Incandescent Lamp Experiments, By Clyde J. Fitch.
Motor Starting Solenoid, By Jesse Marsten.
Three-Brush Automobile Generator, By H. Hightstone.
Static Electric Experiments, By Raymond B. Wailes.
Motor Without Visible Field.
Electrifying Airplanes.
Loud Speakers for Street Cars.
Neon Glim-Lamps.
Electric Pneumonia Cure.

PRIZES

This magazine offers a number of prizes, as follows:
Our \$50.00 Prize Contest for Junior Electricians and Electrical Experimenters includes as its elements simplicity, as great a degree of novelty as possible, and practicability.
\$37.50 in prizes for the best odd and unusual electrical experiences.
\$3.00 for the best article on Elec-Tricks, the new department.
\$3.00 for the best "short-circuit," the semi-humorous department.

In addition to this, the magazine pays high prices for all electrical experiments, electrical articles, etc.
See Current Issue for Full Details.

This issue also contains articles by some of the greatest electrical writers, workers and students. The magazine will prove a revelation to any one interested in electricity.

Every issue besides its many other features contains the following departments:

"New Things Electric"
"Experimental Electrics"
"Electrical Digest"
"Junior Electrician"
"Elec-Tricks"
"Motor Electrics"
"Short Circuits"

"How and Why" (Questions and Answers.)

Make all checks payable to: "Practical Electrics Co."

SPECIAL OFFER

Gentlemen:

Although your regular price is \$2.00 per year, you will accept my subscription at \$1.75 per year (Canada and foreign \$2.25). I enclose the money herewith and I have written my name and address in margin below.

S. I. 6-23.

This magazine is
edited by
H. GERNNSBACK
also Editor of
RADIO NEWS
and
SCIENCE and INVENTION

100 Articles
Over
100 Illustrations

FOR SALE AT
ALL NEWS STANDS

20c. the Copy
\$2.00 a Year
Canada and Foreign
\$2.50 a Year

SEND FOR
FREE
SAMPLE COPY
TODAY


See Coupon Below
for SPECIAL OFFER

PRACTICAL ELECTRICS CO., 53 Park Place, New York

These Dealers Carry Our Books:

Atwater, H. E., Plattsburgh, N. Y.
 B. & H. Supply Co., Providence, R. I.
 Bullocks Hdw. Co., York, Nebraska.
 Burlington Elec. & Nov. Co., Burlington, N. J.
 Beard's Temple of Music, Paragould, Ark.
 Bishop Electric Co., Johnson City, Tenn.
 Burgess Elec. Co., Bluefield, W. Va.
 Broadway Dept. Store, Los Angeles, Calif.
 Brillantone Radio Products, New York City
 Berman Radio Co., Boston, Mass.
 Badger Radio Co., Milwaukee, Wis.
 Bickett Bros., Zion City, Ill.
 Bryan, R. E., Tyler, Texas.
 Centell Co., S., Strand, London, W. C. 2.
 Continental Elec. Sup. Co., Washington, D. C.
 De Laplaine, New Brunswick, N. J.
 Diamond News Co., Havana, Cuba.
 Dewey Sporting Goods Co., Milwaukee, Wis.
 Eberhardt & Son Co., M., Astoria, L. I.
 Evers Hardware Co., Denton, Texas.
 Electric Shop, New Brunswick, N. J.
 Ernest Electric Co., St. Louis, Mo.
 Electric Auto App. Co., Denver, Colo.
 Elite Electric Shop, El Paso, Texas.
 Electrical Shop, Honolulu, Hawaii.
 Electric Appliance Co., San Francisco, Calif.
 Finch & Hahn, Schenectady, N. Y.
 Foster Book & Cigar Co., St. Louis, Mo.
 Foster Radio & Elec. Co., Wilkes-Barre, Pa.
 Findley Electric Co., Minneapolis, Minn.
 Flecks Electric Service Sta., Tiffin, Ohio.
 Electric Co., (Grenda & Sether)
 Fergus Falls, Minn.
 Gee Electric Co., Wheeling, W. Va.
 Galveston Wireless Supply Co.,
 Galveston, Texas.
 Goetz's Music Store, Fort Worth, Texas.
 Huse & Sons, W. A., Providence, R. I.
 Hunter, J. B., Boston, Mass.
 Hubbard Elec. Co., Battle Creek, Mich.
 Hygrade Elec. & Nov. Co., New York, N. Y.
 Hyson Electric Co., Portland, Oregon.
 Hill Co., Geo. A., Lowell, Mass.
 Hentschel, W. W., Baltimore, Md.
 Heinemann Electric Co., Philadelphia, Pa.
 Hamilton, H., Greensburg, Pa.
 Interstate Elec. Co. of Ala., Birmingham, Ala.
 International Radio Corp., Winnipeg, Man. Can.
 International Electric Co.,
 Wellington, New Zealand.
 Jacksons Radio Eng. Lab, Waco, Texas.
 Knoxville Radio Co., Knoxville, Tenn.
 King, H. W., Des Moines, Iowa.
 Koch, John R., Charleston, W. Va.
 Law, E. M., Norristown, Pa.
 Laws Blythe Electric Co., Atchison, Kansas.
 Linze Elec. Supply Co., St. Louis, Mo.
 Modell's, New York City.
 Mechanics Co., H. C., Fort Worth, Texas.
 Murray Spring Co., W. A., Cincinnati, Ohio.
 Macaulay Bros., Detroit, Mich.
 McArthur Electric Co., Chicago, Ill.
 Natick Book Store, Los Angeles, Calif.
 Northwest Radio Service, Seattle, Wash.
 Noll & Co., E. P., Philadelphia, Pa.
 Nelsons Radio Supply Co., Phoenix, Ariz.
 National Auto Supply Co., Terre Haute, Ind.
 Public Library, Detroit, Mich.
 Phila. Wireless Sales Corp., Philadelphia, Pa.
 Perrault, F. J., Natchez, Miss.
 Polozynski & Co., B. E., Detroit, Mich.
 Peerless Electric Co., Minneapolis, Minn.
 Phila. Sporting Goods Co., San Francisco, Calif.
 Roberts Bros. Electric Co., Philadelphia, Pa.
 Radio Eq. Co. of Texas, Dallas, Texas.
 Radio Concert & Eq. Co., Los Angeles, Calif.
 Radio Electric Shop, Cleveland, Ohio.
 Reutter Electric Co., Cincinnati, Ohio.
 Reynolds Radio Co., Denver, Colo.
 Randolph, J. O., Highie, Mo.
 Radio Electric Co., Fort Worth, Texas.
 Radio Chain Stores, Trenton, N. J.
 Radio Specialty Co., New York City.
 Self Service Phonograph Co., New York City.
 Skokos, S., Perth Amboy, N. J.
 Spectator, The, Bruce Mines, Ont., Can.
 Snell Co., Geo. W., Philadelphia, Pa.
 Schroeder Electric Co., Albany, N. Y.
 Smith, H. E., Batavia, N. Y.
 Southern Elec. Co., Jacksonville, Fla.
 S. A. S. Radio Co., Paterson, N. J.
 Steiger & Co., E., New York City.
 Sykes & Co., Rochester, N. Y.
 Security Radio & Supply Co., St. Louis, Mo.
 Superior Radio & Eq. Co., Columbus, Ohio.
 Steward Elec. Service Co., Urbana, Ohio.
 Utzinger Book Store, Astoria, Oregon.
 Universal Supply Co., St. Louis, Mo.
 Veihl Crawford Hdw. Co., Fort Worth, Texas.
 Vulcanizers Supply Co., Kansas City, Mo.
 Virginia Radio Service, Medford, Ore.
 Viking Radio Co., New York City.
 Wile, Eugene G., Philadelphia, Pa.
 Woodhead, L. F., Rosewell, N. M.
 Williams Book Store, Boston, Mass.
 Wilbur Electric Co., Baltimore, Md.
 Williamson Electric Co., Seattle, Wash.
 Wilson, J. L., New York City.
 Wilson, F. B., (Archway Book Store)
 Seattle, Wash.
 Zibart Bros., Nashville, Tenn.

Get These Wonderful Radio Books



LOUD-TALKERS

HOW TO BUILD THEM

By H. WINFIELD SECOR

Associate Editor of Science & Invention

This book describes how to build two distinct and different types of radio loud-talkers, which can be built with either electro-magnetic field to be excited from storage battery, as well as permanent magnet field requiring no separate battery excitation. The third chapter deals with improvised loud-talkers and gives clear and complete instructions on how to build suitable horns for use with radio receivers of the Baldwin and other types. Several elaborate hook-ups are given of the author's own radio receiving set, comprising one stage of radio-frequency, detector and three stages of audio-frequency amplification, together with all the connections for the loud-talker.


Complete data is given for all the parts of the loud-talkers, including the field magnet windings, as well as the diaphragm or moving coil windings, and also the step-down transformer to be connected between the vacuum tube amplifier and the loud-talker proper.

In preparing these designs the point has been constantly kept in mind to use the simplest parts possible, so that practically anyone can build a successful loud-talker equivalent to the commercial types costing \$40.00 or more.

Even where the experimenter does not possess the skill or the time to make all the parts himself, which are really few in number, he may save a great deal of money, or at least half the price of a commercial loud-talker, by having the difficult parts made in a local machine shop, and then assembling them and winding the coils himself. Circuit connections and data for the size of wire, etc., are given for placing the loud-talker on a separate floor or in another part of the house not occupied by the radio receiving set. A very valuable book, giving data which cannot be obtained anywhere else and which has not been published before.


64 pages, 25 illustrations, bound in beautiful two-color cover, size 5 1/2 x 7 1/2 inches; Price prepaid, 25 cents.

HOW TO MAKE
RADIOPHONE
RECEIVING SETS



EVERY RADIO
ENTHUSIAST
SHOULD HAVE
A COPY OF
THESE BOOKS
WRITTEN BY
THE
FOREMOST
AUTHORITIES
IN EVERY
BRANCH OF
THE SUBJECT

RADIO FREQUENCY
AMPLIFIERS AND
HOW TO MAKE THEM



A non-technical book for the beginner. Gives complete constructional data on the building of a complete Crystal Detector Set, Tuning Coil, Loose Coupler and a Single Audion Tube Set with Amplifying Units. It furnishes all dimensions and working drawings of every part that must be constructed by the amateur. Written in plain, simple language that anyone can understand. The opening chapter gives a complete description of the theory of radio and tells what it's all about, teaching the principles of wireless so that the constructor knows what he is doing.

48 Pages, 26 Illustrations
 Bound in Beautiful Two-Color Cover
 Size, 5 1/2 x 7 1/2 inches. Prepaid 25c.

25c.
Each
Postage Prepaid

This book is for the more advanced amateur, showing the construction of the Radio Frequency Amplifying Transformer and giving complete constructional data. It shows the application of Radio Frequency to amplifying units that the amateur may already possess and gives 15 hook-ups showing practically every use Radio Frequency Amplifying Transformers can be put to.

32 Pages, 15 Illustrations
 Bound in Beautiful Two-Color Cover
 Size, 5 1/2 x 7 1/2 inches. Prepaid 25c.

Order from your dealer—or direct from us

THE E. I. COMPANY 233 FULTON STREET
NEW YORK CITY, N. Y.

Dealers: Write for our attractive wholesale proposition.