

This article was downloaded by:

On: 25 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Separation Science and Technology

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713708471>

Equilibrium-Staged Separations: A Bibliography Update (1997)

Martyn S. Ray^a

^a SCHOOL OF CHEMICAL ENGINEERING, CURTIN UNIVERSITY OF TECHNOLOGY, PERTH, WESTERN AUSTRALIA

Online publication date: 01 November 1999

To cite this Article Ray, Martyn S.(1999) 'Equilibrium-Staged Separations: A Bibliography Update (1997)', Separation Science and Technology, 34: 1, 139 — 156

To link to this Article: DOI: 10.1081/SS-100100642

URL: <http://dx.doi.org/10.1081/SS-100100642>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

BIBLIOGRAPHY

Equilibrium-Staged Separations: A Bibliography Update (1997)

MARTYN S. RAY

SCHOOL OF CHEMICAL ENGINEERING
CURTIN UNIVERSITY OF TECHNOLOGY
GPO BOX U1987, PERTH 6845, WESTERN AUSTRALIA

ABSTRACT

This article provides a bibliographic listing of journal papers published in 1997 concerned with distillation and other equilibrium-staged separation processes. The references are taken from the 50 most important chemical engineering journals. This paper provides an update to the literature as provided in previous bibliographic papers (1–6). A complete bibliographic listing of the chemical engineering journal literature from 1959 to 1997 (with subsequent 6 monthly updates) is available on a CD-ROM database (7), and full details can be obtained from the author. The following topics are included in this paper:

Distillation Theory and Design Methods
Distillation Control and Applications
Column Design Data
Absorption Reactions and Absorber Design
Cooling Towers
Liquid–Liquid Extraction
Supercritical Extraction

Distillation Theory and Design Methods

- Brauner, N., and Shacham, M., “What to do if relative volatilities cannot be assumed to be constant: Differential-algebraic equations systems in undergraduate education,” *Chem. Eng. Educ.*, **31**(2), 86–93 (1997).
- Fell, N., “Improvements in distillation,” *Chem. Eng. (Rugby, Engl.)*, pp. 23–24 (6 November, 1997).
- Gualito, J. J., et al., “Design method for distillation columns filled with metallic, ceramic, or plastic structured packings,” *Ind. Eng. Chem. Res.*, **36**(5), 1747–1757 (1997).

- Kister, H. Z., "Does your distillation simulation reflect the real world?" *Hydrocarbon Process.*, 76(8), 103–109 (1997).
- Kiva, V. N., and Alukhanova, B. M., "Multiple steady states of distillation and its realisation," *Comput. Chem. Eng.*, 21(Suppl.), S541–S546 (1997).
- Peterson, E. J., and Partin, L. R., "Temperature sequences for categorizing all ternary distillation boundary maps," *Ind. Eng. Chem. Res.*, 36(5), 1799–1811 (1997).
- Salomone, H. E.; Chiotti, O. J., and Iribarren, O. A., "Short-cut design procedure for batch distillations," *Ind. Eng. Chem. Res.*, 36(1), 130–136 (1997).
- Sloley, A. W., "Properly design thermosiphon reboilers," *Chem. Eng. Prog.*, 93(3), 52–64 (1997).
- Various, "Distillation" (topic issue), *Chem. Eng. Res. Des.*, 75(6), 529–629 (1997).
- Wajge, R. M., et al., "Investigation of numerical solution approaches to multicomponent batch distillation in packed beds," *Ind. Eng. Chem. Res.*, 36(5), 1738–1746 (1997).
- Wesselingh, H., and Walker, A., "Use of traditional distillation design methods," *Chem. Eng. (Rugby, Engl.)*, pp. 17–20 (6 November 1997).
- Wesselingh, J. A., "Non-equilibrium modelling of distillation," *Chem. Eng. Res. Des.*, 75(6), 529–538 (1997).

Distillation Control and Applications

- Abdel Jabbar, N. M., and Alatiqi, I. M., "Inferential-feedforward control of petroleum fractionators: A PNA approach," *Comput. Chem. Eng.*, 21(3), 255–262 (1997).
- Agrawal, R., and Herron, D. M., "Optimal thermodynamic feed conditions for distillation of ideal binary mixtures," *AIChE J.*, 43(11), 2984–2996 (1997).
- Aguirre, P.; Espinosa, J., and Tarifa, E., "Optimal thermodynamic approximation to reversible distillation by means of interheaters and intercoolers," *Ind. Eng. Chem. Res.*, 36(11), 4882–4893 (1997).
- Balachandran, R., and Chidambaram, M., "Decentralized control of crude unit distillation towers," *Comput. Chem. Eng.*, 21(8), 783–786 (1997).
- Balasubramhanya, L. S., and Doyle, F. J., "Nonlinear control of high-purity distillation column using a travelling-wave model," *AIChE J.*, 43(3), 703–714 (1997).
- Barolo, M., and Botteon, F., "Simple method of obtaining pure products by batch distillation," *AIChE J.*, 43(10), 2601–2604 (1997).
- Bennett, D. L.; Watson, D. N., and Wiescinski, M. A., "New correlation for sieve-tray point efficiency, entrainment, and section efficiency," *AIChE J.*, 43(6), 1611–1626 (1997).
- Benz, S. J., and Scenna, N. J., "The influence of different models in obtaining multiple solutions in distillation columns," *Can. J. Chem. Eng.*, 75(6), 1142–1152 (1997).
- Berry, D. A., and Ng, K. M., "Synthesis of crystallization-distillation hybrid separation processes," *AIChE J.*, 43(7), 1751–1762 (1997).
- Bessling, B.; Schembecker, G., and Simmrock, K. H., "Design of processes with reactive distillation line diagrams," *Ind. Eng. Chem. Res.*, 36(8), 3032–3042 (1997).
- Bock, H.; Wozny, G., and Gutsche, B., "Design and control of a reaction distillation column including the recovery system," *Chem. Eng. Process.*, 36(2), 101–110 (1997).
- Caglayan, N.; Karacan, S., and Hapoglu, H., "Application of optimal adaptive control based on generalized minimum variance to a packed distillation column," *Comput. Chem. Eng.*, 21(Suppl.), S607–S612 (1997).
- Chien, I. L., and Ogunnaike, B. A., "Modeling and control of a temperature-based high-purity distillation column," *Chem. Eng. Commun.*, 158, 71–106 (1997).
- Chien, I. L.; Tang, Y. T., and Chang, T. S., "Simple nonlinear controller for high-purity distillation columns," *AIChE J.*, 43(11), 3111–3116 (1997).



- Christiansen, A. C.; Skogestad, S., and Lien, K., "Complex distillation arrangements: Extending the Petlyuk ideas," *Comput. Chem. Eng.*, 21(Suppl.), S237–S242 (1997).
- Chung, Y.; Jeong, H. K., and Song, H. K., "Modelling and simulation of the chemical reaction heat pump system adopting the reactive distillation process," *Comput. Chem. Eng.*, 21(Suppl.), S1007–S1012 (1997).
- Eckert, E., and Kubicek, M., "Computing heterogeneous azeotropes in multicomponent mixtures," *Comput. Chem. Eng.*, 21(3), 347–350 (1997).
- Eiden, U., and Scholl, S., "Use of simulation in rating and design of distillation units," *Comput. Chem. Eng.*, 21(Suppl.), S199–S204 (1997).
- Filley, R. M., and Eser, S., "Analysis of hydrocarbons and sulfur compounds in two FCC decant oils and their carbonization products," *Energy Fuels*, 11(3), 623–630 (1997).
- Frank, T. C., "Break azeotropes with pressure-sensitive distillation," *Chem. Eng. Prog.*, 93(4), 52–63 (1997).
- Franklin, N. L., and Forsyth, J. S., "The interpretation of minimum reflux conditions in multicomponent distillation (reprint from *Trans. IChemE*, 31:363–388, 1953)," *Chem. Eng. Res. Des.*, 75(Suppl.), S56–S81 (1997).
- Frattoni Fileti, A. M., and Rocha Pereira, J. A. F., "Adaptive and predictive control strategies for batch distillation: Development and experimental testing," *Comput. Chem. Eng.*, 21(Suppl.), S1227–S1232 (1997).
- Frey, T.; Bauer, M. H., and Stichlmair, J., "MINLP-optimization of complex column configurations for azeotropic mixtures," *Comput. Chem. Eng.*, 21(Suppl.), S217–S222 (1997).
- Gehrke, V., and Marquardt, W., "A singularity theory approach to the study of reactive distillation," *Comput. Chem. Eng.*, 21(Suppl.), S1001–S1006 (1997).
- Georgoulaki, A., and Korchinsky, W. J., "Simulation of heterogeneous azeotrope distillation: An improved algorithm using modified UNIFAC thermodynamic predictions and the Naphthali-Sandholm matrix method," *Chem. Eng. Res. Des.*, 75(1), 101–115 (1997).
- Glanz, S., and Stichlmair, J., "Mixed integer optimization of combined solvent extraction and distillation processes," *Comput. Chem. Eng.*, 21(Suppl.), S547–S552 (1997).
- Golden, S.W., "Prevent preflash drum foaming," *Hydrocarbon Process.*, 76(5), 141–153 (1997).
- Gonzalez, J. C., and Fair, J. R., "Preparation of tertiary amyl alcohol in a reactive distillation column: Reaction kinetics, chemical equilibrium, and mass-transfer issues," *Ind. Eng. Chem. Res.*, 36(9), 3833–3844 (1997).
- Gonzalez, J. C.; Subawalla, H., and Fair, J. R., "Preparation of *tert*-amyl alcohol in a reactive distillation column: Experimental demonstration and simulation of column characteristics," *Ind. Eng. Chem. Res.*, 36(9), 3845–3853 (1997).
- Grigsby, R. D., and Green, J. B., "High-resolution mass spectrometric analysis of a vanadyl porphyrin fraction isolated from the above 700°C resid of Cerro Negro heavy petroleum," *Energy Fuels*, 11(3), 602–609 (1997).
- Gros, H. P.; Urlic, L. E., and Brignole, E. A., "Phase equilibrium dominant parameter matrix of multicomponent distillation trains," *Comput. Chem. Eng.*, 21(Suppl.), S733–S738 (1997).
- Gryta, M.; Tomaszewska, M., and Morawski, A. W., "Membrane distillation with laminar flow," *Sep. Purif. Technol.*, 11(2), 93–102 (1997).
- Gumus, Z. H., and Ciric, A. R., "Reactive distillation column design with vapor/liquid/liquid equilibria," *Comput. Chem. Eng.*, 21(Suppl.), S983–S988 (1997).
- Guttinger, T. E., and Morari, M., "Predicting multiple steady states in distillation: Singularity analysis and reactive systems," *Comput. Chem. Eng.*, 21(Suppl.), S995–S1000 (1997).
- Guttinger, T. E.; Dorn, C., and Morari, M., "Experimental study of multiple steady states in homogeneous azeotropic distillation," *Ind. Eng. Chem. Res.*, 36(3), 794–802 (1997).

- Hagglblom, K. E., "Analytical approach to evaluation of distillation control structures by frequency-dependent relative gains," *Comput. Chem. Eng.*, 21(12), 1441–1449 (1997).
- Halvorsen, I. J., and Skogestad, S., "Optimizing control of Petlyuk distillation: Understanding the steady-state behavior," *Comput. Chem. Eng.*, 21(Suppl.), S249–S254 (1997).
- Han, S. J.; Jin, Y., and Yu, Z. Q., "Application of a fluidized reaction-distillation column for hydrolysis of methyl acetate," *Chem. Eng. J.*, 66(3), 227–230 (1997).
- Harding, S. T., et al., "Locating all homogeneous azeotropes in multicomponent mixtures," *Ind. Eng. Chem. Res.*, 36(1), 160–178 (1997).
- Hasebe, S.; Noda, M., and Hashimoto, I., "Optimal operation policy for multi-effect batch distillation system," *Comput. Chem. Eng.*, 21(Suppl.), S1221–S1226 (1997).
- Hauan, S.; Hertzberg, T., and Lien, K. M., "Multiplicity in reactive distillation of MTBE," *Comput. Chem. Eng.*, 21(10), 1117–1124 (1997).
- Hauan, S.; Schrans, S. M., and Lien, K. M., "Dynamic evidence of the multiplicity mechanism in methyl *tert*-butyl ether reactive distillation," *Ind. Eng. Chem. Res.*, 36(9), 3995–3998 (1997).
- Henry, M.; Mujtaba, I.; Kamel, F., and Sabri, Y., "Controlling distillation," *Chem. Eng. (Rugby, Engl.)*, pp. 32–36 (6 November 1997).
- Horwitz, B. A., "Optimize pressure-sensitive distillation," *Chem. Eng. Prog.*, 93(4), 47–51 (1997).
- Hovd, M.; Michaelsen, R., and Montin, T., "Model predictive control of a crude oil distillation column," *Comput. Chem. Eng.*, 21(Suppl.), S893–S898 (1997).
- Hu, X., "Recovery of chloroform from effluent with solvent extraction-distillation process," *Sep. Sci. Technol.*, 32(12), 2039–2050 (1997).
- Ismail, S. R.; Pistikopoulos, E. N., and Papalexandri, K. P., "Separation of nonideal mixtures based on mass/heat exchange principles: The entrainer selection and sequencing problem," *Comput. Chem. Eng.*, 21(Suppl.), S211–S216 (1997).
- Jobson, M., "Short-cut evaluation of distillation sequences," *Comput. Chem. Eng.*, 21(Suppl.), S553–S558 (1997).
- Karacan, S.; Hapoglu, H., and Cabbar, Y., "Pole placement self-tuning control for packed distillation column," *Chem. Eng. Process.*, 36(4), 309–316 (1997).
- Kim, Y. J., and Simmrock, K. H., "AZEOPERT; An expert system for the prediction of azeotrope formation: Binary azeotropes," *Comput. Chem. Eng.*, 21(1), 93–112 (1997).
- Kister, H. Z., "Are column malfunctions becoming extinct: Or will they persist in the 21st Century?" *Chem. Eng. Res. Des.*, 75(6), 563–589 (1997).
- Lee, F. M., and Gentry, J. C., "Don't overlook extractive distillation," *Chem. Eng. Prog.*, 93(10), 56–64 (1997).
- Lelli, U., "Operating problems of distillation columns: A discussion," *Chem. Eng. Commun.*, 155, 73–88 (1997).
- Lestak, F., and Collins, C., "Advanced distillation saves energy and capital," *Chem. Eng. (N.Y.)*, pp. 72–76 (July 1997).
- Lotter, S. P., and Diwekar, U. M., "Shortcut models and feasibility considerations for emerging batch distillation columns," *Ind. Eng. Chem. Res.*, 36(3), 760–770 (1997).
- Luo, G. S.; Niang, M., and Schaetzel, P., "Separation of ethyl *tert*-butyl ether/ethanol by combined pervaporation and distillation," *Chem. Eng. J.*, 68(2), 139–144 (1997).
- Machale, K. W.; Niranjana, K., and Pangarkar, V. G., "Recovery of dissolved essential oils from condensate waters of basil and *Mentha arvensis* distillation," *J. Chem. Technol. Biotechnol.*, 69(3), 362–366 (1997).
- Mahajani, S. M., and Kolah, A. K., "Some design aspects of reactive distillation columns (erratum)," *Ind. Eng. Chem. Res.*, 36(6), 2520 (1997).



- McLean, J. D., and Kilpatrick, P. K., "Comparison of precipitation and extrography in the fractionation of crude oil residua," *Energy Fuels*, 11(3), 570–585 (1997).
- Mohl, K. D.; Kienle, A., and Gilles, E. D., "Nonlinear dynamics of reactive distillation processes for the production of fuel ethers," *Comput. Chem. Eng.*, 21(Suppl.), S989–S994 (1997).
- Mujtaba, I. M., "Use of continuous distillation columns for batch separation," *Chem. Eng. Res. Des.*, 75(6), 609–619 (1997).
- Mujtaba, I. M., and Macchietto, S., "Efficient optimization of batch distillation with chemical reaction using polynomial curve fitting techniques," *Ind. Eng. Chem. Res.*, 36(6), 2287–2295 (1997).
- Muller, D., and Marquardt, W., "Dynamic multiple-phase flash simulation: Global stability analysis versus quick phase determination," *Comput. Chem. Eng.*, 21(Suppl.), S817–S822 (1997).
- Muller, D., and Marquardt, W., "Experimental verification of multiple steady states in heterogeneous azeotropic distillation," *Ind. Eng. Chem. Res.*, 36(12), 5410–5418 (1997).
- Nguyen, A. D., and Le Goffic, F., "Limits of wiped film short-path distiller," *Chem. Eng. Sci.*, 52(16), 2661–2666 (1997).
- Nogueira, J. M. F., "Continuous extraction of crude tall oil," *Sep. Sci. Technol.*, 32(17), 2807–2820 (1997).
- Nooraii, A.; Figueroa, J., and Romagnoli, J. A., "Robustness analysis and control of a pilot-scale distillation column," *Comput. Chem. Eng.*, 21(7), 703–718 (1997).
- Olsen, I.; Endrestol, G. O., and Sira, T., "A rigorous and efficient distillation column model for engineering and training simulators," *Comput. Chem. Eng.*, 21(Suppl.), S193–S198 (1997).
- Oppenheimer, O., and Sorensen, E., "Comparative energy consumption in batch and continuous distillation," *Comput. Chem. Eng.*, 21(Suppl.), S529–S534 (1997).
- Pelkonen, S.; Kaesemann, R., and Gorak, A., "Distillation lines for multicomponent separation in packed columns: Theory and comparison with experiment," *Ind. Eng. Chem. Res.*, 36(12), 5392–5398 (1997).
- Peramanu, S., and Pruden, B. B., "Solubility study for the purification of hydrogen from high-pressure hydrocracker off-gas by an absorption-stripping process," *Can. J. Chem. Eng.*, 75(3), 535–543 (1997).
- Pilavachi, P. A.; Schenk, M.; Perez-Cisneros, E., and Gani, R., "Modeling and simulation of reactive distillation operations," *Ind. Eng. Chem. Res.*, 36(8), 3188–3197 (1997).
- Podrebarac, G. G.; Ng, F. T. T., and Rempel, G. L., "More uses for catalytic distillation," *Chemtech*, 27(5), 37–45 (1997).
- Rabeau, P.; Gani, R., and Leibovici, C., "An efficient initialization procedure for simulation and optimization of large distillation problems," *Ind. Eng. Chem. Res.*, 36(10), 4291–4298 (1997).
- Rewatkar, V. B., and Masliyah, J. H., "Hardwood fibre fractionation using rotating cone," *Can. J. Chem. Eng.*, 75(1), 196–204 (1997).
- Riazi, M. R., "A continuous model for C_7+ fraction characterization of petroleum fluids," *Ind. Eng. Chem. Res.*, 36(10), 4299–4307 (1997).
- Rix, A.; Lowe, K., and Gelbe, H., "Feedforward control of a binary high-purity distillation column," *Chem. Eng. Commun.*, 159, 105–118 (1997).
- Rock, K.; Gildert, G. R., and McGuirk, T., "Catalytic distillation extends its reach," *Chem. Eng. (N.Y.)*, pp. 78–84 (July 1997).
- Ruiz, C.; Coca, J., and Vega, A., "Extractive distillation of hydrocarbons with dimethylformamide: Experimental and simulation data," *Ind. Eng. Chem. Res.*, 36(11), 4934–4939 (1997).



- Safrit, B. T., and Westerberg, A. W., "Improved operational policies for batch extractive distillation columns," *Ind. Eng. Chem. Res.*, 36(2), 436–443 (1997).
- Safrit, B. T., and Westerberg, A. W., "Algorithm for generating the distillation regions for azeotropic multicomponent mixtures," *Ind. Eng. Chem. Res.*, 36(5), 1827–1840 (1997).
- Safrit, B. T., and Westerberg, A. W., "Synthesis of azeotropic batch distillation separation systems," *Ind. Eng. Chem. Res.*, 36(5), 1841–1854 (1997).
- Sarowha, S. L. S.; Sharma, B. K.; Sharma, C. D., and Bhagat, S. D., "Characterization of petroleum heavy distillates using HPLC and spectroscopic methods," *Energy Fuels*, 11(3), 566–569 (1997).
- Schembecker, G., and Simmrock, K. H., "Heuristic-numeric design of separation processes for azeotropic mixtures," *Comput. Chem. Eng.*, 21(Suppl.), S231–S236 (1997).
- Schneider, R.; Wozny, G., and Fieg, G., "Optimization of an industrial three-phase distillation column train with experimental verification," *Comput. Chem. Eng.*, 21(Suppl.), S1131–S1136 (1997).
- Skogestad, S., "Dynamics and control of distillation columns: A tutorial introduction," *Chem. Eng. Res. Des.*, 75(6), 539–562 (1997).
- Skogestad, S.; Wittgens, B.; Litto, R., and Sorensen, E., "Multi-vessel batch distillation," *AIChE J.*, 43(4), 971–978 (1997).
- Sneesby, M. G., et al., "ETBE synthesis via reactive distillation: Steady-state simulation and design aspects," *Ind. Eng. Chem. Res.*, 36(5), 1855–1869 (1997).
- Sneesby, M. G., et al., "ETBE synthesis via reactive distillation: Dynamic simulation and control aspects," *Ind. Eng. Chem. Res.*, 36(5), 1870–1881 (1997).
- Sorensen, E., and Prenzler, M., "A cyclic operating policy for batch distillation: Theory and practice," *Comput. Chem. Eng.*, 21(Suppl.), S1215–S1220 (1997).
- Subawalla, H.; Gonzalez, J. C.; Seibert, A. F., and Fair, J. R., "Capacity and efficiency of reactive distillation bale packing: Modeling and experimental validation," *Ind. Eng. Chem. Res.*, 36(9), 3821–3832 (1997).
- Takamatsu, T.; Nakaiwa, M., and Huang, K., "Simulation oriented development of a new heat integrated distillation column and its characteristics for energy saving," *Comput. Chem. Eng.*, 21(Suppl.), S243–S248 (1997).
- Thiel, C.; Sundmacher, K., and Hoffmann, U., "Synthesis of ETBE: Residue curve maps for the heterogeneously catalysed reactive distillation process," *Chem. Eng. J.*, 66(3), 181–192 (1997).
- Thiel, C.; Sundmacher, K., and Hoffmann, U., "Residue curve maps for heterogeneously catalysed reactive distillation of fuel ethers MTBE and TAME," *Chem. Eng. Sci.*, 52(6), 993–1006 (1997).
- Tomazi, K. G., "Limitations and dynamics imposed on multicomponent batch distillation by tray hydraulics," *Ind. Eng. Chem. Res.*, 36(10), 4273–4281 (1997).
- Tonelli, S. M.; Brignole, N. B., and Brignole, E. A., "Modelling and control of an industrial azeotropic train," *Comput. Chem. Eng.*, 21(Suppl.), S559–S564 (1997).
- Trankle, F.; Gerstlauer, A., and Zeitz, M., "Application of the modeling and simulation environment PROMOT/DIVA to the modeling of distillation processes," *Comput. Chem. Eng.*, 21(Suppl.), S841–S846 (1997).
- Vallebona, G., and Raspi, G., "Bubble extraction as an improvement of bubble fractionation: Modeling of a simple apparatus," *Sep. Sci. Technol.*, 32(12), 2011–2027 (1997).
- Vazquez-Esparragoza, J. J.; Polasek, J. C., and Bullin, J., "A simple application of Murphree tray efficiency to separation processes," *Chem. Eng. Commun.*, 160, 91–102 (1997).
- Vega, A., et al., "Solvent selection for cyclohexane-cyclohexene-benzene separation by extractive distillation using non-steady-state gas chromatography," *Ind. Eng. Chem. Res.*, 36(3), 803–807 (1997).



- Venkateswarlu, C., and Gangiah, K., "Comparison of nonlinear controllers for distillation startup and operation," *Ind. Eng. Chem. Res.*, 36(12), 5531–5536 (1997).
- Walker, A., "Designing reactive distillation," *Chem. Eng. (Rugby, Engl.)*, pp. 29–32 (22 May 1997).
- Wang, C. J.; Wong, D. S. H., and Chien, I. L., "Experimental investigation of multiple steady states and parametric sensitivity in azeotropic distillation," *Comput. Chem. Eng.*, 21(Suppl.), S535–S540 (1997).
- Wilson, J. A., and Martinez, C. L. M., "State estimation in the control of integrated batch reaction with distillation processes," *Chem. Eng. Res. Des.*, 75(6), 603–608 (1997).
- Wisniak, J.; Apelblat, A., and Segura, H., "Application of model-free computation techniques and limiting conditions for azeotropy: An additional assessment of experimental data," *Chem. Eng. Sci.*, 52(23), 4393–4402 (1997).
- Wu, F.; Goh, K. C., and Walsh, S., "Robust hydrogen performance analysis for a high-purity distillation column," *Comput. Chem. Eng.*, 21(Suppl.), S161–S166 (1997).
- Xu, X.; Zhao, Z., and Tian, S. J., "Study on catalytic distillation processes: Prediction of pressure drop and holdup in catalyst bed," *Chem. Eng. Res. Des.*, 75(6), 625–629 (1997).
- Yang, B. L., and Goto, S., "Pervaporation with reactive distillation for the production of ethyl *tert*-butyl ether," *Sep. Sci. Technol.*, 32(5), 971–982 (1997).
- Yang, D. R., and Lee, K. S., "Monitoring of a distillation column using modified extended Kalman filter and a reduced order model," *Comput. Chem. Eng.*, 21(Suppl.), S565–S570 (1997).
- Yeh, H. M., "The optimum plate aspect ratio for the best performance in a flat-plate thermal diffusion column of the Frazier scheme," *Can. J. Chem. Eng.*, 75(3), 605–609 (1997).
- Yi, C. K., and Luyben, W. L., "Design and control of coupled reactor/column systems: A binary coupled reactor/rectifier system," *Comput. Chem. Eng.*, 21(1), 25–46 (1997).
- Yi, C. K., and Luyben, W. L., "Design and control of coupled reactor/column systems: More complex coupled reactor/column systems," *Comput. Chem. Eng.*, 21(1), 47–68 (1997).
- Yi, C. K., and Luyben, W. L., "Design and control of coupled reactor/column systems: A reactor/stripper with two columns and recycle," *Comput. Chem. Eng.*, 21(1), 69–86 (1997).
- Yu, S.; Zhou, A., and Tan, Q., "Simulation of multistage catalytic stripping with a nonequilibrium stage model," *Comput. Chem. Eng.*, 21(4), 409–416 (1997).
- Zemp, R. J.; de Faria, S. H. B., and Oliveira Maia, M. D. L., "Driving force distribution and energy loss in the thermodynamic analysis of distillation columns," *Comput. Chem. Eng.*, 21(Suppl.), S523–S528 (1997).

Column Design Data

- Anon., "Column fabrication (equipment update)," *Chem. Eng. (N. Y.)*, pp. 113–116 (October 1997).
- Baird, M. H. I., and Rao, N. V. R., "Pressure drops in gas-liquid flow in a 15 cm reciprocating plate column," *Can. J. Chem. Eng.*, 75(2), 282–289 (1997).
- Basic, A., and Burns, J. R., "Comments and reply on 'Process intensification: Visual study of liquid maldistribution in rotating packed beds,'" *Chem. Eng. Sci.*, 52(3), 453–455 (1997).
- Bravo, J. L., "Select structured packings or trays?" *Chem. Eng. Prog.*, 93(7), 36–41 (1997).
- Brunazzi, E., and Paglianti, A., "Mechanistic pressure drop model for columns containing structured packings," *AIChE J.*, 43(2), 317–327 (1997).
- Brunazzi, E., and Paglianti, A., "Liquid-film mass-transfer coefficient in a column equipped with structured packings," *Ind. Eng. Chem. Res.*, 36(9), 3792–3799 (1997).

- Bussing, W., and Bart, H. J., "Thermal conductivity of unsaturated packed beds: Comparison of experimental results and estimation methods," *Chem. Eng. Process.*, 36(2), 119–132 (1997).
- Carman, P. C., "Fluid flow through granular beds (reprint from *Trans. IChemE*, 15:150–166, 1937)," *Chem. Eng. Res. Des.*, 75(Suppl.), S32–S48 (1997).
- Cheng, Z. M., and Yuan, W. K., "Estimating radial velocity of fixed beds with low tube-to-particle diameter ratios," *AIChE J.*, 43(5), 1319–1324 (1997).
- Chopey, N., "Distillation internals," *Chem. Eng. (N.Y.)*, pp. 34–37 (November 1997).
- Givens, K. R., "Remediation of borosilicate Raschig rings," *Sep. Sci. Technol.*, 32(1), 405–411 (1997).
- Guo, F.; Zheng, C.; Guo, K., and Feng, Y., "Hydrodynamics and mass transfer in cross flow rotating packed bed," *Chem. Eng. Sci.*, 52(21), 3853–3859 (1997).
- Horowitz, G. I., and Cassanello, M., "Flow regime transition in trickle beds packed with particles of different wetting characteristics: Check-up on new tools," *Chem. Eng. Sci.*, 52(21), 3747–3755 (1997).
- Kalaichelvi, P., and Murugesan, T., "Prediction of slip velocity in rotating disc contactors," *J. Chem. Technol. Biotechnol.*, 69(1), 130–136 (1997).
- MacDonald, J. F., and Bridgwater, J., "Void formation in stationary and moving beds," *Chem. Eng. Sci.*, 52(5), 677–692 (1997).
- Mitra-Majumdar, D.; Farouk, B., and Shah, Y. T., "Hydrodynamic modeling of three-phase flows through a vertical column," *Chem. Eng. Sci.*, 52(24), 4485–4498 (1997).
- Mueller, G. E., "Angular porosity distributions in fixed packed beds of low diameter aspect ratio," *Can. J. Chem. Eng.*, 75(4), 677–683 (1997).
- Mueller, G. E., "Numerical simulation of packed beds with monosized spheres in cylindrical containers (letter)," *Powder Technol.*, 92(2), 179–183 (1997).
- Mustafa, H., and Bekassy-Molnar, E., "Hydrodynamic characteristics of Nutter valve trays: New correlations," *Chem. Eng. Res. Des.*, 75(6), 620–624 (1997).
- Nowotny, C.; Halwachs, W., and Shugerl, K., "Recovery of platinum, palladium and rhodium from industrial process leaching solutions by reactive extraction," *Sep. Purif. Technol.*, 12(2), 135–144 (1997).
- Peev, G., and Tzibranska, I., "Modelling of fluid-solid mass transfer in packed beds: Cases of nonuniform particles and concentration dependent internal diffusivity," *Chem. Eng. Process.*, 36(4), 317–325 (1997).
- Sabiri, N. E., and Comiti, J., "Experimental validation of a model allowing pressure gradient determination for non-Newtonian purely viscous fluid-flow through packed beds," *Chem. Eng. Sci.*, 52(20), 3589–3592 (1997).
- Schneider, D. F., and Musumeci, J., "Deep cut vacuum tower processing provides major incentives," *Hydrocarbon Process.*, 76(11), 83–89 (1997).
- Sederman, A. J.; Johns, M. L., and Bramley, A. S., "Magnetic resonance imaging of liquid flow and pore structure within packed beds," *Chem. Eng. Sci.*, 52(14), 2239–2250 (1997).
- Shen, G., and Finch, J. A., "Bubble swarm velocity in a column: A two-dimensional approach," *Chem. Eng. Sci.*, 52(19), 3287–3294 (1997).
- Shetty, S., and Cerro, R. L., "Fundamental liquid flow correlations for the computation of design parameters for ordered packings," *Ind. Eng. Chem. Res.*, 36(3), 771–783 (1997).
- Song, M., and Evren, V., "A note and reply on 'A new technique for the determination of mass transfer coefficients in packed columns for physical gas absorption systems,'" *Chem. Eng. J.*, 66(2), 149–151 (1997).
- Stanek, V., and Jiricny, V., "Experimental observation of pressure drop overshoot following an onset of gas flow in counter-current beds," *Chem. Eng. J.*, 68(2), 207–210 (1997).



- Talib, J. H.; Germinder, B., and Hitchcock, M. P., "Teamwork increases fractionation capacity cost-effectively," *Hydrocarbon Process.*, 76(10), 121–126 (1997).
- Wagner, I.; Stichlmair, J., and Fair, J. R., "Mass transfer in beds of modern, high-efficiency random packings," *Ind. Eng. Chem. Res.*, 36(1), 227–237 (1997).
- Wang, G. X.; Liu, D. Y., and Lister, J. D., "Experimental and numerical simulation of discrete liquid flow in a packed bed," *Chem. Eng. Sci.*, 52(21), 4013–4019 (1997).
- Zhu, S. L., and Luo, G. S., "Hydrodynamic and mass transfer performance of multiple upcomer extraction trays," *Can. J. Chem. Eng.*, 75(4), 797–800 (1997).
- Zhu, X., and Hofmann, H., "Effect of wetting geometry on overall effectiveness factors in trickle beds," *Chem. Eng. Sci.*, 52(24), 4511–4524 (1997).

Absorption Reactions and Absorber Design

- Aroonwilas, A., and Tontiwachwuthikul, P., "High-efficiency structured packing for carbon dioxide separation using 2-amino-2-methyl-1-propanol (AMP)," *Sep. Purif. Technol.*, 12(1), 67–80 (1997).
- Ashour, S. S., and Sandall, O. C., "Gas absorption into a liquid flowing over a sphere with a second-order irreversible chemical reaction," *Chem. Eng. Commun.*, 160, 199–210 (1997).
- Bai, H., and Yeh, A. C., "Removal of carbon dioxide greenhouse gas by ammonia scrubbing," *Ind. Eng. Chem. Res.*, 36(6), 2490–2493 (1997).
- Bart, H. J., and Burtscher, K., "NO absorption in a chromia/sulfuric acid/water solution: Experimental and theoretical investigations in a laboratory and a pilot plant," *Sep. Purif. Technol.*, 11(1), 37–46 (1997).
- Bravo, F.; Cooper, R. S., and Contreras, D., "Wisely use emergency scrubbers with vent systems," *Chem. Eng. Prog.*, 93(8), 62–68 (1997).
- Brilman, D. W. F.; van Swaaij, W. P. M., and Versteeg, G. F., "On the absorption of isobutene and *trans*-2-butene in sulfuric acid solutions," *Ind. Eng. Chem. Res.*, 36(11), 4638–4650 (1997).
- Brogren, C., and Karlsson, H. T., "Modeling the absorption of sulphur dioxide in a spray scrubber using the penetration theory," *Chem. Eng. Sci.*, 52(18), 3085–3100 (1997).
- Cadours, R.; Bouallou, C., and Gaunand, A., "Kinetics of carbon dioxide desorption from highly concentrated and carbon dioxide-loaded methyldiethanolamine aqueous solutions in the range 312–383 K," *Ind. Eng. Chem. Res.*, 36(12), 5384–5391 (1997).
- Camacho, F.; Sanchez, S., and Pacheco, R., "Absorption of carbon dioxide at high partial pressures in 1-amino-2-propanol aqueous solution: Considerations of thermal effects," *Ind. Eng. Chem. Res.*, 36(10), 4358–4364 (1997).
- Daiguji, H.; Hihara, E., and Saito, T., "Mechanism of absorption enhancement by surfactant," *Int. J. Heat Mass Transfer*, 40(8), 1743–1752 (1997).
- Danckwerts, P. V., and Kennedy, A. M., "Kinetics of liquid-film process in gas absorption: Models of the absorption process (reprint from *Trans. IChemE*, 32:S49–S52, 1954)," *Chem. Eng. Res. Des.*, 75(Suppl.), S101–S104 (1997).
- Demmink, J. F.; van Gils, I. C. F., and Beenackers, A. A. C. M., "Absorption of nitric oxide into aqueous solutions of ferrous chelates accompanied by instantaneous reaction," *Ind. Eng. Chem. Res.*, 36(11), 4914–4927 (1997).
- Grossman, G., and Gommed, K., "Heat and mass transfer in film absorption in the presence of nonabsorbable gases," *Int. J. Heat Mass Transfer*, 40(15), 3595–3606 (1997).
- Harriman, L., and Simkins, D., "Desiccants and cooling for dehumidification," *Chem. Eng. (N.Y.)*, pp. 80–87 (August 1997).
- Hook, R. J., "An investigation of some sterically hindered amines as potential carbon dioxide scrubbing compounds," *Ind. Eng. Chem. Res.*, 36(5), 1779–1790 (1997).



- Imamura, S.; Matsuba, Y., and Yamada, E., "Absorption of inorganic halides produced from Freon 12 by calcium carbonate containing iron(III) oxide," *Ind. Eng. Chem. Res.*, 36(9), 3978–3981 (1997).
- Kenig, E. Y.; Wiesner, U., and Gorak, A., "Modeling of reactive absorption using the Maxwell-Stefan equations," *Ind. Eng. Chem. Res.*, 36(10), 4325–4334 (1997).
- Kim, K. J.; Feldman, K. T.; Lloyd, G., and Razani, A., "Absorption of hydrogen in $\text{LaNi}_{4.75}\text{Al}_{0.25}/n$ -octane slurries," *Ind. Eng. Chem. Res.*, 36(9), 3920–3926 (1997).
- Koley, N., and Otterbain, M., "Comments and reply on 'Influence of pressure on gas-liquid interfacial area and k_{ia} in countercurrent packed columns,' " *Chem. Eng. Process.*, 36(2), 171–173 (1997).
- Lancia, A., et al., "Model of oxygen absorption into calcium sulfite solutions," *Chem. Eng. J.*, 66(2), 123–130 (1997).
- Lancia, A.; Musmarra, D., and Pepe, F., "Modeling of sulfur dioxide absorption into limestone suspensions," *Ind. Eng. Chem. Res.*, 36(1), 197–203 (1997).
- Lekhal, A.; Chaudhari, R. V., and Wilhelm, A. M., "Gas-liquid mass transfer in gas-liquid-liquid dispersions," *Chem. Eng. Sci.*, 52(21), 4069–4077 (1997).
- Li, Y. G., and Mather, A. E., "Correlation and prediction of the solubility of carbon dioxide and hydrogen sulfide in aqueous solutions of methyldiethanolamine," *Ind. Eng. Chem. Res.*, 36(7), 2760–2765 (1997).
- Lu, H. H.; Yang, Y. M., and Maa, J. R., "Surfactant effects on absorption in the presence of induced interfacial turbulence," *AIChE J.*, 43(7), 1909–1913 (1997).
- Markos, J.; Pisu, M., and Morbidelli, M., "Stripping of ammonia from aqueous solutions of amino acids and inorganic ions," *Chem. Eng. Commun.*, 159, 191–208 (1997).
- Mecum, S. M.; Veatch, F. C., and Cummings, A. L., "Why caustic addition is bad for amine systems," *Hydrocarbon Process.*, 76(10), 115–119 (1997).
- Merrill, T. L., and Perez-Blanco, H., "Combined heat and mass transfer during bubble absorption in binary solutions," *Int. J. Heat Mass Transfer*, 40(3), 589–604 (1997).
- Nielsen, R. B., "Treat LPGs with amines," *Hydrocarbon Process.*, 76(9), 49–59 (1997).
- Pedersen, G. C., and Bhattacharjee, P. K., "Scrubbers with a level head," *Chem. Eng. (N.Y.)*, pp. 130–134 (November 1997).
- Pradhan, M. P.; Suchak, N. J.; Walse, P. R., and Joshi, J. B., "Multicomponent gas absorption with multiple reactions: Modelling and simulation of NO_x absorption in nitric acid manufacture," *Chem. Eng. Sci.*, 52(24), 4569–4592 (1997).
- Pulley, R. A., "Modelling the performance of venturi scrubbers," *Chem. Eng. J.*, 67(1), 9–18 (1997).
- Rinaldi, G., "Acid gas absorption by means of aqueous solutions of regenerable phenol-modified polyalkylenepolyamine," *Ind. Eng. Chem. Res.*, 36(9), 3778–3782 (1997).
- Rinker, E. B.; Hanna, O. T., and Sandall, O. C., "Asymptotic models for hydrogen sulfide absorption into single and blended aqueous amines," *AIChE J.*, 43(1), 58–63 (1997).
- Shi, Y.; Wang, H., and Chang, S. G., "Kinetics of NO absorption in aqueous iron(II) thiochelatate solutions," *Environ. Prog.*, 16(4), 301–306 (1997).
- Suda, T.; Iijima, M., and Tanaka, H., "Countercurrent absorption of carbon dioxide in a real flue gas into aqueous alkanolamine solutions in a wetted wall column," *Environ. Prog.*, 16(3), 200–207 (1997).
- Taniguchi, I.; Kawabata, J., and Asano, K., "Absorption of carbon dioxide with a freely falling aqueous sodium hydroxide solution drop," *Chem. Eng. Commun.*, 159, 119–136 (1997).
- Tekie, Z.; Li, J., and Morsi, B. I., "Mass transfer parameters of oxygen and nitrogen in cyclohexane under elevated pressures and temperatures: A statistical approach," *Ind. Eng. Chem. Res.*, 36(9), 3879–3888 (1997).



- Thomas, D., and Vanderschuren, J., "Modeling of NO_x absorption into nitric acid solutions containing hydrogen peroxide," *Ind. Eng. Chem. Res.*, 36(8), 3315–3322 (1997).
- Tsuchiya, K.; Mikasa, H., and Saito, T., "Absorption dynamics of carbon dioxide bubbles in a pressurized liquid flowing downward and its simulation in seawater," *Chem. Eng. Sci.*, 52(21), 4119–4126 (1997).
- van Dam, M. H. H.; Lamine, A. S., and Roizard, D., "Selective sulfur dioxide removal using organic solvents," *Ind. Eng. Chem. Res.*, 36(11), 4628–4637 (1997).
- Vas Bhat, R. D.; van Swaaij, W. P. M., and Benes, N. E., "Non-isothermal gas absorption with reversible chemical reaction," *Chem. Eng. Sci.*, 52(21), 4079–4094 (1997).
- Vasconcelos, J. M. T.; Nienow, A. W., and Martin, T., "Alternative ways of applying the hydrogen peroxide steady-state method of k_{ia} measurement," *Chem. Eng. Res. Des.*, 75(5), 467–472 (1997).
- Vazquez, G.; Cancela, M. A., and Varela, R., "Influence of surfactants on absorption of carbon dioxide in a stirred tank with and without bubbling," *Chem. Eng. J.*, 67(2), 131–138 (1997).
- Vazquez, G.; Chenlo, F., and Pereira, G., "Enhancement of the absorption of carbon dioxide in alkaline buffers by organic solutes: Relation with degree of dissociation and molecular OH density," *Ind. Eng. Chem. Res.*, 36(6), 2353–2358 (1997).
- Versteeg, G. F.; Visser, J. B. M., and Dierendonck, L. L., "Absorption accompanied with chemical reaction in trickle-bed reactors," *Chem. Eng. Sci.*, 52(21), 4057–4067 (1997).
- Yazdi, A. V., and Beckman, E. J., "Design of highly carbon dioxide-soluble chelating agents: Effect of chelate structure and process parameters on extraction efficiency," *Ind. Eng. Chem. Res.*, 36(6), 2368–2374 (1997).
- Zidar, M.; Golob, J., and Veber, M., "Absorption of sulfur dioxide into aqueous solutions: Gas-liquid equilibrium of the MgO /sulfur dioxide/water system and graphical presentation of operation lines in an equilibrium diagram," *Ind. Eng. Chem. Res.*, 36(10), 4342–4346 (1997).

Cooling Towers

- Silverberg, P. M., "How to fight Legionellosis," *Chem. Eng. (N.Y.)*, pp. 99–102 (November 1997).
- Willa, J. L., "Improving cooling towers," *Chem. Eng. (N.Y.)*, pp. 92–96 (November 1997).

Liquid-Liquid Extraction

- Alonso, A. I.; Galan, B.; Irabien, A., and Ortiz, I., "Separation of Cr(VI) with Aliquat 336: Chemical equilibrium modeling," *Sep. Sci. Technol.*, 32(9), 1543–1556 (1997).
- Angelidis, T. N.; Kydros, K. A., and Sklavounos, S. A., "Fundamental rotating disk study of platinum recovery from aqueous solution by a reduction/collection technique," *Ind. Eng. Chem. Res.*, 36(5), 1758–1766 (1997).
- Aoun Nabli, M.; Guiraud, P., and Gourdon, C., "Numerical experimentation: A tool to calculate the axial dispersion coefficient in discs and doughnuts pulsed solvent extraction columns," *Chem. Eng. Sci.*, 52(14), 2353–2368 (1997).
- Apostoluk, W., and Szymanowski, J., "Interfacial tension estimation in model extraction systems containing mixed diluents," *Solv. Extr. Ion Exch.*, 15(1), 131–142 (1997).
- Bailes, P. J.; Freestone, D., and Sams, G. W., "Pulsed dc fields for electrostatic coalescence of water-in-oil emulsions," *Chem. Eng. (Rugby, Engl.)*, pp. 34–39 (23 October 1997).
- Belova, V. V.; Jidkova, T. I., and Vasilevich, S. A. V., "Influence of the amine nature on the composition of palladium complexes in solvent extraction system," *Solv. Extr. Ion Exch.*, 15(6), 1023–1042 (1997).



- Bogacki, M. B., "Physicochemical modification of copper extractants: A review," *Solv. Extr. Ion Exch.*, 15(5), 731–755 (1997).
- Bogacki, M. B., et al., "Dialkyl pyridinedicarboxylates' extraction ability toward copper(II) from chloride solutions and its modification with alcohols," *Ind. Eng. Chem. Res.*, 36(3), 838–845 (1997).
- Bogacki, M. B.; Borowiak-Resterna, A., and Szymanowski, J., "Modification of extraction abilities of *N,N,N',N'*-tetraalkyl-3,5-pyridinedicarboxamide by its association with alcohol," *Solv. Extr. Ion Exch.*, 15(4), 591–604 (1997).
- Bond, E. M.; Engelhardt, U., and Deere, T. P., "The solvent extraction of americium(III) in nitric acid solutions by 2,6-bis[(diphenylphosphino)methyl]pyridine *N,P,P'*-trioxide," *Solv. Extr. Ion Exch.*, 15(3), 381–400 (1997).
- Bora, M. M.; Ghosh, A. C.; Dutta, N. N., and Mathur, R. K., "Reactive extraction of 6-aminopenicillanic acid with Aliquat-336: Equilibrium and kinetics," *Can. J. Chem. Eng.*, 75(3), 520–526 (1997).
- Borowiakresterna, A.; Blaszcak, J., and Bogacki, M. B., "Interfacial activity of model hydrophobic pyridinecarboxamides," *Solv. Extr. Ion Exch.*, 15(6), 1051–1065 (1997).
- Bui, V. T.; Ahad, E.; Rheume, D., and Whitehead, R., "Evaluation of branched glycidyl azide polymer purified by solvent extraction," *Ind. Eng. Chem. Res.*, 36(6), 2219–2224 (1997).
- Cameselle, C.; Nunez, M. J., and Lema, J. M., "Leaching of kaolin iron-oxides with organic acids," *J. Chem. Technol. Biotechnol.*, 70(4), 349–354 (1997).
- Cauwenberg, V.; Degreve, J., and Slater, M. J., "The interaction of solute transfer, contaminants and drop break-up in rotating disc contactors: Correlation of drop breakage probabilities," *Can. J. Chem. Eng.*, 75(6), 1046–1055 (1997).
- Cauwenberg, V.; Degreve, J., and Slater, M. J., "The interaction of solute transfer, contaminants and drop break-up in rotating disc contactors: The coupling of the mass transfer and breakage processes via interfacial tension," *Can. J. Chem. Eng.*, 75(6), 1056–1066 (1997).
- Chamberlain, D. B.; Conner, C., and Hutter, J. C., "Truex processing of plutonium analytical solution at Argonne National Laboratory," *Sep. Sci. Technol.*, 32(1), 303–326 (1997).
- Chen, Z.; Pruss, J., and Meier, D., "Modelling and simulation of extraction of oligomer from granular polymers," *Chem. Eng. J.*, 68(2), 165–172 (1997).
- Chiarizia, R.; Herlinger, A. W., and Horwitz, E. P., "Metal extraction by alkyl substituted diphosphonic acids: *P,P'*-di(2-ethylhexyl) ethanediphosphonic acid solvent extraction study," *Solv. Extr. Ion Exch.*, 15(3), 417–432 (1997).
- Chowdhury, D. A., and Kamata, S., "Neutral bifunctional phosphonates as reagents for solvent extraction of Au(III): Selective recovery of gold from hydrochloric acid solutions using tetrabutyl 1,3-xylylenediphosphonate," *Solv. Extr. Ion Exch.*, 15(2), 231–248 (1997).
- Comor, J. J.; Kopecni, M. M., and Petkovic, D. M., "Solvent extraction of thorium nitrate with tri-*n*-butyl phosphate: A chemical model," *Solv. Extr. Ion Exch.*, 15(1), 33–48 (1997).
- Comor, J. J.; Kopecni, M. M., and Petkovic, D. M., "A chemical model of the solvent extraction system: Nitric acid/uranyl nitrate/water/tri-*n*-butyl phosphate (TBP)-diluent," *Solv. Extr. Ion Exch.*, 15(6), 991–1006 (1997).
- Daoud, J. A.; Zeid, M. M., and Aly, H. F., "Tetravalent uranium extraction by HDEHP in kerosene from phosphate medium," *Solv. Extr. Ion Exch.*, 15(2), 203–218 (1997).
- Delcul, G. D.; Toth, L. M., and Bond, W. D., "Citrate-based 'TALSPEAK' actinide-lanthanide separation process," *Sep. Sci. Technol.*, 32(1), 431–446 (1997).
- Deligoz, H., and Erdem, E., "Liquid-liquid extraction of transition metal cations by diazo coupling calix[4]arene derivatives," *Solv. Extr. Ion Exch.*, 15(5), 811–817 (1997).
- du Preez, J. G. H., et al., "Nitrogen reagents in metal ion separation: 2-(1'-octyl-thiomethyl)pyridine as extractant for later 3d transition metal ions," *Solv. Extr. Ion Exch.*, 15(1), 79–96 (1997).



- du Preez, J. G. H., and Sumter, N. M., "Organoarsenic ligands as potential f-transition metal ion extractants: Complexing capability and separating potential of new organofluorine arsonic and arsinic acids towards lanthanide cations," *Solv. Extr. Ion Exch.*, 15(3), 433–454 (1997).
- du Preez, J. G. H.; Sumter, N. M., and Mattheus, C., "Nitrogen reagents in metal ion separation: The development of a novel copper(II) extractant," *Solv. Extr. Ion Exch.*, 15(6), 1007–1021 (1997).
- Dukov, I. L., and Jordanov, V. M., "Synergism and separation factors in lanthanide extraction with mixtures of chelating extractant and amine salts in benzene," *Sep. Sci. Technol.*, 32(15), 2561–2568 (1997).
- El-Khaiary, M. I., "Extraction of Al(III) from phosphoric acid by HDDNSA," *Sep. Purif. Technol.*, 12(1), 13–16 (1997).
- El-Reefy, S. A.; Awwad, N. S., and Aly, H. F., "Liquid-liquid extraction of uranium from phosphoric acid by HDEHP/Cyanex-921 mixture," *J. Chem. Technol. Biotechnol.*, 69(2), 271–275 (1997).
- Fulbright, H. H.; Leaphart, M., and Vanbrunt, V., "Extraction and precipitation chemistry for mercury recovery from aqueous wastes," *Sep. Sci. Technol.*, 32(1), 373–386 (1997).
- Gamse, T.; Marr, R., and Froschl, F., "Extraction of furfural with carbon dioxide," *Sep. Sci. Technol.*, 32(1), 355–371 (1997).
- Glanz, S., and Stichlmair, J., "Mixed integer optimization of combined solvent extraction and distillation processes," *Comput. Chem. Eng.*, 21(Suppl.), S547–S552 (1997).
- Hairston, D. W., "Solvent alternatives," *Chem. Eng. (N.Y.)*, pp. 55–58 (February 1997).
- Herlinger, A. W.; Chiarizia, R., and Horwitz, E. P., "Metal extraction by alkyl substituted diphosphonic acids: *P,P'*-di(2-ethylhexyl) ethanediphosphonic acid aggregation and IR study," *Solv. Extr. Ion Exch.*, 15(3), 401–416 (1997).
- Hosgoren, H., et al., "Solvent extraction of boron with 1,2-dihydroxy-4-oxadodecane (DHD) in *n*-amyl alcohol," *Solv. Extr. Ion Exch.*, 15(2), 249–258 (1997).
- Hu, L., and Adeyiga, A. A., "Extraction of formic acid from sodium formate," *Ind. Eng. Chem. Res.*, 36(6), 2375–2379 (1997).
- Huang, T. C.; Huang, C. C., and Chen, D. H., "Thermodynamic equilibria of the extraction of chromium(VI) with tri-*n*-octylphosphine oxide from aqueous solutions," *Solv. Extr. Ion Exch.*, 15(5), 837–862 (1997).
- Juang, R. S., and Huang, R. H., "Equilibrium studies on reactive extraction of lactic acid with an amine extractant," *Chem. Eng. J.*, 65(1), 47–54 (1997).
- Katsuta, S., and Yanagihara, H., "Extraction of zirconium(IV) and hafnium(IV) with acetylacetone in the presence of 3,5-dichlorophenol: Remarkable hydrogen-bond acceptor ability of tetrakis(acetylacetonato) chelates," *Solv. Extr. Ion Exch.*, 15(4), 577–590 (1997).
- Kentish, S. E.; Stevens, G. W., and Pratt, H. R. C., "Measurement of drop rise velocities within a Kuhni extraction column," *Ind. Eng. Chem. Res.*, 36(11), 4928–4933 (1997).
- Klocker, H.; Bart, H. J., and Marr, R., "Mass transfer based on chemical potential theory: Zinc sulfate/sulfuric acid/D2EHPA," *AIChE J.*, 43(10), 2479–2487 (1997).
- Kolarik, Z., and Mullich, U., "Extraction of Am(III) and Eu(III) by 2-substituted benzimidazoles," *Solv. Extr. Ion Exch.*, 15(3), 361–380 (1997).
- Kusakabe, S., "Hydration of several metal perchlorates extracted with trioctylphosphine oxide in hexane," *Solv. Extr. Ion Exch.*, 15(2), 219–230 (1997).
- Lamare, V.; Bressot, C., and Dozol, J. F., "Selective extraction of cesium at tracer level concentration from a sodium nitrate solution with calix-crowns: Molecular modeling study of the Cs⁺/Na⁺ selectivity," *Sep. Sci. Technol.*, 32(1), 175–191 (1997).
- Law, J. D.; Wood, D. J., and Herbst, R. S., "Development and testing of SREX flowsheets for treatment of Idaho chemical processing plant sodium-bearing waste using centrifugal contactors," *Sep. Sci. Technol.*, 32(1), 223–240 (1997).



- Lee, M. J.; Chang, Y. K., and Lin, H. M., "Separation of 4-morpholinepropanesulfonic acid from its aqueous solution," *Ind. Eng. Chem. Res.*, 36(12), 5399–5402 (1997).
- Leonard, R. A.; Chamberlain, D. B., and Conner, C., "Centrifugal contactors for laboratory-scale solvent extraction tests," *Sep. Sci. Technol.*, 32(1), 193–210 (1997).
- Martins, J. P., "The extraction-flocculation re-refining lubricating oil process using ternary organic solvents," *Ind. Eng. Chem. Res.*, 36(9), 3854–3858 (1997).
- Mathur, A. M., and Scranton, A. B., "Synthesis and ion-binding properties of polymeric pseudocrown ethers: Template ion induced cyclization of oligomeric ethylene glycol diacrylates," *Sep. Sci. Technol.*, 32(1), 285–301 (1997).
- Matsumoto, M., et al., "Recovery of boric acid from wastewater by solvent extraction," *Sep. Sci. Technol.*, 32(5), 983–992 (1997).
- Menoyo, B., and Elizalde, M. P., "Extraction of cobalt(II) by Cyanex 302," *Solv. Extr. Ion Exch.*, 15(1), 97–114 (1997).
- Menoyo, B., and Elizalde, M. P., "Extraction of cobalt(II) by Cyanex 301," *Solv. Extr. Ion Exch.*, 15(4), 563–576 (1997).
- Mohanty, S., and Vogelpohl, A., "A simplified hydrodynamic model for a pulsed sieve-plate extraction column," *Chem. Eng. Process.*, 36(5), 385–396 (1997).
- Mokili, B., and Poitrenaud, C., "Medium effect on the separation factor in liquid-liquid extraction: Application to the separation of trivalent lanthanide nitrates by tri-*n*-butylphosphate," *Solv. Extr. Ion Exch.*, 15(3), 455–482 (1997).
- Montavon, G., et al., "Solvent extraction of uranium(VI) and thorium(IV) with a tetra-carboxylated calix[4]arene and effect of alkali ions (Na^+ , K^+)," *Solv. Extr. Ion Exch.*, 15(2), 169–188 (1997).
- Moris, M. A.; Diez, F. V., and Coca, J., "Hydrodynamics of a rotating disc contactor," *Sep. Purif. Technol.*, 11(2), 79–92 (1997).
- Moyer, B. A.; Deng, Y. P., and Sun, Y. F., "Extraction of cesium nitrate from concentrated sodium nitrate solutions with 21-crown-7 ethers: Selectivity and equilibrium modeling," *Solv. Extr. Ion Exch.*, 15(5), 791–810 (1997).
- Nagaosa, Y., and Binghua, Y., "Recovery and separation of lanthanum(III), aluminum(III), cobalt(II), and nickel(II) from misch metal by solvent extraction using bis(2-ethylhexyl)-phosphinic acid," *Sep. Sci. Technol.*, 32(6), 1053–1066 (1997).
- Nagaosa, Y., and Nonome, N., "Purification of unrefined nickel(II) sulfate solution by a continuous countercurrent multistage extraction with bis(2-ethylhexyl) phosphinic acid," *J. Chem. Technol. Biotechnol.*, 69(1), 114–120 (1997).
- Nunez, L.; Kaminski, M., and Vandegrift, G. F., "Application of single-ion activity coefficients to determine the solvent extraction mechanism for components of high-level nuclear waste," *Sep. Sci. Technol.*, 32(1), 211–221 (1997).
- Ohto, K., et al., "Solvent extraction of precious metals with an organoamino-phosphonate," *Solv. Extr. Ion Exch.*, 15(1), 115–130 (1997).
- Otu, E. O., "The synergistic extraction of thorium(IV) and uranium(VI) by 2-ethylhexyl phenylphosphonic acid and micelles of dinonyl naphthalene sulphononic acid," *Solv. Extr. Ion Exch.*, 15(1), 1–14 (1997).
- Pazukhina, Y. E.; Isakova, N. V., and Nagy, V., "Influence of the nature of metal ions on the extraction constants of their dithiocarbamates," *Solv. Extr. Ion Exch.*, 15(5), 777–790 (1997).
- Petrukhin, O. M.; Shipulo, E. V., and Nagy, V., "Intermolecular interaction and partition constants of metal tris-acetylacetonates: A short theoretical review," *Solv. Extr. Ion Exch.*, 15(5), 757–776 (1997).
- Preston, J. S., and du Preez, A. C., "The influence of extractant structure on the solvent extraction of uranium(VI) and thorium(IV) from nitrate media by dialkyl sulphoxides," *J. Chem. Technol. Biotechnol.*, 69(1), 86–92 (1997).

- Prochazka, J.; Heyberger, A., and Volaufova, E., "Amine extraction of hydroxycarboxylic acids: Effect of modifiers on citric acid extraction," *Ind. Eng. Chem. Res.*, 36(7), 2799–2807 (1997).
- Radwan, G. M., et al., "Extraction of aromatics from petroleum naphtha reformat by a 1-cyclohexyl-2-pyrrolidone/ethylene carbonate mixed solvent," *Ind. Eng. Chem. Res.*, 36(2), 414–418 (1997).
- Ramaswamy, M., "Sorption of cesium by hexacyanoferrate composites from neutral and acidic media," *Solv. Extr. Ion Exch.*, 15(6), 1119–1131 (1997).
- Reddy, M. L. P., et al., "Synergistic solvent extraction of trivalent lanthanides with mixtures of 3-phenyl-4-benzoyl-5-isoxazolone and crown ethers," *Solv. Extr. Ion Exch.*, 15(1), 49–64 (1997).
- Ribeiro, L. M., et al., "The dynamic behavior of liquid-liquid agitated dispersions: Coupled hydrodynamics and mass transfer," *Comput. Chem. Eng.*, 21(5), 543–558 (1997).
- Rogers, R. D.; Bond, A. H., and Zhang, J. H., "New technetium-99M generator technologies utilizing polyethylene glycol-based aqueous biphasic systems," *Sep. Sci. Technol.*, 32(1), 867–882 (1997).
- Rogers, R. D.; Zhang, J. H., and Griffin, S. T., "The effects of halide anions on the partitioning behavior of pertechnetate in polyethylene glycol-based aqueous biphasic systems," *Sep. Sci. Technol.*, 32(1), 699–707 (1997).
- Sachleben, R. A.; Deng, Y. P., and Moyer, B. A., "Ion-pair extraction of alkali metal nitrate salts by lipophilic, benzo-substituted 24-crown-8 ethers," *Sep. Sci. Technol.*, 32(1), 275–284 (1997).
- Sayed, S. A.; Sami, T. M., and Abdeltawab, A. A., "Extraction of uranium from Abu-Tartur phosphate aqueous leachate solution," *Sep. Sci. Technol.*, 32(12), 2069–2076 (1997).
- Sella, C.; Nortier, P., and Bauer, D., "A molecular modelling study about the influence of the structure of alkyl chains of dialkyl phosphoric acids on liquid-liquid lanthanide(III) extraction," *Solv. Extr. Ion Exch.*, 15(6), 931–960 (1997).
- Shetkar, P. B.; Gaudh, J. S., and Shinde, V. M., "Extraction of gold(III) with triphenylphosphine sulfide and subsequent spectrophotometric determination," *Sep. Sci. Technol.*, 32(11), 1937–1943 (1997).
- Shi, Q. H.; Sun, Y., and Liu, L., "Distribution behavior of amino acid by extraction with di(2-ethylhexyl) phosphoric acid," *Sep. Sci. Technol.*, 32(12), 2051–2067 (1997).
- Simonin, J. P., "Influence of controlled turbulent hydrodynamics on solute extraction kinetics at a liquid-liquid interface," *Solv. Extr. Ion Exch.*, 15(3), 483–500 (1997).
- Smith, B. F.; Wilson, K. V., and Gibson, R. R., "Amides as phase modifiers for *N,N'*-tetraalkylmalonamide extraction of actinides and lanthanides from nitric acid solutions," *Sep. Sci. Technol.*, 32(1), 149–173 (1997).
- Spasic, A. M., et al., "Performance of demulsions: Entrainment problems in solvent extraction," *Chem. Eng. Sci.*, 52(5), 657–676 (1997).
- Spencer, B. B.; Counce, R. M., and Egan, B. Z., "Extraction of nitric acid from aqueous media with O ϕ D(iB) CMPO/*n*-dodecane," *AIChE J.*, 43(2), 555–564 (1997).
- Srinivasan, T. G.; Vasudeva Rao, P. R., and Sood, D. D., "The effect of temperature on the extraction of uranium(VI) from nitric acid by tri-*n*-amyl phosphate," *Solv. Extr. Ion Exch.*, 15(1), 15–32 (1997).
- Tanaka, M.; Koyama, K., and Shibata, J., "Steady-state local linearization of the countercurrent multistage extraction process for metal ions," *Ind. Eng. Chem. Res.*, 36(10), 4353–4357 (1997).
- Tang, Z.; Hu X., and Zhu, Y., "Separation of hydrocortisone and epi-hydrocortisone by solvent extraction," *J. Chem. Technol. Biotechnol.*, 70(3), 287–293 (1997).



- Torkestani, K.; Goetzgrandmont, G. J., and Brunette, J. P., "Synergistic extraction of cadmium and zinc from nitrate medium with 3-phenyl-4-benzoylisoxazol-5-one in the presence of methyl-tri-*n*-octylammonium nitrate in chloroform and toluene," *Solv. Extr. Ion Exch.*, 15(5), 819–835 (1997).
- Tsouris, C.; Neal, S. H., and Lee, M. K., "Comparison of liquid-liquid dispersions formed by a stirred tank and electrostatic spraying," *Chem. Eng. Commun.*, 160, 175–198 (1997).
- Tsukahara, S.; Satake, S., and Suzuki, N., "Evaluation of liquid-liquid partition coefficients of multidentate amines by scaled particle theory," *Solv. Extr. Ion Exch.*, 15(6), 961–973 (1997).
- Uchiyama, G.; Hotoku, S., and Fujine, S., "Distribution of *n*- and iso-butyraldehydes between tri-*n*-butyl phosphate/*n*-dodecane and nitric acid," *Solv. Extr. Ion Exch.*, 15(5), 863–877 (1997).
- Ullmann, A.; Ludmer, Z., and Shinnar, R., "Novel continuous multistage extraction column based on phase transition of critical-solution mixtures," *Chem. Eng. Sci.*, 52(4), 567–582 (1997).
- Urtiaga, A. M., and Ortiz, I., "Extraction of phenol using trialkylphosphine oxides (Cyanex 923) in kerosene," *Sep. Sci. Technol.*, 32(6), 1157–1162 (1997).
- Vayisoglu, E. S., et al., "Characterization of oil shales by extraction with *N*-methylpyrrolidone," *Fuel*, 76(4), 353–358 (1997).
- Wachs, A.; Benyamin, J., and Semiat, R., "Control of a pilot-scale Karr liquid-liquid extraction column," *Comput. Chem. Eng.*, 21(Suppl.), S601–S606 (1997).
- Wang, D. J.; Wu, J. G., and Xu, D. F., "Aggregation of organic phase of saponified naphthenic acid extraction system and its application in preparation of ultrafine particles," *Sep. Sci. Technol.*, 32(14), 2393–2400 (1997).
- Wang, M. L., and Liu, B. L., "Extraction equilibrium of phenol by sulfuric acid salts of trioctylamine," *Chem. Eng. Commun.*, 156, 131–146 (1997).
- Wang, M. L.; Lin, Y. I., and Liu, B. L., "Extraction equilibrium of 2-chlorophenol by sulfuric acid salts of trioctylamine," *Solv. Extr. Ion Exch.*, 15(4), 605–630 (1997).
- White, C. M.; Rohar, P. C.; Veloski, G. A., and Anderson, R. R., "Practical notes on the use of *N*-methyl-2-pyrrolidinone as a solvent for extraction of coal and coal-related materials," *Energy Fuels*, 11(5), 1105–1106 (1997).
- White, D. A.; Fathurrachman, A., and Assabumrungrat, S., "Cascade design for uranium enrichment employing chemical exchange and solvent extraction," *Sep. Sci. Technol.*, 32(6), 1037–1052 (1997).
- Wines, T. H., and Brown, R. L., "Difficult liquid-liquid separations," *Chem. Eng. (N.Y.)*, pp. 104–109 (December 1997).
- Wood, D. J., and Law, J. D., "Evaluation of the SREX solvent extraction process for removal of Sr-90 and hazardous metals from acidic nuclear waste solutions containing high concentrations of interfering alkali metal ions," *Sep. Sci. Technol.*, 32(1), 241–253 (1997).
- Wood, D. J.; Law, J. D., and Tullock, P. A., "Extraction of lead and strontium from hazardous waste streams by solvent extraction with 4',4',5'-di-(*T*-butyl-dicyclohexo)-18-crown-6," *Solv. Extr. Ion Exch.*, 15(1), 65–78 (1997).
- Wu, Z.; Xu, R., and Chen, J., "Extraction of lincomycin with long-chain alcohols as solvent," *Solv. Extr. Ion Exch.*, 15(3), 501–514 (1997).
- Yaftian, M. R.; Burgard, M., and Matt, D., "Solvent extraction of the rare-earth metal ions by a cone-shaped calix[4]arene substituted at the lower rim by four -CH₂P(O)PH-2 ligands," *Solv. Extr. Ion Exch.*, 15(6), 975–989 (1997).
- Yamaguchi, M., "Extractive separation of praseodymium and neodymium by di(2-ethylhexyl) phosphoric acid in the presence of water-soluble complexing agents using an electrostatic liquid-liquid contactor," *Chem. Eng. Res. Des.*, 75(4), 447–452 (1997).



- Yamini, Y.; Alizadeh, N., and Shamsipur, M., "Separation of barium from alkali and alkaline earth metal ions using octadecyl silica membranes modified by dibenzo-18-crown-6," *Sep. Sci. Technol.*, 32(12), 2077–2085 (1997).
- Yang, L., and Takeuchi, H., "N-Alkylcaprolactams and their mixtures as extractants for U(VI) from nitric acid media," *Solv. Extr. Ion Exch.*, 15(2), 189–202 (1997).

Supercritical Extraction

- Anon., "Supercritical fluids processes," *Process Eng. (London)*, 78(5), 27 (1997).
- Blaney, C. A., and Hussain, S. U., "Cleaning up recycled paper," *Chemtech*, 27(2), 48–51 (1997).
- Catchpole, O. J., and von Kamp, J. C., "Phase equilibrium for the extraction of squalene from shark liver oil using supercritical carbon dioxide," *Ind. Eng. Chem. Res.*, 36(9), 3762–3768 (1997).
- Catchpole, O. J., von Kamp, J. C., and Grey, J. B., "Extraction of squalene from shark liver oil in a packed column using supercritical carbon dioxide," *Ind. Eng. Chem. Res.*, 36(10), 4318–4324 (1997).
- Dariva, C., et al., "Supercritical fluid extraction of a high-ash Brazilian coal: Extraction with pure ethanol and isopropanol and their aqueous solutions," *Fuel*, 76(7), 585–592 (1997).
- Dillow, A. K., et al., "Cosolvent tuning of tautomeric equilibrium in supercritical fluids," *AIChE J.*, 43(2), 515–524 (1997).
- Firus, A.; Weber, W., and Brunner, G., "Supercritical carbon dioxide for the removal of hydrocarbons from contaminated soil," *Sep. Sci. Technol.*, 32(8), 1403–1414 (1997).
- Hafner, K. P., et al., "Solvatochromic study of basic cosolvents in supercritical ethane," *AIChE J.*, 43(3), 847–850 (1997).
- Knutson, B. L., et al., "Benzophenone as a probe of local cosolvent effects in supercritical ethane," *Ind. Eng. Chem. Res.*, 36(3), 854–868 (1997).
- Koo, M.; Lee, W. K., and Lee, C. H., "New reactor system for supercritical water oxidation and its application on phenol destruction," *Chem. Eng. Sci.*, 52(7), 1201–1214 (1997).
- Medina, I., and Martinez, J. L., "Dealcoholisation of cider by supercritical extraction with carbon dioxide," *J. Chem. Technol. Biotechnol.*, 68(1), 14–18 (1997).
- Murphy, J. M., and Erkey, C., "Copper(II) removal from aqueous solutions by chelation in supercritical carbon dioxide using fluorinated beta-diketones," *Ind. Eng. Chem. Res.*, 36(12), 5371–5376 (1997).
- Otu, E. O., "Elution of gold from activated carbon using supercritical carbon dioxide," *Sep. Sci. Technol.*, 32(6), 1107–1114 (1997).
- Perrut, M., et al., "Mathematical modeling of sunflower seed extraction by supercritical carbon dioxide," *Ind. Eng. Chem. Res.*, 36(2), 430–435 (1997).
- Puiggene, J.; Larrayoz, M. A., and Recasens, F., "Free liquid-to-supercritical fluid mass transfer in packed beds; and erratum," *Chem. Eng. Sci.*, 52(2), 195–212; 52(10), 1683 (1997).
- Reverchon, E., "Supercritical desorption of limonene and linalool from silica gel: Experiments and modelling," *Chem. Eng. Sci.*, 52(6), 1019–1028 (1997).
- Reverchon, E., and Iacuzio, G., "Supercritical desorption of bergamot peel oil from silica gel: Experiments and mathematical modelling," *Chem. Eng. Sci.*, 52(20), 3553–3559 (1997).
- Reverchon, E., and Marrone, C., "Supercritical extraction of clove bud essential oil: Isolation and mathematical modeling," *Chem. Eng. Sci.*, 52(20), 3421–3428 (1997).
- Reverchon, E.; Marciano, A., and Poletto, M., "Fractionation of a peel oil key mixture by supercritical carbon dioxide in a continuous tower," *Ind. Eng. Chem. Res.*, 36(11), 4940–4948 (1997).



- Sahle-Demessie, E., "Fractionation of glycerides using supercritical carbon dioxide," *Ind. Eng. Chem. Res.*, 36(11), 4906–4913 (1997).
- Sahle-Demessie, E.; Yi, J. S., and Levien, K. L., "Supercritical fluid extraction of pentachlorophenol from pressure-treated wood," *Sep. Sci. Technol.*, 32(6), 1067–1086 (1997).
- Schon, J.; Dahmen, N., and Schmieder, H., "Separation of oil-contaminated glass grinds by supercritical fluid extraction," *Sep. Sci. Technol.*, 32(1), 883–897 (1997).
- Schwartzberg, H. G., "Mass transfer in a countercurrent, supercritical extraction system for solutes in moist solids," *Chem. Eng. Commun.*, 157, 1–22 (1997).
- Shi, T. P.; Hu, Y. X., and Xu, Z. M., "Characterizing petroleum vacuum residue by supercritical fluid extraction and fractionation," *Ind. Eng. Chem. Res.*, 36(9), 3988–3992 (1997).
- Smart, N. G., et al., "Extraction of toxic heavy metals using supercritical fluid carbon dioxide containing organophosphorus reagents," *Ind. Eng. Chem. Res.*, 36(5), 1819–1826 (1997).

REFERENCES

1. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1996)," *Sep. Sci. Technol.*, 32(18), 3067–3083 (1997).
2. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1995)," *Ibid.*, 32(7), 1163–1187 (1997).
3. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1994)," *Ibid.*, 30(20), 3723–3745 (1995).
4. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1992–1993)," *Ibid.*, 29(17), 2359–2385 (1994).
5. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography (1991)," *Ibid.*, 28(6), 1361–1378 (1993).
6. M. S. Ray, "Distillation (1980–1990): A Bibliography," *Ibid.*, 27(1), 105–128 (1992).
7. Engineering and Applied Science Database on CD-ROM (including CHERUB chemical engineering database), published by Royal Melbourne Institute of Technology, Australia. Full details available from the author.

Received by editor April 9, 1998



Request Permission or Order Reprints Instantly!

Interested in copying and sharing this article? In most cases, U.S. Copyright Law requires that you get permission from the article's rightsholder before using copyrighted content.

All information and materials found in this article, including but not limited to text, trademarks, patents, logos, graphics and images (the "Materials"), are the copyrighted works and other forms of intellectual property of Marcel Dekker, Inc., or its licensors. All rights not expressly granted are reserved.

Get permission to lawfully reproduce and distribute the Materials or order reprints quickly and painlessly. Simply click on the "Request Permission/Reprints Here" link below and follow the instructions. Visit the [U.S. Copyright Office](#) for information on Fair Use limitations of U.S. copyright law. Please refer to The Association of American Publishers' (AAP) website for guidelines on [Fair Use in the Classroom](#).

The Materials are for your personal use only and cannot be reformatted, reposted, resold or distributed by electronic means or otherwise without permission from Marcel Dekker, Inc. Marcel Dekker, Inc. grants you the limited right to display the Materials only on your personal computer or personal wireless device, and to copy and download single copies of such Materials provided that any copyright, trademark or other notice appearing on such Materials is also retained by, displayed, copied or downloaded as part of the Materials and is not removed or obscured, and provided you do not edit, modify, alter or enhance the Materials. Please refer to our [Website User Agreement](#) for more details.

[Order now!](#)

Reprints of this article can also be ordered at

<http://www.dekker.com/servlet/product/DOI/101081SS100100642>