

This article was downloaded by:

On: 25 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Separation Science and Technology

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713708471>

Equilibrium-Staged Separations: A Bibliography Update (2002)

Martyn S. Ray^a

^a Department of Chemical Engineering, Curtin University of Technology, Perth, Western Australia

Online publication date: 08 July 2010

To cite this Article Ray, Martyn S.(2005) 'Equilibrium-Staged Separations: A Bibliography Update (2002)', Separation Science and Technology, 39: 3, 709 – 740

To link to this Article: DOI: 10.1081/SS-120028003

URL: <http://dx.doi.org/10.1081/SS-120028003>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

Equilibrium-Staged Separations: A Bibliography Update (2002)

Martyn S. Ray*

Department of Chemical Engineering, Curtin University of Technology,
Perth, Western Australia

ABSTRACT

This article continues a series of annual bibliographic updates of the published literature (since 1980) on distillation and other equilibrium-staged separation processes. This article provides a useful and quick reference source to the 2002 journal literature (from the 50 most important chemical engineering journals) for researchers in this area.^[1–12] The following topics are included:

- Distillation theory and design methods
- Distillation control and applications
- Column design data
- Absorption reactions and absorber design

*Correspondence: Martyn S. Ray, Department of Chemical Engineering, Curtin University of Technology, GPO Box U1987, Perth 6845, Western Australia; E-mail: M.Ray@curtin.edu.au.

- Cooling towers
- Liquid–Liquid extraction
- Supercritical extraction

A complete bibliographic listing of the chemical engineering journal literature from 1959 to 2002 (with subsequent 6-monthly updates) is available on an Internet (or CD-ROM) database.

DISTILLATION THEORY AND DESIGN METHODS

- Cheluget, E.L., Bokis, C.P., and Wardhaugh, L., Modeling polyethylene fractionation using the perturbed-chain statistical associating fluid theory equation of state, *Ind. Eng. Chem. Res.*, 41(5), 968–988 (2002).
- de Koeijer, G.M., Kjelstrup, S., and Salamon, P., Comparison of entropy production rate minimization methods for binary diabatic distillation, *Ind. Eng. Chem. Res.*, 41(23), 5826–5834 (2002).
- Drake, J.E., and Manousiouthakis, V., IDEAS approach to process network synthesis: Minimum plate area for complex distillation networks with fixed utility cost, *Ind. Eng. Chem. Res.*, 41(20), 4984–4992 (2002).
- Garvin, J., Use the correct constant-volume specific heat, *Chem. Eng. Prog.*, 98(7), 64–65 (2002).
- Ho, C.D., and Chiang, S.C., A theoretical study of the improvement in performance of double-pass mass exchangers with external refluxes separated by an idealized permeable barrier, *Chem. Eng. J.*, 89(1), 253–262 (2002).
- Hoffmaster, W.R., and Hauan, S., Sectional and overall reachability for systems with S-shaped distillation lines, *AIChE J.*, 48(11), 2545–2556 (2002).
- Jabrallah, S.B., Belghith, A., and Corriou, J.P., Study of heat and mass transfer in a rectangular cavity: Application to a distillation, *Int. J. Heat Mass Transfer*, 45(4), 891–904 (2002).
- Jevric, J., and Fayed, M.E., Shortcut distillation calculations via spreadsheets, *Chem. Eng. Prog.*, 98(12), 60–67 (2002).
- Kim, Y.H., Rigorous design of extended fully thermally coupled distillation columns, *Chem. Eng. J.*, 89(1), 89–99 (2002).



- Meeuse, F.M., and Tousain, R.L., Closed-loop controllability analysis of process designs: Application to distillation column design, *Comput. Chem. Eng.*, 26(4), 641–647 (2002).
- Perkins, E.A., and Schad, R.C., Single-stage distillation, *Chem. Eng. Prog.*, 98(2), 48–52 (2002).
- Sobocan, G., and Glavic, P., A simple method for systematic synthesis of thermally integrated distillation sequences, *Chem. Eng. J.*, 89(1), 155–172 (2002).
- Wang, J., Ge, X., and Wang, Z., Development of a novel catalytic distillation column, *Chem. Eng. Process.*, 41(2), 115–121 (2002).

DISTILLATION CONTROL AND APPLICATIONS

- Abu Al-Rub, F.A., Banat, F., and Beni-Melhim, K., Parametric sensitivity analysis of direct contact membrane distillation, *Sep. Sci. Technol.*, 37(14), 3245–3272 (2002).
- Afacan, A., Chen, G.X., and Yang, N., Hydraulics and efficiency of screen trays for distillation, *Chem. Eng. Commun.*, 189(1), 41–60 (2002).
- Al-Arfaj, M.A., and Luyben, W.L., Control of ethylene glycol reactive distillation column, *AIChE J.*, 48(4), 905–908 (2002).
- Al-Arfaj, M.A., and Luyben, W.L., Comparative control study of ideal and methyl acetate reactive distillation, *Chem. Eng. Sci.*, 57(24), 5039–5050 (2002).
- Al-Arfaj, M.A., and Luyben, W.L., Design and control of an olefin metathesis reactive distillation column, *Chem. Eng. Sci.*, 57(5), 715–733 (2002).
- Al-Arfaj, M.A., and Luyben, W.L., Control study of ethyl tert-butyl ether reactive distillation, *Ind. Eng. Chem. Res.*, 41(16), 3784–3796 (2002).
- Alpbaz, M., Karacan, S., and Cabbar, Y., Application of model predictive control and dynamic analysis to a pilot distillation column and experimental verification, *Chem. Eng. J.*, 88(1), 163–174 (2002).
- Alvarez-Ramirez, J., Alvarez, J., and Monroy-Loperena, R., Back-stepping design of composition cascade control for distillation columns, *AIChE J.*, 48(8), 1705–1718 (2002).



- Bandyopadhyay, S., Effect of feed on optimal thermodynamic performance of a distillation column, *Chem. Eng. J.*, 88(1), 175–186 (2002).
- Bao, J., Gao, B., and Wu, X., Simulation of industrial catalytic-distillation process for production of methyl tert-butyl ether by developing user's model on AspenPlus platform, *Chem. Eng. J.*, 90(3), 253–266 (2002).
- Barttfeld, M., and Aguirre, P.A., Optimal synthesis of multicomponent azeotropic distillation processes: Preprocessing phase and rigorous optimization for a single unit, *Ind. Eng. Chem. Res.*, 41(21), 5298–5307 (2002).
- Basak, K., Abhilash, K.S., and Ganguly, S., On-line optimization of a crude distillation unit with constraints on product properties, *Ind. Eng. Chem. Res.*, 41(6), 1557–1568 (2002).
- Baur, R., and Krishna, R., Hardware selection and design aspects for reactive distillation columns: A case study on synthesis of TAME, *Chem. Eng. Process.*, 41(5), 445–462 (2002).
- Beckmann, A., Nierlich, F., and Popken, T., Industrial experience in the scale-up of reactive distillation with examples from C4-chemistry, *Chem. Eng. Sci.*, 57(9), 1525–1530 (2002).
- Benz, S.J., and Scenna, N.J., An extensive analysis on the start-up of a simple distillation column with multiple steady states, *Can. J. Chem. Eng.*, 80(5), 865–881 (2002).
- Billingham, J.F., and Lockett, M.J., A simple method to assess the sensitivity of packed distillation columns to maldistribution, *Chem. Eng. Res. Des.*, 80(4), 373–382 (2002).
- Bisowarno, B.H., and Tade, M.O., The comparison of disturbance rejection properties of one-point control schemes for ETBE reactive distillation, *Chem. Eng. Commun.*, 189(1), 85–100 (2002).
- Bjorn, I.N., Gren, U., and Svensson, F., Simulation and experimental study of intermediate heat exchange in a sieve tray distillation column, *Comput. Chem. Eng.*, 26(4), 499–505 (2002).
- Bonanomi, E., and Morari, M., Phase-plane analysis of homogeneous azeotropic distillation columns, *Ind. Eng. Chem. Res.*, 41(16), 3963–3969 (2002).
- Can, U., Jimoh, M., and Steinbach, J., Simulation and experimental analysis of operational failures in a distillation column, *Sep. Purif. Technol.*, 29(2), 163–170 (2002).



- Chadda, N., Malone, M.F., and Doherty, M.F., Feasibility and synthesis of hybrid reactive distillation systems, *AIChE J.*, 48(12), 2754–2768 (2002).
- Chen, F., Huss, R.S., Doherty, M.F., and Malone, M.F., Multiple steady states in reactive distillation: Kinetic effects, *Comput. Chem. Eng.*, 26(1), 81–93 (2002).
- Diehl, M., Schafer, A., and Bock, H.G., Optimization of multiple-fraction batch distillation with recycled waste cuts, *AIChE J.*, 48(12), 2869–2874 (2002).
- Donis, I.R., Gerbaud, V., and Joulia, X., Feasibility of heterogeneous batch distillation processes, *AIChE J.*, 48(6), 1168–1178 (2002).
- Dorn, C., and Morari, M., Qualitative analysis for homogeneous azeotropic distillation: Local stability, *Ind. Eng. Chem. Res.*, 41(16), 3930–3942 (2002).
- Dorn, C., and Morari, M., Qualitative analysis for homogeneous azeotropic distillation: Bifurcation analysis, *Ind. Eng. Chem. Res.*, 41(16), 3943–3962 (2002).
- Drake, J.E., and Manousiouthakis, V., IDEAS approach to process network synthesis: Minimum utility cost for complex distillation networks, *Chem. Eng. Sci.*, 57(15), 3095–3106 (2002).
- Eliceche, A.M., Daviou, M.C., and Hoch, P.M., Optimisation of azeotropic distillation columns combined with pervaporation membranes, *Comput. Chem. Eng.*, 26(4), 563–573 (2002).
- Espinosa, J., On the integration of reaction and separation in a batch extractive distillation column with a middle vessel, *Ind. Eng. Chem. Res.*, 41(15), 3657–3668 (2002).
- Espinosa, S., Diaz, E.S., and Brignole, E.A., Thermodynamic modeling and process optimization of supercritical fluid fractionation of fish oil fatty acid ethyl esters, *Ind. Eng. Chem. Res.*, 41(6), 1516–1527 (2002).
- Fieg, G., Composition control of distillation columns with a sidestream by using gas chromatographs, *Chem. Eng. Process.*, 41(2), 123–133 (2002).
- Friedman, Y.Z., First principles distillation inference models for product quality prediction, *Hydrocarbon Process.*, 81(2), 53–58 (2002).
- Gentilcore, M.J., Reduce solvent usage in batch distillation, *Chem. Eng. Prog.*, 98(1), 56–59 (2002).



- Georgiadis, M.C., Schenk, M., and Pistikopoulos, E.N., The interactions of design control and operability in reactive distillation systems, *Comput. Chem. Eng.*, 26(4), 735–746 (2002).
- Golden, S.W., Use better fractionation to manage gasoline sulfur concentration, *Hydrocarbon Process.*, 81(2), 67–72 (2002).
- Gonzalez, B., and Ortiz, I., Modelling and simulation of a hybrid process (pervaporation-distillation) for the separation of azeotropic mixtures of alcohol-ether, *J. Chem. Technol. Biotechnol.*, 77(1), 29–42 (2002).
- Hamad, A., and Dunn, R.F., Energy optimization of pressure-swing azeotropic distillation systems, *Ind. Eng. Chem. Res.*, 41(24), 6082–6093 (2002).
- Han, M., Lin, H., and Wang, L., Characteristics of the reactive distillation column with a novel internal, *Chem. Eng. Sci.*, 57(9), 1551–1555 (2002).
- Hayes, D.G., Asplund, A.L., and Van Alstine, J.M., Molecular weight-based fractionation of poly-L- and poly-D,L-lactic acid polymers via a simple inclusion compound based process, *Sep. Sci. Technol.*, 37(4), 769–782 (2002).
- Hilal, N., Yousef, G., and Anabtawi, M.Z., Operating parameters effect on methanol-acetone separation by extractive distillation, *Sep. Sci. Technol.*, 37(14), 3291–3304 (2002).
- Hilal, N., Yousef, G., and Langston, P., The reduction of extractive agent in extractive distillation and auto-extractive distillation, *Chem. Eng. Process.*, 41(8), 673–679 (2002).
- Hongyan, Z., Shuying, W., and Rongqi, Z., Mixing pool model for prediction of distillation tray efficiency with liquid entrainment, *Chem. Eng. J.*, 88(1), 21–26 (2002).
- Hu, Y., Su, H., and Lu, J., Simulation and optimization of linear alkylbenzenes distillation process, *Dev. Chem. Eng. Mineral Process.*, 10(1), 33–46 (2002).
- Huang, H., and Riggs, J.B., Including levels in MPC to improve distillation control, *Ind. Eng. Chem. Res.*, 41(16), 4048–4053 (2002).
- Jakobsson, K., Pyhalahti, A., and Pakkanen, S., Modelling of a side reactor configuration combining reaction and distillation, *Chem. Eng. Sci.*, 57(9), 1521–1524 (2002).



- Japanwala, S., Chung, K.H., and Dettman, H.D., Quality of distillates from repeated recycle of residue, *Energy Fuels*, 16(2), 477–484 (2002).
- Ji, S., and Bagajewicz, M., Design of crude fractionation units with preflashing or prefractionation: Energy targeting, *Ind. Eng. Chem. Res.*, 41(12), 3003–3011 (2002).
- Ji, S., and Bagajewicz, M., On the energy efficiency of stripping-type crude distillation, *Ind. Eng. Chem. Res.*, 41(23), 5819–5825 (2002).
- Ji, S., and Bagajewicz, M., Design of crude distillation plants with vacuum units: Targeting, *Ind. Eng. Chem. Res.*, 41(24), 6094–6099 (2002).
- Ji, S., and Bagajewicz, M., Design of crude distillation plants with vacuum units: Heat exchanger network design, *Ind. Eng. Chem. Res.*, 41(24), 6100–6106 (2002).
- Jimenez, L., and Costa-Lopez, J., The production of butyl acetate and methanol via reactive and extractive distillation: Process modeling, dynamic simulation, and control strategy, *Ind. Eng. Chem. Res.*, 41(26), 6735–6744 (2002).
- Jimenez, L., Garvin, A., and Costa-Lopez, J., The production of butyl acetate and methanol via reactive and extractive distillation: Chemical equilibrium, kinetics, and mass-transfer issues, *Ind. Eng. Chem. Res.*, 41(26), 6663–6669 (2002).
- Khayet, M., Godino, M.P., and Mengual, J.I., Thermal boundary layers in sweeping gas membrane distillation processes, *AIChE J.*, 48(7), 1488–1497 (2002).
- Kim, Y.H., Structural design and operation of a fully thermally coupled distillation column, *Chem. Eng. J.*, 85(2), 289–301 (2002).
- King, J.W., and Dunford, N.T., Phytosterol-enriched triglyceride fractions from vegetable oil deodorizer distillates utilizing supercritical fluid fractionation technology, *Sep. Sci. Technol.*, 37(2), 451–462 (2002).
- Kister, H.Z., Can we believe the simulation results? *Chem. Eng. Prog.*, 98(10), 52–58 (2002).
- Lee, D., Lee, J.M., and Lee, S.Y., Dynamic simulation of the sour water stripping process and modified structure for effective pressure control, *Chem. Eng. Res. Des.*, 80(2), 167–177 (2002).



- Lee, J.W., Feasibility studies on quaternary reactive distillation systems, *Ind. Eng. Chem. Res.*, 41(18), 4632–4642 (2002).
- Lei, A., Zhou, R., and Duan, Z., Process improvement on separating C4 by extractive distillation, *Chem. Eng. J.*, 85(2), 379–386 (2002).
- Lei, Z., Wang, H., and Zhou, R., Influence of salt added to solvent on extractive distillation, *Chem. Eng. J.*, 87(2), 149–156 (2002).
- Lei, Z.G., Zhang, J.C., and Chen, B.H., Separation of aqueous isopropanol by reactive extractive distillation, *J. Chem. Technol. Biotechnol.*, 77(11), 1251–1254 (2002).
- Lelkes, Z., Rev, E., and Steger, C., Batch extractive distillation of maximal azeotrope with middle boiling entrainer, *AIChE J.*, 48(11), 2524–2536 (2002).
- Li, P., Wendt, M., and Arellano-Garcia, H., Optimal operation of distillation processes under uncertain inflows accumulated in a feed tank, *AIChE J.*, 48(6), 1198–1211 (2002).
- Li, Y., Yu, S. and Yuan, X., The etherification of methanol and isobutene in a catalytic distillation column packed with zeolite-beta-coated catalytic packings, *Ind. Eng. Chem. Res.*, 41(20), 4936–4940 (2002).
- Lin, H.F., Han, M.H., and Wang, J.F., Study on a catalytic distillation column with a novel internal, *Chem. Eng. Commun.*, 189(11), 1498–1516 (2002).
- Low, K.H., and Sorensen, E., Optimal operation of extractive distillation in different batch configurations, *AIChE J.*, 48(5), 1034–1050 (2002).
- Luus, R., Time optimal control of a binary distillation column, *Dev. Chem. Eng. Mineral Process.*, 10(1), 19–32 (2002).
- McCandless, F.P., Distillation cascades based on differential vaporization and differential condensation stages: Two-stage DCDV cascades, *Sep. Sci. Technol.*, 37(12), 2913–2938 (2002).
- Meszaros, I., and Meili, A., Optimize distillation operations with ejectors, *Hydrocarbon Process.*, 81(3), 51–55 (2002).
- Monroy-Loperena, R., and Alvarez-Ramirez, J., An indirect feedforward composition controller for distillation columns, *Chem. Eng. Commun.*, 189(7), 923–941 (2002).
- Mortaheb, H.R., Kosuge, H., and Asano, K., Hydrodynamics and mass transfer in heterogeneous distillation with sieve tray column, *Chem. Eng. J.*, 88(1), 59–69 (2002).



- Mu, S., Su, H., and Hu, Y., A study on increasing separation efficiency of an industrial, compound distillation column, *Dev. Chem. Eng. Mineral Process.*, 10(1), 7–18 (2002).
- Muralikrishna, K., Madhavan, K.P., and Shah, S.S., Development of dividing wall distillation column design space for a specified separation, *Chem. Eng. Res. Des.*, 80(2), 155–166 (2002).
- Noeres, C., Hoffmann, A., and Gorak, A., Reactive distillation: Non-ideal flow behaviour of the liquid phase in structured catalytic packings, *Chem. Eng. Sci.*, 57(9), 1545–1549 (2002).
- Olivier, E., and Eldridge, R.B., Prediction of the trayed distillation column mass-transfer performance by neural networks, *Ind. Eng. Chem. Res.*, 41(14), 3436–3446 (2002).
- Olsen, D.G., Young, B.R., and Svrcek, W.Y., A study in advanced control application to an azeotropic distillation column within a vinyl acetate monomer process design, *Dev. Chem. Eng. Mineral Process.*, 10(1), 47–60 (2002).
- Peng, J., Lextrait, S., and Edgar, T.F., A comparison of steady-state equilibrium and rate-based models for packed reactive distillation columns, *Ind. Eng. Chem. Res.*, 41(11), 2735–2744 (2002).
- Pohjola, V.J., Tanskanen, J., and Alopaeus, V., The issue of high flux correction in multicomponent reactive and ordinary distillation, *Comput. Chem. Eng.*, 26(9), 1295–1302 (2002).
- Qi, Z., and Sundmacher, K., Bifurcation analysis of reactive distillation systems with liquid-phase splitting, *Comput. Chem. Eng.*, 26(10), 1459–1471 (2002).
- Qi, Z., Kolah, A., and Sundmacher, K., Residue curve maps for reactive distillation systems with liquid-phase splitting, *Chem. Eng. Sci.*, 57(1), 163–178 (2002).
- Qi, Z., Sundmacher, K., and Stein, E., Reactive separation of isobutene from C4 crack fractions by catalytic distillation processes, *Sep. Purif. Technol.*, 26(2), 147–163 (2002).
- Rong, B.G., and Kraslawski, A., Optimal design of distillation flowsheets with a lower number of thermal couplings for multicomponent separations, *Ind. Eng. Chem. Res.*, 41(23), 5716–5726 (2002).
- Schultz, M.A., Stewart, D.G., and Harris, J.M., Reduce costs with dividing-wall columns, *Chem. Eng. Prog.*, 98(5), 64–71 (2002).



- Segado, A.R., de la Fuente, F.C., and Aguilar, A.M., Laboratory data of structured gauze packings as a base for scale-up in distillation, *Chem. Eng. Commun.*, 189(11), 1470–1484 (2002).
- Segovia-Hernandez, J.G., Hernandez, S., and Jimenez, A., Control behaviour of thermally coupled distillation sequences, *Chem. Eng. Res. Des.*, 80(7), 783–789 (2002).
- Shah, P., Squeeze more out of complex columns, *Chem. Eng. Prog.*, 98(7), 46–55 (2002).
- Shah, P.B., and Kokossis, A.C., New synthesis framework for the optimization of complex distillation systems, *AIChE J.*, 48(3), 527–550 (2002).
- Simoes, P.C., and Catchpole, O.J., Fractionation of lipid mixtures by subcritical R134a in a packed column, *Ind. Eng. Chem. Res.*, 41(2), 267–276 (2002).
- Smejkal, Q., and Soos, M., Comparison of computer simulation of reactive distillation using AspenPlus and HYSYS software, *Chem. Eng. Process.*, 41(5), 413–418 (2002).
- Springer, P.A.M., Baur, R., and Krishna, R., Influence of interphase mass transfer on the composition trajectories and crossing of boundaries in ternary azeotropic distillation, *Sep. Purif. Technol.*, 29(1), 1–13 (2002).
- Springer, P.A.M., Buttinger, B., and Baur, R., Crossing of the distillation boundary in homogeneous azeotropic distillation: Influence of interphase mass transfer, *Ind. Eng. Chem. Res.*, 41(6), 1621–1631 (2002).
- Springer, P.A.M., van der Molen, S., and Krishna, R., The need for using rigorous rate-based models for simulations of ternary azeotropic distillation, *Comput. Chem. Eng.*, 26(9), 1265–1279 (2002).
- Springer, P.A.M., van der Molen, S., Baur, R., and Krishna, R., Experimental verification of the Maxwell-Stefan formulation in describing composition trajectories during azeotropic distillation, *Chem. Eng. Res. Des.*, 80(6), 654–666 (2002).
- Steinigeweg, S., and Gmehling, J., n-Butyl acetate synthesis via reactive distillation: Thermodynamic aspects, reaction kinetics, pilot-plant experiments, and simulation studies, *Ind. Eng. Chem. Res.*, 41(22), 5483–5490 (2002).



Equilibrium-Staged Separations

719

- Steyer, F., Qi, Z., and Sundmacher, K., Synthesis of cyclohexanol by three-phase reactive distillation: Influence of kinetics on phase equilibria, *Chem. Eng. Sci.*, 57(9), 1511–1520 (2002).
- Stitt, E.H., Reactive distillation for toluene disproportionation: A technical and economic evaluation, *Chem. Eng. Sci.*, 57(9), 1537–1543 (2002).
- Ulrich, J., and Morari, M., Influence of impurities on the control of heterogeneous azeotropic distillation columns, *Ind. Eng. Chem. Res.*, 41(2), 230–250 (2002).
- Urdaneta, R.Y., Bausa, J., and Bruggemann, S., Analysis and conceptual design of ternary heterogeneous azeotropic distillation processes, *Ind. Eng. Chem. Res.*, 41(16), 3849–3866 (2002).
- Xu, S.X., and Pless, L., Distillation tower flooding: More complex than you think, *Chem. Eng. (N.Y.)*, 109(6), 60–67 (2002).
- Xu, Y., Chuang, K.T., and Sanger, A.R., Design of a process for production of isopropyl alcohol by hydration of propylene in a catalytic distillation column, *Chem. Eng. Res. Des.*, 80(6), 686–694 (2002).
- Yeh, H.M., Effects of inclined angle and plate spacing on the degree of separation in batch-type flat-plate thermal diffusion columns, *Chem. Eng. Commun.*, 189(10), 1360–1367 (2002).
- Yeh, H.M., The best performance in spiral wired thermal diffusion columns, *Chem. Eng. Commun.*, 189(4), 528–542 (2002).
- Zhuang, M.S., Gast, K., and Thies, M.C., Stagewise fractionation of petroleum pitches with supercritical toluene, *Ind. Eng. Chem. Res.*, 41(1), 78–84 (2002).

COLUMN DESIGN DATA

- Benneker, A., Kronberg, A., Lansbergen, I., and Westerterp, K.R., Mass dispersion in liquid flow through packed beds, *Ind. Eng. Chem. Res.*, 41(7), 1716–1722 (2002).
- Chen, J., Fu, R., and Xu, S., Measurement of interface level, hold up, pulsation frequency, and amplitude in a pulsed column by air purge, *Ind. Eng. Chem. Res.*, 41(7), 1868–1872 (2002).



- Ciceron, D., Comiti, J., and Chhabra, R.P., Pressure drops for purely viscous non-Newtonian fluid flow through beds packed with mixed-size spheres, *Chem. Eng. Commun.*, 189(10), 1403–1414 (2002).
- Darakchiev, R., and Dodev, C., Gas flow distribution in packed columns, *Chem. Eng. Process.*, 41(5), 385–393 (2002).
- Das, G., Purohit, N.K., and Mitra, A.K., Geometry of Taylor bubbles rising through liquid-filled annuli, *AIChE J.*, 48(2), 411–416 (2002).
- Dolejs, V., Cakl, J., and Siska, B., Creeping flow of viscoelastic fluid through fixed beds of particles, *Chem. Eng. Process.*, 41(2), 173–178 (2002).
- Endo, Y., Chen, D.R., and Pui, D.Y.H., Theoretical consideration of permeation resistance of fluid through a particle packed layer, *Powder Technol.*, 124(1), 119–126 (2002).
- Fisher, K.S., and Rochelle, G.T., Effect of mixing on efficiencies for reactive tray contactors, *AIChE J.*, 48(11), 2537–2544 (2002).
- Fitz, C.W., and Kunesh, J.G., Column hydraulics: System limit/ultimate capacity, *Chem. Eng. J.*, 88(1), 11–19 (2002).
- Fourie, J.G., and Du Plessis, J.P., Pressure drop modelling in cellular metallic foams, *Chem. Eng. Sci.*, 57(14), 2781–2789 (2002).
- Garcia, J.A., and Fair, J.R., Distillation sieve trays without downcomers: Prediction of performance characteristics, *Ind. Eng. Chem. Res.*, 41(6), 1632–1640 (2002).
- Han, M., Lin, H., and Wang, J., Liquid holdup for two-phase countercurrent flow in the packed column with a novel internal, *Ind. Eng. Chem. Res.*, 41(17), 4435–4438 (2002).
- Henschke, M., and Pfennig, A., Influence of sieve trays on the mass transfer of single drops, *AIChE J.*, 48(2), 227–234 (2002).
- Kozicki, W., Flow of a FENE fluid in packed beds or porous media, *Can. J. Chem. Eng.*, 80(5), 818–829 (2002).
- Lakota, A., Levec, J., and Carbonell, R.G., Hydrodynamics of trickling flow in packed beds: Relative permeability concept, *AIChE J.*, 48(4), 731–738 (2002).
- Lang, Y.D., and Biegler, L.T., Distributed stream method for tray optimization, *AIChE J.*, 48(3), 582–595 (2002).



- Lapin, A., Paaschen, T., and Junghans, K., Bubble column fluid dynamics, flow structures in slender columns with large-diameter ring-spargers, *Chem. Eng. Sci.*, 57(8), 1419–1424 (2002).
- Liao, Y.C., Lee, D.J., and He, P., Microstructural description of packed bed using Voronoi polyhedra, *Powder Technol.*, 123(1), 1–8 (2002).
- Liu, D.Y., Wang, G.X., and Litster, J.D., Unsaturated liquid percolation flow through nonwetted packed beds, *AIChE J.*, 48(5), 953–962 (2002).
- Liu, Q.L., Li, P., and Xiao, J., A new method for designing an energy-saving tray and its hydrodynamic aspects: Model development and simulation, *Ind. Eng. Chem. Res.*, 41(2), 285–292 (2002).
- Liu, Q.L., Li, P., and Xiao, J., A new method for designing an energy-saving tray and its hydrodynamic aspects: Hydrodynamic aspects of 95 trays, a brief research note on the previous study, *Ind. Eng. Chem. Res.*, 41(2), 293–296 (2002).
- Luciani, Y., Gonzalez-Mendizabal, D., and Pironti, F., Trickle bed wetting factors from pressure drop and liquid holdup measurements, *Chem. Eng. Commun.*, 189(12), 1653–1670 (2002).
- Mariani, N.J., Salvat, W.I., and Martinez, O.M., Packed bed structure: Evaluation of radial particle distribution, *Can. J. Chem. Eng.*, 80(2), 186–193 (2002).
- Meng, A.X., Hill, G.A., and Dalai, A.K., Modified volume expansion method for measuring gas holdup, *Can. J. Chem. Eng.*, 80(2), 194–199 (2002).
- Mueller, G.E., Narrow annular packed-bed radial void fraction correlation, *AIChE J.*, 48(3), 644–647 (2002).
- Murugesan, T., Sivakumar, V., Larachi, F., and Grandjean, B.P.A., Pressure drop and flow regimes in cocurrent gas-liquid upflow through packed beds (including comments and reply), *Chem. Eng. J.*, 88(1), 233–248 (2002).
- Niven, R.K., Physical insight into the Ergun and Wen-Yu equations for fluid flow in packed and fluidised beds, *Chem. Eng. Sci.*, 57(3), 527–534 (2002).
- Peng, W.L., Yang, G., and Fan, L.S., Experimental studies of liquid weeping and bubbling phenomena at submerged orifices, *Ind. Eng. Chem. Res.*, 41(6), 1666–1677 (2002).



- Perrin, S., Chaudourne, S., and Jallut, C., Transient state techniques for mass transfer characterization of a gas-liquid packed column, *Chem. Eng. Sci.*, 57(16), 3335–3345 (2002).
- Piche, S., Grandjean, B.P.A., and Larachi, F., Reconciliation procedure for gas-liquid interfacial area and mass-transfer coefficient in randomly packed towers, *Ind. Eng. Chem. Res.*, 41(19), 4911–4920 (2002).
- Prasad, V.S., and Das, S.K., An experimental and theoretical investigation into the hyperbolic nature of axial dispersion in packed beds, *Int. J. Heat Mass Transfer*, 45(18), 3681–3688 (2002).
- Silverberg, P.M., Column internals, *Chem. Eng. (N.Y.)*, 109(2), 74–77 (2002).
- Sun, J.S., and Li, X.G., Liquid dispersing features in inner chamber of single vst cap, *Chem. Eng. Commun.*, 189(9), 1196–1207 (2002).
- Takriff, M.S., and Masyithah, Z., Interstage backmixing in oscillatory flow in a baffled column, *Chem. Eng. Commun.*, 189(12), 1640–1652 (2002).
- Tobin, J., Modeling of the pressure drop in the packing of complex geometry, *Ind. Eng. Chem. Res.*, 41(10), 2552–2559 (2002).
- Tsochatzidis, N.A., Karabelas, A.J., and Giakoumakis, D., An investigation of liquid maldistribution in trickle beds, *Chem. Eng. Sci.*, 57(17), 3543–3555 (2002).
- van Baten, J.M., and Krishna, R., Gas and liquid phase mass transfer with Katapak-S structures studied using CFD simulations, *Chem. Eng. Sci.*, 57(9), 1531–1536 (2002).
- Wang, J., Hrymak, A., and Pelton, R., Compactable porous and fibrous beds formed from dilute pulp suspensions, *Ind. Eng. Chem. Res.*, 41(3), 572–578 (2002).
- Yin, F., Afacan, A., and Nandakumar, K., Liquid holdup distribution in packed columns: Gamma ray tomography and CFD simulation, *Chem. Eng. Process.*, 41(5), 473–483 (2002).

ABSORPTION REACTIONS AND ABSORBER DESIGN

- Aleksic, M., Veljkovic, V.B., and Bankovic-Ilic, I., Gas holdup in a gassed reciprocating plate column with rashig rings placed in interplate spaces, *Can. J. Chem. Eng.*, 80(3), 485–490 (2002).



- Aroua, M.K., Haji-Sulaiman, M.Z., and Ramasamy, K., Modelling of carbon dioxide absorption in aqueous solutions of AMP and MDEA and their blends using AspenPlus, *Sep. Purif. Technol.*, 29(2), 153–162 (2002).
- Bishnoi, S., and Rochelle, G.T., Absorption of carbon dioxide in aqueous piperazine/methyldiethanolamine, *AIChE J.*, 48(12), 2788–2799 (2002).
- Chen, L., Yang, C.L., and Lin, J.W., Absorption of nitrogen dioxide in a packed tower with sodium sulphite aqueous solution, *Environ. Prog.*, 21(4), 225–230 (2002).
- Chen, Y.S., and Liu, H.S., Absorption of VOCs in a rotating packed bed, *Ind. Eng. Chem. Res.*, 41(6), 1583–1588 (2002).
- de Kermadec, R., Lapique, F., and Roizard, D., Characterization of the sulfur dioxide-N-formylmorpholine complex: Application to a regenerative process for waste gas scrubbing, *Ind. Eng. Chem. Res.*, 41(2), 153–163 (2002).
- Demmink, J.F., Mehra, A., and Beenackers, A.A.C.M., Absorption of hydrogen sulfide into aqueous solutions of ferric nitrilotriacetic acid: Local auto-catalytic effects, *Chem. Eng. Sci.*, 57(10), 1723–1734 (2002).
- Echt, W., Hybrid separation schemes for removal of carbon dioxide from natural gas, *Chem. Eng. (N.Y.)*, 109(7), 46–50 (2002).
- Freemantle, M., Scrubbing task for ionic liquid, *Chem. Eng. News*, 11 February, 8 (2002).
- Garca-Martnez, J., Bueno-Lopez, A., and Garca-Garca, A., Sulphur dioxide retention at low temperatures by calcium hydroxide-derived CaO: A model for CaO regeneration, *Fuel*, 81(3), 305–313 (2002).
- Gray, M.R., Srinivasan, N., and Masliyah, J.H., Pressure buildup in gas-liquid flow through packed beds due to deposition of fine particles, *Can. J. Chem. Eng.*, 80(3), 346–354 (2002).
- Gunaseelan, P., and Wankat, P.C., Transient pressure and flow predictions for concentrated packed absorbers using a dynamic nonequilibrium model, *Ind. Eng. Chem. Res.*, 41(23), 5775–5788 (2002).
- Heberle, A., and Schaber, K., Modeling of fouling on packings in absorption columns, *AIChE J.*, 48(12), 2722–2731 (2002).



- Horng, S.Y., and Li, M.H., Kinetics of absorption of carbon dioxide into aqueous solutions of monoethanolamine + triethanolamine, *Ind. Eng. Chem. Res.*, 41(2), 257–266 (2002).
- Iliuta, I., Larachi, F., Iliuta, M.C., and Grandjean, B.P.A., Hydrodynamic continuum model for gas-liquid fixed beds operating in trickle flow and pre-loading regimes, *Chem. Eng. Res. Des.*, 80(7), 790–798 (2002).
- Jin, S.H., Yeo, Y.K., and Song, K.H., Importance and uncertainty analysis of flue gas scrubber systems with extreme reliability parameter values, *J. Loss Prev. Process Ind.*, 15(6), 439–444 (2002).
- Khan, A., Khan, A.A., and Varma, Y.B.G., Influence of liquid viscosity and bed porosity on two-phase pressure drop in concurrent gas-liquid upflow through packed beds, *Can. J. Chem. Eng.*, 80(2), 313–314 (2002).
- Kucka, L., Kenig, E.Y., and Gorak, A., Kinetics of the gas-liquid reaction between carbon dioxide and hydroxide ions, *Ind. Eng. Chem. Res.*, 41(24), 5952–5957 (2002).
- Lee, K.B., Chun, B.H., and Lee, J.C., Experimental analysis of bubble mode in a plate-type absorber, *Chem. Eng. Sci.*, 57(11), 1923–1929 (2002).
- Liao, C.H., and Li, M.H., Kinetics of absorption of carbon dioxide into aqueous solutions of monoethanolamine + N-methyldiethanolamine, *Chem. Eng. Sci.*, 57(21), 4569–4582 (2002).
- Lin, Y.T., Hwang, Y.M., and Wang, C.C., Performance of the herringbone wavy fin under dehumidifying conditions, *Int. J. Heat Mass Transfer*, 45(25), 5035–5044 (2002).
- Mao, D., Edwards, J.R., and Kuznetsov, A.V., Particle flow, mixing, and chemical reaction in circulating fluidized bed absorbers, *Chem. Eng. Sci.*, 57(15), 3107–3117 (2002).
- Meikap, B.C., Kundu, G., and Biswas, M.N., Scrubbing of fly-ash laden sulfur dioxide in modified multistage bubble column scrubber, *AIChE J.*, 48(9), 2074–2083 (2002).
- Meikap, B.C., Kundu, G., and Biswas, M.N., Prediction of dispersed phase holdup in a modified multi-stage bubble column scrubber, *Can. J. Chem. Eng.*, 80(2), 306–312 (2002).
- Meikap, B.C., Kundu, G., and Biswas, M.N., A novel modified multi-stage bubble column scrubber for sulfur dioxide removal from industrial off gases, *Sep. Sci. Technol.*, 37(15), 3421–3442 (2002).



- Muthumanoharan, R., Muruganandam, S., and Manikandan, K., Corrosion in carbon dioxide removal section of ammonia plant, *Ammonia Plant Safety*, 40, 259–269 (2000).
- Nagel, D., de Kermadec, R., and Lintz, H., Absorption of sulfur dioxide in N-formylmorpholine: Investigations of the kinetics of the liquid phase reaction, *Chem. Eng. Sci.*, 57(22), 4883–4893 (2002).
- Nosoko, T., Miyara, A., and Nagata, T., Characteristics of falling film flow on completely wetted horizontal tubes and the associated gas absorption, *Int. J. Heat Mass Transfer*, 45(13), 2729–2738 (2002).
- Ohmura, R., Kashiwazaki, S., and Shiota, S., Structure-I and structure-H hydrate formation using water spraying, *Energy Fuels*, 16(5), 1141–1147 (2002).
- Park, S.H., Lee, K.B., and Hyun, J.C., Correlation and prediction of the solubility of carbon dioxide in aqueous alkanolamine and mixed alkanolamine solutions, *Ind. Eng. Chem. Res.*, 41(6), 1658–1665 (2002).
- Park, S.W., Cho, H.B., and Sohn, I.J., Carbon dioxide absorption into W/O emulsion with aqueous amine liquid droplets, *Sep. Sci. Technol.*, 37(3), 639–662 (2002).
- Park, S.W., Hwang, K.S., and Cho, H.B., Unsteady-state absorption of carbon dioxide into W/O type emulsion with aqueous amine liquid droplets, *Chem. Eng. Commun.*, 189(10), 1368–1388 (2002).
- Patwardhan, J.A., Pradhan, M.P., and Joshi, J.B., Simulation of NO_x gas absorption under adiabatic condition and comparison with plant data, *Chem. Eng. Sci.*, 57(22), 4841–4844 (2002).
- Quinn, R., Appleby, J.B., and Pez, G.P., Hydrogen sulfide separation from gas streams using salt hydrate chemical absorbents and immobilized liquid membranes, *Sep. Sci. Technol.*, 37(3), 627–638 (2002).
- Rahimi, A., Taheri, M., and Fathikalajahi, J., Mathematical modeling of heat and mass transfer in hot gas spray systems, *Chem. Eng. Commun.*, 189(7), 959–973 (2002).
- Rooney, P.C., Stewart, E., and Van Landingham, J., New deep carbon dioxide removal solvent for applications, *Ammonia Plant Safety*, 40, 208–216 (2000).
- Sakai, M., Su, C., and Sasaoka, E., Simultaneous removal of SO_x and NO_x using slaked lime at low temperature, *Ind. Eng. Chem. Res.*, 41(20), 5029–5033 (2002).



- Scala, F., Gas absorption with instantaneous irreversible chemical reaction in a slurry containing sparingly soluble fine reactant particles, *Ind. Eng. Chem. Res.*, 41(21), 5187–5195 (2002).
- Scala, F., and D'Ascenzo, M., Absorption with instantaneous reaction in a droplet with sparingly soluble fines, *AIChE J.*, 48(8), 1719–1726 (2002).
- Stein, J., Kind, M., and Schlunder, E.U., The influence of HCl on sulphur dioxide absorption in the spray dry scrubbing process, *Chem. Eng. J.*, 86(1), 17–23 (2002).
- Tanthapanichakoon, W., and Prawarnpit, A., New simple mathematical model of a honeycomb rotary absorption-type dehumidifier, *Chem. Eng. J.*, 86(1), 11–15 (2002).
- Terasaka, K., Oka, J., and Tsuge, H., Ammonia absorption from a bubble expanding at a submerged orifice into water, *Chem. Eng. Sci.*, 57(18), 3757–3765 (2002).
- van Oord-Knol, L., Bruinsma, O.S.L., and Jansens, P.J., Dynamic behavior of hydraulic wash columns, *AIChE J.*, 48(8), 1665–1678 (2002).
- Vucak, M., Peric, J., Zmikić, A., and Pons, M.N., A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas-liquid reactive precipitation of calcium carbonate, *Chem. Eng. J.*, 87(2), 171–179 (2002).
- Wang, Y.F., Xu, H.B., and Mao, Z.S., Effect of forced periodical perturbation on stability of hydrodynamic states and gas-liquid mass transfer in a trickle bed, *Chem. Eng. Commun.*, 189(8), 1091–1104 (2002).
- Xu, H.J., Zhang, C.F., and Zheng, Z.S., Selective hydrogen sulfide removal by nonaqueous methyldiethanolamine solutions in an experimental apparatus, *Ind. Eng. Chem. Res.*, 41(12), 2953–2956 (2002).
- Yoon, S.J., Lee, H., and Yoon, J.H., Kinetics of absorption of carbon dioxide into aqueous 2-amino-2-ethyl-1,3-propanediol solutions, *Ind. Eng. Chem. Res.*, 41(15), 3651–3656 (2002).
- Zhang, X., Zhang, C.F., and Liu, Y., Kinetics of absorption of carbon dioxide into aqueous solution of MDEA blended with DEA, *Ind. Eng. Chem. Res.*, 41(5), 1135–1141 (2002).



COOLING TOWERS

- Hairston, D., Cooling towers: Bigger and better in plastics, *Chem. Eng. (N.Y.)*, 109(1), 35–39 (2002).
- Reisman, J., and Frisbie, G., Calculating realistic PM10 emissions from cooling towers, *Environ. Prog.*, 21(2), 127–130 (2002).
- Silverberg, P., Measure and control humidity, *Chem. Eng. (N.Y.)*, 109(8), 47–51 (2002).
- Verduijn, W.D., Legionella pneumophila in an ammonia plant cooling tower, *Ammonia Plant Safety*, 42, 130–144 (2002).

LIQUID-LIQUID EXTRACTION

- Abdeltawab, A.A., Nii, S., and Kawaizumi, F., Separation of La and Ce with PC-88A by counter-current mixer-settler extraction column, *Sep. Purif. Technol.*, 26(2), 265–272 (2002).
- Akdogan, A., Deniz, M.T., and Cebecioglu, S., Liquid-liquid extraction of transition metal cations by nine new azo derivatives calix[n]arene, *Sep. Sci. Technol.*, 37(4), 973–980 (2002).
- Alguacil, F.J., Cobo, A., and Alonso, M., Copper separation from nitrate/nitric acid media using Acorga M5640 extractant: Solvent extraction study, *Chem. Eng. J.*, 85(2), 259–263 (2002).
- Alonso, A.I., and Gruhn, G., Flexibility analysis of nondispersive solvent extraction plant, *Sep. Sci. Technol.*, 37(1), 161–190 (2002).
- Altshuler, H., Sapozhnikova, L., and Ostapova, E., Cationites based on calix[4]resorcinarene derivatives, *Solvent Extr. Ion Exch.*, 20(2), 263–272 (2002).
- Ancheyta, J., Centeno, G., and Trejo, F., Extraction and characterization of asphaltenes from different crude oils and solvents, *Energy Fuels*, 16(5), 1121–1127 (2002).
- Baba, Y., Iwakuma, M., and Nagami, H., Extraction mechanism for copper(II) with 2-hydroxy-4-n-octyloxybenzophenone oxime, *Ind. Eng. Chem. Res.*, 41(23), 5835–5841 (2002).
- Ban, T., Kawaizumi, F., and Nii, S., Effects of surface activities of extractants on drop coalescence and breakage in a mixer-settler, *Ind. Eng. Chem. Res.*, 41(22), 5477–5482 (2002).



- Borkowski, M., Ferraro, J.R., and Chiarizia, R., FT-IR study of third phase formation in the U(VI) or Th(IV)/nitric acid, TBP/alkane systems, *Solvent Extr. Ion Exch.*, 20(3), 313–330 (2002).
- Buch, A., Stambouli, M., and Pareau, D., Solvent extraction of nickel(II) by mixture of 2-ethylhexanal oxime and bis(2-ethylhexyl)-phosphoric acid, *Solvent Extr. Ion Exch.*, 20(1), 49–66 (2002).
- Buschmann, H.J., and Mutihac, L., Characteristic extraction and transport properties of crown ethers and cryptand [2.2.2] for amino acid methylesters, *Sep. Sci. Technol.*, 37(14), 3335–3348 (2002).
- Chang, Z.D., Wei, X.F., and Liu, H.Z., Simulated foam separation of butyl acetate from wastewater discharged by solvent extraction operation in penicillin production, *Sep. Sci. Technol.*, 37(4), 981–991 (2002).
- Chavan, D.V., and Dhadke, P.M., Extraction separation of Ir(III) and Rh(III) with Cyanex 923 from chloride media: A possible recovery from spent autocatalysts, *J. Chem. Technol. Biotechnol.*, 77(8), 925–932 (2002).
- Choi, Y.J., Cho, K.W., and Cho, B.W., Optimization of the sulfolane extraction plant based on modeling and simulation, *Ind. Eng. Chem. Res.*, 41(22), 5504–5509 (2002).
- Cierpiszewski, R., and Prochaska, K., Interfacial complexation of copper(II) from chloride systems with extractant binary mixture, *Solvent Extr. Ion Exch.*, 20(6), 735–750 (2002).
- Crooks, W.J., Kyser, E.A., and Walter, S.R., Low temperature exothermic reaction of Reillex-HPQ in nitric acid, *Solvent Extr. Ion Exch.*, 20(4), 543–560 (2002).
- Dandekar, D.V., and Gaikar, V.G., Microwave assisted extraction of curcuminoids from *Curcuma longa*, *Sep. Sci. Technol.*, 37(11), 2669–2690 (2002).
- Dehkordi, A.M., Liquid-liquid extraction with chemical reaction in a novel impinging-jets reactor, *AIChE J.*, 48(10), 2230–2239 (2002).
- Dehkordi, A.M., Application of a novel-opposed-jets contacting device in liquid-liquid extraction, *Chem. Eng. Process.*, 41(3), 251–258 (2002).
- Dehkordi, A.M., Liquid-liquid extraction with an interphase chemical reaction in an air-driven two-impinging-streams reactor: Effective interfacial area and overall mass-transfer coefficient, *Ind. Eng. Chem. Res.*, 41(16), 4085–4093 (2002).



- Dernini, S., Loi, A., and Palmas, S., Effect of mixed solvent on selective removal of lead(II) ions by dicyclohexano-18-crown-6 from aqueous solutions containing heavy metals, *Can. J. Chem. Eng.*, 80(2), 322–325 (2002).
- Didi, M.A., Elias, A., and Villemin, D., Effect of chain length of alkane-1-hydroxy-1,1'-methyldiphosphonic acids on the iron(III) liquid-liquid extraction, *Solvent Extr. Ion Exch.*, 20(4), 505–514 (2002).
- Duche, S.N., Pawar, S.D., and Dhadke, P.M., Comparative study for extraction of Hg(II) with Cyanex-923 from chloride and bromide media and its separation from Cd(II) and Zn(II), *Sep. Sci. Technol.*, 37(9), 2215–2229 (2002).
- Elbashir, N.O., Al-Zahrani, S.M., and Abdul Mutalib, M.I., A method of predicting effective solvent extraction parameters for recycling of used lubricating oils, *Chem. Eng. Process.*, 41(9), 765–769 (2002).
- Eow, J.S., Ghadiri, M., and Sharif, A.O., Electrostatic and hydrodynamic separation of aqueous drops in a flowing viscous oil, *Chem. Eng. Process.*, 41(8), 649–657 (2002).
- Feki, M., Stambouli, M., and Pareau, D., Study of the multicomponent system wet process phosphoric acid-methyl isobutyl ketone at 40°C phase equilibria and extraction performances, *Chem. Eng. J.*, 88(1), 71–80 (2002).
- Fleitikh, I.Y., Pashkov, G.L., and Stoyanov, E.S., Extraction of indium from sulfuric acid solutions by mixtures of di-(2-ethylhexyl)phosphoric and octanoic acids, *Solvent Extr. Ion Exch.*, 20(6), 765–776 (2002).
- Forney, L.J., Skelland, A.H.P., and Morris, J.F., Taylor vortex column: Large shear for liquid-liquid extraction, *Sep. Sci. Technol.*, 37(13), 2967–2986 (2002).
- Fu, X., Shi, J., and Zhu, Y., Study on the three-phase extraction system of TBP-kerosene/phosphoric acid-water, *Solvent Extr. Ion Exch.*, 20(2), 241–250 (2002).
- Fu, X., Xiong, Y., and Xue, S., Study on the thiophosphinic extractants: The basic properties of the extractants and the phase behavior in their saponified systems, *Solvent Extr. Ion Exch.*, 20(3), 331–344 (2002).
- Fujii, T., Yamana, H., and Watanabe, M., Extraction study for TRUEX process using short-lived radionuclides produced by neutron irradiation of uranium, *Solvent Extr. Ion Exch.*, 20(2), 151–176 (2002).



- Gao, L., and Loney, N.W., New hybrid neural network model for prediction of phase equilibrium in a two-phase extraction system, *Ind. Eng. Chem. Res.*, 41(1), 112–119 (2002).
- Geist, A., Weigl, M., and Gommer, K., Minor actinide partitioning by liquid-liquid extraction: Using synergistic mixture of bis(chlorophenyl)dithiophosphinic acid + TOPO in hollow fiber module for Am(III)-lanthanides(III) separation, *Sep. Sci. Technol.*, 37(15), 3369–3390 (2002).
- Gherrou, A., Akretche, D.E., and Kerdjoudj, H., Facilitated transport of copper from solutions obtained by elution of cuprocyanide complexes by means of acidic thiourea, *Sep. Sci. Technol.*, 37(8), 1833–1850 (2002).
- Gherrou, A., Kerdjoudj, H., and Molinari, R., Facilitated co-transport of Ag(I), Cu(II), and Zn(II) ions by using a crown ether as a carrier: Influence of the SLM preparation method on ions flux, *Sep. Sci. Technol.*, 37(10), 2317–2336 (2002).
- Gupta, B., Deep, A., and Malik, P., Extraction and separation of some 3d transition metal ions using Cyanex 923, *Solvent Extr. Ion Exch.*, 20(1), 81–96 (2002).
- Hassan, N.M., King, W.D., and McCabe, D.J., SuperLig 639 equilibrium sorption data for technetium from Hanford tank waste supernates, *Solvent Extr. Ion Exch.*, 20(2), 211–226 (2002).
- Heida, B., Consider divided-wall technology for butadiene extraction, *Hydrocarbon Process.*, 81(3), 50B–50H (2002).
- Herbst, R.S., Law, J.D., and Todd, T.A., Development and testing of a cobalt dicarbollide based solvent extraction process for the separation of cesium and strontium from acidic tank waste, *Sep. Sci. Technol.*, 37(8), 1807–1832 (2002).
- Herbst, R.S., Law, J.D., and Todd, T.A., Universal solvent extraction (UNEX) flowsheet testing for the removal of cesium, strontium, and actinide elements from radioactive, acidic dissolved calcine waste, *Solvent Extr. Ion Exch.*, 20(4), 429–446 (2002).
- Jayadas, S., and Reddy, M.L., Solvent extraction separation of vanadium(V) from multivalent metal chloride solutions using 2-ethylhexyl phosphonic acid mono-2-ethylhexyl ester, *J. Chem. Technol. Biotechnol.*, 77(10), 1149–1156 (2002).



- Jha, M.K., Kumar, V., and Singh, R.J., Solvent extraction of zinc from chloride solutions, *Solvent Extr. Ion Exch.*, 20(3), 389–406 (2002).
- Ji, X., Feng, X., and Lu, X., A generalized method for the solid-liquid equilibrium stage and its application in process simulation, *Ind. Eng. Chem. Res.*, 41(8), 2040–2046 (2002).
- Jia, Q., Li, D., and Niu, C., Synergistic extraction of zinc(II) by mixtures of primary amine N1923 and Cyanex-272, *Solvent Extr. Ion Exch.*, 20(6), 751–764 (2002).
- Jordanov, V.M., Atanassova, M., and Dukov, I.L., Solvent extraction of lanthanides with 1-phenyl-3-methyl-4-benzoyl-5-pyrazolone, *Sep. Sci. Technol.*, 37(14), 3349–3356 (2002).
- Kaikake, K., and Baba, Y., Equilibrium of palladium(II) extraction with 1-octyltheobromine, *Solvent Extr. Ion Exch.*, 20(4), 491–504 (2002).
- Kamio, E., and Kondo, K., Separation of rare metal ions by a column packed with microcapsules containing an extractant, *Ind. Eng. Chem. Res.*, 41(15), 3669–3675 (2002).
- Katikaneni, S.P.R., and Cheryan, M., Purification of fermentation-derived acetic acid by liquid-liquid extraction and esterification, *Ind. Eng. Chem. Res.*, 41(11), 2745–2752 (2002).
- Kim, K.J., and Diwekar, U.M., Integrated solvent selection and recycling for continuous processes, *Ind. Eng. Chem. Res.*, 41(18), 4479–4488 (2002).
- Kislik, V., Competitive complexation/solvation theory of solvent extraction: Solvent extraction of metals by acidic extractants, *Sep. Sci. Technol.*, 37(11), 2623–2658 (2002).
- Kolarik, Z., and Rais, J., Extraction of alkaline earths by 2,6-di(5,6-dipropyl-1,2,4-triazin-3-yl) pyridine, *Solvent Extr. Ion Exch.*, 20(2), 227–240 (2002).
- Krzyzanowska, E., Klonowska, K., and Olszanowski, A., Photo-degradation of hydrophobic derivatives of pyridine-carboxylic acid as copper extractants from chloride media, *Solvent Extr. Ion Exch.*, 20(3), 375–388 (2002).
- Kuipa, P.K., and Hughes, M.A., Diluent effect on the solvent extraction rate of copper, *Sep. Sci. Technol.*, 37(5), 1135–1152 (2002).



- Kumar, A., Haddad, R., and Benzal, G., Dispersion-free solvent extraction and stripping of gold cyanide with LIX79 using hollow fiber contactors: Optimization and modeling, *Ind. Eng. Chem. Res.*, 41(3), 613–623 (2002).
- Laurinat, J.E., Crooks, W.J., and Kyser, E.A., Impact of the low-temperature reactivity of Reillex-HPQ on actinide processing, *Solvent Extr. Ion Exch.*, 20(4), 525–542 (2002).
- Lee, D.H., Cody, R.D., and Kim, D.J., Surfactant recycling by solvent extraction in surfactant-aided remediation, *Sep. Purif. Technol.*, 27(1), 77–82 (2002).
- Lei, Z., Wang, H., and Zhou, R., Solvent improvement for separating C4 with ACN, *Comput. Chem. Eng.*, 26(9), 1213–1221 (2002).
- Li, M., Harten, P.F., and Cabezas, H., Experiences in designing solvents for the environment, *Ind. Eng. Chem. Res.*, 41(23), 5867–5877 (2002).
- Li, M., Zhu, Z.Q., and Rodrigues, A.E., Process integration of separation of amino acids by a temperature-induced aqueous two-phase system, *Ind. Eng. Chem. Res.*, 41(2), 251–256 (2002).
- Li, Z., Qin, W., and Dai, Y., Extraction behavior of amino sulfonic acid by tertiary and quaternary amines, *Ind. Eng. Chem. Res.*, 41(23), 5812–5818 (2002).
- Liao, W., Wang, J., and Li, D., Three-phase extraction study of Cyanex-923/n-heptane/Ce⁴⁺-sulfuric acid system, *Solvent Extr. Ion Exch.*, 20(2), 251–262 (2002).
- Lin, S.H., and Juang, R.S., Simultaneous extraction and stripping of EDTA-chelated metallic anions with Aliquat 336 in hollow fiber contactors, *Chem. Eng. Sci.*, 57(1), 143–152 (2002).
- Lin, S.H., Huang, S.H., and Juang, R.S., Nonideality in two-phase systems of copper(II) extraction from sulphate solutions with LIX64N in kerosene, *Sep. Sci. Technol.*, 37(1), 147–160 (2002).
- Lin, S.H., Kao, H.C., and Huang, S.H., Equilibrium and kinetic studies of the extraction of chelated copper(II) anions with Aliquat 336, *J. Chem. Technol. Biotechnol.*, 77(2), 168–174 (2002).
- Liu, J., Zhou, Z., and Xu, Z., Electrokinetic study of hexane droplets in surfactant solutions and process water of bitumen extraction systems, *Ind. Eng. Chem. Res.*, 41(1), 52–57 (2002).



- Luckman, J.A., Berberich, J.A., and Conrad, D.C., Manipulation of the liquid-liquid equilibrium of Vertrel-XF + hydrocarbon solvent systems with the addition of a third component, *Ind. Eng. Chem. Res.*, 41(11), 2792–2797 (2002).
- Malinowski, J.J., and Daugulis, A.J., The effective approach for recovery of methyl-substituted 1,3-dioxane from aqueous media, *Sep. Sci. Technol.*, 37(11), 2659–2668 (2002).
- McAlister, D.R., Chiarizia, R., and Dietz, M.L., Extraction of alkaline earth and actinide cations by mixtures of di(2-ethylhexyl)-alkylenediphosphonic acids and neutral synergists, *Solvent Extr. Ion Exch.*, 20(4), 447–470 (2002).
- McAlister, D.R., Dietz, M.L., and Chiarizia, R., Metal extraction by silyl-substituted diphosphonic acids: Effect of alkylene bridge length on aggregation and metal ion extraction behavior, *Sep. Sci. Technol.*, 37(10), 2289–2316 (2002).
- McMurray, S.H., and Griffin, G.J., Extraction of aconitic acid from mixtures of organic acids and cane molasses solutions using supported liquid membranes, *J. Chem. Technol. Biotechnol.*, 77(11), 1262–1268 (2002).
- Menoyo, B., and Elizalde, M.P., Composition of Cyanex 301 by gas chromatography-mass spectrometry, *Solvent Extr. Ion Exch.*, 20(1), 35–48 (2002).
- Mhaske, A., and Dhadke, P., Extraction studies of platinum group metals with Cyanex 925 in toluene: Role of tin(II) chloride in their separation, *Sep. Sci. Technol.*, 37(8), 1861–1876 (2002).
- Mhaske, A., and Dhadke, P., Extraction of tin(II) with Cyanex 925 in toluene: Interaction coefficient between SnCl_3^- and H^+ , *Solvent Extr. Ion Exch.*, 20(1), 127–138 (2002).
- Modolo, G., and Seekamp, S., Hydrolysis and radiation stability of the Alina solvent for actinide(III)/lanthanide(III) separation during the partitioning of minor actinides, *Solvent Extr. Ion Exch.*, 20(2), 195–210 (2002).
- Moeser, G.D., Roach, K.A., and Green, W.H., Water-based magnetic fluids as extractants for synthetic organic compounds, *Ind. Eng. Chem. Res.*, 41(19), 4739–4749 (2002).
- Mowafy, E.A., and Aly, H.F., Extraction behaviors of Nd(III), Eu(III), La(III), Am(III), and U(VI) with some substituted malonamides from nitrate medium, *Solvent Extr. Ion Exch.*, 20(2), 177–194 (2002).



- Nirdosh, I., Removal of ^{230}Th by solvent extraction from high grade uranium ore liquid tailings to arrest ^{226}Ra production in the tailings, *Can. J. Chem. Eng.*, 80(3), 525–529 (2002).
- Niyazi, B., Sana, S., and Nukhet, T., Chelate extraction of transition metal ions by ethylene diamine diacetic acid with n-substituted octadecyl groups, *Sep. Sci. Technol.*, 37(10), 2353–2368 (2002).
- Ortiz, I., and San Roman, M.F., Analysis of the back-extraction of cadmium-nickel-D2EHPA organic phases, *Sep. Sci. Technol.*, 37(3), 607–626 (2002).
- Otu, E.O., Chiarizia, R., and Rickert, P.G., The extraction of americium and strontium by P,P'-di(2-ethylhexyl) benzene-1,2-diphosphonic acid, *Solvent Extr. Ion Exch.*, 20(6), 607–632 (2002).
- Pai, R.A., Doherty, M.F., and Malone, M.F., Design of reactive extraction systems for bioproduct recovery, *AIChE J.*, 48(3), 514–526 (2002).
- Pande, S., and Sharma, D.K., Ethylenediamine-assisted solvent extraction of coal in N-methyl-2-pyrrolidone: Synergistic effect of ethylenediamine on extraction of coal in N-methyl-2-pyrrolidone, *Energy Fuels*, 16(1), 194–204 (2002).
- Park, S.W., Kim, S.S., and Sohn, I.J., Chemical equilibrium of trioctylmethylammonium chloride with aqueous solution of Cr(VI), *Sep. Sci. Technol.*, 37(4), 957–972 (2002).
- Pathak, P.N., Prabhu, D.R., and Ruikar, P.B., Evaluation of di(2-ethylhexyl)isobutyramide (D2EHIBA) as a process extractant for the recovery of ^{233}U from irradiated Th, *Solvent Extr. Ion Exch.*, 20(3), 293–312 (2002).
- Preston, J.S., and du Preez, A.C., Solvent extraction of platinum-group metals from hydrochloric acid solutions by dialkyl sulphoxides, *Solvent Extr. Ion Exch.*, 20(3), 359–374 (2002).
- Prezhdo, V.V., Jagello, M., and Mielnik, I.I., Solvent effects in extraction of carboxylic acids, *Sep. Sci. Technol.*, 37(12), 2875–2896 (2002).
- Raman, G., and Gaikar, V.G., Microwave-assisted extraction of piperine from *Piper nigrum*, *Ind. Eng. Chem. Res.*, 41(10), 2521–2528 (2002).
- Reeve, R.N., and Godfrey, J.C., Phase inversion during liquid-liquid mixing in continuous flow, pump-mix, agitated tanks, *Chem. Eng. Res. Des.*, 80(8), 864–871 (2002).



- Sasaki, Y., and Tachimori, S., Extraction of actinides(III), (IV), (V), (VI), and lanthanides(III) by structurally tailored diamides, *Solvent Extr. Ion Exch.*, 20(1), 21–34 (2002).
- Seiler, M., Kohler, D., and Arlt, W., Hyperbranched polymers: New selective solvents for extractive distillation and solvent extraction, *Sep. Purif. Technol.*, 29(3), 245–263 (2002).
- Senol, A., Extraction equilibria of valeric acid using (Alamine 336/ diluent) and conventional solvent systems: Modeling considerations, *Chem. Eng. Process.*, 41(8), 681–692 (2002).
- Shilimkar, T.N., and Anuse, M.A., Rapid extraction of lead(II) from succinate media with n-octylaniline in toluene, *Sep. Purif. Technol.*, 26(2), 185–193 (2002).
- Suarez, C., Ahumada, E., and Orellana, F., Extraction of iron(III) from acidic sulfate solutions with bis(2-ethylhexyl)phosphoric acid in PENRECO (R) 170 ES, a new friendly diluent, *J. Chem. Technol. Biotechnol.*, 77(2), 183–189 (2002).
- Tachimori, S., Sasaki, Y., and Suzuki, S., Modification of TODGA-n-dodecane solvent with a monoamide for high loading of lanthanides(III) and actinides(III), *Solvent Extr. Ion Exch.*, 20(6), 687–700 (2002).
- Takahashi, K., Abdel-Tawab, A.A.S., and Nii, S., Extraction of rare earth metals with a multistage mixer-settler extraction column, *Chem. Eng. Sci.*, 57(3), 469–478 (2002).
- Takeshita, K., Tanaka, M., and Nakano, Y., Extraction of Cd(II) from aqueous nitrate solution by thermosensitive gel crosslinked with 2,6-di(3-vinylbenzyl-1,2,4-triazol-5-yl)pyridine (BTP), *Solvent Extr. Ion Exch.*, 20(1), 139–150 (2002).
- Turanov, A.N., Karandashev, V.K., and Yarkevich, A.N., Extraction of rare-earth elements and yttrium from nitric acid solutions by butyl(diphenylphosphinylmethyl)phenyl-phosphinate, *Solvent Extr. Ion Exch.*, 20(1), 1–20 (2002).
- Turanov, A.N., Karandashev, V.K., and Yarkevich, A.N., Metal extraction from nitric acid solutions by (diphenyl-phosphinylmethyl) phenylphosphinic acid, *Solvent Extr. Ion Exch.*, 20(6), 633–664 (2002).
- Uheida, A., Zhang, Y., and Muhammed, M., Selective extraction of palladium(II) from chloride solutions with nonylthiourea dissolved in chloroform, *Solvent Extr. Ion Exch.*, 20(6), 717–734 (2002).



- Vasudevan, T., Murali, M.S., and Nagar, M.S., Extraction of U(VI) from nitrate and thiocyanate media with monoamides, *Solvent Extr. Ion Exch.*, 20(6), 665–686 (2002).
- Wang, T., and Nagaosa, Y., Solvent extraction of some metal ions with di-2-methyl nonylphosphoric acid into heptane, *J. Chem. Technol. Biotechnol.*, 77(12), 1316–1322 (2002).
- Wang, Y.D., Fei, W.Y., and Sun, J.H., Hydrodynamics and mass transfer performance of a modified rotating disc contactor (MRDC), *Chem. Eng. Res. Des.*, 80(4), 392–400 (2002).
- Wang, Y.G., Yue, S.T., and Li, D.Q., Kinetics and mechanism of Y(III) extraction with Ca-100 using a constant interfacial cell with laminar flow, *Solvent Extr. Ion Exch.*, 20(3), 345–358 (2002).
- Wang, Y.G., Yue, S.T., and Li, D.Q., Solvent extraction of scandium(III), yttrium(III), lanthanides(III), and divalent metal ions with sec-nonylphenoxy acetic acid, *Solvent Extr. Ion Exch.*, 20(6), 701–716 (2002).
- Wu, H.S., Liu, C.B., and Lin, Y.H., Extraction of halide quaternary salts in a organic solvent/water system: Hydrodynamics and mass transfer, *Can. J. Chem. Eng.*, 80(3), 421–431 (2002).
- Yamamoto, M., and Ishida, M., New graphical method for representing characteristic features of extraction, *Ind. Eng. Chem. Res.*, 41(2), 277–284 (2002).
- Yeo, L.Y., Matar, O.K., de Ortiz, E.S.P., and Hewitt, G.F., A description of phase inversion behaviour in agitated liquid-liquid dispersions under the influence of the Marangoni effect, *Chem. Eng. Sci.*, 57(17), 3505–3520 (2002).
- Yeo, L.Y., Matar, O.K., Perez de Ortiz, E.S., and Hewitt, G.F., A simple predictive tool for modelling phase inversion in liquid-liquid dispersions, *Chem. Eng. Sci.*, 57(6), 1069–1072 (2002).
- Zhang, X., and Yin, G., Liquid-liquid extraction of gallium(III) from chloride media with carboxylic acids in kerosene, *Solvent Extr. Ion Exch.*, 20(1), 115–126 (2002).
- Zhu, F.G., and Zhou, S.H., A contactor for liquid-liquid and liquid-solid extraction of vanillin, *Ind. Eng. Chem. Res.*, 41(9), 2316–2319 (2002).



SUPERCRITICAL EXTRACTION

- Abaroudi, K., Trabelsi, F., and Recasens, F., Screening of cosolvents for a supercritical fluid: A fully predictive approach, *AIChE J.*, 48(3), 551–560 (2002).
- Bravi, M., Bubbico, R., and Manna, F., Process optimisation in sunflower oil extraction by supercritical carbon dioxide, *Chem. Eng. Sci.*, 57(14), 2753–2764 (2002).
- Canela, A.P.R.F., Rosa, P.T.V., and Marques, M.O.M., Supercritical fluid extraction of fatty acids and carotenoids from the microalgae *Spirulina maxima*, *Ind. Eng. Chem. Res.*, 41(12), 3012–3018 (2002).
- Czechowski, F., Stolarski, M., and Simoneit, B.R.T., Supercritical fluid extracts from brown coal lithotypes and their group components: Molecular composition of non-polar compounds, *Fuel*, 81(15), 1933–1944 (2002).
- Enokida, Y., El-Fatah, S.A., and Wai, C.M., Ultrasound-enhanced dissolution of uranium dioxide in supercritical carbon dioxide containing a carbon dioxide-philic complexant of tri-*n*-butylphosphate and nitric acid, *Ind. Eng. Chem. Res.*, 41(9), 2282–2286 (2002).
- Ferreira, S.R.S., and Meireles, M.A.A., Modeling the supercritical fluid extraction of black pepper (*Piper nigrum* L.) essential oil, *J. Food Eng.*, 54(4), 263–269 (2002).
- Gaspar, F., Extraction of essential oils and cuticular waxes with compressed carbon dioxide: Effect of extraction pressure and temperature, *Ind. Eng. Chem. Res.*, 41(10), 2497–2503 (2002).
- Hairston, D., Environmental applications of supercritical fluids, *Chem. Eng. (N.Y.)*, 109(12), 35–37 (2002).
- Kawi, S., and Lai, M.W., Supercritical fluid extraction of surfactant from Si-MCM-41, *AIChE J.*, 48(7), 1572–1580 (2002).
- Kemmere, M., Cleven, M., and van Schilt, M., Process design for the removal of residual monomer from latex products using supercritical carbon dioxide, *Chem. Eng. Sci.*, 57(18), 3929–3937 (2002).
- Kemmere, M., van Schilt, M., and Cleven, M., Reduction of residual monomer in latex products by enhanced polymerization and extraction in supercritical carbon dioxide, *Ind. Eng. Chem. Res.*, 41(11), 2617–2622 (2002).



- Kersch, C., van der Kraan, M., and Woerlee, G.R., Municipal waste incinerator fly ash: Supercritical fluid extraction of metals, *J. Chem. Technol. Biotechnol.*, 77(3), 256–259 (2002).
- Kim, K.H., and Hong, J., A mass transfer model for super- and near-critical carbon dioxide extraction of spearmint leaf oil, *Sep. Sci. Technol.*, 37(10), 2271–2288 (2002).
- Kiriarniti, H.K., Rascol, E., and Marty, A., Extraction rates of oil from high oleic sunflower seeds with supercritical carbon dioxide, *Chem. Eng. Process.*, 41(8), 711–718 (2002).
- Kondo, M., Goto, M., and Kodama, A., Separation performance of supercritical carbon dioxide extraction column for the citrus oil processing: Observation using simulator, *Sep. Sci. Technol.*, 37(15), 3391–3406 (2002).
- Kondo, M., Rezaei, K., and Temelli, F., On-line extraction-reaction of canola oil with ethanol by immobilized lipase in supercritical carbon dioxide, *Ind. Eng. Chem. Res.*, 41(23), 5770–5774 (2002).
- Leeke, G., Gaspar, F., and Santos, R., Influence of water on the extraction of essential oils from a model herb using supercritical carbon dioxide, *Ind. Eng. Chem. Res.*, 41(8), 2033–2039 (2002).
- Liu, J., Wang, W., and Wang, Z., Complexation-supercritical carbon dioxide extraction of copper ions from solid matrices with thenoyltrifluoroacetone and modifiers, *Sep. Sci. Technol.*, 37(11), 2691–2700 (2002).
- Martinez, J.L., Rezaei, K., and Temelli, F., Effect of water on canola oil hydrolysis in an online extraction-reaction system using supercritical carbon dioxide, *Ind. Eng. Chem. Res.*, 41(25), 6475–6481 (2002).
- Mohamed, R.S., Saldana, M.D.A., and Mazzafera, P., Extraction of caffeine, theobromine, and cocoa butter from Brazilian cocoa beans using supercritical carbon dioxide and ethane, *Ind. Eng. Chem. Res.*, 41(26), 6751–6758 (2002).
- Molero Gomez, A., and Martinez de la Ossa, E., Quality of borage seed oil extracted by liquid and supercritical carbon dioxide, *Chem. Eng. J.*, 88(1), 103–109 (2002).
- Ruivo, R., Cebola, M.J., and Simoes, P.C., Fractionation of edible oil model mixtures by supercritical carbon dioxide in a packed column: A mass-transfer study, *Ind. Eng. Chem. Res.*, 41(9), 2305–2315 (2002).



- Simsek, E.H., Karaduman, A., and Caliskan, S., The effect of preswelling and/or pretreatment of some Turkish coals on the supercritical fluid extract yield, *Fuel*, 81(4), 503–506 (2002).
- Srivastava, S., Modak, J., and Madras, G., Enzymatic synthesis of flavors in supercritical carbon dioxide, *Ind. Eng. Chem. Res.*, 41(8), 1940–1945 (2002).
- Thurbide, K., Al-Jabari, M., and Kowalchuk, M., Extraction of transition metals from wood pulp fibers using supercritical carbon dioxide, *Chem. Eng. Commun.*, 189(5), 675–683 (2002).
- Tomioka, O., Enokida, Y., and Yamamoto, I., Selective recovery of neodymium from oxides by direct extraction method with supercritical carbon dioxide containing TBP-nitric acid complex, *Sep. Sci. Technol.*, 37(5), 1153–1162 (2002).
- Tullo, A., ICI enters carbon dioxide dry cleaning, *Chem. Eng. News*, 2 September, 12 (2002).
- Wang, Y., Wei, D., and Dave, R., Extraction and precipitation particle coating using supercritical carbon dioxide, *Powder Technol.*, 127(1), 32–44 (2002).

REFERENCES

1. Ray, M.S. Equilibrium-staged separations: a bibliography update (2001). *Sep. Sci. Technol.* **2003**, 38 (6), 1437–1461.
2. Ray, M.S. Equilibrium-staged separations: a bibliography update (2000). *Sep. Sci. Technol.* **2002**, 37 (10), 2477–2504.
3. Ray, M.S. Equilibrium-staged separations: a bibliography update (1999). *Sep. Sci. Technol.* **2000**, 35 (16), 2675–2781.
4. Ray, M.S. Equilibrium-staged separations: a bibliography update (1998). *Sep. Sci. Technol.* **1999**, 34 (16), 3305–3321.
5. Ray, M.S. Equilibrium-staged separations: a bibliography update (1997). *Sep. Sci. Technol.* **1999**, 34 (1), 139–156.
6. Ray, M.S. Equilibrium-staged separations: a bibliography update (1996). *Sep. Sci. Technol.* **1997**, 32 (18), 3067–3083.
7. Ray, M.S. Equilibrium-staged separations: a bibliography update (1995). *Sep. Sci. Technol.* **1997**, 32 (7), 1163–1187.
8. Ray, M.S. Equilibrium-staged separations: a bibliography update (1994). *Sep. Sci. Technol.* **1995**, 30 (20), 3723–3745.
9. Ray, M.S. Equilibrium-staged separations: a bibliography update (1992–1993). *Sep. Sci. Technol.* **1994**, 29 (17), 2359–2385.



10. Ray, M.S. Equilibrium-staged separations: a bibliography (1991). Sep. Sci. Technol. **1993**, 28 (6), 1361–1378.
11. Ray, M.S. Distillation (1980–1990) a bibliography. Sep. Sci. Technol. **1992**, 27 (1), 105–128.
12. *Engineering and Applied Science Database* via Internet Online or on CD-ROM (Including CHERUB Chemical Engineering Database) Royal Melbourne Institute of Technology: Australia (ISSN 1038-7900). Full details available from www.rmitpublishing.com.au.

Received August 2003



Request Permission or Order Reprints Instantly!

Interested in copying and sharing this article? In most cases, U.S. Copyright Law requires that you get permission from the article's rightsholder before using copyrighted content.

All information and materials found in this article, including but not limited to text, trademarks, patents, logos, graphics and images (the "Materials"), are the copyrighted works and other forms of intellectual property of Marcel Dekker, Inc., or its licensors. All rights not expressly granted are reserved.

Get permission to lawfully reproduce and distribute the Materials or order reprints quickly and painlessly. Simply click on the "Request Permission/Order Reprints" link below and follow the instructions. Visit the [U.S. Copyright Office](#) for information on Fair Use limitations of U.S. copyright law. Please refer to The Association of American Publishers' (AAP) website for guidelines on [Fair Use in the Classroom](#).

The Materials are for your personal use only and cannot be reformatted, reposted, resold or distributed by electronic means or otherwise without permission from Marcel Dekker, Inc. Marcel Dekker, Inc. grants you the limited right to display the Materials only on your personal computer or personal wireless device, and to copy and download single copies of such Materials provided that any copyright, trademark or other notice appearing on such Materials is also retained by, displayed, copied or downloaded as part of the Materials and is not removed or obscured, and provided you do not edit, modify, alter or enhance the Materials. Please refer to our [Website User Agreement](#) for more details.

Request Permission/Order Reprints

Reprints of this article can also be ordered at
<http://www.dekker.com/servlet/product/DOI/101081SS120028003>