

This article was downloaded by:

On: 30 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Separation & Purification Reviews

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713597294>

Membranes and Membrane-Type Separations: A Bibliographical Guide (1992-1993)

Martyn S. Ray^a

^a Dept. of Chemical Engineering Curtin, University of Technology, Perth, Western Australia

To cite this Article Ray, Martyn S.(1994) 'Membranes and Membrane-Type Separations: A Bibliographical Guide (1992-1993)', Separation & Purification Reviews, 23: 1, 51 — 70

To link to this Article: DOI: 10.1080/03602549408001290

URL: <http://dx.doi.org/10.1080/03602549408001290>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

**MEMBRANES AND MEMBRANE-TYPE SEPARATIONS:
A BIBLIOGRAPHICAL GUIDE (1992-1993)**

Martyn S. Ray

Dept. of Chemical Engineering
Curtin University of Technology
GPO Box U1987, Perth 6001
Western Australia

Abstract

This article provides a bibliographic listing of published journal papers concerned with membranes, membrane-type separations, and associated processes during 1992-1993. The references are taken from the 40 most important chemical engineering journals. This paper provides an update to the literature as provided in previous bibliographic papers [1, 2]. Papers concerned with adsorption and adsorptive separations (for 1992-1993) are the subject of a separate bibliographic paper [3], due to the number of papers now published on this topic each year. Bibliographic papers covering traditional unit operations [4-7] and supercritical extraction [8] have been published (or are in preparation). A complete bibliographic coverage of the chemical engineering literature from 1967-1991 has been published by the author [9-11]. An earlier bibliography is also available [12].

Membranes and Membrane-type Separations

1992

Abou-Nemeh, I., Moors, M., and Van Peteghem, A.P., Electrostatic splitting of the emulsion used in liquid surfactant membranes process for metals separation,

- Sep. Sci. Technol., 27(10), 1319-1336 (1992).
- Aimar, P., and Field, R., Limiting flux in membrane separations: A model based on the viscosity dependency of the mass transfer coefficient, Chem. Eng. Sci., 47(3), 579-586 (1992).
- Alexandratos, S.D., Polymer-supported reagents with enhanced ionic recognition, Sep. Purif. Methods, 21(1), 1-22 (1992).
- Armor, J.N., Challenges in membrane catalysis, Chemtech, 22(9), 557-563 (1992).
- Asaadi, M., and White, D.A., A model for determining the steady state flux of inorganic microfiltration membranes, Chem. Eng. J., 48(1), 11-16 (1992).
- Barba, D., Evangelista, F., and He, Z., Theoretical and experimental analysis of diffusion and polarization phenomena in sugar solutions in spiral-wound modules, Chem. Eng. Process., 31(1), 13-20 (1992).
- Basu, R., and Sirkar, K.K., Citric acid extraction with microporous hollow fibers, Solvent Extr. Ion Exch., 10(1), 119-144 (1992).
- Bolton, H.R., Use of bipolar membranes for ion exchange resin regenerant production, J. Chem. Technol. Biotechnol., 54(4), 341-348 (1992).
- Bowen, W.R., and Sabuni, H.A.M., Pulsed electrokinetic cleaning of cellulose nitrate microfiltration membranes, Ind. Eng. Chem. Res., 31(2), 515-523 (1992).
- Briefs, K.G., and Kula, M.R., Fast protein chromatography on analytical and preparative scale using modified microporous membranes, Chem. Eng. Sci., 47(1), 141-150 (1992).
- Chaudhuri, J.B., and Pyle, D.L., Emulsion liquid membrane extraction of organic acids: A theoretical model for lactic acid extraction with emulsion swelling, and experimental details, Chem. Eng. Sci., 47(1), 41-56 (1992).
- Chaudry, M.A., and Ahmed, B., Transport study of hafnium(IV) and zirconium(IV) ions mutual separation by using tri-n-butyl phosphate-xylene-based supported liquid membranes, Sep. Sci. Technol., 27(2), 199-212 (1992).
- Chaudry, M.A., and Ahmed, B., Supported liquid membrane extraction study of $(\text{MoO}_4)^{2-}$ ions using tri-n-octylamine as carrier, Sep. Sci. Technol., 27(8), 1125-1136 (1992).
- Chen, Y., Chu, M.L., and Shieh, M.C., pH-Effect on the separation of uranium fluoride effluents by the reverse osmosis process, Sep. Sci. Technol., 27(5), 557-572 (1992).

- Chiang, C.L., and Tsai, S.W., Application of a recycle dialysis system in a reversed micellar reactor, *J. Chem. Technol. Biotechnol.*, 54(1), 27-32 (1992).
- Chiang, C.L., and Tsai, S.W., Mathematical modelling and simulation of a recycle dialysis membrane reactor in a reversed micellar system, *J. Chem. Technol. Biotechnol.*, 54(3), 249-256 (1992).
- Clark, D.J., Losey, R.W., and Sutor, J.W., Separation of oxygen by using zirconia solid electrolyte membranes, *Gas Sep. Purif.*, 6(4), 201-206 (1992).
- Cooney, D.O., Adsorption of organic solutes on membrane filters during aqueous phase filtration: Basic rate and equilibrium studies using toluidine blue, *Sep. Sci. Technol.*, 27(14), 2001-2020 (1992).
- Culkin, B., and Armando, A.D., Membrane filter flux increased by vibration, *Chem. Eng. (Rugby, Engl.)*, 9 April, 19-20 (1992).
- Davis, R.H., Modeling of fouling of crossflow microfiltration membranes, *Sep. Purif. Methods*, 21(2), 75-126 (1992).
- de Balmann, H., and Sanchez, V., Coupling between concentration polarization and blockage in ultrafiltration, *Int. Chem. Eng.*, 32(4), 665-673 (1992).
- Ding, H.B., Carr, P.W., and Cussler, E.L., Racemic leucine separation by hollow-fiber extraction, *AIChE J.*, 38(10), 1493-1498 (1992).
- Doong, S.J., and Ho, W.S.W., Diffusion of hydrocarbons in polyethylene, *Ind. Eng. Chem. Res.*, 31(4), 1050-1060 (1992).
- El-Hawagi, M.M., Synthesis of reverse-osmosis networks for waste reduction, *AIChE J.*, 38(8), 1185-1198 (1992).
- Elmer, T.H., Flow of air, nitrogen, and hydrogen through porous glass tubes, *Sep. Sci. Technol.*, 27(15), 2041-2054 (1992).
- Farkova, J., The influence of the pressure drop on the driving force for pressure driven membrane processes, *Chem. Eng. Res. Des.*, 70(1), 71-77 (1992).
- Feng, X., and Huang, R.Y.M., Organic vapor/gas mixture separation by membrane: A parametric study, *Sep. Sci. Technol.*, 27(15), 2109-2120 (1992).
- Fleming, H.L., Consider membrane pervaporation, *Chem. Eng. Prog.*, 88(7), 46-52 (1992).
- Gaddis, J.L., Effects of pressure and crossflow velocity on ultrafiltration flux, *Chem. Eng. Commun.*, 116, 153-170 (1992).
- Gadekar, P.T., Mukkolath, A.V., and Tiwari, K.K., Recovery of nitrophenols from aqueous solutions by a liquid emulsion membrane system, *Sep. Sci. Technol.*, 27(4), 427-446 (1992).

- Garrido, A., Garcia, P., and Brenes, M., The recycling of table olive brine using ultrafiltration and activated carbon adsorption, *J. Food Eng.*, 17(4), 291-305 (1992).
- Gref, R., Nguyen, Q.T., and Neel, J., Influence of membrane properties on system performances in pervaporation under concentration polarization regime, *Sep. Sci. Technol.*, 27(4), 467-492 (1992).
- Guerreri, G., Membrane alcohol separation processes: Integrated pervaporation and fractional distillation, *Chem. Eng. Res. Des.*, 70(5), 501-508 (1992).
- Guha, A.K., Majumdar, S., and Sirkar, K.K., Gas separation modes in a hollow fiber contained liquid membrane permeator, *Ind. Eng. Chem. Res.*, 31(2), 593-604 (1992).
- Haggin, J., Heated membranes give improved separation, *Chem. Eng. News*, 27 April, 41 (1992).
- Halligudi, S.B., Khan, M.M.T., Desai, N.V., Rangarajan, R., and Rao, A.V., Ultrafiltration membranes for the separation of catalyst and products in homogeneous catalysis systems, *J. Chem. Technol. Biotechnol.*, 55(4), 313-318 (1992).
- Hickey, P.J., Juricic, F.P., and Slater, C.S., The effect of process parameters on the pervaporation of alcohols through organophilic membranes, *Sep. Sci. Technol.*, 27(7), 843-862 (1992).
- Holdich, R.G., and Zhang, G.M., Crossflow microfiltration incorporating rotational fluid flow, *Chem. Eng. Res. Des.*, 70(5), 527-536 (1992).
- Huang, R.Y.M., and Feng, X., Pervaporation of water/ethanol mixtures by an aromatic polyetherimide membrane, *Sep. Sci. Technol.*, 27(12), 1583-1598 (1992).
- Huang, T.C., and Wang, J.K., Separation of cupric and ferric ions with a cation-exchange membrane in the presence of complexing agents, *Sep. Sci. Technol.*, 27(8), 1137-1156 (1992).
- Kao, Y.K., Fan, H., and Chen, S., A membrane reactor with two dispersion-free interfaces for homogeneous catalytic reactions, *Chem. Eng. J.*, 49(1), 35-44 (1992).
- Keurentjes, J.T.F., Janssen, A.E.M., Broek, A.P., van der Padt, A., Wesselingh, J.A., and Van't Riet, K., Multicomponent diffusion in dialysis membranes, *Chem. Eng. Sci.*, 47(8), 1963-1972 (1992).

- Keurentjes, J.T.F., Linders, L.J.M., Beverloo, W.A., and Van't Riet, K., Membrane cascades for the separation of binary mixtures, *Chem. Eng. Sci.*, 47(7), 1561-1568 (1992).
- Keurentjes, J.T.F., Sluijs, J.T.M., Franssen, R.J.H., and Van't Riet, K., Extraction and fractionation of fatty acids from oil using an ultrafiltration membrane, *Ind. Eng. Chem. Res.*, 31(2), 581-587 (1992).
- Konishi, S., Saito, K., Furusaki, S., and Sugo, T., Sorption kinetics of cobalt in chelating porous membrane, *Ind. Eng. Chem. Res.*, 31(12), 2722-2727 (1992).
- Koval, C.A., Spontarelli, T., Thoen, P., and Noble, R.D., Swelling and thickness effects on the separation of styrene and ethylbenzene based on facilitated transport through ionomer membranes, *Ind. Eng. Chem. Res.*, 31(4), 1116-1122 (1992).
- Krehbiel, D.K., Scaemhorn, J.F., Ritter, R., Christian, S.D., and Tucker, E.E., Ion-expulsion ultrafiltration to remove chromate from wastewater, *Sep. Sci. Technol.*, 27(13), 1775-1788 (1992).
- Lee, S.C., and Lee, W.K., Extraction of penicillin G from simulated media by an emulsion liquid membrane process, *J. Chem. Technol. Biotechnol.*, 55(3), 251-262 (1992).
- Li, K., Lau, W.W.Y., and Teo, W.K., Analysis of internally multistaged gas permeator, *Sep. Sci. Technol.*, 27(3), 361-374 (1992).
- Li, K., and Teo, W.K., Theoretical analysis of ternary gas mixture separation in an internally staged permeator, *Chem. Eng. Sci.*, 47(15), 3915-3924 (1992).
- Lin, Y.S., and Burggraaf, A.J., CVD of solid oxides in porous substrates for ceramic membrane modification, *AIChE J.*, 38(3), 445-454 (1992).
- Liu, T., Zhang, D., Xu, S., and Sourirajan, S., Solution-spun hollow fiber polysulfone and polyethersulfone ultrafiltration membranes, *Sep. Sci. Technol.*, 27(2), 161-172 (1992).
- Masuoka, T., Iwatubo, T., Hongyo, S., and Mizoguchi, K., Performance of a pervaporation membrane for separating mixtures of ethanol and water, prepared by plasma polymerization of an allylamine-hexafluoroethane system, *Int. Chem. Eng.*, 32(3), 552-559 (1992).
- McDonogh, R.M., Bauser, H., Stroh, N., and Chmiel, H., Separation efficiency of membranes in biotechnology: An experimental and mathematical study of flux control, *Chem. Eng. Sci.*, 47(1), 271-279 (1992).

- Meares, P., UK research on synthetic membranes, *Chem. Ind. (London)*, 6 January, 21-24 (1992).
- Megiris, C.E., and Glezer, J.H.E., Synthesis of hydrogen-permselective membranes by modified chemical vapor deposition: Microstructure and permselectivity of $\text{SiO}_2/\text{C}/\text{Vycor}$ membranes, *Ind. Eng. Chem. Res.*, 31(5), 1293-1299 (1992).
- Miesiac, I., Schugerl, K., and Szymanowski, J., Permeation of 6-nitro-3-phenylacetamide benzoic acid (NIPAB) and hydrolysis by penicillin acylase immobilized in emulsion liquid membranes, *J. Chem. Technol. Biotechnol.*, 55(1), 1-8 (1992).
- Mitlin, V., and Bromberg, L., Analysis of diffusion through composite membranes: Mathematical development, *Chem. Eng. Sci.*, 47(3), 695-703 (1992).
- Mochizuki, S., and Zydney, A.L., Effect of protein adsorption on the transport characteristics of asymmetric ultrafiltration membranes, *Biotechnol. Prog.*, 8(6), 553-561 (1992).
- Mohapatra, R., and Kanungo, S.B., Kinetics of Mn(II) transport from aqueous sulfate solution through a supported liquid membrane containing di(2-ethylhexyl)-phosphoric acid in kerosene, *Sep. Sci. Technol.*, 27(13), 1759-1774 (1992).
- Mohapatra, R., Kanungo, S.B., and Sarma, P.V.R.B., Kinetics of the transport of Co(II) from aqueous sulfate solution through a supported liquid membrane containing di(2-ethylhexyl) phosphoric acid in kerosene, *Sep. Sci. Technol.*, 27(6), 765-782 (1992).
- Nakamura, S., Ohashi, S., and Akiba, K., Permeation behavior of europium through versatic acid liquid membrane, *Sep. Sci. Technol.*, 27(6), 741-752 (1992).
- Nakamura, S., Ohashi, S., and Akiba, K., Effect of complexing agent on transport of lanthanoid elements across versatic acid liquid membrane, *Sep. Sci. Technol.*, 27(7), 863-874 (1992).
- Narebska, A., and Warszawski, A., Diffusion dialysis: Effect of membrane composition on acid/salt separation, *Sep. Sci. Technol.*, 27(6), 703-716 (1992).
- Nirmal, J.D., Pandya, V.P., Desai, N.V., and Rangarajan, R., Reverse osmosis transport of alkali halides and nickel salts through cellulose triacetate membranes: Performance prediction from NaCl experiments, *Sep. Sci. Technol.*, 27(13), 1801-1808 (1992).

- Nirmal, J.D., Pandya, V.P., Desai, N.V., and Rangarajan, R., Cellulose triacetate membrane for applications in plating, fertilizer, and textile dye industry wastes, *Sep. Sci. Technol.*, 27(15), 2083-2098 (1992).
- Okuno, H., Okado, T., Matsumoto, A., Oiwa, M., Uragami, T., Permselective properties for aqueous ethanol solutions through copolymer membranes from benzyl methacrylate and polyethylene glycol dimethacrylate, *Sep. Sci. Technol.*, 27(12), 1599-1618 (1992).
- Papafotiou, K., Assimacopoulos, D., and Marinos-Kouris, D., Synthesis of a reverse-osmosis desalination plant: An object-oriented approach, *Chem. Eng. Res. Des.*, 70(3), 304-312 (1992).
- Pepper, D., Membrane processes 1966 to 1991, *J. Chem. Technol. Biotechnol.*, 55(3), 300-302 (1992).
- Petrenko, K.D., Zamulina, L.I., and Privalko, V.P., Gas separation membranes based on polyheteroarylenes, *Gas Sep. Purif.*, 6(1), 25-34 (1992).
- Pfeiffer, R.M., Bunge, A.L., Cheung, H.M., and Shere, A.J., Corrected analysis of the effect of preparation parameters on leakage in liquid surfactant membrane systems, *Sep. Sci. Technol.*, 27(6), 753-764 (1992).
- Prabhakar, S., Panicker, S.T., Misra, B.M., and Ramani, M.P.S., Studies on the reverse osmosis treatment of uranyl nitrate solution, *Sep. Sci. Technol.*, 27(3), 349-360 (1992).
- Pradanos, P., Arribas, J.I., and Hernandez, A., Hydraulic permeability, mass transfer, and retention of PEGs in cross-flow ultrafiltration through a symmetric microporous membrane, *Sep. Sci. Technol.*, 27(15), 2121-2142 (1992).
- Ptasinski, K.J., and Kerkhof, P.J.A.M., Electric field driven separations: Phenomena and applications (review paper), *Sep. Sci. Technol.*, 27(8), 995-1022 (1992).
- Ramani, M.P.S., Mass transport mechanism on the high-pressure side in reverse osmosis: An analysis, *Chem. Eng. Sci.*, 47(15), 4099-4106 (1992).
- Saito, T., Deterioration of liquid membrane and its improvement in permeation transport of Zn(II) ion through a supported liquid membrane containing a bathocuproine, *Sep. Sci. Technol.*, 27(1), 1-10 (1992).
- Salazar, E., Ortiz, M.I., Urriaga, A.M., and Irabien, J.A., Kinetics of the separation-concentration of chromium(VI) with emulsion liquid membranes, *Ind. Eng. Chem. Res.*, 31(6), 1523-1529 (1992).

- Shiau, C.Y., On the permeation rate of copper extraction through liquid membranes, *J. Chem. Technol. Biotechnol.*, 54(1), 7-12 (1992).
- Shmidt, J.L. and Cheh, H.Y., Electrophoresis along a semipermeable membrane surface, *Sep. Sci. Technol.*, 27(1), 11-28 (1992).
- Shukla, J.P., Kumar, A., and Singh, R.K., Macrocyclic-mediated selective transport of plutonium(IV) nitrate through bulk liquid and supported liquid membranes using dicyclohexano-18-crown-6 as mobile carrier, *Sep. Sci. Technol.*, 27(4), 447-466 (1992).
- Shukla, S.K., and Peinemann, K.V., A fixed-site carrier composite membrane for ammonia/nitrogen separation, *Gas Sep. Purif.*, 6(2), 79-82 (1992).
- Skeldon, P., Membrane ultrafiltration, *Process Eng. (London)*, September, 71-75 (1992).
- Slater, C.S., and Brooks, C.A., Development of a simulation model predicting performance of reverse osmosis batch systems, *Sep. Sci. Technol.*, 27(11), 1361-1388 (1992).
- Sloot, H.J., Smolders, C.A., van Swaaij, W.P.M., and Versteeg, G.F., High-temperature membrane reactor for catalytic gas-solid reactions, *AIChE J.*, 38(6), 887-900 (1992).
- Stalidis, G.A., Bakoyannakis, D.N., and Zamboulis, D.X., Surface properties of aluminium hydroxide gels prepared from pure and mixed aqueous, ethanolic and acetic media, *J. Chem. Technol. Biotechnol.*, 54(2), 123-128 (1992).
- Suen, S.Y., and Etzel, M.R., A mathematical analysis of affinity membrane bioseparations, *Chem. Eng. Sci.*, 47(6), 1355-1364 (1992).
- Sugiura, M., Effect of polyoxyethylene n-alkyl ethers on carrier-mediated transport of lanthanide ions through cellulose triacetate membranes, *Sep. Sci. Technol.*, 27(2), 269-280 (1992).
- Swanson, M.J., Dunkirk, S.G., Pietig, J.A., and Guire, P.E., Use photochemistry to modify membranes, *Chemtech*, 22(10), 624-626 (1992).
- Takigawa, D.Y., The effect of porous support composition and operating parameters on the performance of supported liquid membranes, *Sep. Sci. Technol.*, 27(3), 325-340 (1992).
- Tedder, D.W., Separations in hazardous waste management, *Sep. Purif. Methods*, 21(1), 23-74 (1992).
- Tremblay, A.Y., Tam, C.M., and Guiver, M.D., Variations in the pore size of charged and noncharged hydrophilic polysulfone membranes, *Ind. Eng. Chem. Res.*, 31(3), 834-838 (1992).

- Tsapatsis, M., and Gavalas, G.R., A kinetic model of membrane formation by CVD of silica and alumina, *AIChE J.*, 38(6), 847-856 (1992).
- Urtiaga, A.M., Ortiz, M.I., Salazar, E., and Irabien, J.A., Supported liquid membranes for the separation-concentration of phenol: Viability and mass-transfer evaluation, *Ind. Eng. Chem. Res.*, 31(3), 877-886 (1992).
- Urtiaga, A.M., Ortiz, M.I., Salazar, E., and Irabien, J.A., Supported liquid membranes for the separation-concentration of phenol: Mass-transfer evaluation according to fundamental equations, *Ind. Eng. Chem. Res.*, 31(7), 1745-1753 (1992).
- Urtiaga, A.M., Irabien, A., and Stroeve, P., Effect of a variable solute distribution coefficient on mass separation in hollow fibers, *Ind. Eng. Chem. Res.*, 31(5), 1362-1366 (1992).
- Vazquez-Gonzalez, M.I., and Serrano, F., Parameters that may influence the correction factor in membranes subjected to thermal gradients, *Sep. Sci. Technol.*, 27(8), 1115-1124 (1992).
- Verbrugge, M.W., Hill, R.F., and Schneider, E.W., Composite membranes for fuel-cell applications, *AIChE J.*, 38(1), 93-100 (1992).
- Wang, Y., and Wang, D., Poisoning of liquid membrane carriers in extraction of metal ions, *Sep. Sci. Technol.*, 27(3), 341-348 (1992).
- Way, J.D., and Roberts, D.L., Hollow fiber inorganic membranes for gas separations, *Sep. Sci. Technol.*, 27(1), 29-42 (1992).
- Weier, A.J., Glatz, B.A., and Glatz, C.E., Recovery of propionic and acetic acids from fermentation broth by electrodialysis, *Biotechnol. Prog.*, 8(6), 479-485 (1992).
- White, D.A., Canales, R., and Abdelkareem, H.M.H., Modelling gas separations through alumina-based membranes, *Gas Sep. Purif.*, 6(4), 197-200 (1992).
- Wiencek, J.M., and Qutubuddin, S., Microemulsion liquid membranes: Application to acetic acid removal from water, *Sep. Sci. Technol.*, 27(10), 1211-1228 (1992).
- Wiencek, J.M., and Qutubuddin, S., Microemulsion liquid membranes: Copper ion removal from buffered and unbuffered aqueous feed, *Sep. Sci. Technol.*, 27(11), 1407-1422 (1992).
- Windmoller, D., and Galembeck, F., Pervaporation of ethanol and acetone above normal boiling temperatures, *Sep. Sci. Technol.*, 27(10), 1183-1196 (1992).
- Wycisk, R., and Trochimczuk, W., Active transport of sodium ions through

- interpolymer carboxylic membranes, *Sep. Sci. Technol.*, 27(15), 2099-2108 (1992).
- Xue, T., and Osseo-Asare, K., Effect of ion complexation on transport selectivity in gold- and silver-thiourea-water/Nafion membrane systems, *Solvent Extr. Ion Exch.*, 10(2), 363-380 (1992).
- Yamaguchi, T., Nakao, S., and Kimura, S., Solubility and pervaporation properties of the filling-polymerized membrane prepared by plasma-graft polymerization for pervaporation of organic-liquid mixtures, *Ind. Eng. Chem. Res.*, 31(8), 1914-1919 (1992).
- Yan, N., Shi, Y., and Su, Y.F., A mass transfer model for type I facilitated transport in liquid membranes, *Chem. Eng. Sci.*, 47(17), 4365-4372 (1992).
- Yi, J., and Tavlarides, L.L., Chemically active liquid membranes in inorganic supports for metal ion separations, *AIChE J.*, 38(12), 1957-1968 (1992).
- Yun, C.H., Prasad, R., and Sirkar, K.K., Membrane solvent extraction removal of priority organic pollutants from aqueous waste streams, *Ind. Eng. Chem. Res.*, 31(7), 1709-1717 (1992).

1993

- Abou-Nemeh, I., and Van Peteghem, A.P., Membrane recycling in the liquid surfactant membrane process, *Ind. Eng. Chem. Res.*, 32(7), 1431-1437 (1993).
- Ahner, N., Gottschlich, D., Narang, S., Roberts, D., Sharma, S., and Ventura, S., Piezoelectrically assisted ultrafiltration, *Sep. Sci. Technol.*, 28(1), 895-908 (1993).
- Akay, G., and Wakeman, R.J., Ultrafiltration and microfiltration of surfactant dispersions: An evaluation of published research, *Chem. Eng. Res. Des.*, 71(4), 411-420 (1993).
- Anon., Crossflow microfiltration for treating degreasing bath liquors, *Processing* (Sutton, Engl.), March, 16-17 (1993).
- Antonio, M.R., and Tsou, D.T., Silver ion coordination in membranes for facilitated olefin transport, *Ind. Eng. Chem. Res.*, 32(2), 273-278 (1993).
- Beaumelle, D., Marin, M., and Gilbert, H., Pervaporation with organophilic membranes: State of the art, *Food Bioprod. Process.*, 71(C2), 77-89 (1993).
- Beckman, I.N., Bessarabov, D.G., and Teplyakov, V.V., Selective membrane valve for ternary gas mixture separation: Model of mass transfer and experimental test, *Ind. Eng. Chem. Res.*, 32(9), 2017-2022 (1993).

- Bozhenko, E.I., and Bozhenko, S.V., Using personal computer software for optimizing a membrane device for artificial 'mountain air' therapy, *Gas Sep. Purif.*, 7(2), 123-125 (1993).
- Carlshaf, A., and Jonsson, J.A., Properties of hollow fibers used for flow field-flow fractionation, *Sep. Sci. Technol.*, 28(4), 1031-1042 (1993).
- Carlshaf, A., and Jonsson, J.A., Perturbations of the retention parameter due to sample overloading in hollow-fiber flow field-flow fractionation, *Sep. Sci. Technol.*, 28(5), 1191-1202 (1993).
- Caruana, C.M., Membranes in pollution clean-up, *Chem. Eng. Prog.*, 89(10), 11-14 (1993).
- Chang, J.H., and Lee, W.K., Modeling of enzymatic reaction with emulsion liquid membrane, *Chem. Eng. Sci.*, 48(13), 2357-2366 (1993).
- Chiruvolu, S., and Zasadzinski, J.A.N., Membrane elasticity effects on permeability measurements in vesicles, *AIChE J.*, 39(4), 647-652 (1993).
- Chmielewski, A.G., Matuszak, A., Zakrzewska-Trznadel, G., Van Hook, W.A., and Miljevic, N.R., Cascades for natural water enrichment in deuterium and oxygen-18 using membrane permeation, *Sep. Sci. Technol.*, 28(1), 909-928 (1993).
- Collins, J.P., and Way, J.D., Preparation and characterization of a composite palladium-ceramic membrane, *Ind. Eng. Chem. Res.*, 32(12), 3006-3013 (1993).
- Costello, L.M., and Koros, W.J., Comparison of pure and mixed gas carbon dioxide and methane permeabilities in polycarbonate: Effect of temperature, *Ind. Eng. Chem. Res.*, 32(10), 2277-2280 (1993).
- Datta, S., and Gaddis, L., Polarization enhanced production in a membrane reactor, *Sep. Sci. Technol.*, 28(1), 441-462 (1993).
- Datta, S., Mukhopadhyay, A., and Sanyal, S.K., Facilitated transport through a liquid surfactant membrane with continuous phase resistance: Role of drop-size distribution, *Sep. Sci. Technol.*, 28(6), 1327-1340 (1993).
- Daufin, G., Radenac, J.F., Gesan, G., Kerherve, F.L., Le Berre, O., Michel, F., and Merin, U., A novel rig design for ultra- and microfiltration experiments, *Sep. Sci. Technol.*, 28(17), 2635-2642 (1993).
- Davis, J.C., Valus, R.J., Eshraghi, R., and Velikoff, A.E., Facilitated transport membrane hybrid systems for olefin purification, *Sep. Sci. Technol.*, 28(1), 463-476 (1993).

- Davis, R.A., and Sandall, O.C., Carbon dioxide/methane separation by facilitated transport in amine-polyethylene glycol mixtures, *AIChE J.*, 39(7), 1135-1145 (1993).
- Dozol, J.F., Casas, J., and Sastre, A.M., Influence of membrane solvent on strontium transport from reprocessing concentrate solutions through flat-sheet-supported liquid membranes, *Sep. Sci. Technol.*, 28(11), 2007-2022 (1993).
- Dudley, L.Y., Coatings for the prevention of fouling of microfiltration membranes, *Chem. Eng. Res. Des.*, 71(3), 327-328 (1993).
- El-Halwagi, M.M., Optimal design of membrane-hybrid systems for waste reduction, *Sep. Sci. Technol.*, 28(1), 283-308 (1993).
- Ettouney, H.M., and Hughes, R., Modelling of nonideal effects in separation of carbon dioxide from tertiary gas systems by membranes, *Chem. Eng. Commun.*, 120, 177-190 (1993).
- Feng, X., Sourirajan, S., and Handan Tezel, F., Separation of volatile organic compound/nitrogen mixtures by polymeric membranes, *Ind. Eng. Chem. Res.*, 32(3), 533-539 (1993).
- Fleming, G.K., and Dupuis, G.E., Hydrogen membrane recovery estimates, *Hydrocarbon Process.*, 72(4), 61-64 (1993).
- Forney, L.J., Gas diffusion electrode-membrane cells: Effects of ion transport, *Ind. Eng. Chem. Res.*, 32(6), 1204-1211 (1993).
- Gallaher, G.R., Gerdes, T.E., and Liu, P.K.T., Experimental evaluation of dehydrogenations using catalytic membrane processes, *Sep. Sci. Technol.*, 28(1), 309-326 (1993).
- Gekas, V., Aimar, P., Lafaille, J.P., and Sanchez, V., A simulation study of the adsorption-concentration polarisation interplay in protein ultrafiltration, *Chem. Eng. Sci.*, 48(15), 2753-2766 (1993).
- Golovanov, V.I., Shkinev, V.M., Spivakov, B.Y., Geckeler, K.E., and Bayer, E., Mathematical description of metal retention with water-soluble polymers during membrane filtration, *Sep. Sci. Technol.*, 28(10), 1887-1898 (1993).
- Goswami, A.N., Gupta, T.C.S.M., Sharma, S.K., Sharma, A., and Krishna, R., Unsteady-state modeling and analysis for liquid surfactant membrane hydrocarbon separation processes, *Ind. Eng. Chem. Res.*, 32(4), 634-640 (1993).
- Goto, M., Kakoi, T., Yoshii, N., Kondo, K., and Nakashio, F., Effect of synthesized surfactants in the separation of rare earth metals by liquid surfactant membranes, *Ind. Eng. Chem. Res.*, 32(8), 1681-1685 (1993).

- Goto, M., Nitta, T., and Hirose, T., Protein separation by preparative multicompartiment electrolyzer secluded by isoelectric membranes, *Sep. Sci. Technol.*, 28(11), 1947-1958 (1993).
- Harold, M.P., Zaspalis, V.T., Keizer, K., and Burggraaf, A.J., Intermediate product yield enhancement with a catalytic inorganic membrane: Analytical model for the case of isothermal and differential operation, *Chem. Eng. Sci.*, 48(15), 2705-2726 (1993).
- Hauenstein, D.E., and Rethwisch, D.G., Photoreversible polymeric membranes, *Sep. Purif. Methods*, 22(1), 23-54 (1993).
- Henriksen, P., and Hassager, O., Simulation of transport phenomena in ultrafiltration, *Chem. Eng. Sci.*, 48(17), 2983-3000 (1993).
- Higa, M., Kira, A., Tanioka, A., and Miyasaka, K., New hemodialysis method using positively charged membrane dialyzer and/or polycation dialysate, *Ind. Eng. Chem. Res.*, 32(5), 917-921 (1993).
- Hollein, M.E., Hammond, M., and Slater, C.S., Concentration of dilute acetone-water solutions using pervaporation, *Sep. Sci. Technol.*, 28(4), 1043-1062 (1993).
- Huang, R.Y.M., and Feng, X., Dehydration of isopropanol by pervaporation using aromatic polyetherimide membranes, *Sep. Sci. Technol.*, 28(11), 2035-2048 (1993).
- Huang, T.C., and Chen, D.H., Coupling of urea hydrolysis and ammonium removal in an electrodialyzer with immobilized urease, *Chem. Eng. Commun.*, 120, 191-202 (1993).
- Huang, T.C., and Wang, J.K., Preferential transport of cupric and ferric ions through ion exchange membranes with electrodialysis in the presence of citric acid, *Chem. Eng. Commun.*, 122, 213-226 (1993).
- Huang, T.C., and Wang, J.K., Selective transport of metal ions through cation exchange membrane in the presence of a complexing agent, *Ind. Eng. Chem. Res.*, 32(1), 133-139 (1993).
- Hyndman, C.L., Groboillot, A.F., Poncelet, D., Champagne, C.P., and Neufeld, R.J., Microencapsulation of *Lactococcus lactis* within cross-linked gelatin membranes, *J. Chem. Technol. Biotechnol.*, 56(3), 259-264 (1993).
- Ilias, S., and Govind, R., A study on concentration polarization in ultrafiltration, *Sep. Sci. Technol.*, 28(1), 361-382 (1993).

- Iritani, E., Watanabe, T., and Murase, T., Upward, inclined ultrafiltration under constant pressure using a dead-end filter, *Int. Chem. Eng.*, 33(4), 687-690 (1993).
- Itoh, N., Xu, W.C., and Sathe, A.M., Capability of permeate hydrogen through palladium-based membranes for acetylene hydrogenation, *Ind. Eng. Chem. Res.*, 32(11), 2614-2619 (1993).
- Izatt, R.M., Lamb, J.D., and Bruening, R.L., Cation separations using a proton-ionizable macrocycle in a dual module hollow fiber membrane system, *Sep. Sci. Technol.*, 28(1), 383-396 (1993).
- Juang, R.S., Permeation and separation of zinc and copper by supported liquid membranes using bis(2-ethylhexyl)-phosphoric acid as a mobile carrier, *Ind. Eng. Chem. Res.*, 32(5), 911-916 (1993).
- Juang, R.S., Liang, J.F., and Jiang, J.D., Removal of dyes from aqueous solutions by low pressure batch ultrafiltration, *Sep. Sci. Technol.*, 28(11), 2049-2060 (1993).
- Karoor, S., and Sirkar, K.K., Gas absorption studies in microporous hollow fiber membrane modules, *Ind. Eng. Chem. Res.*, 32(4), 674-684 (1993).
- Koutake, M., Matsuno, I., Nabetani, H., and Nakajima, M., Osmotic pressure model of membrane fouling applied to the ultrafiltration of whey, *J. Food Eng.*, 18(4), 313-334 (1993).
- Kreulen, H., Smolders, C.A., Versteeg, G.F., and van Swaaij, W.P.M., Determination of mass transfer rates in wetted and non-wetted microporous membranes, *Chem. Eng. Sci.*, 48(11), 2093-2102 (1993).
- Lahiere, R.J., Hellums, M.W., and Wijmans, J.G., Membrane vapor separation: Recovery of vinyl chloride monomer from PVC reactor vents, *Ind. Eng. Chem. Res.*, 32(10), 2236-2241 (1993).
- Lai, J.Y., Chen, R.Y., and Lee, K.R., Polyvinyl alcohol gamma-ray grafted nylon-4 membrane for pervaporation and evapomeation, *Sep. Sci. Technol.*, 28(7), 1437-1452 (1993).
- Lai, J.Y., Jen, J.M., and Lin, S.H., Gas permeation in polycarbonate membranes prepared by the wet-phase inversion method, *Chem. Eng. Sci.*, 48(24), 4069-4074 (1993).
- Lazarova, Z., Extraction of organic solutes by liquid membranes, *Solvent Extr. Ion Exch.*, 11(3), 497-504 (1993).

- Lefebvre, J., and Vincent, J.C., Dynamic simulations of cell-bearing membranes: Modelling and optimization of bioreactors, *Comput. Chem. Eng.*, 17(supplement), S221-S226 (1993).
- Leszko, M., and Zaborska, W., Inhibition of activity of urease in native form and immobilized on chitosan membrane by sodium fluoride, *J. Chem. Technol. Biotechnol.*, 57(2), 113-120 (1993).
- Li, K., and Hughes, R., Internal staging for membrane gas separation: Comparison with conventional membrane permeators, *Chem. Eng. Sci.*, 48(22), 3795-3804 (1993).
- Li, K., and Li, N., Removal of carbon dioxide from breathing gas mixtures using an electrochemical membrane cell, *Sep. Sci. Technol.*, 28(4), 1085-1090 (1993).
- Li, W., and Shi, Y., Water-permeation swelling of emulsion liquid membrane, *Sep. Sci. Technol.*, 28(1), 241-254 (1993).
- Lim, J.H.F., Jia, X., Jafferli, R., and Davies, G.A., Statistical models to describe the structure of porous ceramic membranes, *Sep. Sci. Technol.*, 28(1), 821-854 (1993).
- Locke, B.R., Arce, P., and Park, Y., Applications of self-adjoint operators to electrophoretic transport, enzyme reactions, and microwave heating problems in composite media: Electrophoretic transport in layered membranes, *Chem. Eng. Sci.*, 48(23), 4007-4022 (1993).
- Marchese, J., Campderros, M.E., and Acosta, A., Mechanistic study of cobalt, nickel and copper transfer across a supported liquid membrane, *J. Chem. Technol. Biotechnol.*, 57(1), 37-42 (1993).
- Mazid, M.A., and Matsuura, T., Membrane gas separation: A critical overview, *Sep. Sci. Technol.*, 28(15), 2287-2296 (1993).
- Mehdizadeh, H., and Dickson, J.M., Modeling of reverse osmosis in the presence of strong solute-membrane affinity, *AIChE J.*, 39(3), 434-445 (1993).
- Mellis, R., Gill, W.N., and Belfort, G., Fluid dynamics in a tubular membrane: Theory and experiment, *Chem. Eng. Commun.*, 122, 103-126 (1993).
- Milanova, M., Horozov, T., and Nikolov, A., On the liquid membrane extraction of lanthanum and neodymium, *Sep. Sci. Technol.*, 28(8), 1641-1646 (1993).
- Miyano, T., Matsuura, T., and Sourirajan, S., Effect of polyvinylpyrrolidone additive on the pore size and the pore size distribution of polyethersulfone (VICTREX) membranes, *Chem. Eng. Commun.*, 119, 23-40 (1993).

- Miyoshi, H., Yamagami, M., and Kataoka, T., Influence of the concentration of ions in solution on the partition coefficient between cation exchange membrane and solution, *Solvent Extr. Ion Exch.*, 11(3), 505-520 (1993).
- Mundkur, S.D., and Watters, J.C., Polyelectrolyte-enhanced ultrafiltration of copper from a waste stream, *Sep. Sci. Technol.*, 28(5), 1157-1168 (1993).
- Ohlrogge, K., Brockmoller, J., Wind, J., and Behling, R.D., Engineering aspects of the plant design to separate volatile hydrocarbons by vapor permeation, *Sep. Sci. Technol.*, 28(1), 227-240 (1993).
- Ortiz de Zarate, J.M., Velazquez, A., and Pena, L., Influence of temperature polarization on separation by membrane distillation, *Sep. Sci. Technol.*, 28(7), 1421-1436 (1993).
- Pagliero, C., Marchese, J., and Ochoa, N., Effect of coating procedure on composite gas separation membrane performance, *Gas Sep. Purif.*, 7(3), 147-150 (1993).
- Pangrle, B.J., Walsh, E.G., Moore, S.C., and DiBiasio, D., Magnetic resonance imaging of laminar flow in porous tube and shell systems (errata), *Chem. Eng. Sci.*, 48(1), 199-200 (1993).
- Papadopoulos, T., and Sirkar, K.K., Separation of a 2-propanol/n-heptane mixture by liquid membrane perstraction, *Ind. Eng. Chem. Res.*, 32(4), 663-673 (1993).
- Peterson, E.S., Stone, M.L., Cummings, D.G., and McCaffrey, R.R., Separations of hazardous organics from gas and liquid feedstreams using phosphazene polymer membranes, *Sep. Sci. Technol.*, 28(1), 271-282 (1993).
- Peterson, E.S., Stone, M.L., McCaffrey, R.R., and Cummings, D.G., Mixed-gas separation properties of phosphazene polymer membranes, *Sep. Sci. Technol.*, 28(1), 423-440 (1993).
- Peterson, R.A., Anderson, M.A., and Hill, C.G., Application of ceramic membranes to reverse osmosis, *Sep. Sci. Technol.*, 28(1), 327-342 (1993).
- Poncelet, D., Leung, R., Centomo, L., and Neufeld, R.J., Microencapsulation of silicone oils within polyamide-polyethylenimine membranes as oxygen carriers for bioreactor oxygenation, *J. Chem. Technol. Biotechnol.*, 57(3), 253-264 (1993).
- Pradanos, P., Arribas, J.I., and Hernandez, A., Flux limiting factors in cross-flow ultrafiltration of invertase through an asymmetric inorganic membrane, *Sep. Sci. Technol.*, 28(10), 1899-1912 (1993).

- Raghuraman, B., and Wieneck, J., Extraction with emulsion liquid membranes in a hollow-fiber contactor, *AIChE J.*, 39(11), 1885-1889 (1993).
- Ramaseder, C., Bart, H.J., and Marr, R., Phenomenological and mathematical description of the osmotic influence in the liquid membrane technique, *Sep. Sci. Technol.*, 28(1), 929-945 (1993).
- Rao, M.B., and Sircar, S., Nanoporous carbon membrane for gas separation, *Gas Sep. Purif.*, 7(4), 279-284 (1993).
- Rautenbach, R., and Welsch, K., Treatment of landfill gas by gas permeation: Pilot plant results and comparison with alternative uses, *Gas Sep. Purif.*, 7(1), 31-38 (1993).
- Saito, T., Selective transport of alkali and alkaline earth metallic ions through a supported liquid membrane containing triphenyl phosphate as a carrier, *Sep. Sci. Technol.*, 28(8), 1629-1640 (1993).
- Sedath, R.H., Taylor, D.R., and Li, N.N., Reduced fouling of ultrafiltration membranes via surface fluorination, *Sep. Sci. Technol.*, 28(1), 255-270 (1993).
- Seibert, A.F., Py, X., Mshewa, M., and Fair, J.R., Hydraulics and mass transfer efficiency of a commercial-scale membrane extractor, *Sep. Sci. Technol.*, 28(1), 343-360 (1993).
- Shah, P.R., Kovvali, A.S., Khan, G.Y., and Khan, A.A., Prediction of permselectivity of nitrate and acetate ions in the electrodialysis of aqueous solutions, *Chem. Eng. J.*, 51(1), 1-6 (1993).
- Shi, G., Yu, X., and Yuan, Q., Hollow-fiber membrane reactor under backflush mode for penicillin hydrolysis, *Int. Chem. Eng.*, 33(4), 691-697 (1993).
- Shiau, C.Y., and Chen, P.Z., Theoretical analysis of copper-ion extraction through hollow fiber supported liquid membranes, *Sep. Sci. Technol.*, 28(13), 2149-2166 (1993).
- Shiau, C.Y., and Jung, S.W., Selective extraction of metal ions through liquid surfactant membranes, *J. Chem. Technol. Biotechnol.*, 56(1), 27-34 (1993).
- Shinano, H., Tsuneda, S., Saito, K., Furusaki, S., and Sugo, T., Ion exchange of lysozyme during permeation across a microporous sulfopropyl-group-containing hollow fiber, *Biotechnol. Prog.*, 9(2), 193-198 (1993).
- Simon, A.M., and Grzywna, Z.J., Time-lag analysis of mass transport through catalytically active membranes, *Chem. Eng. Sci.*, 48(6), 1051-1060 (1993).
- Srinivas, B.K., and El-Halwagi, M.M., Optimal design of pervaporation systems for waste reduction, *Comput. Chem. Eng.*, 17(10), 957-970 (1993).

- Strathmann, H., Bauer, B., and Rapp, H.J., Better bipolar membranes, *Chemtech*, 23(6), 17-24 (1993).
- Sudoh, M., Mukouijama, T., Katsumata, M., Aoyanagi, H., and Nakano, Y., Permeation transport properties of oxygen, hydrogen peroxide, and glucose through membrane supports for glucose sensors, *Int. Chem. Eng.*, 33(2), 280-287 (1993).
- Sugiura, M., Effect of quaternary ammonium salts on carrier-mediated transport of lanthanide ions through cellulose triacetate membranes, *Sep. Sci. Technol.*, 28(7), 1453-1464 (1993).
- Sugiura, M., and Hirata, H., Effect of phospholipids on carrier-mediated transport of lanthanide ions through cellulose triacetate membranes, *Sep. Sci. Technol.*, 28(10), 1933-1937 (1993).
- Summerfield, I.R., Duxbury, J., and Dennison, G., Membrane development for the separation of hydrogen and carbon dioxide: Screening tests, *Chem. Eng. Res. Des.*, 71(3), 319-321 (1993).
- Tam, C.M., Matsuura, T., Tweddle, T.A., and Hazlett, J.D., Polysulfone membranes: Performance evaluation of polyethersulfone-PVP membranes, *Sep. Sci. Technol.*, 28(17), 2621-2634 (1993).
- Tanaka, Y., Tsuji, M., and Abe, M., Technology for removing potassium ion from concentrated seawater by electrodialysis and solar salt dissolved in brine, *Sep. Sci. Technol.*, 28(11), 2023-2034 (1993).
- Thacharodi, D., and Panduranga Rao, K., Propranolol hydrochloride release behaviour of crosslinked chitosan membranes, *J. Chem. Technol. Biotechnol.*, 58(2), 177-182 (1993).
- Tsotsis, T.T., Champagnie, A.M., Vasileiadis, S.P., Ziaka, Z.D., and Minet, R.G., The enhancement of reaction yield through the use of high temperature membrane reactors, *Sep. Sci. Technol.*, 28(1), 397-422 (1993); (errata), 28(13), 2285 (1993).
- Urriaga, A.M., and Irabien, J.A., Internal mass transfer in hollow fiber supported liquid membranes, *AIChE J.*, 39(3), 521-525 (1993).
- Vigo, F., Uliana, C., Ravina, E., Lucifredi, A., and Gandoglia, M., The vibrating ultrafiltration module: Performance in the 50-1000 Hz frequency range, *Sep. Sci. Technol.*, 28(4), 1063-1076 (1993).
- Vrana, D.L., Meagher, M.M., Hutkins, R.W., and Duffield, B., Pervaporation of model acetone-butanol-ethanol fermentation product solutions using

- polytetrafluoroethylene membranes, *Sep. Sci. Technol.*, 28(13), 2167-2178 (1993).
- White, D.A., and Labayru, R., Modelling and optimisation of reverse dialysis plant, *Chem. Eng. Res. Des.*, 71(2), 196-202 (1993).
- Wood, H., and Sourirajan, S., The nature of pores in the skin layer of polymeric reverse osmosis/ultrafiltration membranes, *Dev. Chem. Eng. Mineral Process.*, 1(1), 32-41 (1993).
- Wood, H., and Sourirajan, S., Some design aspects of aromatic reverse-osmosis membranes, *Dev. Chem. Eng. Mineral Process.*, 1(4), 238-246 (1993).
- Wood, H., Wang, J., and Sourirajan, S., The effect of polyethersulfone concentration on flat and hollow fiber membrane performance, *Sep. Sci. Technol.*, 28(15), 2297-2318 (1993).
- Xue, T., and Osseo-Asare, K., Behavior of silver-thiourea complexes in nafion resin, *Sep. Sci. Technol.*, 28(4), 1077-1084 (1993).
- Yamaguchi, T., Nakao, S., and Kimura, S., Design of pervaporation membrane for organic-liquid separation based on solubility control by plasma-graft filling polymerization technique, *Ind. Eng. Chem. Res.*, 32(5), 848-853 (1993).
- Yan, N., A mass transfer model for type-II-facilitated transport in liquid membranes, *Chem. Eng. Sci.*, 48(22), 3835-3844 (1993).
- Yang, M.H., and Chu, T.J., The effect of skin layer composition and operating parameters on the performance of sulfonated polysulfone-poly(vinyl alcohol) composite reverse osmosis membrane, *Sep. Sci. Technol.*, 28(6), 1315-1326 (1993).
- Yeh, H.M., and Cheng, T.W., Osmotic-pressure model with permeability analysis for ultrafiltration in hollow-fiber membrane modules, *Sep. Technol.*, 3(2), 91-98 (1993).
- Yeh, H.M., and Cheng, T.W., Resistance-in-series for membrane ultrafiltration in hollow fibers of tube-and-shell arrangement, *Sep. Sci. Technol.*, 28(6), 1341-1356 (1993).
- Yen, Y.H., and Cheryan, M., Electrodialysis of model lactic acid solutions, *J. Food Eng.*, 20(3), 267-282 (1993).
- Zareh, M.M., Issa, Y.M., Shonkry, A.F., and Shohaib, R.E., Potentiometric determination of ephedrine hydrochloride using plastic membrane ion-selective electrode, *J. Chem. Technol. Biotechnol.*, 58(4), 371-376 (1993).

Ziaka, Z.D., Minet, R.G., and Tsotsis, T.T., Propane dehydrogenation in a packed-bed membrane reactor, *AIChE J.*, 39(3), 526-529 (1993).

References

1. M.S. Ray. Adsorptive and Membrane Separations: A Bibliographical Guide (1985-1989). *Adsorpt. Sci. Technol.*, 7(1), 28-64 (1990).
2. M.S. Ray. Adsorptive and Membrane-type Separations: A Bibliographical Guide (1991). *Adsorpt. Sci. Technol.*, 8(3), 114-133 (1991).
3. M.S. Ray. Adsorption and Adsorptive Separations: A Bibliographical Update (1992-1993). *In Preparation*.
4. M.S. Ray. Distillation (1980-1990): A Bibliography. *Sep. Sci. Technol.*, 27(1), 105-128 (1992).
5. M.S. Ray. Equilibrium-Staged Separations: A Bibliography (1991). *Sep. Sci. Technol.*, 28(6), 1361-1378 (1993).
6. M.S. Ray. Equilibrium-Staged Separations: A Bibliography Update (1992-1993). *Sep. Sci. Technol.*, In Press.
7. M.S. Ray. Liquid-Liquid Extraction (1992-1993): A Bibliography Update. *Sep. Sci. Technol.*, In Press.
8. M.S. Ray. Supercritical Extraction (1980-1993): A Bibliographic Guide. *Sep. Sci. Technol.*, In Press.
9. M.S. Ray. "Chemical Engineering Bibliography (1967-1988)". Noyes Publications, New Jersey, USA, 1990.
10. M.S. Ray. "Chemical Engineering Bibliography Update (1989-90)". Chem. Eng. Dept., Curtin University, Western Australia, 1991.
11. M.S. Ray. "The Chemical Engineering Complete Annual Bibliography (1991)". Chem. Eng. Dept., Curtin University, Western Australia, 1992.
12. K. Bourton. "Chemical and Process Engineering Unit Operations: A Bibliographical Guide". MacDonald and Co., London, 1967.