

This article was downloaded by:

On: 25 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Separation Science and Technology

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713708471>

Equilibrium-Staged Separations: A Bibliography Update (1996)

Martyn S. Ray^a

^a SCHOOL OF CHEMICAL ENGINEERING, CURTIN UNIVERSITY OF TECHNOLOGY, PERTH, WESTERN AUSTRALIA

To cite this Article Ray, Martyn S.(1997) 'Equilibrium-Staged Separations: A Bibliography Update (1996)', Separation Science and Technology, 32: 18, 3067 – 3083

To link to this Article: DOI: 10.1080/01496399708000796

URL: <http://dx.doi.org/10.1080/01496399708000796>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

BIBLIOGRAPHY

Equilibrium-Staged Separations: A Bibliography Update (1996)

MARTYN S. RAY

SCHOOL OF CHEMICAL ENGINEERING
CURTIN UNIVERSITY OF TECHNOLOGY
GPO BOX U1987, PERTH 6845, WESTERN AUSTRALIA

ABSTRACT

This article provides a bibliographic listing of journal papers published in 1996 concerned with distillation and other equilibrium-staged separation processes. The references are taken from the 50 most important chemical engineering journals. This paper provides an update to the literature as provided in previous bibliographic papers (1–5). A complete bibliographic listing of the chemical engineering journal literature from 1989 to 1996 (with subsequent 6 monthly updates) is available on a CD-ROM database (6), and full details can be obtained from the author. The following topics are included in this paper:

Distillation Theory and Design Methods
Distillation Control and Applications
Column Design Data
Absorption Reactions and Absorber Design
Cooling Towers
Liquid–Liquid Extraction
Supercritical Extraction

Distillation Theory and Design Methods

- Agrawal, R., and Fidkowski, Z. T., "On the use of intermediate reboilers in the rectifying section and condensers in the stripping section of a distillation column," *Ind. Eng. Chem. Res.*, 35(8), 2801–2807 (1996).
- Bacaud, R.; Rouleau, L., and Bacaud, B., "Modeling simulated distillation: A tool for the evaluation of hydroconverted petroleum residues," *Energy Fuels*, 10(4), 915–920 (1996).

- Bacaud, R.; Rouleau, L., and Bacaud, B., "Modeling simulated distillation: Influence of catalyst addition upon model parameters," *Energy Fuels*, 10(6), 1171–1175 (1996).
- Barolo, M., and Guarise, G. B., "Batch distillation of multicomponent systems with constant relative volatilities," *Chem. Eng. Res. Des.*, 74(8), 863–871 (1996).
- Espinosa, J.; Aguirre, P., and Perez, G., "Some aspects in the design of multicomponent reactive distillation columns with a reacting core: Mixtures containing inerts," *Ind. Eng. Chem. Res.*, 35(12), 4537–4549 (1996).
- Fleming, B.; Martin, G. R., and Hartman, E. L., "Pay attention to reflux/feed entry design," *Chem. Eng. Prog.*, 92(1), 56–64 (1996).
- Ray, S., and Sengupta, S. P., "Irreversibility analysis of a sieve tray in a distillation column," *Int. J. Heat Mass Transfer*, 39(7), 1535–1542 (1996).
- Steinmeyer, D., "Understand ΔP and ΔT in turbulent flow heat exchangers," *Chem. Eng. Prog.*, 92(6), 49–55 (1996).
- Taylor, R.; Achuthan, K., and Lucia, A., "Complex domain distillation calculations," *Comput. Chem. Eng.*, 20(1), 93–111 (1996).
- Zhicaï, Y., et al., "Evolution of pinch-point zones in multicomponent distillation columns: Rectifying section," *Ind. Eng. Chem. Res.*, 35(8), 2777–2781 (1996).

Distillation Control and Applications

- Agrawal, R., "Synthesis of distillation column configurations for a multicomponent separation," *Ind. Eng. Chem. Res.*, 35(4), 1059–1071 (1996).
- Agrawal, R.; Fidkowski, Z. T., and Xu, J., "Prefractionation to reduce energy consumption in distillation without changing utility temperatures," *AIChE J.*, 42(8), 2118–2127 (1996).
- Ahmad, B. S., and Barton, P. I., "Homogeneous multicomponent azeotropic batch distillation," *AIChE J.*, 42(12), 3419–3433 (1996).
- Alejski, K., and Duprat, F., "Dynamic simulation of the multicomponent reactive distillation," *Chem. Eng. Sci.*, 51(18), 4237–4252 (1996).
- Allen, S. G., et al., "Fractionation of sugar cane with hot, compressed, liquid water," *Ind. Eng. Chem. Res.*, 35(8), 2709–2715 (1996).
- Annakou, O., and Mizsey, P., "Rigorous comparative study of energy-integrated distillation schemes," *Ind. Eng. Chem. Res.*, 35(6), 1877–1885 (1996).
- Anon., "Revamping distillation columns (equipment focus)," *Chem. Eng. (N.Y.)*, pp. 111–116 (August 1996).
- Banat, F. A., and Simandl, J., "Removal of benzene traces from contaminated water by vacuum membrane distillation," *Chem. Eng. Sci.*, 51(8), 1257–1266 (1996).
- Barber, A., "Distillation and Absorption 1997 Conference plan," *Chem. Eng. (Rugby, Engl.)*, p. 23 (May 16, 1996).
- Barolo, M., et al., "Some issues in the design and operation of a batch distillation column with a middle vessel," *Comput. Chem. Eng.*, 20(Suppl. A), S37–S42 (1996).
- Barolo, M.; Guarise, G. B., and Macchietto, S., "Running batch distillation in a column with a middle vessel," *Ind. Eng. Chem. Res.*, 35(12), 4612–4618 (1996).
- Batistella, C. B., and Maciel, M. R. W., "Modeling, simulation and analysis of molecular distillators: Centrifugal and falling film," *Comput. Chem. Eng.*, 20(Suppl. A), S19–S24 (1996).
- Bauer, M. H., and Stichlmair, J., "Superstructures for the mixed integer optimization of nonideal and azeotropic distillation processes," *Comput. Chem. Eng.*, 20(Suppl. A), S25–S30 (1996).

- Bausa, J.; Watzdorf, R. V., and Marquardt, W., "Minimum energy demand for nonideal multicomponent distillations in complex columns," *Comput. Chem. Eng.*, 20(Suppl. A), S55-S60 (1996).
- Bekiaris, N.; Meski, G. A., and Morari, M., "Multiple steady states in heterogeneous azeotropic distillation," *Ind. Eng. Chem. Res.*, 35(1), 207-227 (1996).
- Bonny, L., et al., "Optimal strategies for batch distillation campaign of different mixtures," *Chem. Eng. Process.*, 35(5), 349-362 (1996).
- Chien, I. L., "Simple empirical nonlinear model for temperature-based high-purity distillation columns," *AIChE J.*, 42(9), 2692-2697 (1996).
- Doma, M. J.; Taylor, P. A., and Vermeer, P. J., "Closed loop identification of MPC models for MIMO processes using genetic algorithms and dithering one variable at a time: Application to an industrial distillation tower," *Comput. Chem. Eng.*, 20(Suppl. B), S1035-S1040 (1996).
- Driedger, W. C., "Controlling shell and tube exchangers," *Hydrocarbon Process.*, 75(3), 111-132 (1996).
- Fair, J. R., and Seibert, A. F., "Understand distillation-column debottlenecking options," *Chem. Eng. Prog.*, 92(6), 42-48 (1996).
- Finn, A. J., "Rapid assessment of thermally coupled side columns," *Gas Sep. Purif.*, 10(3), 169-176 (1996).
- Flender, M.; Fieg, G., and Wozny, G., "Classification of new product changeover strategy (NPS) for different application of distillation columns," *Comput. Chem. Eng.*, 20(Suppl. B), S1131-S1136 (1996).
- Fraga, E. S., and Senos Matias, T. R., "Synthesis and optimization of a nonideal distillation system using a parallel genetic algorithm," *Comput. Chem. Eng.*, 20(Suppl. A), S79-S84 (1996).
- Fu, J., "Salt-containing model for simulation of salt-containing extractive distillation," *AIChE J.*, 42(12), 3364-3372 (1996).
- Gaikar, V. G., and Sau, G. K., "Extractive distillation of *p*-cresol/2,6-xylenol mixtures in the presence of alkanolamines," *Sep. Sci. Technol.*, 31(14), 1979-1988 (1996).
- Garcia-Sanchez, F., et al., "Prediction of azeotropic behavior of binary mixtures from gas-liquid *P-T-x* critical data with cubic equations of state," *Can. J. Chem. Eng.*, 74(6), 967-976 (1996).
- Guttinger, T. E., and Morari, M., "Comments on Multiple steady states in homogeneous azeotropic distillation," *Ind. Eng. Chem. Res.*, 35(8), 2816 (1996).
- Hanson, D.; Gordon, S. W., and Martin, G. R., "Make the most of distillation test runs," *Chem. Eng. Prog.*, 92(2), 72-79 (1996).
- Hernandez, S., and Jimenez, A., "Design of optimal thermally-coupled distillation systems using a dynamic model," *Chem. Eng. Res. Des.*, 74(3), 357-362 (1996).
- Hoch, P. M., and Eliceche, A. M., "Flexibility analysis leads to a sizing strategy in distillation columns," *Comput. Chem. Eng.*, 20(Suppl. A), S139-S144 (1996).
- Hsiao, S. B., and Sheppard, C. M., "Algorithm synthesis of general non-sharp simple distillation column sequences," *Chem. Eng. Commun.*, 140, 1-20 (1996).
- Huss, R. S., and Westerberg, A. W., "Collocation methods for distillation design: Model description and testing," *Ind. Eng. Chem. Res.*, 35(5), 1603-1610 (1996).
- Huss, R. S., and Westerberg, A. W., "Collocation methods for distillation design: Applications for distillation," *Ind. Eng. Chem. Res.*, 35(5), 1611-1623 (1996).
- Hwang, Y. L., et al., "Experimental study of wave propagation dynamics of binary distillation columns," *AIChE J.*, 42(10), 2743-2760 (1996).
- Isla, M. A., and Irazoqui, H. A., "Modeling, analysis, and simulation of a methyl *tert*-butyl ether reactive distillation column," *Ind. Eng. Chem. Res.*, 35(8), 2696-2708 (1996).

- Jacimovic, B. M., and Genic, S. B., "Use a new approach to find Murphree tray efficiency," *Chem. Eng. Prog.*, 92(8), 46–51 (1996).
- Jobson, M.; Hildebrandt, D., and Glasser, D., "Variables indicating the cost of vapour-liquid equilibrium separation processes," *Chem. Eng. Sci.*, 51(21), 4749–4758 (1996).
- Jones, W. E., and Wilson, J. A., "Changing vapor-liquid traffic in a distillation column," *Chem. Eng. Educ.*, 30(1), 36–39 (1996).
- Karaosmanoglu, F., et al., "Investigation of the refining step of biodiesel production," *Energy Fuels*, 10(4), 890–895 (1996).
- Kelleher, T., and Fair, J. R., "Distillation studies in a high-gravity contactor," *Ind. Eng. Chem. Res.*, 35(12), 4646–4655 (1996).
- King, J. W., "Supercritical fluid extraction/fractionation process," *J. Chem. Technol. Bio-technol.*, 65(3), 295 (1996).
- Klemola, K. T., and Ilme, J. K., "Distillation efficiencies of an industrial-scale *i*-butane/*n*-butane fractionator," *Ind. Eng. Chem. Res.*, 35(12), 4579–4586 (1996).
- Koggersbol, A., et al., "An output multiplicity in binary distillation: Experimental verification," *Comput. Chem. Eng.*, 20(Suppl. B), S835–S840 (1996).
- Koggersbol, A., et al., "Control configurations for an energy integrated distillation column," *Comput. Chem. Eng.*, 20(Suppl. B), S853–S858 (1996).
- Kunesh, J. G., et al., "Sieve tray performances for steam stripping toluene from water in a 4-ft diameter column," *Ind. Eng. Chem. Res.*, 35(8), 2660–2671 (1996).
- Mahajani, S. M., and Kolah, A. K., "Some design aspects of reactive distillation columns," *Ind. Eng. Chem. Res.*, 35(12), 4587–4596 (1996).
- McCandless, F. P., "The role of recycle in countercurrent recycle distillation cascades: Extractive distillation and hybrid cascades," *Sep. Sci. Technol.*, 31(5), 605–628 (1996).
- Mehlhorn, A., et al., "Modeling and experimental validation of both mass transfer and tray hydraulics in batch distillation," *Comput. Chem. Eng.*, 20(Suppl. A), S575–S580 (1996).
- Nair, B. N., et al., "Surface selective approach to separation of propylene from propane," *Sep. Sci. Technol.*, 31(14), 1907–1914 (1996).
- Nogueira, J. M. F., "Review of refining and separation of crude tall-oil components," *Sep. Sci. Technol.*, 31(17), 2307–2316 (1996).
- Novak, Z.; Kravanja, Z., and Grossman, I. E., "Simultaneous synthesis of distillation sequences in overall process schemes using an improved MINLP approach," *Comput. Chem. Eng.*, 20(12), 1425–1440 (1996).
- Padlo, D. M., and Kugler, E. L., "Simulated distillation of heavy oils using an evaporative light scattering detector," *Energy Fuels*, 10(5), 1031–1035 (1996).
- Perez-Cisneros, E., et al., "Aspects of simulation, design and analysis of reactive distillation operations," *Comput. Chem. Eng.*, 20(Suppl. A), S267–S272 (1996).
- Pettersen, T., et al., "Design of combined membrane and distillation processes," *Sep. Technol.*, 6(3), 175–188 (1996).
- Pohlmeier, J., and Rix, A., "Interactive plant and control design of a double-effect distillation column," *Comput. Chem. Eng.*, 20(4), 395–400 (1996).
- Portugal, I.; Vital, J., and Lobo, L. S., "Isomerization of resin acids during pine oleoresin distillation," *Chem. Eng. Sci.*, 51(11), 2577–2582 (1996).
- Rao, K. R.; Shrinivasa, U., and Srinivasan, J., "Constrained optimization of heat exchangers," *Chem. Eng. (N.Y.)*, pp. 112–118 (June 1996).
- Rocha, J. A.; Bravo, J. L., and Fair, J. R., "Distillation columns containing structured packings: A comprehensive model for their performance (mass-transfer model)," *Ind. Eng. Chem. Res.*, 35(5), 1660–1667 (1996).
- Rorrer, G. L., "'An ode to that distillation tower' and other poetry: A creative writing assignment," *Chem. Eng. Educ.*, 30(3), 180–182 (1996).

- Savkovic-Stevanovic, J., "Neural net controller by inverse modeling for a distillation plant," *Comput. Chem. Eng.*, 20(Suppl. B), S925-S930 (1996).
- Schon, J. C., and Andresen, B., "Multiple modes for the operation of a binary distillation column," *Ind. Eng. Chem. Res.*, 35(7), 2327-2333 (1996).
- Schrans, S.; de Wolf, S., and Baur, R., "Dynamic simulation of reactive distillation: An MTBE case study," *Comput. Chem. Eng.*, 20(Suppl. B), S1619-S1624 (1996).
- Sloley, A. W., "Avoid problems during distillation column startups," *Chem. Eng. Prog.*, 92(7), 30-39 (1996).
- Solokhin, A. V., and Blagov, S. A., "Reactive distillation is an advanced technique of reaction process operation," *Chem. Eng. Sci.*, 51(11), 2559-2564 (1996).
- Sorensen, E., and Skogestad, S., "Optimal startup procedures for batch distillation," *Comput. Chem. Eng.*, 20(Suppl. B), S1257-S1262 (1996).
- Sorensen, E., and Skogestad, S., "Comparison of regular and inverted batch distillation," *Chem. Eng. Sci.*, 51(22), 4949-4962 (1996).
- Sorensen, E., et al., "Optimal control and on-line operation of reactive batch distillation," *Comput. Chem. Eng.*, 20(12), 1491-1498 (1996).
- Sundmacher, K., and Hoffmann, U., "Development of a new catalytic distillation process for fuel ethers via a detailed nonequilibrium model," *Chem. Eng. Sci.*, 51(10), 2359-2368 (1996).
- Taprap, R., and Ishida, M., "Graphic energy analysis of processes in distillation column by energy-utilization diagrams," *AIChE J.*, 42(6), 1633-1641 (1996).
- Thorpe, P., "Advanced control design for distillation processes," *Process Eng. (London)*, 77(9), 43-46 (1996).
- Widagdo, S., and Seider, W. D., "Azeotropic distillation (journal review)," *AIChE J.*, 42(1), 96-130 (1996).
- Wittgens, B., et al., "Total reflux operation of multivessel batch distillation," *Comput. Chem. Eng.*, 20(Suppl. B), S1041-S1046 (1996).
- Wolff, E. A., and Skogestad, S., "Temperature cascade control of distillation columns," *Ind. Eng. Chem. Res.*, 35(2), 475-484 (1996).
- Xu, Z. P.; Afacan, A., and Chuang, K. T., "Prediction of packed sieve tray efficiency in distillation," *Chem. Eng. Res. Des.*, 74(8), 893-900 (1996).
- Yang, S. H., et al., "Application of compensation control in FCC main fractionator," *Dev. Chem. Eng. Miner. Process.*, 4(1), 61-70 (1996).
- Yeh, H. M., "The best performance of inclined thermal diffusion columns of the Frazier scheme," *Can. J. Chem. Eng.*, 74(1), 152-155 (1996).

Column Design Data

- Aguirre, P., and Espinosa, J., "A robust method to solve mass balances in reversible column sections," *Ind. Eng. Chem. Res.*, 35(2), 559-572 (1996).
- Baker, S. A., and Waldie, B., "A novel redistributor concept for packed columns," *Chem. Eng. Res. Des.*, 74(1), 106-112 (1996).
- Beg, S. A.; Hassan, M. M., and Naqvi, M. S. M., "Hydrodynamics and mass transfer in a cocurrent packed column: A theoretical study," *Chem. Eng. J.*, 63(2), 93-104 (1996).
- Benadda, B., et al., "Influence of pressure on the gas/liquid interfacial area (a) and the coefficient kLa in a counter-current packed column," *Chem. Eng. Process.*, 35(4), 247-254 (1996).
- Benneker, A. H., et al., "Axial dispersion in gases flowing through a packed bed at elevated pressures," *Chem. Eng. Sci.*, 51(10), 2099-2108 (1996).

- Brandani, S., and Ruthven, D. M., "Moments analysis of the zero length column method," *Ind. Eng. Chem. Res.*, 35(1), 315-319 (1996).
- Burns, J. R., and Ramshaw, C., "Process intensification: Visual study of liquid maldistribution in rotating packed beds," *Chem. Eng. Sci.*, 51(8), 1347-1352 (1996).
- Chung, T. W.; Ghosh, T. K., and Hines, A. L., "Comparison between random and structured packings for dehumidification of air by lithium chloride solutions in a packed column and their heat and mass transfer correlations," *Ind. Eng. Chem. Res.*, 35(1), 192-198 (1996).
- Gamane, N., and Lannoy, F., "Estimate fixed-bed pressure drop," *Chem. Eng. (N.Y.)*, pp. 123-124 (August 1996).
- Gera, D.; Gautam, M., and Davidson, J. F., "Remarks on the measurement of gas throughflow velocity," *Chem. Eng. Res. Des.*, 74(1), 137-139 (1996).
- Glasgow, L. A., "Sieve-plate hole-pressure fluctuations: Bubble formation in aerated reactors," *AIChE J.*, 42(5), 1495-1499 (1996).
- Grosser, K., et al., "Lateral thermal dispersion in gas-liquid cocurrent downflow through packed beds," *AIChE J.*, 42(10), 2977-2983 (1996).
- Horner, G., and Burgess, R., "Development and evaluation of new random tower-packings," *Chem. Eng. (Rugby, Engl.)*, pp. 16-19 (March 7, 1996).
- Hughes, R., "Theory of the operating mechanism of the impingement baffle plate," *Chem. Eng. (Rugby, Engl.)*, p. 19 (February 8, 1996).
- Iliuta, I.; Thyron, F. C., and Muntean, O., "Hydrodynamic characteristics of two-phase flow through fixed beds: Air/Newtonian and non-Newtonian liquids," *Chem. Eng. Sci.*, 51(22), 4987-4996 (1996).
- Iliuta, I.; Thyron, F. C., and Muntean, O., "Residence time distribution of the liquid in two-phase cocurrent downflow in packed beds: Air/Newtonian and non-Newtonian liquid systems," *Can. J. Chem. Eng.*, 74(5), 783-796 (1996).
- Jones, M. C.; Nassimbeni, R. D., and Wolfe, J. D., "Mixing and dispersion measurements on packed bed flows using a fiberoptic probe array," *Chem. Eng. Sci.*, 51(7), 1009-1022 (1996).
- Killat, G. R., and Rey, T. D., "Properly assess maldistribution in packed towers," *Chem. Eng. Prog.*, 92(5), 69-73 (1996).
- Kister, H. Z.; Rhoad, R., and Hoyt, K. A., "Improve vacuum-tower performance," *Chem. Eng. Prog.*, 92(9), 36-44 (1996).
- Kouri, R. J., and Sohlo, J., "Liquid and gas flow patterns in random packings," *Chem. Eng. J.*, 61(2), 95-106 (1996).
- Kuznetsov, A. V., and Vafai, K., "Analytical comparison and criteria for heat and mass transfer models in metal hydride packed beds (corrigenda)," *Int. J. Heat Mass Transfer*, 39(3), 659 (1996).
- Linek, V.; Havelka, P., and Sinkule, J., "Supersaturation effect in steady-state and dynamic methods for measuring k_{La} in gas-liquid dispersions," *Chem. Eng. Sci.*, 51(23), 5223-5226 (1996).
- Moller, L. B., et al., "Liquid and gas distribution in trickle-bed reactors," *Ind. Eng. Chem. Res.*, 35(3), 926-930 (1996).
- Rahli, O.; Tadrist, L., and Miscevic, M., "Experimental analysis of fibrous porous media permeability," *AIChE J.*, 42(12), 3547-3549 (1996).
- Sedahmed, G. H., et al., "Liquid-solid mass transfer in packed beds of Raschig rings with upward two-phase (gas-liquid) flow," *Chem. Eng. J.*, 62(1), 61-66 (1996).
- Seguin, D., et al., "Liquid-solid mass transfer in packed beds of variously shaped particles at low Reynolds numbers: Experiments and model," *Chem. Eng. J.*, 63(1), 1-10 (1996).

- Spiegel, L.; Bomio, P., and Hunkeler, R., "Direct heat and mass transfer in structured packings," *Chem. Eng. Process.*, 35(6), 479–486 (1996).
- Suppes, C. J., and Manning, J., "Use of packed beds for demisting gases: High-temperature applications," *AIChE J.*, 42(5), 1477–1480 (1996).
- Tallarek, U., et al., "Measurement of transverse and axial apparent dispersion coefficients in packed beds," *AIChE J.*, 42(11), 3041–3054 (1996).
- Tanner, R. K., et al., "Modelling the performance of a packed column subjected to tilt," *Chem. Eng. Res. Des.*, 74(2), 177–182 (1996).
- Tshabalala, S. N., and Squires, A. M., "Effect of axial gas dispersion on MTO light-olefin yield: Microreactor data," *AIChE J.*, 42(10), 2941–2947 (1996).
- Tsuchiya, K., et al., "Performance of a hollow-fiber spiral disk for effective gas dispersion toward high mass transfer rate," *Ind. Eng. Chem. Res.*, 35(2), 613–620 (1996).
- Wei, F., and Zhu, J. X., "Effect of flow direction on axial solid dispersion in gas-solids cocurrent upflow and downflow systems," *Chem. Eng. J.*, 64(3), 345–352 (1996).
- Zhang, Q. M., and Chen, B. H., "Pressure drops in packed bubble columns," *Chem. Eng. Commun.*, 140, 173–182 (1996).
- Zou, R. P., and Yu, A. B., "Wall effect on the packing of cylindrical particles," *Chem. Eng. Sci.*, 51(7), 1177–1180 (1996).

Absorption Reactions and Absorber Design

- Andreozzi, R., et al., "Ozone solubility in phosphate-buffered aqueous solutions: Effect of temperature, *tert*-butyl alcohol, and pH," *Ind. Eng. Chem. Res.*, 35(4), 1467–1471 (1996).
- Anon., "New scrubber system tackles 15 different VOCs," *Chem. Eng. (N.Y.)*, p. 159 (October 1996).
- Appelman, E. H.; Jache, A. W., and Muntean, J. V., "Use of ozone + hydrogen peroxide to degrade macroscopic quantities of chelating agents in an aqueous solution," *Ind. Eng. Chem. Res.*, 35(4), 1480–1482 (1996).
- Ashour, S. S.; Rinker, E. B., and Sandall, O. C., "Absorption of chlorine into aqueous bicarbonate solutions and aqueous hydroxide solutions," *AIChE J.*, 42(3), 671–682 (1996).
- Aurousseau, M., et al., "Scrubbing of sulfur dioxide using a cerium(IV)-containing acidic solution: A kinetic investigation," *Ind. Eng. Chem. Res.*, 35(4), 1243–1250 (1996).
- Bagyi, I.; Marki, E., and Bekassy-Molnar, E., "New correlation for liquid hold-up of sodium citrate buffer solution in a Raschig ring packed column," *Gas Sep. Purif.*, 10(4), 199–206 (1996).
- Bhattacharya, S., et al., "Absorption of sulfur dioxide in aqueous dispersions of dimethyl aniline," *Can. J. Chem. Eng.*, 74(3), 339–346 (1996).
- Bravo, V. R.; Camacho, F. R., and Moya, M. V., "The influence of temperature and the concentration of manganese sulphate on the simultaneous absorption and reaction of mixtures of sulphur dioxide and oxygen," *Can. J. Chem. Eng.*, 74(1), 104–109 (1996).
- Breman, B. B., et al., "The gas-liquid mass transfer coefficient in the gas-liquid multi-stage agitated contactor (MAC)," *Chem. Eng. Res. Des.*, 74(8), 872–881 (1996).
- Cheng, S.; Meisen, A., and Chakma, A., "Predict amine solution properties accurately," *Hydrocarbon Process.*, 75(2), 81–84 (1996).
- Conlisk, A. T., "Analytical solutions for falling film absorption of ternary mixtures: Theory," *Chem. Eng. Sci.*, 51(7), 1157–1168 (1996).

- Conlisk, A. T., and Mao, J., "Nonisothermal absorption on a horizontal cylindrical tube: The film flow," *Chem. Eng. Sci.*, 51(8), 1275-1286 (1996).
- Dawodu, O. F., and Meisen, A., "Degradation of alkanolamine blends by carbon dioxide," *Can. J. Chem. Eng.*, 74(6), 960-966 (1996).
- Dawodu, O. F., and Meisen, A., "Degradation of aqueous diethanolamine solutions by carbon disulfide," *Gas Sep. Purif.*, 10(1), 1-12 (1996).
- Frank, M. J. W.; Kuipers, J. A. M., and van Swaaij, W. P. M., "Experimental validation of the Maxwell-Stefan theory for the description of liquid-side mass transfer in a binary mixture: Ammonia absorption in water using a stirred cell," *Chem. Eng. Sci.*, 51(11), 2619-2624 (1996).
- Gerard, P.; Segantini, G., and Vanderschuren, J., "Modeling of dilute sulfur dioxide absorption into calcium sulfite slurries," *Chem. Eng. Sci.*, 51(12), 3349-3358 (1996).
- Griolo, F.; Lieto, J., and Astarita, G., "Containment of phosgene accidental release: Kinetics of phosgene absorption in sodium hydroxide solution," *Chem. Eng. Sci.*, 51(12), 3213-3222 (1996).
- Haji-Sulaiman, M. Z., and Aroua, M. K., "Equilibrium of carbon dioxide in aqueous diethanolamine (DEA) and amino methyl propanol (AMP) solutions," *Chem. Eng. Commun.*, 140, 157-172 (1996).
- Haji-Sulaiman, M. Z.; Aroua, M. K., and Pervez, M. I., "Equilibrium concentration profiles of species in carbon dioxide/alkanolamine/water systems," *Gas Sep. Purif.*, 10(1), 13-18 (1996).
- Hofele, J., et al., "Absorption of NO in aqueous solutions of Fe(II)NTA: Determination of the equilibrium constant," *Chem. Eng. Process.*, 35(4), 295-300 (1996).
- Kim, K. J.; Berman, N. S., and Wood, B. D., "Absorption of water vapor into LiBr solutions with 2-ethyl-1-hexanol," *AIChE J.*, 42(3), 884-888 (1996).
- Kuranov, G., et al., "Solubility of single gases carbon dioxide and hydrogen sulfide in aqueous solutions of *N*-methyldiethanolamine in the temperature range 313-413 K at pressures up to 5 MPa," *Ind. Eng. Chem. Res.*, 35(6), 1959-1966 (1996).
- Leites, I. L.; Karpova, J. G., and Berchenko, V. M., "Gas solubility maxima in mixtures of physical absorbents and chemisorbents," *Gas Sep. Purif.*, 10(1), 35-40 (1996).
- Li, K., and Teo, W. K., "An ultrathin skinned hollow fibre module for gas absorption at elevated pressures," *Chem. Eng. Res. Des.*, 74(8), 856-862 (1996).
- Li, Y. G., and Mather, A. E., "Correlation and prediction of the solubility of carbon dioxide and hydrogen sulfide in aqueous solutions of triethanolamine," *Ind. Eng. Chem. Res.*, 35(12), 4804-4809 (1996).
- Lu, H. H.; Yang, Y. M., and Maa, J. R., "Effect of artificially provoked Marangoni convection at a gas/liquid interface on absorption," *Ind. Eng. Chem. Res.*, 35(6), 1921-1928 (1996).
- Mehra, A., "Gas absorption in reactive slurries: Particle dissolution near gas-liquid interface," *Chem. Eng. Sci.*, 51(3), 461-478 (1996).
- Nawrocki, R. A., and Chuang, K. T., "Carbon dioxide absorption into a stable liquid rivulet," *Can. J. Chem. Eng.*, 74(2), 247-255 (1996).
- Posey, M. L.; Tapperson, K. G., and Rochelle, G. T., "A simple model for prediction of acid gas solubilities in alkanolamines," *Gas Sep. Purif.*, 10(3), 181-186 (1996).
- Ramanand, S. B., and Rao, D. P., "Modelling and simulation of NO_x absorption into water in a countercurrent flow packed column," *Comput. Chem. Eng.*, 20(8), 1059-1063 (1996).
- Rascol, E.; Meyer, M., and Prevost, M., "Simulation and parameter sensitivity analysis of acid gas absorption into mixed alkanolamine solutions," *Comput. Chem. Eng.*, 20(Suppl. B), S1401-S1406 (1996).

- Reventa, J.; Rodriguez, F., and Tijero, J., "Solubility of anthraquinone in alkaline solutions of sodium sulfide," *Can. J. Chem. Eng.*, 74(1), 118–123 (1996).
- Riazi, M. R., "Modeling of gas absorption into turbulent films with chemical reaction," *Gas Sep. Purif.*, 10(1), 41–46 (1996).
- Rinker, E. B.; Ashour, S. S., and Sandall, O. C., "Kinetics and modeling of carbon dioxide absorption into aqueous solutions of diethanolamine," *Ind. Eng. Chem. Res.*, 35(4), 1107–1114 (1996).
- Rooney, P. C.; Bacon, T. R., and DuPart, M. S., "Effect of heat stable salts on MDEA solution corrosivity," *Hydrocarbon Process.*, 75(3), 95–103 (1996).
- Sabir, H.; Suen, K. O., and Vinnicombe, G. A., "Investigation of effects of wave motion on the performance of a falling film absorber," *Int. J. Heat Mass Transfer*, 39(12), 2463–2472 (1996).
- Shi, Y.; Littlejohn, D., and Chang, S. G., "Kinetics of NO absorption in aqueous iron(II) bis(2,3-dimercapto-1-propanesulfonate) solutions using a stirred reactor," *Ind. Eng. Chem. Res.*, 35(5), 1668–1672 (1996).
- Shulik, L. J., et al., "A novel V(5+) stable-potassium carbonate promoter for carbon dioxide absorption," *Sep. Sci. Technol.*, 31(12), 1663–1674 (1996).
- Spencer, G., and Gerth, K., "Effluent-free process for absorption of HCl from sulphur dioxide," *Chem. Eng. (Rugby, Engl.)*, pp. 17–21 (June 27, 1996).
- Stergarsek, A.; Kocjancic, R., and Gerbec, M., "Experimental determination and modelling of the absorption of sulphur dioxide into a single drop based on pH measurement," *Chem. Eng. Sci.*, 51(23), 5081–5090 (1996).
- Takemura, F.; Liu, Q., and Yabe, A., "Effect of density-induced natural convection on the absorption process of single bubbles under a plate," *Chem. Eng. Sci.*, 51(20), 4551–4560 (1996).
- Thomas, D., and Vanderschuren, J., "The absorption-oxidation of NO_x with hydrogen peroxide for the treatment of tail gases," *Chem. Eng. Sci.*, 51(11), 2649–2654 (1996).
- Thomas, D.; Brohez, S., and Vanderschuren, J., "Absorption of dilute NO_x into nitric acid solutions containing hydrogen peroxide," *Process Saf. Environ. Prot.*, 74(B1), 52–58 (1996).
- Vazquez, G., et al., "Absorption of carbon dioxide by water and surfactant solutions in the presence of induced Marangoni effect," *Chem. Eng. Sci.*, 51(12), 3317–3324 (1996).
- Xu, S., et al., "Kinetics of the reaction of carbon dioxide with 2-amino-2-methyl-1-propanol solutions," *Chem. Eng. Sci.*, 51(6), 841–850 (1996).
- Zhao, L., and Rochelle, G. T., "Hg absorption in aqueous permanganate," *AIChE J.*, 42(12), 3559–3562 (1996).

Cooling Towers

- Anon., "Better halogen control raises cooling tower efficiency," *Chem. Eng. (N.Y.)*, p. 143 (April 1996).
- Dreyer, A. A., and Erens, P. J., "Modelling of cooling tower splash pack," *Int. J. Heat Mass Transfer*, 39(1), 109–124 (1996).
- El-Dessouky, H., "Enhancement of the thermal performance of a wet cooling tower," *Can. J. Chem. Eng.*, 74(3), 331–338 (1996).

Liquid-Liquid Extraction

- Akita, S., and Takeuchi, H., "Equilibrium distribution of aromatic compounds between aqueous solution and coacervate of nonionic surfactants," *Sep. Sci. Technol.*, 31(3), 401–412 (1996).

- Alonso, A. I.; Irabien, A., and Ortiz, M. I., "Nondispersive extraction of Cr(VI) with Aliquat 336: Influence of carrier concentration," *Sep. Sci. Technol.*, 31(2), 271-282 (1996).
- Anabtawi, M. Z., "Comparison between continuous stirred tank reactor extractor and Soxhlet extractor for extraction of El-Lajjun oil shale," *Sep. Sci. Technol.*, 31(3), 413-422 (1996).
- Apostoluk, W., and Syzmanowski, J., "Interfacial tension estimation in organic/aqueous system," *Solv. Extr. Ion Exch.*, 14(4), 635-652 (1996).
- Aravamudan, K., and Baird, M. H. I., "Effect of unstable density gradients on back-mixing in a reciprocating plate column," *AIChE J.*, 42(8), 2128-2140 (1996).
- Ashrafizadeh, S. N., and Demopoulos, G. P., "Extraction and separation of HCl and Rh(III) with triethylamine," *J. Chem. Technol. Biotechnol.*, 67(4), 367-375 (1996).
- Baird, M. H. I.; Rama Rao, N. V., and Stonestreet, P., "Power dissipation and holdup in a gassed reciprocating baffle-plate column," *Chem. Eng. Res. Des.*, 74(4), 463-470 (1996).
- Bhavasara, P. M., et al., "Drop volumes and terminal velocities in aqueous two-phase systems," *Can. J. Chem. Eng.*, 74(6), 852-860 (1996).
- Boydzhiev, L., and Dimitrov, K., "Kinetics of silver extraction with triisobutylphosphine sulfide," *Sep. Sci. Technol.*, 13(18), 2531-2542 (1996).
- Boydzhiev, L., and Dimitrov, K., "Silver recovery by rotating film pertraction: Process modelling," *Solv. Extr. Ion Exch.*, 14(1), 105-118 (1996).
- Broekhuis, R. R.; Lynn, S., and King, C. J., "Recovery of propylene glycol from dilute aqueous solutions by complexation with organoboronates in ion-pair extractants," *Ind. Eng. Chem. Res.*, 35(4), 1206-1214 (1996).
- Buchholz, B. A.; Nunez, L., and Vandegrift, G. F., "Effect of α -radiolysis on TRUEX-NPH solvent," *Sep. Sci. Technol.*, 31(16), 2231-2244 (1996).
- Chen, J.; Jiao, R., and Zhu, Y., "A study on the radiolytic stability of commercial and purified Cyanex 301," *Solv. Extr. Ion Exch.*, 14(4), 555-566 (1996).
- Coelhoso, I. M.; Crespo, J. P. S. G., and Carrondo, M. J. T., "Modeling of ion-pairing extraction with quaternary amines," *Sep. Sci. Technol.*, 31(4), 491-512 (1996).
- Cusack, R. W., "Solve wastewater problems with liquid/liquid extraction," *Chem. Eng. Prog.*, 92(4), 56-63 (1996).
- Cusack, R. W., and Glatz, D. J., "Apply liquid-liquid extraction to today's problems," *Chem. Eng. (N.Y.)*, pp. 94-103 (July 1996).
- Dai, Y., and King, C. J., "Selectivity between lactic acid and glucose during recovery of lactic acid with basic extractants and polymeric sorbents," *Ind. Eng. Chem. Res.*, 35(4), 1215-1224 (1996).
- Dietz, M. L., et al., "Extraction of cesium from acidic nitrate media using macrocyclic polyethers: The role of organic phase water," *Solv. Extr. Ion Exch.*, 14(1), 1-12 (1996).
- Dietz, M. L., et al., "Substituent effects in the extraction of cesium from acidic nitrate media with macrocyclic polyethers," *Solv. Extr. Ion Exch.*, 14(3), 357-384 (1996).
- du Preez, J. G. H., and Sumter, N. M., "Organoarsenic ligands as potential *f*-transition metal ion extractants: The synthesis of some new organofluorine arsonic and arsinic acids," *Solv. Extr. Ion Exch.*, 14(3), 417-442 (1996).
- Dziwinski, E., and Szymanowski, J., "Composition of copper extractant LIX 54-100," *Solv. Extr. Ion Exch.*, 14(2), 219-226 (1996).
- Filik, H., and Apak, R., "Modifier and surfactant dependence of gallium extraction by alkanoyl oxinates from basic solutions," *Sep. Sci. Technol.*, 31(2), 241-258 (1996).
- Foufopoulos, A., and Etzel, M. R., "Phase separation of lactan gum from fermentation

- broths by addition of water-miscible organic solvents," *Sep. Sci. Technol.*, 31(6), 757-768 (1996).
- Friberg, S. E.; Yang, J., and Huang, T., "A reversible extraction process of phenethyl alcohol, a fragrance," *Ind. Eng. Chem. Res.*, 35(9), 2856-2859 (1996).
- Giner, L. M., et al., "Improved extraction procedures for coal products based on the Soxtec apparatus," *Energy Fuels*, 10(4), 1005-1011 (1996).
- Giorno, L.; Spicka, P., and Drioli, E., "Downstream processing of lactic acid by membrane-based solvent extraction," *Sep. Sci. Technol.*, 31(16), 2159-2170 (1996).
- Goetz-Grandmont, G. J., et al., "Molecular modelling and spectroscopic studies of the interactions between chelating and electron-donor metal extractants: The system "HPBI" in wet toluene and chloroform," *Solv. Extr. Ion Exch.*, 14(4), 653-688 (1996).
- Gomez, A. M.; Lopez, C. P., and de la Ossa, E. M., "Recovery of grape seed oil by liquid and supercritical carbon dioxide extraction: A comparison with conventional solvent extraction," *Chem. Eng. J.*, 61(3), 227-232 (1996).
- Guo, T., and Neale, G. H., "Effects of buoyancy forces on miscible liquid-liquid displacement processes in a porous medium," *Powder Technol.*, 86(3), 265-274 (1996).
- Gupta, R.; Mauri, R., and Shinnar, R., "Liquid-liquid extraction using the composition-induced phase separation process," *Ind. Eng. Chem. Res.*, 35(7), 2360-2368 (1996).
- Han, D. H., and Hong, W. H., "Reactive extraction of lactic acid with trioctylamine/methylene chloride/*n*-hexane," *Sep. Sci. Technol.*, 31(8), 1123-1136 (1996).
- Hasegawa, Y.; Yamada, T., and Nagata, K., "The relative stability of tris(2-thenoyltrifluoroacetato) lanthanoid(III) adducts with carboxylic acids having naphthalene ring," *Solv. Extr. Ion Exch.*, 14(1), 89-104 (1996).
- Hayashita, T., et al., "Ion-pair sorption of alkali metal chlorides by crown ether carboxamide resins," *Sep. Sci. Technol.*, 31(16), 2195-2208 (1996).
- Hirai, T.; Ogawa, K., and Komasaawa, I., "Desulfurization process for dibenzothiophenes from light oil by photochemical reaction and liquid-liquid extraction," *Ind. Eng. Chem. Res.*, 35(2), 586-589 (1996).
- Hughes, M. A., and Kuipa, P. K., "Kinetics and mechanism of copper extraction with dialkylphosphoric acids and hydroxyoximes studied by a rotating diffusion cell," *Ind. Eng. Chem. Res.*, 35(6), 1976-1984 (1996).
- Juang, R. S., and Huang, R. H., "Comparison of extraction equilibria of succinic and tartaric acids from aqueous solutions with tri-*n*-octylamine," *Ind. Eng. Chem. Res.*, 35(6), 1944-1950 (1996).
- Juang, R. S., and Huang, W. T., "Catalytic role of a water-immiscible organic acid on amine extraction of citric acid from aqueous solutions," *Ind. Eng. Chem. Res.*, 35(2), 546-552 (1996).
- Juang, R. S., and Wu, R. T., "Effect of a water-insoluble organic acid on amine extraction of acetic acid from aqueous solutions: Equilibrium studies," *J. Chem. Technol. Bio-technol.*, 66(2), 160-168 (1996).
- Kan, P., and Lee, C. J., "A neural network model for prediction of phase equilibria in aqueous two-phase extraction," *Ind. Eng. Chem. Res.*, 35(6), 2015-2023 (1996).
- Kondo, K., and Matsumoto, M., "Solvent extraction of europium with diisostearylphosphoric acid and its application to an emulsion liquid membrane technique," *Sep. Sci. Technol.*, 31(4), 557-568 (1996).
- Kumar, A., and Hartland, S., "Unified correlations for the prediction of drop size in liquid-liquid extraction columns," *Ind. Eng. Chem. Res.*, 35(8), 2682-2695 (1996).
- Kuriyama, M., et al., "Correlation of transient sizes of highly viscous drops in dispersion process in liquid-liquid agitation," *Chem. Eng. Res. Des.*, 74(4), 431-437 (1996).

- Lam, A., et al., "Maximum stable drop diameter in stirred dispersions," *AIChE J.*, 42(6), 1547-1552 (1996).
- Leppinen, D. M.; Renksizbulut, M., and Haywood, R. J., "The effects of surfactants on droplet behaviour at intermediate Reynolds numbers: The numerical model and steady-state results," *Chem. Eng. Sci.*, 51(3), 479-490 (1996).
- Leppinen, D. M.; Renksizbulut, M., and Haywood, R. J., "The effects of surfactants on droplet behaviour at intermediate Reynolds numbers: Transient deformation and evaporation," *Chem. Eng. Sci.*, 51(3), 491-501 (1996).
- Liu, W.; Clark, N. N., and Karamavruc, A. I., "General method for the transformation of chord-length data to a local bubble-size distribution," *AIChE J.*, 42(10), 2713-2720 (1996).
- Lounes, M., and Thibault, J., "Axial dispersion in a reciprocating plate column," *Can. J. Chem. Eng.*, 74(2), 187-194 (1996).
- Ma, E., et al., "Kinetic behavior of lanthanide extraction with acidic phosphorus extractants," *J. Chem. Technol. Biotechnol.*, 65(1), 81-85 (1996).
- Mahmoud, M. H. H.; Nakamura, S., and Akiba, K., "Extraction separation of molybdenum(VI) and tungsten(VI) by alpha-hydroxy oxime," *Solv. Extr. Ion Exch.*, 14(2), 203-218 (1996).
- Matsuyama, H., et al., "Selective separation of rare earth metals by solvent extraction in the presence of new hydrophilic chelating polymers functionalized with ethylenediaminetetraacetic acid: Adsorption properties," *Sep. Sci. Technol.*, 31(5), 687-704 (1996).
- Matsuyama, H., et al., "Selective separation of rare earth metals by solvent extraction in the presence of new hydrophilic chelating polymers functionalized with ethylenediaminetetraacetic acid: Separation properties," *Sep. Sci. Technol.*, 31(6), 799-810 (1996).
- Menoyo, B.; Benito, R., and Elizalde, M. P., "Extraction of lead(II) by Cyanex 302 in toluene: Effect of Cyanex 301 on the extraction by Cyanex 302," *Solv. Extr. Ion Exch.*, 14(1), 69-88 (1996).
- Miller, R. W., et al., "Extraction of lactic acid from a calcium lactate solution using amine-containing solvents and carbon dioxide gas," *Ind. Eng. Chem. Res.*, 35(4), 1156-1162 (1996).
- Minotti, M.; Doherty, M. F., and Malone, M. F., "A geometric method for the design of liquid extractors," *Ind. Eng. Chem. Res.*, 35(8), 2672-2681 (1996).
- Modi, A., et al., "Rapid plant-wide screening of solvents for batch processes," *Comput. Chem. Eng.*, 20(Suppl. A), S375-S380 (1996).
- Mokili, B., and Poitrenaud, C., "Modelling of the extraction of neodymium and praseodymium nitrates from aqueous solutions containing a salting-out agent or nitric acid by tri-*N*-butylphosphate," *Solv. Extr. Ion Exch.*, 14(4), 617-634 (1996).
- Moore, I. P. T.; Kocianova, E., and Carpenter, K. J., "Drop formation in liquid-liquid dispersions in a concentric tube inlet," *Chem. Eng. Commun.*, 140, 183-192 (1996).
- Morita, Y., et al., "Actinide partitioning from HLW in a continuous DIDPA extraction process by means of centrifugal extractors," *Solv. Extr. Ion Exch.*, 14(3), 385-400 (1996).
- Nash, K. L., et al., "Selective separation of uranyl ion from TRU's in a combined solvent extraction process using tetrahydrofuran-2,3,4,5-tetracarboxylic acid," *Solv. Extr. Ion Exch.*, 14(1), 13-34 (1996).
- Nishizawa, K., et al., "Extractive behavior of magnesium chloride and isotopic enrichment of magnesium by a crown ether," *Sep. Sci. Technol.*, 31(5), 643-654 (1996).

- Nunez, L., et al., "Actinide separation of high-level waste using solvent extractants on magnetic microparticles," *Sep. Sci. Technol.*, 31(10), 1393–1408 (1996).
- Odashima, T., et al., "Solvent extraction of some tervalent lanthanoids with *N*-pentafluorobenzoyl-*N*-phenylhydroxylamine," *Solv. Extr. Ion Exch.*, 14(4), 603–616 (1996).
- Ohto, K., et al., "Extraction behavior of copper(II) ion by calixarene carboxylate derivatives preorganized by sodium ion," *Solv. Extr. Ion Exch.*, 14(3), 459–478 (1996).
- Ortiz, I.; Galan, B., and Irabien, A., "Kinetic analysis of the simultaneous nondispersive extraction and back-extraction of chromium(VI)," *Ind. Eng. Chem. Res.*, 35(4), 1369–1377 (1996).
- Otu, E. O., and Westland, A. D., "Low temperature ^{31}P -NMR study of the extraction of lanthanum with 2-ethylhexyl phenylphosphonic acid," *Solv. Extr. Ion Exch.*, 14(4), 567–584 (1996).
- Pepe, E. M., and Otu, E. O., "The synergistic extraction of bismuth and zinc by 2-ethylhexyl phenylphosphonic acid and micelles of dinonyl naphthalene sulphonic acid," *Solv. Extr. Ion Exch.*, 14(2), 247–262 (1996).
- Pertler, M.; Blass, E., and Stevens, G. W., "Fickian diffusion in binary mixtures that form two liquid phases," *AIChE J.*, 42(4), 910–920 (1996).
- Phalke, P. N.; Sherikar, A. V., and Dhadke, P. M., "Separation of beryllium(II) and aluminium(III) by solvent extraction using bis-2-ethylhexyl phosphoric acid [HDEHP]," *Sep. Technol.*, 6(4), 247–252 (1996).
- Pires, M. J.; Aires-Barros, M. R., and Cabral, J. M. S., "Liquid-liquid extraction of proteins with reversed micelles," *Biotechnol. Prog.*, 12(3), 290–301 (1996).
- Preston, J. S., and du Preez, A. C., "Synergistic effects in solvent-extraction systems based on alkylsalicylic acids: Extraction of nickel, cobalt, cadmium and zinc in the presence of some neutral N-, O- and S-donor compounds," *Solv. Extr. Ion Exch.*, 14(2), 179–202 (1996).
- Preston, J. S., and du Preez, A. C., "The separation of europium from a middle rare earth concentrate by combined chemical reduction, precipitation and solvent-extraction methods," *J. Chem. Technol. Biotechnol.*, 65(1), 93–101 (1996).
- Preston, J. S., and du Preez, A. C., "Solvent extraction of nickel from acidic solutions using synergistic mixtures containing pyridinecarboxylate esters: Systems based on organophosphorous acids," *J. Chem. Technol. Biotechnol.*, 66(1), 86–94 (1996).
- Preston, J. S., and du Preez, A. C., "The solvent extraction of nickel from acidic solutions using synergistic mixtures containing pyridinecarboxylate esters: Systems based on alkylsalicylic acids," *J. Chem. Technol. Biotechnol.*, 66(3), 293–299 (1996).
- Prochaska, K., et al., "Interfacial activity and semiempirical PM3 calculations of 2-ethylhexanoylbenzoyl methane," *Solv. Extr. Ion Exch.*, 14(3), 491–506 (1996).
- Qader, A.; Hughes, M. A., and Fahim, M. A., "Interfacial kinetics of the stripping of acetic and citric acids from tri-*n*-octylamine complexes," *Sep. Sci. Technol.*, 31(12), 1707–1720 (1996).
- Rieger, R., et al., "Investigating the process of liquid-liquid extraction by means of computational fluid dynamics," *Comput. Chem. Eng.*, 20(12), 1467–1476 (1996).
- Rodriguez de San Miguel, E.; Aguilar, J. C., and de Gyves, J., "An SLM system for the extraction of In(III) from concentrated HCl media using ADOGEN 364 as carrier," *J. Chem. Technol. Biotechnol.*, 66(1), 56–64 (1996).
- Rohal, K. M., et al., "Solvent extraction of pertechnetate and perhenate ions from nitrate-rich acidic and alkaline aqueous solutions," *Solv. Extr. Ion Exch.*, 14(3), 401–416 (1996).
- Rutherford, K., et al., "The influence of Rushton impeller blade and disk thickness on the mixing characteristics of stirred vessels," *Chem. Eng. Res. Des.*, 74(3), 369–378 (1996).

- San-Martin, M.; Pazos, C., and Coca, J., "Liquid-liquid extraction of lactic acid with Alamine 336," *J. Chem. Technol. Biotechnol.*, 65(3), 281–285 (1996).
- Sayed, S. A.; Sami, T. M., and Abd El Tawab, A. A., "Synergistic extraction of some rare earths(III) from nitrate media by thenoyltrifluoroacetone and tri-*n*-octylamine," *Sep. Sci. Technol.*, 13(18), 2579–2588 (1996).
- Semiati, R.; Leshinski, E., and Orell, A., "Laser grating technique for measurement of local velocity of large drops and jets in liquid-liquid systems," *Chem. Eng. Sci.*, 51(23), 5111–5124 (1996).
- Sharifi, H., and Shaw, J. M., "Secondary drop production in packed-bed coalescers," *Chem. Eng. Sci.*, 51(21), 4817–4826 (1996).
- Soldati, A., and Andreussi, P., "The influence of coalescence on droplet transfer in vertical annular flow," *Chem. Eng. Sci.*, 51(3), 353–364 (1996).
- Srinivasan, T. G., et al., "Metal-solvate stoichiometry evaluation in extractions by solvating type neutral extractants: A novel approach," *Solv. Extr. Ion Exch.*, 14(3), 443–458 (1996).
- Turanov, A. N.; Karandashev, V. K., and Baulin, V. E., "Extraction of metal chloride complexes by phosphoryl-containing podands," *Solv. Extr. Ion Exch.*, 14(2), 227–246 (1996).
- Turanov, A. N.; Karandashev, V. K., and Baulin, V. E., "Extraction of metal chloride complexes by phosphoryl-containing azapodands," *Solv. Extr. Ion Exch.*, 14(4), 689–704 (1996).
- Vojkovic, V.; Gojmerac Ivisic, A., and Tamhina, B., "Synergistic effect of thiocyanate and perchlorate ions on tantalum(V) extraction with 3-hydroxy-2-methyl-1-phenyl-4-pyridone," *Solv. Extr. Ion Exch.*, 14(3), 479–490 (1996).
- Wang, D., et al., "Mechanism of the extractant loss in lanthanide extraction process with saponified organophosphorus acid extraction systems: Formation of aqueous aggregates," *Solv. Extr. Ion Exch.*, 14(4), 585–602 (1996).
- Wang, M. L.; Tiu, B. L., and Lin, Y. I., "Extraction equilibrium of *m*-cresol by tri-*n*-octylamine sulfate salts," *Can. J. Chem. Eng.*, 74(6), 977–984 (1996).
- Wasykiewicz, S. K., et al., "Global stability analysis and calculation of liquid-liquid equilibrium in multicomponent mixtures," *Ind. Eng. Chem. Res.*, 35(4), 1395–1408 (1996).
- White, C. M., et al., "Separation of Fischer-Tropsch catalyst/wax mixtures using dense-gas and liquid extraction," *Energy Fuels*, 10(5), 1067–1073 (1996).
- Wungrattanasopon, P., et al., "Use of foam flotation to remove *tert*-butylphenol from water," *Sep. Sci. Technol.*, 31(11), 1523–1540 (1996).
- Yamaguchi, M., and Kanno, M., "Holdup and solvent extraction characteristics in electrostatic liquid-liquid contactor," *AIChE J.*, 42(9), 2683–2686 (1996).
- Yilmaz, M., and Deligoz, H., "Selective extraction of Fe^{3+} cation by calixarene-based cyclic ligands," *Sep. Sci. Technol.*, 31(17), 2395–2402 (1996).
- Zamponi, G., et al., "Simulation of the transient behaviour of a stirred liquid/liquid extraction column," *Comput. Chem. Eng.*, 20(Suppl. B), S963–S968 (1996).
- Zerfa, M., and Brooks, B. W., "Prediction of vinyl chloride drop sizes in stabilised liquid-liquid agitated dispersion," *Chem. Eng. Sci.*, 51(12), 3223–3234; (erratum) 51(23), 5235–5237 (1996).
- Zhang, C., et al., "Studies in solvent extraction using polyaphrons: Semibatch and continuous countercurrent extraction/flotation of a hydrophobic organic dye from water," *Sep. Sci. Technol.*, 31(10), 1463–1482 (1996).
- Zhang, C., et al., "Studies in solvent extraction using polyaphrons: Size distribution, stability, and flotation of polyaphrons," *Sep. Sci. Technol.*, 31(8), 1059–1074 (1996).

- Zhu, Y.; Chen, J., and Choppin, G. R., "Extraction of americium and fission product lanthanides with Cyanex 272 and Cyanex 301," *Solv. Extr. Ion Exch.*, 14(4), 543–554 (1996).
- Zhu, Y.; Chen, J., and Jiao, R., "Extraction of Am(III) and Eu(III) from nitrate solution with purified Cyanex 301," *Solv. Extr. Ion Exch.*, 14(1), 61–68 (1996).

Supercritical Extraction

- Alessi, P.; Kikic, I., and Colombo, I., "Particle production of steroid drugs using supercritical fluid processing," *Ind. Eng. Chem. Res.*, 35(12), 4718–4726 (1996).
- Barna, L., et al., "Thermodynamic and kinetic parameters for the supercritical extraction of biphenyl from a contaminated soil," *Chem. Eng. Sci.*, 51(15), 3861–3874 (1996).
- Bartle, K. D., "Supercritical fluids in the analytical chemistry of foods," *J. Chem. Technol. Biotechnol.*, 65(3), 294 (1996).
- Catchpole, O. J.; Bernig, R., and King, M. B., "Measurement and correlation of packed-bed axial dispersion coefficients in supercritical carbon dioxide," *Ind. Eng. Chem. Res.*, 35(3), 824–828 (1996).
- Chrisochou, A., and Schaber, K., "Design of a supercritical fluid extraction process for separating mixtures incurred in enzyme-catalyzed reactions," *Chem. Eng. Process.*, 35(4), 271–282 (1996).
- Clifford, A. A., "Fractionation of polymers using supercritical fluids," *J. Chem. Technol. Biotechnol.*, 65(3), 296–298 (1996).
- Clifford, T., and Bartle, K., "Chemical reactions in supercritical fluids," *Chem. Ind. (London)*, pp. 449–452 (June 17, 1996).
- Cross, W.; Akgerman, A., and Erkey, C., "Determination of metal-chelate complex solubilities in supercritical carbon dioxide," *Ind. Eng. Chem. Res.*, 35(5), 1765–1770 (1996).
- Davidson, G.; Kaplan, M., and Liang, G., "Coupled supercritical methods for analysing food systems and possible processes," *J. Chem. Technol. Biotechnol.*, 65(3), 295–296 (1996).
- Dillow, A. K., et al., "Kinetics of a phase-transfer catalysis reaction in supercritical fluid carbon dioxide," *Ind. Eng. Chem. Res.*, 35(6), 1801–1806 (1996).
- Eldridge, R. B., "Oil contaminant removal from drill cuttings by supercritical extraction," *Ind. Eng. Chem. Res.*, 35(6), 1901–1905 (1996).
- Folie, B., "Single-stage fractionation of poly(ethylene-co-vinyl acetate) in supercritical ethylene with SAFT," *AIChE J.*, 42(12), 3466–3476 (1996).
- Gomez, A. M.; Lopez, C. P., and de la Ossa, E. M., "Recovery of grape seed oil by liquid and supercritical carbon dioxide extraction: A comparison with conventional solvent extraction," *Chem. Eng. J.*, 61(3), 227–232 (1996).
- Harmon, T. C.; Dela Barre, B. K., and Roberts, P. V., "Estimating internal mass transfer rates in soils using scintillation fluid extraction," *Sep. Technol.*, 6(2), 155–164 (1996).
- Ikushima, Y., et al., "Promotion of a lipase-catalyzed esterification in supercritical carbon dioxide in the near-critical region," *Chem. Eng. Sci.*, 51(11), 2817–2822 (1996).
- Kalampoukas, G., and Dervakos, G. A., "Process optimization for clean manufacturing: Supercritical fluid extraction for beta-carotene production," *Comput. Chem. Eng.*, 20(Suppl. B), S1383–S1388 (1996).
- Kelley, S. P., and Lemert, R. M., "Solvatochromic characterization of the liquid phase in liquid/supercritical carbon dioxide mixtures," *AIChE J.*, 42(7), 2047–2056 (1996).
- King, J. W., "Supercritical fluid extraction/fractionation process," *J. Chem. Technol. Biotechnol.*, 65(3), 295 (1996).

- King, J. W.; Favati, F., and Taylor, S. L., "Production of tocopherol concentrates by supercritical fluid extraction and chromatography," *Sep. Sci. Technol.*, 31(13), 1843-1858 (1996).
- le Clercq, M., "Ceramic reactor for use with corrosive supercritical fluids," *AIChE J.*, 42(6), 1798-1799 (1996).
- Lucien, F. P., and Foster, N. R., "Influence of matrix composition on the solubility of hydroxybenzoic acid isomers in supercritical extraction," *Ind. Eng. Chem. Res.*, 35(12), 4686-4699 (1996).
- Lynch, T., "An introduction to supercritical fluids with illustrations from the petroleum and chemical industries," *J. Chem. Technol. Biotechnol.*, 65(3), 293-294 (1996).
- Montero, G. A.; Giorgio, T. D., and Schnelle, K. B., "Scale-up and economic analysis for the design of supercritical fluid extraction equipment for remediation of soil," *Environ. Prog.*, 15(2), 112-121 (1996).
- Moyler, D. A., "Commercial extraction of flavours and perfumes," *J. Chem. Technol. Biotechnol.*, 65(3), 296 (1996).
- Mukhopadhyay, M., and Srinivas, P., "Multicomponent solubilities of reactants and products of cyclohexane oxidation in supercritical carbon dioxide," *Ind. Eng. Chem. Res.*, 35(12), 4713-4717 (1996).
- Oh, C. H., et al., "Thermal-hydraulic modeling of supercritical water oxidation of ethanol," *Energy Fuels*, 10(2), 326-332 (1996).
- Ozer, E. O., et al., "Supercritical carbon dioxide extraction of spearmint oil from mint-plant leaves," *Can. J. Chem. Eng.*, 74(6), 920-928 (1996).
- Parkinson, G., "Supercritical fluids move into plastics processing," *Chem. Eng. (N.Y.)*, p. 48 (April 1996).
- Pisharody, S. A.; Fisher, J. W., and Abraham, M. A., "Supercritical water oxidation of solid particulates," *Ind. Eng. Chem. Res.*, 35(12), 4471-4478 (1996).
- Reverchon, E., "Mathematical modeling of supercritical extraction of sage oil," *AIChE J.*, 42(6), 1765-1771 (1996).
- Reverchon, E., and Poletto, M., "Mathematical modelling of supercritical carbon dioxide fractionation of flower concretes," *Chem. Eng. Sci.*, 51(15), 3741-3754 (1996).
- Rouhi, M., "Supercritical carbon dioxide used to solubilize proteins," *Chem. Eng. News*, pp. 8-9 (February 5, 1996).
- Roy, B. C., et al., "Supercritical carbon dioxide extraction of essential oils and cuticular waxes from peppermint leaves," *J. Chem. Technol. Biotechnol.*, 67(1), 21-26 (1996).
- Roy, B. C.; Goto, M., and Hirose, T., "Extraction of ginger oil with supercritical carbon dioxide: Experiments and modeling," *Ind. Eng. Chem. Res.*, 35(2), 607-612 (1996).
- Sakanishi, K., et al., "Capture and recovery of indole from methylnaphthalene oil in a continuous supercritical carbon dioxide extraction apparatus over a fixed bed of anion-exchange resin," *Ind. Eng. Chem. Res.*, 35(1), 335-337 (1996).
- Samyudia, Y., et al., "Control strategies for a supercritical fluid extraction process," *Chem. Eng. Sci.*, 51(5), 769-788 (1996).
- Sato, M.; Goto, M., and Hirose, T., "Supercritical fluid extraction on semibatch mode for the removal of terpene in citrus oil," *Ind. Eng. Chem. Res.*, 35(6), 1906-1911 (1996).
- Sievers, U., and Eggers, R., "Heat recovery in supercritical fluid extraction process with separation at subcritical pressure," *Chem. Eng. Process.*, 35(4), 239-246 (1996).
- Stastova, J., et al., "Rate of the vegetable oil extraction with supercritical carbon dioxide: Extraction from sea buckthorn," *Chem. Eng. Sci.*, 51(18), 4347-4352 (1996).
- Tolic, A.; Zekovic, Z., and Pekic, B., "Dependence of camomile flower solubility on carbon dioxide density at supercritical extraction," *Sep. Sci. Technol.*, 31(13), 1889-1892 (1996).

- Various, "Supercritical fluids: Extended summaries of SCI Separations Science and Technology, and Food Commodities and Ingredients Groups," *J. Chem. Technol. Biotechnol.*, 65(3), 293–298 (1996).
- Wagner, H., and Eggers, R., "Extraction of spray particles with supercritical fluids in a two-phase flow," *AIChE J.*, 42(7), 1901–1910 (1996).
- Wai, C. M., "Supercritical fluid extraction of metal ions," *J. Chem. Technol. Biotechnol.*, 65(3), 295 (1996).
- Wilson, E. K., "Toxic metals extracted with supercritical carbon dioxide," *Chem. Eng. News*, pp. 27–28 (April 15, 1996).
- Wilson, R. J. H., "Sub- and supercritical extraction of hops and other botanicals," *J. Chem. Technol. Biotechnol.*, 65(3), 294 (1996).

REFERENCES

1. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1995)," *Sep. Sci. Technol.*, 32(7), 1163–1187 (1997).
2. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1994)," *Ibid.*, 30(20), 3723–3745 (1995).
3. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1992–1993)," *Ibid.*, 29(17), 2359–2385 (1994).
4. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography (1991)," *Ibid.*, 28(6), 1361–1378 (1993).
5. M. S. Ray, "Distillation (1980–1990): A Bibliography," *Ibid.*, 27(1), 105–128 (1992).
6. Engineering and Applied Science Database [on CD-ROM (including CHERUB chemical engineering database)], published by Royal Melbourne Institute of Technology, Australia. Full details available from the author.

Received by editor May 2, 1997