

This article was downloaded by:

On: 25 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Separation Science and Technology

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713708471>

Equilibrium-Staged Separations: A Bibliography Update (1995)

Martyn S. RAY^a

^a SCHOOL OF CHEMICAL ENGINEERING, CURTIN UNIVERSITY OF TECHNOLOGY, PERTH, WESTERN AUSTRALIA

To cite this Article RAY, Martyn S.(1997) 'Equilibrium-Staged Separations: A Bibliography Update (1995)', Separation Science and Technology, 32: 7, 1163 – 1187

To link to this Article: DOI: 10.1080/01496399708000954

URL: <http://dx.doi.org/10.1080/01496399708000954>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

BIBLIOGRAPHY

Equilibrium-Staged Separations: A Bibliography Update (1995)

MARTYN S. RAY

SCHOOL OF CHEMICAL ENGINEERING

CURTIN UNIVERSITY OF TECHNOLOGY

GPO BOX U1987, PERTH 6001, WESTERN AUSTRALIA

ABSTRACT

This article provides a bibliographic listing of journal papers published in 1995 concerned with distillation and other equilibrium-staged separation processes. The references are taken from the 50 most important chemical engineering journals. This paper provides an update to the literature as provided in previous bibliographic papers (1–4). A bibliography detailing supercritical extraction from 1980–1993 has also been published separately due to the current interest in this relatively new technology (5), and references for 1995 are included in this paper. A bibliography of the chemical engineering journal literature from 1967–1988 has been published by the author (6). A complete bibliographic listing of the chemical engineering journal literature from 1989 to 1995 (with subsequent 6 monthly updates) is available on a CD-ROM database (7) and full details can be obtained from the author. The following topics are included in this paper:

- 1.1. Mass Transfer and Transport Processes Theory
- 1.2. Distillation Theory and Design Methods
- 1.3. Distillation Control and Applications
- 1.4. Column Design Data
- 1.5. Absorption Reactions and Absorber Design
- 1.6. Cooling Towers
- 1.7. Liquid–Liquid Extraction
- 1.8. Supercritical Extraction

1.1. Mass Transfer and Transport Processes Theory

Akita, S., and Takeuchi, H., "Cloud-point extraction of organic compounds from aqueous solutions with nonionic surfactant," *Sep. Sci. Technol.*, 30(5), 833–846 (1995).

Almeida, A. R., and Cotta, R. M., "Integral transform methodology for convection-diffusion

- problems in petroleum reservoir engineering," *Int. J. Heat Mass Transfer*, 38(18), 3359–3368 (1995).
- Andrews, G. F., and Wong, S. L. S., "Boundary layer solution for a bubble rising through a liquid containing surface-active contaminants," *Ind. Eng. Chem. Res.*, 34(4), 1371–1382 (1995).
- Arce, P., "An integral-spectral formulation for convective-diffusive transport in a packed-bed with adsorption at the wall and bulk reaction," *Chem. Eng. Commun.*, 138, 113–126 (1995).
- Beaudoin, S. P.; Grant, C. S., and Carbonell, R. G. "Removal of organic films from solid surfaces using aqueous solutions of nonionic surfactants: Experiments and theory," *Ind. Eng. Chem. Res.*, 34(10), 3307–3325 (1995).
- Bekri, S.; Thovert, J. F., and Adler, P. M., "Dissolution of porous media," *Chem. Eng. Sci.*, 50(17), 2765–2792 (1995).
- Bin, A. K., "Mass transfer into a free liquid surface effected by submerged jets," *Chem. Eng. Commun.*, 133, 145–182 (1995).
- Birikh, R. V., et al., "Marangoni-Benard instability of a floating liquid layer with an internal, permeable, heated or cooled divider and two deformable open surfaces," *Int. J. Heat Mass Transfer*, 38(15), 2723–2732 (1995).
- Borhan, A., and Pallinti, J., "Buoyancy-driven motion of viscous drops through cylindrical capillaries at small Reynolds numbers," *Ind. Eng. Chem. Res.*, 34(8), 2750–2761 (1995).
- Brenner, H., "The diffusion model of longitudinal mixing in beds of finite length: Numerical values," *Chem. Eng. Sci.*, 50(24), 3935–3948 (1995).
- Brewster, M. Q., and Yamada, Y., "Optical properties of thick, turbid media from picosecond time-resolved light scattering measurements," *Int. J. Heat Mass Transfer*, 38(14), 2569–2582 (1995).
- Buyevich, Y. A., and Ustinov, V. A., "Effective conductivity of a macroscopically inhomogeneous dispersion," *Int. J. Heat Mass Transfer*, 38(2), 381–389 (1995).
- Byers, C. H., and Amarnath, A., "Understand the potential of electro-separations," *Chem. Eng. Prog.*, 91(2), 63–69 (1995).
- Calderbank, P. H., and Moo-Young, M. B., "The continuous phase heat and mass transfer properties of dispersions," *Chem. Eng. Sci.*, 50(24), 3919–3934 (1995).
- Camacho, J., and Brenner, H., "On convection induced by molecular diffusion," *Ind. Eng. Chem. Res.*, 34(10), 3326–3335 (1995).
- Carley, J. F.; Ott, L. L., and Swecker, J. L., "Mass and heat transfer in crushed oil shale," *AIChE J.*, 41(3), 446–455 (1995).
- Carta, G., "Linear driving force approximation for intraparticle diffusion and convection in permeable supports," *Chem. Eng. Sci.*, 50(5), 887–889 (1995).
- Cavaliere, A.; El-Naggar, M., and Ragucci, R., "Experimental analysis of intermaterial surfaces in the study of gaseous mixing characteristics," *Int. J. Heat Mass Transfer*, 38(2), 317–330 (1995).
- Cha, D. J., and Cha, S. S., "Three-dimensional natural convection flow around two interacting isothermal cubes," *Int. J. Heat Mass Transfer*, 38(13), 2343–2352 (1995).
- Chen, C. C.; Hwang, C., and Yang, R. Y. K., "Performance enhancement and optimization of chemostat cascades," *Chem. Eng. Sci.*, 50(3), 485–494 (1995).
- Danov, K. D., et al., "On the slow motion of an interfacial viscous droplet in a thin liquid layer," *Chem. Eng. Sci.*, 50(18), 2943–2956 (1995).
- Dasgupta, A., et al., "Calibration of a photographic method for imaging mass transfer in aqueous solutions," *Int. J. Heat Mass Transfer*, 38(11), 2029–2038 (1995).
- David, C.; Denn, M., and Bell, A. T., "Dynamics of flow-induced surface exchange," *Ind. Eng. Chem. Res.*, 34(10), 3336–3341 (1995).

- Davidson, J. F., "The origin of insights in chemical engineering: Planned and unplanned research" (Tenth P. V. Danckwerts memorial lecture), *Chem. Eng. Sci.*, 50(23), 3661–3684 (1995).
- DePaoli, D. W., et al., "Forced oscillations of pendant drops," *Sep. Sci. Technol.*, 30(7), 1189–1202 (1995).
- Dudukovic, A., "Momentum, heat, and mass transfer analogy for drag-reducing solutions," *Ind. Eng. Chem. Res.*, 34(10), 3538–3541 (1995).
- Edwards, D. A., and Cohen, D. S., "A mathematical model for a dissolving polymer," *AIChE J.*, 41(11), 2345–2355 (1995).
- El-Halwagi, M. M.; Srinivas, B. K., and Dunn, R. F., "Synthesis of optimal heat-induced separation networks," *Chem. Eng. Sci.*, 50(1), 81–98 (1995).
- Elperin, T., and Fominykh, A., "Two models of fluid flow and mass transfer at the trailing edge of a gas slug," *Int. J. Heat Mass Transfer*, 38(18), 3341–3348 (1995).
- Faridi, N.; Duda, J. L., and Hadj-Romdhane, I., "Unsteady-state diffusion in block copolymers with lamellar domains," *Ind. Eng. Chem. Res.*, 34(10), 3556–3567 (1995).
- Ferer, M., et al., "Fractal nature of viscous fingering in two-dimensional pore level models," *AIChE J.*, 41(4), 749–763 (1995).
- Fieldson, G. T., and Barbari, T. A., "Analysis of diffusion in polymers using evanescent field spectroscopy," *AIChE J.*, 41(4), 795–804 (1995).
- Fougias, E., and Forster, C. F., "Stable foam formation: Use of Monod kinetics to examine existing theories," *Process. Saf. Environ. Prot.*, 73(B2), 115–122 (1995).
- Fowler, A. J., and Bejan, A., "Forced convection from a surface covered with flexible fibers," *Int. J. Heat Mass Transfer*, 38(5), 767–778 (1995).
- Garandet, J. P.; Barat, C., and Duffar, T., "The effect of natural convection in mass transport measurements in dilute liquid alloys," *Int. J. Heat Mass Transfer*, 38(12), 2169–2174 (1995).
- Garrison, G. W.; Cooley, B. L., and El-Halwagi, M. M., "Synthesis of mass-exchange networks with multiple target mass-separating agents," *Dev. Chem. Eng. Miner. Process.*, 3(1), 31–49 (1995).
- Ghali, K.; Jones, B., and Tracy, J., "Modeling heat and mass transfer in fabrics," *Int. J. Heat Mass Transfer*, 38(1), 13–22 (1995).
- Giona, M.; Adrover, A., and Giona, A. R., "Convection-diffusion transport in disordered structures: Numerical analysis based on the exit-time equation," *Chem. Eng. Sci.*, 50(6), 1001–1012 (1995).
- Golovin, A. A.; Nir, A., and Pismen, L. M., "Spontaneous motion of two droplets caused by mass transfer," *Ind. Eng. Chem. Res.*, 34(10), 3278–3288 (1995).
- Gupta, A., and Manousiouthakis, V., "An Underwood-like model for a finite mass exchanger," *AIChE J.*, 41(8), 1843–1851 (1995).
- Gupte, S. K.; Advani, S. G., and Huq, P., "Role of micro-convection due to non-affine motion of particles in a mono-disperse suspension," *Int. J. Heat Mass Transfer*, 38(16), 2945–2958 (1995).
- Hacimusalar, M., and Mehmetoglu, U., "Determination of the effective diffusion coefficients of glucose and ethanol in calcium alginate gel by the moment analysis method," *Chem. Eng. Sci.*, 50(18), 3001–3004 (1995).
- Hameed, M. S., and Batta, F. Y., "Experimental and mathematical studies of natural convection for solid-salt dissolution in water," *Can. J. Chem. Eng.*, 73(6), 924–930 (1995).
- Han, C.; Douglas, J. M., and Stephanopoulos, G., "Agent-based approach to a design support system for the synthesis of continuous chemical processes," *Comput. Chem. Eng.*, 19(supplement), S63–S70 (1995).

- Heslop, M. J., and Barigou, M., Comments and reply on "The pressure produced by a soap film meter" (letters), *Chem. Eng. Sci.*, 50(15), 2495–2501 (1995).
- Hoffmann, A. C., and van den Bogaard, H. A., "A numerical investigation of bubbles rising at intermediate Reynolds and large Weber numbers," *Ind. Eng. Chem. Res.*, 34(1), 366–372 (1995).
- Hubbard, S., and Riley, N., "Boundary-layer control by heat and mass transfer," *Int. J. Heat Mass Transfer*, 38(17), 3209–3218 (1995).
- Humphrey, J. L., "Separation processes: Playing a critical role," *Chem. Eng. Prog.*, 91(10), 31–41 (1995).
- Hwang, Y. L., "Wave propagation in mass-transfer processes: From chromatography to distillation," *Ind. Eng. Chem. Res.*, 34(8), 2849–2864 (1995).
- Jaguste, D. N., and Bhatia, S. K., "Combined surface and viscous flow of condensable vapor in porous media," *Chem. Eng. Sci.*, 50(2), 167–182 (1995).
- Jakslund, C. A.; Gani, R., and Lien, K. M., "Separation process design and synthesis based on thermodynamic insights," *Chem. Eng. Sci.*, 50(3), 511–530 (1995).
- Janeschitz-Kriegl, H.; Ratajski, E., and Eder, G., "The Neumann-Stefan problem and its recent widening as an advanced topic of transport phenomena," *Ind. Eng. Chem. Res.*, 34(10), 3481–3487 (1995).
- Kao, Y. K., "Separation vector formulation for the synthesis of multicomponent separation sequences," *AIChE J.*, 41(1), 78–96 (1995).
- Kenig, E., and Gorak, A., "A film model based approach for simulation of multicomponent reactive separation," *Chem. Eng. Process.*, 34(2), 97–104 (1995).
- Kenig, E. Y., "Combined processes in multicomponent fluid systems: Simulation and design," *Comput. Chem. Eng.*, 19(supplement), S287–S292 (1995).
- Kikuchi, K. I., et al., "Gas-liquid mass transfer in two- and three-phase upflows through a vertical tube," *Can. J. Chem. Eng.*, 73(6), 826–832 (1995).
- Kim, W. N., and Hyun, J. M., "Mass transfer characteristics for a rotating cup-like cylinder," *Int. J. Heat Mass Transfer*, 38(16), 2959–2968 (1995).
- Kiperstok, A., and Sharratt, P. N., "On the optimization of mass exchange networks for removal of pollutants," *Process. Saf. Environ. Prot.*, 73(B4), 271–277 (1995).
- Kleinman, L. S., and Reed, X. B., "Interphase mass transfer from bubbles, drops and solid spheres: Diffusional transport enhanced by external chemical reaction," *Ind. Eng. Chem. Res.*, 34(10), 3621–3631 (1995).
- Kocamustafaogullari, G., and Ishii, M., "Foundation of the interfacial area transport equation and its closure relations," *Int. J. Heat Mass Transfer*, 38(3), 481–494 (1995).
- Kolah, A. K., and Sharma, M. M., "Removal of formaldehyde from aqueous solutions," *Sep. Technol.*, 5(1), 13–22 (1995).
- Kondjoyan, A., and Daudin, J. D., "Effects of free stream turbulence intensity on heat and mass transfers at the surface of a circular cylinder and an elliptical cylinder, axis ratio 4," *Int. J. Heat Mass Transfer*, 38(10), 1735–1750 (1995).
- Kornienko, Y. N., "Generalized integral forms for friction, heat and mass transfer coefficients," *Int. J. Heat Mass Transfer*, 38(16), 3103–3108 (1995).
- Kovacs, Z.; Friedler, F., and Fan, L. T., "Parametric study of separation network synthesis: Extreme properties of optimal structures," *Comput. Chem. Eng.*, 19(supplement), S107–S112 (1995).
- Kulmala, M., et al., "Mass transfer from a drop: Theoretical analysis of temperature dependent mass flux correlation," *Int. J. Heat Mass Transfer*, 38(9), 1705–1708 (1995).
- Kuznetsov, A. V., and Vafai, K., "Analytical comparison and criteria for heat and mass transfer models in metal hydride packed beds," *Int. J. Heat Mass Transfer*, 38(15), 2873–2884 (1995).

- Lazarides, H. N.; Katsanidis, E., and Nickolaidis, A., "Mass transfer kinetics during osmotic preconcentration aiming at minimal solid uptake," *J. Food Eng.*, 25(2), 151–166 (1995).
- LeDuc, C. A.; Vroman, L., and Leonard, E. F., "A mathematical model for the Vroman effect," *Ind. Eng. Chem. Res.*, 34(10), 3488–3495 (1995).
- Lee, D. J., "On the slow manifold characteristics of capillary suction apparatus dynamics," *Chem. Eng. Commun.*, 136, 13–26 (1995).
- Leung, W. H., et al., "Axial development of interfacial area and void concentration profiles measured by double-sensor probe method," *Int. J. Heat Mass Transfer*, 38(3), 445–454 (1995).
- Li, X., and Yortsos, Y. C., "Theory of multiple bubble growth in porous media by solute diffusion," *Chem. Eng. Sci.*, 50(8), 1247–1272 (1995).
- Li, X., and Yortsos, Y. C., "Visualization and simulation of bubble growth in pore networks," *AIChE J.*, 41(2), 214–222 (1995).
- Liebert, R. B., and Prieve, D. C., "Force exerted by a laser beam on a microscopic sphere in water: Designing for maximum axial force," *Ind. Eng. Chem. Res.*, 34(10), 3542–3550 (1995).
- Lindsay, J. D.; Ghiaasiaan, S. M., and Abdel-Khalik, S. I., "Macroscopic flow structures in a bubbling paper pulp/water slurry," *Ind. Eng. Chem. Res.*, 34(10), 3342–3354 (1995).
- Lodge, A. S., "Polymer solutions and melts: Viscosity, diffusion, and elasticity," *Ind. Eng. Chem. Res.*, 34(10), 3354–3358 (1995).
- Lohia, P. K.; Narayan, K. A., and Chhabra, R. P., "Mass transfer from highly soluble cylinders in cross flow: Some experimental results," *Can. J. Chem. Eng.*, 73(2), 263–266 (1995).
- Malik, S., and Mashelkar, R. A., "Hydrogen bonding mediated shear stable clusters as drag reducers," *Chem. Eng. Sci.*, 50(1), 105–116 (1995).
- Mao, Z. S., "Numerical analysis of higher order harmonics in the response of a mass transfer probe," *Int. J. Heat Mass Transfer*, 38(14), 2667–2676 (1995).
- Martynenko, O. G., "Heat and mass transfer bibliography: CIS works," *Int. J. Heat Mass Transfer*, 38(4), 579–592; 38(17), 3111–3126 (1995).
- Mashelkar, R. A., "Seamless chemical engineering science: The emerging paradigm" (Ninth P. V. Danckwerts memorial lecture), *Chem. Eng. Sci.*, 50(1), 1–22 (1995).
- McGinnis, C. P., et al., "Separation projects within the US Department of Energy's underground storage tank: Integrated demonstration," *Sep. Sci. Technol.*, 30(7), 1741–1754 (1995).
- Miller, M. J., and Fogler, H. S., "Prediction of fluid distribution in porous media treated with foamed gel," *Chem. Eng. Sci.*, 50(20), 3261–3274 (1995).
- Minale, M., and Astarita, G., "On mass diffusion effects in a Stefan-like problem arising in the melting of Antarctic ice shelves" (corrigendum), *Chem. Eng. Sci.*, 50(23), 3847–3848 (1995).
- Mours, M., and Winter, H. H., "Viscoelasticity of polymers during heating/cooling sweeps," *Ind. Eng. Chem. Res.*, 34(10), 3217–3222 (1995).
- Nagy, E., "Three-phase mass transfer: One-dimensional heterogeneous model," *Chem. Eng. Sci.*, 50(5), 827–836 (1995).
- Nagy, E., and Moser, A., "Three-phase mass transfer: Improved pseudo-homogeneous model," *AIChE J.*, 41(1), 23–34 (1995).
- Nakayama, A., and Hossain, M. A., "An integral treatment for combined heat and mass transfer by natural convection in a porous medium," *Int. J. Heat Mass Transfer*, 38(4), 761–765 (1995).
- Nassif, N. J.; Janna, W. S., and Jakubowski, G. S., "Mass transfer from a sublimating

- naphthalene flat plate to a parallel flow of air," *Int. J. Heat Mass Transfer*, 38(4), 691–700 (1995).
- Ni, J., and Incropera, F. P., "Extension of the continuum model for transport phenomena occurring during metal alloy solidification: The conservation equations and microscopic considerations," *Int. J. Heat Mass Transfer*, 38(7), 1271–1296 (1995).
- Nigam, K. D. P.; Pandit, A. B., and Niranjana, K., "Effect of angle of inclination on liquid-phase controlled mass transfer from a gas slug," *Chem. Eng. Sci.*, 50(2), 289–298 (1995).
- Nishimura, T., and Kojima, N., "Mass transfer enhancement in a symmetric sinusoidal wavy-walled channel for pulsatile flow," *Int. J. Heat Mass Transfer*, 38(9), 1719–1731 (1995).
- Norton, C., "Batch and continuous processes," *Chem. Eng. (Rugby, Engl.)*, pp. 19–20 (14 September, 1995).
- Ochoa-Tapia, J. A., and Whitaker, S., "Momentum transfer at the boundary between a porous medium and a homogeneous fluid: Theoretical development," *Int. J. Heat Mass Transfer*, 38(14), 2635–2646 (1995).
- Ochoa-Tapia, J. A., and Whitaker, S., "Momentum transfer at the boundary between a porous medium and a homogeneous fluid: Comparison with experiment," *Int. J. Heat Mass Transfer*, 38(14), 2647–2656 (1995).
- Ohta, M.; Yamamoto, M., and Suzuki, M., "Numerical analysis of a single drop formation process under pressure pulse condition," *Chem. Eng. Sci.*, 50(18), 2923–2932 (1995).
- Ohtsuka, M., "Numerical analysis of swirling non-reacting and reacting flows by the Reynolds stress differential method," *Int. J. Heat Mass Transfer*, 38(2), 331–338 (1995).
- Oliveira, L. S., and Haghighi, K., "A new unified a-posteriori error estimator for adaptive finite element analysis of coupled transport problems," *Int. J. Heat Mass Transfer*, 38(15), 2809–2820 (1995).
- Or, A. C., and Kelly, R. E., "Onset of Marangoni convection in a layer of fluid modulated by a weak nonplanar oscillatory shear," *Int. J. Heat Mass Transfer*, 38(12), 2269–2280 (1995).
- Orr, F. M.; Dindoruk, B., and Johns, R. T., "Theory of multicomponent gas/oil displacements," *Ind. Eng. Chem. Res.*, 34(8), 2661–2669 (1995).
- Park, S. K., "Application of Petrov-Galerkin finite element method to nonlinear transient diffusion-convection-reaction system," *Chem. Eng. Commun.*, 139, 159–200 (1995).
- Park, Y., "The separation of polyelectrolyte using an electric field in a packed column," *Sep. Sci. Technol.*, 30(19), 3629–3648 (1995).
- Philip, J. R., "Deposition in narrow channels," *Chem. Eng. Sci.*, 50(5), 793–802 (1995).
- Philip, J. R., "Microscopic analysis and macroscopic models: Deposition-dispersion continuum," *Chem. Eng. Sci.*, 50(16), 2571–2578 (1995).
- Prager, W., and Propst, G., "A dynamic two-phase flow model for a purification plant," *Comput. Chem. Eng.*, 19(3), 309–320 (1995).
- Ramos, J. I., "The effects of the solubility law on mass transfer in annular liquid jets," *Chem. Eng. Commun.*, 139, 137–158 (1995).
- Ranade, V. V., and Mashelkar, R. A., "Convective diffusion from a dissolving polymeric particle," *AIChE J.*, 41(3), 666–676 (1995).
- Rastogi, S. K., and Poulikakos, D., "Double-diffusion from a vertical surface in a porous region saturated with a non-Newtonian fluid," *Int. J. Heat Mass Transfer*, 38(5), 935–946 (1995).
- Ray, M. S., "Equilibrium-staged separations: A bibliography update (1994)," *Sep. Sci. Technol.*, 30(20), 3723–3746 (1995).

- Roberts, C. A.; Leech, J. R., and Girgis, N. S., "A new way of obtaining heat and mass transfer at flat surfaces coated with swollen polymer by measuring recession with projected fringes," *Int. J. Heat Mass Transfer*, 38(3), 393–402 (1995).
- Rockman, J. T.; Kehat, E., and Lavie, R., "Mathematical model for thermally enhanced facilitated transport," *Ind. Eng. Chem. Res.*, 34(7), 2455–2463 (1995).
- Rosen, C., and Tragardh, C., "Prediction of turbulent high Schmidt number mass transfer using a low Reynolds number 'k-e' turbulence model," *Chem. Eng. J.*, 59(2), 153–160 (1995).
- Sahimi, M., "Effect of long-range correlations on transport phenomena in disordered media," *AIChE J.*, 41(2), 229–240 (1995).
- Salmi, T., and Romanainen, J. J., "A novel exit boundary condition for the axial dispersion model," *Chem. Eng. Process.*, 34(4), 359–366 (1995).
- Salmun, H., "The stability of a single-cell steady-state solution in a triangular enclosure," *Int. J. Heat Mass Transfer*, 38(2), 363–370 (1995).
- Saraf, Y. P., and Bhagwat, S. S., "Interfacial effects in the solubilization of *o*-, *p*-substituted phenols," *Sep. Technol.*, 5(4), 207–212 (1995).
- Sauer, S. G.; Locke, B. R., and Arce, P., "Effects of axial and orthogonal applied electric fields on solute transport in Poiseuille flows: An area averaging approach," *Ind. Eng. Chem. Res.*, 34(3), 886–894 (1995).
- Scali, C., and Antonelli, R., "Performance of different regulators for plants with recycle," *Comput. Chem. Eng.*, 19(supplement), S409–S414 (1995).
- Schmitz, P., and Prat, M., "3-D Laminar stationary flow over a porous surface with suction: Description at pore level," *AIChE J.*, 41(10), 2212–2226 (1995).
- Scriven, L. E., "On the dynamics of phase growth," *Chem. Eng. Sci.*, 50(24), 3905–3918 (1995).
- Shetty, S. A., and Cerro, R. L., "Spreading of liquid point sources over inclined solid surfaces," *Ind. Eng. Chem. Res.*, 34(11), 4078–4086 (1995).
- Silva Freire, A. P.; Cruz, D. O. A., and Pellegrini, C. C., "Velocity and temperature distributions in compressible turbulent boundary layers with heat and mass transfer," *Int. J. Heat Mass Transfer*, 38(13), 2507–2515 (1995).
- Smith, E. M. B., and Pantelides, C. C., "Design of reaction/separation networks using detailed models," *Comput. Chem. Eng.*, 19(supplement), S83–S88 (1995).
- Spall, R., "Spectral collocation methods for one-dimensional phase-change problems," *Int. J. Heat Mass Transfer*, 38(15), 2743–2748 (1995).
- Sramkova, T., and Log, T., "Using non-linear chi-squared fit in flash method," *Int. J. Heat Mass Transfer*, 38(15), 2885–2892 (1995).
- Sucec, J., "The double integral method applied to separation calculation," *Int. J. Heat Mass Transfer*, 38(15), 2771–2778 (1995).
- Sun, L. M., and Levan, M. D., "Numerical solution of diffusion equations by the finite difference method: Efficiency improvement by iso-volumetric spatial discretization," *Chem. Eng. Sci.*, 50(1), 163–166 (1995).
- Sun, W.; Costa, C. A. V., and Rodrigues, A. E., "Determination of effective diffusivities and convective coefficients of pure gases in single pellets," *Chem. Eng. J.*, 57(3), 285–294 (1995).
- Suresh, A. K., "Models for mass transfer with chemical reaction in concentrated fluid-fluid dispersions," *Chem. Eng. Res. Des.*, 73(5), 519–527 (1995).
- Thomsen, K.; Gani, R., and Rasmussen, P., "Synthesis and analysis of processes with electrolyte mixtures," *Comput. Chem. Eng.*, 19(supplement), S27–S32 (1995).
- Thulasidas, T. C.; Abraham, M. A., and Cerro, R. L., "Bubble-train flow in capillaries of circular and square cross section," *Chem. Eng. Sci.*, 50(2), 183–200 (1995).

- Van Den Broeke, L. J. P., and Krishna, R., "Experimental verification of the Maxwell-Stefan theory for micropore diffusion," *Chem. Eng. Sci.*, 50(16), 2507-2522 (1995).
- Varelas, C. G.; Dixon, D. G., and Steiner, C. A., "Mathematical model of mass transport through dispersed-phase polymer networks," *AIChE J.*, 41(4), 805-811 (1995).
- Various, "Applications of parallel computing to transport phenomena and reaction engineering" (topic issue), *Comput. Chem. Eng.*, 19(6), 617-758 (1995).
- Various, Papers from Eighth Symposium on "Separation Science and Technology for Energy Applications" (topic issue), *Sep. Sci. Technol.*, 30(7-9), 1047-2099 (1995).
- Various, "Progress in separations and waste reduction" (topic issue), *Sep. Technol.*, 5(3), 127-178 (1995).
- Various, "Separation technology" (topic issue), *Chem. Eng. Prog.*, 91(10), 30-81 (1995).
- Various, "The Maxwell-Stefan approach to mass transfer" (theme issue), *Chem. Eng. J.*, 57(2), 75-246 (1995).
- Warmuzinski, K., and Tanczyk, M., "On doubly diffusive Marangoni convection," *Chem. Eng. Sci.*, 50(22), 3521-3524 (1995).
- Wedgewood, L. E., and Geurts, K. R., "Stochastic simulation of transport phenomena," *Ind. Eng. Chem. Res.*, 34(10), 3437-3444 (1995).
- Weisz, P. B., "Molecular diffusion in microporous materials: Formalisms and mechanisms," *Ind. Eng. Chem. Res.*, 34(8), 2692-2699 (1995).
- Wong, S. L. S., and Andrews, G. F., "An improved variant of integral boundary-layer theory: Hydrodynamics and mass transfer," *Chem. Eng. Commun.*, 139, 51-78 (1995).
- Wu, H., "An issue on applications of a disk turbine for gas-liquid mass transfer," *Chem. Eng. Sci.*, 50(17), 2801-2812 (1995).
- Wu, Y. T., and Nitsche, J. M., "On diffusion-limited site-specific association processes for spherical and nonspherical molecules," *Chem. Eng. Sci.*, 50(9), 1467-1488 (1995).
- Yakhnin, V. Z.; Rovinsky, A. B., and Menzinger, M., "Convective instability induced by differential transport in the tubular packed-bed reactor," *Chem. Eng. Sci.*, 50(18), 2853-2860 (1995).
- Yan, W. M., "Transport phenomena of developing laminar mixed convection heat and mass transfer in inclined rectangular ducts," *Int. J. Heat Mass Transfer*, 38(15), 2905-2914 (1995).
- Yao, L. S., and Moulic, S. G., "Nonlinear instability of travelling waves with a continuous spectrum," *Int. J. Heat Mass Transfer*, 38(10), 1751-1772 (1995).
- Zhu, M., and El-Halwagi, M. M., "Synthesis of flexible mass-exchange networks," *Chem. Eng. Commun.*, 138, 193-212 (1995).
- Zoia, G., and Strieder, W., "Structure independent reciprocal bounds on cell wall permeabilities," *Chem. Eng. Sci.*, 50(22), 3657-3659 (1995).
- Zydney, A. L., "A conceptual design problem in mass transfer operations," *Chem. Eng. Educ.*, 29(3), 182-185, 190 (1995).

1.2. Distillation Theory and Design Methods

- Abdel-Aal, H. K., "A straight-line equation replaces Gilliland plot," *Sep. Sci. Technol.*, 30(2), 313-316 (1995).
- Abdel-Aal, H. K., "Use of Antoine equation to relate T to Y - X equilibrium composition," *Sep. Sci. Technol.*, 30(15), 3087-3088 (1995).
- Basaran, O. A., and Wohlhuter, F. K., "Fluid mechanics of distillation trays: Prediction of flow fields on some practically important sieve trays," *Sep. Sci. Technol.*, 30(7), 1233-1244 (1995).

- Bonny, L., "Strategies for handling mixtures in a campaign of several multicomponent batch distillations," *Chem. Eng. Process.*, 34(4), 391–400 (1995).
- Bonny, L., "Strategies for handling mixtures in multicomponent batch distillations with slop recycle," *Chem. Eng. Process.*, 34(4), 401–414 (1995).
- Durand, A. A., and Osorio Bonilla, M. A., "Fast estimation of reboiler reliability," *Chem. Eng. (N.Y.)*, pp. 113–117 (August 1995).
- Gentry, J. W., "The 19th century legacy to distillation from Kidd to Young (historical perspective)," *Chem. Eng. Educ.*, 29(4), 250–255 (1995).
- Goldsmith, P., "Software to optimize energy usage in distillation," *Process Eng. (London)*, 76(5), 33 (1995).
- Grimma, G. A., "Phase temperature differences in binary distillation," *Sep. Sci. Technol.*, 30(14), 2933–2936 (1995).
- Kienle, A.; Groebel, M., and Gilles, E. D., "Multiple steady states in binary distillation: Theoretical and experimental results," *Chem. Eng. Sci.*, 50(17), 2691–2704 (1995).
- Kooijman, H., and Taylor, R., "A nonequilibrium model for dynamic simulation of tray distillation columns," *AIChE J.*, 41(8), 1852–1863 (1995).
- Kooijman, H. A., and Taylor, R., "Modelling mass transfer in multicomponent distillation," *Chem. Eng. J.*, 57(2), 177–188 (1995).
- Liebmann, K., and Dhole, V. R., "Integrated crude distillation design," *Comput. Chem. Eng.*, 19(supplement), S119–S124 (1995).
- Linek, V.; Sinkule, J., and Brekke, K., "A critical evaluation of the use of absorption mass transfer data for the design of packed distillation columns," *Chem. Eng. Res. Des.*, 73(4), 398–405 (1995).
- Meski, G. A., and Morari, M., "Design and operation of a batch distillation column with a middle vessel," *Comput. Chem. Eng.*, 19(supplement), S597–S602 (1995).
- Ognisty, T. P., "Analyze distillation columns with thermodynamics," *Chem. Eng. Prog.*, 91(2), 40–46 (1995).
- Ratkje, S. K.; Sauar, E., and Hafskjold, B., "Analysis of entropy production rates for design of distillation columns," *Ind. Eng. Chem. Res.*, 34(9), 3001–3007 (1995).
- Wohlhuter, F. K.; Basaran, O. A., and Harriott, G. M., "Fluid mechanics of distillation trays: Depth-averaged theory and one-dimensional flows," *Sep. Sci. Technol.*, 30(7), 1219–1232 (1995).

1.3. Distillation Control and Applications

- Abufares, A. A., and Douglas, P. L., "Mathematical modelling and simulation of an MTBE catalytic distillation process using Speedup and AspenPlus," *Chem. Eng. Res. Des.*, 73(1), 3–12 (1995).
- Agrawal, R., "Production of ultrahigh-purity oxygen: A distillation method for the coproduction of the heavy key component stream free of heavier impurities," *Ind. Eng. Chem. Res.*, 34(11), 3947–3955 (1995).
- Andersen, H. W.; Laroche, L., and Morari, M., "Effect of design on the operation of homogeneous azeotropic distillation," *Comput. Chem. Eng.*, 19(1), 105–122 (1995).
- Anon., "Modeling software improves stripper-efficiency," *Chem. Eng. (N. Y.)*, p. 129 (June 1995).
- Baratti, R., et al., "Development of a composition estimator for binary distillation columns: Application to a pilot plant," *Chem. Eng. Sci.*, 50(10), 1541–1550 (1995).
- Baratti, R.; Vacca, G., and Servida, A., "Neural network modeling of distillation columns," *Hydrocarbon Process.*, 74(6), 35–38 (1995).

- Barrufet, M. A., and Liu, K., "Unusual three-phase flash equilibrium problems," *Chem. Eng. Educ.*, 29(3), 192–196 (1995).
- Bart, H. J., and Reidetschlager, J., "Distillation with chemical reaction and apparatus selection," *Sep. Sci. Technol.*, 30(7), 1849–1866 (1995).
- Bauer, M. H., and Stichlmair, J., "Synthesis and optimization of distillation sequences for the separation of azeotropic mixtures," *Comput. Chem. Eng.*, 19(supplement), S15–S20 (1995).
- Bekiaris, N.; Meski, G. A., and Morari, M., "Multiple steady states in heterogeneous azeotropic distillation," *Comput. Chem. Eng.*, 19(supplement), S21–S26 (1995).
- Burgoyne, A.; Vahdati, M. M., and Priestman, G. H., "Investigation of flux in flat-plate modules for membrane distillation," *Dev. Chem. Eng. Miner. Process.*, 3(3), 161–176 (1995).
- Buzad, G., and Doherty, M. F., "New tools for the design of kinetically controlled reactive distillation columns for ternary mixtures," *Comput. Chem. Eng.*, 19(4), 395–408 (1995).
- Cantrell, J. G.; Ellioitt, T. R., and Luyben, W. L., "Effect of feed characteristics on the controllability of binary distillation columns," *Ind. Eng. Chem. Res.*, 34(9), 3027–3036 (1995).
- Charalambides, M. S.; Shah, N., and Pantelides, C. C., "Synthesis of batch reaction/distillation processes using detailed dynamic models," *Comput. Chem. Eng.*, 19(supplement), S167–S174 (1995).
- Chung, C. B., and Riggs, J. B., "Dynamic simulation and nonlinear-model-based product quality control of a crude tower," *AIChE J.*, 41(1), 122–134 (1995).
- DasGupta, S.; Plawsky, J. L., and Wayner, P. C., "Interfacial force field characterization in a constrained vapor bubble thermosyphon," *AIChE J.*, 41(9), 2140–2149 (1995).
- Dussell, R., and Stichlmair, J., "Separation of azeotropic mixtures by batch distillation using an entrainer," *Comput. Chem. Eng.*, 19(supplement), S113–S118 (1995).
- Eckert, E., and Kubicek, M., "Dynamic simulation of a distillation column with multiple liquid phases," *Comput. Chem. Eng.*, 19(supplement), S393–S398 (1995).
- Espinosa, J.; Aguirre, P., and Perez, G., "Some aspects in the design of multicomponent reactive distillation columns including nonreactive species," *Chem. Eng. Sci.*, 50(3), 469–484 (1995).
- Espinosa, J.; Aguirre, P. A., and Perez, G. A., "Product composition regions of single-feed reactive distillation columns: Mixtures containing inerts," *Ind. Eng. Chem. Res.*, 34(3), 853–861 (1995).
- Fidkowski, Z. T., and Agrawal, R., "Utilization of waste heat stream in distillation," *Ind. Eng. Chem. Res.*, 34(4), 1287–1293 (1995).
- Fonyo, Z., et al., "Comparative analysis of various heat pump schemes applied to C4 splitters," *Comput. Chem. Eng.*, 19(supplement), S1–S6 (1995).
- Frens, L. L., and Lines, J. R., "Troubleshooting crude vacuum tower overhead ejector systems," *Hydrocarbon Process.*, 74(3), 53–60 (1995).
- Ganguly, S., and Saraf, D. N., "Online optimization and dual composition control of a distillation column using a nonlinear controller," *Ind. Eng. Chem. Res.*, 34(1), 209–215 (1995).
- Glanz, S., and Stichlmair, J., "Energetic optimization of distillations in hybrid processes," *Comput. Chem. Eng.*, 19(supplement), S51–S56 (1995).
- Godino, M. P., et al., "Coupled phenomena membrane distillation and osmotic distillation through a porous hydrophobic membrane," *Sep. Sci. Technol.*, 30(6), 993–1012 (1995).
- Gokhale, V.; Hurowitz, S., and Riggs, J. B., "A comparison of advanced distillation control techniques for a propylene/propane splitter," *Ind. Eng. Chem. Res.*, 34(12), 4413–4419 (1995).

- Golden, S. W.; Craft, S., and Villalanti, D. C., "Refinery analytical techniques optimize unit performance," *Hydrocarbon Process.*, 74(11), 85-104 (1995).
- Hao, X. R., et al., "Novel catafractionation technology for the production of methyl *tert*-butyl ether," *Chem. Eng. J.*, 56(2), 11-18 (1995).
- Hartman, E. L.; Williams, S. D., and Hanson, D. W., "Startup, shutdown and control of refinery packed fractionators," *Hydrocarbon Process.*, 74(11), 67-73 (1995).
- Hauan, S.; Hertzberg, T., and Lien, K. M., "Multiplicity in reactive distillation of MTBE," *Comput. Chem. Eng.*, 19(supplement), S327-S332 (1995).
- Hauan, S.; Hertzberg, T., and Lien, K. M., "Why methyl *tert*-butyl ether production by reactive distillation may yield multiple solutions," *Ind. Eng. Chem. Res.*, 34(3), 987-991 (1995).
- Hoch, P. M.; Eliceche, A. M., and Grossmann, I. E., "Evaluation of design flexibility in distillation columns using rigorous models," *Comput. Chem. Eng.*, 19(supplement), S669-S674 (1995).
- Hwang, Y. L., "On the nonlinear wave theory for dynamics of binary distillation columns," *AIChE J.*, 41(1), 190-194 (1995).
- Jacobsen, E. W., and Skogestad, S., "Multiple steady states and instability in distillation: Implications for operation and control," *Ind. Eng. Chem. Res.*, 34(12), 4395-4405 (1995).
- Jobson, M.; Hildebrandt, D., and Glasser, D., "Attainable products for the vapour-liquid separation of homogeneous ternary mixtures," *Chem. Eng. J.*, 59(1), 51-70 (1995).
- Kesler, M. G.; Weissbrod, J. M., and Sheth, B. V., "New method dynamically models hydrocarbon fractionation," *Hydrocarbon Process.*, 74(10), 93-100 (1995).
- Kister, H. Z., "Troubleshoot distillation simulations," *Chem. Eng. Prog.*, 91(6), 63-75 (1995).
- Kister, H. Z., et al., "Troubleshoot reboilers by neutron backscatter," *Chem. Eng. (N.Y.)*, p. 145 (September 1995).
- Koehler, J.; Poellmann, P., and Blass, E., "A review on minimum energy calculations for ideal and nonideal distillations," *Ind. Eng. Chem. Res.*, 34(4), 1003-1020 (1995).
- Kronberger, T., et al., "Numerical simulation of extraction columns using a drop population model," *Comput. Chem. Eng.*, 19(supplement), S639-S644 (1995).
- Kruse, C., et al., "Experimental verification of the equilibrium stage model for the dynamics of the multicomponent distillation considering the effects of energy loss," *Ind. Eng. Chem. Res.*, 34(5), 1810-1822 (1995).
- Kruse, C., et al., "Industrial realization of time-optimal strategies for product changeover operations of coupled distillation columns," *Comput. Chem. Eng.*, 19(supplement), S603-S608 (1995).
- Kunesh, J. G.; Kister, H. Z.; Lockett, M. J., and Fair, J. R., "Distillation: Still towering over other options," *Chem. Eng. Prog.*, 91(10), 43-54 (1995).
- Lang, P., et al., "Different operational policies for the batch extractive distillation," *Comput. Chem. Eng.*, 19(supplement), S645-S650 (1995).
- Liu, Z. Y., and Xu, X. E., "Heuristic procedure for the synthesis of distillation sequences with multicomponent products," *Chem. Eng. Sci.*, 50(12), 1997-2004 (1995).
- Lutisan, J., and Cvengros, J., "Effect of inert gas pressure on the molecular distillation process," *Sep. Sci. Technol.*, 30(17), 3375-3390 (1995).
- Lutisan, J., and Cvengros, J., "Mean free path of molecules on molecular distillation," *Chem. Eng. J.*, 56(2), 39-50 (1995).
- Luyben, M. L., and Luyben, W. L., "Design and control of a complex process involving two reaction steps, three distillation columns, and two recycle streams," *Ind. Eng. Chem. Res.*, 34(11), 3885-3898 (1995).

- Maciel, M. R. W., and Brito, R. P., "Evaluation of the dynamic behavior of an extractive distillation column for dehydration of aqueous ethanol mixtures," *Comput. Chem. Eng.*, 19(supplement), S405-S408 (1995).
- MacMurray, J. C., and Himmelblau, D. M., "Modeling and control of a packed distillation column using artificial neural networks," *Comput. Chem. Eng.*, 19(10), 1077-1088 (1995).
- Maiti, S. N.; Ganguly, S., and Saraf, D. N., "Some new approaches for the control of a distillation column and their experimental evaluation on a pilot plant," *Comput. Chem. Eng.*, 19(supplement), S399-S404 (1995).
- Martin, G. R., and Soley, A. W., "Effectively design and simulate thermosyphon reboiler systems," *Hydrocarbon Process.*, 74(7), 67-78 (1995).
- McCandless, F. P., "The role of recycle in countercurrent recycle distillation cascades: Constant reflux, ideal, and squared-off cascades," *Sep. Sci. Technol.*, 30(18), 3405-3440 (1995).
- Mizoguchi, A., Marlin, T. E., and Hrymak, A. N., "Operations optimization and control design for a petroleum distillation process," *Can. J. Chem. Eng.*, 73(6), 896-907 (1995).
- Neuchl, C., and Mersmann, A., "Fractionation of polydisperse dextran using ethanol," *Chem. Eng. Sci.*, 50(6), 951-958 (1995).
- Offers, H.; Dussel, R., and Stichlmair, J., "Minimum energy requirement of distillation processes," *Comput. Chem. Eng.*, 19(supplement), S247-S252 (1995).
- Pase, G. K., and O'Donnell, J., "Use titanium tubes to create higher-capacity, corrosion-resistant exchangers," *Hydrocarbon Process.*, 74(10), 101-104 (1995).
- Pekkanen, M., "A local optimization method for the design of reactive distillation," *Comput. Chem. Eng.*, 19(supplement), S235-S240 (1995).
- Porter, K. E., "Why research is needed in distillation," *Chem. Eng. Res. Des.*, 73(4), 357-362 (1995).
- Rajah, W., and Polley, G. T., "Synthesis of practical distillation schemes," *Chem. Eng. Res. Des.*, 73(8), 953-966 (1995).
- Rovaglio, M., et al., "Controllability and operability of azeotropic heterogeneous distillation systems," *Comput. Chem. Eng.*, 19(supplement), S525-S530 (1995).
- Ruiz, C. A.; Basualdo, M. S., and Scenna, N. J., "Reactive distillation dynamic simulation," *Chem. Eng. Res. Des.*, 73(4), 363-378 (1995).
- Safrit, B. T.; Westerberg, A. W., and Wahnschafft, O. M., "Extending continuous conventional and extractive distillation feasibility insights to batch distillation," *Ind. Eng. Chem. Res.*, 34(10), 3257-3264 (1995).
- Sagfors, M. F., and Waller, K. V., "Dynamic low-order models for capturing directionality in nonideal distillation," *Ind. Eng. Chem. Res.*, 34(6), 2038-2050 (1995).
- Saletan, D. I., "Avoid trapping minor components in distillation," *Chem. Eng. Prog.*, 91(9), 78-81 (1995).
- Senos Matias, T. R.; Fraga, E. S., and Ponton, J. W., "Nonideal distillation in automated synthesis," *Comput. Chem. Eng.*, 19(supplement), S57-S62 (1995).
- Shaban, H. I., "Separation of binary, ternary and multicomponent organic/water mixtures," *Gas Sep. Purif.*, 9(2), 75-80 (1995).
- Shaeiwitz, J. A., "Distillation column performance," *Chem. Eng. Educ.*, 29(4), 240-243 (1995).
- Stichlmair, J., "Conceptual design of the control configurations of distillation columns," *Chem. Eng. Process.*, 34(2), 61-70 (1995).
- Stromborg, K. B., et al., "Multivariable nonlinear and adaptive control of a distillation column," *AIChE J.*, 41(1), 195-199 (1995).

- Sundmacher, K., and Hoffmann, U., "Oscillatory vapor-liquid phenomena in a packed reactive distillation column for fuel ether production," *Chem. Eng. J.*, 57(2), 219–228 (1995).
- Tanskanen, J.; Pohjola, V. J., and Lien, K. M., "Phenomenon driven process design methodology: Focus on reactive distillation," *Comput. Chem. Eng.*, 19(supplement), S77–S82 (1995).
- Tomaszewska, M.; Gryta, M., and Morawski, A. W., Erratum to "A study of separation by the direct-contact membrane distillation process," *Sep. Technol.*, 5(1), 57–59 (1995).
- Trotta, A., and Barolo, M., "Nonlinear model-based control of a binary distillation column," *Comput. Chem. Eng.*, 19(supplement), S519–S524 (1995).
- Ung, S., and Doherty, M. F., "Necessary and sufficient conditions for reactive azeotropes in multireaction mixtures," *AIChE J.*, 41(11), 2383–2392 (1995).
- Ung, S., and Doherty, M. F., "Synthesis of reactive distillation systems with multiple equilibrium," *Ind. Eng. Chem. Res.*, 34(8), 2555–2565 (1995).
- Various, "Distillation" (topic issue), *Chem. Eng. Res. Des.*, 73(4), 357–412 (1995).
- Velazquez, A., and Mengual, J. I., "Temperature polarization coefficients in membrane distillation," *Ind. Eng. Chem. Res.*, 34(2), 585–590 (1995).
- Wang, T. S., and Clements, W. C., "Adaptive multivariable PID control of a distillation column with unknown and varying dead time," *Chem. Eng. Commun.*, 132, 1–14 (1995).
- Watson, S., et al., "Azeotropic batch distillation: New problems and some solutions," *Comput. Chem. Eng.*, 19(supplement), S589–S596 (1995).
- Wolff, E. A., and Skogestad, S., "Operation of integrated three-product (Petlyuk) distillation columns," *Ind. Eng. Chem. Res.*, 34(6), 2094–2103 (1995).
- Xu, X.; Zheng, Y., and Zheng, G., "Kinetics and effectiveness of catalyst for synthesis of methyl *tert*-butyl ether in catalytic distillation," *Ind. Eng. Chem. Res.*, 34(7), 2232–2236 (1995).
- Zagar, I., and Skerget, L., "The numerical simulation of non-linear separation columns by boundary-domain integral formulation," *Comput. Chem. Eng.*, 19(supplement), S785–S790 (1995).
- Zhi-Yong, L., and Xi-En, X., "Matrix-based heuristic synthesis for production of mixed products via sharp distillation sequences with bypass," *Chem. Eng. Res. Des.*, 73(1), 13–19 (1995).

1.4. Column Design Data

- Basic, A., and Dudukovic, M. P., "Liquid holdup in rotating packed beds: Examination of the film flow assumption," *AIChE J.*, 41(2), 301–316 (1995).
- Bennett, D. L.; Kao, A. S., and Wong, L. W., "A mechanistic analysis of sieve-tray froth height and entrainment," *AIChE J.*, 41(9), 2067–2082 (1995).
- Bhaskarwar, A. N., and Kumar, R., "Gas-phase controlled mass transfer in a foam-bed reactor," *Chem. Eng. Commun.*, 131, 115–124 (1995).
- Biddulph, M. W., and Thomas, C. P., "Effect of liquid surface tension on small hole distillation sieve tray pressure drop," *AIChE J.*, 41(4), 819–827 (1995).
- Billingham, J. F.; Banik, S., and Lockett, M. J., "The effect of inlet weeping on distillation tray efficiency," *Chem. Eng. Res. Des.*, 73(4), 385–391 (1995).
- Blumberg, W., and Schlunder, E. U., "Thermal conductivity of packed beds consisting of porous particles wetted with binary mixtures," *Chem. Eng. Process.*, 34(3), 339–346 (1995).

- Chen, G. X., and Chuang, K. T., "Liquid-phase resistance to mass transfer on distillation trays," *Ind. Eng. Chem. Res.*, **34**(9), 3078–3082 (1995).
- Chen, G. X.; Afacan, A., and Chuang, K. T., "Fouling of sieve trays," *Chem. Eng. Commun.*, **131**, 97–114 (1995).
- Chen, Y. T.; Davis, H. T., and Macosko, C. W., "Wetting of fiber mats for composites manufacturing: Visualization experiments and air entrapment model," *AIChE J.*, **41**(10), 2261–2281 (1995).
- Dolejs, V., and Machac, I., "Pressure drop during the flow of a Newtonian fluid through a fixed bed of particles," *Chem. Eng. Process.*, **34**(1), 1–8 (1995).
- Duran, M. A., and White, B. S., "Bayesian estimation applied to effective heat transfer coefficients in a packed bed," *Chem. Eng. Sci.*, **50**(3), 495–510 (1995).
- Grimma, G. A., "Transfer units and nonkey component distributions in packed columns at total reflux," *Sep. Sci. Technol.*, **30**(17), 3391–3397 (1995).
- Guerriere, R. A.; Fayed, M. E., and Matchett, A. J., "Mass transfer in a turbulent bed contactor," *Chem. Eng. Res. Des.*, **73**(3), 246–252 (1995).
- Hastaoglu, M. A., "Transient modelling of a packed tower: Mass and heat transfer with reaction," *Fuel*, **74**(11), 1624–1631 (1995).
- Heggs, P. J.; Ellis, D. I., and Ismail, M. S., "Evaluation of pressure profiles and overall pressure drop for flow through annular packed bed configurations," *Gas Sep. Purif.*, **9**(3), 171–180 (1995).
- Helmreich, A., et al., "Non-viscous effects in the flow of xanthan gum solutions through a packed bed of spheres," *Chem. Eng. J.*, **59**(2), 111–120 (1995).
- Hoffmann, A. C., and Finkers, H. J., "A relation for the void fraction of randomly packed particle beds," *Powder Technol.*, **82**(2), 197–203 (1995).
- Kirzinger, A., and Lassmann, E., "A comparison of the flammability of aluminium sieve trays and aluminium packing in air separation units," *Gas Sep. Purif.*, **9**(1), 49–58 (1995).
- Kirzinger, A., and Lassmann, E., "Evaluation of ignition mechanisms for aluminium trays and packing in the low-pressure column of air separation units," *Gas Sep. Purif.*, **9**(1), 59–67 (1995).
- Kirzinger, A.; Baur, K., and Lassmann, E., "The behaviour of oil films on structured packing under cryogenic conditions," *Gas Sep. Purif.*, **9**(1), 45–48 (1995).
- Klemas, L., and Bonilla, J. A., "Accurately assess packed-column efficiency," *Chem. Eng. Prog.*, **91**(7), 27–44 (1995).
- Krieg, D. A., et al., "Origin of disturbances in cocurrent gas-liquid packed bed flows," *AIChE J.*, **41**(7), 1653–1666 (1995).
- Kwok, W.; Hayes R. E., and Nasr-El-Din, H. A., "Propagation of a nonionic surfactant in radial sandstone cores," *Can. J. Chem. Eng.*, **73**(5), 705–716 (1995).
- Lamine, A. S.; Colli Serrano, M. T., and Wild, G., "Influence of viscosity and foaming properties on heat transfer in packed bed with cocurrent upflow of gas and liquid," *Chem. Eng. Res. Des.*, **73**(3), 280–285 (1995).
- Laso, M., et al., "Liquid-side mass transfer characteristics of a structured packing," *Chem. Eng. J.*, **58**(3), 251–258 (1995).
- Leva, M., "New generalized pressure drop correlation," *Chem. Eng. (Rugby, Engl.)*, **27**, 24–27 (July 1995).
- Leva, M., "Quality of column design data," *Chem. Eng. (Rugby, Engl.)*, **13**, 26–28 (July 1995).
- Lockett, M. J., "Flooding of rotating structured packing and its application to conventional packed columns," *Chem. Eng. Res. Des.*, **73**(4), 379–384 (1995).

- Majumdar, D. M.; Farouk, B., and Shah, Y. T., "Transport of gas-liquid flows through vertical columns," *Chem. Eng. Commun.*, 137, 191-210 (1995).
- Mustafa, H., and Bekassy-Molnar, E., "Influence of weeping on mass transfer rate of different plates," *Chem. Eng. Res. Des.*, 73(4), 392-397 (1995).
- Perry, D., "Predict a tray's true upper operating limit," *Chem. Eng. Prog.*, 91(5), 83-88 (1995).
- Rao, D. P., et al., "Multicomponent tray efficiencies accounting for entrainment," *Chem. Eng. J.*, 57(2), 237-246 (1995).
- Rollins, D. K.; Davis J. F., and Walker, J., "Application of multiresponse estimation to a wetted wall column model," *AIChE J.*, 41(10), 2327-2332 (1995).
- Saberi, S., et al., "Bubble size and velocity measurement in gas-liquid systems: Application of fiber optic technique to pilot plant scale," *Can. J. Chem. Eng.*, 73(2), 253-257 (1995).
- Salem, A. B. S. H.; Al-Fandery M. S. H., and Abdul Al Latif, A. A. H., "Modeling of a packed column contactor," *Ind. Eng. Chem. Res.*, 34(6), 2084-2093 (1995).
- Schlowsky, G.; Erickson A., and Schafer, T., "Generating your own VLE data," *Chem. Eng. (N.Y.)*, pp. 139-142 (March 1995).
- Shaban, H. I., "A study of foaming and carry-over problems in oil and gas separators," *Gas Sep. Purif.*, 9(2), 81-86 (1995).
- Shariat, A., and Kunesh, J. G., "Packing efficiency testing on a commercial scale with good (and not so good) reflux distribution," *Ind. Eng. Chem. Res.*, 34(4), 1273-1279 (1995).
- Shiveler, G. H., "Use heavy-duty trays for severe service," *Chem. Eng. Prog.*, 91(8), 72-81 (1995).
- Simoes, P. C.; Matos, H. A., and da Ponte, M. N., "Mass transfer in countercurrent packed columns: Application to supercritical carbon dioxide extraction of terpenes," *Ind. Eng. Chem. Res.*, 34(2), 613-618 (1995).
- Sloley, A. W., and Martin, G. R., "Subdue solids in towers," *Chem. Eng. Prog.*, 91(1), 64-73 (1995).
- Spedding, P. L., and Spencer, R. M., "Simulation of packing density and liquid flow in fixed beds," *Comput. Chem. Eng.*, 19(1), 43-74 (1995).
- Steinberg, N. I., "Design an efficient air impingement nozzle array," *Chem. Eng. Prog.*, 91(8), 52-55 (1995).
- Steinmeyer, D., "Use power/mass to estimate drop size in gas/liquid contactors," *Chem. Eng. Prog.*, 91(7), 72-80 (1995).
- Syaiful, S., et al., "Upward cocurrent gas-liquid-(solid) contactors: Holdup, axial dispersions, gas-liquid mass transfer," *Chem. Eng. Res. Des.*, 73(6), 643-648 (1995).
- Tsochatzidis, N. A., and Karabelas, A. J., "Characteristics of pulsing flow in trickle beds: Improvements of a macroscopic model," *Chem. Eng. Commun.*, 137, 85-100 (1995).
- Tsochatzidis, N. A., and Karabelas, A. J., "Properties of pulsing flow in a trickle bed," *AIChE J.*, 41(11), 2371-2382 (1995).
- van Zee, G.; Veenstra R., and de Graauw, J., "Axial dispersion in packed fiber beds," *Chem. Eng. J.*, 58(3), 245-250 (1995).
- Yang, L., and Chuang, K. T., "Efficiency considerations for choice between trays and packings," *Chem. Eng. Commun.*, 137, 161-176 (1995).
- Young, T. C., and Stewart, W. E., "Concise correlation of sieve-tray heat and mass transfer," *AIChE J.*, 41(5), 1319-1320 (1995).
- Zou, R. P., and Yu, A. B., "The packing of spheres in a cylindrical container: The thickness effect," *Chem. Eng. Sci.*, 50(9), 1504-1507 (1995).
- Zu, Z. P.; Afacan, A., and Chuang, K. T., "Liquid mixing on packed sieve trays," *Chem. Eng. Res. Des.*, 73(4), 406-412 (1995).

1.5. Absorption Reactions and Absorber Design

- Bontozoglou, V., and Karabelas, A. J., "Direct-contact steam condensation with simultaneous noncondensable gas absorption," *AIChE J.*, 41(2), 241–250 (1995).
- Buzek, J., and Jaschik, M., "Gas-liquid equilibria in the system sulphur dioxide/aqueous solutions of sodium bisulphite, sodium sulphite, and sodium sulphate," *Chem. Eng. Sci.*, 50(19), 3067–3076 (1995).
- Camacho, F., et al., "Influence of pH on the oxygen absorption kinetics in alkaline sodium dithionite solutions," *Chem. Eng. Sci.*, 50(7), 1181–1186 (1995).
- Chung, T. W., et al., "Dehumidification of moist air with simultaneous removal of selected indoor pollutants by triethylene glycol solutions in a packed-bed absorber," *Sep. Sci. Technol.*, 30(7), 1807–1832 (1995).
- Conlisk, A. T., "Analytical solutions for the heat and mass transfer in a falling film absorber," *Chem. Eng. Sci.*, 50(4), 651–660 (1995).
- Djebbar, Y., and Narbaitz, R. M., "Mass transfer correlations for air stripping towers," *Environ. Prog.*, 14(3), 137–145 (1995).
- Enick, R. M.; Klara, S. M., and Marano, J. J., "A robust algorithm for high-pressure gas humidification," *Comput. Chem. Eng.*, 19(10), 1051–1062 (1995).
- Evren, V., and Ozdural, A. R., "A new technique for the determination of mass transfer coefficients in packed columns for physical gas absorption systems," *Chem. Eng. J.*, 57(1), 67–71 (1995).
- Fleischer, C.; Becker, S., and Eigenberger, G., "Transient hydrodynamics, mass transfer and reaction in bubble columns: Carbon dioxide absorption into NaOH solutions," *Chem. Eng. Res. Des.*, 73(6), 649–653 (1995).
- Froschl, F., et al., "Enhanced acid extraction using amine-loaded compressed carbon dioxide," *Sep. Sci. Technol.*, 30(7), 1917–1930 (1995).
- Hagewiesche, D. P., et al., "Absorption of carbon dioxide into aqueous blends of monoethanolamine and *N*-methyldiethanolamine," *Chem. Eng. Sci.*, 50(7), 1071–1080 (1995).
- Heggs, P. J.; Ellis, D. I., and Ismail, M. S., "Evaluation of pressure profiles and overall pressure drop for flow through annular packed bed configurations," *Gas Sep. Purif.*, 9(3), 171–180 (1995).
- Hogendoorn, J. A.; van Swaaij, W. P. M., and Versteeg, G. F., "The absorption of carbon monoxide in COSORB solutions: Absorption rate and capacity," *Chem. Eng. J.*, 59(3), 243–252 (1995).
- Jansens, P. J., et al., "The purification process in hydraulic packed-bed wash columns," *Chem. Eng. Sci.*, 50(17), 2717–2730 (1995).
- Ji, W., and Setterwall, F., "Effect of heat transfer additives on the instabilities of an absorbing falling film," *Chem. Eng. Sci.*, 50(19), 3077–3098 (1995).
- Kafesjian, A. S., and Dewey, R. C., "Demonstrating tail-gas treater reliability reduces costs," *Hydrocarbon Process.*, 74(4), 53–64 (1995).
- Keller, A., et al., "How efficient are refinery amine units?" *Hydrocarbon Process.*, 74(4), 91–92 (1995).
- Lammers, J. N. J. J.; Haringa, J., and Littel, R. J., "Effect of polyhydroxyalcohols on COS absorption in aqueous methyldiethanolamine," *Chem. Eng. J.*, 60(1), 123–130 (1995).
- Majeed, J. G.; Korda, B., and Bekassy-Molnar, E., "Comparison of the efficiencies of sulfur dioxide absorption using calcium carbonate slurry and sodium hydroxide solution in an ALT reactor," *Gas Sep. Purif.*, 9(2), 111–120 (1995).
- Manole, D. M., and Lage, J. L., "Thermodynamic optimization method of a triple effect absorption system with wasted heat recovery," *Int. J. Heat Mass Transfer*, 38(4), 655–664 (1995).

- Oinas, P., et al., "Identification of mass-transfer parameters in cases of simultaneous gas absorption and chemical reaction," *Chem. Eng. Process.*, 34(6), 503–514 (1995).
- Petek, M., et al., "Fluoride removal from molten salt solutions by silicon tetrachloride sparging," *Sep. Sci. Technol.*, 30(7), 1931–1940 (1995).
- Pohorecki, R., and Nowosielski, J., "Activity of the ionic bubbles during absorption with chemical reaction on column plates," *Chem. Eng. J.*, 57(1), 1–8 (1995).
- Price, J., and Burns, D., "Clean amine solvents economically and online," *Hydrocarbon Process.*, 74(8), 140–141 (1995).
- Quinn, R., et al., "Liquid salt hydrate acid gas absorbents: An unusual desorption of carbon dioxide and hydrogen sulfide upon solidification," *Sep. Sci. Technol.*, 30(7), 1711–1724 (1995).
- Rinker, E. B.; Ashour S. S., and Sandall, O. C., "Kinetics and modelling of carbon dioxide absorption into aqueous solutions of *N*-methyldiethanolamine," *Chem. Eng. Sci.*, 50(5), 755–768 (1995).
- Saha, A. K.; Bandyopadhyay, S. S., and Biswas, A. K., "Kinetics of absorption of carbon dioxide into aqueous solutions of 2-amino-2-methyl-1-propanol," *Chem. Eng. Sci.*, 50(22), 3587–3598 (1995).
- Sanders, J. F.; Keener, T. C., and Wang, J., "Heated fly ash/hydrated lime slurries for sulfur dioxide removal in spray dryer absorbers," *Ind. Eng. Chem. Res.*, 34(1), 302–307 (1995).
- Schaber, K., "Aerosol formation in absorption processes," *Chem. Eng. Sci.*, 50(8), 1347–1360 (1995).
- Shaikh, A. A.; Jamal A., and Zarook, S. M., "Boundary-value problems in reactive gas absorption," *Chem. Eng. J.*, 57(1), 27–38 (1995).
- Sircar, S., and Golden, T. C., "Isothermal and isobaric desorption of carbon dioxide by purge," *Ind. Eng. Chem. Res.*, 34(8), 2881–2888 (1995).
- Smith, B. R., "Monitoring wet scrubber performance," *Chem. Eng. (N.Y.)*, pp. 96–102 (June 1995).
- Van Ede, C. J.; Van Houten, R., and Beenackers, A. A. C. M., "Enhancement of gas to water mass transfer rates by a dispersed organic phase," *Chem. Eng. Sci.*, 50(18), 2911–2922 (1995).
- Veljkovic, V. B.; Lazic, M. L. and Skala, D. U., "Power consumption and gas holdup in a gas-liquid reciprocating plate column," *Chem. Eng. Commun.*, 134, 17–32 (1995).
- Warmuzinski, K.; Buzek, J., and Podkanski, J., "Marangoni instability during absorption accompanied by chemical reaction," *Chem. Eng. J.*, 58(2), 151–160 (1995).
- Weiland, R. H.; Chakravarty, T., and Mather, A. E., "Solubility of carbon dioxide and hydrogen sulfide in aqueous alkanolamines," *Ind. Eng. Chem. Res.*, 34(9), 3173–3174 (1995).
- Xu, G. W., et al., "Desorption of carbon dioxide from MDEA and activated MDEA solutions," *Ind. Eng. Chem. Res.*, 34(3), 874–880 (1995).

1.6. Cooling Towers

- Barzuza, I., "Minimizing solids buildup in cooling towers," *Chem. Eng. (N.Y.)*, pp. 114–116 (October 1995).
- Bland, C., "Cooling tower conversion from crossflow to counterflow," *Process Eng. (London)*, 76(6), 33 (1995).
- Shallcross D. C., and Low, S. L., "Construction of psychrometric charts for systems other than water vapour in air" (errata), *Chem. Eng. Res. Des.*, 73(7), 865–866 (1995).

1.7. Liquid-Liquid Extraction

- Aderangi, N., and Wasan, D. T., "Coalescence of single drops at a liquid-liquid interface in the presence of surfactants/polymers," *Chem. Eng. Commun.*, 132, 207-222 (1995).
- Alatqi, I., et al., "Mathematical modeling and steady-state analysis of a Scheibel extraction column," *Can. J. Chem. Eng.*, 73(4), 523-533 (1995).
- am Ende, D. J.; Eckert, R. E., and Albright, L. F., "Interfacial area of dispersions of sulfuric acid and hydrocarbons," *Ind. Eng. Chem. Res.*, 34(12), 4343-4350 (1995).
- Anabtawi, M. Z., and Uysal, B. Z., "Extraction of El-Lajjun oil shale," *Sep. Sci. Technol.*, 30(17), 3363-3374 (1995).
- Anidjar, F.; Tambour, Y., and Greenberg, J. B., "Mass exchange between droplets during head-on collisions of multisize sprays," *Int. J. Heat Mass Transfer*, 38(18), 3369-3384 (1995).
- Anwar, M. M.; Arif, A. S., and Pritchard, D. W., "Separation of closely related organic acids and bases by dissociation extraction" (review paper), *Solv. Extr. Ion Exch.*, 13(1), 127-142 (1995).
- Anwar, M. M.; Arif, A. S., and Pritchard, D. W., "Separation of quinoline and iso-quinoline by dissociation extraction," *Solv. Extr. Ion Exch.*, 13(4), 771-780 (1995).
- Asai, S., et al., "Synthesis of hippuric acid with inverse phase transfer catalyst in a heterogeneous liquid-liquid reaction system," *Chem. Eng. Sci.*, 50(6), 943-950 (1995).
- Baird, M. H. I., and Rama Rao, N. V., "Power dissipation and flow patterns in reciprocating baffle-plate columns," *Can. J. Chem. Eng.*, 73(4), 417-425 (1995).
- Bart, H. J., and Mizelli, H., "Cyanamide and dicyandiamide separation," *Sep. Sci. Technol.*, 30(20), 3771-3786 (1995).
- Benedetto, J. S., et al., "Recovery of rare metals with a new organophosphorus extractant," *Sep. Sci. Technol.*, 30(17), 3339-3350 (1995).
- Benguerel, E., et al., "Characterization of extracted complexes in liquid-liquid extraction of rhodium with Kelex 100 in the presence of tin chloride," *J. Chem. Technol. Biotechnol.*, 62(4), 380-384 (1995).
- Berthon, C., and Chachaty, C., "NMR and IR spectrometric studies of monoamide complexes with plutonium(IV) and lanthanide(III) nitrates," *Solv. Extr. Ion Exch.*, 13(5), 781-812 (1995).
- Bhide, A. A., et al., "Affinity partitioning of enzymes using unbound triazine dyes in PEG/phosphate system," *Sep. Sci. Technol.*, 30(15), 2989-3000 (1995).
- Bogdan, S.; Gosak, D., and Vasic-Racki, D., "Mathematical modelling of liquid-liquid equilibria in aqueous polymer solution containing neutral proteinase and oxytetracycline using artificial neural network," *Comput. Chem. Eng.*, 19(supplement), S791-S796 (1995).
- Brewer, K. N., et al., "Mercury extraction by the TRUEX process solvent: Selective partitioning of mercury from co-extracted actinides in a simulated acidic ICPP waste stream," *Solv. Extr. Ion Exch.*, 13(3), 447-464 (1995).
- Chaiko, D. J.; Vojta, Y., and Takeuchi, M., "Extraction of technetium from simulated Hanford tank wastes," *Sep. Sci. Technol.*, 30(7), 1123-1138 (1995).
- Chang, Q. L., and Chen, J. Y., "Effect of the type of cosolvent on the extraction process for separation and purification of two enzymes from *Bacillus subtilis* using Aliquat-336 reversed micelles," *Sep. Sci. Technol.*, 30(13), 2679-2694 (1995).
- Chatzi, E. G., and Kiparissides, C., "Steady-state drop-size distributions in high holdup fraction dispersion systems," *AIChE J.*, 41(7), 1640-1652 (1995).
- Chiarizia, R.; Gastrone, R. C., and Horwitz, E. P., "Am(III) and Eu(III) extraction by Ali-

- quat-336 and benzyl substituted quaternary ammonium salts from nitrate and thiocyanate solutions," *Solv. Extr. Ion Exch.*, **13**(4), 615-646 (1995).
- Chitra, K. R., et al. "Studies on kinetics of forward and backward extraction of neodymium by using phosphoric acid monoester as an acidic extractant," *Chem. Eng. J.*, **60**(1), 63-74 (1995).
- Cote, B., and Demopoulos, G. P., "New 8-hydroxyquinoline derivative extractants for platinum group metals separation: Kinetics of Pd(II) extraction and stripping," *Solv. Extr. Ion Exch.*, **13**(1), 83-108 (1995).
- Deligoz, H., and Yilmaz, M., "Liquid-liquid extraction of transition metal cations by calixarene-based cyclic ligands," *Solv. Extr. Ion Exch.*, **13**(1), 19-26 (1995).
- Dietz, M. L.; Horwitz, E. P., and Rogers, R. D., "Extraction of strontium from acidic nitrate media using a modified PUREX solvent," *Solv. Extr. Ion Exch.*, **13**(1), 1-18 (1995).
- du Preez, J. G. H., et al., "Secondary effects associated with the functioning of bulky substituted ammonium cations: Revised interpretations," *Solv. Extr. Ion Exch.*, **13**(2), 189-214 (1995).
- Dukov, I. L., and Jordanov, V. M., "Influence of the amine salt anion on the synergic solvent extraction of praseodymium with mixtures of chelating extractants and tridodecylamine," *Solv. Extr. Ion Exch.*, **13**(6), 997-1008 (1995).
- Dziwinski, E., et al., "Composition and interfacial activity of hydrophobic sulphide-type extractants," *J. Chem. Technol. Biotechnol.*, **62**(2), 185-191 (1995).
- Eiteman, M. A., "The pH difference in poly(ethylene glycol)/citrate aqueous two-phase systems and the influence of sodium chloride," *Sep. Sci. Technol.*, **30**(12), 2509-2518 (1995).
- Eyal, A. M., and Canari, R., "pH dependence of carboxylic and mineral acid extraction by amine-based extractants: Effects of pK_a , amine basicity, and diluent properties," *Ind. Eng. Chem. Res.*, **34**(5), 1789-1798 (1995).
- Gao, J., and Choppin, G. R., "Solvent extraction behavior of trivalent Nd, Eu, Ho, and Yb with dibenzoylmethane at 80°C," *Solv. Extr. Ion Exch.*, **13**(3), 495-502 (1995).
- Gardner, G., "How neural networks will lead to better control and simulation of extraction columns," *Chem. Eng. (Rugby, Engl.)*, **6**, 11 (April 1995).
- Gaudin, J. S., and Shinde, V. M., "Liquid-liquid extraction of vanadium(V) and niobium(V) with tris(2-ethylhexyl) phosphate: Mutual separation of vanadium(V), niobium(V), and tantalum(V), and analysis of steel samples," *Sep. Sci. Technol.*, **30**(12), 2573-2584 (1995).
- Goldsmith, P., "Solvent treatment process for nuclear waste," *Process Eng. (London)*, **76**(12), 33 (1995).
- Hadjiev, D., and Aurelle, Y., "Phase inversion: A method for separation of fine liquid-liquid dispersions," *Chem. Eng. J.*, **58**(1), 45-52 (1995).
- Hairston, D., "New industrial solvents," *Chem. Eng. (N.Y.)*, pp. 57-60 (June 1995).
- Hankins, M. G.; Bartsch, R. A., and Olsher, U., "Anion effect on selectivity in solvent extraction of alkali metal salts by crown ethers," *Solv. Extr. Ion Exch.*, **13**(6), 983-996 (1995).
- Hano, T., et al., "Separation of di- and tripeptides with solvent extraction and an emulsion liquid membrane," *J. Chem. Technol. Biotechnol.*, **62**(1), 60-63 (1995).
- Herbst, R. S., et al., "Mercury extraction by the TRUEX process solvent: Kinetics, extractable species, and dependence on nitric acid concentration," *Solv. Extr. Ion Exch.*, **13**(3), 431-446 (1995).
- Hidaka, N.; Matsumoto, T., and Morooka, S., "Model analysis for enhancement of enzyme-

- catalyzed alcohol oxidation by solvent extraction of product," *Ind. Eng. Chem. Res.*, **34**(7), 2272–2278 (1995).
- Hirai, T., and Komasaawa, I., "Separation of Eu from Sm/Eu/Gd mixture by photoreductive stripping in solvent extraction process," *Ind. Eng. Chem. Res.*, **34**(1), 237–243 (1995).
- Hu, Z., et al., "Purification of organophosphorus acid extractants," *Solv. Extr. Ion Exch.*, **13**(5), 965–976 (1995).
- Ikeda, H., and Suzuki, A., "Wettability effects of plate materials on hydrodynamics in a pulsed perforated-plate extraction column of pulser feeder type," *Ind. Eng. Chem. Res.*, **34**(11), 4110–4117 (1995).
- Imura, H.; Oshiro, A., and Shiga, R., "Extraction and spectroscopic studies of hydrogen bonding complexes of tris(acetylacetonato)-aluminum(III) with 3,5-dichlorophenol for a novel synergism," *Solv. Extr. Ion Exch.*, **13**(6), 1009–1024 (1995).
- Ingham, J.; Slater, M. J., and Retamales, J., "Single phase axial mixing studies in pulsed sieve plate liquid-liquid extraction columns," *Chem. Eng. Res. Des.*, **73**(5), 492–496 (1995).
- Inoue, S., "Solvent extraction of lanthanides with *N*-*m*-nitrobenzoyl- and *N*-*m*-cyanobenzoyl-*N*-phenylhydroxylamine," *Solv. Extr. Ion Exch.*, **13**(2), 313–322 (1995).
- Ju, L. K., and Verma, A., "Extraction of anions with tertiary amine from aqueous solutions of mixed acid and salt," *Ind. Eng. Chem. Res.*, **34**(12), 4479–4485 (1995).
- Juang, R. S., and Jiang, J. D., "Lead(II) extraction from nitrate solutions with di(2-ethylhexyl)phosphoric acid," *Solv. Extr. Ion Exch.*, **13**(2), 229–242 (1995).
- Kahraman, F., "Effect of sodium, calcium, magnesium, and chloride ions on the solvent extraction of boron from aqueous solutions," *Solv. Extr. Ion Exch.*, **13**(2), 323–332 (1995).
- Kahraman, F., "Investigation of solvent losses in the solvent extraction of boron," *Solv. Extr. Ion Exch.*, **13**(6), 1025–1036 (1995).
- Kim, K. W., et al., "Removal of residual uranium in simulated radwaste solution by TBP extraction," *Sep. Sci. Technol.*, **30**(17), 3351–3362 (1995).
- Kitatsuji, Y., et al., "Synergistic ion-pair extraction of lanthanide(III) with thenoyltrifluoroacetone and crown ether into 1,2-dichloroethane," *Solv. Extr. Ion Exch.*, **13**(2), 289–300 (1995).
- Kumar, A., and Hartland, S., "A unified correlation for the prediction of dispersed-phase hold-up in liquid-liquid extraction columns," *Ind. Eng. Chem. Res.*, **34**(11), 3925–3940 (1995).
- Lamb, J. D., and Peterson, R. T., "Coalescence extraction: A novel, rapid means of performing solvent extractions," *Sep. Sci. Technol.*, **30**(17), 3237–3244 (1995).
- Latto, B., et al., "Multistage countercurrent extractor using vortex rings," *Chem. Eng. Res. Des.*, **73**(1), 45–48 (1995).
- Lazarova, Z., "Study on the kinetics of copper/LIX54 system using a rotating diffusion cell," *Solv. Extr. Ion Exch.*, **13**(3), 525–540 (1995).
- Lee, M. L., and Lien, P. J., "Phase behavior of separating *m*-cresol/*p*-cresol mixtures with ethylenediamine," *Sep. Sci. Technol.*, **30**(19), 3697–3714 (1995).
- Leonard, R. A., "Solvent characterization using the dispersion number," *Sep. Sci. Technol.*, **30**(7), 1103–1122 (1995).
- Lin, F. Y. H., and Li, D., "The effect of surface heterogeneity on the drop size dependence of contact angles," *Chem. Eng. Sci.*, **50**(16), 2633–2640 (1995).
- Liu, J., et al., "Three-phase extraction of Chinese rapeseed using the Karr column," *J. Food Eng.*, **24**(1), 35–46 (1995).
- Luque, S., et al., "Recovery of valeric acid from aqueous solutions by solvent extraction," *Solv. Extr. Ion Exch.*, **13**(5), 923–940 (1995).

- Mathur, A. M., and Scranton, A. B., "Synthesis and ion-binding properties of polymeric pseudocrown ethers: A molecular dynamics study," *Sep. Sci. Technol.*, 30(7), 1071–1086 (1995).
- Mickler, W.; Reich, A., and Uhlemann, E., "Extraction of zinc with long-chain beta-diketones and 4-acyl-5-pyrazolones," *Sep. Sci. Technol.*, 30(12), 2585–2592 (1995).
- Milanova, M., et al., "The possibility for separation of lanthanum by solid-state complexes with 2-ethylhexyl phosphoric acids," *Sep. Sci. Technol.*, 30(5), 821–832 (1995).
- Miller, R. L., et al., "Extraction of cesium and strontium into hydrocarbon solvents using tetra-C-alkyl cobalt dicarbollide," *Solv. Extr. Ion Exch.*, 13(5), 813–828 (1995).
- Mokili, B., and Poitrenaud, C., "Modelling of nitric acid and water extraction from aqueous solutions containing a salting-out agent by tri-*n*-butylphosphate," *Solv. Extr. Ion Exch.*, 13(4), 731–754 (1995).
- Moyer, B. A., et al., "Comprehensive equilibrium analysis of the complexation of Cu(II) by tetrathia-14-crown-4 in a synergistic extraction system employing didodecyl-naphthalene sulfonic acid," *Sep. Sci. Technol.*, 30(7), 1047–1070 (1995).
- Nakamura, T., and Miyake, C., "Extraction of lanthanide(III) and uranyl(VI) from nitric acid solution by *N,N'*-dimethyl-*N,N'*-dibutylmalonamide," *Solv. Extr. Ion Exch.*, 13(2), 253–274 (1995).
- Nikolov, A. D., and Wasan, D. T., "Effects of surfactant on multiple stepwise coalescence of single drops at liquid/liquid interfaces," *Ind. Eng. Chem. Res.*, 34(10), 3653–3661 (1995).
- Nunez, L., and Vandegriff, G. F., "Thermodynamic modeling of the extraction of cadmium nitrate by the TRUEX-NPH solvent," *Sep. Sci. Technol.*, 30(18), 3455–3470 (1995).
- Odashima, T., et al., "Solvent extraction of some tervalent lanthanoids with 4-acyl-3-phenyl-5-isoxazolones," *Solv. Extr. Ion Exch.*, 13(5), 845–854 (1995).
- Pacek, A. W., and Nienow, A. W., "Measurement of drop size distribution in concentrated liquid-liquid dispersions: Video and capillary techniques," *Chem. Eng. Res. Des.*, 73(5), 512–518 (1995).
- Pertler, M., et al., "Mass transfer across liquid-phase boundaries," *Chem. Eng. Process.*, 34(3), 269–278 (1995).
- Preston, J. S., and du Preez, A. C., "Solvent extraction of neodymium(III) and erbium(III) from chloride media by mixtures of 3,5-diisopropylsalicylic acid and neutral organophosphorus compounds," *Solv. Extr. Ion Exch.*, 13(1), 27–42 (1995).
- Preston, J. S., and du Preez, A. C., "Solvent extraction of uranium(VI) and thorium(IV) from nitrate media by carboxylic acid amides," *Solv. Extr. Ion Exch.*, 13(3), 391–414 (1995).
- Preston, J. S., and du Preez, A. C., "Synergistic effects in solvent-extraction systems based on alkylsalicylic acids: Extraction of trivalent rare-earth metals in the presence of aliphatic amides," *Solv. Extr. Ion Exch.*, 13(4), 647–664 (1995).
- Preston, J. S., and du Preez, A. C., "The solvent extraction of nickel and cobalt by mixtures of carboxylic acids and pyridinecarboxylate esters," *Solv. Extr. Ion Exch.*, 13(3), 465–494 (1995).
- Prochaska, K., et al., "Rate of copper extraction and interfacial activity of model beta-diketones," *Solv. Extr. Ion Exch.*, 13(2), 215–228 (1995).
- Ramanujam, A., et al., "Extraction chromatographic separation of promethium from high active waste solutions of Purex origin," *Solv. Extr. Ion Exch.*, 13(2), 301–312 (1995).
- Reisinger, H., and King, C. J., "Extraction and sorption of acetic acid at pH above pK_a to form calcium magnesium acetate," *Ind. Eng. Chem. Res.*, 34(3), 845–852 (1995).
- Ribeiro, L. M., et al., "The dynamic behaviour of liquid-liquid agitated dispersions: The hydrodynamics," *Comput. Chem. Eng.*, 19(3), 333–344 (1995).

- Richmond, W.; Rubini, P., and Tondre, C., "NMR investigation of the solubilization of a hydrophobic extractant in a CTAB/butanol micellar system," *Solv. Extr. Ion Exch.*, 13(3), 541–560 (1995).
- Rincon-Rubio, L. M.; A. Kumar, and Hartland, S., "Continuous-phase axial dispersion in a Wirz extraction column," *Chem. Eng. Res. Des.*, 73(1), 33–39 (1995).
- Rodriguez de San Miguel, E., et al., "Solvent extraction of In(III) from concentrated HCl media with Adogen 364," *Solv. Extr. Ion Exch.*, 13(1), 109–126 (1995).
- Rogers, R. D., et al., "Partitioning behavior of Tc(99) and I(129) from simulated Hanford tank wastes using polyethylene-glycol based aqueous biphasic systems," *Solv. Extr. Ion Exch.*, 13(4), 689–714 (1995).
- Rogers, R. D., et al., "Selective and quantitative partitioning of pertechnetate in polyethylene-glycol based aqueous biphasic systems," *Solv. Extr. Ion Exch.*, 13(4), 665–688 (1995).
- Rogers, R. D.; Bauer, C. B., and Bond, A. H., "Novel polyethylene glycol-based aqueous biphasic systems for the extraction of strontium and cesium," *Sep. Sci. Technol.*, 30(7), 1203–1218 (1995).
- Sachleben, R. A.; Moyer, B. A., and Driver, J. L., "Extraction of alkali metal cations by lipophilic dibenzo-14-crown-4-carboxylic acids," *Sep. Sci. Technol.*, 30(7), 1157–1168 (1995).
- Seibert, A. F., and Humphrey, J. L., "Structured packings in liquid-liquid extraction," *Sep. Sci. Technol.*, 30(7), 1139–1156 (1995).
- Sella, C., et al., "Diphasic acido-basic properties of di(octylphenyl) phosphoric acid (DOPPA)," *Solv. Extr. Ion Exch.*, 13(4), 715–730 (1995).
- Simonin, J. P., "The kinetics of acetic acid extraction studied with the rotating stabilized cell technique: Application of the barrier model," *Solv. Extr. Ion Exch.*, 13(5), 941–964 (1995).
- Singh, K. P., "Effect of miscibility-to-extraction temperature ratio on selectivity, refining power and overall processing solvent index in solvent extraction," *Chem. Eng. J.*, 60(1), 169–172 (1995).
- Slater, M. J., "A combined model of mass transfer coefficients for contaminated drop liquid-liquid systems," *Can. J. Chem. Eng.*, 73(4), 462–469 (1995).
- Soedarsono, J., et al., "Liquid-liquid extraction properties of 25,27-dicarboxy-26,28-dimethoxy-5,11,17,23-tetra-*tert*-butylcalix[4]arene towards the alkali ions," *Solv. Extr. Ion Exch.*, 13(4), 755–770 (1995).
- Steiner, L.; Bertschmann, H., and Hartland, S., "A model for simulation of hydrodynamics and mass transfer in extraction columns filled with a regular packing," *Chem. Eng. Res. Des.*, 73(5), 542–550 (1995).
- Su, Q.; Wu, Z., and Gao, C., "Solvent extraction of terbium(III,IV) periodate complexes with quaternary amine," *Solv. Extr. Ion Exch.*, 13(2), 275–288 (1995).
- Sun, Y., and Moyer, B. A., "Phase volume changes accompanying water extraction from aqueous electrolyte solutions by 1-octanol," *Solv. Extr. Ion Exch.*, 13(2), 243–252 (1995).
- Suresh, A., et al., "Studies on U-Th separation using tri-*sec*-butyl phosphate," *Solv. Extr. Ion Exch.*, 13(3), 415–430 (1995).
- Tahraoui, A., and Morris, J. H., "Decomposition of solvent extraction media during nuclear reprocessing: Literature review," *Sep. Sci. Technol.*, 30(13), 2603–2630 (1995).
- Takeuchi, M., et al., "Coextraction behavior of Tc(VII) and U(VI) by CMPO," *Solv. Extr. Ion Exch.*, 13(1), 43–58 (1995).
- Tsouris, C., and Talarides, L. L., "Breakage and coalescence models for drops in turbulent dispersions" (correction), *AIChE J.*, 41(8), 1851 (1995).

- Tsouris, C.; Norato, M. A., and Tavlirides, L. L., "A pulse-echo ultrasonic probe for local volume fraction measurements in liquid-liquid dispersions," *Ind. Eng. Chem. Res.*, **34**(9), 3154–3158 (1995).
- Uchiyama, G., et al., "Behavior of tritium in the PUREX process," *Solv. Extr. Ion Exch.*, **13**(1), 59–82 (1995).
- Ullmann, A.; Ludmer, Z., and Shinnar, R., "Phase transition extraction using solvent mixtures with critical point of miscibility," *AIChE J.*, **41**(3), 488–500 (1995).
- Vanni, M., and Baldi, G., "The role of interfacial phenomena in a liquid-liquid reaction system: Extraction of propanoic acid by trioctylamine," *Chem. Eng. Commun.*, **137**, 53–68 (1995).
- Wang, C., and Li, D., "Solvent extraction of Sc(III), Zr(IV), Th(IV), Fe(III), and Lu(III) with thiosubstituted organophosphinic acid extractants," *Solv. Extr. Ion Exch.*, **13**(3), 503–524 (1995).
- Wang, M. L.; Lin, Y. I., and Liu, B. L., "Extraction equilibrium of pyrocatechol by sulfuric acid salts of trioctylamine," *Ind. Eng. Chem. Res.*, **34**(4), 1302–1309 (1995).
- Weiss, J.; Steiner, L., and Hartland, S., "Determination of actual drop velocities in agitated extraction columns," *Chem. Eng. Sci.*, **50**(2), 255–262 (1995).
- Wisniewski, M.; Jakubiak, A., and Szymanowski, J., "Interfacial activity and rate of palladium(II) extraction with decyl pyridine monocarboxylates," *J. Chem. Technol. Biotechnol.*, **63**(3), 209–214 (1995).
- Wood, D. J.; Tranter, T. J., and Todd, T. A., "Effect of the interference of alkali and alkaline earth metal ions on the extraction of ^{90}Sr from acidic nuclear waste solutions by 18-crown-6 derivatives," *Solv. Extr. Ion Exch.*, **13**(5), 829–844 (1995).
- Yoshizawa, H., et al., "Stripping rate of propionic acid from styrene-divinylbenzene copolymeric microcapsules with tri-*N*-octyl amine as core material," *Solv. Extr. Ion Exch.*, **13**(2), 333–352 (1995).
- Zhang, P.; Inoue, K., and Tsuyama, H., "Recovery of metal values from spent hydrosulfurization catalysts by liquid-liquid extraction," *Energy Fuels*, **9**(2), 231–239 (1995).
- Zimmermann, A., et al., "Maxwell-Stefan approach in extractor design," *Chem. Eng. J.*, **57**(2), 229–236 (1995).
- Zuo, G., and Muhammed, M., "Extraction of mercury(II) by thiourea-based reagents," *Solv. Extr. Ion Exch.*, **13**(5), 855–878 (1995).
- Zuo, G., and Muhammed, M., "Extraction of noble metals by sulfur-containing reagents and solvent impregnated resins," *Solv. Extr. Ion Exch.*, **13**(5), 879–900 (1995).

1.8. Supercritical Extraction

- Birtigh, A., et al., "Regeneration methods for caffeine-loaded carbon dioxide," *Sep. Sci. Technol.*, **30**(17), 3265–3286 (1995).
- Caruana, C. M., "Supercritical water oxidation aims for wastewater cleanup," *Chem. Eng. Prog.*, **91**(4), 10–18 (1995).
- Champagne, A. T., and Bienkowski, P. R., "The supercritical fluid extraction of anthracene and pyrene from a model soil: An equilibrium study," *Sep. Sci. Technol.*, **30**(7), 1289–1308 (1995).
- Chang, C. J., and Huang, I., "Separation of phenolic pollutants from dilute solutions using supercritical carbon dioxide and nitrous oxide," *Sep. Sci. Technol.*, **30**(5), 683–696 (1995).
- Chen, P. C.; Tang, M., and Chen, Y. P., "Calculations of the solubilities of solids in supercritical fluids using the Peng-Robinson equation of state and modified mixing model," *Ind. Eng. Chem. Res.*, **34**(1), 332–339 (1995).

- Chouchi, D.; Barth, D., and Porta, G. D., "Supercritical carbon dioxide desorption of Bergamot peel oil," *Ind. Eng. Chem. Res.*, **34**(12), 4508–4513 (1995).
- Ferrieri, R. A., and Wolf, A. P., "Mass separation due to the rapid expansion of supercritical carbon dioxide fluid across a radial thermal gradient," *Sep. Sci. Technol.*, **30**(17), 3245–3252 (1995).
- Ganapathy, S.; O'Brien, J. A., and Randolph, T. W., "Effect of solute-solute correlations on rapid reactions in supercritical fluids," *AIChE J.*, **41**(2), 346–356 (1995).
- Gloyna, E. F., and Li, L., "Supercritical water oxidation research and development update," *Environ. Prog.*, **14**(3), 182–192 (1995).
- Goel, S. K., and Beckman, E. J., "Nucleation and growth in microcellular materials: Supercritical carbon dioxide as foaming agent," *AIChE J.*, **41**(2), 357–367 (1995).
- Goemans, M. G. E.; Li, L., and Gloyna, E. F., "Separation of inorganic salts from supercritical water by cross-flow microfiltration," *Sep. Sci. Technol.*, **30**(7), 1491–1510 (1995).
- Gonenc, Z. S.; Akman, U., and Sunol, A. K., "Solubility/retention relationships in supercritical-fluid chromatography," *Can. J. Chem. Eng.*, **73**(2), 267–271 (1995).
- Holgate, H. R.; Meyer, J. C., and Tester, J. W., "Glucose hydrolysis and oxidation in supercritical water," *AIChE J.*, **41**(3), 637–648 (1995).
- Hwang, J., et al., "Phase behavior of carbon dioxide/crude oil mixtures in supercritical fluid extraction system: Experimental data and modeling," *Ind. Eng. Chem. Res.*, **34**(4), 1280–1286 (1995).
- Jiang, H. D.; Kam, V., and Ostrach, S., "Transport phenomena in supercritical fluid extraction," *Chem. Eng. Commun.*, **132**, 35–50 (1995).
- Lang, X.; Akgerman, A., and Bukur, D. B., "Steady state Fischer-Tropsch synthesis in supercritical propane," *Ind. Eng. Chem. Res.*, **34**(1), 72–77 (1995).
- Lee, C. H., and Holder, G. D., "Use of supercritical fluid chromatography for obtaining mass transfer coefficients in fluid-solid systems at supercritical conditions," *Ind. Eng. Chem. Res.*, **34**(3), 906–914 (1995).
- MacNaughton, S. J., and Foster, N. R., "Supercritical adsorption and desorption behavior of DDT on activated carbon using carbon dioxide," *Ind. Eng. Chem. Res.*, **34**(1), 275–282 (1995).
- Martino, C. J.; Savage, P. E., and Kasiborski, J., "Kinetics and products from *o*-cresol oxidation in supercritical water," *Ind. Eng. Chem. Res.*, **34**(6), 1941–1951 (1995).
- Mendes, R. L., et al., "Applications of supercritical carbon dioxide extraction to microalgae and plants," *J. Chem. Technol. Biotechnol.*, **62**(1), 53–59 (1995).
- Meyer, J. C.; Marrone, P. A., and Tester, J. W., "Acetic acid oxidation and hydrolysis in supercritical water," *AIChE J.*, **41**(9), 2108–2121 (1995).
- Ogunsola, O. M., and Berkowitz, N., "Removal of heterocyclic S and N from oil precursors by supercritical water," *Fuel*, **74**(10), 1485–1490 (1995).
- Ottewell, S., "Supercritical fluids for process separations," *Chem. Eng. (Rugby, Engl.)*, **9**, 13–14 (February 1995).
- Pekic, B., et al., "Behavior of (–)- α -bisabolol and (–)- α -bisaboloxides A and B in camomile flower extraction with supercritical carbon dioxide," *Sep. Sci. Technol.*, **30**(18), 3567–3576 (1995).
- Roberts, C. B.; Brennecke, J. F., and Chateaufneuf, J. E., "Solvation effects on reactions of triplet benzophenone in supercritical fluids," *AIChE J.*, **41**(5), 1306–1318 (1995).
- Sakanishi, K.; Mochida, I., and Sakaki, T., "Removal and recovery of quinoline bases from methylnaphthalene oil in semicontinuous supercritical carbon dioxide separation apparatus with fixed bed of supported aluminum sulfate," *Ind. Eng. Chem. Res.*, **34**(11), 4118–4121 (1995).

- Sato, M.; Goto, M., and Hirose, T., "Fractional extraction with supercritical carbon dioxide for the removal of terpenes from citrus oil," *Ind. Eng. Chem. Res.*, **34**(11), 3941–3946 (1995).
- Savage, P. E., et al., "Reactions at supercritical conditions: Applications and fundamentals," *AIChE J.*, **41**(7), 1723–1778 (1995).
- Simoes, P. C.; Matos, H. A., and da Ponte, M. N., "Mass transfer in countercurrent packed columns: Application to supercritical carbon dioxide extraction of terpenes," *Ind. Eng. Chem. Res.*, **34**(2), 613–618 (1995).
- Subramanian, R.; Pyada, H., and Lira, C. T., "An engineering model for adsorption of gases onto flat surfaces and clustering in supercritical fluids," *Ind. Eng. Chem. Res.*, **34**(11), 3830–3837 (1995).
- Tai, C. Y., and Cheng, C. S., "Growth of naphthalene crystals from supercritical carbon dioxide solution," *AIChE J.*, **41**(10), 2227–2236 (1995).
- Tomasko, D. L., et al., "Removal of pollutants from solid matrices using supercritical fluids," *Sep. Sci. Technol.*, **30**(7), 1901–1916 (1995).
- Yanik, J., et al., "Characterization of the oil fractions of shale oil obtained by pyrolysis and supercritical water extraction," *Fuel*, **74**(1), 46–50 (1995).
- Yu, E.; Richter, M., and Tavlarides, L. L., "Solubilities of polychlorinated biphenyls in supercritical carbon dioxide," *Ind. Eng. Chem. Res.*, **34**(1), 340–346 (1995).
- Zhou, L., and Akgerman, A., "Catalytic oxidation of ethanol and acetaldehyde in supercritical carbon dioxide," *Ind. Eng. Chem. Res.*, **34**(5), 1588–1595 (1995).
- Zhou, L.; Erkey, C., and Akgerman, A., "Catalytic oxidation of toluene and tetralin in supercritical carbon dioxide," *AIChE J.*, **41**(9), 2122–2130 (1995).

REFERENCES

1. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1994)," *Sep. Sci. Technol.*, **30**(20), 3723–3745 (1995).
2. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1992–1993)," *Ibid.*, **29**(17), 2359–2385 (1994).
3. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography (1991)," *Ibid.*, **28**(6), 1361–1378 (1993).
4. M. S. Ray, "Distillation (1980–1990): A Bibliography," *Ibid.*, **27**(1), 105–128 (1992).
5. M. S. Ray, "Supercritical Extraction: A Bibliographic Guide (1980–1993)," *Ibid.*, **29**(16), 2203–2213 (1994).
6. M. S. Ray, *Chemical Engineering Bibliography (1967–1988)*, Noyes Publications, New Jersey, USA, 1990.
7. *Engineering and Applied Science Database* [on CD-ROM (including CHERUB chemical engineering database)], published by Royal Melbourne Institute of Technology, Australia. Full details available from the author.

Received by editor April 24, 1996