

This article was downloaded by:

On: 25 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



## Separation Science and Technology

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713708471>

## Equilibrium-Staged Separations: A Bibliography Update(1998)

Martyn S. Ray<sup>a</sup>

<sup>a</sup> SCHOOL OF CHEMICAL ENGINEERING, CURTIN UNIVERSITY OF TECHNOLOGY, PERTH, WESTERN AUSTRALIA

Online publication date: 12 June 1999

**To cite this Article** Ray, Martyn S.(1999) 'Equilibrium-Staged Separations: A Bibliography Update(1998)', Separation Science and Technology, 34: 16, 3305 – 3321

**To link to this Article:** DOI: 10.1081/SS-100100838

**URL:** <http://dx.doi.org/10.1081/SS-100100838>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

## BIBLIOGRAPHY

# Equilibrium-Staged Separations: A Bibliography Update (1998)

---

MARTYN S. RAY

SCHOOL OF CHEMICAL ENGINEERING  
CURTIN UNIVERSITY OF TECHNOLOGY  
GPO BOX U1987, PERTH 6845, WESTERN AUSTRALIA

## ABSTRACT

This article continues a series of annual bibliographic updates of the published literature (since 1980) on distillation and other equilibrium-staged separation processes (1–7). This paper provides a useful and quick reference source to the 1998 journal literature (from the 50 most important chemical engineering journals) for researchers in this area. The following topics are included:

Distillation Theory and Design Methods  
Distillation Control and Applications  
Column Design Data  
Absorption Reactions and Absorber Design  
Cooling Towers  
Liquid–Liquid Extraction  
Supercritical Extraction

A complete bibliographic listing of the chemical engineering journal literature from 1959 to 1998 (with subsequent 6 monthly updates) is available on a CD-ROM database (8), and full details can be obtained from the author.

## Distillation Theory and Design Methods

- Abu Al-Rub, F. A.; Akili, J., and Datta, R., “Distillation of binary mixtures with capillary porous plates,” *Sep. Sci. Technol.*, 33(10), 1529–1550 (1998).
- Agrawal, R., and Fidkowski, Z. T., “Improved direct and indirect systems of columns for ternary distillation,” *AIChE J.*, 44(4), 823–830 (1998).
- Agrawal, R., and Fidkowski, Z. T., “Are thermally coupled distillation columns always thermodynamically more efficient for ternary distillations?” *Ind. Eng. Chem. Res.*, 37(8), 3444–3454 (1998).

- Agrawal, R., and Fidkowski, Z. T., "Ternary distillation schemes with partial reboiler or partial condenser," *Ind. Eng. Chem. Res.*, 37(8), 3455–3462 (1998).
- Agrawal, R., and Herron, D. M., "Efficient use of an intermediate reboiler or condenser in a binary distillation," *AIChE J.*, 44(6), 1303–1315 (1998).
- Agrawal, R., and Herron, D. M., "Intermediate reboiler and condenser arrangement for binary distillation columns," *AIChE J.*, 44(6), 1316–1324 (1998).
- Ahmad, B. S.; Zhang, Y., and Barton, P. I., "Product sequences in azeotropic batch distillation," *AIChE J.*, 44(5), 1051–1070 (1998).
- Bagajewicz, M. J., "On the design flexibility of atmospheric crude fractionation units," *Chem. Eng. Commun.*, 166, 111–136 (1998).
- Barolo, M., "Batch distillation optimization made easy," *Chem. Eng. Educ.*, 32(4), 280–285 (1998).
- Barolo, M., "Calculation of parametric sensitivity in binary batch distillation," *Chem. Eng. Sci.*, 53(10), 1819–1834 (1998).
- Barolo, M.; Guarise, G. B., and Rienzi, S. A., "Understanding the dynamics of a batch distillation column with a middle vessel," *Comput. Chem. Eng.*, 22(Supp.), S37–S44 (1998).
- Bauer, M. H., and Stichlmair, J., "Design and economic optimization of azeotropic distillation: Processes using mixed-integer nonlinear programming," *Comput. Chem. Eng.*, 22(9), 1271–1286 (1998).
- Bausa, J.; Watzdorf, R. V., and Marquardt, W., "Shortcut methods for nonideal multicomponent distillation: Simple columns," *AIChE J.*, 44(10), 2181–2198 (1998).
- Bollyn, M. P., and Wright, A. R., "Development of a process model for a batch reactive distillation: A case study," *Comput. Chem. Eng.*, 22(Supp.), S87–S94 (1998).
- Castillo, F. J. L., and Towler, G. P., "Influence of multicomponent mass transfer on homogeneous azeotropic distillation," *Chem. Eng. Sci.*, 53(5), 963–976 (1998).
- Castillo, F. J. L.; Thong, D. Y. C., and Towler, G. P., "Homogeneous azeotropic distillation: Design procedure for single-feed columns at nontotal reflux," *Ind. Eng. Chem. Res.*, 37(3), 987–997 (1998).
- Castillo, F. J. L.; Thong, D. Y. C., and Towler, G. P., "Homogeneous azeotropic distillation: Design procedure for sequences of columns," *Ind. Eng. Chem. Res.*, 37(3), 998–1008 (1998).
- Chang, B.; Lee, S., and Kwon, H., "Rigorous industrial dynamic simulation of a crude distillation unit considering valve tray rating parameters," *Comput. Chem. Eng.*, 22(Supp.), S863–S866 (1998).
- Fair, J. R., "Design aspects for reactive distillation," *Chem. Eng. (N.Y.)*, October, 158–162 (1998).
- Fasesan, S. O.; Sanni, S. A., and Taiwo, E. A., "Effects of system densities on distillation column performance," *Sep. Sci. Technol.*, 33(9), 1345–1358 (1998).
- Fonyo, Z., and Benko, N., "Comparison of various heat pump assisted distillation configurations," *Chem. Eng. Res. Des.*, 76(3), 348–360 (1998).
- Giessler, S.; Danilov, R. Y., and Pisarenko, R. Y., "Feasibility study of reactive distillation using the analysis of the statics," *Ind. Eng. Chem. Res.*, 37(11), 4375–4382 (1998).
- Gmehling, J., and Mollmann, C., "Synthesis of distillation processes using thermodynamic models and the Dortmund data bank," *Ind. Eng. Chem. Res.*, 37(8), 3112–3123 (1998).
- Hauan, S., and Lien, K. M., "A phenomena based design approach to reactive distillation," *Chem. Eng. Res. Des.*, 76(3), 396–407 (1998).
- Hogan, P. A.; Canning, R. P., and Peterson, P. A., "A new option: Osmotic distillation," *Chem. Eng. Prog.*, 94(7), 49–61 (1998).
- Huang, C.; Podrebarac, G. G.; Ng, F. T. T., and Rempel, G., "A study of mass transfer behavior in a catalytic distillation column," *Can. J. Chem. Eng.*, 76(2), 323–330 (1998).
- Karacan, S., "The steady-state and dynamic analysis of packed distillation column based on partial differential approach," *Chem. Eng. Process.*, 37(5), 379–388 (1998).
- Lacks, D. J., "Teaching packed-column design from a plate-column perspective," *Chem. Eng. Educ.*, 32(4), 302–305 (1998).



- Lee, F. M., "Extractive distillation: Separating close-boiling-point components," *Chem. Eng. (N.Y.)*, November, 112–121 (1998).
- Lelkes, Z.; Lang, P., and Benadda, B., "Feasibility of extractive distillation in a batch rectifier," *AIChE J.*, 44(4), 810–822 (1998).
- Lelkes, Z.; Lang, P., and Moszkowicz, P., "Batch extractive distillation: The process and the operational policies," *Chem. Eng. Sci.*, 53(7), 1331–1348 (1998).
- Lelkes, Z.; Lang, P., and Otterbein, M., "Feasibility and sequencing studies for homoazeotropic distillation in a batch rectifier with continuous entrainer feeding," *Comput. Chem. Eng.*, 22(Supp.), S653–S658 (1998).
- Maier, R. W.; Brennecke, J. F., and Stadtherr, M. A., "Reliable computation of homogeneous azeotropes," *AIChE J.*, 44(8), 1745–1755 (1998).
- Mehlhorn, A.; Nougues, J. M., and Puigjaner, L., "Using rate-based approach under consideration of different contacting regimes for multicomponent batch distillation simulation," *Comput. Chem. Eng.*, 22(Supp.), S645–S648 (1998).
- Mehta, B.; Chuang, K., and Nandakumar, K., "Model for liquid-phase flow on sieve trays," *Chem. Eng. Res. Des.*, 76(7), 843–848 (1998).
- Mujtaba, I. M., and Macchietto, S., "Holdup issues in batch distillation: Binary mixtures," *Chem. Eng. Sci.*, 53(14), 2519–2530 (1998).
- Neri, B.; Mazzotti, M.; Storti, G., and Morbidelli, M., "Multicomponent distillation design through equilibrium theory," *Ind. Eng. Chem. Res.*, 37(6), 2250–2270 (1998).
- Okasinski, M. J., and Doherty, M. F., "Design method for kinetically controlled, staged reactive distillation columns," *Ind. Eng. Chem. Res.*, 37(7), 2821–2834 (1998).
- Parekh, V. S., and Mathias, P. M., "Efficient flash calculations for chemical process design: Extension of the Boston-Britt "inside-out" flash algorithm to extreme conditions and new flash types," *Comput. Chem. Eng.*, 22(10), 1371–1380 (1998).
- Pressly, T. G., and Ng, K. M., "A break-even analysis of distillation/membrane hybrids," *AIChE J.*, 44(1), 93–105 (1998).
- Proctor, S. J.; Biddulph, M. W., and Krishnamurthy, K. R., "Effect of liquid channeling on a 1.8-m distillation sieve tray," *Ind. Eng. Chem. Res.*, 37(6), 2535–2540 (1998).
- Procter, S. J.; Biddulph, M. W., and Krishnamurthy, K. R., "Effects of Marangoni surface tension forces on modern distillation packings," *AIChE J.*, 44(4), 831–835 (1998).
- Rooks, R. E.; Julka, V.; Doherty, M. F., and Malone, M. F., "Structure of distillation regions for multicomponent azeotropic mixtures," *AIChE J.*, 44(6), 1382–1391 (1998).
- Salimi, F., and Depeyre, D., "Comparison between dynamic behaviour of a batch packed and plate column," *Comput. Chem. Eng.*, 22(3), 343–349 (1998).
- Sharif, M.; Shah, N., and Pantelides, C. C., "On the design of multicomponent batch distillation columns," *Comput. Chem. Eng.*, 22(Supp.), S69–S76 (1998).
- Sloley, A. W., "Don't get drawn into distillation difficulties," *Chem. Eng. Prog.*, 94(6), 63–77 (1998).
- Taylor, R.; Achuthan, K., and Lucia, A., "Complex domain distillation calculations" (best paper of 1996), *Comput. Chem. Eng.*, 22(12), 1731–1732 (1998).
- Tiscareno, F.; Gomez, A., and Jimenez, A., "Multiplicity of the solutions of the flash equations," *Chem. Eng. Sci.*, 53(4), 671–678 (1998).
- Tolsma, J. E., and Barton, P. I., "Computation of heteroazeotropes," *Comput. Chem. Eng.*, 22(Supp.), S61–S68 (1998).
- Walker, A., "Reactive distillation update," *Chem. Eng. (Rugby, Engl.)*, 22 October, 17–19 (1998).
- Wijn, E. F., "On the lower operating range of sieve and valve trays," *Chem. Eng. J.*, 70(2), 143–155 (1998).
- Williams, J. A., "Optimize distillation system revamps," *Chem. Eng. Prog.*, 94(3), 23–33 (1998).
- Wu, P. C., "Improve operation and design of BTX units," *Chem. Eng. (N.Y.)*, March, 139 (1998).
- Xu, S. X.; Winfield, C., and Bowman, J. D., "Distillation: How to push a tower to its maximum capacity," *Chem. Eng. (N.Y.)*, August, 100–105 (1998).



Zamar, S. D.; Salomone, E., and Iribarren, O. A., "Shortcut method for multiple task batch distillations," *Ind. Eng. Chem. Res.*, 37(12), 4801–4807 (1998).

## Distillation Control and Applications

- Abdul Mutalib, M. I., and Smith, R., "Operation and control of dividing wall distillation columns: Degrees of freedom and dynamic simulation," *Chem. Eng. Res. Des.*, 76(3), 308–318 (1998).
- Agrawal, R., and Fidkowski, Z. T., "More operable arrangements of fully thermally coupled distillation columns," *AIChE J.*, 44(11), 2565–2568 (1998).
- Al-Ziad, K.; Khan, Z. H., and Hauser, A., "Composition of high boiling petroleum distillates of Kuwait crude oils," *Fuel*, 77(5), 453–458 (1998).
- Bandyopadhyay, S.; Malik, R. K., and Shenoy, U. V., "Temperature–enthalpy curve for energy targeting of distillation columns," *Comput. Chem. Eng.*, 22(12), 1733–1744 (1998).
- Baratti, R.; Bertucco, A.; Da Rold, A., and Morbidelli, M., "A composition estimator for multi-component distillation columns: Development and experimental test on ternary mixtures," *Chem. Eng. Sci.*, 53(20), 3601–3612 (1998).
- Barolo, M., and Berto, F., "Composition control in batch distillation: Binary and multicomponent mixtures," *Ind. Eng. Chem. Res.*, 37(12), 4689–4698 (1998).
- Batista, E.; Rodrigues, M. I., and Meirelles, A. J., "Optimization of a secondary reflux and vaporization (SRV) distillation process using surface response analysis," *Comput. Chem. Eng.*, 22(Supp.), S737–S740 (1998).
- Batistella, C. B., and Wolf Maciel, M. R., "Recovery of carotenoids from palm oil by molecular distillation," *Comput. Chem. Eng.*, 22(Supp.), S53–S60 (1998).
- Betlem, B. H. L., "Optimal batch distillation control based on specific measures," *Chem. Eng. J.*, 71(2), 111–126 (1998).
- Dechechi, E. C.; Luz, L. F. L., and Assis, A. J., "Interactive supervision of batch distillation with advanced control capabilities," *Comput. Chem. Eng.*, 22(Supp.), S867–S870 (1998).
- Dorn, C.; Guttinger, T. E., and Wells, G. J., "Stabilization of an unstable distillation column," *Ind. Eng. Chem. Res.*, 37(2), 506–515 (1998).
- Eldarsi, H. S., and Douglas, P. L., "Methyl-*tert*-butyl-ether catalytic distillation column: Multiple steady states," *Chem. Eng. Res. Des.*, 76(4), 509–516 (1998).
- Eldarsi, H. S., and Douglas, P. L., "Methyl-*tert*-butyl-ether catalytic distillation column: Optimization," *Chem. Eng. Res. Des.*, 76(4), 517–524 (1998).
- Esbjerg, K.; Andersen, T. R., and Muller, D., "Multiple steady states in heterogeneous azeotropic distillation sequences," *Ind. Eng. Chem. Res.*, 37(11), 4434–4452 (1998).
- Farschman, C. A., and Diwekar, U., "Dual composition control in a novel batch distillation column," *Ind. Eng. Chem. Res.*, 37(1), 89–96 (1998).
- Fikar, M.; Latifi, A. M., and Cref, Y., "Application of iterative dynamic programming to optimal control of a distillation column," *Can. J. Chem. Eng.*, 76(6), 1110–1117 (1998).
- Fikar, M.; Latifi, M. A., and Fournier, F., "Control vector parametrisation versus iterative dynamic programming in dynamic optimisation of a distillation column," *Comput. Chem. Eng.*, 22(Supp.), S625–S628 (1998).
- Gross, F.; Baumann, E.; Geser, A., and Rippin, D. W. T., "Modelling, simulation and controllability analysis of an industrial heat-integrated distillation process," *Comput. Chem. Eng.*, 22(1), 223–237 (1998).
- Hartmann, E. L.; Hanson, D. W., and Weber, B., "FCCU main fractionator revamp for CARB gasoline production," *Hydrocarbon Process.*, 77(2), 44–49 (1998).
- Heiberg, R., and Villarreal, R., "Modernization projects help refinery meet clean fuel needs," *Hydrocarbon Process.*, 77(2), 67–70 (1998).



- Huang, C.; Ng, F. T. T.; Yang, L., and Rempel, G. L., "Application of catalytic distillation for the aldol condensation of acetone: A rate-based model in simulating the catalytic distillation performance under steady state operations," *Chem. Eng. Sci.*, 53(19), 3489–3499 (1998).
- Karacan, S.; Hapoglu, H., and Alpbaz, M., "Generalized predictive control to a packed distillation column for regulatory problems," *Comput. Chem. Eng.*, 22(Supp.), S629–S632 (1998).
- Kister, H. Z.; Brown, E., and Sorensen, K., "Sensitivity analysis is key to successful DCS simulation," *Hydrocarbon Process.*, 77(10), 124–132 (1998).
- Kreul, L. U.; Gorak, A., and Dittrich, C., "Dynamic catalytic distillation: Advanced simulation and experimental validation," *Comput. Chem. Eng.*, 22(Supp.), S371–S378 (1998).
- Lee, M. J.; Chang, Y. K., and Lin, H. M., "Separation of close-boiling mixtures of 4-methoxyphenol catechol with *tert*-butanol," *Sep. Sci. Technol.*, 33(10), 1511–1528 (1998).
- Li, P.; Garcia, H. A., and Reuter, E., "Optimization of a semibatch distillation process with model validation on the industrial site," *Ind. Eng. Chem. Res.*, 37(4), 1341–1350 (1998).
- Liebmann, K.; Dhole, V. R., and Jobson, M., "Integrated design of a conventional crude oil distillation tower using pinch analysis," *Chem. Eng. Res. Des.*, 76(3), 335–347 (1998).
- Lui, Z. Y., "Matrix-based heuristic synthesis of distillation sequences with several feed streams and multicomponent products," *Chem. Eng. Res. Des.*, 76(3), 302–307 (1998).
- Mathys, R. G.; Schmid, A., and Kut, O. M., "Alkanol removal from the apolar phase of a two-liquid phase bioconversion system: Effect of fermentation medium on batch distillation," *J. Chem. Technol. Biotechnol.*, 71(4), 326–334 (1998).
- Mizsey, P.; Hau, N. T., and Benko, N., "Process control for energy integrated distillation schemes," *Comput. Chem. Eng.*, 22(Supp.), S427–S434 (1998).
- Mujtaba, I. M., and Hussain, M. A., "Optimal operation of dynamic processes under process-model mismatches: Application to batch distillation," *Comput. Chem. Eng.*, 22(Supp.), S621–S624 (1998).
- Nakaiwa, M.; Huang, K., and Owa, M., "Operating an ideal heat integrated distillation column with different control algorithms," *Comput. Chem. Eng.*, 22(Supp.), S389–S394 (1998).
- Nooraii, A., and Romagnoli, J. A., "Implementation of advanced operational and control techniques for a pilot distillation column within a DCS environment," *Comput. Chem. Eng.*, 22(4), 695–708 (1998).
- Podrebarac, G. G.; Ng, F. T. T., and Rempel, G. L., "The production of diacetone alcohol with catalytic distillation: Catalytic distillation experiments," *Chem. Eng. Sci.*, 53(5), 1067–1075 (1998).
- Podrebarac, G. G.; Ng, F. T. T., and Rempel, G. L., "The production of diacetone alcohol with catalytic distillation: A rate-based catalytic distillation model for the reaction zone," *Chem. Eng. Sci.*, 53(5), 1077–1088 (1998).
- Quadri, G. P., "Purification of polymers from solvents by steam or gas stripping," *Ind. Eng. Chem. Res.*, 37(7), 2850–2863 (1998).
- Riggs, J. R., "Improve distillation column control," *Chem. Eng. Prog.*, 94(10), 31–47 (1998).
- Sargent, R. W. H., "A functional approach to process synthesis and its application to distillation systems," *Comput. Chem. Eng.*, 22(1), 31–45 (1998).
- Scenna, N. J.; Ruiz, C. A., and Benz, S. J., "Dynamic simulation of startup procedures of reactive distillation columns," *Comput. Chem. Eng.*, 22(Supp.), S719–S722 (1998).
- Sneesby, M. G.; Tade, M. O.; Datta, R., and Smith, T. N., "Detrimental influence of excessive fractionation on reactive distillation," *AIChE J.*, 44(2), 388–393 (1998).
- Sneesby, M. G.; Tade, M. O. and Smith, T. N., "Multiplicity and pseudo-multiplicity in MTBE and ETBE reactive distillation," *Chem. Eng. Res. Des.*, 76(4), 525–538 (1998).
- Sneesby, M. G.; Tade, M. O., and Smith, T. N., "Steady state transitions in the reactive distillation of MTBE," *Comput. Chem. Eng.*, 22(7), 879–892 (1998).

- Sneesby, M. G.; Tade, M. O., and Smith, T. N., "Mechanistic interpretation of multiplicity in hybrid reactive distillation: Physically realizable cases," *Ind. Eng. Chem. Res.*, 37(11), 4424–4433 (1998).
- Verhaegen, M., "Identification of the temperature product quality relationship in a multicomponent distillation column," *Chem. Eng. Commun.*, 163, 111–132 (1998).
- Wajge, R. M., and Reklaitis, G. V., "An optimal campaign structure for multicomponent batch distillation with reversible reaction," *Ind. Eng. Chem. Res.*, 37(5), 1910–1916 (1998).
- Wang, C. J.; Wong, D. S. H., and Chien, I. L., "Critical reflux, parametric sensitivity, and hysteresis in azeotropic distillation of isopropyl alcohol + water + cyclohexane," *Ind. Eng. Chem. Res.*, 37(7), 2835–2843 (1998).
- Zheng, A.; Grassi, V., and Meski, G., "On control of distillation columns with input multiplicity," *Ind. Eng. Chem. Res.*, 37(5), 1836–1840 (1998).
- Zhikai, Y.; Xianbao, C., and Jing, G., "Esterification-distillation of butanol and acetic acid," *Chem. Eng. Sci.*, 53(11), 2081–2088 (1998).

### Column Design Data

- Amiri, A., and Vafai, K., "Transient analysis of incompressible flow through a packed bed," *Int. J. Heat Mass Transfer*, 41(24), 4259–4279 (1998).
- Anon., "Get more from towers and columns" (equipment focus), *Chem. Eng. (N.Y.)*, September, 107–114 (1998).
- Benneker, A. H.; Kronberg, A. E., and Westerterp, K. R., "Influence of buoyancy forces on the flow of gases through packed beds at elevated pressures," *AIChE J.*, 44(2), 263–270 (1998).
- Betlem, B. H. L.; Rijnsdorp, J. E., and Azink, R. F., "Influence of tray hydraulics on tray column dynamics," *Chem. Eng. Sci.*, 53(23), 3991–4003 (1998).
- Bravo, J. L., "Column internals," *Chem. Eng. (N.Y.)*, February, 76–83 (1998).
- Darakchiev, R., "Packing for regular distribution of liquid phase over the cross-section of column-type apparatuses," *Chem. Eng. Process.*, 37(2), 141–147 (1998).
- Djelveh, G.; Gros, J. B., and Cornet, J. F., "Foaming process analysis for a stirred column with a narrow annular region," *Chem. Eng. Sci.*, 53(17), 3157–3160 (1998).
- Dolejs, V.; Dolecek, P., and Siska, B., "Modification of Kozeny–Carman concept for calculating pressure drop in flow of viscoplastic fluids through fixed beds," *Chem. Eng. Sci.*, 53(24), 4155–4158 (1998).
- Freemantle, M., "Ionic liquids show promise for clean separation technology," *Chem. Eng. News*, 24 August, 12 (1998).
- Giese, M.; Rottschäfer, K., and Vortmeyer, D., "Measured and modeled superficial flow profiles in packed beds with liquid flow," *AIChE J.*, 44(2), 484–490 (1998).
- Kramer, G. J., "Static liquid hold-up and capillary rise in packed beds," *Chem. Eng. Sci.*, 53(16), 2985–2992 (1998).
- Li, Y. C., and Park, C. W., "Permeability of packed beds filled with polydisperse spherical particles," *Ind. Eng. Chem. Res.*, 37(5), 2005–2011 (1998).
- Lockett, M. J., "Easily predict structured-packing HETP," *Chem. Eng. Prog.*, 94(1), 60–66 (1998).
- Machac, I., "Flow of non-Newtonian fluids through fixed beds of particles: Comparison of two models," *Chem. Eng. Process.*, 37(2), 169–176 (1998).
- Makarytchev, S. V.; Langrish, T. A. G., and Prince, R. G. H., "Structure and regimes of liquid film flow in spinning cone columns," *Chem. Eng. Sci.*, 53(8), 1541–1550 (1998).
- Michalski, J. A., "The influence of spraying angle on aerodynamic characteristics of FGD spray towers," *Chem. Eng. Commun.*, 165, 17–40 (1998).



- Nielsen, C. H. E.; Dam-Johansen, K., and Kiiil, S., "Mass transfer in wetted-wall columns: Correlations at high Reynolds numbers," *Chem. Eng. Sci.*, 53(3), 495–504 (1998).
- Pandya, V. B.; Bhuniya, S., and Khilar, K. C., "Existence of a critical particle concentration in plugging of a packed bed," *AIChE J.*, 44(4), 978–981 (1998).
- Pizzo, S. M.; Moraes, D., and Fernandes, F. A. N., "Analysis of liquid distribution in a packed column on a pilot scale," *Ind. Eng. Chem. Res.*, 37(7), 2844–2849 (1998).
- Sedahmed, G. H.; Zatout, A. A., and Zewail, T. M., "Free convection mass-transfer behavior of a fixed bed of Raschig rings," *Ind. Eng. Chem. Res.*, 37(8), 3481–3484 (1998).
- Sederman, A. J.; Gladden L. F., and Johns, M. L., "Structure–flow correlations in packed beds," *Chem. Eng. Sci.*, 53(12), 2117–2128 (1998).
- Seguín, D.; Montillet, A., and Comiti, J., "Experimental characterization of flow regimes in various porous media: Transition to turbulent regime," *Chem. Eng. Sci.*, 53(22), 3897–3909 (1998).
- Sloley, A. W., "High-capacity distillation trays," *Hydrocarbon Process.*, 77(8), 53–62 (1998).
- Song, M.; Chuang, K. T., and Nandakumar, K., "A theoretical correction of the Ouchiya and Tanaka formula for predicting average porosity of packed beds consisting of nonuniform spheres," *Ind. Eng. Chem. Res.*, 37(8), 3490–3496 (1998).
- Song, M.; Yin, F. H., and Chuang, K. T., "A stochastic model for the simulation of the natural flow in random packed columns," *Can. J. Chem. Eng.*, 76(2), 183–189 (1998).
- Song, M.; Yin, F. H.; Nandakumar, K., and Chuang, K. T., "A three dimensional model for simulating the maldistribution of liquid flow in random packed beds," *Can. J. Chem. Eng.*, 76(2), 161–166 (1998).
- Spedding, P. L., and Spence, R. M., "Simulation of packing density and liquid flow fixed beds: Voronoi polyhedra studies," *Comput. Chem. Eng.*, 22(1), 247–257 (1998).
- Subagyo, A.; Standish, N., and Brooks, G. A., "A new model of velocity distribution of a single-phase fluid flowing in packed beds," *Chem. Eng. Sci.*, 53(7), 1375–1385 (1998).
- Thomas, P. D.; Darton, R. C., and Whalley, P. B., "Resolving the structure of cellular foams by the use of optical tomography," *Ind. Eng. Chem. Res.*, 37(3), 710–717 (1998).
- Thorat, B. N.; Shevade, A. V., and Bhilegaonkar, K. N., "Effect of sparger design and height to diameter ratio on fractional gas hold-up in bubble columns," *Chem. Eng. Res. Des.*, 76(7), 823–834 (1998).
- Tierney, M.; Nasr, A., and Quarini, G., "The use of proprietary computational fluid dynamics codes for flows in annular packed beds," *Sep. Purif. Technol.*, 13(2), 97–108 (1998).
- Toye, D., "Local measurements of void fraction and liquid holdup in packed columns using x-ray computed tomography," *Chem. Eng. Process.*, 37(6), 511–520 (1998).
- van Gulijk, C., "Using computational fluid dynamics to calculate transversal dispersion in a structured packed bed," *Comput. Chem. Eng.*, 22(Supp.), S767–S772 (1998).
- Wang, R.; Mao, Z. S., and Cben, L., "Experimental evidence of hysteresis of pressure drop for countercurrent gas–liquid flow in a fixed bed," *Chem. Eng. Sci.*, 53(2), 367–370 (1998).
- Wang, Y., and James, P. W., "The calculation of wave-plate demister efficiencies using numerical simulation of the flow field and droplet motion," *Chem. Eng. Res. Des.*, 76(8), 980–990 (1998).

## Absorption Reactions and Absorber Design

- Aroonwilas, A., and Tontiwachwuthikul, P., "Mass transfer coefficients and correlation for carbon dioxide absorption into 2-amino-2-methyl-1-propanol (AMP) using structured packing," *Ind. Eng. Chem. Res.*, 37(2), 569–575 (1998).
- Basu, S.; Gu, Z. C., and Shilinsky, K. A., "Application of packed scrubbers for air emissions control in municipal wastewater treatment plants," *Environ. Prog.*, 17(1), 9–18 (1998).

- Beg, S. A.; Hassan, M. M., and Naqvi, M. S. M., "Modeling of gas absorption accompanied by chemical reaction in downflow co-current packed columns," *Chem. Eng. Commun.*, 165, 41–66 (1998).
- Brandani, S.; Brandani, V., and Veglio, F., "Extraction of anions from aqueous solutions using secondary amines," *Ind. Eng. Chem. Res.*, 37(1), 292–295 (1998).
- Brekelmans, P. A., "Analyze a spray scrubber the easy way," *Chem. Eng. (N.Y.)*, February, 141–148 (1998).
- Brilman, D. W. F., "A one-dimensional instationary heterogeneous mass transfer model for gas absorption in multiphase systems," *Chem. Eng. Process.*, 37(6), 471–488 (1998).
- Brinkmann, M.; Schafer, M., and Warnecke, H. J., "Modelling reactive absorption processes via film-renewal theory: Numerical schemes and simulation results," *Comput. Chem. Eng.*, 22(4), 515–524 (1998).
- Cadours, R., and Bouallou, C., "Rigorous simulation of gas absorption into aqueous solutions," *Ind. Eng. Chem. Res.*, 37(3), 1063–1070 (1998).
- Carroll, J. J.; You, F. Y., and Mather, A. E., "The solubility of methane in aqueous solutions of monoethanolamine, diethanolamine and triethanolamine," *Can. J. Chem. Eng.*, 76(5), 945–951 (1998).
- Chung, T. W., and Wu, H., "Dehumidification of air by aqueous triethylene glycol solution in a spray tower," *Sep. Sci. Technol.*, 33(8), 1213–1224 (1998).
- Cummings, A. L., and Mecum, S. M., "Remove heat stable salts for better amine plant performance," *Hydrocarbon Process.*, 77(8), 63–67 (1998).
- de Paiva, J. L., and Kachan, G. C., "Modeling and simulation of a packed column for NO<sub>x</sub> absorption with hydrogen peroxide," *Ind. Eng. Chem. Res.*, 37(2), 609–614 (1998).
- Demmink, J. F., and Beenackers, A. A. C. M., "Gas desulfurization with ferric chelates of EDTA and HEDTA: New model for the oxidative absorption of hydrogen sulfide," *Ind. Eng. Chem. Res.*, 37(4), 1444–1453 (1998).
- Demmink, J. F.; Mehra, A., and Beenackers, A. A. C. M., "Gas absorption in the presence of particles showing interfacial affinity: Case of fine sulfur precipitates," *Chem. Eng. Sci.*, 53(16), 2885–2902 (1998).
- Havelka, P.; Moucha, T., and Sinkule, J., "Chemical dynamic method for measuring  $k_{la}$  in gas–liquid dispersions," *Chem. Eng. Commun.*, 168, 97–110 (1998).
- Housiadas, C.; Schrader, K. H., and Drossinos, Y., "Dehumidification of air flow through cooling at sub-freezing temperatures," *Int. J. Heat Mass Transfer*, 41(12), 1821–1831 (1998).
- Hsu, H. W.; Lee, C. J., and Chou, K. S., "Absorption of NO by sodium chlorite solution: Performance characteristics," *Chem. Eng. Commun.*, 170, 67–82 (1998).
- Kill, S., and Bhatia, S. K., "Solution of absorption problems involving steep moving profiles," *Comput. Chem. Eng.*, 22(7), 893–896 (1998).
- Lal, D.; Otto, F. D., and Mather, A. E., "Solubility of acid gases in a mixed solvent," *Can. J. Chem. Eng.*, 76(5), 964–966 (1998).
- Mathonat, C.; Majer, V.; Mather, A. E., and Grolier, J. P. E., "Use of flow calorimetry for determining enthalpies of absorption and the solubility of carbon dioxide in aqueous monoethanolamine solutions," *Ind. Eng. Chem. Res.*, 37(10), 4136–4141 (1998).
- Mimura, T.; Suda, T., and Kumazawa, H., "Kinetics of reaction between carbon dioxide and sterically hindered amines for carbon dioxide recovery from power plant flue gases," *Chem. Eng. Commun.*, 170, 245–270 (1998).
- Pacheco, M. A., and Rochelle, G. T., "Rate-based modeling of reactive absorption of carbon dioxide and hydrogen sulfide into aqueous methyldiethanolamine," *Ind. Eng. Chem. Res.*, 37(10), 4107–4117 (1998).
- Peramanu, S., and Sharma, A., "Nonlinear instabilities of falling films on a heated vertical plane with gas absorption," *Can. J. Chem. Eng.*, 76(2), 211–223 (1998).



- Pohorecki, R., and Mozenski, C., "A new absorbent for carbon dioxide and hydrogen sulphide absorption process," *Chem. Eng. Process.*, 37(1), 69–78 (1998).
- Rascol, E.; Meyer, M., and Le Lann, J. M., "Numerical problems encountered in the simulation of reactive absorption: DAE index reduction and consistent initialisation," *Comput. Chem. Eng.*, 22(Supp.), S929–S932 (1998).
- Rogers, W. J.; Bullin, J. A., and Davison, R. R., "FTIR measurements of acid-gas/methyldiethanolamine systems," *AIChE J.*, 44(11), 2423–2430 (1998).
- Roj, E., and Wilk, M., "Simulation of an absorption column performance using feed-forward neural networks in nitric acid production," *Comput. Chem. Eng.*, 22(Supp.), S909–S912 (1998).
- Rooney, P. C.; DuPart, M. S., and Bacon, T. R., "Oxygen's role in alkanolamine degradation," *Hydrocarbon Process.*, 77(7), 109–113 (1998).
- Safarik, D. J., and Eldridge, R. B., "Olefin/paraffin separations by reactive absorption: A review," *Ind. Eng. Chem. Res.*, 37(7), 2571–2581 (1998).
- Shaikh, A. A., and Al-Mubaiyedh, U. A., "On the bulk-liquid reaction in isothermal reactive gas absorption," *Chem. Eng. J.*, 70(1), 65–70 (1998).
- Stanton, D. W., and Rutland, C. J., "Multi-dimensional modeling of thin liquid films and spray-wall interactions resulting from impinging sprays," *Int. J. Heat Mass Transfer*, 41(20), 3037–3053 (1998).
- Thomas, D., and Vanderschuren, J., "Effect of temperature on NO<sub>x</sub> absorption into nitric acid solutions containing hydrogen peroxide," *Ind. Eng. Chem. Res.*, 37(11), 4418–4423 (1998).
- Tsai, B. B., and Perez-Blanco, H., "Limits of mass transfer enhancement in lithium bromide–water absorbers by active techniques," *Int. J. Heat Mass Transfer*, 41(15), 2409–2416 (1998).
- Xu, G. W.; Zhang, C. F., and Liu, H. B., "Gas–liquid equilibrium in a carbon dioxide/MDEA/water system and the effect of piperazine on it," *Ind. Eng. Chem. Res.*, 37(4), 1473–1477 (1998).
- Yang, C. L., and Shaw, H., "Aqueous absorption of nitric oxide induced by sodium chlorite oxidation in the presence of sulfur dioxide," *Environ. Prog.*, 17(2), 80–85 (1998).
- Yang, R., and Jou, T. M., "Non-absorbable gas effect on the wavy film absorption process," *Int. J. Heat Mass Transfer*, 41(22), 3657–3668 (1998).

## Cooling Towers

- Anon., "New technology for cooling towers" (equipment focus), *Chem. Eng. (N.Y.)*, January, 107–112 (1998).
- Anon., "Cooling tower pollutant rules clarified," *Chem. Eng. Prog.*, 94(9), 27 (1998).
- Kachhwaha, S. S.; Dhar, P. L., and Kale, S. R., "Experimental studies and numerical simulation of evaporative cooling of air with a water spray: Horizontal parallel flow," *Int. J. Heat Mass Transfer*, 41(2), 447–464 (1998).
- Kachhwaha, S. S.; Dhar, P. L., and Kale, S. R., "Experimental studies and numerical simulation of evaporative cooling of air with a water spray: Horizontal counter flow," *Int. J. Heat Mass Transfer*, 41(2), 465–474 (1998).
- Speltz, K., "Properly select and design a process dehumidifier," *Chem. Eng. Prog.*, 94(11), 65–70 (1998).

## Liquid–Liquid Extraction

- Afonin, M. A.; Romanovski, V. V., and Scherbakov, V. A., "Oscillatory extraction of uranium," *Solv. Extr. Ion Exch.*, 16(5), 1215–1232 (1998).
- Alguacil, F. J.; Caravaca, C., and Martinez, S., "Extraction of gold from cyanide or chloride media by Cyanex-923," *J. Chem. Technol. Biotechnol.*, 72(4), 339–346 (1998).



- Alguacil, F. J., and Cobo, A., "Extraction of zinc from ammoniacal/ammonium sulphate solutions by LIX 54," *J. Chem. Technol. Biotechnol.*, 71(2), 162–166 (1998).
- Almela, A.; Elizalde, M. P., and Danobeitia, I., "Liquid–liquid extraction applied to metals separation from Waelz oxide," *Sep. Sci. Technol.*, 33(15), 2411–2422 (1998).
- Angelov, G., "Simulation of flow hydrodynamics in a pulsed solvent extraction column under turbulent regimes," *Chem. Eng. J.*, 71(1), 1–9 (1998).
- Anwar, M. M.; Arif, A. S., and Pritchard, D. W., "Multistage separation of quinoline and isoquinoline by dissociation extraction," *Solv. Extr. Ion Exch.*, 16(4), 931–950 (1998).
- Aoun Nabli, M. S.; Giraud, P., and Gourdon, C., "CFD contribution to a design procedure for discs and doughnuts extraction columns," *Chem. Eng. Res. Des.*, 76(8), 951–960 (1998).
- Ashrafizadeh, S. N., and Khoshkbarchi, M. K., "Modeling and experimental data for the reverse micellar extraction of proteins using a new surfactant," *Sep. Sci. Technol.*, 33(16), 2579–2595 (1998).
- Avila-Rodriguez, A.; Cote, G., and Mendoza, R. N., "Thermodynamic study of the extraction of indium(III) and cadmium(II) by Cyanex 301 from concentrated HCl media," *Solv. Extr. Ion Exch.*, 16(2), 471–486 (1998).
- Baldyga, J., and Podgorska, W., "Drop break-up in intermittent turbulence: Maximum stable and transient sizes of drops," *Can. J. Chem. Eng.*, 76(3), 456–470 (1998).
- Bandekar, S. V., and Dhadke, P. M., "Solvent extraction separation of platinum(IV) and palladium(II) by 2-ethylhexyl phosphonic acid mono-2-ethylhexyl ester," *Sep. Purif. Technol.*, 13(2), 129–136 (1998).
- Belova, V. V., and Kholkin, A. I., "Binary extraction of platinum metals," *Solv. Extr. Ion Exch.*, 16(5), 1233–1256 (1998).
- Benguerel, E., and Demopoulos, G. P., "Formation and extraction of Rh-Sn-Cl complexes with an alkylated 8-hydroxyquinoline," *J. Chem. Technol. Biotechnol.*, 72(2), 183–189 (1998).
- Beudaert, P.; Lamare, V., and Dozol, J. F., "Theoretical studies on tri-*n*-butyl phosphate: MD simulations in-vacuo, in water, in chloroform, and at a water/chloroform interface," *Solv. Extr. Ion Exch.*, 16(2), 597–618 (1998).
- Bond, E. M.; Engelhardt, U., and Deere, T. P., "The solvent extraction of americium(III) in HCl solutions by 2,6-bis[(diphenylphosphino)methyl]pyridine *N,P,P'*-trioxide," *Solv. Extr. Ion Exch.*, 16(4), 967–984 (1998).
- Bouvier, C.; Cote, G., and Cierpiszewski, R., Influence of salting-out effects, temperature, and the chemical structure of the extractant on the rate of copper(II) extraction from chloride media with dialkyl pyridine dicarboxylates," *Solv. Extr. Ion Exch.*, 16(6), 1465–1492 (1998).
- Brewer, K. N.; Herbst, R. S., and Glagolenko, I. Y., "Mercury extraction by the TRUEX process solvent: Extractable species and stoichiometry," *Solv. Extr. Ion Exch.*, 16(2), 487–504 (1998).
- Brewer, K. N.; Herbst, R. S., and Todd, T. A., "Zirconium extraction into octyl(phenyl)-*N,N*-diisobutylcarbamoylmethyl phosphine oxide and tributyl phosphate," *Solv. Extr. Ion Exch.*, 16(4), 1047–1066 (1998).
- Campderros, M. E.; Acosta, A. O., and Marchese, J., "Coupled transport of copper through different commercial supports containing LIX-984 as carrier," *J. Chem. Technol. Biotechnol.*, 72(1), 55–59 (1998).
- Chiarizia, R.; Herlinger, A. W., and Cheng, Y. D., "Metal extraction by alkyl substituted diphosphonic acids: *P,P'*-Di(2-ethylhexyl) butanediphosphonic acid," *Solv. Extr. Ion Exch.*, 16(2), 505–526 (1998).
- Chiarizia, R.; Urban, V., and Thiyagarajan, P., "Aggregation of *P,P'*-di(2-ethylhexyl) methanediphosphonic acid and its Fe(III) complexes," *Solv. Extr. Ion Exch.*, 16(5), 1257–1278 (1998).



- Chilukuri, R.; Yang, Z. F., and Sirkar, K. K., "Batch extraction studies of cationic and anionic heavy metallic species by a mixed solvent extraction system," *Sep. Sci. Technol.*, 33(16), 2559–2578 (1998).
- Chitnis, R. R.; Wattal, P. K., and Murali, M. S., "AKUFVE studies on extraction behavior of neptunium from simulated HLW solutions by 30% TBP," *Solv. Extr. Ion Exch.*, 16(4), 899–912 (1998).
- Choudhury, B.; Basha, A., and Swaminathan, T., "Study of lactic acid extraction with higher molecular weight aliphatic amines," *J. Chem. Technol. Biotechnol.*, 72(2), 111–116 (1998).
- Danov, K. D.; Paunov, V. N., and Alleborn, N., "Stability of evaporating two-layered liquid film in the presence of surfactant: The equations of lubrication approximation," *Chem. Eng. Sci.*, 53(15), 2809–2822 (1998).
- Das, P. K., "A generalized back-flow model to predict the tracer response in liquid–liquid stage-wise contactors," *Can. J. Chem. Eng.*, 76(2), 319–322 (1998).
- Dembinski, W.; Poninski, M., and Fiedler, R., "Preliminary results of the studies on fractionation of ytterbium isotopes in Yb(III)-acetate/Yb-amalgam system," *Sep. Sci. Technol.*, 33(11), 1693–1702 (1998).
- du Preez, J. G. H.; Mattheus, C., and Sumter, N., "Nitrogen reagents in metal ion separation: Substituted imidazoles as extractants for Cu(2+)," *Solv. Extr. Ion Exch.*, 16(2), 565–586 (1998).
- du Preez, J. G. H.; Mattheus, C., and Sumter, N., "Nitrogen reagents in metal ion separation: Extraction of cobalt and nickel using imidazole derivatives," *Solv. Extr. Ion Exch.*, 16(4), 1033–1046 (1998).
- Dukov, I. L., and Jordanov, V. M., "Influence of the ammonium salt anion on the synergistic solvent extraction of lanthanides with mixtures of thenoyltrifluoroacetone and tridecylamine," *Solv. Extr. Ion Exch.*, 16(5), 1151–1160 (1998).
- Dziwinski, E., and Szymanowski, J., "Composition of Cyanex 923, Cyanex 925, Cyanex 921, and TOPO," *Solv. Extr. Ion Exch.*, 16(6), 1515–1526 (1998).
- El Aamrani, F. Z.; Kumar, A., and Beyer, L., "Liquid–liquid extraction of gold(III) and its separation over copper(II), iron(III), and zinc(II) using thiourea derivatives from chloride media," *Solv. Extr. Ion Exch.*, 16(6), 1389–1406 (1998).
- Erlinger, C.; Gazeau, D., and Zemb, T., "Effect of nitric acid extraction on phase behaviour, microstructure, and interactions between primary aggregates in system DMDBDMA/*n*-dodecane/water: A phase analysis and SAXS study," *Solv. Extr. Ion Exch.*, 16(3), 707–738 (1998).
- Escalante, H.; Alonso, A. I.; Ortiz, I., and Irabien, A., "Separation of L-phenylalanine by nondispersive extraction and backextraction: Equilibrium and kinetic parameters," *Sep. Sci. Technol.*, 33(1), 119–140 (1998).
- Feki, M., and Ayedi, H. F., "Purification of wet process phosphoric acid by solvent extraction with methyl isobutyl ketone: Systematic study of impurity distribution," *Sep. Sci. Technol.*, 33(16), 2609–2622 (1998).
- Ferraro, J. R.; Herlinger, A. W., and Chiarizia, R., "Correlation of the asymmetric and symmetric POO(-) frequencies with the ionic potential of the metal ion in compounds of organophosphorous acid extractants: A short review," *Solv. Extr. Ion Exch.*, 16(3), 775–794 (1998).
- Freemantle, M., "Designer solvents," *Chem. Eng. News*, 30 March, 32–37 (1998).
- Fu, X.; Stevens, G. W., and Perera, J. M., "Study of micellar extraction in the system (2-ethylhexyl) phosphonic acid mono-(2-ethylhexyl) ester–Co(II)–surfactant," *Solv. Extr. Ion Exch.*, 16(4), 1111–1130 (1998).
- Fujii, T.; Yamamoto, T., and Nishizawa, K., "Separation of samarium isotopes by a crown ether," *Solv. Extr. Ion Exch.*, 16(4), 985–1000 (1998).



- Galan, B.; Sanroman, F., and Irabien, A., "Viability of the separation of Cd from highly concentrated Ni-Cd mixtures by non-dispersive solvent extraction," *Chem. Eng. J.*, 70(3), 237-243 (1998).
- Gomis, V.; Ruiz, F., and Boluda, N., "Salt effects in extraction of ethanol from aqueous solution: 2-Ethylhexanol + sodium chloride as the solvent," *Ind. Eng. Chem. Res.*, 37(2), 599-603 (1998).
- Han, D. H., and Hong, W. H., "Water-enhanced solubilities of lactic acid in reactive extraction using trioctylamine/various active diluents systems," *Sep. Sci. Technol.*, 33(2), 271-281 (1998).
- Heyberger, A.; Prochazka, J., and Volaufova, E., "Extraction of citric acid with tertiary amine: Third phase formation," *Chem. Eng. Sci.*, 53(3), 515-522 (1998).
- Hokura, A.; Perera, J. M.; Grieser, F., and Stevens, G. W., "A kinetic study of nickel ion extraction by Kelex 100 at the liquid-liquid interface," *Solv. Extr. Ion Exch.*, 16(2), 619-636 (1998).
- Huang, T. C.; Huang, C. C., and Chen, D. H., "Extraction equilibria of chromium(VI) from sulfuric acid solutions with tri-*n*-octylphosphine oxide," *J. Chem. Technol. Biotechnol.*, 73(1), 43-53 (1998).
- Jeelani, S. A. K., and Hartland, S., "Effect of dispersion properties on the separation of batch liquid-liquid dispersions," *Ind. Eng. Chem. Res.*, 37(2), 547-554 (1998).
- Kalaichelvi, P., and Murgugesan, T., "A new correlation for characteristic velocity in rotating disc contactors," *Can. J. Chem. Eng.*, 76(1), 126-131 (1998).
- Kandil, A. T., and El-Medani, S. M., "Lanthanides extraction by 8-quinolinol and by a mixture of quinolinol and trioctylphosphine oxide," *Sep. Sci. Technol.*, 33(3), 437-447 (1998).
- Kelly, N. A.; Lukhezo, M., and Reuben, B. G., "Reactive solvent extraction of amino acids with cationic extractants," *J. Chem. Technol. Biotechnol.*, 72(4), 347-355 (1998).
- Kentish, S. E.; Stevens, G. W., and Pratt, H. R. C., "Estimation of coalescence and breakage rate constants within a Kuhni column," *Ind. Eng. Chem. Res.*, 37(3), 1099-1106 (1998).
- Khoultaev, K. H.; Pang, P.; Kerekes, R. J., and Englezos, P., "Enhancement of the retention performance of the poly(ethylene oxide)/tannic acid system by poly(diallyldimethyl ammonium chloride)," *Can. J. Chem. Eng.*, 76(2), 261-267 (1998).
- Koma, Y.; Watanabe, M., and Nemoto, S., "A counter current experiment for the separation of trivalent actinides and lanthanides by the SETFICS process," *Solv. Extr. Ion Exch.*, 16(6), 1357-1368 (1998).
- Kubaczka, A.; Burghardt, A., and Mokrosz, T., "Membrane-based solvent extraction in multi-component systems," *Chem. Eng. Sci.*, 53(5), 899-917 (1998).
- Kumar, S., and Koganti, S. B., "A Setchenow type model for Pu(IV) third phase formation in nitric acid/bis(2-ethylhexyl) sulphoxide/dodecane biphasic system at 298.15 K," *Solv. Extr. Ion Exch.*, 16(3), 829-842 (1998).
- Lee, C. K., and Su, W. D., "Separation of phenylacetic acid from 6-aminopenicillanic acid via cloud-point extraction with *N*-decyltetra(ethylene oxide) nonionic surfactant," *Sep. Sci. Technol.*, 33(7), 1003-1012 (1998).
- Li, J., and Beckman, E. J., "Affinity extraction into carbon dioxide: Extraction of heavy metals into carbon dioxide from low-pH aqueous solutions," *Ind. Eng. Chem. Res.*, 37(12), 4768-4773 (1998).
- Luke, J., and Ricker, N. L., "Unit operations lab: Mass transfer and axial dispersion in a reciprocating-plate liquid extraction column," *Chem. Eng. Educ.*, 32(3), 202-205 (1998).
- Lyford, P. A.; Pratt, H. R. C.; Grieser, F., and Shallcross, D. C., "The Marangoni effect and enhanced oil recovery: Porous media studies," *Can. J. Chem. Eng.*, 76(2), 167-174 (1998).
- Lyford, P. A.; Shallcross, D. C.; Grieser, F., and Pratt, H. R. C., "The Marangoni effect and enhanced oil recovery: Interfacial tension and drop instability," *Can. J. Chem. Eng.*, 76(2), 175-182 (1998).



- Macasek, F., and Danihlik, A., "Solvent extraction enhanced microfiltration of strontium and technetium with di-2-ethylhexylphosphoric acid and quaternary ammonium salts," *Solv. Extr. Ion Exch.*, 16(2), 587-596 (1998).
- Mackley, M. R.; Stonestreet, P., and Thurston, N. C., "Evaluation of a novel self-aerating, oscillating baffle column," *Can. J. Chem. Eng.*, 76(1), 5-10 (1998).
- Mathur, J. N., and Choppin, G. R., "Paraffin wax as a diluent for extraction of actinides and lanthanides with TBP," *Solv. Extr. Ion Exch.*, 16(2), 459-470 (1998).
- Mathur, J. N., and Choppin, G. R., "Paraffin wax-TOPO, an extractant for actinides and lanthanides," *Solv. Extr. Ion Exch.*, 16(3), 739-750 (1998).
- Mathur, J. N., and Nash, K. L., "Thermodynamics of extraction of Am(III) and Eu(III) from nitrate and thiocyanate media with octyl(phenyl)-N,N-diisobutylcarbamoylmethylphosphine oxide," *Solv. Extr. Ion Exch.*, 16(6), 1341-1356 (1998).
- Mathys, R. G.; Kut, O. M., and Witholt, B., "Alkanol removal from apolar phase of a two-liquid phase bioconversion system: Comparison of less volatile and more volatile in-situ extraction solvent for separation of 1-octanol by distillation," *J. Chem. Technol. Biotechnol.*, 71(4), 315-325 (1998).
- Meniai, A. H.; Newsham, D. M. T., and Khalfaoui, B., "Solvent design for liquid extraction using calculated molecular interaction parameters," *Chem. Eng. Res. Des.*, 76(8), 942-950 (1998).
- Merdrignac, I.; Behar, F., and Albrecht, P., "Quantitative extraction of nitrogen compounds in oils: Atomic balance and molecular composition," *Energy Fuels*, 12(6), 1342-1355 (1998).
- Mickler, W.; Reich, A., and Uhlemann, E., "Extraction of iron(II) and iron(III) with 4-acyl-5-pyrazolones in comparison with long-chain 1-phenyl-1,3-(cyclo)alkanediones," *Sep. Sci. Technol.*, 33(3), 425-436 (1998).
- Minotti, M.; Doherty, M. F., and Malone, M. F., "Design for simultaneous reaction and liquid-liquid extraction," *Ind. Eng. Chem. Res.*, 37(12), 4748-4755 (1998).
- Mishra, B. Y., and Dhadke, P. M., "Solvent extraction separation of beryllium(II) from aluminum(III) by Cyanex 921 (TOPO)," *Sep. Sci. Technol.*, 33(11), 1681-1692 (1998).
- Ni, X.; Brogan, G., and Struthers, A., "A systematic study of the effect of geometrical parameters on mixing time in oscillatory baffled columns," *Chem. Eng. Res. Des.*, 76(5), 635-642 (1998).
- Norato, M. A.; Tsouris, C., and Tavlarides, L. L., "Phase inversion studies in liquid-liquid dispersions," *Can. J. Chem. Eng.*, 76(3), 486-494 (1998).
- Nunez, M. E.; de San Miguel, E., and Aguilar, J. C., "Omega-thiocaprolactam as an extracting reagent for Hg(II) from chloride, nitrate, and perchlorate media," *Solv. Extr. Ion Exch.*, 16(6), 1421-1436 (1998).
- Ocana, N., and Alguacil, F. J., "Cobalt-manganese separation: The extraction of cobalt(II) from manganese sulphate solutions by Cyanex 301," *J. Chem. Technol. Biotechnol.*, 73(3), 211-216 (1998).
- Otu, E. O., "The effect of temperature on the synergistic extraction of thorium(IV) and uranium(VI) by 2-ethylhexyl phenyl-phosphonic acid and micelles of dinonyl naphthalene sulfonic acid," *Solv. Extr. Ion Exch.*, 16(5), 1161-1176 (1998).
- Pacek, A. W.; Man, C. C., and Nienow, A. W., "On the Sauter mean diameter and size distributions in turbulent liquid/liquid dispersions in a stirred vessel," *Chem. Eng. Sci.*, 53(11), 2005-2011 (1998).
- Pfennig, A., and Schwerin, A., "Influence of electrolytes on liquid-liquid extraction," *Ind. Eng. Chem. Res.*, 37(8), 3180-3188 (1998).
- Poposka, F.; Nikolovski, K., and Tomovska, R., "Kinetics, mechanism and mathematical modelling of extraction of citric acid with isodecanol/n-paraffins solutions of trioctylamine," *Chem. Eng. Sci.*, 53(18), 3227-3237 (1998).

- Preston, J. S., and du Preez, A. C., "Solvent extraction of nickel from acidic solutions using synergistic mixtures containing pyridinecarboxylate esters: Systems based on arylsulphonic acids," *J. Chem. Technol. Biotechnol.*, 71(1), 43–50 (1998).
- Preston, J. S., and du Preez, A. C., "Synergistic effects in solvent-extraction systems based on alkylsalicylic acids: Extraction of the trivalent rare-earth metals in the presence of bi-functional C=O, P=O, and S=O compounds," *Solv. Extr. Ion Exch.*, 16(3), 687–706 (1998).
- Qader, A.; Stevens, G. W., and Pratt, H. R. C., "Transverse dispersion and maldistribution in a pulsed perforated-plate extraction column," *Ind. Eng. Chem. Res.*, 37(6), 2086–2092 (1998).
- Qi, J.; Yan, Y., and Fei, W., "Solvent extraction of nitrogen compounds from catalytically-cracked diesel oil by metal ion complexation," *Fuel*, 77(4), 255–258 (1998).
- Rabbe, C.; Madic, C., and Godard, A., "Molecular modeling study of uranyl nitrate extraction with monoamides: Quantum chemistry approach," *Solv. Extr. Ion Exch.*, 16(4), 1091–1110 (1998).
- Rabie, H. R.; Suyyagh, T., and Vera, J. H., "Reverse micellar extraction of proteins using dioctyldimethyl ammonium chloride," *Sep. Sci. Technol.*, 33(2), 241–258 (1998).
- Rao, L.; Xia, Y., and Rapko, B. M., "Synergistic extraction of Eu(III) + Am(III) by thenoyltri-fluoroacetone and neutral donor extractants: (Carbamoylmethyl)phosphine oxide and 2,6-bis(diphenylphosphino)methylpyridine-*N,P,P*-trioxide," *Solv. Extr. Ion Exch.*, 16(4), 913–930 (1998).
- Rao, N. V. R., and Baird, M. H. I., "Back mixing in a reciprocating plate column with stable density gradients," *AIChE J.*, 44(4), 859–863 (1998).
- Reddy, M. L. P.; Varma, R. L., and Ramamohan, T. R., "Cyanex-923 as an extractant for trivalent lanthanides and yttrium," *Solv. Extr. Ion Exch.*, 16(3), 795–812 (1998).
- Riddle, A. L.; Bhat, N. V., and Hopper, J. R., "Neural networks help optimize solvent extraction," *Hydrocarbon Process.*, 77(11), 45–49 (1998).
- Rosenthal, A.; Pyle, D. L., and Niranjan, K., "Simultaneous aqueous extraction of oil and protein from soybean: Mechanisms for process design," *Food Bioprod. Process.*, 76(C4), 225–231 (1998).
- Sadaka, M. G., and Garcia, A. A., "The effect of temperature on forward/back extraction using an amine extractant for the recovery of cyclic hydroxy carboxylic acids," *Sep. Sci. Technol.*, 33(11), 1667–1680 (1998).
- Shiraishi, Y.; Hirai, T., and Komasa, I., "A deep desulfurization process for light oil by photochemical reaction in an organic two-phase liquid–liquid extraction system," *Ind. Eng. Chem. Res.*, 37(1), 203–211 (1998).
- Simonin, J. P., and Weill, J., "Rotating membrane cell technique for the study of liquid/liquid extraction kinetics," *Solv. Extr. Ion Exch.*, 16(6), 1493–1514 (1998).
- Sohn, H. Y., and Doundeethaveeratana, D., "A novel solvent extraction process with bottom gas injection without moving parts," *Sep. Purif. Technol.*, 13(3), 227–236 (1998).
- Srinivasan, T. G.; Vasudeva Rao, P. R., and Sood, D. D., "Diluent and extractant effects on the enthalpy of extraction of uranium(VI) and americium(III) nitrates by trialkyl phosphates," *Solv. Extr. Ion Exch.*, 16(6), 1369–1388 (1998).
- Srinivasan, T. G.; Vijayasaradhi, S., and Dhamodaran, R., "Third phase formation in extraction of thorium nitrate by mixtures of trialkyl phosphates," *Solv. Extr. Ion Exch.*, 16(4), 1001–1012 (1998).
- Tanaka, M.; Koyama, K., and Shibata, J., "Role of the extraction equilibrium constant in the countercurrent multistage solvent exchange-stripping process of metal ions," *Ind. Eng. Chem. Res.*, 37(5), 1943–1949 (1998).
- Tong, J., and Furusaki, S., "Extraction behavior of proteins using AOT reversed micellar systems formed by kerosene and silicone oil," *Sep. Sci. Technol.*, 33(6), 899–907 (1998).

- Toutain, J.; Le Lam, J. M., and Gourdon, C., "Maxwell-Stefan approach coupled drop population model for the dynamic simulation of liquid-liquid extraction pulsed column," *Comput. Chem. Eng.*, 22(Supp.), S379-S388 (1998).
- Uchiyama, G.; Asakura, T., and Hotoku, S., "The separation of neptunium and technetium in an advanced Purex process," *Solv. Extr. Ion Exch.*, 16(5), 1191-1214 (1998).
- Uchiyama, G.; Hotoku, S., and Fujine, S., "Distribution of nitrous acid between tri-*N*-butyl phosphate/*N*-dodecane and nitric acid," *Solv. Extr. Ion Exch.*, 16(5), 1177-1190 (1998).
- Uzoukwu, B. A.; Gloe, K., and Duddeck, H., "Extraction of uranium(VI) and vanadium(V) with 4-adipoyl and 4-sebacoyl derivatives of bis(1-phenyl-3-methyl-pyrazolone-5) and effect of decanol on the distribution behavior of these metal ions," *Solv. Extr. Ion Exch.*, 16(3), 751-774 (1998).
- van Halsema, F. E. D.; van der Wielen, L. A., and Luyben, K. C. A. M., "The modeling of carbon dioxide-aided extraction of carboxylic acids from aqueous solutions," *Ind. Eng. Chem. Res.*, 37(3), 748-758 (1998).
- Venter, D. L., and Nieuwoudt, I., "Separation of *m*-cresol from neutral oils with liquid-liquid extraction," *Ind. Eng. Chem. Res.*, 37(10), 4099-4106 (1998).
- Wang, Z.; Ma, G., and Li, D., "Extraction and separation of heavy rare earth(III) with extraction resin containing di(2,4,4-trimethyl pentyl) phosphinic acid (Cyanex-272)," *Solv. Extr. Ion Exch.*, 16(3), 813-828 (1998).
- Weinstein, O.; Semiat, R., and Lewin, D. R., "Modeling, simulation and control of liquid-liquid extraction columns," *Chem. Eng. Sci.*, 53(2), 325-340 (1998).
- Wronski, S., and Molga, E., "Mass transfer model for the film countercurrent flow of two liquid phases in a packed bed column," *Chem. Eng. Process.*, 37(1), 47-54 (1998).
- Wu, H. S., and Liu, C. B., "Kinetics and extraction of phenol in phase-transfer catalyzed reaction," *Can. J. Chem. Eng.*, 76(4), 771-777 (1998).
- Wu, Z.; Zhang, X.; Xu, R., and Chen, J., "Solvent extraction of lincomycin with neutral donor extractants," *Sep. Sci. Technol.*, 33(2), 259-270 (1998).
- Yaftian, M. R.; Burgard, M., and Wieser, C., "Extractive properties towards rare-earth metal ions of calix[4]arenes substituted at the narrow rim by phosphoryl and amide groups," *Solv. Extr. Ion Exch.*, 16(5), 1131-1150 (1998).
- Yu, Z. J.; Ibrahim, T. H., and Neuman, R. D., "Aggregation behavior of cobalt(II), nickel(II), and copper (II) bis(2-ethylhexyl)phosphate complexes in *n*-heptane," *Solv. Extr. Ion Exch.*, 16(6), 1437-1464 (1998).
- Zhao, J.; Wu, Z., and Chen, J., "Solvent extraction of gold in thiosulfate solutions with amines," *Solv. Extr. Ion Exch.*, 16(2), 527-544 (1998).
- Zhao, J.; Wu, Z., and Chen, J., "Gold extraction from thiosulfate solutions using mixed amines," *Solv. Extr. Ion Exch.*, 16(6), 1407-1420 (1998).
- Zheng, Z.; Lu, J., and Li, D., "The kinetics study in liquid-liquid systems with constant interfacial area cell with laminar flow," *Chem. Eng. Sci.*, 53(13), 2327-2333 (1998).
- Zhou, G., and Kresta, S. M., "Evolution of drop size distribution in liquid-liquid dispersions for various impellers," *Chem. Eng. Sci.*, 53(11), 2099-2113 (1998).

## Supercritical Extraction

- Abraham, M. A., "Supercritical fluids," *Environ. Prog.*, 17(4), W3 (1998).
- Alsoy, S., and Duda, J. L., "Supercritical devolatilization of polymers," *AIChE J.*, 44(3), 582-590 (1998).
- Baker, J. T., and Trebble, M. A., "Development of an apparatus for mass-transfer studies in supercritical fluids," *Ind. Eng. Chem. Res.*, 37(5), 1991-1997 (1998).
- Becnal, J. M., and Dooley, K. M., "Supercritical fluid extraction of polycyclic aromatic hydrocarbon mixtures from contaminated soils," *Ind. Eng. Chem. Res.*, 37(2), 584-594 (1998).



- Bondar, E., and Koel, M., "Application of supercritical fluid extraction to organic geochemical studies of oil shales," *Fuel*, 77(3), 211–213 (1998).
- Bondar, E.; Koel, M., and Liiv, M., "A comparative study of the composition of biomarkers in SFE and solvent extracts of oil shales," *Fuel*, 77(3), 215–218 (1998).
- Boukouvalas, C.; Magoulas, K., and Tassios, D., "Application of supercritical fluid extraction in industrial waste treatment: Thermodynamic modeling and design," *Sep. Sci. Technol.*, 33(3), 387–410 (1998).
- Fontes, N.; Almeida, M. C., and Peres, C., "Cutinase activity and enantioselectivity in supercritical fluids," *Ind. Eng. Chem. Res.*, 37(8), 3189–3194 (1998).
- Goodarznia, I., and Eikani, M. H., "Supercritical carbon dioxide extraction of essential oils: Modeling and simulation," *Chem. Eng. Sci.*, 53(7), 1387–1395 (1998).
- Hairston, D., "New uses of supercritical fluids," *Chem. Eng. (N.Y.)*, October, 32–41 (1998).
- Humayun, R.; Karakas, G., and Dahlstrom, P. R., "Supercritical fluid extraction and temperature-programmed desorption of phenol and its oxidative coupling products from activated carbon," *Ind. Eng. Chem. Res.*, 37(8), 3089–3097 (1998).
- Kershaw, J. R., "Supercritical fluid extraction of scrap tyres," *Fuel*, 77(9), 1113–1116 (1998).
- Laitinen, A., and Kaunisto, J., "Hydrodynamics and mass transfer in a rotating disk supercritical extraction column," *Ind. Eng. Chem. Res.*, 37(6), 2529–2534 (1998).
- Marrone, C.; Poletto, M., and Reverchon, E., "Almond oil extraction by supercritical carbon dioxide: Experiments and modelling," *Chem. Eng. Sci.*, 53(21), 3711–3718 (1998).
- Niemeyer, E. D., and Bright, F. V., "Determination of the local environment surrounding pyrene in supercritical alkanes: A first step toward solvation in supercritical aviation fuels," *Energy Fuels*, 12(4), 823–827 (1998).
- Pimenta, A. S.; Vital, B. R., and Bayona, J. M., "Characterisation of polycyclic aromatic hydrocarbons in liquid products from pyrolysis of *Eucalyptus grandis* by supercritical fluid extraction and GC/MS determination," *Fuel*, 77(11), 1133–1139 (1998).
- Rincon, J.; de Lucas, A., and Garcia, M. A., "Preliminary study on the supercritical carbon dioxide extraction of nicotine from tobacco wastes," *Sep. Sci. Technol.*, 33(3), 411–424 (1998).
- Sahle-Demessie, E.; Levien, K. L., and Morrell, J. J., "Impregnating porous solids using supercritical carbon dioxide," *Chemtech.*, 28(3), 12–18 (1998).
- Saquin, C. D.; Lucien, F. P., and Foster, N. R., "Steric effects and preferential interactions in supercritical carbon dioxide," *Ind. Eng. Chem. Res.*, 37(10), 4190–4197 (1998).
- Sata, M.; Goto, M., and Kodama, A., "New fractionation process for citrus oil by pressure swing adsorption in supercritical carbon dioxide," *Chem. Eng. Sci.*, 53(24), 4095–4104 (1998).
- Sievers, U., "Energy optimization of supercritical fluid extraction processes with separation at supercritical pressure," *Chem. Eng. Process.*, 37(5), 451–460 (1998).
- Wheeler, G. W.; Tomasko, D. L., and Chalmers, J. J., "Dynamics of a linked supercritical extraction/biodegradation process for organic wastes," *Chem. Eng. Sci.*, 53(2), 189–202 (1998).
- Yuang, Q.; Zhang, Q., and Hu, H., "Investigation of extracts of coal by supercritical extraction," *Fuel*, 77(11), 1237–1241 (1998).

## REFERENCES

1. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1997)," *Sep. Sci. Technol.*, 34(1), 139–156 (1999).
2. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1996)," *Ibid.*, 32(18), 3067–3083 (1997).
3. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1995)," *Ibid.*, 32(7), 1163–1187 (1997).

## EQUILIBRIUM-STAGED SEPARATIONS

3321

4. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1994)," *Ibid.*, 30(20), 3723–3745 (1995).
5. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography Update (1992–1993)," *Ibid.*, 29(17), 2359–2385 (1994).
6. M. S. Ray, "Equilibrium-Staged Separations: A Bibliography (1991)," *Ibid.*, 28(6), 1361–1378 (1993).
7. M. S. Ray, "Distillation (1980–1990): A Bibliography," *Ibid.*, 27(1), 105–128 (1992).
8. Engineering and Applied Science Database on CD-ROM (including CHERUB chemical engineering database), published by Royal Melbourne Institute of Technology, Australia (ISSN 1038-7900). Full details available from the author.

*Received by editor March 23, 1999*



## **Request Permission or Order Reprints Instantly!**

Interested in copying and sharing this article? In most cases, U.S. Copyright Law requires that you get permission from the article's rightsholder before using copyrighted content.

All information and materials found in this article, including but not limited to text, trademarks, patents, logos, graphics and images (the "Materials"), are the copyrighted works and other forms of intellectual property of Marcel Dekker, Inc., or its licensors. All rights not expressly granted are reserved.

Get permission to lawfully reproduce and distribute the Materials or order reprints quickly and painlessly. Simply click on the "Request Permission/Reprints Here" link below and follow the instructions. Visit the [U.S. Copyright Office](#) for information on Fair Use limitations of U.S. copyright law. Please refer to The Association of American Publishers' (AAP) website for guidelines on [Fair Use in the Classroom](#).

The Materials are for your personal use only and cannot be reformatted, reposted, resold or distributed by electronic means or otherwise without permission from Marcel Dekker, Inc. Marcel Dekker, Inc. grants you the limited right to display the Materials only on your personal computer or personal wireless device, and to copy and download single copies of such Materials provided that any copyright, trademark or other notice appearing on such Materials is also retained by, displayed, copied or downloaded as part of the Materials and is not removed or obscured, and provided you do not edit, modify, alter or enhance the Materials. Please refer to our [Website User Agreement](#) for more details.

**[Order now!](#)**

Reprints of this article can also be ordered at

<http://www.dekker.com/servlet/product/DOI/101081SS100100838>