

This article was downloaded by:

On: 25 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



## Separation Science and Technology

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713708471>

### Index to Volume 38

Online publication date: 10 September 2003

**To cite this Article** (2003) 'Index to Volume 38', Separation Science and Technology, 38: 16, 4131 — 4172

**To link to this Article:** DOI: 10.1081/SS-120026499

**URL:** <http://dx.doi.org/10.1081/SS-120026499>

## PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

## Index to Volume 38

### A

- Absorption-dehumidification process variables, analysis using the experimental design methodology, 2447–2464
- Abu Al-Rub, F. A., 247, 483–497, 3645–3667
- Accompanying anion, effect on the competitive transport of nickel(II) and iron(III) through polysulfone membranes, 2503–2514
- Acetic acid–water mixtures, permeation and separation through PVA membranes modified with PAA, 1963–1980
- N*-Acetyl-L-phenylalanine, adsorption and desorption of serum proteins using cellulosic affinity membrane modified with, 323–336
- Acid gas adsorbents, reversible, ion exchange resins as, 3385–3407
- Acidianus brierleyi*, growing on elemental sulfur, zinc leaching from fly ash in municipal waste incineration by, 4119–4132
- Actinides, UNEX process for simultaneous recovery with strontium and cesium from acidic radioactive wastes, 2685–2708
- Activated carbon
- comparison of phenol and 4-chlorophenol adsorption in, 2549–2564
  - equilibrium and fixed-bed adsorption of n-hexane on, 3905–3926
  - fiber, supercritical extraction of phenol from, 999–1014
  - granular, effects of biodegradation and background inorganic substances on adsorption of wastewater by, 2515–2531
  - immobilized, phenol adsorption with alginate gels, 1851–1867

4131

DOI: 10.1081/SS-120026499  
Copyright © 2003 by Marcel Dekker, Inc.

0149-6395 (Print); 1520-5754 (Online)  
www.dekker.com



- powdered membrane system, for removal of organics from secondary sewage effluents, 2183–2199
  - sorption of anionic dyes on, 3049–3073
- Activated sludge
  - microfiltration using modified PVC membranes, 591–612
  - waste, network strength using rheological tests, 375–388
- Adhangale, P., 977–998
- Admassu, W., 1561–1583
- Adsorbents
  - fibrous and polymeric containing amidoxime chelating functional group from seawater, 1829–1849
  - fly ash, for removal of cresol from aqueous solution, 1345–1360
  - iron oxide particles, to enhance phosphorus removal from secondary wastewater effluent, 3853–3874
  - polyacrylonitrile–titanium dioxide composite, for removal of lead(II) ion in aqueous solution, 695–713
  - polymeric, adsorption dynamics of toluene in a packed bed charged with, 77–91
  - prepared from industrial wastes for removal of dyes, 463–481
- Adsorption
  - in activated carbon, comparison of phenol and 4-chlorophenol, 2549–2564
  - of cadmium from aqueous solutions by vermiculite, 57–76
  - of carbon dioxide, determination of mass transfer rates in PVDF and PTFE hollow fiber membranes for, 271–293
  - of chromium(VI) on chitosan-coated perlite, 3775–3793
  - competitive, of nickel and cadmium on sheep manure wastes, 483–497
  - of divalent metal ions with extraction resin containing 1-hexyl-4-ethyloctyl isopropylphosphonic acid, 2025–2037
  - dynamics, of toluene in a packed bed charged with polymeric adsorbent, 77–91
  - fixed bed, of n-hexane on activated carbon, 3905–3926
  - of molecular iodine, 715–731
  - of phenol in immobilized activated carbon with alginate gels, 1851–1867
  - of phenylenediamines on ion-exchange resin, 3409–3430
- Adsorptive separation and recovery, of organic compounds from purified terephthalic acid plant effluent, 93–111
- Agarose concentration, influence in gels on the electrophoretic trapping of circular DNA, 2121–2136
- Ahmad, S., 2003–2024
- Ahmed, M., 715–731
- Air gap membrane distillation, sensitivity analysis of, 3645–3667
- Air pollutants, removal in the make-up air of a semiconductor plant by fine water spray, 1429–1436
- Akaganeite fixed-beds, for removal



- of arsenic and cadmium, 3967–3981
- Akay, G., 1161–1183
- Åkerman, B., 2121–2136
- Akoum, O., 571–589
- Al-Dabaybeh, N., 483–497
- Alginate gels, for phenol adsorption in immobilized activated carbon, 1851–1867
- Alguacil, F. J., 2055–2069
- Ali, N., 1307–1327
- Al-Jabari, M., 2165–2181
- Alkaline earth cation exchange, on Na-3-mica, 679–694
- Alkylenediphosphonic acids
- dialkyl substituted, temperature effect on the extraction of metal ions by, 2619–2636
  - silyl substituted, aggregation, metal ion extraction, and solubility properties of, 2741–2762
- Alloy electroplating wastewater, extraction of zinc and chromium(III) and its application to treatment of, 405–425
- Alpoguz, H. K., 1649–1664
- Amal, R., 869–887
- Amberlite XAD-4 resin, D<sub>2</sub>EDPA immobilized, for selective separation of vanadium from molybdenum, 3827–3852
- Amidoxime chelating functional group, from seawater, adsorption properties and kinetics of uranium(VI) with a fibrous and polymeric adsorbent containing, 1829–1849
- Amine based extractants, influence of active solvents on acid solvent extraction by, 1681–1704
- $\alpha$ -Amino acids, distribution behavior by extraction with trioctylamine, 1217–1228
- Aminobenzoic acid, distribution behavior by extraction with trioctylamine, 1217–1228
- Amounas, M., 1291–1306
- Angers, P., 3115–3131
- Anion binding, selective, from water using soluble polymers, 389–404
- Anthocyanin, kinetics and mathematical modeling of extraction with carbon dioxide and methanol at high pressure, 3689–3712
- Anthony, R. G., 3009–3029
- Antimony silicates, metal doped, for removal of radionuclides from acidic and neutral waste solutions, 2995–3007
- Anuse, M. A., 2597–2618
- Aqueous two-phase extraction, for collection and purification of parasporal crystals from *Bacillus thuringiensis*, 1665–1680
- Aqueous two-phase reactor systems, for energy-cost reduction in starch processing, 2709–2724
- Aragonite, flotation method selective separation of trace elements before atomic absorption spectrometric determination of, 1111–1124
- Aragoza, C., 3473–3491
- Aratono, M., 3591–3607
- Argekar, A. P., 3747–3760
- Arol, A. I., 647–659



- Aromatic organics, removal in aqueous solution via micellar-enhanced ultrafiltration, 1791–1811
- Aroujalian, A., 3239–3247
- Arpa, C., 1869–1881
- Arsenic, removal by akaganeite fixed-beds, 3967–3981
- Arul, J., 3115–3131
- Asakura, T., 1829–1849
- Asman, G., 1963–1980
- L-Aspartic acid, recovery from aqueous solution, 2837–2850
- Atomic absorption spectrometry, for determination of aragonite, flotation method selective separation of trace elements before, 1111–1124
- Atomic force microscopy, for characterization of increasing molecular weight cut off polyamide nanofiltration membranes, 1307–1327
- B**
- Babain, V. A., 2685–2708
- Bacillus thuringiensis*, aqueous two-phase extraction collection and purification of parasporal crystals from, 1665–1680
- Back-extraction, of carboxylic acids by two-phase electrophoresis, 3731–3746
- Background inorganic substances, effects on granular activated carbon adsorption of wastewater, 2515–2531
- Bag, B. C., 219–235
- Bakoyannakis, D. N., 3967–3981
- Bal, R., 3609–3624
- Bale-type catalytic distillation packings, mass transfer characteristics of, 3535–3552
- Banat, F., 247, 3645–3667
- Banerjee, S. S., 1015–1032
- Bani-Melhem, K., 247, 3645–3667
- Barium, removal from water by elution through fixed beds of phillipsite- and/or chabazite-rich tuffs, 2221–2236
- Basu, J. K., 219–235, 1345–1360
- Beasley, M. C., 2637–2645
- Beasley, M. H., 2647–2666
- Bektas, S., 1869–1881
- Belapurkar, A. D., 2107–2120
- Belfort, G., 251–270
- Belkacemi, K., 3115–3131, 3239–3247
- Benson, M. T., 3225–3238
- Bentonite membrane, for reverse osmosis separation of sodium chloride, 4009–4025
- Berkowitz, B., 149–163
- Beryllium, binding by functionalized polyethylenimine water-soluble polymers, 1141–1160
- Bhatnagar, A., 463–481
- Bhattacharjee, C., 1749–1772
- Bhattacharya, B., 1417–1427
- Bhattacharya, C., 2081–2106
- Bian, C., 933–950
- Biçak, N., 165–177, 201–217
- Bicyclic aromatic components, separation and recovery in the light cycle oil, 179–199
- Bienkowski, P. R., 3273–3288
- Biodegradation, effects on granular activated carbon adsorption of wastewater, 2515–2531



- Biosorption  
  of copper from liquid effluents  
    using grape stalks, 2237–  
    2254  
  of heavy metal ions by *Penicil-  
    lium purpurogenum*, 2039–  
    2053
- Birnbaum, E. R., 389–404
- Birnbaum, J. C., 3809–3825
- Bisuccimide, as surfactant in  
  emulsion liquid membrane  
  recovery of chromium(VI)  
  from effluents, 1633–1648
- Boddu, A., 2951–2962
- Boddu, V. M., 3775–3793
- Boley, C. S., 3249–3271
- Bond, A. H., 359–374
- Boric acid, liquid–liquid extraction by  
  N,N-bis(2,3-dihydroxypropyl)  
  octadecylamine, 165–177
- Borkowski, M., 3313–3331, 3333–  
  3351
- Boron, effect of 1,3-diol structure on  
  distribution between  $\text{CHCl}_3$   
  and aqueous phase, 1721–  
  1732
- Brandt, K., 633–645
- Bryczkowski, A., 3493–3511
- Bulutcu, N., 165–177
- Bunge, A. L., 519–539
- Busche, B. J., 3809–3825
- C
- CA-100, in mixtures with Cyanex  
  272 for synergistic extrac-  
  tion of zinc(II), 2291–2306
- Cadmium  
  adsorption from aqueous solu-  
  tions by vermiculite, 57–76
- competitive adsorption on sheep  
  manure wastes, 483–497
- complexation on HQS-impreg-  
  nated Lewatit MP 600,  
  149–163
- decontamination from aqueous  
  media using lateritic miner-  
  als, 2003–2024
- influence of temperature on re-  
  moval by *Sphaerotilus na-  
    tans* from acidic solutions,  
  3951–3966
- removal by akaganeite fixed-beds,  
  3967–3981
- Cadmium ion, cementation in aque-  
  ous solution by a zinc column  
  test, 3513–3434
- Cadmium(II)  
  ion flotation in the presence of  
  side-armed diphosphaza-16-  
  crown-6 ethers, 633–645
- removal from human plasma in  
  a packed-bed column with  
  cysteinylhexapeptide at-  
  tached poly(2-hydroxyethyl  
  methacrylate) beads, 1869–  
  1881
- Caffeine, recovery with solvent ex-  
  traction, 3609–3624
- Cakes  
  effect of floc size and structure  
  on specific resistance and  
  compressibility in dead-end  
  microfiltration, 869–887
- incompressible, for filtration of  
  a yield stress fluid, 745–766
- structure, of consolidated biolog-  
  ical sludge, 967–976
- super-compactible, radial flow  
  filtration for, 733–744
- Calcium alginate gel, solid–liquid



- separation using particle immobilization in, 837–850
- Calcium ions, for heavy metal flocculation, 2327–2345
- Calix[4]arene derivatives, kinetics of mercury(II) transport through a bulk liquid membrane containing as a carrier, 1649–1664
- Campbell, S. G., 2647–2666
- Cao, G., 4081–4096
- Carbon dioxide
- absorption, determination of mass transfer rates in PVDF and PTFE hollow fiber membranes for, 271–293
  - absorption into non-Newtonian liquid
    - effect of viscoelasticity on, 1361–1384
    - effect of water-in-oil emulsion on, 3983–4007
  - absorption rate and solubility, in monoethanolamine/pipe-razine/water, 337–357
  - for anthocyanin extraction with methanol at high pressure, 3689–3712
  - liquid, recovery from cleaning solutions without phase change using ultrafiltration and microfiltration membranes, 2951–2962
- Carbon dioxide absorption/desorption, two dimensional, in packed sorption beds under non-ideal flows, 3875–3904
- Carbon dioxide pressure, influence on supercritical carbon dioxide extraction of thyme, 541–552
- Carbon-in-pulp simulation, a solution concentration model for, 2395–2406
- Carboxylic acids, back-extraction by two-phase electrophoresis, 3731–3746
- Carić, M. D., 1549–1560
- Carothers, S. L., 251–270
- Carvalho, J. M. R., 2237–2254
- Casado, C., 3473–3491
- Catalytic reactive membrane immobilizing peroxidase and catalase, by molecular recognition process for dismutation of hydrogen peroxide, 1291–1306
- Caustic-side solvent extraction
- batch distribution coefficient measurements for Savannah River site high-level wastes, 2637–2645
  - for the removal of cesium-137 from Savannah River site high-level waste, 2647–2666
- Cellulosic affinity membrane, modified with *N*-acetyl-L-phenylalanine, for adsorption and desorption of serum proteins, 323–336
- Cementation, of cadmium ion in aqueous solution by a zinc column test, 3513–3434
- Cengelloglu, Y., 2503–2514
- Centrate, of dredged sediments, removal of particulates from, 933–950
- Centrifugal dewatering, of dredged sediments, 933–950
- Ceramic flat sheet membrane, influence of fluid distribution on the ultrafiltration performance of, 1949–1962



- Cesium  
  extraction solvent, stability of, 2667–2683  
  loading, of IONSIV IE-910 and IE-911, 3175–3188  
  UNEX process for simultaneous recovery with strontium and actinides from acidic radioactive wastes, 2685–2708
- Cesium ion exchange conditions, effect of hydrogen peroxide on crystalline silicotitanate under, 3009–3029
- Cesium-137, removal from Savannah River site high-level waste by caustic-side solvent extraction, 2647–2666
- Chabazite-rich tuffs, barium and cobalt removal from water by elution through fixed bed of, 2221–2236
- Chae, J.-S., 2407–2424
- Chakraborty, M., 2081–2106
- Chakraborty, S., 219–235
- Chang, M. J., 967–976
- Chang, Y.-N., 2447–2464
- Chase, G. G., 745–766
- Chaudhary, D. S., 2183–2199, 2515–2531
- Chen, G., 903–915
- Chen, J.-H., 3827–3852
- Chen, Y.-T., 2425–2445
- Cheng, T. W., 817–835
- Cheng, W. P., 39–55
- Cheng, Y.-H., 779–795
- Cheryan, M., 1533–1547
- Chiarizia, R., 2619–2636, 2741–2762, 3313–3331, 3333–3351
- Chitosan derivatives, sorption of anionic dyes on, 3049–3073
- Chitosan-coated perlite, for adsorption of chromium(VI), 3775–3793
- Chlorocarbon permeabilities, determination for polymeric membranes by membrane introduction mass spectrometry, 3215–3223
- 4-Chlorophenol, comparison with phenol for adsorption in activated carbon, 2549–2564
- Cho, S. J., 661–678
- Choi, D.-K., 77–91
- Choi, J. H., 661–678
- Choo, K.-H., 3853–3874
- Chotard-Ghodsniya, R., 571–589
- Choung, J.-H., 77–91
- Christian, S. D., 1925–1947
- Chromatography, design method for coupling with crystallization units, 3353–3383
- Chromium, selective leaching from washed 241-S-110 Hanford tank sludge, 3145–3173
- Chromium(III), extraction and application to treatment of alloy electroplating wastewater, 405–425
- Chromium(VI)  
  adsorption on chitosan-coated perlite, 3775–3793  
  emulsion liquid membrane recovery from effluents using monosuccinimide and bisuccinimide as surfactant, 1633–1648
- Chromium(VI) ions, removal from single metal aqueous solutions by sorption or nanofiltration, 2201–2219
- Chu, C. P., 933–950, 967–976
- Chu, K. H., 3927–3950





- Chuang, C.-J., 797–816
- Chung, H., 3459–3472
- Chung, T.-W., 2447–2464
- Circular DNA, influence of agarose concentration in gels on the electrophoretic trapping of, 2121–2136
- Cleaning solutions, recovery of liquid carbon dioxide without phase change using ultrafiltration and microfiltration membranes, 2951–2962
- Cloud point extraction, gold recovery by pH-switching process via, 3591–3607
- Coagulant, polyferric sulfate, microwave-assisted preparation of, 39–55
- Coagulated sewage secondary effluent cyclic backwashing, for constant rate microfiltration, 951–966
- Coal
- fine, cyclo-microbubble column flotation of, 1125–1140
  - fly ash, simultaneous removal of  $\text{NH}_4^+$  and  $\text{PO}_4^{3-}$  in aqueous solution and its mechanism using zeolite synthesized from, 113–129
- Coal tar distillate, solution and melt crystallization purification of naphthalene from, 2407–2424
- Cobalt
- counteractive facilitated transport in cobalt–nickel mixtures by hollow-fiber supported liquid membranes, 499–517
  - removal by electrodeionization for high purity water production, 443–462
  - removal from a primary coolant by continuous electrodeionization with conducting spacers, 2347–2371
  - removal from water by elution through fixed beds of phillipsite- and/or chabazite-rich tuffs, 2221–2236
  - separation from a nickel-hydro-metallurgical effluent using an emulsion liquid membrane, 3553–3574
- Cobalt ions, simultaneous TLC removal with iron and nickel ions from acidic and ammoniacal solutions, 2255–2278
- Cobalt-57, uptake and selectivity of tin antimonates for, 3795–3808
- Coetzee, J. W., 2395–2406
- Cole, K. D., 2121–2136
- Colella, A., 2221–2236
- Coleman, A. D., 2637–2645, 2647–2666
- Colloidal suspensions, electro-microfiltration of, 797–816
- Colloid-enhanced ultrafiltration, for purification of phenolic-laden wastewater from the pulp and paper industry, 2465–2501
- Column performance, prediction in displacement chromatography from high-throughput screening batch experiments, 1499–1517
- Comiti, J., 1949–1962
- Competitive complexation/solva-



- tion theory, of solvent extraction, 1681–1704
- Complex separation schemes, analysis in the presence of chemical reactions, 2763–2791
- Conditioning, of mechanically disintegrated excess sludge, 889–901
- Conductance, apparent, critical change in membrane electrodialysis, 1561–1583
- Constant rate microfiltration, with cyclic backwashing of coagulated sewage secondary effluent, 951–966
- Continuous separation, of fines from fibers in a wedge-shaped vessel, 2165–2181
- Continuous stirred ultrafiltration, numerical simulation of 1749–1772
- Continuous thermal-diffusion columns, on modified Frazier-scheme for the enrichment of heavy water, 2425–2445
- Converti, A., 3951–3966
- Copper
- batch equilibrium and kinetics of removal by crab shell, 3927–3950
  - biosorption from liquid effluents using grape stalks, 2237–2254
- Copper ions, MSM for removal in aqueous solutions, 2533–2548
- Copper(II), mathematical modeling of simultaneous extraction with nickel(II) from wastewater by emulsion liquid membranes, 2081–2106
- Copper<sup>2+</sup>, kinetics of separation by flotation, 613–632
- Correia, M. J. N., 2237–2254
- Cosmeleata, R., 613–632
- Cosnier, S., 1291–1306
- Cosolvent, equilibrium model for correlation of solubility of solids in supercritical fluids with, 1705–1719
- Costa-López, J., 21–37
- Counce, R. M., 2793–2813, 2815–2835, 2901–2921, 3273–3288
- Counteractive facilitated transport, of cobalt in cobalt–nickel mixtures by hollow-fiber supported liquid membranes, 499–517
- Countercurrent-flow Frazier scheme, optimum plate spacing for the best performance of the enrichment of heavy water in thermal diffusion columns of, 1883–1897
- Coupled diffusion, of multiple ionic species in ion-exchange membranes with fixed ionic groups, 237–245
- Couturier, S., 1051–1068
- Crab shell, batch equilibrium and kinetics of copper removal by, 3927–3950
- Cramer, S. M., 1499–1517
- Cresol, removal from aqueous solution using fly ash as adsorbent, 1345–1360
- Crooks, W. J., III, 2725–2739
- Crossflow filtration, strontium and transuranic, of a large Hanford tank 241-AN-102 sample, 3189–3213



- Crossflow membrane filtration, by  
flow reversal, flux enhance-  
ment in, 3133–3144
- Crossflow microfiltration  
of macromolecules, role of dy-  
namic membrane in, 779–  
795
- of skim milk, Kenics static mixer  
as turbulence promoter in,  
1549–1560
- Croy, B. H., 3075–3091
- Crump, S. L., 2667–2683
- Crystalline silicotitanate  
under cesium ion exchange con-  
ditions, effect of hydrogen  
peroxide on, 3009–3029
- thermal and chemical stability of,  
3031–3048
- Crystallization units, design meth-  
od for coupling with chro-  
matography, 3353–3383
- Cui, W., 2071–2080
- Čundeová, K., 1111–1124
- Curcuminoids  
hydrotropic extraction from tur-  
meric, 1185–1215
- precipitation from hydrotrope so-  
lutions, 3625–2644
- Cyanex 272, in mixtures with  
CA-100 for synergistic ex-  
traction of zinc(II), 2291–  
2306
- Cyanex 923, facilitated transport  
of gold from cyanide or  
chloride media by, 2055–  
2069
- Cyanex 925, for separation of tel-  
lurium(IV) and seleniu-  
m(IV), 3575–3589
- Cyclic backwashing, of coagulated  
sewage secondary effluent  
for constant rate microfiltra-  
tion, filtration behaviors in,  
951–966
- Cyclo-microbubble column flota-  
tion, of fine coal, 1125–  
1140
- Cysteinylhexapeptide attached  
poly(2-hydroxyethyl meth-  
acrylate) beads, for cadmi-  
um(II) removal from human  
plasma in a packed-bed  
column, 1869–1881
- D
- Dachavijit, P., 745–766
- Dai, Y.-Y., 1217–1228
- Dalvi, A. A., 2107–2120
- Dandekar, D. V., 1185–1215,  
3625–3644
- Dang, H., 337–357
- Das, K., 3289–3311
- DasGupta, S., 219–235, 1345–  
1360
- Datta, S., 1749–1772, 2081–2106
- Daud, M., 2003–2024
- Davids, S. J., 3239–3247
- Davis, A. N., 2793–2813
- Davis, T. A., 2979–2993
- De, S., 219–235
- de Gennaro, B., 2221–2236
- de Vries, S., 1–19
- Dead-end microfiltration, effect of  
floc size and structure on  
specific cake resistance and  
compressibility in, 869–887
- Dead-ended ultrafiltration, struc-  
tural response of bovine  
growth hormone to, 251–  
270
- Decontamination  
of cadmium from aqueous me-



- dia using lateritic minerals, 2003–2024
- of plutonium-bearing mixed wastes with efficient water and acid recycle, 2923–2950
- D<sub>2</sub>EDPA-immobilized Amberlite XAD-4 resin, for selective separation of vanadium from molybdenum, 3827–3852
- Dehydration, of industrial ketonic effluents by pervaporation, 3473–3491
- Del Borghi, M., 3951–3966
- Deliyanni, E. A., 3967–3981
- Delmau, L. H., 2667–2683
- Demulsification
- of emulsions, exploitation by enhanced oil recovery system, 4081–4096
  - of highly stable water-in-oil emulsions, 1161–1183
- Denizli, A., 1869–1881, 2039–2053, 3431–3447
- DePaoli, D. W., 2793–2813, 2815–2835
- Department of Energy (DOE) job control wastes, supercritical fluid extraction of 1,2,4-trichlorobenzene from, 2979–2993
- Dewatering
- of broth in a horizontal electric field, 767–778
  - electro-osmotic, of biological sludge with salinity, 903–915
  - of mechanically disintegrated excess sludge, 889–901
- Dhadke, P. M., 3575–3589
- Dialkylphosphoric acids, prediction models for the determination of physicochemical constants of, 1621–1631
- Dialkyl-substituted alkylenediphosphonic acids, temperature effect on the extraction of metal ions by, 2619–2636
- Diaz-Nava, C., 131–147
- Dietz, M. L., 2741–2762
- Differential vaporization and differential condensation stages, distillation cascades based on, 1597–1620
- N,N*-bis(2,3-Dihydroxypropyl) octadecylamine, for liquid–liquid extraction of boric acid, 165–177
- Dimethylnaphthalene isomers, separation and recovery from light cycle oil by distillation-extraction combination, 4097–4118
- Dinculescu, M., 613–632
- Ding, F., 767–778
- Ding, L. H., 571–589
- Ding, X., 4043–4057
- 1,3-Diol structure, effect on the distribution of boron between CHCl<sub>3</sub> and aqueous phase, 1721–1732
- Diphosphaza-16-crown-6 ethers, side armed, ion flotation of zinc(II) and cadmium(II) in the presence of, 633–645
- Diprete, C. C., 2637–2645
- Diprete, D. P., 2637–2645
- Displacement chromatography, high-throughput screening batch experiments for prediction of column performance in, 1499–1517
- Dissolver off-gas treatment, of fuel



- reprocessing, prediction of iodine-129 profile in a silver nitrate silica-gel column for, 1981–2001
- Distillation, reactive and extractive, headspace gas chromatography for solvent selection for, 21–37
- Distillation cascades, based on differential vaporization and differential condensation stages, 1597–1620
- Distillation packings, bale type, mass transfer characteristics of, 3535–3552
- Distillation-extraction combination, for separation and recovery of dimethylnaphthalene isomers from light cycle oil, 4097–4118
- Distribution behavior, of  $\alpha$ -amino acids and aminobenzoic acid by extraction with trioctylamine, 1217–1228
- Distribution coefficients, of caustic-side solvent extraction for Savannah River site high-level wastes, 2637–2645
- Divinylbenzene homopolymeric microcapsules, encapsulating ternary amine as a core material, extraction equilibria of precious metals from, 4059–4079
- DOE. *See* Department of Energy
- Dogru, M., 1161–1183
- Du, L., 1093–1109
- Dukes, V. H., 2637–2645, 3075–3091, 3249–3271
- Dust-collector, high duty horizontal, with a rotary baffle, 3493–3511
- Dutta, B., 1345–1360
- Dye solution, separation and fractionation by nanofiltration, 219–235
- Dye wastewater treatment, effect of polyamine flocculant types on, 661–678
- Dyes  
     anionic, sorption on activated carbon and chitosan derivatives, 3049–3073  
     comparison of adsorbents prepared from industrial wastes for removal of, 463–481
- Dynamic membrane, role in cross-flow microfiltration of macromolecules, 779–795
- E
- Effective diffusivity, during extraction from plants, 3713–3729
- Eguchi, Y., 323–336
- Ehler, D. S., 1141–1160
- Electric field, horizontal, for broth dewatering, 767–778
- Electro-catalysts, synthesis for proton exchange membrane fuel cells, 2963–2977
- Electrodeionization, continuous with conducting spacers, for removal of cobalt from a primary coolant, 2347–2371
- Electrodialysis  
     membrane, critical change in apparent conductance and ion exchange limit in, 1561–1583  
     for removal of heavy metals from solid waste products, 1269–1289



- Electrokinetic processing, for the removal of radionuclides in soils, 2137–2163
- Electro-microfiltration, of colloidal suspensions, 797–816
- Electro-osmotic dewatering, of biological sludge with salinity, 903–915
- Electrophoresis, two phase, for back-extraction of carboxylic acids, 3731–3746
- Electrophoretic trapping, of circular DNA, influence of agarose concentration in gels on, 2121–2136
- Elman, H., 3535–3552
- Emulsion liquid membranes
- for separation of cobalt from nickel-hydrometallurgical effluent, 3553–3574
  - for separation of molybdenum using tris (2-ethylhexy) phosphate as mobile carrier, 3747–3760
  - for simultaneous copper(II) and nickel(II) extraction from wastewater, 2081–2106
- systems
- leakage and swell in, 519–539
  - for the recovery of chromium(VI) from effluents using monosuccimide and bisuccimide as surfactant, 1633–1648
- Emulsions
- exploitation of demulsification by enhanced oil recovery system, 4081–4096
  - water in oil
    - effect on absorption of carbon dioxide into non-Newtonian liquid, 3983–4007
    - highly stable, demulsification of, 1161–1183
- Energy cost, reduction in starch processing using aqueous two-phase reactor systems, 2709–2724
- Equilibrium-staged separations, bibliography update (2001), 1437–1461
- Ersöz, A., 3431–3447
- Ersoz, M., 1649–1664, 2503–2514
- Esimantovskiy, V. N., 2685–2708
- Ethanol
- effect of proteins on flux and selectivity in pervaporation from a dilute solution, 3239–3247
  - stability and performance of ultrafiltration membranes in, 1533–1547
- 2-Ethylhexyl phosphinic acid mono-2-ethylhexyl ester, for selective extraction and separation of titanium(IV) from multivalent metal chloride solutions, 427–441
- Experimental design methodology, for analysis of the absorption-dehumidification process variables, 2447–2464
- Extraction resin, containing 1-hexyl-4-ethyloctyl isopropylphosphonic acid, adsorption of divalent metal ions with, 2025–2037
- Extraction time, influence on supercritical carbon dioxide extraction of thyme, 541–552
- Extractive separation, of zinc from oxidic solid bulk feed, 2867–2880
- Eyal, A., 1681–1704



## F

- Facilitated transport, of gold from cyanide or chloride media by Cyanex 923, 2055–2069
- Falling film layer crystallization, fractionation of milk fat by, 3115–3131
- Fane, A. G., 869–887
- Fang, C.-W., 797–816
- Fang, J., 3553–3574
- Ferraro, J. R., 3313–3331, 3333–3351
- Fibrous graphite electrode, for removal of indium turbidity from water, 2107–2120
- Filtration
- behaviors, in constant rate microfiltration with cyclic backwashing of coagulated sewage secondary effluent, 951–966
  - incompressible cake, of a yield stress fluid, 745–766
  - radial flow, for super-compactible cakes, 733–744
- Filtration–compression cell, liquid pressure measurement in, 1051–1068
- Fine water spray, for removal of air pollutants in the make-up air of a semiconductor plant, 1429–1436
- Fines, continuous separation from fibers in a wedge-shaped vessel, 2165–2181
- Fink, S. D., 3075–3091, 3175–3188
- Fischer, O., 3115–3131
- Flavonoid glycosides, extraction from *Ginkgo biloba* leaves and adsorption separations using hydrophobic and anion-exchange membranes, 1033–1050
- Floc, effect of size and structure on specific cake resistance and compressibility in dead-end microfiltration, 869–887
- Flocculation
- of heavy metals by phosphonated-methylated-polyethyleneimine and calcium ions, 2327–2345
  - of hematite with starch in the presence of calcium, effect of sodium silicate on, 647–659
- Flotation
- competitive, of zinc(II) and cadmium(II) in the presence of side-armed diphosphazene-16-crown 6 ethers, 633–645
  - cyclo-microbubble column, of fine coal, 1125–1140
  - kinetics of copper<sup>2+</sup> separation by, 613–632
  - for selective separation of trace elements from aragonite before atomic absorption spectrometric determination, 1111–1124
- Flow reversal, flux enhancement in crossflow membrane filtration by, 3133–3144
- Fluid distribution, influence on the ultrafiltration performance of a ceramic flat sheet membrane, 1949–1962
- Fluoride ions, sorption from aqueous solutions and well drinking water by thermally treated hydrotalcite, 131–147



- Fluoride mica (Na-3-mica), alkaline earth cation exchange and immobilization on, 679–694
- Flux  
  enhancement in crossflow membrane filtration by flow reversal, 3133–3144  
  quantitative analysis for gas–liquid two-phase ultrafiltration, 817–835
- Fly ash  
  as adsorbent for removal of cresol from aqueous solution, 1345–1360  
  coal, simultaneous removal of  $\text{NH}_4^+$  and  $\text{PO}_4^{3-}$  (in aqueous solution and its mechanism using zeolite synthesized from, 113–129  
  heavy oil, vanadium and nickel recovery by leaching and ion exchange, 1329–1344  
  and impregnated fly ash, for removal of nickel(II) and zinc(II) from wastewater, 1015–1032  
  for leaching of zinc from fly ash in municipal waste incineration by thermophilic archaean *Acidianus brierleyi* growing on elemental sulfur, 4119–4132  
  vanadium extraction from, 2881–2899
- Foam fractionation, continuous containing ovalbumin, effect of pH on the startup of, 1093–1109
- Fondeur, F. F., 3075–3091, 3175–3188
- Fractionation, of milk fat by falling film layer crystallization, 3115–3131
- Fryxell, G. E., 3809–3825
- Fu, X., 2071–2080
- Fujikubo, K., 4059–4079
- Fujisaki, S., 1981–2001
- Fujiwara, H., 4119–4132
- Functionalized mesostructured silica containing magnetite (MSM), for the removal of copper ions in aqueous solutions and its magnetic separation, 2533–2548
- Furry–Jones–Onsager theory of thermal-diffusion column, correction to, 1229–1246
- G
- Gaikar, V. G., 1185–1215, 2565–2578, 3409–3430, 3625–3644
- Gallium(III), liquid–liquid extraction with LIX 26, 1417–1427
- Gangawal, S. K., 3289–3311
- Garcia-Mendieta, A., 2549–2564
- Garnov, A. Yu., 359–374
- Gas centrifuge cascade, for non-stationary isotope separation, 2375–2394
- Gas–liquid two-phase ultrafiltration, quantitative flux analysis of, 817–835
- Gaucher, C., 1949–1962
- Gazi, M., 165–177, 201–217
- Gecol, H., 2465–2501
- Geeting, M. W., 2647–2666
- Genç, Ö., 1869–1881
- Ghaffar, A., 715–731
- Ghosh, T. K., 3775–3793
- Ginkgo biloba* leaf flavonoid glyco-





- sides, extraction and adsorption separations using hydrophobic and anion-exchange membranes, 1033–1050
- Glutamic acid molecular-imprinted polymeric microbeads, selective separation of uranium from, 3431–3447
- Gokhale, B. K., 2107–2120
- Gold
- facilitated transport from cyanide or chloride media by Cyanex 923, 2055–2069
  - recovery by pH-switching process by cloud point extraction, 3591–3607
- González, J. C., 3535–3552
- Gopireddy, D., 2851–2866
- Goto, I., 323–336
- Gotoh, M., 1981–2001
- Grape stalks, for biosorption of copper from liquid effluents, 2237–2254
- Growth hormone, bovine, structural response to dead-ended ultrafiltration, 251–270
- Gu, G., 933–950, 2071–2080
- Guibal, E., 2881–2899, 3049–3073
- Guo, Q.-X., 2579–2596
- Gupta, V. K., 463–481
- Guthrie, J. W., 2647–2666
- Guzman, J., 2881–2899
- H**
- Haghtalab, A., 553–569
- Hagiya, H., 1981–2001
- Hamm, L. L., 3093–3114
- Han, S. J., 1899–1923
- Hang, T., 3175–3188
- Hansen, H. K., 1269–1289
- Hargrove, S. C., 3133–3144
- Harjula, R., 2995–3007, 3795–3808
- Hasan, S., 3775–3793
- Hasegawa, K., 679–694
- Hashim, M. A., 3927–3950
- Hassan, N. M., 3093–3114
- Hatate, Y., 4059–4079
- Hauan, S., 2763–2791
- Hazan, B., 1681–1704
- He, P., 933–950
- He, X., 1633–1648
- Headspace gas chromatography, solvent selection for a reactive and extractive distillation process by, 21–37
- Heavy metals
- electrodialytic removal from solid waste products, 1269–1289
  - flocculation by phosphonemethylated-polyethyleneimine and calcium ions, 2327–2345
  - ions, biosorption by *Penicillium purpurogenum*, 2039–2053
  - removal from aqueous solution using nanoengineered sorbents, 3809–3825
  - selective precipitation as controlled by a sulfide-selective electrode, 1–19
  - toxic, supercritical fluid extraction from solid and aqueous matrices, 2279–2289
- Heavy oil fly ash, vanadium and nickel recovery by leaching and ion exchange, 1329–1344
- Heavy water enrichment
- continuous thermal-diffusion



- columns on modified Frazier-scheme for, 2425–2445
- in thermal diffusion columns of a countercurrent-flow Frazier scheme, optimum plate spacing for the best performance of, 1883–1897
- Heesink, A. B. M., 93–111
- Hematite, with starch in the presence of calcium, effect of sodium silicate on flocculation of, 647–659
- Herbicides, sorption on highly polar polymeric sorbents, 1813–1827
- Herbst, R. S., 2685–2708
- Herlinger, A. W., 2741–2762
- n-Hexane, equilibrium and fixed-bed adsorption on activated carbon, 3905–3926
- 1-Hexyl-4-ethyloctyl isopropylphosphonic acid, adsorption of divalent metal ions with extraction resin containing, 2025–2037
- High-level wastes
- evaporators, nitric acid cleaning of a sodalite-sodium diuranate scale in, 3249–3271
  - Savannah River site
    - caustic-side solvent extraction batch distribution coefficient measurements for, 2637–2645
    - caustic-side solvent extraction removal of cesium-137 from, 2647–2666
- High-throughput screening batch experiments, for prediction of column performance in displacement chromatography, 1499–1517
- Hilal, N., 1307–1327
- Hilber, T., 2867–2880
- Hippophae rhamnoides* l. seeds, supercritical fluid extraction from, 4043–4057
- Ho, C.-D., 2425–2445
- Hodor, I., 1229–1246
- Hoffmaster, W. R., 2763–2791
- Hollow fiber membrane module, parallel flow, shell side mass transfer characteristics in, 1247–1267
- Hollow fiber membranes, PVDF and PTFE for carbon dioxide absorption, determination of mass transfer rates in, 271–293
- Hollow-fiber supported liquid membranes, counteractive facilitated transport of cobalt in cobalt-nickel mixtures by, 499–517
- Horizontal electric field, for broth dewatering, 767–778
- Horwitz, E. P., 2923–2950
- Hosgören, H., 1721–1732
- HQS. *See* 8-Hydroxyquinoline-5-sulfonic acid
- Hu, M. Z.-C., 2793–2813, 2815–2835
- Hu, X., 2071–2080, 3609–3624
- Huang, C.-H., 1429–1436
- Huang, S.-L., 4027–4041
- Husson, S. M., 2837–2850, 2851–2866
- Hwang, K.-J., 779–795
- Hybrid processes, design method for optimal coupling of chromatography and crystallization units, 3353–3383



Hydraulic retention time, effects on system performance of a submerged membrane bioreactor, 851–868

Hydrocarbon separation, exploiting single-file motion in one-dimensional nanoporous materials for, 977–998

Hydrogen, testing of polymer membranes for the selective permeability of, 3225–3238

Hydrogen peroxide  
   dismutation from water medium by catalytic reactive membrane immobilizing peroxidase and catalase by molecular recognition process, 1291–1306  
   effect on a crystalline silicotitanate under cesium ion exchange conditions, 3009–3029

Hydrogen sulfide, hot, reactivity with sorbents in the presence of moisture and hydrogen, 3289–3311

Hydrolysis, for preparation of nano-titanium dioxide from a crude solution containing titanium(IV)–iron(II) and  $\text{H}_2\text{SO}_4$ , 2071–2080

Hydrotalcite, thermally treated, sorption of fluoride ions from aqueous solutions and well drinking water by, 131–147

Hydrotrope solutions, precipitation of curcuminoids from, 3625–2644

Hydrotropic extraction, of curcuminoids from turmeric, 1185–1215

8-Hydroxyquinoline-5-sulfonic acid (HQS), impregnated on Lewatit MP 600 for cadmium complexation, 149–163

## I

Iizuka, M., 1981–2001

Ilias, S., 2951–2962, 2963–2977, 3133–3144

Immersion precipitation method, effect of PVP additive on porous polysulfone membrane formation by, 3449–3458

Immobilization, of alkaline earth cation on Na-3-mica, 679–694

Indium turbidity, removal from water using a magnesium ion loaded weak acid cation exchanger and fibrous graphite electrode, 2107–2120

Industrial wastes, comparative study of adsorbents prepared from for removal of dyes, 463–481

Industrial wastewater, containing lead<sup>2+</sup> ion, use of a coupling process of polymer complexation-ultrafiltration for treatment of, 1585–1596

Initiation temperature, for runaway tri-n-butyl phosphate/nitric acid reaction, 2725–2739

Innocent, C., 1291–1306

Iodine, molecular, adsorption profile of, 715–731

Iodine-129, profile in a silver



- nitrate silica-gel column for  
dissolver off-gas treatment  
of fuel reprocessing, 1981–  
2001
- Ion exchange  
  behavior, of natural zeolites,  
    1519–1532  
  for recovery of nickel and vana-  
    dium from heavy oil fly ash,  
    1329–1344
- Ion exchange characteristics, of  
  palladium and ruthenium  
  from a simulated radioac-  
    tive liquid waste, 3459–  
    3472
- Ion exchange limit, critical change  
  in membrane electrodialy-  
    sis, 1561–1583
- Ion-exchange membranes, with  
  fixed ionic groups, coupled  
  diffusion of multiple ionic  
  species in, 237–245
- Ion-exchange resin  
  beds, electrochemical character-  
    ization and removal of co-  
    balt by electrodeionization  
    for high purity water pro-  
    duction, 443–462  
  as reversible acid gas adsorbents,  
    3385–3407  
  separation of phenylenediamines  
    by selective solubilization  
    and adsorption on, 3409–  
    3430
- IONSIV<sup>®</sup> IE-910 and IE-911  
  effect of carbonate, oxalate, and  
    peroxide on the cesium  
    loading of, 3175–3188  
  preproduction samples, 3075–  
    3091
- Iraqi, E., 2255–2278
- Iritani, E., 951–966
- Iron ions, simultaneous TLC re-  
  moval with nickel and  
  cobalt ions from acidic  
  and ammoniacal solutions,  
    2255–2278
- Iron oxide particles, as adsorbents  
  to enhance phosphorus remo-  
    val from secondary waste-  
    water effluent, 3853–3874
- Iron(III), effect of accompanying  
  anion on the competitive  
  transport through polysul-  
    fone membranes, 2503–  
    2514
- Irulappan, S., 2963–2977
- Isotope separation, non-stationary,  
  in a gas centrifuge cascade,  
    2375–2394
- Iwasaki, I., 647–659
- Iwata, M., 837–850
- J
- Jaffrin, M. Y., 571–589
- Jain, A. K., 463–481
- Jami, M. S., 951–966
- Jaouen, P., 1949–1962
- Jayaram, R. V., 1015–1032
- Jekel, M., 2201–2219
- Jensen, M. P., 3313–3331, 3333–  
  3351
- Jeong, J., 499–517
- Jia, Q., 2025–2037
- Jiang, H., 2579–2596
- Jiménez, L., 21–37
- Jin, W., 767–778
- Jodra, Y., 1851–1867
- Johnson, M. E., 3093–3114
- Joo, D. J., 661–678
- Joshi, M. V., 1015–1032
- Jubin, R. T., 2901–2921



## K

- Kachane, P. K., 93–111  
 Kamble, S. P., 3409–3430  
 Kandah, M., 483–497  
 Kang, J. S., 591–612  
 Kang, S.-K., 3853–3874  
 Kao, Y.-Y., 3827–3852  
 Karakaplan, M., 1721–1732  
 Katagiri, N., 951–966  
 Kawaizumi, F., 1329–1344  
 Kawano, Y., 4059–4079  
 Kawasaki, J., 179–199  
 Keffer, D., 977–998  
 Keffer, D. J., 2815–2835  
 Kenics static mixer, as turbulence promoter in crossflow microfiltration of skim milk, 1549–1560  
 Kennell, C. W., 2647–2666  
 Ketonic effluents, industrial, dehydration by pervaporation, 3473–3491  
 Khalid, N., 2003–2024  
 Kim, C., 1791–1811  
 Kim, D., 1791–1811  
 Kim, D. S., 591–612  
 Kim, H.-T., 695–713  
 Kim, J., 1791–1811  
 Kim, J. H., 661–678  
 Kim, J.-W., 2407–2424, 2709–2724  
 Kim, K.-H., 2137–2163  
 Kim, K.-J., 2407–2424  
 Kim, K.-S., 999–1014  
 Kim, K.-W., 2137–2163  
 Kim, S., 1791–1811  
 Kim, S. C., 179–199, 4097–4118  
 Kim, S. H., 2515–2531, 3009–3029  
 Kim, S. J., 179–199, 4097–4118

- Kim, S.-H., 77–91  
 Kim, S.-O., 2137–2163  
 Kim, W., 499–517  
 Kim, Y., 2533–2548  
 Kim, Y.-H., 661–678  
 King, W. D., 3093–3114  
 Kir, E., 2503–2514  
 Kishore, K., 2107–2120  
 Kislik, V., 1681–1704  
 Kitamura, Y., 4059–4079  
 Klasson, K. T., 2901–2921, 3273–3288  
 Klose, P. S., 1773–1789  
 Knox, J. C., 3875–3904  
 Kobayashi, K., 3449–3458  
 Kodama, T., 679–694  
 Koivula, R., 3795–3808  
 Kokusen, H., 1519–1532  
 Kolekar, S. S., 2597–2618  
 Kolev, S. D., 237–245  
 Komarneni, S., 679–694  
 Komatsu, Y., 1519–1532  
 Komesvarakul, N., 2465–2501  
 Konishi, Y., 4119–4132  
 Krishnaiah, A., 3775–3793  
 Kristensen, I. V., 1269–1289  
 Krstić, D. M., 1549–1560  
 Krumhansel, J., 3075–3091  
 Ku, Y., 3513–3434  
 Kubota, N., 323–336  
 Kujawski, W., 3669–3687  
 Kumazawa, H., 3983–4007  
 Kumbhar, A. G., 2107–2120  
 Kwon, K. C., 3289–3311

## L

- Lai, K. C. K., 903–915  
 Lai, M.-H., 2447–2464  
 Lai, S.-M., 1033–1050



- Lateritic minerals, for cadmium decontamination from aqueous media, 2003–2024
- Law, J. D., 2647–2666, 2685–2708
- Lazaridis, N. K., 2201–2219
- Le, Q. T. H., 1141–1160
- Leaching
- for recovery of nickel and vanadium from heavy oil fly ash, 1329–1344
  - for recovery of vanadium from fly ash, 2881–2899
  - selective, of chromium from washed 241-S-110 Hanford tank sludge, 3145–3173
  - of uranium(VI), americium(III), and strontium(II) from simulated tank waste sludges, 359–374
  - of zinc from fly ash in municipal waste incineration by thermophilic archaean *Acidianus brierleyi* growing on elemental sulfur, 4119–4132
- Lead, selective removal from aqueous solution using nitriloacetic acid derivatives, 1925–1947
- Lead(II) ion, removal from aqueous solution by polyacrylonitrile–titanium dioxide composite adsorbent, 695–713
- Lead<sup>2+</sup> ion, use of a coupling process of polymer complexation-ultrafiltration for treatment of industrial wastewater containing, 1585–1596
- Leakage, in emulsion liquid-membrane systems, 519–539
- Lee, B., 2533–2548
- Lee, C.-H., 695–713
- Lee, C.-W., 2137–2163
- Lee, D. J., 375–388, 933–950, 967–976
- Lee, E. C., 1399–1415
- Lee, E.-H., 695–713
- Lee, J. W., 3905–3926
- Lee, J.-C., 499–517
- Lee, K.-H., 271–293
- Lee, M., 1791–1811
- Lee, M.-H., 2137–2163
- Lee, R., 4009–4025
- Lee, S. A., 869–887
- Lee, S. H., 3459–3472
- Lee, Y. M., 591–612
- Lee, Y.-W., 77–91
- Lehto, J., 3795–3808
- Lengtilhomme, P., 1949–1962
- Lepojević, Ž., 541–552
- Lewatit MP 600, cadmium complexation by HQS impregnated on, 149–163
- Lewis, B. L., 3249–3271
- Li, B., 1125–1140
- Li, D., 2025–2037
- Li, D. Q., 2291–2306
- Li, H., 1633–1648
- Li, J., 2979–2993
- Li, M., 2709–2724, 3553–3574
- Li, Q., 1705–1719
- Li, W., 733–744
- Liang, H., 4043–4057
- Liang, Y., 1633–1648
- Ligand-modified colloid enhanced ultrafiltration, use of nitriloacetic acid derivatives for selective removal of lead from aqueous solution, 1925–1947
- Light cycle oil
- separation and recovery of bicy-



- clic aromatic components in, 179–199
  - separation and recovery of dimethylnaphthalene isomers by distillation-extraction combination, 4097–4118
- Lim, J., 1791–1811
- Lim, K.-H., 3853–3874
- Lin, C.-H., 3827–3852
- Lin, D.-Q., 1665–1680
- Lin, T.-Y., 917–932
- Lin, Y., 2279–2289, 3809–3825
- Liquid membranes
  - bulk containing calix[4]arene derivatives as carrier, kinetics of mercury(II) transport through, 1649–1664
  - extraction of tungsten from acetic tungstate complex solutions by, 1399–1415
  - See also* Emulsion liquid membranes
- Liquid pressure, measurement in filtration–compression cell, 1051–1068
- Liquid–liquid extraction
  - of boric acid by *N,N*-bis(2,3-dihydroxypropyl) octadecylamine, 165–177
  - of gallium(III) with LIX 26, 1417–1427
  - selective
    - of mercuric ions by octyl methane sulfonamide, 201–217
    - of platinum(IV) from ascorbate media by *N*-*n*-octylaniline, 2597–2618
  - for separation and recycle of phenol from wastewater, 2579–2596
- Littrell, K. C., 3313–3331, 3333–3351
- Liu, J., 1125–1140
- Liu, J. G., 3731–3746
- Liu, Y., 1705–1719
- Liu, Y.-S., 1217–1228
- Liu, Z., 767–778
- Livingston, A. G., 1899–1923
- LIX 26, for liquid–liquid extraction of gallium(III), 1417–1427
- Llorens, J., 295–322
- Lo, I. M. C., 903–915
- Lodi, A., 3951–3966
- Lu, H.-H., 1429–1436
- Lu, S., 4081–4096
- Lu, Y., 1385–1398
- Luo, G. S., 3731–3746
- Luthra, S. S., 1899–1923
- Lysozyme, recovery from reverse micellar phases, 1733–1748

## M

- Machado, R. M., 2237–2254
- Macromolecules, role of dynamic membrane in crossflow microfiltration of, 779–795
- Magnesium ion loaded weak acid cation exchanger, for removal of indium turbidity from water, 2107–2120
- Magnetic separation, of MSM, 2533–2548
- Maki, T., 3449–3458
- Malik, D. J., 1813–1827
- Mandal, D. K., 1417–1427
- Mandal, S., 1069–1092
- Manduca, E., 3535–3552
- Mantell, C., 3689–3712



- Marr, R., 2867–2880  
Martin, M. I., 2055–2069  
Martínez de la Ossa, E., 3689–3712  
Martino, C. J., 3249–3271  
Mass transfer  
    characteristics, of bale-type catalytic distillation packings, 3535–3552  
    rates, determination in PVDF and PTFE hollow fiber membranes for carbon dioxide absorption, 271–293  
    shell side, in a parallel flow hollow fiber membrane module, 1247–1267  
Mathematical modeling, of simultaneous copper(II) and nickel(II) extraction from wastewater by emulsion liquid membranes, 2081–2106  
Mathialagan, T., 57–76  
Matsui, M., 4119–4132  
Matsuyama, H., 3449–3458  
Matthews, M. A., 2979–2993  
Mattus, C. H., 3031–3048  
McAlister, D. R., 2741–2762  
McCabe, D. J., 3093–3114  
McCandless, F. P., 1597–1620  
McCarrick, P., 3049–3073  
Mechanically disintegrated excess sludge, conditioning, thickening, and dewatering of, 889–901  
Mei, L.-H., 1665–1680  
Melt crystallization, for purification of naphthalene from coal tar distillate, 2407–2424  
Membrane bioreactor  
    submerged, effects of hydraulic retention time on system performance of, 851–868  
    ultrafiltration, fouling and cleaning for municipal wastewater treatment, 1773–1789  
Membrane electrodialysis, critical change in apparent conductance and ion exchange limit in, 1561–1583  
Membrane introduction mass spectrometry, for determination of chlorocarbon permeabilities of polymeric membranes, 3215–3223  
Membranes  
    bentonite, for reverse osmosis separation of sodium chloride, 4009–4025  
    cellulosic affinity, for adsorption and desorption of serum proteins, 323–336  
    ceramic flat sheet, influence of fluid distribution on the ultrafiltration performance of, 1949–1962  
    dynamic, role in crossflow microfiltration of macromolecules, 779–795  
    hollow fiber, PVDF and PTFE for carbon dioxide absorption, determination of mass transfer rates in, 271–293  
    hollow-fiber supported liquid, counteractive facilitated transport of cobalt in cobalt–nickel mixtures by, 499–517  
    hydrophobic and anion exchange, adsorption separations of flavonoid glycosides from *Ginkgo biloba* leaves on, 1033–1050  
    ion exchange with fixed ionic groups, coupled diffusion of





- multiple ionic species in, 237–245
- modified PVC, for microfiltration of activated sludge, 591–612
- organic solvent nanofiltration, transport of toluene and phenol through, 1899–1923
- organophilic, for pervaporation of water-organics mixtures, 3669–3687
- polyamide nanofiltration, characterization using solute rejection and atomic force microscopy, 1307–1327
- polymeric
  - membrane introduction mass spectrometry determination of chlorocarbon permeabilities of, 3215–3223
  - testing for the selective permeability of hydrogen, 3225–3238
- polysulfone
  - effect of accompanying anion on the competitive transport of nickel(II) and iron(III) through, 2503–2514
  - porous, effect of PVP additive on formation by immersion precipitation method, 3449–3458
- PVA, modified with PAA, characteristics of permeation and separation of acetic acid–water mixtures through, 1963–1980
- titania, synthesis and characterization of, 4027–4041
- ultrafiltration, stability and performance in aqueous ethanol, 1533–1547
- ultrafiltration and microfiltration, for recovery of liquid carbon dioxide from cleaning solutions without phase change, 2951–2962
  - See also* Emulsion liquid membranes; Liquid membranes
- Memon, S., 1649–1664
- Mercuric ions, selective liquid–liquid extraction by octyl methane sulfonamide, 201–217
- Mercury(II), kinetics of transport through a bulk liquid membrane containing calix[4]arene derivatives as a carrier, 1649–1664
- Merrells, R. E., 1161–1183
- Metal ions
  - divalent, adsorption with extraction resin containing 1-hexyl-4-ethyloctyl isopropylphosphonic acid, 2025–2037
  - temperature effect on the extraction by dialkyl-substituted alkylendiphosphonic acids, 2619–2636
- Metal surfaces, oil droplet detachment as affected by an applied potential, 2793–2813
- Methanol, for anthocyanin extraction with carbon dioxide at high pressure, 3689–3712
- Methyl violet, removal from water by solvent sublation, 1385–1398
- Mhaske, A. A., 3575–3589
- Micellar-enhanced ultrafiltration, for removal of aromatic



- organics in aqueous solution, 1791–1811
- Microfiltration
- of activated sludge using modified PVC membranes, 591–612
  - constant rate, with cyclic backwashing of coagulated sewage secondary effluent, 951–966
  - crossflow
    - of macromolecules, 779–795
    - of skim milk, Kenics static mixer as turbulence promoter in, 1549–1560
  - dead-end, effect of floc size and structure on specific cake resistance and compressibility in, 869–887
  - of protein, a model for resistance growth during, 917–932
- Microwave-assisted preparation, of polyferric sulfate coagulant, 39–55
- Mijangos, F., 1851–1867
- Milanović, S. D., 1549–1560
- Milk fat, fractionation by falling film layer crystallization, 3115–3131
- Mills, J. T., 2637–2645, 3075–3091, 3249–3271
- Minceva, M., 1463–1497
- Mineo, H., 1981–2001
- Mohamadinejad, H., 3875–3904
- Mohammad, A., 2255–2278
- Mohammad, A. W., 1307–1327
- Molecular engineering, of surfaces for selective separations, 2851–2866
- Molecular recognition process, for dismutation of hydrogen peroxide from water medium by catalytic reactive membrane immobilizing peroxidase and catalase 1291–1306
- Möller, T., 2995–3007
- Molybdenum
- selective separation from vanadium using D<sub>2</sub>EDPA-immobilized Amberlite XAD-4 resin, 3827–3852
  - separation through an emulsion liquid membrane using tris (2-ethylhexyl) phosphate as mobile carrier, 3747–3760
- Molybdenum(VI) ions, removal from single metal aqueous solutions by sorption or nanofiltration, 2201–2219
- Monoethanolamine/piperazine/water, carbon dioxide absorption rate and solubility in, 337–357
- Monosuccinimide, as surfactant in emulsion liquid membrane recovery of chromium(VI) from effluents, 1633–1648
- Moon, H., 2183–2199, 2515–2531, 3905–3926
- Moon, J.-K., 695–713
- Moon, S. H., 443–462
- Moon, S.-H., 2347–2371
- Moriyoshi, Y., 1519–1532
- Morton, S. A., III, 2793–2813, 2815–2835
- Moving bed, industrial scale simulated, influence of transfer line dead volume on performance for separation of p-xylene, 1463–1497
- Moving boundary layer concept, for numerical simulation of



- continuous stirred ultrafiltration process, 1749–1772
- MSM. *See* Functionalized mesostructured silica containing magnetite
- Mukai, Y., 951–966
- Mukherjee, S., 1417–1427
- Müller, J. A., 889–901
- Multimetal chloride solutions, tributylphosphate for solvent extraction separation of vanadium(VI) from, 3761–3774
- Municipal waste incineration, thermophilic archaean *Acidianus brierleyi* growing on elemental sulfur for zinc leaching from fly ash in, 4119–4132
- Municipal wastewater, fouling and cleaning in an ultrafiltration membrane bioreactor for treatment of, 1773–1789
- Murayama, N., 113–129
- N
- Na-3-mica. *See* Fluoride mica
- Nagaosa, Y., 1621–1631
- Nakahara, K., 4119–4132
- Nakashima, Y., 323–336
- Nanoengineered sorbents, for removal of heavy metals from aqueous solution, 3809–3825
- Nanofiltration  
for removal of chromium(VI), molybdenum(VI), and vanadium(V) ions from single metal aqueous solutions, 2201–2219  
for separation and fractionation of dye solution, 219–235
- Nanoporous materials, one dimensional for hydrocarbon separation, exploiting single-file motion in, 977–998
- Nano-titanium dioxide, preparation from a crude solution containing titanium(IV)–iron(II) and  $H_2SO_4$  with extraction and hydrolysis, 2071–2080
- Naphthalene, purification from coal tar distillate by solution and melt crystallizations, 2407–2424
- Nash, C. A., 3189–3213
- Nash, K. L., 359–374
- Navarro, R., 2881–2899
- Navarro, R. R., 2327–2345
- Navidi, W., 519–539
- Network strength, of waste activated sludge using rheological tests, 375–388
- Ngo, H. H., 2183–2199, 2515–2531
- $NH_4^+$ , simultaneous removal with  $PO_4^{3-}$  in aqueous solution and its mechanism using zeolite synthesized from coal fly ash, 113–129
- Nickel  
competitive adsorption on sheep manure wastes, 483–497  
recovery from heavy oil fly ash by leaching and ion exchange, 1329–1344
- Nickel ions, simultaneous TLC removal with iron and cobalt ions from acidic and ammoniacal solutions, 2255–2278



- Nickel(II)  
  effect of accompanying anion on the competitive transport through polysulfone membranes, 2503–2514  
  mathematical modeling of simultaneous extraction with copper(II) from wastewater by emulsion liquid membranes, 2081–2106
- Nickel-63, uptake and selectivity of tin antimonates for, 3795–3808
- Nickel-hydrometallurgical effluent, an emulsion liquid membrane for separation of cobalt from, 3553–3574
- Nii, S., 1329–1344
- Nitric acid cleaning, of a sodalite–sodium diuranate scale in high-level waste evaporators, 3249–3271
- Nitriloacetic acid derivatives, use for selective removal of lead from aqueous solution, 1925–1947
- Nitro-hydrolysis, for wastewater sludge treatment, 3273–3288
- Niu, C., 2025–2037
- Nomura, T., 4119–4132
- Non-Newtonian liquid  
  effect of viscoelasticity on absorption of carbon dioxide into, 1361–1384  
  effect of water-in-oil emulsion on, 3983–4007
- Non-stationary isotope separation, in a gas centrifuge cascade, 2375–2394
- Norato, M. A., 2647–2666, 2667–2683
- Nuclear wastes, acidic and neutral, removal of radionuclides by metal doped antimony silicates, 2995–3007
- Numerical simulation, of continuous stirred ultrafiltration, 1749–1772
- Nyman, M., 3075–3091
- O
- Octyl methane sulfonamide, for selective liquid–liquid extraction of mercuric ions, 201–217
- N-n-Octylaniline, for selective liquid–liquid extraction of platinum(IV) from ascorbate media, 2597–2618
- Oh, K.-J., 1361–1384
- Ohn, T., 951–966
- Oil droplet  
  detachment from metal surfaces as affected by an applied potential, 2793–2813  
  thermodynamic model for the prediction of contact angles on solid surfaces in SDS solutions, 2815–2835
- Oil recovery system, exploitation of demulsification of emulsions by, 4081–4096
- Oil-bearing medium, three-phase separation technology for use downhole in, 2901–2921
- Olguin, M. T., 131–147, 2549–2564
- Oproiu, G. C., 613–632
- Organic compounds, adsorptive separation and recovery



- from purified terephthalic acid plant effluent, 93–111
- Organic solvent nanofiltration membranes, transport of toluene and phenol through, 1899–1923
- Organics
- aromatic, removal in aqueous solution via micellar-enhanced ultrafiltration, 1791–1811
  - powdered activated carbon membrane system for removal from secondary sewage effluents, 2183–2199
  - preparation and properties of organophilic membranes for pervaporation of mixtures with water, 3669–3687
  - trace, role of and criterion for sorption selectivity in pervaporative removal from aqueous solutions, 1069–1092
- Organophilic membranes, for pervaporation of water-organics mixtures, 3669–3687
- Orme, C. J., 3225–3238
- Ortiz, I., 3473–3491
- Osfouri, S., 553–569
- Ostrowska-Gumkowska, B., 3669–3687
- Ottosen, L. M., 1269–1289
- Otu, E. O., 2619–2636
- Ou, Z., 1125–1140
- Ovalbumin, effect of pH on the startup of a continuous foam fractionation process containing, 1093–1109
- Oxidic solid bulk feed, extractive separation of zinc from, 2867–2880
- P
- PAA. *See* Poly(acrylic acid)
- Paajanen, A., 2995–3007
- Packed sorption beds, under non-ideal flows, two dimensional carbon dioxide adsorption/desorption in, 3875–3904
- Packed-bed column, cysteinylhexapeptide attached poly(2-hydroxyethyl methacrylate) beads for cadmium(II) removal from human plasma in, 1869–1881
- Padalkar, K. V., 2565–2578
- Palladium, ion exchange characteristics from a simulated radioactive liquid waste, 3459–3472
- Pan, S., 3731–3746
- Pangarkar, V. G., 93–111, 1069–1092
- Parallel flow hollow fiber membrane module, shell side mass transfer characteristics in, 1247–1267
- Parametric sensitivity analysis, of direct contact membrane distillation (erratum), 247
- Parasporal crystals, aqueous two-phase extraction for collection and purification from *Bacillus thuringiensis*, 1665–1680
- Park, D.-W., 1361–1384
- Park, L.-S., 661–678



- Park, S., 1791–1811  
Park, S.-W., 1361–1384, 3983–4007  
Park, Y., 3289–3311  
Park, Y.-I., 271–293  
Parthasarathy, H., 3133–3144  
Particle immobilization, in calcium alginate gel for solid–liquid separation, 837–850  
Particulates, removal from centrate of dredged sediments, 933–950  
Pavlovskaya, G., 1111–1124  
Pedersen, A. J., 1269–1289  
Peeples, T. L., 2709–2724  
Peeva, L., 1899–1923  
Pekdemir, T., 1161–1183  
Peleka, E., 3967–3981  
Peng, Y., 1385–1398  
*Penicillium purpurogenum*, biosorption of heavy metal ions by, 2039–2053  
Perkins, L. W., 2901–2921, 3273–3288  
Pervaporation  
  dehydration of industrial ketonic effluents by, 3473–3491  
  of ethanol from a dilute solution, effect of protein on flux and selectivity in, 3239–3247  
  for removal of trace organics from aqueous solutions, role of and criterion for sorption selectivity in, 1069–1092  
  of water-organics mixtures, preparation and properties of organophilic membranes for, 3669–3687  
Pesticides, sorption on highly polar polymeric sorbents, 1813–1827  
Peterson, E. S., 3225–3238  
Peterson, R. A., 2667–2683  
Pfeiffer, R. M., 519–539  
pH, effect on the startup of a continuous foam fractionation process containing ovalbumin, 1093–1109  
Phenol  
  adsorption in immobilized activated carbon with alginate gels, 1851–1867  
  comparison with 4-chlorophenol adsorption in activated carbon, 2549–2564  
  separation and recycle from wastewater by liquid–liquid extraction, 2579–2596  
  supercritical extraction from activated carbon fiber, 999–1014  
  transport through organic solvent nanofiltration membranes, 1899–1923  
Phenolic-laden wastewater, from the pulp and paper industry, colloid-enhanced ultrafiltration purification of, 2465–2501  
Phenylenediamines, separation by selective solubilization and adsorption on ion-exchange resin, 3409–3430  
Philip, C. V., 3009–3029  
Philip, M., 3009–3029  
Phillipsite-rich tuffs, barium and cobalt removal from water by elution through fixed beds of, 2221–2236  
Phosphonomethylated-polyethyleneimine, for heavy metal flocculation, 2327–2345  
Phosphorus, iron oxide particles as adsorbents for enhanced re-



- moval from secondary wastewater effluent, 3853–3874
- Photinon, K., 2951–2962
- pH-switching process, by cloud point extraction for gold recovery, 3591–3607
- Pierce, R. A., 2647–2666
- Plate spacing, for the best performance of the enrichment of heavy water in thermal diffusion columns of a countercurrent-flow Frazier scheme, 1883–1897
- Platinum(IV), selective liquid–liquid extraction from ascorbate media by N-n-octylaniline, 2597–2618
- Plutonium-bearing mixed wastes, decontamination with efficient water and acid recycle, 2923–2950
- $\text{PO}_4^{3-}$  simultaneous removal with  $\text{NH}_4^+$  in aqueous solution and its mechanism using zeolite synthesized from coal fly ash, 113–129
- Polar polymeric sorbents, sorption of pesticides and herbicides on, 1813–1827
- Polson, L. A., 3215–3223
- Poly(acrylic acid) (PAA), characteristics of permeation and separation of acetic acid–water mixtures through PVA membranes modified with, 1963–1980
- Polyacrylonitrile–titanium dioxide composite adsorbent, for removal of lead(II) ion in aqueous solution, 695–713
- Polyamide nanofiltration membranes, characterization using solute rejection and atomic force microscopy, 1307–1327
- Polyamine flocculant, effect on dye wastewater treatment, 661–678
- Polyethylenimine water-soluble polymers, functionalized, for beryllium binding, 1141–1160
- Polyferric sulfate coagulant, microwave-assisted preparation of, 39–55
- Poly(2-hydroxyethyl methacrylate) beads, cysteinylhexapeptide attached, for cadmium(II) removal from human plasma in a packed-bed column, 1869–1881
- Polymer complexation-ultrafiltration coupling process, for treatment of industrial wastewater containing lead $^{2+}$  ion, 1585–1596
- Polymer-assisted ultrafiltration, for continuous water softening, 295–322
- Polymeric adsorbent, adsorption dynamics of toluene in a packed bed charged with, 77–91
- Polymeric membranes  
     membrane introduction mass spectrometry determination of chlorocarbon permeabilities of, 3215–3223  
     testing for the selective permeability of hydrogen, 3225–3238
- Polysulfone membranes  
     effect of accompanying anion on



- the competitive transport of nickel(II) and iron(III) through, 2503–2514
- porous, effect of PVP additive on formation by immersion precipitation method, 3449–3458
- Polytetrafluoroethylene (PTFE) hollow fiber membranes, for carbon dioxide absorption, determination of mass transfer rates in, 271–293
- Polyurethane foam, iodine number of, 715–731
- Poly(vinyl alcohol) (PVA) membranes, modified with PAA, characteristics of permeation and separation of acetic acid–water mixtures through, 1963–1980
- Poly(vinyl chloride) (PVC) membranes, modified, for microfiltration of activated sludge, 591–612
- Poly(vinyl pyrrolidone) (PVP) additive, effect on porous polysulfone membrane formation by immersion precipitation method, 3449–3458
- Polyvinylidene fluoride (PVDF) hollow fiber membranes, for carbon dioxide absorption, determination of mass transfer rates in, 271–293
- Porwollik-Czomperlik, I., 633–645
- Pouliot, Y., 3239–3247
- Prasassarakich, P., 3591–3607
- Precious metals, extraction equilibria from aqueous acidic solutions using divinylbenzene homopolymeric microcapsules encapsulating ternary amine as a core material, 4059–4079
- Precipitation
- of curcuminoids from hydrotrope solutions, 3625–2644
  - selective, of heavy metals as controlled by a sulfide-selective electrode, 1–19
  - strontium and transuranic, of a large Hanford tank 241-AN-102 sample, 3189–3213
- Prediction models, for the determination of physicochemical constants of dialkylphosphoric acids, 1621–1631
- Primary coolant, cobalt removal by continuous electrodeionization with conducting spacers, 2347–2371
- Prokop, A., 1093–1109
- Proteins
- adsorption and desorption using cellulosic affinity membrane modified with *N*-acetyl-L-phenylalanine, 323–336
  - effect on flux and selectivity in pervaporation of ethanol from a dilute solution, 3239–3247
  - resistance growth during microfiltration of, 917–932
  - reverse micellar extraction of, 2565–2578
  - vacancy solution theory for partitioning in reverse micellar systems, 553–569
- Proton exchange membrane fuel cells, synthesis of electrocatalysts for, 2963–2977
- Przybycien, T. M., 251–270
- PTFE. *See* Polytetrafluoroethylene
- Puiggali, J.-R., 1051–1068





- Pujolá, M., 295–322  
 Pulp and paper industry, colloid-enhanced ultrafiltration purification of phenolic-laden wastewater from, 2465–2501  
 PVA. *See* Poly(vinyl alcohol)  
 PVC. *See* Poly(vinyl chloride)  
 PVDF. *See* Polyvinylidene fluoride  
 PVP. *See* Poly(vinyl pyrrolidone)

## Q

- Qian, Y., 1773–1789  
 Quinn, R., 3385–3407

## R

- Radial flow filtration, for supercompactible cakes, 733–744  
 Radiation-induced physicochemical transformations, effect on density and viscosity of 30% TBP–n-dodecane–HNO<sub>3</sub> system, 2307–2326  
 Radioactive liquid waste, simulated, ion exchange characteristics of palladium and ruthenium from, 3459–3472  
 Radioactive wastes, acidic, UNEX process for the simultaneous recovery of cesium, strontium, and actinides from, 2685–2708  
 Radionuclides  
   electrokinetic processing for removal in soils, 2137–2163  
   leaching from simulated tank waste sludges, 359–374

- removal from acidic and neutral waste solutions by metal doped antimony silicates, 2995–3007  
 Ramanujam, A., 2307–2326  
 Rao, L., 359–374  
 Rapko, B. M., 3145–3173  
 Rau, K. C., 389–404  
 Ray, M. S., 1437–1461  
 Reddy, M. L. P., 427–441, 3761–3774  
 Rege, K., 1499–1517  
 Rengaraj, S., 443–462  
 Resistance growth, during protein microfiltration, 917–932  
 Reverse micellar extraction, of proteins, 2565–2578  
 Reverse micellar phases, recovery of lysozyme from, 1733–1748  
 Reverse micellar systems, vacancy solution theory for partitioning of protein in, 553–569  
 Reverse osmosis, for separation of sodium chloride using a bentonite membrane, 4009–4025  
 Revilla, J., 2881–2899  
 Ribeiro, A. B., 1269–1289  
 Roach, J. D., 1925–1947  
 Rochelle, G. T., 337–357  
 Rodrigues, A. E., 1463–1497  
 Rodriguez, M., 3689–3712  
 Romanovskiy, V. N., 2685–2708  
 Rotary baffle, high-duty horizontal dust-collector with, 3493–3511  
 Rowe, A.W., 2793–2813  
 Rudisell, T. S., 2725–2739  
 Rulkens, W. H., 1–19  
 Runaway tri-n-butyl phosphate/



- nitric acid reaction, initiation temperature for, 2725–2739
- Ruthenium, ion exchange characteristics from a simulated radioactive liquid waste, 3459–3472
- Ryberg, R. C., 2647–2666
- Ryu, S.-K., 2407–2424
- S
- Sabaté, J., 295–322
- Saeed, M. M., 715–731
- Saito, H. H., 3189–3213
- Saji, J., 427–441
- Salinity, effect on electro-osmotic dewatering of biological sludge, 903–915
- Samadi, A., 2837–2850
- Samdani, A. R., 1069–1092
- Sanh, O., 1963–1980
- Sauer, N. N., 389–404, 1141–1160
- Say, R., 2039–2053
- Say, R., 3431–3447
- Scamehorn, J. F., 1925–1947, 2465–2501
- Schleicher, B., 1161–1183
- Schulte, M., 3353–3383
- Sea, B., 271–293
- Secondary sewage effluents, powdered activated carbon membrane system for removal of organics from, 2183–2199
- Secondary wastewater effluent, iron oxide particles as adsorbents to enhance phosphorus removal from, 3853–3874
- Seikova, I., 3713–3729
- Selective extraction and separation, of titanium(IV) from multivalent metal chloride solutions using 2-ethylhexyl phosphinic acid mono-2-ethylhexyl ester, 427–441
- Selective separations
- molecular engineering of surfaces for, 2851–2866
- of uranium containing glutamic acid molecular-imprinted polymeric microbeads, 3431–3447
- of vanadium from molybdenum using D<sub>2</sub>EHPA-immobilized Amberlite XAD-4 resin, 3827–3852
- Selective solubilization, of phenylenediamines on ion-exchange resin, 3409–3430
- Selenium(IV), separation by extraction with Cyanex 925, 3575–3589
- Semiconductor plant, fine water spray removal of air pollutants in the make-up air of, 1429–1436
- Sensitivity analysis, of air gap membrane distillation, 3645–3667
- Seong, J. H., 443–462
- Seta, P., 1291–1306
- Shao, L., 933–950
- Sharmin, S., 2963–2977
- Shear-enhanced vibrating filtration system, for ultrafiltration of low-heat and UHT skim milks, 571–589
- Sheep manure wastes, competitive adsorption of nickel and cadmium on, 483–497
- Shell side mass transfer characteristics, in a parallel flow hollow fiber membrane module, 1247–1267



- Shen, Y.-S., 3513–3434  
 Shi, J., 2071–2080  
 Shiau, J.-S., 917–932  
 Shibata, J., 113–129  
 Shim, W. G., 2183–2199, 3905–3926  
 Shimizu, K., 679–694  
 Shin, W. S., 661–678  
 Shin, Y.-O., 1733–1748  
 Shiomori, K., 4059–4079  
 Shukla, R., 1533–1547  
 Shul, Y.-G., 695–713  
 Siagian, U. W., 4009–4025  
 Siebenhofer, M., 2867–2880  
 Silver nitrate silica-gel column, for  
 dissolver off-gas treatment  
 of fuel reprocessing, predic-  
 tion of iodine-129 profile in,  
 1981–2001  
 Silyl-substituted alkylendipho-  
 sphonic acids, aggregation,  
 metal ion extraction, and  
 solubility properties of,  
 2741–2762  
 Simeonov, E., 3713–3729  
 Simon, V., 2867–2880  
 Singh, S., 3747–3760  
 Single-file motion, in one-dimen-  
 sional nanoporous materials  
 for hydrocarbon separation,  
 977–998  
 Sirwal, Y. H., 2255–2278  
 Skim milks  
   Kenics static mixer as turbulence  
   promoter in crossflow micro-  
   filtration of, 1549–1560  
   low heat and UHT, ultrafiltration  
   with a shear-enhanced vi-  
   brating filtration system,  
   571–589  
 Sludge  
   biological, behavior of electro-  
   osmotic dewatering with  
   salinity, 903–915  
   consolidated biological, cake  
   structure of, 967–976  
   mechanically disintegrated, con-  
   ditioning, thickening, and  
   dewatering of, 889–901  
   *See also* Activated sludge  
 Small-angle neutron scattering, for  
 study of third phase forma-  
 tion  
   in the thorium(IV)-HNO<sub>3</sub>/TBP-*n*-  
   octane system, 3333–3351  
   in the uranium(VI)-HNO<sub>3</sub>/TBP-  
   *n*-dodecane system, 3313–  
   3331  
 Smirnov, I. V., 2685–2708  
 Smith, E. D., 3775–3793  
 Smith, J. E., 3875–3904  
 Smolka, W., 3493–3511  
 Sodalite–sodium diuranate scale,  
 nitric acid cleaning in high-  
 level waste evaporators,  
 3249–3271  
 Sodium chloride, reverse osmosis  
 separation using a bentonite  
 membrane, 4009–4025  
 Sodium silicate, effect on floccula-  
 tion of hematite with starch  
 in the presence of calcium,  
 647–659  
 Sohn, I.-J., 1361–1384, 3983–4007  
 Sohn, S.-G., 3983–4007  
 Soils, electrokinetic processing for  
 removal of radionuclides in,  
 2137–2163  
 Solache-Rios, M., 131–147, 2549–  
 2564  
 Solid deformation, effect on the ef-  
 fective diffusivity during  
 extraction from plants,  
 3713–3729



- Solid surfaces in SDS solutions, thermodynamic model for the prediction of contact angles of oil droplets on, 2815–2835
- Solid waste products, electrodialytic removal of heavy metals from, 1269–1289
- Solid–liquid separation, using particle immobilization in calcium alginate gel, 837–850
- Solids, equilibrium model for correlation of solubility in supercritical fluids with cosolvent, 1705–1719
- Solisio, C., 3951–3966
- Solubility, of solids in supercritical fluids, 1705–1719
- Soluble polymers, for selective anion binding from water, 389–404
- Solute rejection method, for characterization of increasing molecular weight cutoff polyamide nanofiltration membranes, 1307–1327
- Solution concentration model, for carbon-in-pulp simulation, 2395–2406
- Solution crystallization, for purification of naphthalene from coal tar distillate, 2407–2424
- Solvent, selection for a reactive and extractive distillation process by headspace gas chromatography, 21–37
- Solvent extraction  
caustic side  
batch distribution coefficient measurements for Savannah River site high-level wastes, 2637–2645  
for removal of cesium-137 from Savannah River site high-level waste, 2647–2666  
competitive complexation/solvation theory of, 1681–1704  
for recovery of theobromine and caffeine, 3609–3624  
for recovery of vanadium from fly ash, 2881–2899
- Solvent sublation, for removal of methyl violet from water, 1385–1398
- Sorbents  
nanoengineered, for removal of heavy metals from aqueous solution, 3809–3825  
reactivity with hot hydrogen sulfide in the presence of moisture and hydrogen, 3289–3311
- Sorption  
of anionic dyes on activated carbon and chitosan derivatives from dilute solutions, 3049–3073  
of fluoride ions from aqueous solutions and well drinking water by thermally treated hydrotalcite, 131–147  
of pesticides and herbicides on highly polar polymeric sorbents, 1813–1827  
for recovery of vanadium from fly ash, 2881–2899  
for removal of chromium(VI), molybdenum(VI), and vanadium(V) ions from single metal aqueous solutions, 2201–2219
- Sorption selectivity, role of and



- criterion for in pervaporative removal of trace organics from aqueous solutions, 1069–1092
- Sphaerotilus natans*, for cadmium removal from acidic solutions, influence of temperature on, 3951–3966
- Stability  
   of cesium extraction solvent, 2667–2683  
   thermal and chemical, of baseline and improved crystalline silicotitanate, 3031–3048
- Stafilov, T., 1111–1124
- Starch processing, energy-cost reduction using aqueous two-phase reactor systems, 2709–2724
- Stoica, L., 613–632
- Stone, M. L., 3215–3223, 3225–3238
- Streat, M., 1813–1827
- Ströhlein, G., 3353–3383
- Strontium  
   precipitation and crossflow filtration of a large Hanford tank 241-AN-102 sample, 3189–3213  
   UNEX process for simultaneous recovery with cesium and actinides from acidic radioactive wastes, 2685–2708
- Strube, J., 3353–3383
- Suen, S.-Y., 1033–1050
- Suhas, 463–481
- Sulfide-selective electrode, for control of selective precipitation of heavy metals, 1–19
- Sun, D. D., 851–868
- Sun, X., 4043–4057
- Sungur, S., 201–217
- Sunkür, M., 1721–1732
- Super-compactible cakes, radial flow filtration for, 733–744
- Supercritical carbon dioxide–thyme extraction system, influence of extraction time and carbon dioxide pressure on, 541–552
- Supercritical extraction, of phenol from activated carbon fiber, 999–1014
- Supercritical fluid extraction  
   from *Hippophae rhamnoides* l. seeds, 4043–4057  
   of toxic heavy metals from solid and aqueous matrices, 2279–2289  
   of 1,2,4-trichlorobenzene from DOE job control wastes, 2979–2993
- Supercritical fluids, equilibrium model for correlation of solubility of solids in, 1705–1719
- Superlig 639<sup>®</sup> resin, for removal of technetium from actual tank waste supernates, 3093–3114
- Surender, G. D., 3761–3774
- Surface modifications, by molecular engineering, 2851–2866
- Swell, in emulsion liquid-membrane systems, 519–539
- Synergistic extraction, of zinc(II) with mixtures of CA-100 and Cyanex 272, 2291–2306
- Sze, Y. K. P., 405–425



## T

- Takahashi, K., 1329–1344  
Takami, Y., 113–129  
Tan, N., 201–217  
Tanaka, J., 1519–1532  
Tang, C.-H., 917–932  
Tang, Y., 2579–2596  
Tank waste sludges  
    Hanford, selective leaching of chromium from, 3145–3173  
    simulated, leaching of radionuclides from, 359–374  
Tank waste supernates, Superlig 639 resin removal of technetium from, 3093–3114  
Tanner, R. D., 1093–1109  
Tao, D., 1125–1140  
Tao, W., 1621–1631  
Tasakorn, P., 3591–3607  
Tatsumi, K., 2327–2345  
Tay, J.-H., 851–868  
Taylor, P. A., 3031–3048  
Taylor, R. W., 1925–1947  
Taylor, T. P., 1141–1160  
TBP–n-dodecane–HNO<sub>3</sub> system, effect of radiation-induced physicochemical transformations on density and viscosity of, 2307–2326  
Technetium, removal from Hanford and Savannah River site actual tank waste supernates with Superlig 639 resin, 3093–3114  
Tedder, D. W., 2923–2950  
Tekic, M. N., 1549–1560  
Tellurium(IV), separation by extraction with Cyanex 925, 3575–3589

## Temperature

- effect, on the extraction of metal ions by dialkyl-substituted alkylenediphosphonic acids, 2619–2636  
    influence on cadmium removal by *Sphaerotilus natans* from acidic solutions, 3951–3966  
Teramoto, M., 3449–3458  
Terephthalic acid plant effluent, adsorptive separation and recovery of organic compounds from, 93–111  
Theobromine, recovery with solvent extraction, 3609–3624  
Thermal diffusion columns  
    correction to the Furry–Jones–Onsager theory of, 1229–1246  
    of a countercurrent-flow Frazier scheme, optimum plate spacing for the best performance of the enrichment of heavy water in, 1883–1897  
Thermodynamic model, for the prediction of contact angles of oil droplets on solid surfaces in SDS solutions, 2815–2835  
Thickening, of mechanically disintegrated excess sludge, 889–901  
Thin-layer chromatography (TLC), for simultaneous separation of iron, cobalt, and nickel ions from acidic and ammoniacal solutions, 2255–2278  
Third phase formation small-angle neutron scattering study in the thorium(IV)–HNO<sub>3</sub>/TBP–n-octane system, 3333–3351



- in the uranium(VI)-HNO<sub>3</sub>/TBP-*n*-dodecane system, 3313–3331
- Thiyagarajan, P., 3313–3331, 3333–3351
- Thomas, J., 3761–3774
- Thompson, M. C., 3249–3271
- Thorium(IV)-HNO<sub>3</sub>/TBP-*n*-octane system, small-angle neutron scattering study of third phase formation in, 3333–3351
- Three-phase separation technology, for use downhole in an oil-bearing medium, 2901–2921
- Thyme–supercritical carbon dioxide extraction system, influence of extraction time and carbon dioxide pressure on, 541–552
- Tiller, F. M., 733–744
- Tin antimonates, nickel-63 and cobalt-57 uptake and selectivity of, 3795–3808
- Titania membrane, synthesis and characterization of, 4027–4041
- Titanium(IV), selective extraction and separation from multivalent metal chloride solutions using 2-ethylhexyl phosphinic acid mono-2-ethylhexyl ester, 427–441
- TLC. *See* Thin-layer chromatography
- Tobin, J. M., 3049–3073
- Todd, T. A., 2647–2666, 2685–2708
- Tokuyama, H., 1329–1344
- Tolic, A., 541–552
- Toluene  
adsorption dynamics in a packed bed charged with polymeric adsorbent, 77–91  
transport through organic solvent nanofiltration membranes, 1899–1923
- Tor, A., 2503–2514
- Trace elements, flotation method for selective separation from aragonite before atomic absorption spectrometric determination, 1111–1124
- Transfer line dead volume, influence on the performance of an industrial scale simulated moving bed for p-xylene separation, 1463–1497
- Tri-*n*-butyl phosphate/nitric acid reaction, runaway, initiation temperature for, 2725–2739
- Tributylphosphate, for solvent extraction separation of vanadium(VI) from multimetal chloride solutions, 3761–3774
- 1,2,4-Trichlorobenzene, supercritical fluid extraction from DOE job control wastes, 2979–2993
- Trioctylamine, distribution behavior of  $\alpha$ -amino acids and aminobenzoic acid by extraction with, 1217–1228
- Tripathi, S. C., 2307–2326
- Tris (2-ethylhexy) phosphate, as mobile carrier for separation of molybdenum through an emulsion liquid membrane, 3747–3760
- Trochimczuk, A. W., 1813–1827
- Tsai, C.-J., 1429–1436
- Tucker, E. E., 1925–1947
- Tugcu, N., 1499–1517



- Tung, K.-L., 797–816  
Tungsten, extraction from acetic tungstate complex solutions by liquid membrane, 1399–1415  
Tural, S., 1721–1732  
Turcotte, G., 3239–3247  
Turmeric, hydrotropic extraction of curcuminoids from, 1185–1215

## U

- Uchiyama, G., 1829–1849, 1981–2001  
Ulewicz, M., 633–645  
Ultrafiltration  
  colloid-enhanced, for purification of phenolic-laden wastewater from the pulp and paper industry, 2465–2501  
  continuous stirred, numerical simulation of, 1749–1772  
  dead ended, structural response of bovine growth hormone to, 251–270  
  gas–liquid two phase, quantitative flux analysis of, 817–835  
  ligand-modified colloid enhanced, use of nitriloacetic acid derivatives for selective removal of lead from aqueous solution, 1925–1947  
  of low-heat and UHT skim milks with a shear-enhanced vibrating filtration system, 571–589  
  membranes, stability and performance in aqueous ethanol, 1533–1547

- micellar enhanced, for removal of aromatic organics in aqueous solution, 1791–1811  
  performance of ceramic flat sheet membrane in, influence of fluid distribution on, 1949–1962  
  polymer assisted, for continuous water softening, 295–322  
Ultrafiltration membrane bioreactor, for treatment of municipal wastewater, fouling and cleaning in, 1773–1789  
UNEX. *See* Universal extraction  
Universal extraction (UNEX) process, for the simultaneous recovery of cesium, strontium, and actinides from acidic radioactive wastes, 2685–2708  
Uranium, in glutamic acid molecular-imprinted polymeric microbeads, selective separation of, 3431–3447  
Uranium(VI), adsorption properties and kinetics with a fibrous and polymeric adsorbent containing amidoxime chelating functional group from seawater, 1829–1849  
Uranium(VI)-HNO<sub>3</sub>/TBP-*n*-dodecane system, small-angle neutron scattering study of third phase formation in, 3313–3331  
Urtiaga, A. M., 3473–3491

## V

- Vacancy solution theory, for partitioning of protein in re-





- verse micellar systems, 553–569
- Valat, M., 1051–1068
- van de Ven, T. G. M., 2165–2181
- van der Mark, A., 1–19
- Vanadium
- recovery from fly ash using leaching, solvent extraction, and sorption on chitosan, 2881–2899
  - recovery from heavy oil fly ash by leaching and ion exchange, 1329–1344
  - selective separation from molybdenum using D<sub>2</sub>EDPA-immobilized Amberlite XAD-4 resin, 3827–3852
- Vanadium(V)
- ions, removal from single metal aqueous solutions by sorption or nanofiltration, 2201–2219
  - solvent extraction separation from multimetal chloride solutions using tributylphosphate, 3761–3774
- Vaxelaire, J., 1051–1068
- Vedantham, G., 251–270
- Veeken, A. H. M., 1–19
- Venkateswaran, G., 2107–2120
- Vera, J. H., 1733–1748
- Vermiculite, for adsorption of cadmium from aqueous solutions, 57–76
- Versteeg, G. F., 93–111
- Vienna, J. D., 3145–3173
- Vigneswaran, S., 2183–2199, 2515–2531
- Villumsen, A., 1269–1289
- Viraraghavan, T., 57–76
- Viscoelasticity, effect on absorption of carbon dioxide into non-Newtonian liquid, 1361–1384
- Viswanath, D. S., 3775–3793
- W
- Wada, S., 2327–2345
- Wai, C. M., 2279–2289
- Waite, T. D., 869–887
- Walker, D. D., 2647–2666, 3075–3091, 3175–3188
- Walkowiak, W., 633–645
- Wan, X., 3609–3624
- Wang, C., 149–163
- Wang, C.-M., 2447–2464
- Wang, D.-M., 917–932
- Wang, J. D., 3731–3746
- Wang, L. G., 2291–2306
- Wang, M., 2071–2080
- Wang, S., 2279–2289
- Wang, Y., 149–163
- Wang, Y. G., 2291–2306
- Wang, Z., 2025–2037
- Warshawsky, A., 149–163
- Waste management concepts, 2923–2950
- Wastewater
- alloy electroplating, extraction of zinc and chromium(III) and its application to treatment of, 405–425
  - effects of biodegradation and background inorganic substances on adsorption by granular activated carbon, 2515–2531
  - fly ash and impregnated fly ash for removal of nickel(II) and zinc(II) from, 1015–1032
  - industrial containing lead<sup>2+</sup> ion, use of a coupling process of



- polymer complexation-ultrafiltration for treatment of, 1585–1596
- liquid–liquid extraction for separation and recycle of phenol from, 2579–2596
- municipal, fouling and cleaning in an ultrafiltration membrane bioreactor for treatment of, 1773–1789
- phenolic laden from the pulp and paper industry, purification by colloid-enhanced ultrafiltration, 2465–2501
- simultaneous copper(II) and nickel(II) extraction by emulsion liquid membranes, 2081–2106
- sludge, nitro-hydrolysis for treatment of, 3273–3288
- Watanabe, Y., 1519–1532
- Water, high purity, electrochemical characterization of ion-exchange resin beds and removal of cobalt by electro-deionization for production of, 443–462
- Water softening, continuous, polymer-assisted ultrafiltration for, 295–322
- Water-in-oil emulsions
- effect on absorption of carbon dioxide into non-Newtonian liquid, 3983–4007
- highly stable, demulsification of, 1161–1183
- Weber, M. E., 1733–1748
- Weber, M. W., 2165–2181
- Wedge-shaped vessel, continuous separation of fines from fibers in, 2165–2181
- Wen, X.-H., 1773–1789
- White, T. L., 2667–2683
- Whitworth, T. M., 4009–4025
- Wilmarth, W. R., 2637–2645, 2667–2683, 3075–3091, 3175–3188, 3189–3213, 3249–3271
- Won, K. A., 1399–1415
- Wongwailikhit, K., 3591–3607
- Wu, H., 2447–2464
- Wu, J. G., 817–835
- Wu, M.-H., 3513–3434
- Wu, W.-Z., 1773–1789
- X
- Xia, L., 4081–4096
- Xing, C.-H., 1773–1789
- Xu, C., 933–950
- Xu, H., 933–950
- Xu, Y.-Y., 1247–1267
- Xu, Z., 3553–3574
- Xu, Z.-K., 1247–1267
- Xu, Z.-L., 1585–1596
- Xue, L., 405–425
- p-Xylene, influence of transfer line dead volume on the performance of an industrial scale simulated moving bed for separation of, 1463–1497
- Y
- Yamada, H., 1519–1532
- Yamamoto, J., 113–129
- Yang, H., 3609–3624
- Yang, W. P., 4027–4041
- Yang, X. J., 1899–1923
- Yantasee, W., 3809–3825
- Yao, S.-J., 1665–1680
- Yavuz, H., 1869–1881



Yeh, H.-M., 1883–1897  
 Yen, P.-S., 375–388  
 Yeo, S.-D., 999–1014  
 Yeon, K. H., 443–462  
 Yeon, K.-H., 2347–2371  
 Yeon, S.-H., 271–293  
 Yi, J., 2533–2548  
 Yield stress fluid, incompressible  
     cake filtration of, 745–766  
 Yilmaz, M., 1649–1664  
 Yilmaz, N., 2039–2053  
 Yin, J., 4043–4057  
 Ying, C., 2375–2394  
 Yoshida, S., 113–129  
 Yoshizawa, H., 4059–4079  
 Yu, F.-C., 1033–1050  
 Yu, R. F., 39–55  
 Yu, Z., 1561–1583

## Z

Zaitsev, B. N., 2685–2708  
 Zecović, Z., 541–552  
 Zendelovska, D., 1111–1124  
 Zeng, J. L., 851–868  
 Zeng, S., 2375–2394  
 Zeolites  
     natural, ion exchange behavior  
     of, 1519–1532  
     synthesized from coal fly ash, for  
     simultaneous removal of  
      $\text{NH}_4^+$  and  $\text{PO}_4^{3-}$  in aque-  
     ous solution, 113–129  
 Zhang, A., 1829–1849  
 Zhang, Y.-F., 1585–1596

Zhang, Z., 1705–1719  
 Zheng, J.-M., 1247–1267  
 Zhong, C., 1705–1719  
 Zhou, M., 2375–2394  
 Zhou, Q., 1705–1719  
 Zhu, X., 1385–1398  
 Zhu, Z.-Q., 1665–1680  
 Zinc  
     extraction and application to  
     treatment of alloy electro-  
     plating wastewater, 405–  
     425  
     extractive separation from oxidic  
     solid bulk feed, 2867–2880  
     leaching from fly ash in munic-  
     ipal waste incineration by  
     thermophilic archaean *Acid-  
     ianus brierleyi* growing on  
     elemental sulfur, 4119–  
     4132  
 Zinc column test, for cementation  
     of cadmium ion in aqueous  
     solution, 3513–3434  
 Zinc(II)  
     ion flotation in the presence  
     of side-armed diphosphaza-  
     16-crown-6 ethers, 633–  
     645  
     removal from wastewater using  
     fly ash and impregnated fly  
     ash, 1015–1032  
     synergistic extraction with mix-  
     tures of CA-100 and Cya-  
     nex 272, 2291–2306  
 Zouboulis, A. I., 2201–2219,  
     3967–3981

