

This article was downloaded by:

On: 25 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Separation Science and Technology

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713708471>

Equilibrium-Staged Separations: A Bibliography Update (2003)

Martyn S. Ray^a

^a Dept of Chemical Engineering, Curtin University of Technology, Perth, Western Australia

To cite this Article Ray, Martyn S.(2005) 'Equilibrium-Staged Separations: A Bibliography Update (2003)', Separation Science and Technology, 40: 5, 1145 — 1168

To link to this Article: DOI: 10.1081/SS-200044726

URL: <http://dx.doi.org/10.1081/SS-200044726>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

Equilibrium-Staged Separations: A Bibliography Update (2003)

Martyn S. Ray

Dept of Chemical Engineering, Curtin University of Technology, Perth,
Western Australia

Abstract: This article continues a series of annual bibliographic updates of the published literature (since 1980) on distillation and other equilibrium-staged separation processes (1–12). This paper provides a useful and quick reference source to the 2003 journal literature (from the 50 most important chemical engineering journals) for researchers in this area. The following topics are included:

Distillation Design, Control and Applications
Column Design Data
Absorption Reactions and Absorber Design, Cooling Towers
Liquid-Liquid Extraction
Supercritical Extraction.

DISTILLATION DESIGN, CONTROL AND APPLICATIONS

- Abu Al-Rub, F.A.; Banat, F.; Bani-Melhem, K. Sensitivity analysis of air gap membrane distillation, *Sep. Sci. Technol.*, 38(15), 3645–3668 (2003).
Agrawal, R. Synthesis of multicomponent distillation column configurations, *AIChE J.*, 49(2), 379–401 (2003).
Aiouache, F.; Goto, S. Reactive distillation-pervaporation hybrid column for tert-amyl alcohol etherification with ethanol. *Chem. Eng. Sci.*, 58(12), 2465–2477 (2003).

Received September 8, 2004, Accepted October 10, 2004

Address correspondence to Martyn S. Ray, Dept of Chemical Engineering, Curtin University of Technology, GPO Box U1987, Perth 6845, Western Australia. E-mail: m.ray@curtin.edu.au

- Alpbaz, M.; Karacan, S.; Cabbar, Y. Control and dynamic analysis of a packed distillation column based on modeling approaches. *Chem. Eng. Commun.*, 190(5), 705–725 (2003).
- Anon. Equipment focus on distillation. *Chem. Eng. (N.Y.)*, 110(9), 36–38 (2003).
- Avles, R.M.B.; Quina, F.H.; Nascimento, C.A.O. New approach for the prediction of azeotropy in binary systems. *Comput. Chem. Eng.*, 27(12), 1755–1759 (2003).
- Bagajewicz, M.; Soto, J. Rigorous procedure for the design of conventional atmospheric crude fractionation units: Trade-off between complexity and energy savings. *Ind. Eng. Chem. Res.*, 42(6), 1196–1203 (2003).
- Bandyopadhyay, S.; Malik, R.K.; Shenoy, U.V. Feed preconditioning targets for distillation through invariant rectifying-stripping curves. *Ind. Eng. Chem. Res.*, 42(26), 6851–6861 (2003).
- Barolo, M.; Guarise, G.B.; Marchi, C. Rapid and reliable tuning of dynamic distillation column models on experimental data. *Chem. Eng. Commun.*, 190(12), 1583–1600 (2003).
- Barttfeld, M.; Aguirre, P.A.; Grossmann, I.E. Alternative representations and formulations for the economic optimization of multicomponent distillation columns. *Comput. Chem. Eng.*, 27(3), 363–383 (2003).
- Barttfeld, M.; Aguirre, P.A. Optimal synthesis of multicomponent zeotropic distillation processes: Preprocessing phase and rigorous optimization of efficient sequences. *Ind. Eng. Chem. Res.*, 42(14), 3441–3457 (2003).
- Baur, R.; Taylor, R.; Krishna, R. Bifurcation analysis for TAME synthesis in a reactive distillation column: Comparison of pseudo-homogeneous and heterogeneous reaction kinetics models. *Chem. Eng. Process.*, 42(3), 211–221 (2003).
- Bisowarno, B.H.; Tian, Y.C.; Tade, M.O. Model gain scheduling control of an ethyl tert-butyl ether reactive distillation column. *Ind. Eng. Chem. Res.*, 42(15), 3584–3591 (2003).
- Blancarte-Palacios, J.L.; Bautista-Valdes, M.; Hernandez, S. Energy-efficient designs of thermally coupled distillation sequences for four-component mixtures. *Ind. Eng. Chem. Res.*, 42(21), 5157–5164 (2003).
- Boonyasuwat, S.; Chavadej, S.; Malakul, P. Anionic and cationic surfactant recovery from water using a multistage foam fractionator. *Chem. Eng. J.*, 93(3), 241–252 (2003).
- Caballero, J.A.; Grossmann, I.E. Thermodynamically equivalent configurations for thermally coupled distillation. *AIChE J.*, 49(11), 2864–2884 (2003).
- Cheng, Y.C.; Yu, C.C. Optimal region for design and control of ternary systems. *AIChE J.*, 49(3), 682–705 (2003).
- Daza, O.S.; Perez-Cisneros, E.S.; Bek-Pedersen, E. Graphical and stage-to-stage methods for reactive distillation column design. *AIChE J.*, 49(11), 2822–2841 (2003).

- de Koeijer, G.; Rivero, R. Entropy production and exergy loss in experimental distillation columns. *Chem. Eng. Sci.*, 58(8), 1587–1597 (2003).
- Dixon, A.G.; Arias, J.; Willey, J. Wall-to-liquid mass transfer in fixed beds at low flow rates. *Chem. Eng. Sci.*, 58(9), 1847–1857 (2003).
- Donis, I.R.; Esquijarosa, J.A.; Gerbaud, V. Heterogeneous batch-extractive distillation of minimum boiling azeotropic mixtures. *AIChE J.*, 49(12), 3074–3083 (2003).
- Engelien, H.K.; Larsson, T.; Skogestad, S. Implementation of optimal operation for heat integrated distillation columns. *Chem. Eng. Res. Des.*, 81(2), 277–282 (2003).
- Eskaros, M.G. Build a better NGL sour water stripping unit. *Hydrocarbon Process.*, 82(1), 41–42 (2003).
- Feng, G.; Fan, L.T.; Seib, P.A. Graph-theoretic method for the algorithmic synthesis of azeotropic-distillation systems. *Ind. Eng. Chem. Res.*, 42(15), 3602–3611 (2003).
- Flores, O.A.; Cardenas, J.C.; Hernandez, S. Thermodynamic analysis of thermally coupled distillation sequences. *Ind. Eng. Chem. Res.*, 42(23), 5940–5945 (2003).
- Font, A.; Asensi, J.C.; Ruiz, F. Application of isooctane to the dehydration of ethanol: Design of a column sequence to obtain absolute ethanol by heterogeneous azeotropic distillation. *Ind. Eng. Chem. Res.*, 42(1), 140–144 (2003).
- Friedman, Y.Z.; Schuler, M. First-principles inference model improves deisobutanizer column control. *Hydrocarbon Process.*, 82(3), 43–47 (2003).
- Gadalla, M.; Jobson, M.; Smith, R. Increase capacity and decrease energy for existing refinery distillation columns. *Chem. Eng. Prog.*, 99(4), 44–50 (2003).
- Gadalla, M.; Jobson, M.; Smith, R.; Optimization of existing heat-integrated refinery distillation systems. *Chem. Eng. Res. Des.*, 81(1), 147–152 (2003).
- Gadalla, M.; Jobson, M.; Smith, R. Shortcut models for retrofit design of distillation columns. *Chem. Eng. Res. Des.*, 81(8), 971–986 (2003).
- Gesit, G.; Nandakumar, K.; Chuang, K.T. CFD modeling of flow patterns and hydraulics of commercial-scale sieve trays. *AIChE J.*, 49(4), 910–924 (2003).
- Greaves, M.A.; Mujtaba, I.M.; Barolo, M. Neural-network approach to dynamic optimization of batch distillation: Application to a middle-vessel column. *Chem. Eng. Res. Des.*, 81(3), 393–402 (2003).
- Guo, Z.; Ghufra, M.; Lee, J.W. Feasible products in batch reactive distillation. *AIChE J.*, 49(12), 3161–3172 (2003).
- Halvorsen, I.J.; Skogestad, S. Minimum energy consumption in multicomponent distillation: Vmin diagram for a two-product column. *Ind. Eng. Chem. Res.*, 42(3), 596–604 (2003).
- Halvorsen, I.J.; Skogestad, S. Minimum energy consumption in multicomponent distillation: Three-product Petlyuk arrangements. *Ind. Eng. Chem. Res.*, 42(3), 605–615 (2003).

- Halvorsen, I.J.; Skogestad, S. Minimum energy consumption in multicomponent distillation: More than three products and generalized Petlyuk arrangements. *Ind. Eng. Chem. Res.*, 42(3), 616–629 (2003).
- Hernandez, S.; Pereira-Pech, S.; Jimenez, A. Energy efficiency of an indirect thermally coupled distillation sequence. *Can. J. Chem. Eng.*, 81(5), 1087–1091 (2003).
- Huss, R.S.; Chen, F.; Malone, M.F.; Doherty, M.F. Reactive distillation for methyl acetate production. *Comput. Chem. Eng.*, 27(12), 1855–1866 (2003).
- Ishii, Y.; Otto, F.D. Corrigendum to “An efficient simultaneous correction procedure for multicomponent, multistage separation calculations for non-ideal systems.” *Comput. Chem. Eng.*, 27(6), 901 (2003).
- Jhon, Y.H.; Lee, T.H. Dynamic simulation for reactive distillation with ETBE synthesis. *Sep. Purif. Technol.*, 31(3), 301–317 (2003).
- Jimenez, A.; Ramirez, N.; Castro, A. Design and energy performance of alternative schemes to the Petlyuk distillation system. *Chem. Eng. Res. Des.*, 81(5), 518–524 (2003).
- Jimenez, L.; Costa-Lopez, J. Solvent selection for a reactive and extractive distillation process by headspace gas chromatography. *Sep. Sci. Technol.*, 38(1), 21–38 (2003).
- Karacan, S. Application of a non-linear long range predictive control to a packed distillation column. *Chem. Eng. Process.*, 42(12), 943–953 (2003).
- Kim, S.J.; Kim, S.C. Separation and recovery of dimethylnaphthalene isomers from light cycle oil by distillation-extraction combination. *Sep. Sci. Technol.*, 38(16), 4095–4116 (2003).
- Kim, S.J.; Kim, S.C.; Kawasaki, J. Separation and recovery of bicyclic aromatic components in the light cycle oil. *Sep. Sci. Technol.*, 38(1), 179–200 (2003).
- Kjelstrup, S.; de Koeijer, G.M. Transport equations for distillation of ethanol and water from the entropy production rate. *Chem. Eng. Sci.*, 58(7), 1147–1161 (2003).
- Kister, H.Z. What caused tower malfunctions in the last 50 years? *Chem. Eng. Res. Des.*, 81(1), 5–26 (2003).
- Klober, M.; Kenig, E.Y.; Schmitt, M. Influence of operating conditions and column configuration on the performance of reactive distillation columns with liquid-liquid separators. *Can. J. Chem. Eng.*, 81(3), 725–732 (2003).
- Kookos, I.K. Optimal design of membrane/distillation column hybrid processes. *Ind. Eng. Chem. Res.*, 42(8), 1731–1738 (2003).
- Krishna, R.; Van Baten, J.M. Modelling sieve tray hydraulics using computational fluid dynamics. *Chem. Eng. Res. Des.*, 81(1), 27–38 (2003).
- Kumar, A.; Daoutidis, P. Nonlinear model reduction and control for high-purity distillation columns. *Ind. Eng. Chem. Res.*, 42(20), 4495–4505 (2003).
- Lee, J.W.; Bruggemann, S.; Marquardt, W. Shortcut method for kinetically controlled reactive distillation systems. *AIChE J.*, 49(6), 1471–1487 (2003).

- Lee, L.S.; Shen, H.C. Azeotropic behavior of a (water + n-propanol + cyclohexane) mixture using cyclohexane as an entrainer for separating the (water + n-propanol) mixture at 760 mmHg. *Ind. Eng. Chem. Res.*, 42(23), 5905–5914 (2003).
- Lee, M.J.; Chou, Y.H.; Lin, H.M. Separation of closely boiling compounds of 2-methoxyphenol and 1,2-dimethoxybenzene with diphenylmethane as entrainer. *Ind. Eng. Chem. Res.*, 42(14), 3434–3440 (2003).
- Lei, Z.; Li, C.; Chen, B. Extractive distillation: A review. *Sep. Purif. Methods*, 32(2), 121–213 (2003).
- Li, H.; Gani, R.; Jorgensen, S.B. Process-insights-based control structuring of an integrated distillation pilot plant. *Ind. Eng. Chem. Res.*, 42(20), 4620–4627 (2003).
- Ligero, E.L.; Ravagnani, T.M.K. Dehydration of ethanol with salt extractive distillation: A comparative analysis between processes with salt recovery. *Chem. Eng. Process.*, 42(7), 543–552 (2003).
- Llano-Restrepo, M.; Aguilar-Arias, J. Modeling and simulation of saline extractive distillation columns for the production of absolute ethanol. *Comput. Chem. Eng.*, 27(4), 527–549 (2003).
- Lockett, M.J.; Billingham, J.F. The effect of maldistribution on separation in packed distillation columns. *Chem. Eng. Res. Des.*, 81(1), 131–135 (2003).
- Low, K.H.; Sorensen, E. Simultaneous optimal design and operation of multi-vessel batch distillation. *AIChE J.*, 49(10), 2564–2576 (2003).
- Manduca, E.; Gonzalez, J.C.; Elman, H. Mass transfer characteristics of bale-type catalytic distillation packings. *Sep. Sci. Technol.*, 38(14), 3535–3552 (2003).
- McCandless, F.P. Distillation cascades based on differential vaporization and differential condensation stages: Four- and six-stage DCDV cascades and hybrid cascades containing DV reboilers and DC condensers. *Sep. Sci. Technol.*, 38(7), 1597–1620 (2003).
- Modla, G.; Lang, P.; Kotai, B.; Molnar, K. Batch heteroazeotropic rectification of a low α -mixture under continuous entrainer feeding. *AIChE J.*, 49(10), 2533–2552 (2003).
- Monroy-Loperena, R. Simulation of multicomponent multistage vapor-liquid separations: An improved algorithm using the Wang-Henke tridiagonal matrix method. *Ind. Eng. Chem. Res.*, 42(1), 175–182 (2003).
- Monroy-Loperena, R.; Alvarez-Ramirez, J. A note on the identification and control of batch distillation columns. *Chem. Eng. Sci.*, 58(20), 4729–4737 (2003).
- Nakaiwa, M.; Huang, K.; Endo, A. Internally heat-integrated distillation columns: A review. *Chem. Eng. Res. Des.*, 81(1), 162–177 (2003).
- Nicol, W. Comparing catalytic distillation to separate reaction and distillation for the production of diacetone alcohol. *Chem. Eng. Res. Des.*, 81(8), 1026–1032 (2003).

- Noeres, C.; Kenig, E.Y.; Gorak, A. Modelling of reactive separation processes: Reactive absorption and reactive distillation. *Chem. Eng. Process.*, 42(3), 157–178 (2003).
- Okasinski, M.J.; Doherty, M.F. Simultaneous kinetic resolution of chiral propylene oxide and propylene glycol in a continuous reactive distillation column. *Chem. Eng. Sci.*, 58(7), 1289–1300 (2003).
- Oldenburg, J.; Marquardt, W.; Heinz, D. Mixed-logic dynamic optimization applied to batch distillation process design. *AIChE J.*, 49(11), 2900–2917 (2003).
- Olujic, Z.; Fakhri, F.; de Rijke, A. Internal heat integration: The key to an energy-conserving distillation column. *J. Chem. Technol. Biotechnol.*, 78(2), 241–248 (2003).
- Oмота, F.; Dimian, A.C.; Blik, A. Fatty acid esterification by reactive distillation: Equilibrium-based design. *Chem. Eng. Sci.*, 58(14), 3159–3174 (2003).
- Oмота, F.; Dimian, A.C.; Blik, A. Fatty acid esterification by reactive distillation: Kinetics-based design for sulphated zirconia catalysts. *Chem. Eng. Sci.*, 58(14), 3175–3185 (2003).
- Pannocchia, G.; Brambilla, A. Consistency of property estimators in multi-component distillation control. *Ind. Eng. Chem. Res.*, 42(20), 4452–4460 (2003).
- Passarello, J.P.; Tobaly, P. Modeling some alcohol/alkane binary systems using the SAFT equation of state with a semi-predictive approach. *Ind. Eng. Chem. Res.*, 42(21), 5383–5391 (2003).
- Peng, J.; Edgar, T.F.; Eldridge, R.B. Dynamic rate-based and equilibrium models for a packed reactive distillation column. *Chem. Eng. Sci.*, 58(12), 2671–2680 (2003).
- Pyhalahiti, A.; Jakobsson, K. Rate-based mixed-pool model of a reactive distillation column. *Ind. Eng. Chem. Res.*, 42(24), 6188–6195 (2003).
- Rev, E.; Lelkes, Z.; Varga, V. Separation of a minimum-boiling azeotrope in a batch extractive rectifier with an intermediate-boiling entrainer. *Ind. Eng. Chem. Res.*, 42(1), 162–174 (2003).
- Rico-Ramirez, V.; Diwekar, U.M.; Morel, B. Real option theory from finance to batch distillation. *Comput. Chem. Eng.*, 27(12), 1867–1882 (2003).
- Roffel, B.; Betlem, B.H.L.; de Blouw, R.M. A comparison of the performance of profile position and composition estimators for quality control in binary distillation. *Comput. Chem. Eng.*, 27(2), 199–210 (2003).
- Rong, B.G.; Kraslawski, A. Partially thermally coupled distillation systems for multicomponent separations. *AIChE J.*, 49(5), 1340–1347 (2003).
- Rong, B.G.; Kraslawski, A.; Turunen, I. Synthesis of functionally distinct thermally coupled configurations for quaternary distillations. *Ind. Eng. Chem. Res.*, 42(6), 1204–1214 (2003).
- Rong, B.G.; Kraslawski, A.; Turunen, I. Synthesis of heat-integrated thermally coupled distillation systems for multicomponent separations. *Ind. Eng. Chem. Res.*, 42(19), 4329–4339 (2003).

- Scenna, N.J.; Benz, S.J. Start-up operation of reactive columns with multiple steady states: The ethylene glycol case. *Ind. Eng. Chem. Res.*, 42(4), 873–882 (2003).
- Schoenmakers, H.G.; Bessling, B. Reactive and catalytic distillation from an industrial perspective. *Chem. Eng. Process.*, 42(3), 145–155 (2003).
- Seiler, M.; Kohler, D.; Arlt, W. Hyperbranched polymers: New selective solvents for extractive distillation and solvent extraction. *Sep. Purif. Technol.*, 30(2), 177–197 (2003).
- Serra, M.; Espuna, A.; Puigjaner, L. Controllability of different multicomponent distillation arrangements. *Ind. Eng. Chem. Res.*, 42(8), 1773–1782 (2003).
- Silva, J.M.F.; Knoechelmann, A.; Meirelles, A.J.A. On the dynamics of nonequilibrium simple batch distillation processes. *Chem. Eng. Process.*, 42(6), 475–485 (2003).
- Soos, M.; Graczova, E.; Markos, J. Design and simulation of a distillation column for separation of dichloropropane from a multicomponent mixture. *Chem. Eng. Process.*, 42(4), 273–284 (2003).
- Spiegel, L.; Meier, W. Distillation columns with structured packings in the next decade. *Chem. Eng. Res. Des.*, 81(1), 39–47 (2003).
- Springer, P.A.M.; Baur, R.; Krishna, R. Composition trajectories for heterogeneous azeotropic distillation in a bubble-cap tray column: Influence of mass transfer. *Chem. Eng. Res. Des.*, 81(4), 413–426 (2003).
- Steinigeweg, S.; Gmehling, J. Esterification of a fatty acid by reactive distillation. *Ind. Eng. Chem. Res.*, 42(15), 3612–3619 (2003).
- Stupin, W.J.; Kister, H.Z. System limit: The ultimate capacity of fractionators. *Chem. Eng. Res. Des.*, 81(1), 136–146 (2003).
- Sundmacher, K.; Qi, Z. Conceptual design aspects of reactive distillation processes for ideal binary mixtures. *Chem. Eng. Process.*, 42(3), 191–200 (2003).
- Tao, L.; Malone, M.F.; Doherty, M.F. Synthesis of azeotropic distillation systems with recycles. *Ind. Eng. Chem. Res.*, 42(8), 1783–1794 (2003).
- Tapp, M.; Kauchali, S.; Hausberger, B. An experimental simulation of distillation column concentration profiles using a batch apparatus. *Chem. Eng. Sci.*, 58(2), 479–486 (2003).
- Taylor, R.; Krishna, R.; Kooijman, H. Real-world modeling of distillation. *Chem. Eng. Prog.*, 99(7), 28–39 (2003).
- Trent, D.; Tirtowidjojo, D. Intensifying the reactive distillation process. *Chem. Eng. (Rugby, Engl.)*, April, 30–31 (2003).
- Ulrich, J.; Morari, M. Operation of homogeneous azeotropic distillation column sequences. *Ind. Eng. Chem. Res.*, 42(20), 4512–4534 (2003).
- van Lith, P.F.; Betlem, B.H.L.; Roffel, B. Combining prior knowledge with data driven modeling of a batch distillation column including start-up. *Comput. Chem. Eng.*, 27(7), 1021–1030 (2003).

- Van Sinderen, A.H.; Wijn, E.F.; Zanting, R.W.J. Entrainment and maximum vapour flow rate of trays. *Chem. Eng. Res. Des.*, 81(1), 94–107 (2003).
- Wang, L.; Li, P.; Wozny, G. A startup model for simulation of batch distillation starting from a cold state. *Comput. Chem. Eng.*, 27(10), 1485–1497 (2003).
- Wang, S.J.; Wong, D.S.H.; Lee, E.K. Control of a reactive distillation column in the kinetic regime for the synthesis of n-butyl acetate. *Ind. Eng. Chem. Res.*, 42(21), 5182–5194 (2003).
- Wasylikiewicz, S.K.; Kobylka, L.C.; Castillo, F.J.L. Pressure sensitivity analysis of azeotropes. *Ind. Eng. Chem. Res.*, 42(1), 207–213 (2003).
- Wendt, M.; Konigseder, R.; Wozny, G. Theoretical and experimental studies on startup strategies for a heat-integrated distillation column system. *Chem. Eng. Res. Des.*, 81(1), 153–161 (2003).
- Yang, N.S.; Chuang, K.T.; Afacan, A. Improving the efficiency and capacity of methanol-water distillation trays. *Ind. Eng. Chem. Res.*, 42(25), 6601–6606 (2003).
- Zhang, G.; Cussler, E.L. Distillation in hollow fibers. *AIChE J.*, 49(9), 2344–2351 (2003).
- Zheng, Y.; Ng, F.T.T.; Rempel, G.L. Process analysis for the production of diacetone alcohol via catalytic distillation. *Ind. Eng. Chem. Res.*, 42(17), 3962–3972 (2003).
- Zheng, Y.; Ng, F.T.T.; Rempel, G.L. Modeling of the catalytic distillation process for the synthesis of ethyl cellosolve using a three-phase nonequilibrium model. *Int. J. Chem. Reactor Eng. (electronic)*, Vol. 1: A4 (2003).
- Zhu, P.; Feng, X. Optimal design and optimal operation of separate heat pump distillation. *Can. J. Chem. Eng.*, 81(5), 963–967 (2003).

COLUMN DESIGN DATA

- Alvarez, G.; Bournet, P.E.; Flick, D. Two-dimensional simulation of turbulent flow and transfer through stacked spheres. *Int. J. Heat Mass Transfer*, 46(13), 2459–2469 (2003).
- Anon., Update on column internals, *Chem. Eng. (N.Y.)*, 110(1), 67–68 (2003).
- Bartelmus, G.; Janecki, D. Hydrodynamics of a cocurrent downflow of gas and foaming liquid through the packed bed: Liquid holdup and gas pressure drop. *Chem. Eng. Process.*, 42(12), 993–1005 (2003).
- Bender, P.; Moll, A. Modifications to structured packings to increase their capacity. *Chem. Eng. Res. Des.*, 81(1), 58–67 (2003).
- Cai, T.J.; Chen, G.X.; Fitz, C.W. Effect of bed length and vapour maldistribution on structured packing performance. *Chem. Eng. Res. Des.*, 81(1), 85–93 (2003).
- Darwish, M.S.; Moukalled, F. TVD schemes for unstructured grids. *Int. J. Heat Mass Transfer*, 46(4), 599–611 (2003).

- de Klerk, A. Voidage variation in packed beds at small column to particle diameter ratio. *AIChE J.*, 49(8), 2022–2029 (2003).
- Dhotre, M.T.; Joshi, J.B. CFD simulation of gas chamber for gas distributor design. *Can. J. Chem. Eng.*, 81(3), 677–683 (2003).
- Dursun, G.; Orhan, R.; Akosman, C. Mass transfer and hydrodynamic characteristics in a co-current downflow contacting column. *J. Chem. Technol. Biotechnol.*, 78(4), 446–451 (2003).
- Fei, W.Y.; Wang, Y.D.; Song, X.Y. Intensification of random packing via CFD simulation, PIV measurement and traditional experiments. *J. Chem. Technol. Biotechnol.*, 78(2), 142–145 (2003).
- Fischer, L.; Buhlmann, U.; Melcher, R. Characterization of high-performance structured packing. *Chem. Eng. Res. Des.*, 81(1), 79–84 (2003).
- Gostick, J.; Doan, H.D.; Lohi, A. Investigation of local mass transfer in a packed bed of pall rings using a limiting current technique. *Ind. Eng. Chem. Res.*, 42(15), 3626–3634 (2003).
- Grosserichter, D.; Stichlmair, J. Crystallization fouling in packed columns. *Chem. Eng. Res. Des.*, 81(1), 68–73 (2003).
- Guedes de Carvalho, J.R.F.; Delgado, J.M.P.Q. Effect of fluid properties on dispersion in flow through packed beds. *AIChE J.*, 49(8), 1980–1985 (2003).
- Han, M.; Lin, H.; Yuan, Y. Pressure drop for two phase counter-current flow in a packed column with a novel internal. *Chem. Eng. J.*, 94(3), 179–187 (2003).
- Iliuta, I.; Fourar, M.; Larachi, F. Hydrodynamic model for horizontal two-phase flow through porous media. *Can. J. Chem. Eng.*, 81(5), 957–962 (2003).
- Iliuta, I.; Grandjean, B.P.A.; Piche, S. Two-fluid model for counter-current dumped packing-containing columns. *Chem. Eng. Sci.*, 58(7), 1373–1380 (2003).
- Iliuta, I.; Larachi, F. Theory of trickle-bed magnetohydrodynamics under magnetic-field gradients. *AIChE J.*, 49(6), 1525–1532 (2003).
- Jeong, S.W.; Corapcioglu, M.Y. Physical model analysis of foam-TCE displacement in porous media. *AIChE J.*, 49(3), 782–788 (2003).
- Jian, H.; Fitch, A. Evaluation of turbulent integral length scale in an oscillatory baffled column using large eddy simulation and digital particle image velocimetry. *Chem. Eng. Res. Des.*, 81(8), 842–853 (2003).
- Langrish, T.A.G.; Makarytchev, S.V.; Fletcher, D.F. Progress in understanding the physical processes inside spinning cone columns. *Chem. Eng. Res. Des.*, 81(1), 122–130 (2003).
- Larachi, F.; Alix, C.; Grandjean, B.P.A. Nu-Sh correlation for particle-liquid heat and mass transfer coefficients in trickle beds based on Peclet similarity. *Chem. Eng. Res. Des.*, 81(6), 689–694 (2003).
- Larachi, F.V.; Petre, C.F.; Iliuta, I. Tailoring the pressure drop of structured packings through CFD simulations. *Chem. Eng. Process.*, 42(7), 535–541 (2003).

- Magnico, P. Hydrodynamic and transport properties of packed beds in small tube-to-sphere diameter ratio: Pore scale simulation using an Eulerian and a Lagrangian approach. *Chem. Eng. Sci.*, 58(22), 5005–5024 (2003).
- Mauguet, M.C.; Comiti, J.; Montillet, A. Liquid-solid mass transfer in packed beds of multisized cylinders. *Chem. Eng. Res. Des.*, 81(9), 1222–1229 (2003).
- Moreira, M.F.P.; Freire, J.T. Influence of gas and liquid flow rates and the size and shape of particles on the regime flow maps obtained in concurrent gas-liquid downflow and upflow through packed beds. *Ind. Eng. Chem. Res.*, 42(4), 929–936 (2003).
- Olujic, Z.; Seibert, A.F.; Kaibel, B. Performance characteristics of a new high capacity structured packing. *Chem. Eng. Process.*, 42(1), 55–60 (2003).
- Ortiz-Arroyo, A.; Larachi, F.; Iliuta, I. Method for inferring contact angle and for correlating static liquid hold-up in packed beds. *Chem. Eng. Sci.*, 58(13), 2835–2855 (2003).
- Petre, C.F.; Larachi, F.; Iliuta, I. Pressure drop through structured packings: Breakdown into the contributing mechanisms by CFD modeling. *Chem. Eng. Sci.*, 58(1), 163–177 (2003).
- Petrova, T.; Semkov, K.; Dodev, C. Mathematical modeling of gas distribution in packed columns. *Chem. Eng. Process.*, 42(11), 931–937 (2003).
- Piche, S.; Levesque, S.; Grandjean, B.P.A. Prediction of HETP for randomly packed towers operation: Integration of aqueous and non-aqueous mass transfer characteristics into one consistent correlation. *Sep. Purif. Technol.*, 33(2), 145–162 (2003).
- Qiu, J.; Chen, G.; Ji, J. Integrated liquid distribution model for the corrugated-sheet-structured packed columns. *Ind. Eng. Chem. Res.*, 42(14), 3426–3433 (2003).
- Rajneesh, S.; Gupta, G.S. Importance of frictional forces on the formation of cavity in a packed bed under cross flow of gas. *Powder Technol.*, 134(1), 72–85 (2003).
- Romkes, S.J.P.; Dautzenberg, F.M.; van den Bleek, C.M. CFD modelling and experimental validation of particle-to-fluid mass and heat transfer in a packed bed at very low channel to particle diameter ratio. *Chem. Eng. J.*, 96(1), 3–13 (2003).
- Schneider, O.; Stichlmair, J. Functionality of a novel double-effective packing element. *Chem. Eng. Res. Des.*, 81(1), 74–78 (2003).
- Schultes, M. Raschig super-ring: A new fourth generation packing offers new advantages. *Chem. Eng. Res. Des.*, 81(1), 48–57 (2003).
- Shtemler, Y.M.; Shreiber, I.R.; Herskowitz, M. Micro-level instability of bubble flows in packings. *Chem. Eng. Sci.*, 58(8), 1631–1640 (2003).
- Sindhu, H.; Sai, P.S.T. A model for pressure drop and liquid saturation in gas-liquid cocurrent upflow through packed beds. *Chem. Eng. J.*, 93(2), 135–142 (2003).

- Smirnov, E.I.; Muzykantov, A.V.; Kuzmin, V.A. Radial heat transfer in packed beds of spheres, cylinders and Raschig rings: Verification of model with a linear variation of λ in the vicinity of the wall. *Chem. Eng. J.*, 91(2), 243–248 (2003).
- Suekane, T.; Yokouchi, Y.; Hirai, S. Inertial flow structures in a simple-packed bed of spheres. *AIChE J.*, 49(1), 10–17 (2003).
- Thibodeau, L.; Sakanoko, M.; Neale, G.H. Alkaline flooding processes in porous media in the presence of connate water. *Powder Technol.*, 132(2), 101–111 (2003).
- Wehrli, M.; Hirschberg, S.; Schweizer, R. Influence of vapour feed design on the flow distribution below packings. *Chem. Eng. Res. Des.*, 81(1), 116–121 (2003).
- Wu, W.; Lei, S.Y.; Du, J.H. Relationship of threshold diameter and Darcean permeability in unconsolidated porous structures. *Chem. Eng. Sci.*, 58(15), 3565–3570 (2003).
- Zaki, M.; Nirdosh, I.; Sedahmed, G.H. Natural convection mass transfer behaviour of vertical and horizontal cylinders embedded in an inert fixed bed of Raschig rings. *Chem. Eng. Process.*, 42(12), 977–984 (2003).
- Zhou, Z.; Liang, Y.C.; Zhang, Z.B. New method for designing an energy-saving tray and its hydrodynamic aspects: Temperature distribution and efficiency of deflected tray-95. *Ind. Eng. Chem. Res.*, 42(10), 2219–2222 (2003).

ABSORPTION REACTIONS AND ABSORBER DESIGN, COOLING TOWERS

- Aboudheir, A.; Tontiwachwuthikul, P.; Chakma, A. On the numerical modeling of gas absorption into reactive liquids in a laminar jet absorber. *Can. J. Chem. Eng.*, 81(3), 604–612 (2003).
- Aboudheir, A.; Tontiwachwuthikul, P.; Chakma, A. Kinetics of the reactive absorption of carbon dioxide in high carbon dioxide-loaded concentrated aqueous monoethanolamine solutions. *Chem. Eng. Sci.*, 58(23), 5195–5210 (2003).
- Adewuyi, Y.G.; Owusu, S.O. Aqueous absorption and oxidation of nitric oxide with oxone for the treatment of tail gases: Process feasibility, stoichiometry, reaction pathways, and absorption rate. *Ind. Eng. Chem. Res.*, 42(17), 4084–4100 (2003).
- Akbar, M.K.; Yan, J.; Ghiaasiaan, S.M. Mechanism of gas absorption enhancement in a slurry droplet containing reactive, sparingly soluble microparticles. *Int. J. Heat Mass Transfer*, 46(24), 4561–4571 (2003).
- Aroonwilas, A.; Chakma, A.; Tontiwachwuthikul, P. Mathematical modelling of mass-transfer and hydrodynamics in carbon dioxide absorbers packed with structured packings. *Chem. Eng. Sci.*, 58(17), 4037–4053 (2003).

- Atkinson, B.W.; Jameson, G.J.; Nguyen, A.V. Increasing gas-liquid contact-ing using a confined plunging liquid jet. *J. Chem. Technol. Biotechnol.*, 78(2), 269–275 (2003).
- Bonenfant, D.; Mimeault, M.; Hausler, R. Determination of the structural features of distinct amines important for the absorption of carbon dioxide and regeneration in aqueous solution. *Ind. Eng. Chem. Res.*, 42(14), 3179–3184 (2003).
- Cai, P.X.; Zhang, C.F.; Zheng, Z.S. Experimental process of selectively separating a mixed gas of ammonia:carbon dioxide = 2:1 in a high-velocity bubble absorber. *Ind. Eng. Chem. Res.*, 42(12), 2826–2831 (2003).
- Dagaonkar, M.V.; Heeres, H.J.; Beenackers, A.A.C.M. The application of fine titania particles for enhanced gas absorption. *Chem. Eng. J.*, 92(1), 151–159 (2003).
- Dang, H.; Rochelle, G.T. Carbon dioxide absorption rate and solubility in monoethanolamine/piperazine/water. *Sep. Sci. Technol.*, 38(2), 337–358 (2003).
- de Klerk, A. Liquid holdup in packed beds at low mass flux. *AIChE J.*, 49(6), 1597–1600 (2003).
- Dumont, E.; Delmas, H. Mass transfer enhancement of gas absorption in oil-in-water systems: A review. *Chem. Eng. Process.*, 42(6), 419–438 (2003).
- Ebrahimi, S.; Kleerebezem, R.; van Loosdrecht, M.C.M. Kinetics of the reactive absorption of hydrogen sulfide into aqueous ferric sulfate solutions. *Chem. Eng. Sci.*, 58(2), 417–427 (2003).
- Ebrahimi, S.; Picioreanu, C.; Kleerebezem, R. Rate-based modelling of sulphur-dioxide absorption into aqueous sodium bicarbonate/sodium carbonate solutions accompanied by the desorption of carbon dioxide. *Chem. Eng. Sci.*, 58(16), 3589–3600 (2003).
- Elperin, T.; Fominykh, A. Four stages of the simultaneous mass and heat transfer during bubble formation and rise in a bubbly absorber. *Chem. Eng. Sci.*, 58(15), 3555–3564 (2003).
- Eskaros, M. Glycol dehydration. *Hydrocarbon Process.*, 82(7), 80–81 (2003).
- Freguia, S.; Rochelle, G.T. Modeling of carbon dioxide capture by aqueous monoethanolamine. *AIChE J.*, 49(7), 1676–1686 (2003).
- Hairston, D. Cooling towers—the water matters. *Chem. Eng. (N.Y.)*, 110(4), 25–28 (2003).
- Ide, M.; Uchiyama, H.; Ishikura, T. Performance of multi-plunging jet absorber using liquid jets containing small solute bubbles. *Can. J. Chem. Eng.*, 81(3), 613–620 (2003).
- Iliuta, I.; Iliuta, M.; Grandjean, B.; Larachi, F. Bifunctional redox scrubbing of hydrogen sulphide in ferric chelate solutions: Reaction-transport model for randomly packed-bed scrubbers for pulp and paper effluents. *Int. J. Chem. Reactor Eng. (electronic)*, Vol. 1: A27 (2003).

- Kucka, L.; Muller, I.; Kenig, E.Y. On the modelling and simulation of sour gas absorption by aqueous amine solutions. *Chem. Eng. Sci.*, 58(16), 3571–3578 (2003).
- Lai, M.H.; Chang, Y.N.; Wang, C.M. Analysis of the absorption-dehumidification process variables using the experimental design methodology. *Sep. Sci. Technol.*, 38(11), 2447–2464 (2003).
- Larachi, F.; Belfares, L.; Iliuta, I. Heat and mass transfer in cocurrent gas-liquid packed beds: Analysis, recommendations, and new correlations. *Ind. Eng. Chem. Res.*, 42(1), 222–242 (2003).
- Lee, J.Y.; Khang, S.J.; Keener, T.C. Effects of pulsed corona discharge on sulfur dioxide absorption into water from a sulfur dioxide/air mixture. *Ind. Eng. Chem. Res.*, 42(9), 2030–2032 (2003).
- Luo, P.C.; Zhang, Z.B.; Jiao, Z. Investigation in the design of a carbon dioxide cleaner system by using aqueous solutions of monoethanolamine and diethanolamine. *Ind. Eng. Chem. Res.*, 42(20), 4861–4866 (2003).
- Mak, J.; Wierenga, D.; Nielsen, D.; Graham, C. Consider physical solvents to treat natural gas. *Hydrocarbon Process.*, 82(6), 87–92 (2003).
- Mandal, B.P.; Biswas, A.K.; Bandyopadhyay, S.S. Absorption of carbon dioxide into aqueous blends of 2-amino-2-methyl-1-propanol and diethanolamine. *Chem. Eng. Sci.*, 58(18), 4137–4144 (2003).
- Mohamed Ali, A.; Jansens, P.J.; Olujic, Z. Experimental characterization and computational fluid dynamics simulation of gas distribution performance of liquid (re)distributors and collectors in packed columns. *Chem. Eng. Res. Des.*, 81(1), 108–115 (2003).
- Motil, B.J.; Balakotaiah, V.; Kamotani, Y. Gas-liquid two-phase flow through packed beds in microgravity. *AIChE J.*, 49(3), 557–565 (2003).
- Mustafa, H. Development of new type of gas absorber: Industrial applications. *Process Safety Environ. Prot.*, 81(B3), 210–216 (2003).
- Nagpal, S.; Sen, P.K. Selecting the solvent for sulfur dioxide removal absorption. *Chem. Eng. (N.Y.)*, 110(8), 54–58 (2003).
- Oi, L.E. Estimation of tray efficiency in dehydration absorbers. *Chem. Eng. Process.*, 42(11), 867–878 (2003).
- Park, S.W.; Sohn, I.J.; Park, D.W. Absorption of carbon dioxide into non-Newtonian liquid: Effect of viscoelasticity. *Sep. Sci. Technol.*, 38(6), 1361–1384 (2003).
- Park, S.W.; Sohn, I.J.; Soh, S.G. Absorption of carbon dioxide into non-Newtonian liquid: Effect of w/o emulsion. *Sep. Sci. Technol.*, 38(16), 3983–4007 (2003).
- Patwardhan, J.A.; Joshi, J.B. Unified model for NO_x absorption in aqueous alkaline and dilute acidic solutions. *AIChE J.*, 49(11), 2728–2748 (2003).
- Schneider, R.; Sander, F.; Gorak, A. Dynamic simulation of industrial reactive absorption processes. *Chem. Eng. Process.*, 42(12), 955–964 (2003).

- Shabunya, S.I.; Wende, B.; Fisenko, S.P. Simulations and experiments on the formation of ammonium chloride particles in wet scrubbers. *Chem. Eng. Process.*, 42(10), 789–800 (2003).
- Singh, K.P. Correlation for estimating solubility of oxidized coal in ethanolamine. *Chem. Eng. Commun.*, 190(11), 1441–1448 (2003).
- Soto Frances, V.M.; Pinazo Ojer, J.M. Validation of a model for the absorption process of water(vap) by a LiBr(aq) in a horizontal tube bundle using a multi-factorial analysis. *Int. J. Heat Mass Transfer*, 46(17), 3299–3312 (2003).
- Strazisar, B.R.; Anderson, R.R.; White, C.M. Degradation pathways for monoethanolamine in a carbon dioxide capture facility. *Energy Fuels*, 17(4), 1034–1039 (2003).
- Sun, H.; Azzopardi, B.J. Modelling gas-liquid flow in venturi scrubbers at high pressure. *Process Safety Environ. Prot.*, 81(B4), 250–256 (2003).
- Thiele, R.; Brettschneider, O.; Repke, J.U. Experimental investigations of foaming in a packed tower for sour water stripping. *Ind. Eng. Chem. Res.*, 42(7), 1426–1432 (2003).
- Thomas, D.; Colle, S.; Vanderschuren, J. Kinetics of sulphur dioxide absorption into fairly concentrated sulphuric acid solutions containing hydrogen peroxide. *Chem. Eng. Process.*, 42(6), 487–494 (2003).
- Tsai, C.J.; Huang, C.H.; Lu, H.H. Removal of air pollutants in the make-up of a semiconductor plant by fine water spray. *Sep. Sci. Technol.*, 38(6), 1429–1436 (2003).
- Uchiyama, K.; Migita, H.; Ohmura, R. Gas absorption into “string-of-beads” liquid flow with chemical reaction: Application to carbon dioxide separation. *Int. J. Heat Mass Transfer*, 46(3), 457–468 (2003).
- Varshney, A.; Agrawal, P.; Bhaskarwar, A.N. Gas absorption with zero-order chemical reaction in a foam-bed reactor. *Chem. Eng. Sci.*, 58(15), 3413–3424 (2003).
- Vlyssides, A.G.; Barampouti, E.M.P.; Mai, S.T. Kinetics of air absorption by water in sparged agitated pressure vessels. *Ind. Eng. Chem. Res.*, 42(24), 6232–6235 (2003).
- Wen, X.; Afacan, A.; Nandakumar, K.; Chuang, K.T. Geometry-based model for predicting mass transfer in packed columns. *Ind. Eng. Chem. Res.*, 42(21), 5373–5382 (2003).
- Yeh, N.K.; Rochelle, G.T. Liquid-phase mass transfer in spray contactors. *AIChE J.*, 49(9), 2363–2373 (2003).
- Yoon, J.H.; Baek, J.I.; Yamamoto, Y. Kinetics of removal of carbon dioxide by aqueous 2-amino-2-methyl-1,3-propanediol. *Chem. Eng. Sci.*, 58(23), 5229–5237 (2003).
- Zhang, X.; Wang, J.; Zhang, C.F. Absorption rate into a MDEA aqueous solution blended with piperazine under a high carbon dioxide partial pressure. *Ind. Eng. Chem. Res.*, 42(1), 118–122 (2003).

LIQUID-LIQUID EXTRACTION

- Alguacil, F.J. Solvent extraction of Au(III) by the chloride salt of the amine Alamine 304 and its application to a solid supported liquid membrane system. *Solvent Extr. Ion Exch.*, 21(6), 841–852 (2003).
- Alguacil, F.J.; Martin, M.I. Facilitated transport of gold from cyanide or chloride media by Cyanex 923. *Sep. Sci. Technol.*, 38(9), 2055–2070 (2003).
- Alopaesus, V.; Koskinen, J.; Keskinen, K.I. Utilization of population balances in simulation of liquid-liquid systems in mixed tanks. *Chem. Eng. Commun.*, 190(11), 1468–1484 (2003).
- Andersson, S.; Ekberg, C.; Foreman, M.R.S. Extraction behavior of the synergistic system 2,6-bis-(benzoxazolyl)-4-dodecyloxy pyridine and 2-bromodecanoic acid using Am and Eu as radioactive tracers. *Solvent Extr. Ion Exch.*, 21(5), 621–636 (2003).
- Anon. Liquid-liquid coalescer design. *Chem. Eng. Prog.*, 99(8), 32A–32L (2003).
- Augier, F.; Masbernat, O.; Guiraud, P. Slip velocity and drag law in a liquid-liquid homogeneous dispersed flow. *AIChE J.*, 49(9), 2300–2316 (2003).
- Baaden, M.; Berny, F.; Madic, C. Theoretical studies on lanthanide cation extraction by picolinamides: Ligand-cation interactions and interfacial behavior. *Solvent Extr. Ion Exch.*, 21(2), 199–220 (2003).
- Bardin-Monnier, N.; Guiraud, P.; Gourdon, C. Residence time distribution of droplets within discs and doughnuts pulsed extraction columns via Lagrangian experiments and simulations. *Chem. Eng. J.*, 94(3), 241–254 (2003).
- Bardin-Monnier, N.; Guiraud, P.; Gourdon, C. Lagrangian simulations contribution to the knowledge of discs and doughnuts pulsed solvent extraction columns hydrodynamics. *Chem. Eng. Process.*, 42(7), 503–516 (2003).
- Bhattacharya, A.; Banerjee, S.; Mohapatra, P.K. Extraction of ternary beta-diketonates of uranyl ion using some substituted monoamides. *Solvent Extr. Ion Exch.*, 21(5), 687–706 (2003).
- Bhattacharya, B.; Mandal, D.K.; Mukherjee, S. Liquid-liquid extraction of gallium(III) with LIX-26. *Sep. Sci. Technol.*, 38(6), 1417–1428 (2003).
- Bicak, N.; Gazi, M.; Bulutcu, N. N,N-bis(2,3-dihydroxypropyl) octadecylamine for liquid-liquid extraction of boric acid. *Sep. Sci. Technol.*, 38(1), 165–178 (2003).
- Bicak, N.; Sungur, S.; Gazi, M. Selective liquid-liquid extraction of mercuric ions by octyl methane sulfonamide. *Sep. Sci. Technol.*, 38(1), 201–218 (2003).
- Bonnesen, P.V.; Delmau, L.H.; Moyer, B.A. Development of effective solvent modifiers for the solvent extraction of cesium from alkaline high-level tank waste. *Solvent Extr. Ion Exch.*, 21(2), 141–170 (2003).
- Borkowski, M.; Chiarizia, R.; Jensen, M.P. SANS study of third phase formation in the Th(IV)-nitric acid/TBP-n-octane system. *Sep. Sci. Technol.*, 38(12), 3333–3351 (2003).

- Boufatit, M.; Ait-Amar, H.; McWhinnie, W.R. Extraction of uranium from non-complexing medium in chloroform using polymethylene bis-(acetylpyrazolols) as extractants. *Chem. Eng. Process.*, 42(10), 743–749 (2003).
- Brodkorb, M.J.; Bosse, D.; von Reden, C. Single drop mass transfer in ternary and quaternary liquid-liquid extraction systems. *Chem. Eng. Process.*, 42(11), 825–840 (2003).
- Canari, R.; Eyal, A.M. Extraction of carboxylic acids by amine-based extractants: Apparent extractant basicity according to the pH of half-neutralization. *Ind. Eng. Chem. Res.*, 42(7), 1285–1292 (2003).
- Canari, R.; Eyal, A.M. Effect of pH on dicarboxylic acids extraction by amine-based extractants. *Ind. Eng. Chem. Res.*, 42(7), 1293–1300 (2003).
- Canari, R.; Eyal, A.M. Selectivity in monocarboxylic acids extraction from their mixture solutions using an amine-based extractant: Effect of pH. *Ind. Eng. Chem. Res.*, 42(7), 1301–1307 (2003).
- Canari, R.; Eyal, A.M. Selectivity in the extraction of lactic, malic, glutaric, and maleic acids from their binary solutions using an amine-based extractant: Effect of pH. *Ind. Eng. Chem. Res.*, 42(7), 1308–1314 (2003).
- Canari, R.; Eyal, A.M. Acids extraction by amine-based extractants: An analysis of the effect of anion concentration in the aqueous phase using the Donnan model. *Ind. Eng. Chem. Res.*, 42(7), 1315–1320 (2003).
- Chiarizia, R.; Jensen, M.P.; Borkowski, M. SANS study of third phase formation in the U(VI)-nitric acid/TBP-n-dodecane system. *Sep. Sci. Technol.*, 38(12), 3313–3332 (2003).
- Chiarizia, R.; Jensen, M.P.; Borkowski, M. Third phase formation revisited: The U(VI), nitric acid-TBP, n-dodecane system. *Solvent Extr. Ion Exch.*, 21(1), 1–28 (2003).
- Chiarizia, R.; McAlister, D.R.; Herlinger, A.W. Composition of the organic phase species in the synergistic extraction of Sr(2+) by mixtures of di(2-ethylhexyl) alkylene-diphosphonic acids and dicyclohexano-18-crown-6. *Solvent Extr. Ion Exch.*, 21(2), 171–198 (2003).
- Chong, J.; Ng, S.; Chung, K.H. Impact of fines content on a warm slurry extraction process using model oilsands. *Fuel*, 82(4), 425–438 (2003).
- Costa, M.C.; Carvalho, A.; Uryga, A. Solvent extraction of iron(III) from hydrochloric acid solutions using N,N'-dimethyl-N,N'-diphenylmalonamide and N,N'-dimethyl-N,N'-diphenyltetradecylmalonamide. *Solvent Extr. Ion Exch.*, 21(5), 653–686 (2003).
- Czakis-Sulikowska, D.; Pustelnik, N. Solvent extraction of heavy lanthanides(III) with 5,7-dibromo-8-hydroxyquinoline from aqueous perchlorate solution. *Solvent Extr. Ion Exch.*, 21(5), 751–762 (2003).
- de Lourdes Ballinas, M.; de San Miguel, E.R.; Munoz, M. Arsenic(V) extraction from sulfuric acid media using DBBP-D2EHPA organic mixtures. *Ind. Eng. Chem. Res.*, 42(3), 574–581 (2003).

- Deshpande, K.B.; Kumar, S. A new characteristic of liquid-liquid systems: Inversion holdup of intensely agitated dispersions. *Chem. Eng. Sci.*, 58(16), 3829–3835 (2003).
- Desnoyer, C.; Masbernat, O.; Gourdon, C. Experimental study of drop size distributions at high phase ratio in liquid-liquid dispersions. *Chem. Eng. Sci.*, 58(7), 1353–1363 (2003).
- du Preez, J.H.; Viviers, C. The separation of rhodium and iridium: Active centra and the HCl effect. *Solvent Extr. Ion Exch.*, 21(6), 815–826 (2003).
- El-Rifai, M.A.; Ettouney, R.S. Extraction-stripping process synthesis with multiple solvent circulation loops. *Chem. Eng. Res. Des.*, 81(2), 259–264 (2003).
- Fitch, A.W.; Ni, X. Using non-intrusive laser-induced fluorescence in the characterisation of mixing in an oscillatory baffled column. *J. Chem. Technol. Biotechnol.*, 78(2), 326–331 (2003).
- Francis, T.; Reddy, M.L.P. Thiosubstituted organophosphinic acids as selective extractants for mercury(II) from acidic chloride solutions. *Solvent Extr. Ion Exch.*, 21(1), 109–124 (2003).
- Fu, X.; Shi, J.; Gu, G. Preparation of nano-titania from a crude solution containing Ti(IV)-Fe(II) and sulfuric acid with extraction and hydrolysis. *Sep. Sci. Technol.*, 38(9), 2071–2080 (2003).
- Georgiev, G.; Zakhareva, M. Extraction of lanthanides with mixtures of crown ethers and heptanoic acid. *Solvent Extr. Ion Exch.*, 21(5), 735–750 (2003).
- Giovanoglou, A.; Barlatier, J.; Adjiman, C.S. Optimal solvent design for batch separation based on economic performance. *AIChE J.*, 49(12), 3095–3109 (2003).
- Gros, C.; Lanoiselle, J.L.; Vorobiev, E. Towards an alternative extraction process for linseed oil. *Chem. Eng. Res. Des.*, 81(9), 1059–1065 (2003).
- Guibal, E.; Guzman, J.; Navarro, R. Vanadium extraction from fly ash: Preliminary study of leaching, solvent extraction, and sorption on chitosan. *Sep. Sci. Technol.*, 38(12), 2881–2900 (2003).
- Gupta, B.; Malik, P.; Deep, A. Solvent extraction and separation of tervalent lanthanides and yttrium using Cyanex 923. *Solvent Extr. Ion Exch.*, 21(2), 239–258 (2003).
- Gupta, K.K.; Achuthan, P.V.; Ramanujam, A. Effect of diluents on the extraction of Sr(2+) from nitric acid solutions with dicyclohexano-18-crown-6. *Solvent Extr. Ion Exch.*, 21(1), 53–72 (2003).
- Haddou, B.; Canselier, J.P.; Gourdon, C. Purification of effluents by two-aqueous phase extraction. *Chem. Eng. Res. Des.*, 81(9), 1185–1192 (2003).
- Han, B.; Wu, Q.; Zhu, Y. Comparison of mixed trialkyl phosphine oxides (TRPO) extractants from different sources. *Chem. Eng. J.*, 94(2), 161–169 (2003).
- Haverlock, T.J.; Bonnesen, P.V.; Moyer, B.A. Separation of NaOH by solvent extraction using weak hydroxy acids. *Solvent Extr. Ion Exch.*, 21(4), 483–504 (2003).

- Herbst, R.S.; Law, J.D.; Todd, T.A. Development of the universal extraction (UNEX) process for the simultaneous recovery of Cs, Sr, and actinides from acidic radioactive wastes. *Sep. Sci. Technol.*, 38(12), 2685–2708 (2003).
- Herlinger, A.W.; McAlister, D.R.; Chiarizia, R. Aggregation, metal ion extraction, and solubility properties of silyl-substituted alkylendiphosphonic acids. *Sep. Sci. Technol.*, 38(12), 2741–2762 (2003).
- Hilber, T.; Marr, R.; Siebenhofer, M. Extractive separation of zinc from oxidic solid bulk feed. *Sep. Sci. Technol.*, 38(12), 2867–2880 (2003).
- Hu, X.; Wan, X.; Bal, R. Theobromine and caffeine recovery with solvent extraction. *Sep. Sci. Technol.*, 38(14), 3609–3624 (2003).
- Hudson, M.J.; Foreman, M.R.S.J.; Hill, C. Studies on the parallel synthesis and evaluation of new heterocyclic extractants for the partitioning of minor actinides. *Solvent Extr. Ion Exch.*, 21(5), 637–652 (2003).
- Hume, A.P.; Weatherley, L.R.; Petera, J. Trajectories of charged drops in a liquid-liquid system. *Chem. Eng. J.*, 95(1), 171–177 (2003).
- Huynh, H.T.; Tanaka, M. Removal of Bi, Cd, Co, Cu, Fe, Ni, Pb, and Zn from an aqueous nitrate medium with bis(2-ethylhexyl)phosphoric acid impregnated kapok fiber. *Ind. Eng. Chem. Res.*, 42(17), 4050–4054 (2003).
- Huynh, H.T.; Tanaka, M. Removal of nickel from electroless nickel plating rinse water with di(2-ethylhexyl)phosphoric acid-impregnated supports. *Solvent Extr. Ion Exch.*, 21(2), 291–306 (2003).
- Jia, Q.; Bi, L.; Shang, Q. Extraction equilibrium of zinc(II) and cadmium(II) by mixtures of primary amine N1923 and 2-ethylhexyl phosphonic acid di-2-ethylhexyl ester. *Ind. Eng. Chem. Res.*, 42(18), 4223–4227 (2003).
- Jia, Q.; Shang, Q.; Li, D. Three-phase extraction study in the Cyanex-923-n-heptane/nitric acid system. *Solvent Extr. Ion Exch.*, 21(3), 413–422 (2003).
- Jian, H.; Ni, X.W. On modelling turbulent flow in an oscillatory baffled column: RANS model or large-eddy simulation? *J. Chem. Technol. Biotechnol.*, 78(2), 321–325 (2003).
- Jiang, H.; Tang, Y.; Guo, Q.X. Separation and recycle of phenol from wastewater by liquid-liquid extraction. *Sep. Sci. Technol.*, 38(11), 2579–2596 (2003).
- Jones, E.; Weatherley, L.R. Modelling the kinetics of lipase-catalysed oil hydrolysis in an electrically enhanced liquid-liquid system. *J. Chem. Technol. Biotechnol.*, 78(2), 194–198 (2003).
- Jones, E.; Petera, J.; Ting, S.C.; Weatherley, L.R. Residence time distributions in a co-current electrically enhanced liquid-liquid contactor. *Chem. Eng. Res. Des.*, 81(6), 601–610 (2003).
- Kamienski, J.; Wojtowicz, R. Dispersion of liquid-liquid systems in a mixer with a reciprocating agitator. *Chem. Eng. Process.*, 42(12), 1007–1017 (2003).
- Kislik, V.; Eyal, A. Competitive complexation/solvation theory of solvent extraction: General statements, acid extraction by amines, influence of active solvents and temperature. *J. Chem. Technol. Biotechnol.*, 78(2), 358–363 (2003).

- Kislik, V.; Eyal, A.; Hazan, B. Competitive complexation/solvation theory of solvent extraction: Influence of active solvents on acid solvent extraction by amine based extractants. *Sep. Sci. Technol.*, 38(8), 1681–1704 (2003).
- Kolarik, Z. Extraction of selected mono- to tetravalent metal ions by 2,6-di-(5,6-dialkyl-1,2,4-triazin-3-yl) pyridines. *Solvent Extr. Ion Exch.*, 21(3), 381–398 (2003).
- Kolekar, S.S.; Anuse, M.A. Selective liquid-liquid extraction of platinum(IV) from ascorbate media by N-n-octylaniline: Its separation from associated elements and real samples. *Sep. Sci. Technol.*, 38(11), 2597–2618 (2003).
- Kumar, S.; Koganti, S.B. An empirical correlation for Pu(III) distribution coefficients in 30% TBP/n-dodecane PUREX system in the presence of U(VI), U(IV), Pu(IV), Pu(III), and hydrazine nitrate. *Solvent Extr. Ion Exch.*, 21(3), 369–380 (2003).
- Kumar, S.; Koganti, S.B. An extended Setschenow model for Pu(IV) third phase formation in 20% tri-n-butyl phosphate based nuclear solvent extraction system. *Solvent Extr. Ion Exch.*, 21(3), 423–434 (2003).
- Kumar, S.; Koganti, S.B. Speciation studies in third phase formation: U(IV), Pu(IV), and Th(IV) third phases in TBP systems. *Solvent Extr. Ion Exch.*, 21(4), 547–558 (2003).
- Leonard, R.A.; Aase, S.B.; Arafat, H.A. Experimental verification of caustic-side solvent extraction for removal of cesium from tank waste. *Solvent Extr. Ion Exch.*, 21(4), 505–526 (2003).
- Li, X.; Mao, Z.S.; Fei, W. Effects of surface-active agents on mass transfer of a solute into single buoyancy driven drops in solvent extraction systems. *Chem. Eng. Sci.*, 58(16), 3793–3806 (2003).
- Lin, D.Q.; Yao, S.J.; Mei, L.H. Collection and purification of parasporal crystals from *Bacillus thuringiensis* by aqueous two-phase extraction. *Sep. Sci. Technol.*, 38(7), 1665–1680 (2003).
- Lisa, G.A.; Tudose, R.Z.; Kadi, H. Mass transfer resistance in liquid-liquid extraction with individual phase mixing. *Chem. Eng. Process.*, 42(11), 909–916 (2003).
- Liu, Y.S.; Dai, Y.Y. Distribution behavior of alpha-amino acids and aminobenzoic acid by extraction with trioctylamine. *Sep. Sci. Technol.*, 38(5), 1217–1228 (2003).
- Lumetta, G.J.; Rapko, B.M.; Hay, B.P. A novel bicyclic diamide with high binding affinity for trivalent f-block elements. *Solvent Extr. Ion Exch.*, 21(1), 29–40 (2003).
- Mansur, M.B.; Slater, M.J.; Biscaia, E.C. Reactive extraction of zinc sulfate with bis(2-ethylhexyl)-phosphoric acid in a short Kuhni column used in batch mode. *Ind. Eng. Chem. Res.*, 42(17), 4068–4076 (2003).
- Maruyama, M.; Ishii, H.; Yamaguchi, M. Deformation and disintegration behavior of single water drops in an oil phase in an electric field. *Dev. Chem. Eng. Mineral Process.*, 11(5), 491–498 (2003).

- Matsumoto, M.; Takahashi, T.; Fukushima, K. Synergistic extraction of lactic acid with alkylamine and tri-n-butylphosphate: Effects of amines, diluents and temperature. *Sep. Purif. Technol.*, 33(1), 89–93 (2003).
- Mesmin, C.; Liljenzin, J.O. Determination of H₂TPTZ₂(2+) stability constant by TPTZ solubility in nitric acid. *Solvent Extr. Ion Exch.*, 21(6), 783–795 (2003).
- Mhaske, A.A.; Dhadke, P.M. Separation of Te(IV) and Se(IV) by extraction with Cyanex 925. *Sep. Sci. Technol.*, 38(14), 3575–3590 (2003).
- Morters, M.; Bart, H.J. Mass transfer into droplets undergoing reactive extraction. *Chem. Eng. Process.*, 42(10), 801–809 (2003).
- Morton, S.A.; Keffer, D.J.; Counce, R.M. Thermodynamic model for the prediction of contact angles of oil droplets on solid surfaces in SDS solutions. *Sep. Sci. Technol.*, 38(12), 2815–2836 (2003).
- Mukai, H.; Umetani, S.; Matsui, M. Steric effect of ortho substituents of 1-phenyl-3-methyl-4-arylpyrazol-5-ones on the synergic extraction of scandium and lanthanum with tri-n-octylphosphine oxide. *Solvent Extr. Ion Exch.*, 21(1), 73–90 (2003).
- Nogueira, C.A.; Oliveira, P.C.; Pedrosa, F.M. Scrubbing of cadmium and nickel from Cyanex 272 loaded with cobalt. *Solvent Extr. Ion Exch.*, 21(5), 717–734 (2003).
- Norato, M.A.; Beasley, M.H.; Campbell, S.G. Demonstration of the caustic-side solvent extraction process for the removal of ¹³⁷Cs from Savannah River site high-level waste. *Sep. Sci. Technol.*, 38(12), 2647–2666 (2003).
- Ocio, A.; Elizalde, M.P. Zinc(II) extraction from phosphoric media by bis(2,4,4-trimethylpentyl)-dithiophosphinic acid (Cyanex 301). *Solvent Extr. Ion Exch.*, 21(2), 259–272 (2003).
- Oliveira, M.S.N.; Fitch, A.W. A study of bubble velocity and bubble residence time in a gassed oscillatory baffled column: Effect of oscillation frequency. *Chem. Eng. Res. Des.*, 81(2), 233–242 (2003).
- Oliveira, M.S.N.; Fitch, A.W.; Ni, X.W. A study of velocity and residence time of single bubbles in a gassed oscillatory baffled column: Effect of oscillation amplitude. *J. Chem. Technol. Biotechnol.*, 78(2), 220–226 (2003).
- Otu, E.O.; Chiarizia, R. Temperature effect on the extraction of Am(III), U(VI), and Sr(II) by dialkyl-substituted alkylendiphosphonic acids. *Sep. Sci. Technol.*, 38(12), 2619–2636 (2003).
- Ouchi, M.; Konda, M.; Nagamune, S. Solvent extraction of metal picrates with oligoethylene glycol glyme derivatives. *Dev. Chem. Eng. Mineral Process.*, 11(5), 481–490 (2003).
- Ouchi, M.; Mizuno, T.; Maeda, T. Syntheses and cation-binding abilities of thiacalix[4]arene derivatives. *Dev. Chem. Eng. Mineral Process.*, 11(5), 529–538 (2003).
- Pavithran, R.; Varma, R.L.; Reddy, M.P. Synergistic solvent extraction of trivalent lanthanoids with mixtures of 1-phenyl-3-methyl-4-pivaloyl-5-pyrazolone and crown ethers. *Solvent Extr. Ion Exch.*, 21(6), 797–813 (2003).

- Powell, B.A.; Navratil, J.D.; Thompson, M.C. Compounds of hexavalent uranium and dibutylphosphate in nitric acid systems. *Solvent Extr. Ion Exch.*, 21(3), 347–368 (2003).
- Prochazka, J.; Heyberger, A.; Volaufova, E. Sulfuric acid extraction with trialkylamine: Effect of xylene and n-octanol as modifiers. *Ind. Eng. Chem. Res.*, 42(21), 5305–5311 (2003).
- Rao, C.V.S.B.; Suresh, A.; Srinivasan, T.G. Tricyclohexylphosphate: A unique member in the neutral organophosphate family. *Solvent Extr. Ion Exch.*, 21(2), 221–238 (2003).
- Rao, N.V.R.; Baird, M.H.I. Gas-liquid mass transfer in a 15-cm diameter reciprocating plate column. *J. Chem. Technol. Biotechnol.*, 78(2), 134–137 (2003).
- Remya, P.N.; Saji, J.; Reddy, M.L.P. Solvent extraction and separation of vanadium(V) from multivalent metal chloride solutions by Cyanex 923. *Solvent Extr. Ion Exch.*, 21(4), 573–590 (2003).
- Rincon, J.; Canizares, P.; Garcia, M.T. Regeneration of used lubricant oil by propane extraction. *Ind. Eng. Chem. Res.*, 42(20), 4867–4873 (2003).
- Saji, J.; Reddy, M.L.P. Selective extraction and separation of titanium(IV) from multivalent metal chloride solutions using 2-ethylhexyl phosphonic acid mono-2-ethylhexyl ester. *Sep. Sci. Technol.*, 38(2), 427–442 (2003).
- Samadi, A.; Husson, S.M. Towards the recovery of L-aspartic acid from aqueous solution: Exploiting pH-dependent solubility via carbon dioxide addition. *Sep. Sci. Technol.*, 38(12), 2837–2850 (2003).
- Senol, A. Liquid-liquid extraction of isovaleric acid using Alamine 308/diluent and conventional solvent systems: Effect of diluent and acid structure. *Solvent Extr. Ion Exch.*, 21(6), 853–879 (2003).
- Simeonov, E.; Seikova, I.; Pentchev, I. Modeling of a screw solid-liquid extractor through concentration evolution experiments. *Ind. Eng. Chem. Res.*, 42(7), 1433–1438 (2003).
- Suresh, A.; Rao, C.V.S.B.; Deivanayaki, T. Studies on the extraction behaviour of octyl(phenyl)-N,N-diisobutylcarbamoylmethylphosphine oxide in polymeric adsorbent resins. *Solvent Extr. Ion Exch.*, 21(3), 449–464 (2003).
- Suzuki, H.; Naganawa, H.; Tachimori, S. Extraction of europium(III) into W/O microemulsion containing aerosol OT and a bulky diamide: Cooperative effect. *Solvent Extr. Ion Exch.*, 21(4), 527–546 (2003).
- Tachimori, S.; Suzuki, S.; Sasaki, Y. Solvent extraction of alkaline earth metal ions by diglycolic amides from nitric acid solutions. *Solvent Extr. Ion Exch.*, 21(5), 707–716 (2003).
- Takanohashi, T.; Xiao, F.; Yoshida, T. Difference in extraction yields between carbon disulfide/NMP and NMP for Upper Freeport coal. *Energy Fuels*, 17(1), 255–256 (2003).
- Tao, W.; Nagaosa, Y. Solvent extraction of copper(II) with di-2-methylnonyl-phosphoric acid in some organic diluents. *Solvent Extr. Ion Exch.*, 21(2), 273–290 (2003).

- Thomas, J.; Surender, G.D.; Reddy, M.L.P. Solvent extraction separation of vanadium(V) from multimetal chloride solutions using tributylphosphate. *Sep. Sci. Technol.*, 38(15), 3761–3774 (2003).
- Tomita, A.; Kanki, T.; Sano, N. On the mechanism of the interfacial reaction in extraction of rare earth metals by D2EHPA. *Dev. Chem. Eng. Mineral Process.*, 11(5), 539–556 (2003).
- Tripathi, S.C.; Ramanujam, A. Effect of radiation-induced physicochemical transformations on density and viscosity of 30% TBP/n-dodecane/nitric acid system. *Sep. Sci. Technol.*, 38(10), 2307–2326 (2003).
- Uheida, A.; Zhang, Y.; Muhammed, M. Extraction of platinum(IV) with non-ylthiourea dissolved in chloroform from hydrochloric acid media. *Solvent Extr. Ion Exch.*, 21(6), 827–840 (2003).
- Vidyalakshmi, V.; Subramanian, M.S.; Rajeswari, S. Interfacial tension studies of N,N-dialkyl amides. *Solvent Extr. Ion Exch.*, 21(3), 399–412 (2003).
- Wang, Y.G.; Meng, S.L.; Li, D.Q. Interfacial activity of sec-nonylphenoxy acetic acid and kinetics of yttrium extraction. *Solvent Extr. Ion Exch.*, 21(4), 559–572 (2003).
- Wang, Y.G.; Wang, L.G.; Li, D.Q. Synergistic extraction of zinc(II) with mixtures of CA-100 and Cyanex 272. *Sep. Sci. Technol.*, 38(10), 2291–2306 (2003).
- White, T.L.; Peterson, R.A.; Wilmarth, W.R. Stability study of Cs extraction solvent. *Sep. Sci. Technol.*, 38(12), 2667–2684 (2003).
- Wilmarth, W.R.; Mills, J.T.; Dukes, V.H. Caustic-side solvent extraction batch distribution coefficient measurements for Savannah River site high-level wastes. *Sep. Sci. Technol.*, 38(12), 2637–2646 (2003).
- Yaftian, M.R.; Hassanzadeh, L.; Eshraghi, M.E. Solvent extraction of thorium(IV) and europium(III) ions by diphenyl-N,N-dimethylcarbamoyl-methylphosphine oxide from aqueous nitrate media. *Sep. Purif. Technol.*, 31(3), 261–268 (2003).
- Zalupski, P.R.; McAlister, D.R.; Stepinski, D.C. Metal extraction by silyl-substituted diphosphonic acids: Ester group substituent effects on phosphoryl oxygen basicity. *Solvent Extr. Ion Exch.*, 21(3), 331–346 (2003).
- Zhang, J.; Fan, L.S. On the rise velocity of an interactive bubble in liquids. *Chem. Eng. J.*, 92(1), 169–176 (2003).
- Zhang, P.; Song, C.; Liang, J.F. Identification of radiolytic degradation products of gamma-irradiated 30% trialkylphosphine oxide-kerosene solution. *Solvent Extr. Ion Exch.*, 21(1), 91–108 (2003).

SUPERCRITICAL EXTRACTION

- Al-Jabari, M. Modeling analytical tests of supercritical fluid extraction from solids with Langmuir kinetics. *Chem. Eng. Commun.*, 190(12), 1620–1640 (2003).

- Li, J.; Davis, T.A.; Matthews, M.A. Supercritical fluid extraction of 1,2,4-trichlorobenzene from DOE job control wastes. *Sep. Sci. Technol.*, 38(12), 2979–2994 (2003).
- Li, J.; Matthews, M.A.; Davis, T.A. Supercritical fluid extraction process for removing polychlorinated biphenyl from a DOE job control waste. *Environ. Prog.*, 22(1), 7–13 (2003).
- Lin, Y.; Liu, C.; Wu, H. Supercritical fluid extraction of toxic heavy metals and uranium from acidic solutions with sulfur-containing organophosphorous reagents. *Ind. Eng. Chem. Res.*, 42(7), 1400–1405 (2003).
- Lu, X.B.; Zhang, W.H.; Xiu, J.H. Removal of the template molecules from MCM-41 with supercritical fluid in a flow apparatus. *Ind. Eng. Chem. Res.*, 42(3), 653–656 (2003).
- Mantell, C.; Rogriguez, M.; de la Ossa, E.M. Kinetics and mathematical modeling of anthocyanin extraction with carbon dioxide and methanol at high pressure. *Sep. Sci. Technol.*, 38(15), 3689–3712 (2003).
- Martinez, J.; Monteiro, A.R.; Rosa, P.T.V. Multicomponent model to describe extraction of ginger oleoresin with supercritical carbon dioxide. *Ind. Eng. Chem. Res.*, 42(5), 1057–1063 (2003).
- Sarrade, S.; Guizard, C.; Rios, G.M. New applications of supercritical fluids and supercritical fluids processes in separation. *Sep. Purif. Technol.*, 32(1), 57–63 (2003).
- Sovova, H.; Zarevucka, M. Lipase-catalysed hydrolysis of blackcurrant oil in supercritical carbon dioxide. *Chem. Eng. Sci.*, 58(11), 2339–2350 (2003).
- Wang, S.; Lin, Y.; Wai, C.M. Supercritical fluid extraction of toxic heavy metals from solid and aqueous matrices. *Sep. Sci. Technol.*, 38(10), 2279–2290 (2003).
- Wang, T.; Guan, Y. Removal of arsenic in the form of anions from solid matrices by supercritical carbon dioxide extraction with ion-pairing. *Sep. Purif. Technol.*, 31(2), 225–230 (2003).
- Wang, T.; Wang, H. Solubility of diethylammonium diethyldithiocarbamate in supercritical carbon dioxide with ethanol as the co-solvent. *Chem. Eng. Process.*, 42(1), 61–65 (2003).
- Yeo, S.D.; Kim, K.S. Supercritical extraction of phenol from activated carbon fiber. *Sep. Sci. Technol.*, 38(5), 999–1014 (2003).
- Yin, J.; Sun, X.; Ding, X. Modeling of supercritical fluid extraction from *Hippophae rhamnoides* L. seeds. *Sep. Sci. Technol.*, 38(16), 4041–4055 (2003).
- Yoda, S.K.; Marques, M.O.M.; Petenate, A.J. Supercritical fluid extraction from *Stevia rebaudiana* Bertoni using carbon dioxide and (carbon dioxide + water): Extraction kinetics and identification of extracted components. *J. Food Eng.*, 57(2), 125–134 (2003).
- Zekovic, Z.; Lepojevic, Z.; Tolic, A. Modeling of the thyme-supercritical carbon dioxide extraction system: The influence of extraction time and carbon dioxide pressure. *Sep. Sci. Technol.*, 38(3), 541–552 (2003).

REFERENCES

1. Ray, M.S. (2004) Equilibrium-Staged Separations: A Bibliography Update (2002). *Sep. Sci. Technol.*, 39 (3): 709–740.
2. Ray, M.S. (2003) Equilibrium-Staged Separations: A Bibliography Update (2001). *Sep. Sci. Technol.*, 38 (6): 1437–1461.
3. Ray, M.S. (2002) Equilibrium-Staged Separations: A Bibliography Update (2000). *Sep. Sci. Technol.*, 37 (10): 2477–2504.
4. Ray, M.S. (2000) Equilibrium-Staged Separations: A Bibliography Update (1999). *Sep. Sci. Technol.*, 35 (16): 2675–2781.
5. Ray, M.S. (1999) Equilibrium-Staged Separations: A Bibliography Update (1998). *Sep. Sci. Technol.*, 34 (16): 3305–3321.
6. Ray, M.S. (1999) Equilibrium-Staged Separations: A Bibliography Update (1997). *Sep. Sci. Technol.*, 34 (1): 139–156.
7. Ray, M.S. (1997) Equilibrium-Staged Separations: A Bibliography Update (1996). *Sep. Sci. Technol.*, 32 (18): 3067–3083.
8. Ray, M.S. (1997) Equilibrium-Staged Separations: A Bibliography Update (1995). *Sep. Sci. Technol.*, 32 (7): 1163–1187.
9. Ray, M.S. (1995) Equilibrium-Staged Separations: A Bibliography Update (1994). *Sep. Sci. Technol.*, 30 (20): 3723–3745.
10. Ray, M.S. (1994) Equilibrium-Staged Separations: A Bibliography Update (1992–1993). *Sep. Sci. Technol.*, 29 (17): 2359–2385.
11. Ray, M.S. (1993) Equilibrium-Staged Separations: A Bibliography (1991). *Sep. Sci. Technol.*, 28 (6): 1361–1378.
12. Ray, M.S. (1992) Distillation (1980–1990): A Bibliography. *Sep. Sci. Technol.*, 27 (1): 105–128.