

Volume Contents 1999

NUMBER 1

Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATIONS**
- 1 Mass spectrometric studies on the formation of chiral *N*-sulphonylated oxazaborolidinones
- 7 Studies on the role of Lewis basicity of the aldehydes utilized in the enantioselective Mukaiyama aldol reaction promoted by chiral 1,3,2-oxazaborolidin-5-ones
- 11 A facile synthesis of chiral ω -allyl- and ω -*n*-propyllactones via asymmetric allylboration of formyl esters with *B*-allyldiisopinocampheylborane
- 17 Synthesis of rhamnogalacturonan I oligosaccharides: synthesis of a tetrasaccharide intermediate
- 21 Synthesis and absolute configuration of a bi[10]paracyclophane with two chiral planes and one chiral axis
- 25 Synthesis of 2-heterosubstituted quinazolinone atropisomeric phosphine ligands by direct lithiation of a 2-unsubstituted quinazolinone system
- ARTICLES**
- 31 Oxidation of *N* α -protected-L-lysine by *Rhodotorula graminis* to produce novel chiral compounds
- 37 Enantiomeric impurities in chiral catalysts, auxiliaries, synthons and resolving agents. Part 2
- 61 Enantioselective hydrogenation of pyrrolidine-2,3,5-triones over the Pt-cinchonidine system
- 77 Regio- and stereoselective synthesis of 3- and 5-(*C*-glycosyl)-4-nitro-isoxazolidines by nitron-nitroalkene [3+2] cycloaddition reactions
- 99 A synthetic approach to diaryl ethers using the Robinson annulation
- 107 Biocatalytic transformation of racemates into chiral building blocks in 100% chemical yield and 100% enantiomeric excess
- 119 Enantioselective synthesis of a key intermediate of Levofloxacin using microbial resolution
- 125 1,1'-Spirobiindane-7,7'-diol: a novel, C_2 -symmetric chiral ligand
- 133 Chiral pyrrolidine derivatives as catalysts in the enantioselective addition of diethylzinc to aldehydes
- 139 Chiral conformationally restricted arachidonic acid analogs based on a 1,3-dioxane core
- 153 Stereoselective synthesis of (*R*)- and (*S*)-2-methyl-3-oxo-3,4-dihydro-2*H*-1,4-benzoxazine-2-carboxylic acids, -carboxylates and -carboxamides
- V. Nevalainen, T. Mansikka,
R. Kostlainen, I. Simpura and
J. Kokkonen
- I. Simpura and V. Nevalainen
- P. V. Ramachandran,
M. P. Krzeminski, M. V. R. Reddy and
H. C. Brown
- J. R. Rich, R. S. McGavin, R. Gardner
and K. B. Reimer
- W. Tochtermann, D. Kuckling,
C. Meints, J. Kraus and
G. Bringmann
- X. Dai and S. Virgil
- R. N. Patel, A. Banerjee,
R. L. Hanson, D. B. Brzozowski,
L. W. Parker and L. J. Szarka
- D. W. Armstrong, L. He, T. Yu,
J. T. Lee and Y. Liu
- A. Szabo, N. Künzle, T. Mallat and
A. Balcer
- P. Borrachero, F. Cabrera,
M^a J. Diáñez, M^a D. Estrada,
M. Gómez-Guillén, A. López-Castro,
J. M^a Moreno, J. L. de Paz and
S. Pérez-Garrido
- X. Feng and E. D. Edstrom
- U. T. Strauss, U. Felfer and K. Faber
- A. Miyadera and A. Imura
- V. B. Birman, A. L. Rheingold and
K.-C. Lam
- X. Yang, J. Shen, C. Da, R. Wang,
M. C. K. Choi, L. Yang and K. Wong
- J.-L. Gras, T. Soto and J. Viala
- M. Breznik, V. Hrast, A. Mrcina and
D. Kikelj

M. Schön and R. Naef

A. Sol, J. Pfeiffer, J. Jauch and V. Schurig

S. Ozaki, H.-J. Yang, T. Matsui, Y. Goto and Y. Watanabe

S. Arseniyadis,
M. del Rosario Rico Ferreira,
J. Quilez del Moral,
J. I. Martín Hernando, N. Birlirakis
and P. Potier

169 New 1-amino-1,2-diphenylethanols as ligands for the enantioselective addition of alkylolithiums to benzaldehyde

177 Synthesis of chiral calix[*n*]arenes. Part 2: Synthesis of new chiral calix[*n*]arenes based on (*p*-hydroxy-phenyl)-menthone

183 Asymmetric oxidation catalyzed by myoglobin mutants

193 Studies towards the total synthesis of taxoids: a rapid entry into bicyclo[6.4.0]dodecane ring system. Part 2

A1 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 2

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

207 New chiral phosphine-phosphonites derived from (2*R*,3*R*)-dimethyl tartrate, (*S*)-binaphthol and (1*R*,2*S*)-ephedrine

213 Studies towards the total synthesis of altohyrtin A: a convergent approach to the C38–C51 carbon framework

217 A second generation pyranose-based approach to the F ring (C38–C45) of altohyrtin A

221 A facile asymmetric synthesis of 1-substituted tetrahydroisoquinoline based on a chiral ligand-mediated addition of organolithium to imine

225 Enantioselective synthesis of β -hydroxy carboxylic acids: direct conversion of β -oxocarboxylic acids to enantiomerically enriched β -hydroxy carboxylic acids via neighboring group control

ARTICLES

229 Synthesis of a new isoxazolidine from diacetone glucose

237 Novel chiral organoselenenyl halides stabilized by Se $\cdots$ N nonbonded interactions: synthesis and structural characterization

243 Synthesis of novel chiral lipophilic pyridyl-containing β -amino alcohol ligands and enantioselective hydrolysis of α -amino acid esters by chiral metallomicelles

255 Stereospecific synthesis of oxazolo[3,4-*b*]tetrahydroisoquinolin-3-ones, analogs of podophyllotoxin, via benzotriazole methodology

265 Computational study of solvation and stereoselectivity in deprotonation of cyclohexene oxide by a chiral lithium amide

281 Functional mimics of copper enzymes. Synthesis and stereochemical properties of the copper(II) complexes of a trinucleating ligand derived from L-histidine

297 Formal enantioselective synthesis of (+)-vincamine. The first enantioselective route to (+)-3,14-epivincamine and its enantiomer

307 Synthesis of α -fluoroalkyl substituted peptides via enzymatic fragment condensation

T. L. Schull and D. A. Knight

P. D. Kary, S. M. Roberts and D. J. Watson

P. D. Kary and S. M. Roberts

D. Taniyama, M. Hasegawa and K. Tomioka

Z. Wang, C. Zhao, M. E. Pierce and J. M. Fortunak

G. V. M. Sharma, I. S. Reddy, V. G. Reddy and A. V. R. Rao

G. Mugesh, H. B. Singh and R. J. Butcher

J. You, X. Yu, K. Liu, L. Tao, Q. Xiang and R. Xie

A. R. Katritzky, J. Cobo-Domingo, B. Yang and P. J. Steel

S. O. Nilsson Lill, P. I. Arvidsson and P. Ahlberg

L. Santagostini, M. Gullotti, R. Pagliarin, E. Bianchi, L. Casella and E. Monzani

J. C. F. Alves, A. B. C. Simas and P. R. R. Costa

F. Bordusa, C. Dahl, H.-D. Jakubke, K. Burger and B. Kokscho

W. Adam, C. R. Saha-Möller and K. S. Schmid

D. Enders, C. R. Thomas and J. Runsink

D. Wang, Z. G. Wang, M. W. Wang, Y. J. Chen, L. Liu and Y. Zhu

T. Kusakari, T. Ichiiyanagi, H. Kosugi and M. Kato

S. U. Son, H.-Y. Jang, J. W. Han, I. S. Lee and Y. K. Chung

A. Martin, M. P. Watterson, A. R. Brown, F. Imtiaz, B. G. Winchester, D. J. Watkin and G. W. J. Fleet

I. Alfonso, F. Rebolledo and V. Gotor

J. J. Almena Perea, M. Lotz and P. Knochel

G. Bringmann and M. Breuning

R. J. Tennant-Eyles and A. J. Fairbanks

315 Lipase-catalyzed kinetic resolution of Z-configured homoallylic alcohols

323 5-Amino-4-aryl-2,2-dimethyl-1,3-dioxans: application as chiral NMR shift reagents and derivatizing agents for acidic compounds

327 Asymmetric allylation of aldehydes and glyoxylates through 'C-centered' chiral pentacoordinate allylsilicates or promoted by Lewis acid

339 BF₃-induced cyclobutane-opening of verbenone and its deconjugate homolog. Efficient preparation of *o*-mentha-1,8-dien-3-one and *o*-menth-1-en-3-one in optically active forms

347 New planar chiral P,N-ligands containing tricarbonyl(arene)chromium for enantioselective asymmetric hydroboration of styrenes

355 6*R*- and 6*S*-6*C*-Methylmannose from D-mannuronolactone. Inhibition of phosphoglucosyltransferase and phosphomannomutase: agents for the study of the primary metabolism of mannose

367 Chemoenzymatic syntheses of two optically active hexa-azamacrocycles

375 Synthesis and application of C₂-symmetric diamino FERRIPHOS as ligands for enantioselective Rh-catalyzed preparation of chiral α -amino acids

385 Atropo-enantioselective reduction of configurationally unstable biaryl lactones with BINAL-H

391 Novel ester linked glycosyl amino acids: convenient building blocks for the synthesis of glycopeptide libraries

A23 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 3

Contents

v Contributors to this Issue

vii Graphical abstracts

COMMUNICATIONS

403 Enantioselective synthesis of (+)-3-oxabicyclo[3.2.0]hept-6-en-2-one

405 Application of MerCO as a chiral catalyst in asymmetric synthesis: asymmetric borane reduction of ketones

ARTICLES

411 Binuclear versus mononuclear copper complexes as catalysts for asymmetric cyclopropanation of styrene

429 Synthesis of chiral calix[4]arenes bearing tartaric ester moieties

439 Protecting group controlled stereoselective alkylation of asymmetric bis(hydroxymethyl)propanoates (BHYMP*)

449 Chiral building-blocks by chemoenzymatic desymmetrization of 2-ethyl-1,3-propanediol for the preparation of biologically active natural products

457 Studies on the Pauson-Khand reaction of alkynyl sulfoxides. Unexpectedly easy racemization of their dicobalt hexacarbonyl complexes

473 Bioreduction of 2-oxocyclopentanecarboxamides: syntheses of optically active 2-aminomethyl- and 2-aminocyclopentanol

M.-E. Gourdel-Martin, C. Comoy and F. Huet

T.-K. Yang and D.-S. Lee

L. Cai, H. Mahmoud and Y. Han

H.-S. Yuan and Z.-T. Huang

L. Banfi and G. Guanti

I. Izquierdo, M. T. Plaza, M. Rodríguez and J. Tamayo

E. Montenegro, A. Moyano, M. A. Pericás, A. Riera, A. Alvarez-Larena and J.-F. Piniella

M. Quirós, F. Rebolledo and V. Gotor

G. Broggini, L. Garanti, G. Molteni and G. Zecchi

P. Camps, F. Pérez, N. Soldevilla and M. A. Borrego

V. I. Rozenberg, N. V. Dubrovina, E. V. Vorontsov, E. V. Sergeeva and Y. N. Belokon'

P. Jankowski, E. Schaumann, J. Wicha, A. Zarecki and G. Adiwidjaja

P. I. Arvidsson, Ö. Davidsson and G. Hilmersson

J. Kiegiel, A. Papis and J. Jurczak

G. Chelucci, S. Medici and A. Saba

A. C. Dahl, M. Fjeldberg and J. Ø. Madsen

M. Medio-Simón, J. Gil, P. Aleman, T. Varea and G. Asensio

A. Forster, T. Kovac, H. Mosimann, P. Renaud and P. Vogel

D. Che, J. Siegl and G. Seitz

R. Galeazzi, S. Geremia, G. Mobbili and M. Orena

487 The first case of asymmetric induction in intramolecular nitrile imine cycloadditions: synthesis of enantiopure 3-substituted 6-oxo-2,3,3a,5-tetrahydro-4-carbomethoxy-furo[3,4-c]pyrazoles

493 (*R*)- and (*S*)-3-Hydroxy-4,4-dimethyl-1-phenyl-2-pyrrolidinone as chiral auxiliaries in the enantioselective preparation of α -amino acids

511 New chiral β -diketones based on [2.2]paracyclophane

519 Facile synthesis of enantiomerically pure *tert*-butyl(methyl)phenylsilanes

527 Enantioselective butylation of aliphatic aldehydes by mixed chiral lithium amide/*n*-BuLi dimers

535 Asymmetric reduction of *N*-methylglyoxyloxy- and *N*-phenylglyoxyloxy-(2*R*)-bornane-10,2-sultam

543 Steric effects of the ligand in the enantioselective palladium-catalyzed allylic alkylation using chiral oxazolinyldiridines

551 Baker's yeast: Improving the D-stereoselectivity in reduction of 3-oxo esters

561 Selective lipase-catalyzed acylation of epimeric α -sulfinyl alcohols: an efficient method of separation

567 Resolution of 7-oxabicyclo[2.2.1]hept-5-en-2-one via cyclic amins

573 Synthesis of chiral 2-(2'-pyrrolidinyl)pyridines from (*S*)- and (*R*)-proline: potential ligands of the neuronal nicotinic acetylcholine receptors

587 Stereoselective reduction of chiral *trans*-3-acetyl-4-alkylpyrrolidin-2-ones

A47 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 4

Contents

v Contributors to this issue

vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 41

607 Optical activity and stereochemistry of linear oligopyrroles and bile pigments

COMMUNICATIONS

657 A concise synthesis of unnatural (+)-5-*epi*-nojirimycin- δ -lactam via asymmetric reduction of a *meso*-imide

661 Asymmetric synthesis of β -monosubstituted and β,β -disubstituted *N*-(*p*-toluenesulfinyl)- α -(aminoalkyl)acrylates via anionic additions of (α -carbalkoxyvinyl)cuprates to thiooxime *S*-oxides

667 A facile route to the total synthesis of gigantetrocin A

671 One-step synthesis of paclitaxel side-chain precursor: benzamide-based asymmetric aminohydroxylation of isopropyl *trans*-cinnamate

675 Synthetic study on L-755,807: asymmetric synthesis of the epoxy- γ -lactam moiety

S. E. Boladjiev and D. A. Lightner

J. Kang, C. W. Lee, G. J. Lim and B. T. Cho

H.-X. Wei, J. D. Hook, K. A. Fitzgerald and G. Li

Z.-M. Wang, S.-K. Tian and M. Shi

C. E. Song, C. R. Oh, E. J. Roh, S. Lee and J. H. Choi

S. Marumoto, H. Kogen and S. Naruto

K. Königsberger, K. Prasad and
O. Replić

M. J. Costanzo, L. Jaroskova,
D. A. Gauthier and B. E. Maryanoff

R. Schoevaart, F. van Rantwijk and
R. A. Sheldon

D. Ma and K. Cheng

E. García-Urdiales, F. Rebolledo and
V. Gotor

K. Pai Fondekar, F.-J. Volk and
A. W. Frahm

Y. Watanabe, N. Mase, M. Tateyama
and T. Toru

M. Tiecco, L. Testaferri, F. Marini,
C. Santi, L. Bagnoli and A. Temperini

X. Li, C. Yeung, A. S. C. Chan and
T.-K. Yang

L. Battistini, G. Rassu, L. Pinna,
F. Zanardi and G. Casiraghi

M. Adamczyk, D. D. Johnson and
R. E. Reddy

J. I. Martín Hernando,
J. Quílez del Moral,
M. del Rosario Rico Ferreira,
J. I. Candela Lena and S. Arseniyadis

A. Ortiz, N. Farfán, H. Höpfl,
R. Santillan, M. E. Ochoa and
A. Gutiérrez

ARTICLES

- 679 The synthesis of (*R*)- and (*S*)- α -trifluoromethyl- α -hydroxycarboxylic acids via enzymatic resolutions
- 689 Stereochemistry of addition of carbanion reagents to 'diacetone fructose aldehyde'. Configurational assignment of a 1-deoxyheptulose derivative by X-ray crystallography and NMR studies directed to the assignment of isomeric adducts
- 705 Class I fructose-1,6-bisphosphate aldolases as catalysts for asymmetric aldol reactions
- 713 Enantioselective synthesis of functionalized α -amino acids via a chiral guanidine catalyzed Michael addition reaction
- 721 Enzymatic ammonolysis of ethyl ($\pm$)-4-chloro-3-hydroxybutanoate. Chemo-enzymatic syntheses of both enantiomers of pyrrolidin-3-ol and 5-(chloromethyl)-1,3-oxazolidin-2-one
- 727 Carbocyclic α -amino acids: asymmetric synthesis of all four 1-amino-2-hydroxycyclohexanecarboxylic acids
- 737 An improved and efficient procedure for the preparation of chiral sulfinates from sulfonyl chloride using triphenylphosphine
- 747 Asymmetric oxy-selenenylation–deselenylation reactions of alkenes induced by camphor diselenide and ammonium persulfate. A convenient one-pot synthesis of enantiomerically enriched allylic alcohols and ethers
- 759 New 1,3-amino alcohols derived from ketopinic acid and their application in catalytic enantioselective reduction of prochiral ketones
- 765 Diastereoselective synthesis of a novel lactam peptidomimetic exploiting vinyllogous Mannich addition of 2-silyloxyfuran reagents
- 775 Collagen cross-links: a convenient synthesis of *tert*-butyl-(2*S*)-2-[(*tert*-butoxycarbonyl)amino]-4-(2-oxiranyl)butanoate
- 783 Taxoid C-ring building blocks from Hajos–Parrish ketone. Practical synthesis of an enantiomerically pure taxoid ABC ring system
- 799 A new method for the preparation of unsymmetrical 1,4-substituted piperazine derivatives
- A79 Stereochemistry abstracts
- I Instructions to contributors
- VII Cumulative author index

NUMBER 5

Contents

- v Contributors to this issue
- vii Graphical abstracts

COMMUNICATIONS

- 813 Enzymatic desymmetrization of *cis*-1,3-cyclohexanedicarboxylic acid diesters
- 817 Synthetic studies toward ansatrienines: application of the Evans–Tishchenko reaction to chiral enones
- 821 Asymmetric synthesis of bicyclic α -amino acids by a Diels–Alder reaction to a new chiral α,β -didehydroalanine derivative
- 827 Synthesis of cyclitols via ring-closing metathesis
- N. W. Boaz
- K.-U. Schöning, R. K. Hayashi,
D. R. Powell and A. Kirschnig
- R. Chinchilla, L. R. Falvello,
N. Galindo and C. Nájera
- A. Kornienko and M. d'Alarcao

A. M. Maj, K. M. Pietrusiewicz, I. Suisse, F. Agbossou and A. Mortreux	831	Chiral β -aminophosphine oxides as ligands for ruthenium assisted enantioselective transfer hydrogenation of ketones
Z.-B. Zhang, Z.-M. Wang, Y.-X. Wang, H.-Q. Liu, G.-X. Lei and M. Shi	837	A facile synthetic method for chiral 1,2-epoxides and the total synthesis of chiral pheromone epoxides
M. Roeder, O. Spiegelstein, V. Schurig, M. Bialer and B. Yagen	841	ARTICLES Absolute configuration of the four stereoisomers of vainoctamide (2-ethyl-3-methyl valeramide), a potentially new stereospecific antiepileptic and CNS drug
X.-T. Zhou, Y.-R. Lin and L.-X. Dai	855	A simple and practical access to enantiopure 2,3-diamino acid derivatives
J. Frelek, M. Geiger and W. Voelter	863	Absolute configurational assignment of α -hydroxy acids and α -hydroxy esters from their Cupra A circular dichroism spectra
G. V. M. Sharma and K. Krishnudu	869	Radical cyclisation approach for the first synthesis and determination of absolute stereochemistry of discosolide from diacetone glucose
H. Tsuruta and T. Imamoto	877	A new P-chiral bisphosphine, 1,1'-bis[(<i>t</i> -butyl)methylphosphino]ferrocene, as an effective ligand in catalytic asymmetric hydrosilylation of simple ketones
A. Sharma and S. Chattopadhyay	883	Enantiospecific synthesis of some bioactive amino alcohols and related compounds from cyclohexylideneglyceraldehyde
S. R. Ghorpade, R. K. Kharul, R. R. Joshi, U. R. Kalkote and T. Ravindranathan	891	Desymmetrization of <i>meso</i> -cyclopenten- <i>cis</i> -1,4-diol to 4-(<i>R</i>)-hydroxycyclopent-2-en-1-(<i>S</i>)-acetate by irreversible transesterification using Chirazyme®
J.-P. Praly, C. Di Stéfano, L. Somsák, M. Hollósi, Z. Majer and W. Voelter	901	Structure of C-1 substituted glycopyranosyl azides: new insights based on CD measurements
I. Philipova, V. Dimitrov and S. Simova	913	(-)-Fenchone derived epoxy alcohols—preparation and configuration
S. Rissom, J. Beliczey, G. Giffels, U. Kragl and C. Wandrey	923	Asymmetric reduction of acetophenone in membrane reactors: comparison of oxazaborolidine and alcohol dehydrogenase catalysed processes
G. Lenoble, R. Naigre, T. Chenal, M. Urrutigoñy, J.-C. Daran and P. Kalck	929	Diastereoselective cyclocarbonylation of isopulegol by palladium(II) complexes containing no chiral ligands
M. Oba, T. Terauchi, A. Miyakawa and K. Nishiyama	937	Asymmetric synthesis of L-proline regio- and stereoselectively labelled with deuterium
R. Sánchez-Obregón, B. Ortiz, F. Walls, F. Yuste and J. L. García Ruano	947	Asymmetric synthesis of α -acetylenic epoxides
H. Yang, E. Henke and U. T. Bornscheuer	957	Highly efficient double enantioselection by lipase-catalyzed transesterification of (<i>R,S</i>)-carboxylic acid vinyl esters with (<i>RS</i>)-1-phenylethanol
M. Tori, K. Hisazumi, T. Wada, M. Sono and K. Nakashima	961	Total synthesis of optically active liverwort sesquiterpenes, trifarienols A and B, using phenylethylamine as a chiral auxiliary
Y. Arroyo-Gómez, J. A. López-Sastre, J. F. Rodríguez-Amo, M. Santos-García and M. A. Sanz-Tejedor	973	Stereoselective preparation of <i>O</i> -alkoxy D-tetrose, D-pentose, 2-deoxy-D-glycero tetrose and 2,3-dideoxy-D- <i>erythro</i> pentose derivatives by an iterative elongation of 2,3- <i>O</i> -isopropylidene-D-glyceraldehyde
G. H. P. Roos and A. R. Donovan	991	Synthesis of novel <i>C</i> ₂ -symmetric ligands based on (<i>R,R</i>)- and (<i>S,S</i>)-diphenyl-1,3-propanediol
A. Kalser and M. Balbi	1001	Chiral 1,3-diamines from a lithiated isocyanide and chiral aziridines
	A103	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 6

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
Y. Quesnel, L. Toupet, L. Duhamel, P. Duhamel and J.-M. Poirier	1015	COMMUNICATIONS Application of the retroaldol reaction to asymmetric synthesis: a new concept in organic syntheses
C. Santi and T. Wirth	1019	Synthesis of non-racemic nitrogen-containing diselenides as efficient precursor catalysts in the diethylzinc addition to benzaldehyde
A. Saitoh, M. Misawa and T. Morimoto	1025	A new C ₂ -symmetric chiral diphosphine ligand: palladium-catalyzed enantioselective allylic alkylation of cycloalkenyl substrate
H. Tamiaki and M. Onishi	1029	Synthesis of novel chiral amino acids possessing a porphyrin moiety
S. Lochyński, B. Frąckowiak, A. Siemieniuk, K. Piątkowski, Z. Ciunik and C. Wawrzeńczyk	1033	ARTICLES Synthesis and stereochemistry of some new derivatives of <i>cis</i> -dihydrolinal
P. Hayes and C. Maignan	1041	Ready access to the 6,8-dioxabicyclo[3.2.1]octane ring system using asymmetric heterocycloaddition induced by a chiral sulfoxide: application to the total synthesis of the <i>Mus musculus</i> pheromone
C. Imboden and P. Renaud	1051	Preparation of optically active <i>ortho</i> -chloro- and <i>ortho</i> -bromophenyl sulf-oxides
S. Comesse and O. Piva	1061	Diastereoselective protonation of dienols: a formal approach to zaragozic acid C side chain
J.-R. Labrosse, C. Poncet, P. Lhoste and D. Sinou	1069	Asymmetric palladium(0)-mediated synthesis of 2-vinylchroman
J. Bálint, G. Egri, E. Fogassy, Z. Böcskei, K. Simon, A. Gajáry and A. Friesz	1079	Synthesis, absolute configuration and intermediates of 9-fluoro-6,7-dihydro-5-methyl-1-oxo-1 <i>H</i> ,5 <i>H</i> -benzo[<i>i,j</i>]quinolizine-2-carboxylic acid (flumequine)
D. H. Hochmuth and W. A. König	1089	Synthesis, resolution and determination of energy barriers to rotation of atropisomeric, planar-chiral [<i>n</i>]paracyclophanes by dynamic enantioselective gas chromatography and computer simulation
P. L. Polavarapu, C. Zhao and K. Ramig	1099	Vibrational circular dichroism, absolute configuration and predominant conformations of volatile anesthetics: 1,2,2,2-tetrafluoroethyl methyl ether
J.-P. Barnier, V. Morisson, I. Voile and L. Blanco	1107	Chemo-enzymatic preparation of optically active <i>endo</i> -bicyclo[4.1.0]heptan-2-ols
M. C. Carreño, J. L. García Ruano, C. Lafuente and M. A. Toledo	1119	Asymmetric Diels–Alder reactions of 5-substituted and 5,6-disubstituted (<i>S</i>)-2-(<i>p</i> -tolylsulfanyl)-1,4-benzoquinones with cyclopentadiene and <i>trans</i> -piperylene
C. Tanyeli, B. Sezen, A. S. Demir, R. Brondi Alves and S. Arseniyadis	1129	PLE and HLE catalyzed reverse enantiomeric separation of (±)-methyl-2-methoxy-1-methyl-2,5-cyclohexadiene-1-carboxylate derivatives
J. M. Jordá-Gregori, M. E. González-Rosende, J. Sepúlveda-Arques, R. Galeazzi and M. Orena	1135	Highly regio- and stereoselective iodocyclization of chiral 3-alkoxycarbonyl-4-propenyl-2,2-dimethyl-1,3-oxazolidines: a computational investigation
E. Díez, R. Fernández, E. Martín-Zamora, C. Pareja, A. Prieto and J. M. Lassaletta	1145	Asymmetric synthesis of γ-cyano silyl enol ethers
A. Fadel and L. Vandromme	1153	Total synthesis of (–)-sporochol A, the fish deterrent, from a chiral malonate
R. Rossi, F. Bellina, M. Biagetti and L. Mannina	1163	Enantioselective synthesis of (<i>R</i>)-incrustopirin, an antibiotic isolated from <i>Incrustoporia carneola</i>
K. Hiroi, Y. Suzuki and I. Abe	1173	(<i>S</i>)-Proline-derived new chiral ligands with phosphino, organosulfur or organoselenenyl functionality as an enantioccontrollable coordinating element

D. O'Hagan and M. Tavasli
P. Dalla Croce and C. La Rosa
M. Mahmoudian, A. Lowdon,
M. Jones, M. Dawson and C. Wallis
J. Christoffers and U. Röbber

- 1189 A short synthesis of (*S*)- α -(diphenylmethyl)alkyl amines from amino acids
1193 Stereoselective synthesis of *N*-phenylsulfonyl substituted spiro- β -lactams
1201 A practical enzymatic procedure for the resolution of *N*-substituted 2-azabicyclo[2.2.1]hept-5-en-3-one
1207 Novel bi- and tridentate phosphane and thioether ligands derived from chiral α -hydroxy acids
1217 Corrigendum
A135 Stereochemistry abstracts
I Instructions to contributors
VII Cumulative author index

NUMBER 7

Contents

- v Contributors to this issue
vii Graphical abstracts
COMMUNICATION
Y. Suzuki, Y. Ogata and K. Hiroi 1219 A new chiral iminophosphine ligand derived from (1*S*,4*S*)-fenchone in palladium-catalyzed asymmetric allylic alkylations
ARTICLES
E. Narisano and R. Riva 1223 Chemoenzymatic synthesis of 2-substituted 2-fluoro-1,3-dioxygenated chiral building blocks
C. Forzato, P. Nitti, G. Pitacco and E. Valentin 1243 Baker's yeast reduction of cyclic δ -ketoesters: synthesis and chiroptical properties of condensed δ -lactones
X. L. Cui, Y. J. Wu, C. X. Du, L. R. Yang and Y. Zhu 1255 Transmetalation reactions of planar chiral cyclopalladated ferrocenylamines with metallic mercury
N. Ungur, M. Gavagnin, A. Fontana and G. Cimino 1263 Absolute stereochemistry of natural sesquiterpenoid diacylglycerols
S. Keszei, B. Simándi, E. Székely, E. Fogassy, J. Sawinsky and S. Kemény 1275 Supercritical fluid extraction: a novel method for the resolution of tetramisole
S. Lemaire-Audoire and P. Vogel 1283 Total, asymmetric synthesis of ethyl *D*-ido-4-heptulosuronate derivatives starting from diethyl 4-oxopimelate
H. Huang and Q. Chen 1295 A valuable synthetic route to spiro-cyclopropane derivatives containing multiple stereogenic centers
P.-H. Leung, A. Liu and K. F. Mok 1309 A versatile and efficient approach to enantiomerically pure monodentate and bidentate P-chiral phosphines
T. J. Donohoe, C. A. Stevenson, M. Helliwell, R. Irshad and T. Ladduwahetty 1315 The synthesis of (–)-*cis*- and (–)-*trans*-crobarbatic acid
Z. Li, H.-J. Felten, J. B. van Bellen, W. Duetz and B. Witholt 1323 Preparation of optically active *N*-benzyl-3-hydroxypyrrolidine by enzymatic hydroxylation
D. Haigh, H. C. Birrell, B. C. C. Cantello, R. M. Hindley, A. Ramaswamy, H. K. Rami and N. C. Stevens 1335 Non-thiazolidinedione antihyperglycaemic agents. Part 4: Synthesis of (±)-, (*R*)-(+)- and (*S*)-(–)-enantiomers of 2-oxy-3-arylpropanoic acids
D. Haigh, H. C. Birrell, B. C. C. Cantello, D. S. Eggleston, R. C. Haltiwanger, R. M. Hindley, A. Ramaswamy and N. C. Stevens 1353 Non-thiazolidinedione antihyperglycaemic agents. Part 5: Asymmetric aldol synthesis of (*S*)-(–)-2-oxy-3-arylpropanoic acids

**P. Bertus, P. Phansavath,
V. Ratovelomanana-Vidal,
J.-P. Genêt, A. R. Touati, T. Homri
and B. Ben Hassine**

**I. Philipova, V. Dimitrov and
S. Simova**

G. Chelucci, S. Gladiali and A. Saba

B. H. Hoff and T. Anthonsen

**B. Kaptein, H. Elsenberg,
A. J. Minnaard, Q. B. Broxterman,
L. A. Hulshof, J. Koek and T. R. Vries**

1369 Enantioselective hydrogenation of β -keto sulfones with chiral Ru(II)-catalysts: synthesis of enantiomerically pure butenolides and γ -butyrolactones

1381 Synthesis of new enantiopure aminodiolis and their use as ligands for the addition of diethylzinc to benzaldehyde

1393 Chiral pyridylmethyl- and quinolinyl-oxazolines as ligands for enantioselective palladium-catalyzed allylic alkylation

1401 Lipase-catalyzed resolution of esters of 4-chloro-3-hydroxybutanoic acid: effects of the alkoxy group and solvent on the enantiomeric ratio

1413 Asymmetric borane reduction using mixtures of homochiral amino alcohol ligands

1419 Erratum

A171 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 8

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

1421 Ruthenium catalyzed asymmetric dihydroxylation with sultams as chiral auxiliaries

1425 Counter-ligand and solvent dependent oxygen-metal interactions of hemilabile coordinating hydroxy groups in chiral diphosphine rhodium(I) hydrogenation catalysts

1433 Synthesis and anti-cancer activities of a pair of enantiomeric gold(I) complexes containing sulfanyl-substituted P-stereogenic phosphines

1437 A study on the formation of *N*-tosyl-1,3,2-oxazaborolidin-5-one by electrospray mass spectrometry

1441 Stereoselective synthesis of β -amino alcohols: practical preparation of all four stereoisomers of *N*-PMB-protected sphingosine from L- and D-serine

1445 Stereoselective synthesis of chiral 3,4,5-trisubstituted 1,5-dihydropyrrol-2-ones from azadienes

ARTICLES

1451 A practical stereoselective synthesis of (2*R*,3*S*)-alloisoleucine

1457 Remote electronic control of the ligand in the enantioselective palladium-catalyzed allylic alkylation with chiral oxazolinyldiaryls

1465 Reaction of alcohols (via the Mitsunobu reaction) and alkyl halides with chiral selenone derivatizing agents

1471 Diastereoselective ring opening of limonene oxide with water catalysed by β -ketophosphonate complexes of molybdenum(VI)

1477 Synthesis of 4',8-dihydroxyisoflavon-7-yl α -D-arabinofuranoside

**A. W. M. Lee, W. H. Chan,
W. H. Yuen, P. F. Xia and W. Y. Wong**

**S. Borns, R. Kadyrov, D. Heller,
W. Baumann, J. Holz and A. Börner**

**Y. Song, J. J. Vittal, N. Srinivasan,
S.-H. Chan and P.-H. Leung**

**T. Mansikka, V. Nevalainen,
I. Simpura, J. Kokkonen and
R. Kostainen**

S.-K. Chung and J.-M. Lee

**E. Bandini, G. Martelli, G. Spunta,
A. Bongini, M. Panunzio and
G. Piersanti**

**P. Portonovo, B. Liang and
M. M. Joullé**

**G. Chelucci, S. P. Deru, A. Saba and
R. Valenti**

**R. Wu, J. D. Odom, R. B. Dunlap and
L. A. Silks III**

**L. Salles, A. F. Nixon, N. C. Russell,
R. Clarke, P. Pogorzelec and
D. J. Cole-Hamilton**

M. Shiozaki

- V. V. Dunina, L. G. Kuz'mina,
M. Yu. Rubina, Yu. K. Grishin,
Yu. A. Velts and E. I. Kazakova
- A. García Martínez, E. Teso Vilar,
A. García Fraile, P. Martínez Ruiz,
R. Macías San Antonio and
M. P. Martínez Alcázar
- J. Frelek and W. J. Szczepek
- K. Fukatsu, N. Fujii and S. Ohkawa
- M. del Rosario Rico Ferreira,
J. I. Martín Hernando,
J. I. Candela Lena,
J. Quilez del Moral and
S. Arseniyadis
- R. Dunkel, J. Treu and
H. M. R. Hoffmann
- C. L. Gibson
- S. Bruns and G. Haufe
- B. A. Kulkarni, S. Sankaranarayanan,
A. S. Subbaraman and
S. Chattopadhyay
- P. Bataille, M. Paterne and E. Brown
- A. Przeździecka, W. Stepanenko and
J. Wicha
- M. Cornia, S. Capacchi,
M. Belicchi Ferrari, P. Tarasconi,
R. Albertini and S. Pinelli
- J. Marcus, G. W. M. Vandermeulen,
J. Brussee and A. van der Gen
- 1483 A resolution of the monodentate P*-chiral phosphine PBu'(Ph)C₆H₄Br-4 and its NMR-deduced absolute configuration
- 1499 On the mechanism of the Leuckart reaction. Enantiospecific preparation of (1*R*,2*R*)- and (1*S*,2*S*)-*N*-(3,3-dimethyl-2-formylamino-1-norbornyl)acetamide
- 1507 [Rh₂(OCOCF₃)₄] as an auxiliary chromophore in chiroptical studies on steroidal alcohols
- 1521 Synthesis of TAK-218 using (*R*)-2-methylglycidyl tosylate as a chiral building block
- 1527 Modified steroids: Pb(OAc)₄ mediated one-pot multistage transformations of steroidal unsaturated 1,2-diols
- 1539 Synthesis of the C29–C37 segment of spongistatin 1
- 1551 An L-proline-based β-amino tertiary thiol: synthesis and use as a catalyst in the enantioselective addition of diethylzinc to aldehydes
- 1563 Catalytic asymmetric ring opening of epoxides to chlorohydrins with mild chloride donors and enantiopure titanium complexes
- 1571 Synthesis of racemic and each enantiomer of 3-methylnonacosanol, a new plant growth regulator from *Lowsonia inermis*
- 1579 Further enantioselective syntheses of α-arylalkanimines via intermediate addition of Grignard reagents to a chiral hydrazone derived from (*R*)-(-)-2-aminobutan-1-ol
- 1589 Catalytic enantioselective annulation using phenylsulfanylmethyl vinyl ketone. An approach to *trans*-hydrindane building blocks for *ent*-vitamin D₃ synthesis
- 1599 Synthesis and functionalization of chiral superstructured porphyrins
- 1617 Diastereoselective addition of HCN to Garner's aldehyde
- 1623 Corrigendum
- 1625 Erratum
- A203 Stereochemistry abstracts
- I Instructions to contributors
- VII Cumulative author index

NUMBER 9

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

1627 Synthesis of (*S*)-1-(4-hydroxyphenyl)alcohols by eugenol dehydrogenase from *Pseudomonas fluorescens* E118

1631 Proline mediated asymmetric ketol cyclization: a template reaction

M. Wieser, H. Furukawa, H. Morita,
T. Yoshida and T. Nagasawa

D. Rajagopal, M. S. Moni,
S. Subramanian and S. Swaminathan

- N. Ungur, M. Gavagnin, E. Mollo and G. Clmíno
- J. G. Urones, N. M. Garrido, D. Díez, S. H. Domínguez and S. G. Davies
- F. T. Zimmermann, A. Schneider, U. Schörken, G. A. Sprenger and W.-D. Fessner
- S. Bastin, N. Delebecque, F. Agbossou, J. Brocard and L. Péřinski
- S. Sengupta, D. Sen Sarma and D. Das
- P. G. Potvin and B. G. Fieldhouse
- M. Shi and J.-K. Jiang
- T. Zelinski, A. Liese, C. Wandrey and M.-R. Kula
- K. Fujita, W.-H. Chen, D.-Q. Yuan, Y. Nogami, T. Koga, T. Fujioka, K. Mihashi, S. Immel and F. W. Lichtenthaler
- S. Li, J. Pang, W. K. Wilson and G. J. Schroeffer Jr.
- F. Hammerschmidt and F. Wuggenig
- Y. N. Belokon', K. A. Kochetkov, T. D. Churkina, N. S. Ikonnikov, S. Vyskocil and H. B. Kagan
- O. I. Kolodiazny, O. M. Demchuk and A. A. Gerschkovich
- A. L. Braga, H. R. Appelt, P. H. Schneider, C. C. Silveira and L. A. Wessjohann
- M. A. Wegman, M. A. P. J. Hacking, J. Rops, P. Pereira, F. van Rantwijk and R. A. Sheldon
- A. T. Carmona, P. Borrachero, F. Cabrera-Escribano, M^a J. Diáñez, M^a D. Estrada, A. López-Castro, R. Ojeda, M. Gómez-Guillén and S. Pérez-Garrido
- F. Effenberger and S. Gaupp
- S. Gaupp and F. Effenberger
- T. Takemoto, K. Nakajima, Y. Iio, M. Tamura and T. Nishi
- S. Lee, S. H. Lee, C. E. Song and B. Y. Chung
- M. Quirnbach, A. Kless, J. Holz, V. Tararov and A. Börner
- M. L. Tommasino, C. Thomazeau, F. Touchard and M. Lemaire
- 1635 Absolute stereochemistry of anisodorin 5
- 1637 Conjugate addition to (α,β)(α',β')-diendoate esters by lithium (α -methylbenzyl)benzylamide: tandem addition–cyclisation versus double addition
- 1643 Efficient multi-enzymatic synthesis of D-xylulose 5-phosphate
- 1647 Synthesis of C₂-symmetrical 1,1'-disubstituted ferrocenyl amino alcohols and use in catalytic asymmetric addition of diethylzinc to benzaldehyde
- ARTICLES**
- 1653 Stereoselective reduction of N-phthaloyl α -amino ketones: an expeditious new synthesis of non-racemic *threo*- α -amino epoxides
- 1661 On the structure of the Kagan–Modena catalysts for asymmetric oxidation of sulfides
- 1673 Chiral C₂-symmetric 2,4-disubstituted azetidines as chiral ligands in the addition of diethylzinc to aldehydes
- 1681 Asymmetric reductions in aqueous media: enzymatic synthesis in cyclodextrin containing buffers
- 1689 Guest-induced conformational change in a flexible host: mono-*altro*- β -cyclodextrin
- 1697 A new approach to the stereoselective total synthesis of isotopically labeled D-*ribo*-phytosphingosine
- 1709 Enzymes in organic chemistry. Part 9: Chemo-enzymatic synthesis of phosphonic acid analogues of L-valine, L-leucine, L-isoleucine, L-methionine and L- α -aminobutyric acid of high enantiomeric excess
- 1723 Enantiomerically enriched (*R*)- and (*S*)- α -methylphenylalanine via asymmetric PTC C-alkylation catalysed by NOBIN
- 1729 Application of the dimethyl chlorophosphite for the chiral analysis of amines, amino acids and peptides
- 1733 A new functionalized, chiral disulfide derived from L-cysteine: (*R,R*)-bis[(3-benzoyloxazolan-4-yl)-methane] disulfide as a catalyst in the diethylzinc addition to aldehydes
- 1739 Dynamic kinetic resolution of phenylglycine esters via lipase-catalysed ammonolysis
- 1751 Branched-chain fluoro nitro D- and L-sugars from glucose
- 1765 Stereoselective substitution of (*R*)-2-(sulfonyloxy)nitriles with sulfur nucleophiles
- 1777 Stereoselective follow-up reactions of (*S*)-2-sulfanyl nitriles
- 1787 Asymmetric synthesis of enantiomerically pure spiro[(2*S*)-hydroxy]indane-1,4'-piperidine]
- 1795 Novel phosphinobloxazines as chiral ligands in palladium-catalyzed enantioselective allylic substitution
- 1803 Construction of chiral Ti(IV)–Rh(I)–salenophos complexes and their application in the asymmetric hydroformylation of functionalised olefins
- 1813 Cationic complexes with chiral diamine or dithiourea ligands as catalysts for molecular asymmetric hydrogenation

B.-V. Nguyen and E. Hedenström

1821 *Candida rugosa* lipase as an enantioselective catalyst in the esterification of methyl branched carboxylic acids: resolution of *rac*-3,7-dimethyl-6-octenoic acid (citronellic acid)

1827 Corrigenda

A229 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 10

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

C. G. Frost and P. Mendonça

1831 Palladium catalysed mono-*N*-arylation of enantiopure diamines

O. Delacroix, S. Picart-Goetgheluck,
L. Maciejewski and J. Brocard

1835 Diastereospecific oxidation of ferrocenyl aminoalcohols: synthesis of new chiral ligands

M. Lotz, T. Ireland,
J. J. Aïmena Perea and P. Knochel

1839 Stereoselective substitution of α -aminoalkylferrocenes with diorganozincs. A fast synthesis of new chiral FERRIPHOS ligands for asymmetric catalysis

B. T. Cho and Y. S. Chun

1843 A practical method for synthesis of terminal 1,2-diols in high enantiomeric excess via oxazaborolidine-catalyzed asymmetric reduction

D. M. Hodgson, C. R. Maxwell and
I. R. Matthews

1847 Asymmetric rearrangement of *N*-Boc 7-azanorbornene oxide: use of aryllithiums for enantioselective deprotonation

A. Giordano, A. Spinella and
G. Sodano

1851 Stereoselective synthesis of 4-amino-3-hydroxy-2-methylpentanoic acids: stereochemistry of the amino acid occurring in the marine toxin janolusimide

M. P. Watterson, L. Pickering,
M. D. Smith, S. J. Hudson,
P. R. Marsh, J. E. Mordaunt,
D. J. Watkin, C. J. Newman and
G. W. J. Fleet

1855 3-Azidotetrahydrofuran-2-carboxylates: monomers for five-ring templated β -amino acid foldamers?

P. Merino, S. Franco, J. M. Gascon,
F. L. Merchán and T. Tejero

1861 Stereochemistry of α -(*tert*-butoxycarbonylamino)hydroxylamines: ^1H NMR analysis of hydroxylamines derived from 2-pyrrolidinyl nitrones

P. Merino, S. Franco, J. M. Gascon,
F. L. Merchán and T. Tejero

1867 Highly diastereoselective nucleophilic addition of organometallic reagents to 2-pyrrolidinyl nitrones: a semiempirical approach

M. Petrolaggi and
O. Igglessi-Markopoulou

1873 Synthesis and enantiomeric excess measurements of optically active *N*-acetyl tetramic acids

J. Lan, J. Li, Z. Liu, Y. Li and
A. S. C. Chan

ARTICLES

1877 The first total synthesis of (–)-sinulariol-B and three other cembranoids

C.-C. Lin, C.-W. Lin and A. S. C. Chan

1887 Catalytic hydrogenation of itaconic acid in a biotinylated Pyrphos–rhodium(I) system in a protein cavity

G. Wang and R. I. Hollingsworth

1895 Synthetic routes to L-carnitine and L-gamma-amino-beta-hydroxybutyric acid from (*S*)-3-hydroxybutyrolactone by functional group priority switching

S.-W. Park, J.-H. Son, S.-G. Kim and
K. H. Ahn

1903 Ru(II)-catalyzed asymmetric cyclopropanation using chiral diphenylphosphino(oxazolonyl)quinoline ligands

L. Di Nunno, C. Franchini, A. Nacci,
A. Scilimati and M. S. Sinicropi

1913 Baker's yeast-induced asymmetric reduction of α -ketosulfides: synthesis of optically active 1-(benzothiazol-2-ylsulfanyl)-2-alkanols, 2-alkanols, and thiranes

G. Laval, G. Audran, S. Sanchez and
H. Monti

1927 Enantiospecific total synthesis of both enantiomers of laurene by a chemical diastereoselection/lipase-catalyzed kinetic resolution sequence

D. Kontrec, V. Vinković, A. Lesac,
V. Šunjić and M. Hollösi

J. L. Vicario, D. Badía, E. Domínguez,
A. Crespo and L. Carrillo

A. B. Charette and A. Gagnon

A. Luna, A. Maestro, C. Astorga and
V. Gotor

J.-M. Brunel, O. Legrand and
G. Buono

E. Forró and F. Fülöp

T. Gérczel, Z. Böcskei, G. M. Keserű,
E. Samu and P. Huszthy

O. Pàmies, G. Net, A. Ruiz and
C. Claver

C. Thominaux, S. Roussé,
D. Desmaële, J. d'Angelo and
C. Riche

A. Lattanzi, F. Sagulo and A. Scettri

A. E. Wróblewski and
D. G. Plotrowska

- 1935 Chiroptical and conformational properties of (*R*)-1-phenylethylamine derivatives of persubstituted benzene
- 1947 The first stereocontrolled synthesis of 12-methylhexahydrobenzo[*c*]phenanthridine alkaloids
- 1961 Stereoselective synthesis of α,α -disubstituted amines by a sequential nucleophilic addition to *O*-protected cyanohydrins
- 1969 Enzymatic resolution of ($\pm$)-*cis*- and ($\pm$)-*trans*-1-aminoindan-2-ol and ($\pm$)-*cis*- and ($\pm$)-*trans*-2-aminoindan-1-ol
- 1979 Enantioselective trimethylsilylcyanation of aromatic aldehydes catalyzed by titanium alkoxide–chiral *o*-hydroxyarylphosphine oxides complexes
- 1985 Enzymatic resolution of 2-dialkylaminomethylcyclopentanol and -cycloheptanol
- 1995 Enantiomeric recognition of α -(1-naphthyl)ethylammonium perchlorate by enantiomerically pure dimethylphenazino-18-crown-6 ligand in solid and gas phases
- 2007 Enantioselective copper-catalysed 1,4-addition of diethylzinc to cyclohexenone using chiral diphosphite ligands
- 2015 Nitroalkenes as electrophiles in the asymmetric Michael reaction involving chiral imines/enamino esters
- 2023 Diastereoselective synthesis of enantiopure 5-[2-(alkoxyalkyl)-1-(hydroperoxypropyl)]-3-alkoxycarbonyl-2-alkyl furans
- 2037 Enantiomeric phosphonate analogs of the paclitaxel C-13 side chain
- A255 Stereochemistry abstracts
- I Instructions to contributors
- VII Cumulative author index

NUMBER 11

Contents

- v Contributors to this issue
- vii Graphical abstracts
- TETRAHEDRON: ASYMMETRY REPORT NUMBER 42**
- 2045 Asymmetric transfer hydrogenation of C=O and C=N bonds
- COMMUNICATIONS**
- 2063 Direct enantiomeric separation of *N*-aminoethylamino acids: determination of the enantiomeric excess of chiral peptide nucleic acids (PNAs) by GC
- 2067 New arene *cis*-dihydrodiol metabolites from β -bromostyrenes
- 2071 Two novel chiral rhodium complexes as catalysts for the enantioselective allylation of arylaldehydes
- 2075 Enantioresolution by the chiral phthalic acid method: absolute configurations of (2-methylphenyl)phenylmethanol and related compounds
- ARTICLES**
- 2079 Optically active cyclic and linear poly(aryl esters) based on chiral 1,1'-bi-2-naphthol
- 2087 Enantioseparation of racemic organic ammonium perchlorates by a silica gel bound optically active di-*tert*-butylpyridino-18-crown-6 ligand
- M. J. Palmer and M. Wills
- R. Corradini, G. Di Silvestro,
S. Sforza, G. Palla, A. Dossena,
P. E. Nielsen and R. Marchelli
- B. H. Novak and T. Hudlicky
- M. Shi, G.-X. Lei and Y. Masaki
- M. Watanabe, S. Kuwahara,
N. Harada, M. Koizumi and
T. Ohkuma
- A. Gong, W. Liu, Y. Chen, X. Zhang,
C. Chen and F. Xi
- Z. Köntös, P. Huszthy,
J. S. Bradshaw and R. M. Izatt

- A. Czapla, A. Chajewski, K. Kiegiel, T. Bauer, Z. Wielogorski, Z. Urbanczyk-Lipkowska and J. Jurczak
- P. Resende, W. P. Almeida and F. Coelho
- Z. J. Liu, M. Zhou, J. M. Min and L. H. Zhang
- M. T. Reetz and A. Gosberg
- D. R. Deardorff, R. B. Amador, J. W. Morton, H. Y. Kim, C. M. Taniguchi, A. A. Balbuena, S. A. Warren, V. Fanous and S. W. T. Choe
- C. Niederaht, S. Grimme, S. D. Peyerimhoff, A. Sobanski, F. Vögtle, M. Lutz, A. L. Spek, M. J. van Eis, W. H. de Wolf and F. Bickelhaupt
- T. Faltg, J. Soulié, J.-Y. Lallemand and L. Ricard
- M. R. Caira, R. Hunter, L. R. Nassimbeni and A. T. Stevens
- P. Di Felice, G. Porzi and S. Sandri
- G. Broggini, L. Garanti, G. Molteni, T. Pilati, A. Ponti and G. Zecchi
- P. Besse, S. Ciblat, J.-L. Canet, Y. Troin and H. Veschambre
- S. Ciblat, P. Besse, J.-L. Canet, Y. Troin, H. Veschambre and J. Gelas
- O. Arjona, F. Iradier, R. Medel and J. Plumet
- 2101 The asymmetric hetero-Diels–Alder reaction and addition of allylic organometallics to 10-*N,N*-dicyclohexylsulphamoyl-(2*R*)-isobornyl glyoxylate
- 2113 An efficient synthesis of (*R*)-(-)-baclofen
- 2119 Syntheses of 5'-*O*-glycosylnucleosides
- 2129 New non-*C*₂-symmetric phosphine-phosphonites as ligands in asymmetric metal catalysis
- 2139 Chiral induction in cyclopentyl-derived 1,3-*meso*-diesters: enantioselective hydrolyses with electric eel acetylcholinesterase
- 2153 Chiroptical properties of 12,15-dichloro[3.0]orthometacyclophane—correlations between molecular structure and circular dichroism spectra of a biphenylophane
- 2165 General access to polyhydroxylated nortropane derivatives through hetero Diels–Alder cycloadditions. Part 3: Synthesis of natural (+)-calystegine B₂
- 2175 Resolution of albuterol acetone
- 2191 A new stereoselective approach to β-hydroxy-α-aminoacids and dipeptides
- 2203 Stereoselective intramolecular cycloadditions of homochiral nitrile imines: synthesis of enantiomerically pure 3,3a-dihydro-pyrazolo[1,5-*a*][1,4]benzodiazepine-6(4*H*)-ones
- 2213 Stereoselective chemoenzymatic synthesis of both enantiomers of protected 4-amino-2-pentanone
- 2225 A practical asymmetric synthesis of 2,6-*cis*-disubstituted piperidines
- 2237 Enantioselective synthesis of (+)-5,6-*exo*-(isopropylidendioxy)-2-phenylsulfonyl-7-oxabicyclo[2.2.1]hept-2-ene
- 2243 Corrigendum
- A299 Stereochemistry abstracts
- I Instructions to contributors
- VII Cumulative author index

NUMBER 12

Contents

- v Contributors to this issue
- vii Graphical abstracts
- TETRAHEDRON: ASYMMETRY REPORT NUMBER 43**
- 2245 Pyroglutamic acid: a versatile building block in asymmetric synthesis
- COMMUNICATIONS**
- 2305 A concise synthesis of harzialactone A from D-glucose and revision of absolute stereochemistry
- 2307 Resolution of *trans*-(±)-2-(pyrrolidinyl)cyclohexanol and its methyl ether using boric acid and chiral 1,1'-bi-2-naphthol
- C. Nájera and M. Yus
- H. B. Mereyala and R. R. Gadikota
- M. Periasamy, C. R. Ramanathan and N. S. Kumar

C. Yang, L. Liao, Y. Xu, H. Zhang,
P. Xia and W. Zhou

X.-L. Hou, B.-F. Li and L.-X. Dai

H.-J. Ha, Y.-G. Ahn and G. S. Lee

J. Oshida, M. Okamoto and S. Azuma

A. Martín, T. D. Butters and
G. W. J. Fleet

P. Davoli, A. Forni, C. Franciosi,
I. Moretti and F. Prati

P. Bakó, T. Novák, K. Ludányi,
B. Pete, L. Tóke and G. Keglevich

H. B. Jannet, A. Al Mourabit,
A. Gateau-Olesker, C. Marazano and
Z. Mighri

S. Collina, F. Benevelli, D. Vercesi
and V. Ghislandi

J. Quirante, M. Torra, F. Diaba,
C. Escolano and J. Bonjoch

O. Loog and U. Mäeorg

U. Iserloh, D. P. Curran and
S. Kanemasa

H. Akita, K. Kurashima, T. Nakamura
and K. Kato

ARTICLES

- 2311 New concise asymmetric total synthesis of (+)-desoxoprosopphylline and prosopphylline
- 2319 Synthesis of novel and enantiomerically pure epoxypropylamine: a divergent route to the chiral β -adrenergic blocking agents
- 2327 Asymmetric synthesis of 3-amino-2-hydroxy-4-phenylbutanoate
- 2337 Chemoenzymatic synthesis of 1 α ,24(*R*)-dihydroxycholesterol
- 2343 Synthesis and biological evaluation of enantiomeric rhamnose analogues of the antitumour agent spicamycin—is the mode of action by modification of N-linked glycoproteins?
- 2361 Stereoselective synthesis of fluorinated β -aminoacids from ethyl *trans*-*N*-benzyl-3-trifluoromethylaziridine-2-carboxylate
- 2373 D-Glucose-based azacrown ethers with a phosphonoalkyl side chain: application as enantioselective phase transfer catalysts
- 2381 Enantioselective synthesis of natural biologically active iivaide A: 1,3-di-(*R*)- β -hydroxy-glyceride glycerol
- 2387 On the enantiomers of 2-dimethylamino-3-pentanone, key intermediates in the synthesis of analgesic alkylaminoalkylnaphthalenes
- 2399 Synthesis of enantiopure 2-azabicyclo[3.3.1]nonanes by a radical ring closure
- 2411 Selfcondensation of 2-methylpropanal with homochiral BINOL catalysts as a model asymmetric aldol–Tishchenko reaction
- 2417 Enantioselective conjugate radical addition reactions mediated by chiral Lewis acid complexes of (*R,R*)-4,6-dibenzofurandiyl-2,2'-bis(4-phenyl-oxazoline) (DBFOX/Ph)
- 2429 Chemoenzymatic syntheses of naturally occurring β -glucosides
- A323 Stereochemistry abstracts
- I Tetrahedron: *Asymmetry* reports
- III Instructions to contributors
- IX Cumulative author index

NUMBER 13

Contents

v Contributors to this issue

vii Graphical abstracts

E. Juaristi, J. L. León-Romo,
A. Reyes and J. Escalante

P. Ferraboschi, F. Pecora,
S. Reza-Elahi and E. Santaniello

A. T. Anilkumar, K. Goto,
T. Takahashi, K. Ishizaki and H. Kaga

I. Michieletto, F. Fabris and
O. De Lucchi

A. Böhme and H.-J. Gais

TETRAHEDRON: ASYMMETRY REPORT NUMBER 44

- 2441 Recent applications of α -phenylethylamine (α -PEA) in the preparation of enantiopure compounds. Part 3: α -PEA as chiral auxiliary. Part 4: α -PEA as chiral reagent in the stereodifferentiation of prochiral substrates

COMMUNICATIONS

- 2497 Chemoenzymatic syntheses of (25*R*)- and (25*S*)-25-hydroxy-27-nor-cholesterol, a steroid bearing a secondary hydroxy group in the side chain
- 2501 Lipase-mediated resolution of *cis*-1-amino-2-indanol, the key component of the HIV protease inhibitor indinavir
- 2505 Diastereoselective *cis* to *trans* desymmetrization of dimethyl succinates
- 2511 Palladium(0) catalyzed enantioselective rearrangement of *O*-allylic thiocarbamates to *S*-allylic thiocarbamates: asymmetric synthesis of allylic thiols

I. Alfonso, C. Astorga, F. Rebolledo and V. Gotor

J. Kang, H. Y. Kim and J. H. Kim

S. E. Boladjev and D. A. Lightner

S.-K. Tian, Z.-M. Wang, J.-K. Jlang and M. Shi

K. Khumtaveeporn, G. DeSantis and J. B. Jones

Sz. Gedey, A. Liljeblad, F. Fülöp and L. T. Kanerva

T. Katagiri, M. Irie and K. Uneyama

T. Połowski, M. J. Milewska, A. Konitz and M. Gdaniec

S. Karlsson, F. Han, H.-E. Högborg and P. Caldirola

J. Garcia, M. López and J. Romeu

S. A. Said and A. Fiksdahl

ARTICLES

- 2515 Optically active tetraazamacrocycles analogous to cyclam
- 2523 Synthesis of chiral plane-extended pyridyl alcohols for the enantioselective addition of diethylzinc to aldehydes
- 2535 Intramolecular hydrogen bonding and its influence on conformation. Circular dichroism of chiral bilirubin analogs
- 2551 Stereocontrolled construction of the *trans*-tetrahydrofuran units in Annonaceous acetogenins
- 2563 Expanded structural and stereospecificity in peptide synthesis with chemically modified mutants of subtilisin
- 2573 Sequential resolution of ethyl 3-aminobutyrate with carboxylic acid esters by *Candida antarctica* lipase B
- 2583 Intramolecular S_N2 reaction α - to a trifluoromethyl group: preparation of 1-cyano-2-trifluoromethylcyclopropane
- 2591 Conformational properties and chiroptical spectra of lactams and thiolactams with 2-azabicyclo[2.2.1]heptane, 2- and 3-azabicyclo[3.2.1]octane skeletons
- 2605 *trans*-3,4-Disubstituted pyrrolidines by 1,3-dipolar cycloaddition: enantioselective approaches and their limitations
- 2617 Enantioselective synthesis of (3*R*,4*E*)-19-methylcos-4-en-1-yn-3-ol, a bioactive metabolite of the marine sponge *Cribrochalina vasculum*
- 2627 Preparation and nucleophilic substitution of the *N,N*,1,2-naphthalene-disulfonylimide derivative of a chiral amine
- A349 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

NUMBER 14

Contents

- v Contributors to this issue
- vii Graphical abstracts

COMMUNICATIONS

- 2635 'Watching' lipase-catalyzed acylations using ^1H NMR: competing hydrolysis of vinyl acetate in dry organic solvents
- 2639 Baker's yeast mediated biohydrogenation of unsaturated compounds containing a methylene group: enantioselective preparation of 2-methyl alkanols from 2-substituted acrolein acetals
- 2643 Photochemical desulfurization of thiols and disulfides
- 2647 Absolute configuration of diterpenoid diacylglycerols from the Antarctic nudibranch *Austrodoris kerguelensis*
- 2651 Kinetic resolution of 1,2-dihydroxy-3-ferrocenylpropane by sequential lipase-catalysed esterification

ARTICLES

- 2655 The preparation of β -substituted amines from mixtures of epoxide opening products via a common aziridinium ion intermediate
- 2665 Synthesis, properties, and reactions of enantiomerically pure, chiral fluoros phosphines of the formula (menthyl) $\text{P}(\text{CH}_2\text{CH}_2(\text{CF}_2)_{n-1}\text{CF}_3)_2$ ($n=6, 8$)

Q. Li, H. Li, M.-S. Cai, Z.-J. Li and R.-L. Zhou

X. Hu, J. He, A. S. C. Chan, X. Han and J.-P. Cheng

V. N. Charushin, V. P. Krasnov, G. L. Levit, M. A. Korolyova, M. I. Kodess, O. N. Chupakhin, M. H. Kim, H. S. Lee, Y. J. Park and K.-C. Kim

T. Honda, T. Koizumi, Y. Komatsuzaki, R. Yamashita, K. Kanai and H. Nagase

S. Drioll, P. Nitti, G. Pitacco, L. Tossut and E. Valentin

M. C. R. Franssen, H. Jongejan, H. Kooljman, A. L. Spek, R. P. L. Bell, J. B. P. A. Wijnberg and A. de Groot

G. Solladié, N. Gehrold and J. Maignan

W. Adam, C. R. Saha-Möller and C.-G. Zhao

J. Drabowicz, P. Łyżwa, J. Omelańczuk, K. M. Pietrusiewicz and M. Mikołajczyk

G. Barbaro, A. Battaglia, F. Di Giuseppe, P. Giorgianni, A. Guerrini, C. Bertucci and S. Geremia

E. Samu, P. Huszthy, L. Somogyi and M. Hollósi

M. McCarthy, R. Goddard and P. J. Guiry

J. Frelek

J. Roos and F. Effenberger

2675 Studies on carbohydrates. Part 33: Synthesis of spacer-armed 2-acetamido-2-deoxy-4-*O*- β -galactopyranosyl- α -D-mannosides and their dimers

2685 New chiral macrocyclic ligands. Design and synthesis of (*R*)-cysteine-containing calix[4]arenes

2691 Kinetic resolution of ($\pm$)-2,3-dihydro-3-methyl-4*H*-1,4-benzoxazines with (*S*)-naproxen

2703 Chemoenzymatic synthesis of an α -substituted serine derivative

2713 Enantiomerically pure tetrahydro-5-oxo-2-furancarboxylic esters from dialkyl 2-oxoglutarates

2729 Lipase-mediated resolution of octahydro-3,3,8a-trimethyl-1-naphthalenol, a key intermediate in the total synthesis of lactaranes and marasmanes

2739 Synthesis of (+)-(*R*)-5-hydroxy-6-hydroxymethyl-7-methoxy-8-methylflavanone

2749 Asymmetric epoxidation of olefins by chiral dioxiranes generated in situ from ketones of D-(-)-quinic acid

2757 New procedures for the resolution of chiral *tert*-butylphenylphosphine oxide and some of its reactions

2765 New efficient synthesis of (3*R*,4*S*)-3-methyl-3-hydroxy-4-phenyl- β -lactam

2775 Enantiomerically pure chiral phenazino-crown ethers: synthesis, preliminary circular dichroism spectroscopic studies and complexes with the enantiomers of 1-arethyl ammonium salts

2797 The preparation and resolution of 2-phenyl-Quinazolinap, a new atropisomeric phosphinamine ligand for asymmetric catalysis

2809 Configurational assignment of *vic*-amino alcohols from their circular dichroism spectra with dirhodium tetraacetate as an auxiliary chromophore

2817 Hydroxynitrile lyase catalyzed enantioselective HCN addition to *O*-protected α -hydroxyaldehydes

A369 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 15

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATION

2829 Dramatic reversal of enantioselection in a palladium catalysed allylic substitution by choice of nitrogen substituents in a N-P chiral ligand

ARTICLES

2833 Biocatalytic and chemical routes to all the stereoisomers of methionine and ethionine sulfoxides

J. C. Anderson, R. J. Cubbon and J. D. Harling

H. L. Holland, P. R. Andreana and F. M. Brown

R. Imashiro, T. Yamanaka and M. Seki	2845	Catalytic asymmetric synthesis of glycidic amides via chiral sulfur ylides
J. W. Han, H.-Y. Jang and Y. K. Chung	2853	Synthesis and use in palladium-catalyzed asymmetric allylic alkylation of new planar chiral chromium complexes of 1,2-disubstituted arenes having pyridine and aryl phosphine groups
J. H. Lutje Spelberg, J. E. T. van Hylckama Vlieg, T. Bosma, R. M. Kellogg and D. B. Janssen	2863	A tandem enzyme reaction to produce optically active halohydrins, epoxides and diols
S. Kiyooka, M. A. Hena and F. Goto	2871	Enantioselective synthesis of a key intermediate aldehyde toward the polyene macrolide filipin III, based on a chiral oxazaborolidinone-promoted asymmetric aldol reaction
P. H. Buist, B. Behrouzian, K. D. MacIsaac, S. Cassel, P. Rollin, A. Imberty, C. Gautier, S. Pérez and P. Genix	2881	Stereochemical analysis of D-glucopyranosyl-sulfoxides via a combined NMR, molecular modeling and X-ray crystallographic approach
G. Nicolosi, C. Spatafora and C. Tringali	2891	Enzymatic procedure catalysed by lipase from <i>Candida antarctica</i> for the regioprotection-deprotection of glucosamine
T. T. Upadhy, S. Gurunath and A. Sudalai	2899	A new and short enantioselective synthesis of (<i>R</i>)-pantolactone
P. Spangenberg, V. Chiffolleau-Giraud, C. André, M. Dion and C. Rabiller	2905	Probing the transferase activity of glycosidases by means of in situ NMR spectroscopy
G. Manickam and G. Sundararajan	2913	Asymmetric Diels-Alder and ene reactions promoted by a Ti(IV) complex bearing a C ₂ -symmetric tridentate ligand
D. R. Kelly	2927	A new method for the determination of the absolute stereochemistry of aromatic and heteroaromatic alkanols using Mosher's esters
J. L. García Ruano, C. García Paredes and C. Hamdouchi	2935	A new stereocontrolled entry into the anthracyclinone families. Part 1: Synthesis of bicyclic precursors of 4-demethoxy-7-deoxy-derivatives
K. Matsuyama and M. Ikonaka	2945	A practical enantioselective synthesis of (<i>S</i>)-3-hydroxytetradecanoic acid
T. Hanamoto, N. Shimomoto, T. Kikukawa and J. Inanaga	2951	Efficient synthesis of enantiomerically pure <i>trans</i> -2,5-bis(arylethynyl)-pyrrolidines. A new entry into C ₂ -symmetric chiral secondary amines
G. Delle Monache, D. Misiti and G. Zappia	2961	A stereocontrolled synthesis of (-)-detoxinine from L-ascorbic acid
H. Tsue, H. Fujinami, T. Itakura and K. Hirao	2975	Unexpected racemization behavior of 8,8'-dialkyl-1,1'-biisoquinoline
D. Berger, M. Dubs, A. Göbel, W. Imhof, M. Kötteritzsch, M. Rost and B. Schönecker	2983	Steroid imines as chiral ligands. Diastereoselective formation of (1-azadiene)Fe(CO) ₃ complexes by sterically tuning the ligand coordination spheres
D. Buisson and R. Azerad	2997	Preparation and use of (<i>S</i>)- <i>O</i> -acetylactyl chloride (Mosandl's reagent) as a chiral derivatizing agent
F. Molinari, R. Villa, F. Aragazzini, R. Leon and D. M. F. Prazeres	3003	Enantioselective oxidation of (<i>RS</i>)-2-phenyl-1-propanol to (<i>S</i>)-2-phenylpropanoic acid with <i>Gluconobacter oxydans</i> : simplex optimization of the biotransformation
J. G. Fernández-Bolaños, E. Zafra, O. López, I. Robina and J. Fuentes	3011	Stereoselective synthesis of imidazolidine, imidazoline and imidazole <i>C</i> - and <i>N</i> -pseudonucleosides
G. Bringmann, A. Wuzik, M. Breuning, P. Henschel, K. Peters and E.-M. Peters	3025	Atropo-enantioselective synthesis of an axially chiral C ₂ -symmetric phosphine ligand and its application in the asymmetric hydrosilylation of styrenes
R. Aav, O. Parve, T. Pehk, A. Claesson and I. Martin	3033	Preparation of highly enantiopure stereoisomers of 1-(2,6-dimethylphenoxy)-2-aminopropane (mexiletine)
D. Hoegaerts and P. A. Jacobs	3039	Asymmetric hydroformylation of vinyl acetate with BINAP-rhodium(II) complexes

- A393 Stereochemistry abstracts
- I Instructions to contributors
- VII Cumulative author index

NUMBER 16

Contents

- v Contributors to this issue
 - vii Graphical abstracts
 - TETRAHEDRON: ASYMMETRY REPORT NUMBER 45**
 - 3045 Recent advances in the synthesis of complex *N*-glycopeptides
 - COMMUNICATIONS**
 - 3095 Reversal of enantioselection in an aldol reaction catalyzed by sterically congested bis(oxazoline)-Cu(II) complexes
 - 3099 Reassignment of the absolute configuration of the baker's yeast reduction of ($\pm$)-ethyl 1-allyl-2-oxocyclopentanecarboxylate
 - 3103 Asymmetric synthesis of α -alkyl- α -hydroxy- γ -butyrolactones
 - 3107 Versatile synthesis of (+)-deoxyproline, a biochemical marker for diagnosis of osteoporosis
 - ARTICLES**
 - 3111 An efficient large scale resolution of ($\pm$)-*threo*-methylphenidate hydrochloride (Ritalin® hydrochloride)
 - 3117 Enzymatic desymmetrization of *meso cis*-2,6- and *cis,cis*-2,4,6-substituted piperidines. Chemoenzymatic synthesis of (5*S*,9*S*)-(+)-indolizidine 209D
 - 3123 (*R*)- and (*S*)-3-Hydroxy-4,4-dimethyl-1-phenyl-2-pyrrolidinone as chiral auxiliaries in Diels-Alder reactions
 - 3139 Facile approach towards phosphorylated azasugars as potential glycosyl phosphate mimics
 - 3147 Synthesis and resolution of an α -phenyl substituted *ortho*-palladated matrix
 - 3157 Synthesis of immunoreagents for measurement of galactosylhydroxylysine
 - 3167 Stereospecific enzymatic hydrolysis of racemic epoxide: a process for making chiral epoxide
 - 3177 Diastereomeric sulfonates derived from (*L*)-*N*-methylephedrine: synthesis, applications and rearrangements
 - 3189 Synthesis of optically active 3-alkoxy-6-hydroxymethyl-6-methyl-2-cyclohexenone
 - 3197 Double diastereoselection in asymmetric [2+3] cycloaddition of chiral oxazoline *N*-oxides: application to the kinetic resolution of a racemic α,β -unsaturated δ -lactone
 - 3209 Syntheses of new C_2 -symmetric, optically active 1,2-diols bearing tertiary alkyl groups
 - 3219 Asymmetric sulfoxidation of a β -carbonyl sulfide series by chloroperoxidase
 - 3229 Factors affecting the efficiency of hybrid chiral mesoporous silicas used as heterogeneous inorganic-organic catalysts in the enantioselective alkylation of benzaldehyde
- G. Arsequell and G. Valencia
- H. Matsunaga, Y. Yamada, T. Ide, T. Ishizuka and T. Kunieda
- M. M. Allan, P. D. Ramsden, M. J. Burke, M. Parvez and B. A. Keay
- S. V. Pansare, R. P. Jain and R. G. Ravi
- M. Adamczyk, S. R. Akireddy and R. E. Reddy
- M. Prashad, D. Har, O. Repic, T. J. Blacklock and P. Giannousis
- R. Chênevert, G. Mohammadi Ziarani, M. P. Morin and M. Dasser
- P. Camps, M. Font-Bardia, S. Giménez, F. Pérez, X. Solans and N. Soldevilla
- M. Schuster and S. Blechert
- V. V. Dunina, E. D. Razmyslova, L. G. Kuz'mina, A. V. Churakov, M. Yu. Rubina and Yu. K. Grishin
- M. Adamczyk and R. E. Reddy
- A. Goswami, M. J. Totleben, A. K. Singh and R. N. Patel
- J. Drabowicz, B. Bujnicki, P. Biscarini and M. Mikołajczyk
- H. Miyaoka, Y. Kajiura, M. Hara, A. Suma and Y. Yamada
- O. Dirat, C. Kouklovsky, Y. Langlois, P. Lesot and J. Courtieu
- T. Takeda and T. Imamoto
- R. R. Vargas, E. J. H. Bechara, L. Marzorati and B. Wladislaw
- N. Bellocq, S. Abramson, M. Laspéras, D. Brunel and P. Moreau

K. Fuji, X.-S. Yang, H. Ohnishi,
X.-J. Hao, Y. Obata and K. Tanaka

3243 A highly efficient method for the resolution of 8,8'-dihydroxy-1,1'-binaphthyl

A419 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 17

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

3249 An efficient method for the synthesis of enantiopure *cis*- α,β -epoxy acids

3253 Enantioselective addition of diethylzinc to benzaldehyde catalyzed by ferrocenic amino-alcohols combining centered and planar chiralities

3259 New chiral phosphorus catalysts derived from (*S*)-binaphthol for highly enantioselective reduction of acetophenone by borane

3263 Simultaneous determination of enantiomeric purity and *erythro/threo* relationship in chiral 1,2-aminoalcohols by NMR using (*R*)-(+)-*t*-butyl-phenylphosphinothioic acid

3267 Synthesis and electrospray mass spectrometric studies on a chiral, non-racemic, phosphoramidate receptor molecule

3273 Enzymatic resolution of ($\pm$)-conduritol-B, a key intermediate for the synthesis of glycosidase inhibitors

3277 Self-assembly of enantiopure 2,2'-dimethylbiphenyl-6,6'-dicarboxylic acid. Formation of chiral squares and their columnar stacking

3281 A short and efficient asymmetric synthesis of (1*S*,2*R*)-(+)-5-methoxy-1-methyl-2-(di-*n*-propylamino)tetralin hydrochloride (UH-232)

ARTICLES

3285 Chemo-enzymatic synthesis of chiral 2-substituted succinic acid derivatives

3297 A chiral bis-*N*-oxide isoelectronic with Jacobsen's salen ligand

3309 A new approach to (*S*)-4-hydroxy-2-pyrrolidinone and its 3-substituted analogues

3319 *C*₂-Symmetric diphenylphosphoramidate and diphenylthiophosphoramidate derived from (1*R*,2*R*)-1,2-diaminocyclohexane as ligands for the titanium(IV) alkoxide-promoted addition of diethylzinc to aldehydes

3327 Enantioselectivities of yeast epoxide hydrolases for 1,2-epoxides

3337 On the easy oxidation of (*R*)-2-[*N*-(1-phenylethyl)amino]-1-cyclopentene-dithiocarboxylic acid to its disulfide dimer

3341 Asymmetric hydrogenation reactions mediated by a new class of bicyclic bisphosphinites

Y.-C. Wang, C.-L. Li, H.-L. Tseng,
S.-C. Chuang and T.-H. Yan

B. Malézeux, R. Andrés, M. Gruselle,
M.-N. Rager and S. Thorimbert

M. F. P. Ma, K. Li, Z. Zhou, C. Tang
and A. S. C. Chan

K. G. Gunderson, M. J. Shapiro,
R. A. Doti and J. W. Skiles

A. R. C. Smith, A. J. R. Heck,
J. A. Kenny,
J. J. Kettenes-van den Bosch and
M. Wills

C. Sanfilippo, A. Patti and G. Nicolosi

M. Tichý, T. Kraus, J. Závada,
I. Čiřáková and J. Podlaha

N. L. Reddy, I. Francesconi and
E. M. Bellott

M. D. Bailey, T. Halmos, D. Adamson,
J. Bordeleau and C. Grand-Maitre

G. Dyker, B. Hölzer and G. Henkel

P. Q. Huang, X. Zheng, S. L. Wang,
J. L. Ye, L. R. Jin and Z. Chen

M. Shi and W.-S. Sui

A. L. Botes, C. A. G. M. Weljers,
P. J. Botes and M. S. van Dyk

R. Cea-Olivares, V. García-Montalvo,
S. Hernández-Ortega,
C. Rodríguez-Narváez,
P. García y García,
M. López-Cardoso, P. de March,
L. González, L. Elias, M. Figueredo
and J. Font

N. Derrien, C. B. Dousson,
S. M. Roberts, U. Berens, M. J. Burk
and M. Ohff

A. Iuliano, P. Salvadori and G. Félix

X. Cuesta, A. González and J. Bonjoch

M. Ziolkowski, Z. Czarnocki, A. Leniewski and J. K. Maurin

A. Otto, B. Abegaz, B. Ziemer and J. Liebscher

J. Riedner, I. Robina, J. G. Fernández-Bolaños, S. Gómez-Bujedo and J. Fuentes

A. Bernardi, D. Arosio, D. Dellavecchia and F. Micheli

M. Kossenjans and J. Martens

X. Serrat, G. Cabarrocas, S. Rafel, M. Ventura, A. Linden and J. M. Villalgordo

O. Arjona, F. Iradier, R. Medel and J. Plumet

Y. Yamada, E. Shirakawa, K. Ando, S. Shibata and I. Uchida

M. I. Monterde, S. Nazabadioko, F. Rebolledo, R. Brieva and V. Gotor

3353 Synthesis of a new family of four deoxycholic acid derived chiral stationary phases and their evaluation in the HPLC resolution of racemic compounds

3365 First stereoselective synthesis of (4a*S*,5*R*)-4,4a,5,6,7,8-hexahydro-4a,5-dimethyl-2(3*H*)-naphthalenone

3371 (*S*)-(-)- α -Methylbenzylamine as an efficient chiral auxiliary in enantiodivergent synthesis of both enantiomers of *N*-acetylcalycotomine

3381 Stereoselective synthesis of 3-(ω -hydroxyalkyl)-2-pyrrolidinones from α -alkylidenelactones and nitromethane

3391 Synthesis of five-membered homothiosugars derived from L-erythrose and D-mannose

3403 Improved synthesis of both enantiomers of *trans*-cyclohex-4-ene-1,2-dicarboxylic acid

3409 Highly stereoselective synthesis of 1,3-aminoalcohols via Mannich reactions

3417 A highly efficient and straightforward stereoselective synthesis of novel chiral α -acetylenic ketones

3431 Enantioselective synthesis of antibiotic (+)-rancinamycin III derivative and two protected carbasugars of the α -D-talo-series from furan

3443 Diastereoselective aldol reactions of an α -alkoxycarbonylamino aldehyde with a silyl enol ether

3449 Chemoenzymatic synthesis of azacycloalkan-3-ols

A439 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 18

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

3457 Vanadium catalyzed enantioselective oxidation of sulfides: easy transformation of bis(arythio)alkanes into C_2 symmetric chiral sulfoxides

3463 A facile stereospecific synthesis of chiral β -keto sulfoxides

3467 New route to optically active amine derivatives: ruthenium-catalyzed enantioselective hydrogenation of ene carbamates

3473 Direct enantioselective approach to oxazolo[4,5-*e*]isoindoles from [(*S*)/*R*]-1-aminosubstituted-4-(*p*-tolylsulfinyl)-1,3-butadienes

3479 Enantioselective synthesis of (2*S*,2'*R*)-*erythro*-methylphenidate

ARTICLES

3483 Synthesis of enantiomerically pure (*E*)-1,1,3,3,6,6-hexamethyl-1-sila-4-cycloheptene and its absolute configuration

3493 Enantioselective synthesis of β -amino acids. Part 10: Preparation of novel α,α - and β,β -disubstituted β -amino acids from (*S*)-asparagine

J. Skarżewski, E. Ostrycharz and R. Siedlecka

R. Caputo, F. Giordano, A. Guaragna, G. Palumbo and S. Pedatella

P. Dupau, C. Bruneau and P. H. Dixneuf

S. Blasco, M. C. Carreño, M. B. Cid, J. L. García Ruano and M. R. Martín

M. Prashad, Y. Liu, H.-Y. Kim, O. Replac and T. J. Blacklock

A. W. Krebs, B. Thölke, K.-I. Pforr, W. A. König, K. Scharwächter, S. Grimme, F. Vögtle, A. Sobanski, J. Schramm and J. Hormes

E. Juaristi, M. Balderas, H. López-Ruiz, V. M. Jiménez-Pérez, M. L. Kaiser-Carrii and Y. Ramírez-Quirós

L. Salazar, J. L. Bermudez, C. Ramirez, E. F. Llama and J. V. Sinisterra	3507	Resolution of 3- α -naphthoxy-1,2-propanediol using <i>Candida antarctica</i> lipase
F. Molinari, R. Gandolfi, R. Villa and E. G. Occhiato	3515	Lyophilised yeasts: easy-to-handle biocatalysts for stereoselective reduction of ketones
J. Růžicka, B. Koutek, L. Streinz, D. Šaman and L. Lešetický	3521	A new access to β -methyl substituted secondary alcohols. Application to the synthesis of 4-methylheptan-3-ol
E. Kiljunen and L. T. Kanerva	3529	Novel applications of chloroperoxidase: enantioselective oxidation of racemic epoxyalcohols
G. Chelucci, N. Culeddu, A. Saba and R. Valenti	3537	Enantiomerically pure pyridine and 2,2'-bipyridine thioethers: new N-S chiral ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation
G. Vidari, A. Di Rosa, G. Zanoni and C. Bicchi	3547	Enantioselective synthesis of each stereoisomer of the pyranoid linalool oxides: the linalool route
A. Scheurer, P. Mosset and R. W. Saalfrank	3559	Syntheses of C_2 -symmetric vicinal diamines derived from tartaric acid
L. Banfi, G. Guanti and R. Riva	3571	Synthesis of asymmetrized 2-benzyl-1,3-diaminopropane by a chemo-enzymatic route: a tool for combinatorially developing peptidomimetics
M. C. Maestro, M. C. Barquilla and M. R. Martín	3593	MIRC reactions of 2-bromo-5-(<i>l</i> -menthyloxy)furan-2(5 <i>H</i>)-one with stabilized anions. Preparation of homochiral bicyclic γ -butyrolactones
D. C. Chauret, J. M. Chong and Q. Ye	3601	A route to enantiomerically-enriched α -silyl aldehydes from 2,3-epoxy alcohols
E. Samu, P. Huszthy, G. Horváth, Á. Szöllősy and A. Neszmélyi	3615	Enantiomerically pure chiral pyridino-crown ethers: synthesis and enantioselectivity toward the enantiomers of α -(1-naphthyl)ethylammonium perchlorate
D. R. Kelly and A. K. Mish'al	3627	Synthesis of the first per(3-deoxy)-cyclooligosaccharide: hepta(<i>manno</i> -3-deoxy-6- <i>O</i> - <i>t</i> -butyldimethylsilyl)- β -cyclodextrin
L.-X. Liao, Z.-M. Wang, H.-X. Zhang and W.-S. Zhou	3649	A new concise stereoselective method for the preparation of a β -hydroxy-furfurylamine derivative and synthesis of 1-deoxyazasugar isomers
	A467	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 19

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
M. De Rosa, R. Dell'Aglio, A. Soriente and A. Scettri	3659	Efficient synthesis of chiral non-racemic 6-(furan-3-yl)-5,6-dihydro-pyran-2-ones
G. Sekar, R. M. Kamble and V. K. Singh	3663	Enantiomerically pure <i>N</i> -aryl- β -amino alcohols by enzymatic resolution
M. Kamada, T. Satoh, T. Kakuchi and K. Yokota	3667	Asymmetric cyclization of <i>meso</i> -diepoxides using chiral (salen)Co(III)OAc catalyst forming optically active 1,4-anhydropentitols and 2,5-anhydrohexitols
G. G. Haraldsson, P. Thordarson, A. Halldorsson and B. Kristinsson	3671	Kinetic resolution of 1- <i>O</i> -alkylglycerols by lipase
		ARTICLES
N. W. Fadnavis, S. K. Vadivel and M. Sharfuddin	3675	Chemoenzymatic synthesis of (4 <i>S</i> ,5 <i>R</i>)-5-hydroxy- γ -decalactone

- B. Morgan, B. R. Sarikonda,
D. R. Dodds, M. J. Homann and
R. Vail
- T. Kato, S. Ebihara, T. Furukawa,
H. Tanahashi and M. Hoshikawa
- E. J. Ebberts, G. J. A. Ariaans,
A. Bruggink and B. Zwanenburg
- S. Almer, E. Cervelló, C. Jaime and
A. Virgili
- Z.-J. Yao, Y. Gao and T. R. Burke Jr.
- A. Santos Ribeiro, A. Kanazawa,
D. M. A. F. Navarro, J.-C. Moutet and
M. Navarro
- M. Jungen and H.-J. Gais
- D. S. Im, C. S. Cheong, S. H. Lee,
H. Park and B. H. Youn
- D. H. Kim and S. Chung
- G. V. M. Sharma, V. G. Reddy and
P. R. Krishna
- N. M. Carballeira and R. Colón
- H.-L. Kwong and W.-S. Lee
- G. Chelucci, S. Deriu, G. A. Pinna,
A. Saba and R. Valenti
- H. Kiyota, M. Nakabayashi and
T. Oritani
- T. Tsuji, T. Onishi and K. Sakata
- P. Q. Huang, Q. F. Chen, C. L. Chen
and H. K. Zhang
- D.-J. Cho, S.-J. Jeon, H.-S. Kim,
C.-S. Cho, S.-C. Shim and T.-J. Kim
- N. Yoshida, H. Konno, T. Kamikubo,
M. Takahashi and K. Ogasawara
- 3681 Enzymatic synthesis of enantio- and diastereomerically enriched *syn*-3-nitro-2-pentanol
- 3691 Synthesis of (1*S*,2*R*,12*S*)-2-hydroxy-11-dihydronocembrene
- 3701 Controlled racemization and asymmetric transformation of α -substituted carboxylic acids in the melt
- 3719 Preparation of (*R*)- and (*S*)-1-adamantyl-9-anthrylmethanol. Conformational study and their behaviour as chiral solvating agents
- 3727 Preparation of L-*N*^α-Fmoc-4-[di-(*tert*-butyl)phosphonomethyl]phenylalanine from L-tyrosine
- 3735 Synthesis of (*R*)-(-) and (*S*)-(+)-3-(1-pyrrolyl)propyl-*N*-(3,5-dinitrobenzoyl)- α -phenylglycinate and derivatives. A suitable chiral polymeric phase precursor
- 3747 Application of pig liver esterase catalyzed transesterification in organic media to the kinetic resolution of glycerol derivatives
- 3759 Enzyme-catalysed improved resolution of (*RS*)-4-cyano-4-(3,4-dimethoxyphenyl)-4-isopropyl-1-butanol
- 3769 Stereochemistry in enzyme inhibition: synthesis and evaluation of enantiomerically pure 2-benzyl-3-formylpropanoic acids as inhibitors of carboxypeptidase A
- 3777 Synthesis of new chiral 18-crown-6 ethers from D-xylose
- 3785 The use of (*S*)-(-)-1-(1-naphthyl)ethylamine as a resolving agent for α -methoxy fatty acids
- 3791 New chiral 2,2'-bipyridine diols as catalysts for enantioselective addition of diethylzinc to benzaldehyde
- 3803 Steric versus electronic effects of the ligand in the enantioselective palladium-catalyzed allylic alkylation with chiral oxazolinylpyridines
- 3811 Hydrolase-catalyzed preparation of (*R*)- and (*S*)-4-hydroxy-2,6,6-trimethyl-2-cyclohexen-1-ones (phorenols), the key synthetic intermediates for abscisic acid
- 3819 Lipase-catalyzed synthesis of a tri-substituted cyclopropyl chiral synthon: a practical method for preparation of chiral 1-alkoxycarbonyl-2-oxo-3-oxabicyclo[3.1.0]hexane
- 3827 Asymmetric synthesis of (-)-(*R*)-pyrrolam A starting from (*S*)-malic acid
- 3833 Chiral *C*₂-symmetric bisferrocenyldiamines as ligands for transition metal catalyzed asymmetric cyclopropanation and aziridination
- 3849 Preparation of a synthetic equivalent of chiral methyl 2,5-dihydroxycyclohexane-1,4-dienecarboxylate
- A507 Stereochemistry abstracts
I Instructions to contributors
V Cumulative author index

NUMBER 20

Contents

- v Contributors to this issue
vii Graphical abstracts

- J. Cossy, S. Bouzbouz and J. C. Calile
X. Li, C. Yeung, A. S. C. Chan, D.-S. Lee and T.-K. Yang
A. Fontana, I. Fakhr, E. Mollo and G. Cimino
G. Molteni and T. Pilati
Ph. Arzel, V. Freida, Ph. Weber and A. Fadel
D. Pini, A. Mandoli, S. Orlandi and P. Salvadori
P. W. H. Chan, I. F. Cottrell and M. G. Moloney
C. M. L. Delpiccolo and E. G. Mata
M. Zhao, C. Wang, S. Peng and E. Winterfeldt
M. C. Aversa, A. Barattucci, P. Bonaccorsi, P. Giannetto, F. Nicolò and S. Rizzo
M. C. Aversa, A. Barattucci, P. Bonaccorsi, B. F. Bonini, P. Giannetto and F. Nicolò
C. Barbieri, E. Caruso, P. D'Arrigo, G. Pedrocchi Fantoni and S. Servi
G. Roda, S. Riva and B. Danielli
V. V. Dunina, O. N. Gorunova, L. G. Kuz'mina, M. V. Livantsov and Yu. K. Grishin
T. Kato, T. Ozaki and N. Ohi
M. Knollmüller, M. Ferencic and P. Gärtner
J. I. Martín Hernando, M. del Rosario Rico Ferreira, J. I. Candela Lena, L. Toupet, N. Birlirakis and S. Arseniyadis
R. I. Olsson and P. Ahlberg
A. Avenoza, C. Cativiela, M. A. Fernández-Reco and J. M. Peregrina
V. I. Tararov, R. Kadyrov, T. H. Riermeier, J. Holz and A. Börner
J. Bálint, G. Egri, A. Kolbert, Cs. Dianóczy, E. Fogassy, L. Novák and L. Poppe
K. Yonehara, T. Hashizume, K. Ohe and S. Uemura
K. Hallman, E. Macedo, K. Nordström and C. Moberg
- COMMUNICATIONS**
3859 Enantioselective allyltitanations. Synthesis of optically active 1,2-diol units: useful intermediates for the preparation of biologically active compounds
3863 An efficient synthesis of chiral homophenylalanine derivatives via enantioselective hydrogenation
3869 (–)-Wistarin from the marine sponge *Ircinia* sp.: the first case of enantiomeric sesterterpenes
3873 The first example of a (1*R*,2*S*,5*R*)-(–)-menthyl chiral auxiliary in intramolecular nitrilimine cycloadditions: synthesis of enantiopure pyrazolo[1,5-*a*][4,1]benzoxazepines and pyrazolo[1,5-*a*][4,1]benzodiazepines
3877 An easy access to (S)-pyrrolidinones and -pyrrolidines from chiral benzylic malonates
3883 First example of a silica gel-supported optically active Mn(III)–salen complex as a heterogeneous asymmetric catalyst in the epoxidation of olefins
3887 Azasugar analogues: conformationally restricted vicinal diamine derived from (S)-(–)-pyroglutamic acid
3893 Solid-phase synthesis of 2β-methyl substituted penam derivatives through penicillin sulfoxide rearrangement
- ARTICLES**
3899 Easy generation of an enantiopure general indolalkaloid building block by kinetic resolution
3907 Diels–Alder reactions of enantiopure [(1*S*)-isoborneol-10-sulfinyl]- and [(1*S*-*exo*)-2-borylsulfinyl]vinylcyclohexenes with maleimides
3919 Enantiopure sulfinylthiopyrans and related compounds from alkylsulfinylbuta-1,3-dienes
3931 Chemo-enzymatic synthesis of (*R*)- and (*S*)-3,4-dichlorophenylbutanolide intermediate in the synthesis of sertraline
3939 Almond oxynitrilase-catalyzed transformation of aldehydes is strongly influenced by naphthyl and alkoxy substituents
3951 First optically active P*-chiral phosphapalladacycle
3963 Improved synthetic methods of CP-060S, a novel cardioprotective drug
3969 Enantioselective addition of organometallics to aldehydes using camphor derived chiral 1,4-aminoalcohols as ligands
3977 Influence of the substitution pattern on the Pb(OAc)₄ mediated oxidative cleavage of steroidal 1,2-diols
3991 Composition of the activated complex in the stereoselective deprotonation of cyclohexene oxide by a chiral lithium amide
3999 Asymmetric synthesis of conformationally constrained 4-hydroxyprolines and their applications to the formal synthesis of (+)-epibatidine
4009 Phosphines versus phosphinites as ligands in the rhodium catalyzed asymmetric hydrogenation of imines: a systematic study
4017 Baker's yeast mediated reduction of dihydroxyacetone derivatives
4029 Synthesis of novel chiral phosphines from α,α-trehalose
4037 Enantioselective allylic alkylation using polymer-supported palladium catalysts

Y. Takaya, T. Senda, H. Kurushima,
M. Ogasawara and T. Hayashi

B. Danielli, G. Lesma, S. Maccacchini,
D. Passarella and A. Silvani

4047 Rhodium-catalyzed asymmetric 1,4-addition of arylboron reagents to α,β -unsaturated esters

4057 Formal enantioselective synthesis of tacamonine starting from asymmetrized 2-substituted propane-1,3-diols

A535 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 21

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

4065 Andersen chemistry with an α,β -unsaturated sulfinyl chloride: synthesis and Grignard reactions of homochiral cholesteryl (*R*)_s-(*E*)-*t*-butylethanesulfinate

4071 Atropisomeric carbohydrate imidazolidines: a novel class of nonbiaryl atropisomers

4075 Absolute configuration of 2-hydroxy-2-(1-naphthyl)propionic acid as determined by the ¹H NMR anisotropy method

4079 Deracemization of (±)-mandelic acid using a lipase–mandelate racemase two-enzyme system

4083 *N*-Benzyl-norephedrine derivatives as new, efficient ligands for ruthenium-catalyzed asymmetric transfer hydrogenation of functionalized ketones

4087 Synthesis of 3-deoxy-3,3-difluoroshikimic acid and its 4-epimer from quinic acid

4091 Probing the diastereoselectivity in the cyclization of cationic aminyl radicals

4095 The first example of an enantiopure planar chiral hydroxyferrocene ligand

ARTICLES

4099 Preparative resolution of a key intermediate for the synthesis of optically active *m*-phenylene PGI₂ derivatives

4107 A facile route into 6^A-mono- ω -alkenylcarbamido-6^A-deoxy-perfunctionalised cyclodextrin: key intermediate for further reactive functionalisations

4115 Enzymatic kinetic resolution studies of racemic 4-hydroxycyclopent-2-en-1-one using Lipozyme IM[®]

4123 Chiroptical spectra of bicyclic selenolactams. Optical activity of the singlet–triplet transition

4129 The cleavage of *meso*-epoxides with homochiral thiols: synthesis of (+)- and (–)-*trans*-1-mercaptocyclohexan-2-ol

4143 Determination of the absolute configuration of 1,3,5,7-tetramethyl-1,3-dihydroindol-2-one by optical rotation computation

4151 The first asymmetric syntheses of L-homocysteine and L-homocystine

4157 *trans*-2,5-Dialkylpyrrolidinyl-containing phosphinamines. Synthetic and mechanistic studies in Pd-catalysed asymmetric allylic alkylation

R. R. Strickler and A. L. Schwan

M. Avalos, R. Babiano, P. Cintas,
F. J. Higes, J. L. Jiménez,
J. C. Palacios and G. Silvero

A. Ichikawa, S. Hiradate, A. Sugio,
S. Kuwahara, M. Watanabe and
N. Harada

U. T. Strauss and K. Faber

K. Everaere, J.-F. Carpentier,
A. Mortreux and M. Bullard

S. Jiang, G. Singh, D. J. Boam and
J. R. Coggins

M. Hemmerling, A. Sjöholm and
P. Somfai

T. E. Pickett and C. J. Richards

H. Wakita, H. Yoshiwara, A. Tajima,
Y. Kitano and H. Nagase

L.-F. Zhang, L. Chen, T.-C. Lee and
S.-C. Ng

S. R. Ghorpade, K. B. Bastawade,
D. V. Gokhale, P. D. Shinde,
V. A. Mahajan, U. R. Kalkote and
T. Ravindranathan

M. J. Milewska and T. Połowski

H. Adams, R. Bell, Y.-Y. Cheung,
D. N. Jones and N. C. O. Tomkinson

R. K. Kondru, C. H.-T. Chen,
D. P. Curran, D. N. Beratan and
P. Wipf

M. Adamczyk, J. R. Fishpaugh and
M. Thiruvazhi

J. P. Cahill, D. Cunneen and
P. J. Guiry

- B. Colman, S. E. de Sousa, P. O'Brien, T. D. Towers and W. Watson
R. Kawęcki
- P. Berglund, I. Vallikivi, L. Fransson, H. Dannacher, M. Holmquist, M. Martinelle, F. Björklund, O. Parve and K. Hult
- E. Galaron, P. Le Maux, A. Bondon and G. Simonneaux
- M. Moreno-Mañas, E. Trepát, R. M. Sebastián and A. Vallribera
- M. J. van der Werf, J. A. M. de Bont and H. J. Swarts
- M. Haddad and M. Larchevêque
- A. Goswami, K. D. Mirfakhrae and R. N. Patel
- J. Rifé and R. M. Ortuño
- 4175 Enantioselective rearrangement of a *meso*-cyclohexene oxide using norephedrine-derived chiral bases
- 4183 Facile synthesis of homochiral derivatives of 10-bornane sulfinates, sulfinamides and sulfinimines
- 4191 Switched enantiopreference of *Humicola* lipase for 2-phenoxyalkanoic acid ester homologs can be rationalized by different substrate binding modes
- 4203 Chiral recognition of amino esters by a ruthenium porphyrin complex: kinetics of the exchange process determined by ¹H NMR
- 4211 Asymmetric synthesis of quaternary α-amino acids using D-ribonolactone acetone as chiral auxiliary
- 4225 Acid-catalyzed enzymatic hydrolysis of 1-methylcyclohexene oxide
- 4231 A new route to (2*S*,4*R*)- and (2*R*,4*S*)-4-hydroxypipercolic acid
- 4239 Deracemization of racemic 1,2-diol by biocatalytic stereoinversion
- 4245 Enantioselective synthesis of cyclopropane aminoalcohols containing quaternary stereogenic centers
- A569 Stereochemistry abstracts
- I Instructions to contributors
- VII Cumulative author index

NUMBER 22

Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATIONS**
- A. Kamal, M. Arifuddin and M. V. Rao
- V. A. Soloshonok, C. Cai and V. J. Hruby
- M. I. García-Moreno, C. Ortiz Mellet and J. M. García Fernández
- G. B. Glovenzana, R. Pagliarin, G. Palmisano, T. Pilati and M. Sisti
- K. Draillard, J. Lebreton and J. Villiéras
- R. J. Bergeron, J. Bussenius, R. Müller, B. H. McCosar and J. S. McManis
- J. W. Wong and M. P. Burns
- G.-S. Yang, J.-B. Hu, G. Zhao, Y. Ding and M.-H. Tang
- C. Osorio, C. Duque, T. Koami and Y. Fujimoto
- S. E. Boiadjev and D. A. Lightner
- 4261 Enantioselective ring opening of epoxides with trimethylsilyl azide (TMSN₃) in the presence of β-cyclodextrin: an efficient route to 1,2-azido alcohols
- 4265 Asymmetric Michael addition reactions of chiral Ni(II)-complex of glycine with (*N*-*trans*-enoyl)oxazolidines: improved reactivity and stereochemical outcome
- 4271 Polyhydroxylated *N*-(thio)carbamoyl piperidines: nojirimycin-type glycomimetics with controlled anomeric configuration
- 4277 Camphor-based oxazaphospholanes as chiral templates for the enantioselective synthesis of α-chlorophosphonic acids
- 4281 A simple synthesis of (–)-(*R*)-ipsdienol and (–)-(*S*)-ipenol
- ARTICLES**
- 4285 (*R*)- and (*S*)-*N*-(Benzyloxycarbonyl)-3,4-epoxybutylamine. New 4-amino-2-hydroxybutyl synthons for the synthesis of hypusine reagents and (*R*)-6- and (*S*)-7-hydroxyspermidine
- 4295 Microbial hydroxylation of (*Z*)-2-benzylidene-1-azabicyclo[2.2.2]octan-3-one
- 4307 Catalytic enantioselective borane reduction of aromatic ketones with sulfonyl (*S*)-prolinol
- 4313 Stereochemistry of (3*E*)-3,7-dimethyl-3-octene-1,2,6,7-tetraol isolated from *Passiflora quadrangularis*
- 4321 Synthesis of an optically active dipyrinone sulfide and sulfoxide

T. P. Keenan, D. Yaeger and D. A. Holt	4331	Synthesis of chiral nonracemic 4- <i>trans</i> -substituted pipecolic acid derivatives
J. Li, Y.-C. Liu and J.-G. Deng	4343	Asymmetric reduction of 2-bromo-1-phenylethylidenemalononitrile with chiral NAD(P)H models
R. A. Fernandes and P. Kumar	4349	Enantioselective synthesis of (<i>R</i>)-(-)-mevalonolactone via cyclic sulfate methodology
M. C. Carreño, J. L. García Ruano, A. Urbano, C. Z. Remor and Y. Arroyo	4357	On the mechanism and diastereoselectivity of 2,3-dihydrobenzofuran formation from sulfinylbenzoquinones and 2-trimethylsilyloxyfuran
M. Widhalm, U. Nettekoven and K. Mereiter	4369	Chiral ferrocene derivatives containing a 2,2'-bridged binaphthyl moiety
G. P. Luke and D. A. Holt	4393	Synthesis of (<i>S</i>)-5-(1-aminoethyl)-2-(cyclohexylmethoxy)benzamide
A. Liljeblad and L. T. Kanerva	4405	Enzymatic methods for the preparation of enantiopure malic and aspartic acid derivatives in organic solvents
O. Delacroix, S. Picart-Goetgheluck, L. Maciejewski and J. Brocard	4417	Synthesis of chiral ferrocenyl aminoalcohols involving a diastereospecific oxidation: use in asymmetric catalysis
J. L. García Ruano and A. Rumbero	4427	Free-radical cyclization of enantiomerically enriched 2- <i>p</i> -tolylthio derivatives of 2-allylcyclohexanones with Mn(III): asymmetric synthesis of bridged bicyclic ketones and thiochroman-3-ones
S. Wassmann, J. Wilken and J. Martens	4437	Synthesis and application of C ₂ -symmetrical bis-β-amino alcohols based on the octahydro-cyclopenta[<i>b</i>]pyrrole system in the catalytic enantioselective addition of diethylzinc to benzaldehyde
G. Broggini, G. Casalone, L. Garanti, G. Molteni, T. Pilati and G. Zecchi	4447	Asymmetric induction by the (<i>S</i>)-1-phenylethyl group in intramolecular nitrile imine cycloadditions giving enantiopure 3,3a-dihydro-pyrazolo[1,5- <i>a</i>][1,4]-benzodiazepine-4(6 <i>H</i>)-ones
C. Bertucci, A. Petri, G. Felix, B. Perini and P. Salvadori	4455	Lipase-based HPLC stationary phase: enantioselective synthesis of 2-substituted 1,3-propanediol monoacetates
	A595	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 23

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
M. D. Miquel-Serrano, A. Aghmiz, M. Diéguez, A. M. Masdeu-Bultó, C. Claver and D. Sinou	4463	Recoverable chiral palladium-sulfonated diphosphine catalysts for the asymmetric hydrocarboxylation of vinyl arenes
N. Mase, T. Nishi, Y. Takamori, H. Yoda and K. Takabe	4469	First synthesis of (<i>R</i>)-(-)-5-hydroxy-3-methyl-3-pyrrolin-2-one (jatropham) by lipase-catalyzed kinetic resolution
W.-W. Lee and S. Chang	4473	A new and concise synthetic route to an enantiopure (+)-conduiritol-E derivative from diethyl L-tartrate
Q. K. Fang, C. H. Senanayake, Z. Han, C. Morency, P. Grover, R. E. Malone, H. Bulter, S. A. Wald and T. S. Cameron	4477	First preparation of enantiomerically pure sibutramine and its major metabolite, and determination of their absolute configuration by single crystal X-ray analysis
A. Soriente, M. De Rosa, A. Apicella, A. Scettri and G. Sodano	4481	First enantioselective synthesis of manoolide: application of aldehyde-dioxinone enantioselective condensation
		ARTICLES
L. Eggers and V. Buß	4485	A tolan substituted optically active spiropyran

N. W. Fadnavis, M. Sharfuddin and S. K. Vadivel	4495	Resolution of racemic 2-amino-1-butanol with immobilised penicillin G acylase
A. Saitoh, T. Uda and T. Morimoto	4501	A new class of C_2 -symmetric diphosphine ligands derived from valine: remarkably diverse behavior in catalytic asymmetric transformations
D. B. Berkowitz, R. E. Hartung and S. Choi	4513	Hydrolytic enzymatic transformation of advanced synthetic intermediates: on the choice of the organic cosolvent
C. Herdeis, R. M. Mohareb, R. B. Neder, F. Schwabenländer and J. Telser	4521	Studies on the synthesis of chiral nonracemic 3,4-disubstituted azepanes, a formal synthesis of (+)- and (–)-balanol
P. Bakó, E. Czinege, T. Bakó, M. Czugler and L. Tóke	4539	Asymmetric C–C bond forming reactions with chiral crown catalysts derived from D-glucose and D-galactose
J. Wang, Y. Hou, P. Wu, Z. Qu and A. S. C. Chan	4553	Stereoselective synthesis of enantiomerically pure 4,5-disubstituted pyrrolidinones from β -amino esters
H. B. ten Brink, H. L. Holland, H. E. Schoemaker, H. van Lingen and R. Wever	4563	Probing the scope of the sulfoxidation activity of vanadium bromoperoxidase from <i>Ascophyllum nodosum</i>
G. Horváth and P. Huszthy	4573	Chromatographic enantioseparation of racemic α -(1-naphthyl)ethylammonium perchlorate by a Merrifield resin-bound enantiomerically pure chiral dimethylpyridino-18-crown-6 ligand
P. Skowronek and J. Gawroński	4585	Absolute configuration of α -phthalimido carboxylic acid derivatives from circular dichroism spectra
K. Krajewski, Z. Ciunik and I. Z. Siemion	4591	<i>c</i> -4-Amino- <i>t</i> -3-hydroxy- <i>r</i> -1-cyclohexanecarboxylic acid and <i>cis</i> -4-amino-3-oxo-1-cyclohexanecarboxylic acid—mimetics of dipeptides with a twisted <i>cis</i> -amide bond
A. Cipiciani, F. Bellezza, F. Fringuelli and M. Stillitano	4599	Enantioselectivity of alcohol-treated <i>Candida rugosa</i> lipase in the kinetic resolution of racemic methyl 2-aryloxypropionates in water and aqueous organic media
J. L. García Ruano, M. M. Cifuentes, A. Lorente and J. H. Rodríguez Ramos	4607	Highly stereoselective reduction of acyclic α -sulfinyl ketimines: synthesis of enantiomerically pure β -aminosulfoxides
E. Forró, Z. Szakonyi and F. Fülöp	4619	Enzymatic resolution of ($\pm$)-2-(N_t - <i>t</i> -butoxycarbonyl- N_g -methylhydrazino)-cycloalkanols
J. M. Odrizola, J. M. García, A. González and P. Gil	4627	Asymmetric synthesis of phoenicol, ferrugineol and cruentol, aggregation pheromones of <i>Rhynchophorus</i> spp.
S. Sengupta and D. Sen Sarma	4633	Stereoselective reduction of <i>N</i> -phthaloyl α -amino ketones: an expeditious synthesis of statine
M. Alcón, A. Moyano, M. A. Pericàs and A. Riera	4639	Enantioselective synthesis of unsaturated amino acids using <i>p</i> -methoxybenzylamine as an ammonia equivalent
A. Avenoza, C. Cativiela, J. M. Peregrina, D. Sucunza and M. M. Zurbano	4653	A straightforward synthesis of both enantiomers of α -vinylalanine and α -ethynylalanine
	A623	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 24

Contents

- v Contributors to this issue
- vii Graphical abstracts

**K. Everaere, J.-F. Carpentier,
A. Mortreux and M. Bulliard**

**Z. Guo, A. Goswami, K. D. Mirfakhrae
and R. N. Patel**

**R. Kießwetter, N. Pustet, F. Brandl
and A. Mannschreck**

W.-P. Deng, X.-L. Hou and L.-X. Dai

**A. P. Marchand, H.-S. Chong and
B. Ganguly**

**F. Blenewald, L. Ricard, F. Mercier
and F. Mathey**

**P. Di Felice, M. Maestri, F. Paradisi,
G. Porzi and S. Sandri**

**L. Xie, W. Hua, A. S. C. Chan and
Y.-C. Leung**

D. Moulin, C. Darcel and S. Jugé

**P. Besse, G. Baziard-Mouysset,
K. Boubekeur, P. Palvadeau,
H. Veschambre, M. Payard and
G. Mousset**

M. Lemaire and J. Bolte

**T. Furutani, M. Hatsuda, R. Imashiro
and M. Seki**

**A. S. Demir, T. Dünwald, H. Iding,
M. Pohl and M. Müller**

**O. Leoni, R. Bernardi, D. Gueyrard,
P. Rollin and S. Palmieri**

K. Borszeky, T. Mallat and A. Balke

**D. Brózda, M. Chrzanowska,
A. Głuszyńska and
M. D. Rozwadowska**

R. A. Fernandes and P. Kumar

**K. Fiore, G. Martelli, M. Monari and
D. Savoia**

**P. Gärtner, M. F. Letschnig,
M. Knollmüller and H. Völlenkle**

**T. Kohara, Y. Hashimoto, R. Shioya
and K. Saigo**

**R. Annunziata, M. Benaglia,
M. Cinquini and F. Cozzi**

COMMUNICATION

4663 Steric effects in the enantioselective transfer hydrogenation of 2-aryl-acetates

ARTICLES

4667 Asymmetric acyloin condensation catalyzed by phenylpyruvate decarboxylase

4677 1',3',3'-Trimethyl-6-nitrospiro[2*H*-1-benzopyran-2,2'-indoline]: its thermal enantiomerization and the equilibration with its merocyanine

4689 The synthesis of novel chiral *N,O*-ferrocenyl ligands and their application in the addition of diethylzinc to aldehydes

4695 Synthesis of a novel cage-functionalized chiral binaphthol host: a potential new agent for enantioselective recognition of chiral ammonium salts

4701 A new ligand containing a unique combination of backbone- and P-centered chirality: synthesis, resolution and asymmetric catalysis using a chiral enantiopure 2,2'-biphenylene

4709 Highly stereocontrolled boron-mediated synthesis of β -hydroxy- α -amino acids and dipeptides. Part 2

4715 Asymmetric alcoholysis of 2-phenyl-5(4*H*)-oxazolones by the catalytic mixture of cyclo[(*S*)-His-(*S*)-Phe] with chiral auxiliaries

4729 Versatile synthesis of P-chiral (ephedrine) AMPP ligands via their borane complexes. Structural consequences in Rh-catalyzed hydrogenation of methyl α -acetamidocinnamate

4745 Microbiological reductions of chromen-4-one derivatives

4755 Enzymatic resolution of a 1,2-cyclic sulphite glycerol derivative

4763 Facile synthesis of enantiopure 1,1'-binaphthyl-2,2'-dicarboxylic acid via lipase-catalyzed kinetic resolution

4769 Asymmetric benzoin reaction catalyzed by benzoylformate decarboxylase

4775 Chemo-enzymatic preparation from renewable resources of enantiopure 1,3-oxazolidine-2-thiones

4781 Asymmetric hydrogenation of indene carboxylic acids: stereochemistry of hydrogen addition

4791 Transformation of (+)-thiomcamine into a new ligand for the enantioselective addition of methylithium to prochiral imines

4797 A short and efficient stereoselective synthesis of dihydrosphingosine triacetate

4803 Design and synthesis of enantiopure 1-[1(*S*)-(2-pyridyl)alkyl]-2(*R*)-isopropyl-aziridines, new ligands for asymmetric catalysis

4811 [1,2]-Wittig rearrangement of acetals. Part 1: Investigation about structural requirements

4831 A new non-natural chiral auxiliary: design, synthesis, and resolution of 1-mesitylthylamine and its application in the asymmetric aza-Diels-Alder reaction

4841 Stereoselective synthesis of 2-azetidinones as cholesterol-absorption inhibitors

A651 Stereochemistry abstracts

I Instructions to contributors