

Corrigendum

Corrigendum to ‘New methodology for the synthesis of enantiopure (3*R*,2*aR*)-(-)-3-phenyl-hexahydro-oxazolo[3,2-*a*]-pyridin-5-one: a synthesis of (S)-(+)-coniine’


[*Tetrahedron: Asymmetry* 12 (2001) 357]☆

J. L. Terán,^a D. Gnecco,^{a,*} A. Galindo,^a J. Juárez,^a S. Bernès^a and R. G. Enríquez^b

^aCentro de Química del Instituto de Ciencias, BUAP, 14 Sur 6303, C.P. 72570, Ciudad Universitaria Puebla, Pue, Mexico


^bInstituto de Química, Universidad Nacional Autónoma de México, D.F., Mexico

In the above publication we assigned by ¹H NMR ID NOE and ROESY experiments incorrectly the configuration of C(2*a*) as (*R*) for compound **3**.



Recently, we obtained a monocrystal of compound **3** and its X-ray diffraction analysis was performed, and the correct configuration for C(2*a*) is (*S*).

We apologize for this error and regret any inconvenience that it might have caused to the readers. The corrected Scheme is:



☆ doi of original article 10.1016/S0957-4166(01)00063-5.

* Corresponding author. E-mail: dgnecco@siu.buap.mx