

NUMBER 1

Contents

- v Contributors to this issue
- vii Graphical abstracts

E. Brenna, C. Fuganti and S. Serra

G. J. A. Conceição, P. J. S. Moran and J. A. R. Rodrigues

A. Bordier, P. Compain, O. R. Martin, K. Ikeda and N. Asano

C.-Y. Chu and B.-J. Uang

A. Ghanem and V. Schurig

Y. Zhang, C. Xu, J. Li and C. Yuan

C. Böhm, W. F. Austin and D. Trauner

A. Li, G. Yue, Y. Li, X. Pan and T.-K. Yang

P. V. Murphy, C. McDonnell, L. Hämig, D. E. Paterson and R. J. K. Taylor

Y.-S. Lee, Y.-H. Shin, Y.-H. Kim, K.-Y. Lee, C.-Y. Oh, S.-J. Pyun, H.-J. Park, J.-H. Jeong and W.-H. Ham

K. Li, Z. Zhou, L. Wang, Q. Chen, G. Zhao, Q. Zhou and C. Tang

S. Raghavan and S. C. Joseph

X.-W. Wu, K. Yuan, W. Sun, M.-J. Zhang and X.-L. Hou

S. Velmathi, S. Swarnalakshmi and S. Narasimhan

M. Clericuzio, I. Degani, S. Dughera and R. Fochi

A. M. Daly and D. G. Gilheany

TETRAHEDRON: ASYMMETRY REPORT NUMBER 54

- 1 Enantioselective perception of chiral odorants

COMMUNICATIONS

- 43 Highly efficient extractive biocatalysis in the asymmetric reduction of an acyclic enone by the yeast *Pichia stipitis*
- 47 First stereocontrolled synthesis and biological evaluation of 1,6-dideoxy-L-nojirimycin
- 53 Catalytic enantioselective coupling of 2-naphthols by new chiral oxovanadium complexes bearing a self accelerating functional group

ARTICLES

- 57 Lipase-catalyzed access to enantiomerically pure (*R*)- and (*S*)-*trans*-4-phenyl-3-butene-2-ol
- 63 Enzymatic synthesis of optically active δ -hydroxy- β -ketoalkanephosphonates
- 71 Enzymatic desymmetrization of a centrosymmetric diacetate
- 75 Total asymmetric synthesis of (7*S*,9*R*)-(+)-bisacumol
- 79 Confirmation of the structure of a glucono-1,4-lactone derivative obtained from silylation of glucono-1,5-lactone
- 87 Stereoselective synthesis of (+)-spectaline
- 95 Asymmetric carbonyl reduction with borane catalyzed by chiral phosphinamides derived from L-amino acid
- 101 The sulfinyl moiety as an intramolecular nucleophile. Part 3: Synthesis of (–)-muricatacin
- 107 Novel planar chiral *P,N*-[2.2]paracyclophane ligands: synthesis and application in palladium-catalyzed allylic alkylation
- 113 Novel heterobimetallic catalysts for asymmetric Michael reactions
- 119 Deracemization of thiol esters of α -arylpropionic acids
- 127 The synthesis and use in asymmetric epoxidation of metal salen complexes derived from enantiopure *trans*-cyclopentane- and cyclobutane-1,2-diamine

F. Fache and O. Piva

139 Synthesis and applications of the first polyfluorous proline derivative

145 Corrigendum

A1 Stereochemistry abstracts

I Tetrahedron: Asymmetry reports

III Instructions to contributors

VII Cumulative author index

NUMBER 2

Contents

v Contributors to this issue

vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 55

147 Synthesis and applications of non-racemic cyanohydrins

COMMUNICATIONS

177 An efficient synthetic approach to optically active β -carboline derivatives via Pictet–Spengler reaction promoted by trimethylchlorosilane

181 Asymmetric synthesis of chiral *N*-(1-methylbenzyl)aminophosphines

185 Asymmetric synthesis of pyrimidyl alkanol without adding chiral substances by the addition of diisopropylzinc to pyrimidine-5-carbaldehyde in conjunction with asymmetric autocatalysis

189 Stereoselective synthesis of β^2 -amino acids by Michael addition of diorgano zinc reagents to nitro acrylates

193 Stereoselective synthesis of chiral precursors to cyclobutane carbocyclic nucleosides and oligopeptides

197 Enantioselective cyanoformylation of aldehydes mediated by BINOLAM–AlCl as a monometallic bifunctional catalyst

ARTICLES

201 Synthesis of optically active 1,3-dioxin-4-one derivatives having a hydroxymethyl group at the 2-position and their use for regio-, diastereo-, and enantioselective synthesis of substituted cyclobutanols

217 Enantiodivergent synthesis of cyclobutyl-(*Z*)- α,β -dehydro- α -amino acid derivatives from (–)-*cis*-pinonic acid

225 Synthesis of enantiopure 1,2-dihydroxyhexahydropyrroloisoquinolines as potential tools for asymmetric catalysis

233 Study of chiral β -enaminones prepared from pyrrolidine, cytosine, salsoline and 2-amino-1-(4-nitrophenyl)propane-1,3-diol: resolution of salsoline via diastereomeric modified carane-type β -enaminones

M. North

R. Tsuji, M. Nakagawa and A. Nishida

O. I. Kolodiaznyi, E. V. Gryshkun,
N. V. Andrushko, M. Freytag,
P. G. Jones and R. Schmutzler

K. Soai, I. Sato, T. Shibata, S. Komiya,
M. Hayashi, Y. Matsueda, H. Imamura,
T. Hayase, H. Morioka, H. Tabira,
J. Yamamoto and Y. Kowata

U. Eilitz, F. Leßmann, O. Seidelmann and
V. Wendisch

P. D. Rouge, A. G. Moglioni, G. Y. Moltrasio
and R. M. Ortuño

J. Casas, A. Baeza, J. M. Sansano,
C. Nájera and J. M. Saá

M. Murakami, H. Kamaya, C. Kaneko
and M. Sato

G. P. Aguado, A. G. Moglioni and
R. M. Ortuño

Z. Kaluza and D. Mostowicz

S. A. Popov, Y. V. Gatilov, T. V. Rybalova
and A. V. Tkachev

- M. Kosior, M. Malinowska, J. Jóźwik, J.-C. Caille and J. Jurczak
- P. Holý, P. Sehnal, M. Tichý, J. Závada and I. Čiřarová
- R. J. Kloetzing, M. Lotz and P. Knochel
- D. Skropeta and R. R. Schmidt
- W. Stampfer, B. Kosjek, K. Faber and W. Krouřil
- T. Satoh, M. Yoshida, Y. Takahashi and H. Ota
- 239 Highly diastereoselective hetero-Diels–Alder reaction of buta-1,3-diene with *N*-glyoxyloyl-(2*R*)-bornane-10,2-sultam: an efficient synthesis of homo-chiral (*S*)-3-[2-{(methylsulfonyl)oxy}ethoxy]-4-(triphenylmethoxy)-1-butanol methanesulfonate
- 245 Self-assembly of chiral hydrogen-bonded grid layers from terephthalic Siamese twins
- 255 New *P,N*-ferrocenyl ligands for rhodium-catalyzed hydroboration and palladium-catalyzed allylic alkylation
- 265 Chiral, non-racemic α -hydroxyphosphonates and phosphonic acids via stereoselective hydroxylation of diallyl benzylphosphonates
- 275 Biocatalytic oxidative kinetic resolution of *sec*-alcohols: stereocontrol through substrate-modification
- 281 A novel method for the asymmetric synthesis of 4,4-disubstituted 2-cyclopentenones from optically active 1-chlorovinyl *p*-tolyl sulfoxides and its application to the asymmetric total synthesis of (+)- α -cuparenone
- A23 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

NUMBER 3

Contents

- v Contributors to this issue
- vii Graphical abstracts

COMMUNICATIONS

- 289 Lipase-catalyzed stereoselective resolution and desymmetrization of binaphthols
- 293 On the configuration of (3*R*,8*aS*)-5-oxo-3-phenyl-2,3,6,7,8,8*a*-hexahydro-5*H*-oxazolo[3,2-*a*]pyridine

ARTICLES

- H. Huang, H. Chen, X. Hu, C. Bai and Z. Zheng
- J. Kang, J. H. Lee and D. S. Lim
- D. Guieysse, C. Salagnad, P. Monsan and M. Remaud-Simeon
- A. Kato, E. Kano, I. Adachi, R. J. Molyneux, A. A. Watson, R. J. Nash, G. W. J. Fleet, M. R. Wormald, H. Kizu, K. Ikeda and N. Asano
- S. Easwar and N. P. Argade
- 297 Structural probing of D-fructose derived ligands for asymmetric addition of diethylzinc to aldehydes
- 305 Stereoselective conjugate addition of diethylzinc to enones and nitroalkenes
- 317 Lipase-catalyzed enantioselective transesterification toward esters of 2-bromo-tolylacetic acids
- 325 Australine and related alkaloids: easy structural confirmation by ¹³C NMR spectral data and biological activities
- 333 Amano PS-catalysed enantioselective acylation of ($\pm$)- α -methyl-1,3-benzodioxole-5-ethanol: an efficient resolution of chiral intermediates of the remarkable antiepileptic drug candidate, (–)-talampel

- A. Voituriez and E. Schulz
- J. L. Vicario, D. Badía, L. Carrillo and E. Anakabe
- R. F. G. Fröhlich,
A. A. Zabelinskaja-Mackova,
M. H. Fechter and H. Griengl
- T. H. Kurniadi, R. Bel Rhlid,
M. A. Juillerat, M. Schüler and
R. G. Berger
- P. Merino, T. Tejero, J. Revuelta,
P. Romero, S. Cicchi, V. Mannucci,
A. Brandi and A. Goti
- Y. Caro, C. F. Masaguer and E. Raviña
- M. R. Saidi and N. Azizi
- F. Piccinelli, G. Porzi, M. Sandri and
S. Sandri
- A. Avenoza, J. H. Busto, C. Cativiela,
J. M. Peregrina, D. Sucunza and
M. M. Zurbano
- 339 Synthesis of new sulfur-containing oxazoline ligands and their use in palladium-catalyzed allylic substitution
- 347 A general procedure for the asymmetric synthesis of 3-aryl-1,2,3,4-tetrahydroisoquinolines
- 355 Novel access to chiral 1,1'-disubstituted ferrocene derivatives via double stereoselective cyanohydrin synthesis exploiting the hydroxynitrile lyase from *Hevea brasiliensis*
- 363 Enantiogenic synthesis of (*R*)-(-)-3-hydroxy-1-penten-4-one
- 367 A comparative study of the stereoselective addition of trimethylsilyl cyanide and diethylaluminum cyanide to chiral cyclic nitrones
- 381 Preparation of (*R*)-(-)- and (*S*)-(+)-3-hydroxymethyl-1-tetralone tosylates, key intermediates in the synthesis of new CNS drugs, via resolution of precursors
- 389 Highly diastereoselective aminoalkylation of naphthols with chiral amines mediated by lithium perchlorate solution in diethyl ether
- 393 Stereocontrolled synthesis of enantiomerically pure unsaturated analogues of 2,6-DAP. Part 5
- 399 Synthesis of enantiopure (α Me)Dip and other α -methylated β -branched amino acid derivatives
- A49 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

NUMBER 4

Contents

- v Contributors to this issue
- vii Graphical abstracts

COMMUNICATIONS

- V. V. Thakur and A. Sudalai
- R. Sakurai and K. Sakai
- J. Kang, T. H. Kim, K. H. Yew
and W. K. Lee
- 407 WO_3 -30% H_2O_2 -cinchona alkaloids: a new heterogeneous catalytic system for the asymmetric oxidation of sulfides and the kinetic resolution of racemic sulfoxides
- 411 Resolution of racemic *cis*-1-amino-2-indanol by diastereomeric salt formation with (*S*)-2-phenylpropionic acid
- 415 The effect of face-blocking in the enantioselective aza-Claisen rearrangement of allylic imidates

ARTICLES

- P. Radha Krishna, B. Lavanya and
G. V. M. Sharma
- 419 Stereoselective synthesis of *C*-phenyl D- and L-*glycero* heptopyranosides

- J. M. Palomo, C. Mateo,
G. Fernández-Lorente, L. F. Solares,
M. Diaz, V. M. Sánchez, M. Bayod,
V. Gotor, J. M. Guisan and
R. Fernandez-Lafuente
- J. Granander, R. Sott and G. Hilmeresson
- G. Lu, X. Li, G. Chen, W. L. Chan and
A. S. C. Chan
- B. A. Shinkre, V. G. Puranik,
B. M. Bhawal and A. R. A. S. Deshmukh
- T. Danelli, R. Annunziata, M. Benaglia,
M. Cinquini, F. Cozzi and G. Tocco
- M.-L. Bennasar, E. Zulaica, Y. Alonso
and J. Bosch
- L. Minuti, A. Taticchi, A. Marrocchi,
D. Lanari, A. Broggi and E. Gacs-Baitz
- J. L. Vicario, D. Badía and L. Carrillo
- F.-J. Volk, M. Wagner and A. W. Frahm
- F. J. Moreno-Dorado, F. M. Guerra,
M. J. Ortega, E. Zubía and
G. M. Massanet
- T. Suzuki, M. Kawatsura, A. Okada
and T. Hayashi
- D. M. Casper and S. R. Hitchcock
- 429 Resolution of ($\pm$)-5-substituted-6-(5-chloropyridin-2-yl)-7-*oxo*-5,6-dihydro-
pyrrolo[3,4*b*]pyrazine derivatives-precursors of (*S*)-(+)-Zopiclone, catalyzed
by immobilized *Candida antarctica* B lipase in aqueous media
- 439 Chiral lithium amido sulfide ligands for asymmetric addition reactions of
alkyllithium reagents to aldehydes
- 449 Effective activation of chiral BINOL/Ti(O*i*Pr)₄ catalyst with phenolic addi-
tives for the enantioselective alkynylation of aldehydes
- 453 Ephedrine derived reusable chiral auxiliary for the synthesis of optically pure
3-hydroxy-4-aryl- β -lactams
- 461 Immobilization of catalysts derived from *Cinchona* alkaloids on modified
poly(ethylene glycol)
- 469 Nucleophilic addition to chiral pyridinium salts: stereoselective synthesis of
(-)-*N_a*-methylervitsine
- 481 Synthesis of enantiopure angularly condensed [2.2]paracyclophanes contain-
ing five-membered rings
- 489 An easy and straightforward approach to the asymmetric synthesis of
isoflavanones
- 497 Cyclobutane amino acids (CBAAAs): asymmetric Strecker synthesis of enan-
tiopure *cis*- and *trans*-2,4-methanovalines
- 503 Enantioselective synthesis of arylmethoxyacetic acid derivatives
- 511 Palladium-catalyzed asymmetric allylic substitution with a cyclopentadienide:
asymmetric synthesis of metallocenes
- 517 An improved procedure for the asymmetric aldol reaction of the titanium
enolate of an *N*₃-propionyl-3,4,5,6-tetrahydro-2*H*-1,3,4-oxadiazin-2-one
- 523 Erratum
- A73 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

NUMBER 5

Contents

- v Contributors to this issue
- vii Graphical abstracts

COMMUNICATION

- 525 Diastereoselective addition of terminal alkynes to chiral nitrones: asymmet-
ric synthesis of propargylic *N*-hydroxylamines

ARTICLES

- 529 Enantioselective synthesis of a chiral pyridazinone derivative by lipase-cata-
lyzed hydrolysis

S. K. Patel, S. Py, S. U. Pandya,
P. Y. Chavant and Y. Vallée

N. Yoshida, M. Aono, T. Tsubuki,
K. Awano and T. Kobayashi

T. Ohta, H. Sasayama, O. Nakajima, N. Kurahashi, T. Fujii and I. Furukawa	537	Asymmetric allylic substitution catalyzed by palladium–Yliphos complex
J. M. Torres-Valencia, D. L. Quintero-Mogica, G. I. León, O. R. Suárez-Castillo, J. R. Villagómez-Ibarra, E. Maldonado, C. M. Cerda-García-Rojas and P. Joseph-Nathan	543	The absolute configuration of cuauhtemone and related compounds
F. Yuste, A. Díaz, B. Ortiz, R. Sánchez-Obregón, F. Walls and J. L. García Ruano	549	A stereodivergent approach to <i>syn</i> - and <i>anti</i> - β -hydroxy- γ -amino acids. Enantioselective synthesis of <i>N</i> -Boc-statine and <i>N</i> -Boc-3-epistatine mediated by sulfoxides
K. Hirose, A. Fujiwara, K. Matsunaga, N. Aoki and Y. Tobe	555	Preparation of phenolic chiral crown ethers and podands and their enantiomer recognition ability toward secondary amines
J. D. Hull, F. Scheinmann and N. J. Turner	567	Synthesis of optically active methadones, LAAM and bufuralol by lipase-catalysed acylations
M. A. Iglesias-Arteaga, E. Castellanos and E. Juaristi	577	Alternative procedure for the synthesis of enantiopure 1-benzoyl-2(<i>S</i>)- <i>tert</i> -butyl-3-methylperhydropyrimidin-4-one, a useful starting material for the enantioselective synthesis of α -substituted β -amino acids
V. V. Thakur, M. D. Nikalje and A. Sudalai	581	Enantioselective synthesis of (<i>R</i>)-(–)-baclofen via Ru(II)–BINAP catalyzed asymmetric hydrogenation
J. Terauchi and D. P. Curran	587	<i>N</i> -Allylation of anilides with chiral palladium catalysts: the first catalytic asymmetric synthesis of axially chiral anilides
H. Pajouhesh, K. Curry, H. Pajouhesh, M. H. Meresht and B. Patrick	593	Stereospecific synthesis and absolute configuration of the (2 <i>S</i> ,3 <i>S</i> ,4 <i>S</i>)-isomer of 2-methyl-2-(carboxycyclopropyl)glycine (MCCG)
A. Patti and S. Pedotti	597	Screening of chiral ferrocenyl amino alcohols as ligands for ruthenium-catalysed transfer hydrogenation of ketones
M. López-García, I. Alfonso and V. Gotor	603	Desymmetrization of dimethyl 3-substituted glutarates through enzymatic ammonolysis and aminolysis reactions
A. Iuliano and P. Scafato	611	Application of deoxycholic acid-based copper–phosphite complexes as ligands in the enantioselective conjugate addition of diethylzinc to acyclic enones
C. Paizs, M. Toşa, C. Majdik, P. Tähtinen, F. D. Irimie and L. T. Kanerva	619	<i>Candida antarctica</i> lipase A in the dynamic resolution of novel furylbenzotiazol-based cyanohydrin acetates
A. K. Ghosh and H. Lei	629	An enantioselective synthesis of the core unit of the non-nucleoside reverse transcriptase inhibitor taurospongins A
	A101	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 6

Contents

v	Contributors to this issue
vii	Graphical abstracts

K. Itoh, Y. Oderaotoshi and S. Kanemasa	635	Enantioselective Michael addition reactions of malononitrile catalyzed by chiral Lewis acid and achiral amine catalysts
D. Hodgson and P. H. Buist	641	A chemoenzymatic route to quasisymmetrical chiral sulfoxides and their phospholipid derivatives
S. V. Malhotra	645	Lithium diisopinocampheylamide: a new and highly effective chiral catalyst in the enantioselective deprotonation of <i>meso</i> -epoxides
ARTICLES		
S. C. Halls and N. G. Lewis	649	Reversed-phase HPLC lignan chiral analysis with laser polarimetric detection
C. Da, Z. Han, M. Ni, F. Yang, D. Liu, Y. Zhou and R. Wang	659	A convenient synthesis of piperidine-based β -amino alcohols from L-Phe and highly enantioselective addition of diethyl zinc to aldehydes
N. R. Pedersen, R. Wimmer, R. Matthiesen, L. H. Pedersen and A. Gessesse	667	Synthesis of sucrose laurate using a new alkaline protease
M. Hirnschall, M. Treu, K. Mereiter, C. Hametner, J. Fröhlich and U. Jordis	675	Synthesis and stereoselective dealkylation of <i>N</i> -chiral quarternary <i>N</i> -alkyl galanthaminium halides
J. E. D. Martins, J. Alifantes, A. R. Pohlmann and V. E. U. Costa	683	Study of the kinetic resolution of ($\pm$)-10- <i>exo</i> -hydroxy-pentacyclo-[6.2.1.1 ^{3,6} .0 ^{2,7} .0 ^{5,9}]dodeca-4-one by lipase catalysis and the intramolecular racemization of the pure enantiomer by thermal dyotropic reaction
F. Palacios, D. Aparicio, A. M. Ochoa de Retana, J. M. de los Santos, J. I. Gil and R. López de Munain	689	Asymmetric synthesis of 2 <i>H</i> -aziridine phosphonates, and α - or β -amino-phosphonates from enantiomerically enriched 2 <i>H</i> -azirines
X. Chen, X. Ren, K. Peng, X. Pan, A. S. C. Chan and T.-K. Yang	701	A facile enantioselective approach to neolignans
C. J. Chapman, C. G. Frost, M. P. Gill-Carey, G. Kociok-Köhn, M. F. Mahon, A. S. Weller and M. C. Willis	705	Diphosphine mono-sulfides: readily available chiral monophosphines
J. V. Comasseto, Á. T. Omori, L. H. Andrade and A. L. M. Porto	711	Bioreduction of fluoroacetophenones by the fungi <i>Aspergillus terreus</i> and <i>Rhizopus oryzae</i>
M. I. Colombo, J. Zinczuk, M. L. Bohn and E. A. Rúveda	717	Detours en route to a total synthesis of (+)-cassioid
F. W. Lichtenthaler, M. Lergenmüller, S. Peters and Z. Varga	727	<i>manno</i> - versus <i>gluco</i> -Selectivity in reductions of 2-keto- β -D- <i>arabino</i> -hexo-pyranosides
R. R. Gadikota, A. I. Keller, C. S. Callam and T. L. Lowary	737	Efficient syntheses of <i>trans</i> -(+)-laurediol from carbohydrate precursors
S. K. Taylor, M. Ivanovic, L. J. Simons and M. M. Davis	743	An efficient asymmetric synthesis of key intermediates in the synthesis of aphanorphine and eptazocine
S. M. Lait, M. Parvez and B. A. Keay	749	Synthesis of a 1,3-spiro-amino-alcohol-derived chiral auxiliary and its application to Diels–Alder reactions
J. M. Lukesh and W. A. Donaldson	757	Synthesis of (+)-decarestrictine L
A131		Stereochemistry abstracts
I		Instructions to contributors
V		Cumulative author index

NUMBER 7

Special Issue

Catalytic Asymmetric Carbene Transfer Reactions

Guest editor: Huw M. L. Davies

Department of Chemistry, University at Buffalo, The State University of New York,
Buffalo, NY 14260-3000, USA

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
	763	Preface
M. Schinnerl, C. Böhm, M. Seitz and O. Reiser	765	New bis(oxazoline) ligands with secondary binding sites for the asymmetric cyclopropanation of furans
E. Díez-Barra, J. M. Fraile, J. I. García, E. García-Verdugo, C. I. Herrerías, S. V. Luis, J. A. Mayoral, P. Sánchez-Verdú and J. Tolosa	773	Polymer immobilization of bis(oxazoline) ligands using dendrimers as cross-linkers
P. Müller, Y. Allenbach and E. Robert	779	Rhodium(II)-catalyzed olefin cyclopropanation with the phenyliodonium ylide derived from Meldrum's acid
J. Pérez-Prieto, S.-E. Stiriba, E. Moreno and P. Lahuerta	787	A highly regio-, diastereo- and enantioselective intramolecular cyclopropanation reaction of a racemic α -diazo ketone catalyzed by chiral <i>ortho</i> -metalated dirhodium(II) compounds
R. T. Buck, D. M. Coe, M. J. Drysdale, L. Ferris, D. Haigh, C. J. Moody, N. D. Pearson and J. B. Sanghera	791	Asymmetric rhodium carbene insertion into the Si-H bond: identification of new dirhodium(II) carboxylate catalysts using parallel synthesis techniques
H. Tsutsui, Y. Yamaguchi, S. Kitagaki, S. Nakamura, M. Anada and S. Hashimoto	817	Dirhodium(II) tetrakis[<i>N</i> -tetrafluorophthaloyl-(<i>S</i>)- <i>tert</i> -leucinate]: an exceptionally effective Rh(II) catalyst for enantiotopically selective aromatic C-H insertions of diazo ketoesters
B. Saha, T. Uchida and T. Katsuki	823	Asymmetric intramolecular cyclopropanation of diazo compounds with metallosalen complexes as catalyst: structural tuning of salen ligand
P.-F. Teng, T.-S. Lai, H.-L. Kwong and C.-M. Che	837	Asymmetric inter- and intramolecular cyclopropanations of alkenes catalyzed by rhodium D_4 -porphyrin: a comparison of rhodium- and ruthenium-centred catalysts
C. Bonaccorsi, S. Bachmann and A. Mezzetti	845	Electronic tuning of the PNNP ligand for the asymmetric cyclopropanation of olefins catalysed by [RuCl(PNNP)] ⁺
S. Iwasa, S. Tsushima, K. Nishiyama, Y. Tsuchiya, F. Takezawa and H. Nishiyama	855	Catalytic asymmetric cyclopropanation of alkenes with diazoesters in protic and biphasic media
A. B. Charette, M. K. Janes and H. Lebel	867	Bis(oxazoline)-copper(I)-catalyzed enantioselective cyclopropanation of cinnamate esters with diazomethane

J. D. Moore and P. R. Hanson

T. Sugimura, A. Mori, A. Tai, T. Tei,
Y. Sakamoto and T. Okuyama

X. Zhang, M. Ma and J. Wang

A. G. H. Wee, Q. Shi, Z. Wang and
K. Hatton

A. V. Novikov, A. Sabahi, A. M. Nyong
and J. D. Rainier

K. W. Glaeske, B. N. Naidu and
F. G. West

D. M. Hodgson, A. H. Labande, R. Glen
and A. J. Redgrave

M. P. Doyle and A. J. Catino

D. J. Wardrop, R. E. Forslund,
C. L. Landrie, A. I. Velter, D. Wink
and B. Surve

H. M. L. Davies and Q. Jin

873 Substituent effects in the double diastereotopic differentiation of α -diazo-phosphonates via intramolecular cyclopropanation

881 Chiral and flexible 2,4-pentanediol-tethered cyclopropanation of olefins with a carbenoid derived from a diazo ester to construct three stereogenic centers

891 Catalytic asymmetric [2,3] sigmatropic rearrangement of sulfur ylides generated from carbenoids and propargyl sulfides

897 Diastereoselective rhodium(II)-catalyzed sulfonium ylide formation-[2,3]-sigmatropic rearrangement reaction of chiral non-racemic allylic sulfides

911 Diastereoselective synthesis of quaternary substituted thioindolines from sulfur ylide intermediates

917 Stereoselective formation and rearrangement of morpholinium ylides derived from copper carbenoids

921 Catalytic enantioselective intermolecular cycloadditions of a 2-diazo-3,6-dike-toester-derived carbonyl ylide with alkyne and strained alkene dipolarophiles

925 A short stereoselective synthesis of (+)- and (–)-2-oxabicyclo[3.3.0]oct-6-en-3-one by intramolecular carbon–hydrogen insertion catalyzed by chiral dirhodium(II) carboxamides

929 Template-directed C–H activation: development and application to the total synthesis of 7-episordidin

941 Intermolecular C–H activation at benzylic positions: synthesis of (+)-imperanene and (–)- α -conidendrin

A157 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 8

Contents

v Contributors to this issue

vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 56

951 Chiral *N*-heterocyclic carbene-transition metal complexes in asymmetric catalysis

COMMUNICATIONS

963 NMR determination of absolute configuration of α -acyloxy ketones

967 Catalytic enantioselective protonation of cobalt–enolate equivalents generated by 1,4-reduction with borohydride

971 Asymmetric synthesis of chiral β -iodo Baylis–Hillman esters using MgI_2 as promoter via a one-pot three-component reaction

975 Relationship between the time, yield, and enantiomeric excess of asymmetric autocatalysis of chiral 2-alkynyl-5-pyrimidyl alkanol with amplification of enantiomeric excess

ARTICLES

981 Synthesis, resolution and absolute configuration of *trans* 4,5-diphenylpyrrolidin-2-one: a possible chiral auxiliary

M. C. Perry and K. Burgess

J.-C. Jullian, X. Franck, S. Latypov,
R. Hocquemiller and B. Figadère

Y. Ohtsuka, T. Ikeno and T. Yamada

H.-X. Wei, D. Chen, X. Xu, G. Li and
P. W. Paré

I. Sato, D. Omiya, H. Igarashi, K. Kato,
Y. Ogi, K. Tsukiyama and K. Soai

J. Escalante and M. A. González-Tototzin

J. Wu, C. C. Pai, W. H. Kwok, R. W. Guo, T. T. L. Au-Yeung, C. H. Yeung and A. S. C. Chan	987	Studies on the rhodium- and ruthenium-catalyzed asymmetric hydrogenation of α -dehydroamino acids using a family of chiral dipyridylphosphine ligand (P-Phos)
A. Bongini, M. Panunzio, E. Tamanini, G. Martelli, P. Vicennati and M. Monari	993	Lewis acid-catalyzed electrocyclization of 2-aza-1,3-butadienes to <i>NH</i> - β -lactams
X. Chen, D.-M. Du and W.-T. Hua	999	Synthesis of novel chiral polyamide macrocycles containing pyridyl side-arms and their molecular recognition properties
J. G. Fernández-Bolaños, V. Ulgar, I. Maya, J. Fuentes, M ^a J. Diáñez, M ^a D. Estrada, A. López-Castro and S. Pérez-Garrido	1009	Synthesis of new <i>C</i> -sulfosugars and <i>C</i> -sulfoalditols: Amadori rearrangement of 6- <i>C</i> -sulfo-D-fucose
A. Maly, B. Lejczak and P. Kafarski	1019	Quinine as chiral discriminator for determination of enantiomeric excess of diethyl 1,2-dihydroxyalkanephosphonates
I. Bitter, É. Kőszegi, A. Grün, P. Bakó, K. Pál, A. Grofcsik, M. Kubinyi, B. Balázs and G. Tóth	1025	Synthesis of chiral 1,3-calix[4](crown-6) ethers as potential mediators for asymmetric recognition processes
A. Avenzoza, J. H. Busto, F. Corzana, J. M. Peregrina, D. Sucunza and M. M. Zurbano	1037	Diastereoselective synthesis of protected 4- <i>epi</i> -vancosamine from (<i>S</i>)- <i>N</i> -Boc- <i>N,O</i> -isopropylidene- α -methylserinal
E. Lindner, A. Ghanem, I. Warad, K. Eichele, H. A. Mayer and V. Schurig	1045	Asymmetric hydrogenation of an α,β -unsaturated ketone by diamine(ether-phosphine)ruthenium(II) complexes and lipase-catalyzed kinetic resolution: a consecutive approach
T. Buhse	1055	A tentative kinetic model for chiral amplification in autocatalytic alkylzinc additions
M. Truong, F. Lecornué and A. Fadel	1063	First synthesis of (1 <i>S</i> ,2 <i>S</i>)- and (1 <i>R</i> ,2 <i>R</i>)-1-amino-2-isopropylcyclobutanecarboxylic acids by asymmetric Strecker reaction from 2-substituted cyclobutanones
Y. Wu, L. Yang, X. Cui, C. Du and Y. Zhu	1073	Synthesis of novel chiral tellurium complexes by redox reaction of planar chiral cyclomercured ferrocenylimines with tellurium powder and X-ray crystal structure of [TeCl{C ₅ H ₅ FeC ₅ H ₃ C(CH ₃)=N-C ₆ H ₄ -4-CH ₃ }]
A. K. Yadav, M. Manju and P. R. Chhinpa	1079	Enantioselective cathodic reduction of some prochiral ketones in the presence of (–)- <i>N,N'</i> -dimethylquininium tetrafluoroborate at mercury cathode
	A183	Stereochemistry abstracts
	I	Tetrahedron: Asymmetry reports
	III	Instructions to contributors
	VII	Cumulative author index

NUMBER 9

Contents

v	Contributors to this issue
vii	Graphical abstracts

COMMUNICATIONS	
C. Mouriès, B. Deguin, F. Lamari, M.-J. Foglietti, F. Tillequin and M. Koch	1083 Homochiral rigid γ -amino acid glycosides from aucubin
I. Gergely, C. Hegedüs, H. Gulyás, Á. Szöllősy, A. Monsees, T. Riermeier and J. Bakos	1087 Enantioselective hydrogenation catalyzed by highly active rhodium complexes of chiral phosphites with atropisomeric moieties
S. Raimondi, L. Forti, D. Monti and S. Riva	1091 Kinetic resolutions of racemic amines and alcohols catalyzed by an industrial glutaryl-7-aminocephalosporanic acid acylase with unexpected broad substrate specificity
ARTICLES	
M. Tiecco, L. Testaferri, F. Marini, S. Sternativo, C. Santi, L. Bagnoli and A. Temperini	1095 Synthesis of enantiomerically pure 1,4-dioxanes from alkenes promoted by organoselenium reagents
M. Yus, D. J. Ramón and O. Prieto	1103 Synthesis of new C_2 -symmetrical bis(hydroxycamphorsulfonamide) ligands and their application in the enantioselective addition of dialkylzinc reagents to aldehydes and ketones
H. Brunner, M. Schönherr and M. Zabel	1115 Enantioselective catalysis. Part 148: Carbohydrate-derived oxime ethers stable towards hydrolysis—syntheses of ligands and complexes and a study of their catalytic properties
J. Wehbe, V. Rolland, M. L. Roumestant and J. Martinez	1123 Glutamate transporter blockers: enantiomerically pure (2 <i>S</i> ,3 <i>S</i>)- and (2 <i>S</i> ,3 <i>R</i>)-3-methyl glutamic acids
J. Ortiz, X. Ariza and J. Garcia	1127 Stereoselective synthesis of musclides A1, A2 and B
A. Pezzella, D. Vogna and G. Prota	1133 Synthesis of optically active tetrameric melanin intermediates by oxidation of the melanogenic precursor 5,6-dihydroxyindole-2-carboxylic acid under biomimetic conditions
M. Rivard, F. Guillen, J.-C. Fiaud, C. Aroulanda and P. Lesot	1141 Efficient enantiodiscrimination of chiral monophosphine oxides and boranes by phosphorus coupled ^{13}C NMR spectroscopy in the presence of chiral ordering agents
F.-D. Boyer, T. Prangé and P.-H. Ducrot	1153 Synthesis of agarofuran antifeedants. Part 6: Enantioselective synthesis of a key decalinic intermediate
A. Kulesza, A. Mieczkowski, J. Romański and J. Jurczak	1161 Asymmetric addition of titanium and sodium alkoxides to chiral imines
C. Tanyeli and S. Özçubukçu	1167 The first enantioselective synthesis of chiral norbornane-type 1,4-diamine ligand
T. Mecozzi, M. Petrini and R. Profeta	1171 Reactivity of chiral exocyclic <i>N</i> -acyliminium ions with aromatic derivatives
J. Garcés, P. Franco, L. Oliveros and C. Minguiñón	1179 Mixed cellulose-derived benzoates bonded on allylsilica gel as HPLC chiral stationary phases: influence of the introduction of an aromatic moiety in the fixation substituent
M. Baños, E. Román and J. A. Serrano	1187 Studies on the reactivity of (pentitol-1-yl)nitrocyclohexadienes with acetyl chloride in methanol
D. Cunningham, D. H. Grayson, P. McArdle and J. J. Walsh	1197 The bromination of (–)-camphorquinone
R. J. Tennant-Eyles, B. G. Davis and A. J. Fairbanks	1201 Solid phase peptide templated glycosidic bond formation
G. D. Coxon, J. R. Al-Dulayymi, M. S. Baird, S. Knobl, E. Roberts and D. E. Minnikin	1211 The synthesis of (11 <i>R</i> ,12 <i>S</i>)-lactobacillic acid and its enantiomer
R. Akkari, M. Calmès, D. Di Malta, F. Escalé and J. Martínez	1223 (<i>S</i>)-(3-Hydroxy-4,4-dimethyl-2-oxopyrrolidin-1-yl) acetic acid as a solid supported chiral auxiliary in the asymmetric synthesis of β^2 -homoarylglycines

A205	Stereochemistry abstracts
I	Instructions to contributors
V	Cumulative author index

NUMBER 10

Contents

v	Contributors to this issue
vii	Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 57

C. M. García-Pajón, R. Hernández-Galán and I. G. Collado	1229	Biotransformations by <i>Colletotrichum</i> species
N. Valls, M. Vallribera, M. Font-Bardía, X. Solans and J. Bonjoch	1241	Synthesis of the proposed core of aeruginosins 205: the new α -amino acid (2 <i>S</i> ,3 <i>aS</i> ,6 <i>R</i> ,7 <i>aS</i>)-2-carboxy-6-chlorooctahydroindole
W. H. Midura, J. A. Krysiak and M. Mikołajczyk	1245	The first synthesis of enantiomerically pure cyclopropylphosphonate analogues of nucleotides via asymmetric cyclopropanation of chiral (1-diethoxyphosphoryl)vinyl <i>p</i> -tolyl sulfoxide
N. Kanoh, A. Tomatsu, T. Nishikawa, M. Ide, T. Tsuchida, K. Isshiki and M. Nakata	1251	Practical deracemization of NM-3, a synthetic angiogenesis inhibitor

ARTICLES

E. C. S. Brenelli and J. L. N. Fernandes	1255	Stereoselective acylations of 1,2-azidoalcohols with vinyl acetate, catalyzed by lipase Amano PS
A. Johansson, P. Abrahamsson and Ö. Davidsson	1261	Solid-phase supported chiral lithium amides used in deprotonation reactions
Y. Liang, S. Gao, H. Wan, J. Wang, H. Chen, Z. Zheng and X. Hu	1267	Syntheses and resolutions of new chiral biphenyl backbones: 2-amino-2'-hydroxy-6,6'-dimethyl-1,1'-biphenyl and 2-amino-2'-hydroxy-4,4',6,6'-tetramethyl-1,1'-biphenyl
Y. Xing and J. Ning	1275	First syntheses of D-mannose penta- and decasaccharides, the repeating unit and its dimer of the cell-wall mannan of <i>Candida kefyr</i> IFO 0586
H. Huang, Z. Zheng, H. Chen, C. Bai and J. Wang	1285	Readily available new pyridyl alcohols derived from D-glucose as ligands for the enantioselective addition of diethylzinc to aldehydes
G. Hanquet, X. J. Salom-Roig, L. Gressot-Kempf, S. Lanners and G. Solladié	1291	New insights into the reduction of β,δ -diketo-sulfoxides
M. Kwit and J. Gawronski	1303	Chiral calixsalen-type macrocycles from <i>trans</i> -1,2-diaminocyclohexane
A. Couture, E. Deniau, P. Grandclaudeon and S. Lebrun	1309	Asymmetric synthesis of (+)- and (-)-latifine
L. Thunberg and S. Allenmark	1317	Asymmetric cycloaddition routes to both enantiomers of <i>trans</i> -9,10-dihydro-9,10-ethanoanthracene-11,12-dicarboxylic acid
M. Kurokawa, T. Shindo, M. Suzuki, N. Nakajima, K. Ishihara and T. Sugai	1323	Enzyme-catalyzed enantiomeric resolution of <i>N</i> -Boc-proline as the key-step in an expeditious route towards RAMP
A. S. Demir, Ö. Sesenoglu, H. Aksoy-Cam, H. Kaya and K. Aydogan	1335	Enantioselective synthesis of both enantiomers of 2-amino-2-(2-furyl)ethanol-1-ol as a flexible building block for the preparation of serine and azasugars
A. Musidlowska-Persson and U. T. Bornscheuer	1341	Site directed mutagenesis of recombinant pig liver esterase yields mutants with altered enantioselectivity

- A. Iuliano, C. Lecci and P. Salvadori
- W. Adam, A. K. Beck, A. Pichota, C. R. Saha-Möller, D. Seebach, N. Vogl and R. Zhang
- M. K. Gurjar, A. M. S. Murugaiah, P. Radhakrishna, C. V. Ramana and M. S. Chorghade
- S. Raghavan and M. A. Rasheed
- T. I. Danilova, V. I. Rozenberg, E. V. Vorontsov, Z. A. Starikova and H. Hopf
- Y. Fujima, Y. Hirayama, M. Ikunaka and Y. Nishimoto
- K. Tsubaki, H. Morikawa, H. Tanaka and K. Fuji
- N. S. Goulioukina, T. M. Dolgina, G. N. Bondarenko, I. P. Beletskaya, M. M. Ilyin, V. A. Davankov and A. Pfaltz
- N. Ma and D. Ma
- 1345 The *s*-triazine moiety as a scaffold for connecting different chiral auxiliaries: synthesis of new biselectro CSPs for enantioselective chromatography
- 1355 Control of enantioselectivity through a hydrogen-bonded template in the vanadium(V)-catalyzed epoxidation of allylic alcohols by optically active hydroperoxides
- 1363 A novel and simple asymmetric synthesis of CMI-977 (LDP-977): a potent anti-asthmatic drug lead
- 1371 Sulfinyl moiety as an internal nucleophile. Part 6: Stereospecific synthesis of 3-amino-2-hydroxy-4-phenylbutanoate
- 1375 A new family of planar-chiral symmetric and unsymmetric salens based on the [2.2]paracyclophane skeleton
- 1385 A scalable chemoenzymatic preparation of (*R*)-tetrahydrofuran-2-carboxylic acid
- 1393 Convenient synthesis and efficient resolution of 3,3'-bis(benzyloxy)-1,1'-binaphthalene-2,2'-diol
- 1397 Highly enantioselective hydrogenation of α,β -unsaturated phosphonates with iridium–phosphinooxazoline complex: synthesis of a phosphorus analogue of naproxen
- 1403 Asymmetric synthesis of (–)-deoxoprosopphylline
- A241 Stereochemistry abstracts
- I Tetrahedron: *Asymmetry* reports
- III Instructions to contributors
- VII Cumulative author index

NUMBER 11

Contents

- v Contributors to this issue
- vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 58

- 1407 Kinetic resolution strategies using non-enzymatic catalysts

COMMUNICATIONS

- D. E. J. E. Robinson and S. D. Bull
- R. Settambolo, G. Guazzelli and R. Lazzaroni
- A. Caselli, G. B. Giovenzana, G. Palmisano, M. Sisti and T. Pilati
- S. E. Gibson, H. Ibrahim, C. Pasquier and V. M. Swamy
- Z. Pakulski, O. M. Demchuk, R. Kwiatosz, P. W. Osinski, W. Świerczyńska and K. M. Pietrusiewicz
- 1447 Intramolecular cyclodehydration of (4*S*)-(+)-4-carboxyethyl-4-(pyrrol-1-yl)butanal as the key step in the formal synthesis of (*S*)-(–)-Myrmecarin 217
- 1451 Synthesis of *C*₂-symmetrical diamine based on (1*R*)-(+)-camphor and application to oxidative aryl coupling of naphthols
- 1455 A versatile route to planar chiral diphosphines and their application in the asymmetric Heck reaction
- 1459 The classical Kagan's amides are still practical NMR chiral shift reagents: determination of enantiomeric purity of *P*-chirogenic phospholene oxides

M. P. Krzemiński and M. Zaidlewicz	1463	Asymmetric reduction of ketoxime derivatives and <i>N</i> -alkylketimines with borane–oxazaborolidine adducts
ARTICLES		
H. Dai, X. Hu, H. Chen, C. Bai and Z. Zheng	1467	New efficient <i>P,N,O</i> -tridentate ligands for Ru-catalyzed asymmetric transfer hydrogenation
M. Osorio-Olivares, M. C. Rezende, S. Sepúlveda-Boza, B. K. Cassels, R. F. Baggio and J. C. Muñoz-Acevedo	1473	A two-step method for the preparation of homochiral cathinones
A. M. Gil, E. Buñuel, M. D. Díaz-de-Villegas and C. Cativiela	1479	Olefination of methyl (1 <i>S</i> ,2 <i>R</i> ,4 <i>R</i>)- <i>N</i> -benzoyl-2-formyl-7-azabicyclo[2.2.1]-heptane-1-carboxylate, a synthetic approach to new conformationally constrained prolines
A. S. Demir, A. Aybey, Ö. Sesenoglu and F. Polat	1489	Chemoenzymatic synthesis of both enantiomers of 3-hydroxy-2,3-dihydro-4 <i>H</i> -chromen-4-one
C. Paizs, M. Toşa, C. Majdik, P. Moldovan, L. Novák, P. Kolonits, A. Marcovici, F.-D. Irimie and L. Poppe	1495	Optically active 1-(benzofuran-2-yl)ethanols and ethane-1,2-diols by enantiotopic selective bioreductions
P. Müller, F. Lacrampe and G. Bernardinelli	1503	Rhodium(II)-catalyzed enantioselective intramolecular CH insertion with alkyl diazo(trialkylsilyl) acetates
G. Uccello-Barretta, F. Mirabella, F. Balzano and P. Salvadori	1511	C11 versus C9 carbamoylation of quinine: a new class of versatile polyfunctional chiral solvating agents
S. Doherty, E. G. Robins, I. Pál, C. R. Newman, C. Hardacre, D. Rooney and D. A. Mooney	1517	Polymer-supported phosphoramidites: highly efficient and recyclable catalysts for asymmetric hydrogenation of dimethylitaconate and dehydroamino acids and esters
M. Kawasaki, H. Kakuda, M. Goto, S. Kawabata and T. Kometani	1529	Asymmetric synthesis of 2-substituted chroman-4-ones using lipase-catalyzed kinetic resolutions
L. Berlicki, E. Rudzińska and P. Kafarski	1535	Enantiodifferentiation of aminophosphonic and aminophosphinic acids with α - and β -cyclodextrins
H. Iding, B. Wirz and R.-M. Rodríguez Sarmiento	1541	Chemoenzymatic preparation of non-racemic <i>N</i> -Boc-piperidine-3,5-dicarboxylic acid 3-methyl esters and their 5-hydroxymethyl derivatives
R. M. Rodríguez Sarmiento, B. Wirz and H. Iding	1547	Chemoenzymatic preparation of non-racemic <i>N</i> -Boc-pyrrolidine-3,4-dicarboxylic acid 3-ethyl esters and their 4-hydroxymethyl derivatives
T. Govender, H. K. Hariprakash, H. G. Kruger and A. P. Marchand	1553	Synthesis and transport studies of a new class of cage-annulated chiral macrocycles
M. Kaik and J. Gawroński	1559	Facile monoprotection of <i>trans</i> -1,2-diaminocyclohexane
A. Paju, T. Kanger, T. Pehk, R. Lindmaa, A.-M. Müürisepp and M. Lopp	1565	Asymmetric oxidation of 3-alkyl-1,2-cyclopentanediones. Part 2: Oxidative ring cleavage of 3-alkyl-1,2-cyclopentanediones: synthesis of 2-alkyl- γ -lactone acids
A. Kamal, M. Sandbhor and A. A. Shaik	1575	Application of a one-pot lipase resolution strategy for the synthesis of chiral γ - and δ -lactones
M. Sharfuddin, A. Narumi, Y. Iwai, K. Miyazawa, S. Yamada, T. Kakuchi and H. Kaga	1581	Lipase-catalyzed dynamic kinetic resolution of hemiaminals
D. Jayaprakash, Y. Kobayashi, S. Watanabe, T. Arai and H. Sasai	1587	Enantioselective epoxidation of α,β -unsaturated ketones using polymer-supported lanthanoid–BINOL complexes
A269		Stereochemistry abstracts
I		Instructions to contributors
V		Cumulative author index

NUMBER 12

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
A. Ichikawa, H. Ono and N. Harada	1593	Synthesis and analytical properties of (<i>S</i>)-(+)-2-methoxy-2-(9-phenanthryl)propionic acid
T. Hashimoto, Y. Tanaka and K. Maruoka	1599	Symmetrical 4,4',6,6'-tetraarylbinaphthyl-substituted ammonium bromide as a new, chiral phase-transfer catalyst
S. Konishi, H. Hanawa and K. Maruoka	1603	Catalytic asymmetric methallylation and propargylation of aldehydes with bis(((<i>S</i>)-binaphthoxy)(isopropoxy)titanium) oxide
A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero and B. Lora Maroto	1607	First access to enantiopure C(7)-substituted fenchones: new norbornane-based chiral materials from the chiral pool
A. M. Segarra, F. Guirado, C. Claver and E. Fernandez	1611	Efficiency of natural bentonite versus synthetic organo(bis-silanetriolates) as supports towards the heterogenisation of asymmetric hydroboration
		ARTICLES
E. Arceo, J. M. Odriozola, J. M. García, A. González and P. Gil	1617	Asymmetric synthesis of (<i>R</i>)-4-hexanolide, the pheromone of <i>Trogoderma glabrum</i>
S. Toyota, T. Shimasaki, N. Tanifuji and K. Wakamatsu	1623	Experimental and theoretical investigations of absolute stereochemistry and chiroptical properties of enantiopure 2,2'-substituted 9,9'-bianthryls
K. Sakai, R. Sakurai, A. Yuzawa, Y. Kobayashi and K. Saigo	1631	Resolution of 3-(methylamino)-1-(2-thienyl)propan-1-ol, a new key intermediate for duloxetine, with (<i>S</i>)-mandelic acid
J.-P. Ebran, P. Jubault, X. Pannecoucke and J.-C. Quirion	1637	Diastereoselective synthesis of chiral non-racemic 2-substituted 2-borane-tophosphino ethanoic acid: a potential intermediate to chiral ligands for asymmetric catalysis
R. A. Tromp, M. van der Hoeven, A. Amore, J. Brussee, M. Overhand, G. A. van der Marel and A. van der Gen	1645	Synthesis of Fmoc-protected (2 <i>S</i> ,3 <i>S</i>)-2-hydroxy-3-amino acids from a furyl substituted chiral cyanohydrin
R. G. Soengas, J. C. Estévez, R. J. Estévez and M. A. Maestro	1653	Synthesis of polyhydroxylated α -nitrocyclohexane carboxylic acids derived from D-glucose: a striking case of racemization
M. Zaidlewicz, A. Tafelska-Kaczmarek, A. Prewysz-Kwinto and A. Chechlowska	1659	Asymmetric synthesis of (<i>S</i>)-bufuralol and a propafenone analogue
G. Rassu, L. Auzzas, V. Zambrano, P. Burreddu, L. Battistini and C. Curti	1665	A short entry to novel C(2)-methyl branched 4a-carbafuranoses
B. Thierry, J.-C. Plaquevent and D. Cahard	1671	Poly(ethylene glycol) supported <i>cinchona</i> alkaloids as phase transfer catalysts: application to the enantioselective synthesis of α -amino acids
M. Amat, C. Escolano, N. Llor, M. Huguet, M. Pérez and J. Bosch	1679	Stereoselective α -amidoalkylation reactions of phenylglycinol-derived bicyclic lactams
M. Calmès, F. Escalé, M. Rolland and J. Martínez	1685	Diastereoselective esterification of ($\pm$)- <i>N</i> -trifluoroacetyl pipecolic acid using (<i>S</i>)- α -methyl pantolactone: synthesis of (<i>S</i>)- <i>N</i> -Boc pipecolic acid and (<i>S</i>)- <i>N</i> -Boc-2-piperidinemethanol
M. Amat, M.-D. Coll, N. Llor, C. Escolano, E. Molins, C. Miravittles and J. Bosch	1691	Asymmetric synthesis of tetracyclic substructures of <i>Strychnos</i> indole alkaloids
S. Bastin, M. Ginj, J. Brocard, L. Pélinski and G. Novogrocki	1701	Chiral ferrocenyl amino alcohols for enantioselective additions of diethylzinc to aldehydes

S. Jarosz, K. Szewczyk and A. Zawisza	1709	Synthesis of highly oxygenated enantiomerically pure <i>cis</i> -bicyclo[4.3.0]-nonanes from secondary sugar allyltin derivatives
S. Jarosz, K. Szewczyk and A. Zawisza	1715	Synthesis and thermal stability of secondary sugar allyltin derivatives
G. de Gonzalo, R. Brieva, V. M. Sánchez, M. Bayod and V. Gotor	1725	Enzymatic alkoxycarbonylation reactions on the intermediate in the synthesis of (–)-paroxetine, <i>trans</i> - <i>N</i> -benzyloxycarbonyl-4-(4'-fluorophenyl)-3-hydroxy-methylpiperidine
C. Bolm, T. Focken and G. Raabe	1733	Synthesis of iridium complexes with novel planar chiral chelating imidazolyli-dene ligands
S. Ferrer, M. Pastó, B. Rodríguez, A. Riera and M. A. Pericàs	1747	Chiral derivatives of semisquaric acid as new modular ligands for asymmetric catalysis
M. Kirihaara, M. Kawasaki, T. Takuwa, H. Kakuda, T. Wakikawa, Y. Takeuchi and K. L. Kirk	1753	Efficient synthesis of (<i>R</i>)- and (<i>S</i>)-1-amino-2,2-difluorocyclopropanecarboxylic acid via lipase-catalyzed desymmetrization of prochiral precursors
A303		Stereochemistry abstracts
I		Instructions to contributors
V		Cumulative author index

NUMBER 13

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
S. N. Joshi and S. V. Malhotra	1763	Enantioselective addition of diethylzinc to aldehydes catalyzed by a β -amino alcohol derived from (+)-3-carene
D. J. Chambers, G. R. Evans and A. J. Fairbanks	1767	A facile synthesis of 4,6- <i>O</i> -benzylidene glucal
K. M. Sureshan, T. Yamasaki, M. Hayashi and Y. Watanabe	1771	A simple and practical resolution of 1,2:4,5-di- <i>O</i> -isopropylidene- <i>myo</i> -inositol
		ARTICLES
M. Ordóñez, A. González-Morales, C. Ruíz, R. De la Cruz-Cordero and M. Fernández-Zertuche	1775	Preparation of (<i>R</i>)- and (<i>S</i>)- γ -amino- β -hydroxypropylphosphonic acid from glycine
J. Xu, X. Su and Q. Zhang	1781	Preparation of highly enantiomerically pure linear secondary alcohols via asymmetric reduction of prochiral ketones with borane
A. Zampella, V. Sepe, R. D'Orsi, G. Bifulco, C. Bassarello and M. V. D'Auria	1787	Stereochemical assignment of the C23–C35 portion of sphinxolide/reidispongiolide class of natural products by asymmetric synthesis
S. Nanda and J. S. Yadav	1799	Asymmetric synthesis of unnatural (<i>Z,Z,E</i>)-octadecatrienoid and eicosa-trienoid by lipoxygenase-catalyzed oxygenation
D. Guieysse, C. Salagnad, P. Monsan, M. Remaud-Simeon and V. Tran	1807	Towards a novel explanation of <i>Pseudomonas cepacia</i> lipase enantioselectivity via molecular modelling of the enantiomer trajectory into the active site
F. Bargiggia and O. Piva	1819	Anionic versus photochemical diastereoselective deconjugation of diacetone D-glucose α,β -unsaturated esters
M. Gulea, F. Hammerschmidt, P. Marchand, S. Masson, V. Pisljagic and F. Wuggenig	1829	Synthesis of chiral, nonracemic α -sulfanylphosphonates and derivatives

- M. Drag, R. Latajka,
E. Gumienna-Kontecka, H. Kozłowski
and P. Kafarski
- S. Aragonès, F. Bravo, Y. Díaz,
M^a I. Matheu and S. Castellón
- S. F. Oğuz and İ. Doğan
- L. Su, X. Li, W. L. Chan, X. Jia and
A. S. C. Chan
- F. Nomoto, Y. Hirayama, M. Ikunaka,
T. Inoue and K. Otsuka
- J.-P. Mazaleyrat, K. Wright, A. Gaucher,
M. Wakselman, S. Oancea, F. Formaggio,
C. Toniolo, V. Setnička, J. Kapitán and
T. A. Keiderling
- C. Paizs, P. Tähtinen, K. Lundell,
L. Poppe, F.-D. Irimie and L. T. Kanerva
- A. Korostylev, D. Selent, A. Monsees,
C. Borgmann and A. Börner
- J. Le Bras and J. Muzart
- T. Bakó, P. Bakó, G. Keglevich,
N. Báthori, M. Czugler, J. Tatai,
T. Novák, G. Parlagh and L. Tőke
- A. Magyar, B. Schönecker, J. Wölffing,
G. Schneider, W. Günther and H. Görls
- E. Vaz, M. Fernandez-Suarez and
L. Muñoz
- C. Paizs, M. Toşa, V. Bódai, G. Szakács,
I. Kmezc, B. Simándi, C. Majdik,
L. Novák, F.-D. Irimie and L. Poppe
- T. Lee and S. Kim
- 1837 Stereoselective synthesis, solution structure and metal complexes of (1*S*,2*S*)-2-amino-1-hydroxyalkylphosphonic acids
- 1847 Synthesis of amino-1,4-anhydro-D-pentitols and amino-1,5-anhydro-D-hexitols with the *arabino* configuration from (*R*)-glycidol
- 1857 Determination of energy barriers and racemization mechanisms for thermally interconvertible barbituric and thiobarbituric acid enantiomers
- 1865 Copper-catalyzed enantioselective conjugate addition of triethylaluminum to 2-cyclopentenone
- 1871 A practical chemoenzymatic process to access (*R*)-quinuclidin-3-ol on scale
- 1879 Synthesis and conformational study of homo-peptides based on (*S*)-Bin, a C₂-symmetric binaphthyl-derived C^{α,α}-disubstituted glycine with only axial chirality
- 1895 Preparation of novel phenylfuran-based cyanohydrin esters: lipase-catalysed kinetic and dynamic resolution
- 1905 Chiral pyrophosphites—synthesis and application as ligands in Rh(I)-catalyzed asymmetric hydrogenation
- 1911 Amino acid/copper-catalyzed enantioselective allylic benzoyloxylation of olefins in water promoted by diethylene glycol
- 1917 Enantioselective Michael addition of 2-nitropropane to chalcone analogues catalyzed by chiral azacrown ethers based on α-D-glucose and D-mannitol
- 1925 Synthesis of *N*-[2-(2-pyridyl)ethyl]-17a-aza-D-homosteroids and their biomimetic copper-mediated ligand hydroxylations with molecular oxygen
- 1935 Determination of the absolute stereochemistry of Etzionin
- 1943 Kinetic resolution of 1-(benzofuran-2-yl)ethanols by lipase-catalyzed enantiomer selective reactions
- 1951 Efficient preparation of enantiomerically pure (*E*)-4-(tributylstannanyl)but-3-en-2-ol via lipase-mediated resolution
- A337 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

NUMBER 14

Contents

- v Contributors to this issue
- vii Graphical abstracts

COMMUNICATIONS

- 1955 Highly enantioselective arylation of ketones
- 1959 Synthesis and catalytic activity of 10-(aminomethyl)isoborneol-based catalysts: the role of the C(2)-group on the asymmetric induction

O. Prieto, D. J. Ramón and M. Yus

A. García Martínez, E. Teso Vilar,
A. García Fraile, S. de la Moya Cerero
and B. Lora Maroto

- J. P. Cros, Y. Pérez-Fuertes, M. J. Thatcher, S. Arimori, S. D. Bull and T. D. James 1965 Non-linear effects operate and dynamic ligand exchange occurs when chiral BINOL–boron Lewis acids are used for asymmetric catalysis
- J.-Y. Goujon, D. Gueyrard, P. Compain, O. R. Martin and N. Asano 1969 Ring-opening reactions of iminosugar-derived aziridines: application to the general synthesis of α -1-*C*-substituted derivatives of fagomine
- T. Jerphagnon, J.-L. Renaud, P. Demonchaux, A. Ferreira and C. Bruneau 1973 Enantioselective hydrogenation of isomeric β -acetamido β -alkylacrylates: crucial influence of temperature
- P. N. O'Shaughnessy and P. Scott 1979 Biaryl amine ligands for lanthanide catalysed enantioselective hydroamination/cyclisation of aminoalkenes
- V. P. Krasnov, G. L. Levit, I. M. Bukrina, I. N. Andreeva, L. Sh. Sadretdinova, M. A. Korolyova, M. I. Kodess, V. N. Charushin and O. N. Chupakhin 1985 Kinetic resolution of ($\pm$)-2,3-dihydro-3-methyl-4*H*-1,4-benzoxazine, ($\pm$)-2-methyl-1,2,3,4-tetrahydroquinoline and ($\pm$)-2-methylindoline using *N*-tosyl-(*S*)-prolyl chloride
- M. Hechavarría Fonseca, E. Eibler, M. Zabel and B. König 1989 Synthesis of novel nitrogen-containing ligands for the enantioselective addition of diethylzinc to aldehydes
- C. Carter, S. Fletcher and A. Nelson 1995 Towards phase-transfer catalysts with a chiral anion: inducing asymmetry in the reactions of cations
- P. Allevi and M. Anastasia 2005 A simple modular synthesis of pyridinoline a collagen cross-link of biochemical interest
- T. I. Danilova, V. I. Rozenberg, E. V. Sergeeva, Z. A. Starikova and S. Bräse 2013 Novel chiral tridentate Schiff base ligands of the [2.2]paracyclophane series: synthesis and application
- F. Busqué, M. Cantó, P. de March, M. Figueredo, J. Font and S. Rodríguez 2021 From *p*-benzoquinone to cyclohexane chiron: first asymmetric synthesis of (+)-rengyolone and (+)- and (–)-menisdaurilide
- N. Casamitjana, M. Amat, N. Llor, M. Carreras, X. Pujol, M. Montserrat Fernández, V. López, E. Molins, C. Miravittles and J. Bosch 2033 Diels–Alder reactions of phenylglycinol-derived bicyclic lactams. Enantio-divergent synthesis of *cis*-hydroisoquinolines
- F. Molinari, R. Gandolfi, R. Villa, E. Urban and A. Kiener 2041 Enantioselective oxidation of prochiral 2-methyl-1,3-propandiol by *Acetobacter pasteurianus*
- X. Cheng and K. K. Hii 2045 Unsymmetrical terdentate phosphorus-nitrogen-nitrogen (PNN) ligands: effect of the M/L ratio and the pendant group on stereoselectivity
- L. M. Levy, J. R. Dehli and V. Gotor 2053 Lipase-catalysed resolution of cyclic *cis*- and *trans*- β -hydroxy esters
- P. A. Levkin, Y. A. Strelenko, K. A. Lyssenko, V. Schurig and R. G. Kostyanovsky 2059 Temperature-dependent racemic compound-conglomerate crystallization of 2,3:6,7-dibenzobicyclo[3.3.1]nona-2,6-diene-4,8-dione
- N. Jaber, F. Carrée, J.-C. Fiaud and J. Collin 2067 A new enantioselective Mannich-type reaction catalyzed by bis-binaphthoxy iodo samarium
- X. Hu, H. Chen, H. Dai, X. Hu and Z. Zheng 2073 Synthesis of novel ferrocenylphosphine-amidine ligands with central and planar chirality and their diastereomeric effect in Pd-catalyzed asymmetric allylic alkylation
- C.-Y. Chang and T.-K. Yang 2081 Synthesis of optically active α -aminobenzolactam via an oxidative–cyclization reaction
- T. Matsuda, R. Kanamaru, K. Watanabe, T. Kamitanaka, T. Harada and K. Nakamura 2087 Control of enantioselectivity of lipase-catalyzed esterification in supercritical carbon dioxide by tuning the pressure and temperature
- S. Raghavan, A. Rajender and J. S. Yadav 2093 Novel, efficient and stereospecific synthesis of *xyl*o-(2*R*,3*S*,4*S*)-phytosphingosine and *threo*-(2*R*,3*R*)-sphingosine

B.-Y. He, T.-J. Wu, X.-Y. Yu and
P.-Q. Huang

J. H. Lee, S. U. Son and Y. K. Chung

2101 A flexible non-amino acid-based formal asymmetric synthesis of naturally occurring (2*R*,3*S*)-2-aminotetradeca-5,7-dien-3-ol: observation of a remarkable protecting group effect

2109 Synthesis of novel planar chiral ferrocene and cyclopentadienyl manganese tricarbonyl derivatives and their use as chiral ligands in the palladium-catalyzed asymmetric allylic alkylation

A373 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 15

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATION

2115 Evaluating the role of solvent and borane on the enantioselectivity of the oxazaborolidine reduction of prochiral ketones using catalysts derived from *cis*-(1*R*,2*S*)-1-amino-indan-2-ol

ARTICLES

2119 Stereospecific synthesis of amphetamines

2127 New chiral amino-phosphoramidite and bisphosphoramidite ligands derived from (*R,R*)-1,2-diaminocyclohexane: application in Cu-catalyzed asymmetric conjugate addition of diethylzinc to 2-cyclohexenone

2133 Enantioselective biotransformation of α,α -disubstituted dinitriles to the corresponding 2-cyanoacetamides using *Rhodococcus* sp. CGMCC 0497

2143 Enantioseparation of 1-(*p*-bromophenyl)ethanol by crystallization of host–guest complexes with permethylated β -cyclodextrin: crystal structures and mechanisms of chiral recognition

2153 One-pot acylation and fractional crystallization: preparation of optically active serinol monobenzoates

2161 Memory of chirality in the stereoselective synthesis of β -lactams: importance of the starting amino acid derivative

2171 A novel P-chirogenic phosphine ligand, (*S,S*)-1,2-bis-[(ferrocenyl)methylphosphino]ethane: synthesis and use in rhodium-catalyzed asymmetric hydrogenation and palladium-catalyzed asymmetric allylic alkylation

2177 Asymmetric catalysis. Part 153: Metal-catalysed enantioselective α -ketol rearrangement

2189 AlEt₃-promoted eliminative ring-opening of β -hydroxy epoxides: highly stereoselective synthesis of terminal α -hydroxy olefins

2195 Highly stereoselective synthesis of a seven-membered carbasugar via triisobutylaluminium promoted Claisen rearrangement

N. J. Gilmore and S. Jones

J. M. Wagner, C. J. McElhinny, Jr.,
A. H. Lewin and F. I. Carroll

C. G. Arena, V. Casilli and F. Faraone

Z.-L. Wu and Z.-Y. Li

A. Grandeury, S. Petit, G. Gouhier,
V. Agasse and G. Coquerel

S. Sugiyama, T. Inoue and K. Ishii

M^a A. Bonache, G. Gerona-Navarro,
C. García-Aparicio, M. Alías,
M. Martín-Martínez, M^a T. García-López,
P. López, C. Cativiela and
R. González-Muñiz

N. Oohara, K. Katagiri and T. Imamoto

H. Brunner, H. B. Kagan and G. Kreutzer

F. Wang, S. H. Wang, Y. Q. Tu and
S. K. Ren

C. Jia, Y. Zhang and L. Zhang

- R. Badorrey, C. Cativiela,
M. D. Díaz-de-Villegas and J. A. Gálvez
- R. Badorrey, C. Cativiela,
M. D. Díaz-de-Villegas, J. A. Gálvez
and A. Gil
- J. Bayardon, M. Cavazzini, D. Maillard,
G. Pozzi, S. Quici and D. Sinou
- G. Bringmann, M. Breuning,
R.-M. Pfeifer and P. Schreiber
- F. Meyer, A. Laaziri, A. M. Papini,
J. Uziel and S. Jugé
- C.-Y. Chang and T.-K. Yang
- M. Pallavicini, C. Bolchi, B. Moroni,
E. Valoti and O. Piccolo
- E. Deniau, D. Enders, A. Couture and
P. Grandclaude
- S. Tisse, V. Peulon-Agasse, H. Oulyadi,
F. Marsais and J. C. Combret
- A. Holmén, J. Oxelbark and S. Allenmark
- K. Kriis, T. Kanger, A.-M. Müürisepp and
M. Lopp
- E. M. Sanchez Fernandez,
J. I. Candela Lena, E. Altinel, N. Birlirakis,
A. F. Barrero and S. Arseniyadis
- L. Wang, W. H. Kwok, A. S. C. Chan,
T. Tu, X. Hou and L. Dai
- 2201 Efficient resolution of *rac*-2-cyano-2-methyl-3-phenylpropanoic acid. An appropriate starting material for the enantioconvergent synthesis of (*S*)- α -methylphenylalanine on a large laboratory scale
- 2209 Efficient enantioconvergent synthesis of (*S*)- α -benzyl- α -methyl- β -alanine from (*R*)- and (*S*)-2-cyano-2-methyl-3-phenylpropanoic acid
- 2215 Chiral fluororous phosphorus ligands based on the binaphthyl skeleton: synthesis and applications in asymmetric catalysis
- 2225 Atropo-enantioselective synthesis of a C_3 -symmetric tripodal ligand with three axially chiral biaryl subunits
- 2229 Efficient synthesis of β -halogeno protected L-alanines and their β -phosphonium derivatives
- 2239 Asymmetric synthesis of ACE inhibitor-Benazepril HCl via a bioreductive reaction
- 2247 Resolution of 1-phenyl-2-(*p*-tolyl)ethylamine via diastereomeric salt formation
- 2253 A new synthetic route to highly enantioenriched 3-substituted-2,3-dihydro-1*H*-isoindol-1-ones
- 2259 Selective access and full characterization of mono-acidic permethylated β -cyclodextrin derivatives and their methyl esters
- 2267 Direct determination of the absolute configuration of a cyclic thiolsulfinate by VCD spectroscopy
- 2271 C_2 -Symmetric bimorpholines as chiral ligands in the asymmetric hydrogenation of ketones
- 2277 Lead tetraacetate mediated domino reactions on (*R*)-(-)-carvone-derived bicyclic unsaturated 1,2-diols and further rearrangements
- 2291 Asymmetric hydroesterification of styrene using catalysts with planar-chiral ferrocene oxazoline ligands
- A405 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

NUMBER 16

Contents

- v Contributors to this issue
- vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 59

- 2297 Planar chiral 2-ferrocenyloxazolines and 1,1'-bis(oxazoliny)ferrocenes—syntheses and applications in asymmetric catalysis

COMMUNICATIONS

- G. J. A. Conceição, P. J. S. Moran and
J. A. R. Rodrigues
- V. V. Dunina, E. D. Razmyslova,
O. N. Gorunova, M. V. Livantsov and
Y. K. Grishin
- 2327 Homochiral (1*S*,2*R*)-1,2-indandiol from asymmetric reduction of 1,2-indanedione by resting cells of the yeast *Trichosporon cutaneum*
- 2331 Asymmetric exchange of cyclopalladated ligands with a high level of asymmetric induction: a new route to optically active phosphapalladacycles

V. Grosset, D. Danvy and M. Capet	2335	Determination of the absolute configuration of fasidotril, a potent dual ACE/NEP inhibitor
ARTICLES		
H. Nagatomo, Y. Matsushita, K. Sugamoto and T. Matsui	2339	Enantioselective reduction of γ -hydroperoxy- α,β -unsaturated carbonyl compounds catalyzed by lipid-coated peroxidase in organic solvents
A. Solís, H. Luna, H. I. Pérez and N. Manjarrez	2351	Evaluation of guanabana (<i>Annona muricata</i>) seed meal as a source of (S)-oxynitrilase
Y. Li, Y. Hu, Z. Xie and X. Chen	2355	Enantioselective total synthesis of chiricanine B
H. Nakano, J. Yokoyama, Y. Okuyama, R. Fujita and H. Hongo	2361	Novel chiral xylofuranose-based phosphinooxathiane and phosphinooxazinane ligands for palladium-catalyzed asymmetric allylations
R. D. Ionescu, A. Blom and T. Frejd	2369	Phenylalanine derivatives as catalysts in the enantioselective addition of diethylzinc to benzaldehydes
A. M. Scheppokat, M. Morita, J. Thiem and H. Bretting	2381	Enzymatic $\alpha(1 \rightarrow 2)$ -L-fucosylation: investigation of the specificity of the $\alpha(1 \rightarrow 2)$ -L-galactosyltransferase from <i>Helix pomatia</i>
L. Minuti, A. Taticchi, D. Lanari, A. Marrocchi and E. Gacs-Baitz	2387	Reactions of (S)-(+)-4-ethenyl[2.2]paracyclophane with heterocyclic quinones
A. Paju, T. Kanger, O. Niitsoo, T. Pehk, A.-M. Müürisepp and M. Lopp	2393	Asymmetric oxidation of 3-alkyl-1,2-cyclopentanediones. Part 3: Oxidative ring cleavage of 3-hydroxyethyl-1,2-cyclopentanediones: synthesis of α -hydroxy- γ -lactone acids and spiro- γ -dilactones
E. Brenna, C. Fuganti, F. G. Gatti, M. Passoni and S. Serra	2401	Enantioselective synthesis of benzylic stereocentres via Claisen rearrangement of enantiomerically pure allylic alcohols: preparation of (R)- and (S)-3-methyl-2-phenylbutylamine
F. Couty, G. Evano and N. Rabasso	2407	Synthesis of enantiopure azetidine 2-carboxylic acids and their incorporation into peptides
S. Acherar, G. Audran, N. Vanthuyne and H. Monti	2413	Use of lipase-catalyzed kinetic resolution for the enantioselective approach toward sesquiterpenes containing quaternary centers: the cuparane family
U. Chiacchio, L. Borrello, D. Iannazzo, P. Merino, A. Piperno, A. Rescifina, B. Richichi and G. Romeo	2419	Enantioselective synthesis of <i>N,O</i> -psiconucleosides
A. Wallner, H. Mang, S. M. Glueck, A. Steinreiber, S. F. Mayer and K. Faber	2427	Chemo-enzymatic enantio-convergent asymmetric total synthesis of (S)-(+)-dictyoprolene using a kinetic resolution—stereoinversion protocol
F. Zsila, Z. Bikádi and M. Simonyi	2433	Molecular basis of the Cotton effects induced by the binding of curcumin to human serum albumin
G. P. Aguado, A. G. Moglioni, B. N. Brousse and R. M. Ortuño	2445	Synthesis and diastereoselective catalytic hydrogenation of optically active cyclobutyl α,β -dehydro- α -dipeptides
G. Lesma, B. Danieli, D. Passarella, A. Sacchetti and A. Silvani	2453	New solution free and polymer anchored chiral bispidine-based amino alcohols. Synthesis and screening for the enantioselective addition of diethylzinc to benzaldehyde
S. Koul, R. Parshad, S. C. Taneja and G. N. Qazi	2459	Enzymatic resolution of naproxen
G. Delogu, M. A. Dettori, A. Patti, S. Pedotti, A. Forni and G. Casalone	2467	Stereoselective oxazaborolidine–borane reduction of biphenyl alkyl diketones–lignin models: enantiopure dehydrodiapocynol derivatives
S. Peters, F. W. Lichtenthaler and H. J. Lindner	2475	A 2- <i>C</i> -fructosyl-propanone locked in a 2,7-dioxabicyclo[3.2.1]octane framework
P. N. Liu, Y. C. Chen, X. Q. Li, Y. Q. Tu and J. G. Deng	2481	Dendritic catalysts for asymmetric transfer hydrogenation based (1 <i>S</i> ,2 <i>R</i>)-norephedrine derived ligands
A439		Stereochemistry abstracts
I		Instructions to contributors
V		Cumulative author index

NUMBER 17

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
K. Okrasa, E. Guibé-Jampel and M. Therisod	2487	Ionic liquids as a new reaction medium for oxidase–peroxidase-catalyzed sulfoxidation
R. Settambolo, G. Guazzelli, L. Mengali, A. Mandoli and R. Lazzaroni	2491	A new class of optically active pyrrole derivatives: (3 <i>R</i>)-3-(pyrrol-1-yl)alk-1-enes from D- α -aminoacids
N. Kise, A. Fujimoto, N. Moriyama and N. Ueda	2495	Stereoselective intramolecular coupling of diaroylacetates of (1 <i>R</i> ,1' <i>R</i>)- <i>exo,exo'</i> -3,3'-biisoborneol by oxidation with Br ₂
M. De Rosa, M. R. Acocella, R. Villano, A. Soriente and A. Scettri	2499	A convenient catalytic procedure for the highly enantioselective aldol condensation of <i>O</i> -silyldienolates
T. Mino, Y. Tanaka, T. Yabusaki, D. Okumura, M. Sakamoto and T. Fujita	2503	A C(aryl)–N(amine) bond atropisomeric aminophosphine: preparation and use as a ligand in a catalytic asymmetric allylic alkylation
		ARTICLES
J. Yu, Z. Li, W. Lu, S. Zhang and M. Cai	2507	Novel stereoselective synthesis of 1-(β -D- and α -L-glycopyranosyl)-5-methyl-1 <i>H</i> -1,2,4-triazoles
L. S. Santos, S. A. Fernandes, R. A. Pilli and A. J. Marsaioli	2515	A novel asymmetric reduction of dihydro- β -carboline derivatives using calix[6]arene/chiral amine as a host complex
F. Orsini and E. Di Teodoro	2521	A new Co(0) complex mediated synthesis of <i>C</i> -glycoside analogues
J. Duran, D. Oliver, A. Polo, J. Real, J. Benet-Buchholz and X. Fontrodona	2529	Synthesis and characterization of a new enantiopure hydroxylated phosphine, its rhodium(I) and (III) complexes and their performance in catalytic carbonylation
S. Kumar and U. Ramachandran	2539	Phase transfer catalyzed asymmetric alkylations of imine glycinamides
A. Ghanem and V. Schurig	2547	Entrapment of <i>Pseudomonas cepacia</i> lipase with peracetylated β -cyclodextrin in sol–gel: application to the kinetic resolution of secondary alcohols
M. Lämmerhofer, D. Hebenstreit, E. Gavioli, W. Lindner, A. Mucha, P. Kafarski and P. Wiczorek	2557	High-performance liquid chromatographic enantiomer separation and determination of absolute configurations of phosphinic acid analogues of dipeptides and their α -aminophosphinic acid precursors
R. Chênevert, G. Courchesne and D. Caron	2567	Chemoenzymatic enantioselective synthesis of the polypropionate acid moiety of dolabriferol
S. Diezi, A. Szabo, T. Mallat and A. Baiker	2573	Inversion of enantioselectivity in the hydrogenation of ketopantolactone on platinum modified by ether derivatives of cinchonidine
C. L. Romero Zaliz and O. Varela	2579	Straightforward synthesis of derivatives of D- and L-galactonic acids as precursors of stereoregular polymers
A. Kamal, K. V. Ramana, A. V. Ramana and A. H. Babu	2587	Chemoenzymatic enantioselective synthesis of 3-hydroxy-2-pyrrolidinones and 3-hydroxy-2-piperidinones
Z. Ma, J. Zhang and F. Kong	2595	Concise syntheses of β -GlcNAcp-(1 $\rightarrow$ 6)- α -Manp-(1 $\rightarrow$ 6)-Manp and its dimer, and β -GlcNAcp-(1 $\rightarrow$ 2)- α -Manp-(1 $\rightarrow$ 6)-Manp
V. Bódai, O. Orovecz, G. Szakács, L. Novák and L. Poppe	2605	Kinetic resolution of <i>trans</i> -2-acetoxycycloalkan-1-ols by lipase-catalysed enantiomerically selective acylation
G. G. Chilov, H. M. Moody, W. H. J. Boesten and V. K. Švedas	2613	Resolution of (<i>RS</i>)-phenylglycinonitrile by penicillin acylase-catalyzed acylation in aqueous medium
R. Green, P. J. M. Taylor, S. D. Bull, T. D. James, M. F. Mahon and A. T. Merritt	2619	A practical synthesis of enantiopure (<i>S</i>)-4-(4-hydroxybenzyl)-oxazolidin-2-one

S. Lebrun, A. Couture, E. Deniau
and P. Grandclaoudon

N. Demirel and Y. Bulut

R. Galeazzi, M. Garavelli, A. Grandi,
M. Monari, G. Porzi and S. Sandri

M. Tiecco, L. Testaferri, F. Marini,
S. Sternativo, C. Santi, L. Bagnoli
and A. Temperini

2625 Asymmetric synthesis of 5-arylmethylpyrrolidin-2-ones and 2-arylmethylpyrrolidines

2633 Synthesis of chiral diaza 18-crown-6 ethers from chiral amines and molecular recognition of potassium and sodium salts of amino acids

2639 Unusual peptides containing the 2,6-diaminopimelic acid framework: Stereocontrolled synthesis, X-ray analysis, and computational modelling. Part 2

2651 Selenium-promoted synthesis of enantiomerically pure substituted morpholines starting from alkenes and chiral aminoalcohols

A459 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 18

Contents

v Contributors to this issue

vii Graphical abstracts

K. Nakamura, R. Yamanaka, T. Matsuda
and T. Harada

H. B. Mereyala and P. Pola

X. Li, X. Jia, G. Lu,
T. T.-L. Au-Yeung, K.-H. Lam,
T. W. H. Lo and A. S. C. Chan

V. Flores-Morales,
M. Fernández-Zertuche and M. Ordóñez

N. W. J. T. Heinsman,
C. G. P. H. Schroën, A. van der Padt,
M. C. R. Franssen, R. M. Boom and
K. van't Riet

A. Magyar, B. Schönecker, J. Wölfling,
G. Schneider, W. Günther and H. Görls

U. Chiacchio, A. Corsaro, D. Iannazzo,
A. Piperno, V. Pistarà, A. Rescifina,
R. Romeo, G. Sindona and G. Romeo

M. Majerić Elenkov, Z. Hameršak and
V. Šunjić

A. Lesac, S. Narančić, M. Šepelj,
D. W. Bruce and V. Šunjić

N. V. Dubrovina, V. I. Tararov,
A. Monsees, R. Kadyrov, C. Fischer
and A. Börner

TETRAHEDRON: ASYMMETRY REPORT NUMBER 60

2659 Recent developments in asymmetric reduction of ketones with biocatalysts

COMMUNICATION

2683 Resolution of 1-arylethylamines with 5-(1,2-*O*-isopropylidene-3,6-anhydro- α -D-glucofuranosyl) hydrogen phthalate

ARTICLES

2687 Highly enantioselective hydrogenation of enamides catalyzed by rhodium-monodentate phosphoramidite complex derived from H₈-BINOL

2693 Highly diastereoselective addition of Et₂AlCN to β -keto amides derived from (*S*)-4-isopropyl-2-oxazolidinone

2699 Substrate sorption into the polymer matrix of Novozym 435® and its effect on the enantiomeric ratio determination

2705 Synthesis of 16,17-*seco*-steroids with iminomethyl-2-pyridine and aminomethylene-2-pyridine structures as chiral ligands for copper ions and molecular oxygen activation

2717 Diastereo- and enantioselective synthesis of *N,O*-nucleosides

2725 Kinetic resolution of diastereomeric racemates of 7-bromo-3-(1'-hydroxyethyl)-1-methyl-5-(2'-pyridyl)-2,3-dihydro-1*H*-1,4-benzodiazepin-2-one by immobilized CAL-B

2731 Synthesis of novel chiral dopants based on optically active *p*-substituted mandelic acids

2739 Economic preparation of 1,3-diphenyl-1,3-bis(diphenylphosphino)propane: a versatile chiral diphosphine ligand for enantioselective hydrogenations

N. Monnier-Benoit, I. Jabin, M. Selkti, A. Tomas and G. Revial	2747	Michael reactions of unsubstituted aromatic chiral imines with substituted unsaturated acid esters
M. A. Baur, A. Riahi, F. Hénin and J. Muzart	2755	Catalytic asymmetric protonation of fluoro-enolic species: access to optically active 2-fluoro-1-tetralone
H.-J. Schanz, M. A. Linseis and D. G. Gilheany	2763	Improved resolution methods for (<i>R,R</i>)- and (<i>S,S</i>)-cyclohexane-1,2-diamine and (<i>R</i>)- and (<i>S</i>)-BINOL
Y. Hu, X. Liang, Z. Zheng and X. Hu	2771	Nonlinear effects in the enantioselective 1,4-conjugate addition of diethyl-zinc to chalcone
L. Minuti, A. Taticchi, D. Lanari, A. Marrocchi and E. Gacs-Baitz	2775	Synthesis of enantiopure helical cyclophanes containing five-membered heterocyclic rings
P. Ferraboschi, D. Colombo and P. Prestileo	2781	A convenient synthesis of oxandrolone through a regioselective <i>Candida antarctica</i> lipase-catalyzed transformation
W. Iwanek, M. Urbaniak, B. Gawdzik and V. Schurig	2787	Synthesis of enantiomerically and diastereomerically pure oxazaborolo-benz-oxazaborininone derivatives of resorcinarene from L-proline
C. Nóbrega and J. T. Vázquez	2793	Conformational study of the hydroxymethyl group in α -D-mannose derivatives
J. Gerencsér, N. Báthori, M. Czugler, P. Huszthy and M. Nógrádi	2803	Synthesis of new optically active pyridino- and pyridono-18-crown-6 type ligands containing four lipophilic chains
V. Albrow, K. Biswas, A. Crane, N. Chaplin, T. Easun, S. Gladiali, B. Lygo and S. Woodward	2813	Synthesis of an octahydro-1,1'-binaphthyl thioether ligand and comparison with unhydrogenated binaphthyl analogues
W.-M. Dai, K. K. Y. Yeung, W. H. Leung and R. K. Haynes	2821	Air-stable <i>P</i> -stereogenic secondary phosphine oxides as chiral monodentate ligands for asymmetric catalytic carbon-carbon bond formation
R. Kawęcki	2827	New, recoverable and highly effective sulfinyl chiral auxiliary
C. Song, S. Jiang and G. Singh	2833	Synthesis of (6 <i>S</i>)-6-fluoroshikimic acid
A. Kamal, M. Sandbhor, A. A. Shaik and V. Sravanthi	2839	One-pot synthesis and resolution of chiral allylic alcohols
	2845	Corrigendum
A499		Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 19

Special Issue

Stereoselective Radical Reactions

Guest editor: Mukund P. Sibi

Department of Chemistry, North Dakota State University,
Fargo, ND 58105, USA

Contents

v	Contributors to this issue
vii	Graphical abstracts
2847	Preface

C. M. Jessop, A. F. Parsons, A. Routledge and D. J. Irvine	2849	Radical addition reactions of chiral phosphorus hydrides
G. K. Friestad, T. Jiang and G. M. Fioroni	2853	Tandem thiyl radical addition and cyclization of chiral hydrazones using a silicon-tethered alkyne
M. Ueda, H. Miyabe, A. Nishimura, H. Sugino and T. Naito	2857	Zinc-mediated radical reaction of glyoxylic oxime ether and hydrazone in aqueous media: asymmetric synthesis of α -amino acids
D. Crich, D.-H. Suk and S. Sun	2861	Highly diastereoselective radical cyclization of a glucose-derived enol ether radical cation/phosphate anion pair
J. Marco-Contelles, L. Domínguez, S. Anjum, P. Ballesteros, E. Soriano and D. Postel	2865	A free radical approach to the synthesis of the 1,7-dioxaspiro[4,4]nonane ring system from carbohydrate templates
E. J. Enholm, F. Allais and S. Bareyt	2871	Aldehyde–alkene cyclizations via <i>O</i> -stannyl ketyl radicals using sugars as chiral auxiliaries
K. Hiroi, M. Kaneko, M. Ishii and F. Kato	2875	Asymmetric radical carbon–carbon bond forming reactions in chiral amides and imides under sulfonyl groups stereocontrol
M. P. Sibi and G. Petrovic	2879	Enantioselective radical reactions: the use of metal triflimides as Lewis acids
P. Garner, Ö. Şeşenoğlu and H. Burgoon	2883	ARTICLES A camphor-derived chiral auxiliary for hydroxyalkyl radicals
F. Brebion, M. Vitale, L. Fensterbank and M. Malacria	2889	Enantiopure alkylidene-1,1-bis- <i>p</i> -tolylsulfoxides as new partners in diastereoselective radical cyclizations
S. Kiyooka	2897	Diastereoselective radical debromination approach toward divergent syntheses of <i>syn</i> - and <i>anti</i> -propionate units, coupled with enantioselective and/or diastereoselective Lewis acid-promoted aldol reactions
H.-S. Oh and J. K. Cha	2911	Radical cyclization–fragmentation of ω -haloalkyl cyclobutanones: a modular approach to medium-sized carbocycles
A. K. Croft, C. J. Easton, K. Kociuba and L. Radom	2919	Strategic use of amino acid <i>N</i> -substituents to limit α -carbon-centered radical formation and consequent loss of stereochemical integrity
D. Yang, B.-F. Zheng, S. Gu, P. W. H. Chan and N.-Y. Zhu	2927	Diastereoselective atom transfer radical cyclization reactions of unsaturated α -bromo oxazolidinone imides catalyzed by Lewis acids
J. U. Rhee, B. I. Bliss and T. V. RajanBabu	2939	Stereochemical control in radical cyclization routes to <i>N</i> -glycosides: role of protecting groups and of the configuration (<i>E</i> versus <i>Z</i>) of the acceptors
A. M. Gómez, E. Moreno, G. O. Danelón, S. Valverde and J. C. López	2961	Stereodivergent synthesis of 5a-carba-hexopyranoses from carbohydrates via 6- <i>exo-dig</i> radical cyclization: preparation of 5a-carba- β -D-manno-, α -D-allo-, β -L-talo- and α -L-gulopyranose pentaacetates from D-mannose
A. Srikrishna, R. Viswajanani and J. A. Sattigeri	2975	A radical cyclisation based cyclopentenone annulation of allyl alcohols
R. Pedrosa, C. Andrés, J. P. Duque-Soladana, A. Maestro and J. Nieto	2985	Regio- and diastereoselective tandem addition–carbocyclization promoted by sulfanyl radicals on chiral perhydro-1,3-benzoxazines
G. V. M. Sharma, Rakesh, A. S. Chander, V. G. Reddy, M. H. V. R. Rao and A. C. Kunwar	2991	Radical reactions on enol-esters: facile synthesis of 3-ulosonic acid derivatives and chiral spiroacetals
R. Nouguié, S. Gastaldi, D. Stien, M. Bertrand, F. Villar, O. Andrey and P. Renaud	3005	Synthesis of ($\pm$)- and (–)-botryodiplodin using stereoselective radical cyclizations of acyclic esters and acetals
J. Hartung and R. Kneuer	3019	Synthesis of enantiopure (2 <i>R</i>)-configured muscarine alkaloids via selective alkoxyl radical ring-closure reactions

O. Tamura, T. Yanagimachi and H. Ishibashi	3033	Synthesis of (–)-aphanorphine using a sulfur-directed aryl radical cyclization
H. Sugimoto, S. Nakamura, Y. Watanabe and T. Toru	3043	Enantioselective hydrogen atom transfer to α -sulfonyl radicals controlled by selective coordination of a chiral Lewis acid to an enantiotopic sulfonyl oxygen
D. Dakternieks, V. T. Perchyonok and C. H. Schiesser	3057	Single enantiomer free-radical chemistry—Lewis acid-mediated reductions of racemic halides using chiral non-racemic stannanes
M. Blumenstein, M. Lemmler, A. Hayen and J. O. Metzger	3069	Enantioselective hydrogen transfer reactions from chiral binaphthyl variants of tin hydrides to prochiral radicals
	A527	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 20

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
	3079	Publisher's Announcement: Tetrahedron Prize 2003
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 61
C. Baudequin, J. Baudoux, J. Levillain, D. Cahard, A.-C. Gaumont and J.-C. Plaquevent	3081	Ionic liquids and chirality: opportunities and challenges
		COMMUNICATION
U. Eilitz, F. Leßmann, O. Seidelmann and V. Wendisch	3095	Stereoselective Michael addition of trimethyl aluminium to nitro acrylates: a route to 2-methyl-3-amino propionic acid
		ARTICLES
T. J. Wenzel, E. P. Amonoo, S. S. Shariff and S. E. Anigyei	3099	Sulfated and carboxymethylated cyclodextrins and their lanthanide complexes as chiral NMR discriminating agents
R. N. Patel, L. Chu and R. Mueller	3105	Diastereoselective microbial reduction of (<i>S</i>)-[3-chloro-2-oxo-1-(phenylmethyl)propyl]carbamic acid, 1,1-dimethylethyl ester
M. G. Nascimento, S. P. Zanotto, S. P. Melegari, L. Fernandes and M. M. Sá	3111	Resolution of α -methylene- β -hydroxy esters catalyzed by free and immobilized <i>Pseudomonas</i> sp. lipase
F. Ceccacci, G. Mancini, P. Mencarelli and C. Villani	3117	Determination of the rotational barrier of a chiral biphenyl: Comparison of theoretical and experimental data
A. Y. Khimiuk, A. V. Korennykh, L. M. van Langen, F. van Rantwijk, R. A. Sheldon and V. K. Švedas	3123	Penicillin acylase-catalyzed peptide synthesis in aqueous medium: a chemo-enzymatic route to stereoisomerically pure diketopiperazines
M. Sánchez-Aris, C. Estivill and A. Virgili	3129	Synthesis and structural study of the enantiomers of α,α' -bis(trifluoromethyl)-10,10'-(9,9'-bianthryl)dimethanol as a chiral solvating agent
F. Mercier, F. Brebion, R. Dupont and F. Mathey	3137	1-Phosphanorbornadiene-imines and amines in enantioselective allylic <i>C</i> - and <i>N</i> -alkylation
C. Heindl, H. Hübner and P. Gmeiner	3141	Ex-chiral pool synthesis and receptor binding studies of 4-substituted prolinol derivatives
C. Heindl, H. Hübner and P. Gmeiner	3153	Enantiospecific synthesis and receptor binding of novel dopamine receptor ligands employing natural 4-hydroxyproline as a practical and flexible building block

A. J. Moreno-Vargas and P. Vogel	3173	Efficient resolution of <i>N</i> -Boc-7-azabicyclo[2.2.1]hept-5-en-2-one: formal syntheses of natural epibatidine and its enantiomer
D. I. MaGee, T. C. Mallais and M. Eic	3177	Asymmetric synthesis of chiral α -keto esters via Grignard addition to oxalates
D. S. Micalizzi, J. P. Dougherty, L. A. Noecker, G. R. Smith and R. M. Giuliano	3183	Synthesis of the polyketomycin disaccharide
M. Cambià, P. D'Arrigo, E. Fasoli, S. Servi, D. Tessaro, F. Canevotti and L. Del Corona	3189	Chemo-enzymatic approach to D-allo-isoleucine
P. Ciuffreda, L. Alessandrini, G. Terraneo and E. Santaniello	3197	Lipase-catalyzed selective benzylation of 1,2-diols with vinyl benzoate in organic solvents
M. Wielechowska and J. Plenkiewicz	3203	1-Alkylthio-3-aryloxypropan-2-ols: synthesis and enantiomer separation by lipase-catalyzed transesterification
Y. Liang, S. Gao, H. Wan, Y. Hu, H. Chen, Z. Zheng and X. Hu	3211	Development of new chiral <i>P,N</i> ligands and their applications in enantioselective 1,4-conjugate additions of diethylzinc to chalcones
S.-F. Zhu, Y. Fu, J.-H. Xie, B. Liu, L. Xing and Q.-L. Zhou	3219	Synthesis of chiral 4,4'-disubstituted 1,1'-spirobiindane-7,7'-diols and related phosphoramidites: the substituent effect of SIPHOS ligands in Rh-catalyzed asymmetric hydrogenation
M. E. Vargas-Díaz, L. Chacón-García, P. Velázquez, J. Tamariz, P. Joseph-Nathan and L. G. Zepeda	3225	Enantioselective synthesis of 1-alkyl-substituted 1-phenyl-1,2-ethanediols using a myrtenal-derived chiral auxiliary
T. R. Hoover and S. R. Hitchcock	3233	Oxadiazinones as chiral auxiliaries: diastereoselective aldol addition reactions of <i>N</i> ₃ -glycolyl-3,4,5,6-tetrahydro-2 <i>H</i> -1,3,4-oxadiazin-2-ones
B. A. Ellsworth, A. G. Doyle, M. Patel, J. Caceres-Cortes, W. Meng, P. P. Deshpande, A. Pullockaran and W. N. Washburn	3243	<i>C</i> -Arylglucoside synthesis: triisopropylsilane as a selective reagent for the reduction of an anomeric <i>C</i> -phenyl ketal
F. A. Jaipuri, B. D. Bower and N. L. Pohl	3249	Protic acid-catalyzed polymerization of β -lactones for the synthesis of chiral polyesters
P. M. Donate, D. Frederico, R. da Silva, M. G. Constantino, G. Del Ponte and P. S. Bonatto	3253	Asymmetric synthesis of γ -butyrolactones by enantioselective hydrogenation of butenolides
	3257	Erratum
	3259	Corrigendum
	A559	Stereochemistry abstracts
	I	Tetrahedron: <i>Asymmetry</i> reports
	III	Instructions to contributors
	VII	Cumulative author index

NUMBER 21

Contents

v	Contributors to this issue
vii	Graphical abstracts
3261	Announcement – new Editor for <i>Tetrahedron Letters</i>

- C. Camara, L. Keller and F. Dumas 3263
- C. Sanfilippo, G. Nicolosi, G. Delogu, D. Fabbri and M. A. Dettori 3267
- I. Janowska and J. Zakrzewski 3271
- T. Yamagishi, M. Ohnuki, T. Kiyooka, D. Masui, K. Sato and M. Yamaguchi 3275
- C. A. Ogle and J. B. Human 3281
- COMMUNICATIONS**
- T. Prisinzano, L.-W. Hsin, J. E. Folk, J. L. Flippen-Anderson, C. George, A. E. Jacobson and K. C. Rice 3285
- A. L. Braga, R. M. Rubim, H. S. Schrekker, L. A. Wessjohann, M. W. G. de Bolster, G. Zeni and J. A. Sehnem 3291
- Z. Guangyou, L. Yuqing, W. Zhaohui, H. Nohira and T. Hirose 3297
- A. Breuning, R. Vicik and T. Schirmeister 3301
- S. Serra, E. Brenna, C. Fuganti and F. Maggioni 3313
- B. F. Bonini, M. Fochi, M. Comes-Franchini, A. Ricci, L. Thijs and B. Zwanenburg 3321
- M. Tollabi, E. Framery, C. Goux-Henry and D. Sinou 3329
- J. Pawłowska, Z. Czarnocki, K. Wojtasiewicz and J. K. Maurin 3335
- A. Kłys, J. Zakrzewski and L. Jerzykiewicz 3343
- M. Li, K. Yuan, Y.-Y. Li, B.-X. Cao, J. Sun and X.-L. Hou 3347
- R. Galeazzi, G. Martelli, G. Mobbili, M. Orena and S. Rinaldi 3353
- A. E. Wróblewski and A. Hałajewska-Wosik 3359
- M. Toffano, B. Dudot, A. Zaparucha, J. Royer, M. Sevrin, P. George and A. Chiaroni 3365
- C. Della Monica, N. Maulucci, F. De Riccardis and I. Izzo 3371
- P. Kiełbasiński, R. Żurawiński, M. Albrycht and M. Mikołajczyk 3379
- Microwave activation of an asymmetric Michael reaction: unexpected behaviour of chiral α -alkoxy imines
- Access to optically active 2,2'-dihydroxy-6,6'-dimethoxy-1,1'-biphenyl by a simple biocatalytic procedure
- Circular dichroism spectra of planar chiral 2-substituted ferrocenecarboxaldehydes and 2-ferrocenyl-1,1-dicyanoethylenes
- Construction of *P*-stereogenic center by selective ligation of N–P–N type ligands and application to asymmetric allylic substitution reactions
- Chiral lithiothiophenes as non-transferable ligands in organocuprate conjugate addition reactions
- ARTICLES**
- A concise synthesis of (*S*)-(+)-1-(4-{2-[bis-(4-fluorophenyl)methoxy]-ethyl}-piperazin-1-yl)-2-phenylpropan-2-ol dimaleate
- The facile synthesis of chiral oxazoline catalysts for the diethylzinc addition to aldehydes
- Resolution of β -aminoalcohols and 1,2-diamines using fractional crystallization of diastereomeric salts of dehydroabiatic acid
- An improved synthesis of aziridine-2,3-dicarboxylates via azido alcohols—epimerization studies
- Lipase-catalyzed resolution of *p*-menthan-3-ols monoterpenes: preparation of the enantiomer-enriched forms of menthol, isopulegol, *trans*- and *cis*-piperitol, and *cis*-isopiperitenol
- Synthesis of ferrocenyl-oxazolines by ring expansion of *N*-ferrocenoyl-aziridine-2-carboxylic esters
- Palladium-catalyzed asymmetric allylic alkylation using chiral glucosamine-based monophosphines
- Stereoselective synthesis of (*R*)-(-)-mianserin
- Resolution and determination of the absolute configuration of 3,3',4,4'-tetramethyl-1,1'-diphosphaferrocene-2-carboxaldehyde
- On the role of planar chirality in asymmetric catalysis: Improvement of enantioselectivity in the addition of diethylzinc to aldehydes with planar chiral 1,1'-*N,O*-ferrocenyl ligands
- Synthesis of a conformationally restricted analog of pregabalin by stereoselective alkylation of a chiral pyrrolidin-2-one
- An efficient synthesis of an enantiomerically pure phosphonate analogue of L-GABOB
- Asymmetric routes towards polyfunctionalized pyrrolidines: application to the synthesis of alkaloid analogues
- Asymmetric synthesis of (3*S*,4*R*,7*S*)-(-)-3-hydroxy-7-methoxy-2,2,4-trimethyl-decanoic acid, a plausible polyketide fragment of halipeptin A
- The first enzymatic desymmetrizations of prochiral phosphine oxides

F. Felluga, G. Pitacco, E. Valentin, A. Coslanich, M. Fermeglia, M. Ferrone and S. Priol	3385	Studying enzyme enantioselectivity using combined ab initio and free energy calculations: α -chymotrypsin and methyl <i>cis</i> - and <i>trans</i> -5-oxo-2-pentylpyrrolidine-3-carboxylates
N. Franceschini, S. Da Nascimento, P. Sonnet and D. Guillaume	3401	Efficient enantioselective synthesis of 2-substituted thiomorpholin-3-ones
M. Shi and W. Zhang	3407	Chiral C_1 -symmetric diaminothiophosphoramidate–Cu(I) catalyzed asymmetric addition of diethylzinc to <i>N</i> -sulfonylimines
X. Hu, H. Chen, H. Dai and Z. Zheng	3415	Synthesis of novel P-ketimine bidentate ferrocenyl ligands with central and planar chirality and comparison in the catalytic activity between P-ketimine and P-aldimine
	3423	Erratum
	A613	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 22

Special Issue

Asymmetric Synthesis on a Process Scale

Guest editors: Joseph D. Armstrong, III,^a Michael J. Martinelli^b and Chris Senanayake^c

^a*Merck Research Laboratories, Rahway, NJ, USA*

^b*Amgen Chemistry Research, Thousand Oaks, CA, USA*

^c*Boehringer-Ingelheim Pharmaceuticals, Ridgefield, CT, USA*

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
	3425	Preface
		COMMUNICATIONS
L. DiMichele, S. A. King and A. W. Douglas	3427	Assignment of the structure of a Ru(II)–BINAP catalyst
C. J. Cobley, E. Foucher, J.-P. Lecouve, I. C. Lennon, J. A. Ramsden and G. Thominot	3431	The synthesis of S 18986, a chiral AMPA receptor modulator, via catalytic asymmetric hydrogenation
		ARTICLES
N. Zheng, J. D. Armstrong, III, K. K. Eng, J. Keller, T. Liu, R. Purick, J. Lynch, F. W. Hartner and R. P. Volante	3435	A convergent asymmetric synthesis of a growth hormone secretagogue
M. Zhang, L. Zhu and X. Ma	3447	An efficient enantioselective synthesis of an indane acetic acid derivative: methyl (2 <i>S</i>)-2-[(1 <i>S</i>)-5-hydroxy-2,3-dihydro-1 <i>H</i> -inden-1-yl]butanoate
C. Bolm, I. Schiffrers, I. Atodiresei and C. P. R. Hackenberger	3455	An alkaloid-mediated desymmetrization of <i>meso</i> -anhydrides via a nucleophilic ring opening with benzyl alcohol and its application in the synthesis of highly enantiomerically enriched β -amino acids

- M. Bänziger, J. Cercus, H. Hirt, K. Laumen, C. Malan, F. Spindler, F. Struber and T. Troxler 3469 The development of a practical synthesis of the potent and selective somatostatin sst₃ receptor antagonist [4-(3,4-difluoro-phenyl)-piperazine-1-yl] - {(4*S*,4*aS*,8*aR*)-2[(*S*)-3-(6-methoxy-pyridin-3-yl)-2-methyl-propyl]-decahydroisoquinoline-4-yl}-methanone (NVP-ACQ090)
- P. G. H. Uiterweerd, M. van der Sluis, B. Kaptein, B. de Lange, R. M. Kellogg and Q. B. Broxterman 3479 (*S*)-1-Aminoindane: synthesis by chirality transfer using (*R*)-phenylglycine amide as chiral auxiliary
- G. J. Tanoury, R. Hett, H. S. Wilkinson, S. A. Wald and C. H. Senanayake 3487 Total synthesis of (2*R*,4*S*,2'*S*,3'*R*)-hydroxyitraconazole: implementations of a recycle protocol and a mild and safe phase-transfer reagent for preparation of the key chiral units
- N. K. Yee, L. J. Nummy, R. P. Frutos, J. J. Song, E. Napolitano, D. P. Byrne, P.-J. Jones and V. Farina 3495 Practical synthesis of a cell adhesion inhibitor by self-regeneration of stereocenters
- R. N. Farr, R. J. Alabaster, J. Y. L. Chung, B. Craig, J. S. Edwards, A. W. Gibson, G.-J. Ho, G. R. Humphrey, S. A. Johnson and E. J. J. Grabowski 3503 Enantiospecific and regioselective opening of 2-alkyl nosylaziridines by indoles mediated by boron trifluoride. Application to a practical synthesis of a GnRH antagonist
- M. Couturier, J. L. Tucker, B. M. Andresen, K. M. DeVries, B. C. Vanderplas and F. Ito 3517 Efficient synthesis of the κ -opioid receptor agonist CJ-15,161: four stereospecific inversions at a single aziridinium stereogenic center
- T. Ito, T. Ikemoto, T. Yamano, Y. Mizuno and K. Tomimatsu 3525 Practical synthesis of (*R*)-(+)-6-(1,4-dimethoxy-3-methyl-2-naphthyl)-6-(4-hydroxyphenyl)hexanoic acid: a key intermediate for a therapeutic drug for neurodegenerative diseases
- J. García, S. Fernández, M. Ferrero, Y. S. Sanghvi and V. Gotor 3533 Novel enzymatic synthesis of levulinyl protected nucleosides useful for solution phase synthesis of oligonucleotides
- D. M. Barnes, L. Bhagavatula, J. DeMattei, A. Gupta, D. R. Hill, S. Manna, M. A. McLaughlin, P. Nichols, R. Premchandran, M. W. Rasmussen, Z. Tian and S. J. Wittenberger 3541 A highly diastereoselective vinylogous Mannich condensation and 1,4-conjugate addition of (*Z*)-propenyl cuprate in the synthesis of an influenza neuraminidase inhibitor
- Z. Han, D. Krishnamurthy, Q. K. Fang, S. A. Wald and C. H. Senanayake 3553 New resolution approach for large-scale preparation of enantiopure didesmethylsibutramine (DDMS)
- D. R. Gauthier, Jr., N. Ikemoto, F. J. Fleitz, R. H. Szumigala, Jr., D. Petrillo, J. Liu, R. A. Reamer, J. D. Armstrong, III, P. M. Yehl, N. Wu and R. P. Volante 3557 Total synthesis of a second generation HIV protease inhibitor
- J. H. Simpson, J. Godfrey, R. Fox, A. Kotnis, D. Kacsur, J. Hamm, M. Totelben, V. Rosso, R. Mueller, E. Delaney and R. P. Deshpande 3569 A pilot-scale synthesis of (1*R*)-*trans*-2-(2,3-dihydro-4-benzofuranyl)cyclopropanecarboxylic acid: a practical application of asymmetric cyclopropanation using a styrene as a limiting reagent
- N. W. Boaz, S. D. Debenham, S. E. Large and M. K. Moore 3575 The preparation of enantiomerically pure cyclopropylalanine
- K. B. Hansen, J. R. Chilenski, R. Desmond, P. N. Devine, E. J. J. Grabowski, R. Heid, M. Kubryk, D. J. Mathre and R. Varsolona 3581 Scalable, efficient process for the synthesis of (*R*)-3,5-bistrifluoromethylphenyl ethanol via catalytic asymmetric transfer hydrogenation and isolation as a DABCO inclusion complex
- J. F. Larrow, K. E. Hemberger, S. Jasmin, H. Kabir and P. Morel 3589 Commercialization of the hydrolytic kinetic resolution of racemic epoxides: toward the economical large-scale production of enantiopure epichlorohydrin
- X. Su, N. N. Bhongle, D. Pflum, H. Butler, S. A. Wald, R. P. Bakale and C. H. Senanayake 3593 A large-scale asymmetric synthesis of (*S*)-cyclohexylphenyl glycolic acid
- M. P. Doyle and J. T. Colyer 3601 Synthesis of dirhodium(II) tetrakis[methyl 1-(3-phenylpropanoyl)-2-oxaimidazolidine-4(*S*)-carboxylate], Rh₂(4*S*-MPPIM)₄

P. Wipf, J. G. Pierce and X. Wang	3605	Investigation of ligand loading and asymmetric amplification in CHAOx-catalyzed asymmetric diethylzinc additions
P. A. Evans, D. K. Leahy and L. M. Sliker	3613	Halide ion effects in the rhodium-catalyzed allylic substitution reaction using copper(I) alkoxides and enolates
K. M. Miller, C. Molinaro and T. F. Jamison	3619	Catalytic reductive carbon–carbon bond-forming reactions of alkynes
R. Barrett, D. M. Caine, K. S. Cardwell, J. W. B. Cooke, R. M. Lawrence, P. Scott and Å. Sjölin	3627	A practical, two-stage preparation of benzyl (3 <i>R</i>)-3-amino-2-oxo-1-pyrrolidinecarboxylate (2 <i>S</i> ,3 <i>S</i>)-2,3-bis[(4-methylbenzoyl)oxy]butanediol (2:1)
D. E. White and E. N. Jacobsen	3633	New oligomeric catalyst for the hydrolytic kinetic resolution of terminal epoxides under solvent-free conditions
A645		Stereochemistry abstracts
I		Instructions to contributors
V		Cumulative author index

NUMBER 23

Contents

v	Contributors to this issue
vii	Graphical abstracts

COMMUNICATIONS

J.-M. Lee, H.-S. Lim, K.-C. Seo and S.-K. Chung	3639	A practical diastereoselective synthesis of β -amino- α -hydroxy carboxylates
P. Kwiatkowski, E. Wojaczyńska and J. Jurczak	3643	(Salen)Co(II) complex—an efficient catalyst for the high-pressure Friedel–Crafts reaction of 2-methylfuran with alkyl glyoxylates
A. Mandoli, M. Calamante, B. L. Feringa and P. Salvadori	3647	An insoluble polymer-bound phosphoramidite for the copper-catalysed enantioselective 1,4-addition of ZnEt ₂ to 2-cyclohexenone

ARTICLES

C.-P. Du, J.-S. You, X.-Q. Yu, C.-L. Liu, J.-B. Lan and R.-G. Xie	3651	Homochiral molecular tweezers as hosts for the highly enantioselective recognition of amino acid derivatives
D. Xu, Z. Li and S. Ma	3657	Novozym-435-catalyzed efficient preparation of (1 <i>S</i>)-ethenyl and ethynyl 2,3-allenols and (1 <i>R</i>)-ethenyl and ethynyl 2,3-allenyl acetates with high enantiomeric excess
F.-E. Chen, H.-F. Dai, Y.-Y. Kuang and H.-Q. Jia	3667	Synthetic studies on <i>d</i> -biotin. Part 7: A practical asymmetric total synthesis of <i>d</i> -biotin via enantioselective reduction of <i>meso</i> -cyclic imide catalyzed by oxazaborolidine
R. N. Patel, J. Howell, R. Chidambaram, S. Benoit and J. Kant	3673	Enzymatic preparation of (3 <i>R</i>)- <i>cis</i> -3-acetyloxy-4-(1,1-dimethylethyl)-2-azetidinone: a side-chain synthon for an orally active taxane
J. M. Palomo, G. Fernández-Lorente, M. L. Rúa, J. M. Guisán and R. Fernández-Lafuente	3679	Evaluation of the lipase from <i>Bacillus thermocatenuatus</i> as an enantioselective biocatalyst
Y. Caro, M. Torrado, C. F. Masaguer and E. Raviña	3689	Kinetic resolution of 3-hydroxymethylbenzocycloalkanols by selective asymmetric hydrogen-transfer oxidation
C. Fava, R. Galeazzi, G. Mobbili and M. Orena	3697	Stereoselective reductive amination of chiral <i>trans</i> -3-acetyl-4-alkylpyrrolidin-2-ones

- G. Guillena, R. Kreiter,
R. van de Coevering,
R. J. M. Klein Gebbink, G. van Koten,
P. Mazón, R. Chinchilla and C. Nájera
- K. Sakai, R. Sakurai, A. Yuzawa and
N. Hirayama
- A. Schmitzer, E. Perez, I. Rico-Lattes and
A. Lattes
- P. Merino, S. Franco, F. L. Merchan,
P. Romero, T. Tejero and S. Uriel
- J. Varga, J. Rábai, F. Ruff, Á. Kucsman,
E. Vass, M. Hollósi and D. Szabó
- A. J. Bustillo, C. M. García-Pajón,
J. Aleu, R. Hernández-Galán and
I. G. Collado
- J. G. Fernández-Bolaños, S. García,
J. Fernández-Bolaños, M^a J. Diánez,
M^a D. Estrada, A. López-Castro and
S. Pérez-Garrido
- S. Chandrasekhar, G. Kulkarni,
M. B and T. N. G. Row
- A. R. Hergueta, C. López, F. Fernández,
O. Caamaño and J. M. Blanco
- C. Bolchi, L. Fumagalli, B. Moroni,
M. Pallavicini and E. Valoti
- J. A. Moreira and A. G. Corrêa
- G. Kumaraswamy, M. N. V. Sastry,
N. Jena, K. R. Kumar and M. Vairamani
- Z. Cs. Gyarmati, A. Liljeblad, M. Rintola,
G. Bernáth and L. T. Kanerva
- Y. Turgut and H. Hoşgören
- 3705 Chiroptical properties and applications in PTC of new dendritic cinchonidine-derived ammonium salts
- 3713 Practical continuous resolution of α -amino- ϵ -caprolactam by diastereomeric salt formation using a single resolving agent with a solvent switch method
- 3719 Mechanistic study of the enantioselective reduction of ketones in the presence of glycodendrimers
- 3731 1,3-Dipolar cycloaddition between *N*-benzyl-*C*-glycosyl nitrones and methyl acrylate en route to glycosyl pyrrolidines
- 3745 Synthesis and hydrolysis of optically active naphthyl-phenyl-bis(acyloxy)spiro- λ^4 -sulfane: absolute configurations of spiro- λ^4 -sulfanes, related sulfonium salts and naphthyl phenyl sulfoxides determined by CD spectroscopy using exciton chirality and empirical rules
- 3755 Studies on biotransformation of ($\pm$)-1-(4'-chlorophenyl)-2-phenylethanol
- 3761 Synthesis of 4-*C*-sulfoaminosugar derivatives: isomerization of 4-*C*-sulfolactosamine to its *gluco* epimer
- 3769 A complex of Ph₃PO with a chiral hydrogen-bond donor: X-ray crystal structures of the complexes with (*RS*)-($\pm$)- and (*S*)-(-)-1,1'-bi-2,2'-naphthol: homochiral Ph₃PO
- 3773 Synthesis of two enantiomerically pure precursors of cyclobutane carbocyclic nucleosides
- 3779 A short entry to enantiopure 2-substituted 1,4-benzodioxanes by efficient resolution methods
- 3787 Enantioselective synthesis of three stereoisomers of 5,9-dimethylpentadecane, sex pheromone component of *Leucoptera coffeella*, from (-)-isopulegol
- 3797 Enantioenriched (*S*)-6,6'-diphenylBinol-Ca: a novel and efficient chirally modified metal complex for asymmetric epoxidation of α,β -unsaturated enones
- 3805 Lipase-catalyzed kinetic resolution of 7-, 8- and 12-membered alicyclic β -amino esters and *N*-hydroxymethyl- β -lactam enantiomers
- 3815 Synthesis of chiral monoaza-15-crown-5 ethers from L-valinol and the enantiomeric recognition of chiral amines and their perchlorates salts
- A669 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

NUMBER 24

Contents

- v Contributors to this issue
- vii Graphical abstracts

COMMUNICATIONS

- X. Li, L.-F. Cun, L.-Z. Gong, A.-Q. Mi
and Y.-Z. Jiang
- 3819 The enantioselective diethylzinc addition to imines catalyzed by chiral Cu(II)-oxazoline complexes

- B. Breit and A. Ch. Laungani 3823 Copper-catalyzed enantioselective conjugate addition of dialkylzinc reagents to enones with new peptidyl phosphane ligands
- S. Orlandi, M. Caporale, M. Benaglia and R. Annunziata 3827 Synthesis of new enantiomerically pure C_1 - and C_2 -symmetric *N*-alkyl-benzimidazolium and thiazolium salts
- ARTICLES**
- D. F. A. Hunter and G. W. J. Fleet 3831 Towards hydroxylated nylon 6: oligomers from a protected 6-amino-6-deoxy-D-allonate
- D. M. Hodgson, D. A. Selden and A. G. Dossetter 3841 Synthesis and evaluation of 4,4',6,6'-tetrasubstituted binaphtholphosphate dirhodium(II) complexes as catalysts in enantioselective carbonyl ylide formation–cycloaddition reactions
- G. Asensio, A. Cuenca, N. Rodriguez and M. Medio-Simón 3851 Synthesis of an enantiopure 2-arylcyclohexanols from prochiral enol acetates by an enantioselective protonation/diastereoselective reduction sequence
- M. Attolini, G. Iacazio, G. Peiffer and M. Maffei 3857 Enzymatic resolution of 3-bromo-cyclohept-2-enol: application to the determination of the absolute configuration of diethyl (3-hydroxy-cyclohept-1-enyl)phosphonate
- A. Kamal, M. Sandbhor, K. Ahmed, S. F. Adil and A. A. Shaik 3861 Chemoenzymatic synthesis of enantiomerically pure terminal 1,2-diols
- W.-J. Shi, L.-X. Wang, Y. Fu, S.-F. Zhu and Q.-L. Zhou 3867 Highly regioselective asymmetric copper-catalyzed allylic alkylation with dialkylzincs using monodentate chiral spiro phosphoramidite and phosphite ligands
- P. Scafato, S. Labano, G. Cunsolo and C. Rosini 3873 Catalytic enantioselective conjugate addition of dialkyl zinc reagents to α,β -unsaturated ketones mediated by new phosphite ligands containing binaphthalene/1,2-diphenylethane moieties: a practical synthesis of (*R*)-(-)-muscone
- T. Harada, S. Matsui, T. M. T. Tuyet, M. Hatsuda, S. Ueda, A. Oku and M. Shiro 3879 Asymmetric synthesis of macrocyclic binaphthol dimers using a Sonogashira coupling reaction
- T. Klomklao, S. G. Pyne, A. Baramée, B. W. Skelton and A. H. White 3885 Chemo-enzymatic synthesis of (-)-epipentenomycin I
- C. Rabeyrin and D. Sinou 3891 Catalytic asymmetric alkylation in water in the presence of surfactants: influence of the nature of the nucleophile and the allylic acetate on the activity and enantioselectivity
- G. V. M. Sharma, A. Begum, K. R. Reddy, A. Ravi Sankar and A. C. Kunwar 3899 Highly stereoselective synthesis of furano-oxepanes: intramolecular nitronc cycloaddition (INC) reactions on sugar derived 2-substituted allylic ethers
- Y. Hu, X. Liang, J. Wang, Z. Zheng and X. Hu 3907 Highly enantioselective 1,4-conjugate addition of diethylzinc to acyclic enones with chiral phosphite–pyridine ligands derived from H_8 -NOBIN
- A. Mezzetti, C. Keith and R. J. Kazlauskas 3917 Highly enantioselective kinetic resolution of primary alcohols of the type Ph-X-CH(CH₃)-CH₂OH by *Pseudomonas cepacia* lipase: effect of acyl chain length and solvent
- C. C. C. R. de Carvalho and M. M. R. da Fonseca 3925 Towards the bio-production of *trans*-carveol and carvone from limonene: induction after cell growth on limonene and toluene
- I. Izquierdo, M. T. Plaza and F. Franco 3933 Polyhydroxylated pyrrolizidines. Part 3: A new and short enantiospecific synthesis of (+)-hyacinthacine A₂
- Z. Yang, Z. Zhou, K. He, L. Wang, G. Zhao, Q. Zhou and C. Tang 3937 Synthesis of some new chiral cyclic *o*-hydroxylarylphosphonodiamides as ligands for asymmetric silylcyanation of aromatic aldehydes
- T. Ema, M. Kageyama, T. Korenaga and T. Sakai 3943 Highly enantioselective lipase-catalyzed reactions at high temperatures up to 120°C in organic solvent
- P. Del Buttero, G. Molteni and A. Papagni 3949 Stereoselective synthesis of 3-amino-4-substituted-2-azetidinones via [2+2] cycloadditions of tricarbonyl(η^6 arene)chromium(0) complexed imines

R. G. Soengas, J. C. Estévez and R. J. Estévez	3955	Total synthesis of 3,4-dihydroxyprolines, D- <i>threo</i> -L-norvaline and (2 <i>S</i> ,3 <i>R</i> ,4 <i>R</i>)-2-amino-3,4-dihydroxytetrahydrofuran-2-carboxylic acid methyl ester
S. Gyónfalvi, Z. Szakonyi and F. Fülöp	3965	Synthesis and transformation of novel cyclic β -amino acid derivatives from (+)-3-carene
F. W. Lichtenthaler, J. Klotz and K. Nakamura	3973	(–)-Daucic acid: Proof of D- <i>lyxo</i> configuration, synthesis of its D- <i>ribo</i> , D- <i>xylo</i> , L- <i>arabino</i> and L- <i>lyxo</i> analogs, and biosynthetic implications
	A709	Stereochemistry abstracts
	I	Instructions to contributors
	V	Author index 2003
	XXIII	Volume contents 2003