


Contents

COMMUNICATIONS

Synthesis of enantiopure 1,4-ethyl- and 1,4-ethylene-bridged cispentacin by lipase-catalyzed enantioselective ring opening of β -lactams

pp 573–575

Enikő Forró and Ferenc Fülöp*




1,4-Ethyl- and 1,4-ethylene-bridged cispentacin enantiomers were prepared through the Lipolase (*Candida antarctica* lipase B)-catalyzed enantioselective ring opening of β -lactams with 1 equiv of H_2O in diisopropyl ether at 70 °C ($E > 200$).

Enantioselective deprotonation of ketones using a novel heterodimer chiral amide base

pp 577–579


Mohamed Amedjkouh*



Practical syntheses of enantiopure carbasugars: carba- β -altrose, carba- β -mannose, carba- β -idose, and carba- β -talose derivatives


pp 581–584

Seok-Ho Yu and Sung-Kee Chung*




Resolution of 1-arylalkylamines with 6-(1,2:3,4-di-*O*-isopropylidene- α -D-galactopyranosyl)hydrogen phthalate**pp 585–587**

Hari Babu Mereyala,* Liyakat Fatima and Pallavi Pola




Boc-L-proline as a new chiral ligand for enantioselective phenylacetylene addition to aromatic aldehydes**pp 589–591**

Yi-feng Zhou, Rui Wang,* Zhao-qing Xu, Wen-jin Yan, Lei Liu, Yan-feng Gao and Chao-shan Da




ARTICLES **α -Bromo- β,γ -unsaturated ketenes for the synthesis of α -benzylamino- β,γ -unsaturated acids****pp 593–601**

Giuliana Cardillo,* Serena Fabbri, Luca Gentilucci, Rossana Perciaccante and Alessandra Tolomelli



Anhydroazasugars as key intermediates in the stereocontrolled preparation of azasugars and their ethyl thioglycosides**pp 603–615**


José Fuentes,* Francisco J. Sayago, José M. Illangua, Consolación Gasch, Manuel Angulo and M. Ángeles Pradera



Chemoenzymatic synthesis of enantioenriched 5-oxo-tetrahydro-3-furancarboxylic acid derivatives


pp 617–625

Andrea Comini, Cristina Forzato, Patrizia Nitti, Giuliana Pitacco and Ennio Valentin*

**Towards hydroxylated nylon 6: linear and cyclic oligomers from a protected 6-amino-6-deoxy-D-galactonate—a novel class of carbopeptoid-cyclodextrin (CPCD)**


pp 627–638

Benjamin A. Mayes, Rebecca J. E. Stetz, Mark P. Watterson, Alison A. Edwards, Christopher W. G. Ansell, George E. Tranter and George W. J. Fleet*

**4,4' and 5,5'-DiamBINAP as a hydrosoluble chiral ligand: syntheses and use in Ru(II) asymmetric biphasic catalytic hydrogenation**


pp 639–645



Mikaël Berthod, Christine Saluzzo, Gerard Mignani and Marc Lemaire*

**Asymmetric synthesis of cyclopentenones with benzylic α -quaternary carbon stereogenic centres from furans**


pp 647–652

Aurelio G. Csáky*, Myriam Mba and Joaquín Plumet






József Bálint, Violetta Kiss, Gabriella Egri, Tamás Kálai, Ádám Demeter, Mária Balog,
Elemér Fogassy and Kálmán Hideg*




Carmela Borriello, Raffaella Del Litto, Achille Panunzi and Francesco Ruffo*



Diastereoselective synthesis of enantiopure (αR)-2-methyl-4-(α -phenylethyl)-1,2,3,4-tetrahydrobenzo[*e*][1,4]diazepin-5-ones

pp 687–692


Egle Beccalli, Gianluigi Brogini,* Giuseppe Paladino, Tullio Pilati and Guido Pontremoli



Enantioselective synthesis of (+)-(2*S*,4*S*,6*S*)-1-ethoxycarbonyl-6-hydroxymethyl-4-methylpipercolate

pp 693–697


Hassan Acherki, Carlos Alvarez-Ibarra,* Susana Guzmán-Fernández and María L. Quiroga-Feijóo



Trimethylaluminium promoted rearrangements of unsaturated sugars into cyclohexanes

pp 699–703


Cai Jia, Alan J. Pearce, Yves Blériot, Yongmin Zhang, Li-He Zhang, Matthieu Sollogoub* and Pierre Sinay*




Asymmetric synthesis of β -heterocycle substituted L- α -amino acids

pp 705–711


A. S. Saghiyan,* A. V. Geolchanyan, S. G. Petrosyan, T. V. Ghochikyan, V. S. Haroutunyan, A. A. Avetisyan, Yu. N. Belokon and K. Fisher






α -Methylserinals as an access to α -methyl- β -hydroxyamino acids: application in the synthesis of all stereoisomers of α -methylthreonine

Alberto Avenoz,* Jesús H. Busto, Francisco Corzana, Jesús M. Peregrina,* David Sucunza and María M. Zurbano



Alternative syntheses of versatile chiral intermediate for drimane sesquiterpenes and labdane diterpenes using (*R,R*)-cycloheptane-1,2-diol as a chiral auxiliary


Hiroyuki Akita,* Youhei Amano, Keisuke Kato and Masako Kinoshita




The resolution of ($\pm$)- β -keto ester **1** using (*R,R*)-cycloheptane-1,2-diol as a chiral auxiliary for acetal formation was carried out and the enantiomerically pure (8*aR*)- and (8*aS*)-decahydro-5,5,8*a*-trimethyl-2-oxo-naphthalene-1-carboxylate **1** and (8*aR*)- and (8*aS*)-decahydro-5,5,8*a*-trimethyl-2-oxo-naphthalene-1-methanol **2** being obtained.

Enantioselective preparation of asymmetrically protected 2-propanoyl-1,3-propanediol derivatives: toward the total synthesis of Kazusamycin A

Noriyoshi Arai, Noriko Chikaraishi, Mitsuhiro Ikawa, Satoshi Ōmura and Isao Kuwajima*



Ru Jiang, Yongqing Kuang, Xiaoli Sun and Shengyong Zhang*



OTHER CONTENTS

Stereochemistry abstracts
Instructions to contributors
Cumulative author index

pp A113–A146
pp I–IV
pp V–VI

*Corresponding author



Full text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.

CONTENTS
Direct

This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier books and journals. You can register for **ContentsDirect** online at: <http://contentsdirect.elsevier.com>

Indexed/Abstracted in: Beilstein, BIOSIS Previews, Chemical Abstracts, Current Contents: Physical, Chemical and Earth Sciences, Derwent Biotechnology Abstracts, Derwent Drug File, Ei Compendex, EMBASE/Excerpta Medica, PASCAL, Research Alert, Science Citation Index, SciSearch



ISSN 0957-4166