



Pergamon

Corrigendum

Corrigendum to “A straightforward, highly stereoselective construction of eight stereogenic centers in (+)-discodermolide C₁–C₁₃ segment, based on a strategy of iterative aldol reactions” [Tetrahedron Lett. 43 (2002) 6377][☆]

Kazi A. Shahid,^a Jahan Mursheda,^a Momotoshi Okazaki,^a Yoshihiro Shuto,^a Fumitaka Goto^b and Syun-ichi Kiyooka^{c,*}

^aThe United Graduate School of Agricultural Sciences, Ehime University, Tarumi, Matsuyama 790-8566, Japan

^bCellular Technology Institute, Otsuka Pharmaceutical Co., Ltd, Kawauchi-cho, Tokushima 771-0130, Japan

^cInstitute for Fundamental Research of Organic Chemistry, Kyushu University, Higashi-ku, Fukuoka 812-8581, Japan

The authors regret that the arrows in Figure 1 were reversely drawn with regard to the trajectory of the coming nucleophile and the structures of the oxazaborolidinones in Scheme 3 are reverse.

Figure 1 should be as follows:





Figure 1. Catalyst (promoter) control on facial selection.

[☆] PII of original article: S0040-4039(02)01389-8

* Corresponding author.

Scheme 3 (in part) should be as follows:



Scheme 3.