












ERRATA

GEMINAL COUPLING CONSTANTS IN METHYLENE GROUPS





R. C. Cookson, T. A. Crabb, J. J. Frankel and J. Hudec, *Tetrahedron, Suppl. 7, Stephen Memorial*, pp. 355-390 (1966).

The reference numerals in Table 3 on p. 369 are incorrect, and the table should read as follows:

TABLE 3

			
122 1 - 22.3 c/s 30°	209 2 - 20.8 30°	2 3 - 21.5 30°	122 4 - 18.2 62°
			
210 5 - 12.4 c/s 108°	212 6 - 13.4 100°	213 7 - 14 100°	
			
214 8 M = Mo - 12 100° ? M = Cr - 12.6 c/s	215 9 - 10 115°	216 10 - 11 115°	
			
216 11 - 10 c/s 120°	217 12 - 6.9 120°	75 13 - 6.5 ?	

The formulae XIII, XV and XVII on p. 365 and XXXII on p. 375 are in error.
The correct formulae are:



REARRANGEMENT OF EPOXIDES OF $\alpha\beta$ -UNSATURATED KETONES

J. W. Ager, F. W. Eastwood and Robert Robinson, *Tetrahedron, Suppl. 7, Stephen Memorial*, pp. 277-280 (1966).

The second initial of Eastwood in the title and on p. 279 should read as above.