


Contents

REPORT

Transition metal catalyzed oxidative functionalization of carbon–hydrogen bonds

pp 2439–2463

Allison R. Dick and Melanie S. Sanford*




ARTICLES

Copper-free Sonogashira reaction using 7-chloro camptothecins

pp 2465–2470


Yu Luo, Heyong Gao, Yunfei Li, Weigang Huang, Wei Lu* and Zhaoguo Zhang*



Convenient synthesis of highly optically active 2,3,4,6-tetrasubstituted tetrahydropyrans via Prins cyclization reaction (PCR) of optically active homoallylic alcohols with aldehydes

pp 2471–2483


Kazuhide Kataoka, Yosuke Ode, Masashi Matsumoto and Junzo Nokami*



Formation of metal-lustrous organic crystals from 2-aryl-1-(4-methoxyphenyl)-5-(5-tricyanoethenyl-2-thienyl)pyrroles

pp 2484–2491


Katsuyuki Ogura,* Kenji Ooshima, Motohiro Akazome and Shoji Matsumoto



An efficient aerobic oxidative aromatization of Hantzsch 1,4-dihydropyridines and 1,3,5-trisubstituted pyrazolines

pp 2492–2496


Bing Han, Zhengang Liu, Qiang Liu, Li Yang, Zhong-Li Liu* and Wei Yu*



Synthesis of aromatic aldehydes by aerobic oxidation of hydroaromatic compounds and diarylalkanes using *N*-hydroxyphthalimide (NHPI) as a key catalyst

pp 2497–2500


Yasuhiro Aoki, Satoshi Sakaguchi and Yasutaka Ishii*




Molecular recognition of viologen by zinc porphyrinic receptors with diarylurea sidearms. Toward construction of a supramolecular electron transfer system

pp 2501–2510


Masayuki Ezoe, Shigeyuki Yagi,* Hiroyuki Nakazumi, Mitsunari Itou, Yasuyuki Araki and Osamu Ito




Kimihiro Komeyama,* Daisuke Kobayashi, Yuta Yamamoto, Katsuomi Takehira and Ken Takaki*




Javier Hernández,* Francisco M. Goycoolea, Denisse Zepeda-Rivera, Josué Juárez-Onofre, Karla Martínez, Jaime Lizardi, Magali Salas-Reyes, Bárbara Gordillo, Carlos Velázquez-Contreras, Oscar García-Barradas, Samuel Cruz-Sánchez and Zaira Domínguez*



Qi Ji, Jinliang Li, Fei Ding, Jie Han, Meili Pang, Shuangxi Liu and Jiben Meng*




Xueling Mi, Sanzhong Luo, Hui Xu, Long Zhang and Jin-Pei Cheng*



A facile access to spiro furanone skeleton based on Pd(II)-mediated cyclization–carbonylation of propargylic esters

pp 2545–2554


Keisuke Kato,* Hideaki Nouchi, Keisuke Ishikura, Satoshi Takaishi, Satoshi Motodate, Hikaru Tanaka, Kazuho Okudaira, Tomoyuki Mochida, Ryuichiro Nishigaki, Koki Shigenobu and Hiroyuki Akita*



Experimental and theoretical study on the substitution reactions of aryl 2,4-dinitrophenyl carbonates with quinuclidines

pp 2555–2562

Enrique A. Castro,* Paola R. Campodónico, R. Contreras,* P. Fuentealba, José G. Santos,* J. Ramón Leis, Luis García-Río, José A. Saez and Luis R. Domingo




Ar = 4-X-phenyl (X = Me, H, Cl) N^+ = substituted quinuclidines

Reactions found to be concerted, both experimentally and theoretically

Synthesis of novel tricyclic pyrimidine-fused 5,6-dihydrobenzodiazepines via a Pictet–Spengler-like cyclization

pp 2563–2568


Xin Che, Lianyou Zheng, Qun Dang and Xu Bai*



Psoracorylifols A–E, five novel compounds with activity against *Helicobacter pylori* from seeds of *Psoralea corylifolia*

pp 2569–2575


Sheng Yin, Cheng-Qi Fan, Lei Dong and Jian-Min Yue*



Rapid solution and solid phase synthesis of monodisperse oligo[(1,4-phenyleneethynylene)-alt-(2,5-thiopheneethynylene)]s


pp 2576–2582

Guorong Li, Xianhong Wang,* Ji Li, Xiaojiang Zhao and Fosong Wang

**Substituent effect on anthracene-based bisboronic acid glucose sensors**


pp 2583–2589

Gurpreet Kaur, Hao Fang, Xingming Gao, Haibo Li and Binghe Wang*

**Efficient one-pot, two-step synthesis of (*E*)-cinnamaldehydes by dehydrogenation–oxidation of arylpropanes using DDQ under ultrasonic irradiation**


pp 2590–2593

Bhupendra P. Joshi, Anuj Sharma and Arun K. Sinha*

**A new route for the preparation of the 22,23-dioxocholestane side chain from diosgenin and its application to the stereocontrolled construction of the 22*R*,23*S*-diol function**

pp 2594–2602


Susana Rincón, Rosa E. del Río, Jesús Sandoval-Ramírez,* Socorro Meza-Reyes, Sara Montiel-Smith, Ma. Antonieta Fernández, Norberto Farfán and Rosa Santillan*



4*H*-Thiopyran-1-oxides. Conformational analysis and photochemical isomerization


pp 2603–2607

Farnaz Jafarpour and Hooshang Pirelahi*

**Synthesis of methylenecyclopropane analogues of antiviral nucleoside phosphonates**


pp 2608–2615

Zhaohua Yan, Shaoman Zhou, Earl R. Kern and Jiri Zemlicka*

**An eco-friendly protocol for synthesis of thiourea derivatives: 1-benzoyl-3-benzylguanidine and 1-benzoyl-3-benzyl-*O*-ethylisourea. A possible non-purely thermal microwave assisted reaction**


pp 2616–2621

Heiddy Marquez, André Loupy, Osmar Calderon and Eduardo R. Pérez*

**Reactions of carbanions derived from α -substituted-methyl tolyl sulfones with quinone methides as Michael acceptors**


pp 2622–2630

Grażyna Groszek,* Sylwia Błażej, Aneta Brud, Dariusz Świerczyński and Tadeusz Lemek*



Studies on quinones. Part 40: Synthesis and cytotoxicity evaluation of anthraquinone epoxides and isomerization products pp 2631–2638


Jaime A. Valderrama,* Omar Espinoza, M. Florencia González, Ricardo A. Tapia, Jaime A. Rodríguez, Cristina Theoduloz and Guillermo Schmeda-Hirschmann



Aerobic oxidation of Diels–Alder adducts of naphthoquinones and thiophene-analogues in dichloromethane–DBU provides access to quinone epoxides. Isomerization of anthraquinone epoxides with calcium hydroxide yielded cytotoxic angular quinones.


Azidosubstituted arylboronic acids: synthesis and Suzuki–Miyaura cross-coupling reactions pp 2639–2647

Sergey I. Sviridov, Andrei A. Vasil'ev,* Natalia L. Sergovskaya, Marina V. Chirskaya and Sergey V. Shorshnev




Influence of *N*-amino protecting group on aldolase-catalyzed aldol additions of dihydroxyacetone phosphate to amino aldehydes pp 2648–2656

Jordi Calveras, Jordi Bujons, Teodor Parella, Ramon Crehuet, Laia Espelt, Jesús Joglar and Pere Clapés*



Diastereoselective synthesis of aziridine esters via amino selenyl esters pp 2657–2670

Catherine Miniejew, Francis Outurquin* and Xavier Pannecoucke*




New macrocycles derived from biphenyl for pH-switched solvent extraction

pp 2671–2676


Ana M. Costero,* Sergio Peransi and Karsten Gloe

Four new fluorescent macrocyclic ligands derived from biphenyl are described. The applicability of these ligands in liquid–liquid extraction experiments has been studied and for those ligands containing carboxylic groups, the influence of pH has been evaluated. The results obtained under acid conditions have been compared to those observed in the presence of an external acid.

**Synthesis of 1,2,4-triazole dendrimers**


pp 2677–2683

Wouter Maes, Bert Verstappen and Wim Dehaen*

**Nucleophilic epoxidation of γ -alkoxy dienyl sulfoxide derivatives**


pp 2684–2692

Roberto Fernández de la Pradilla,* María Victoria Buergo, Carlos Montero and Alma Viso*

**Polyhydroxylated pyrrolidines. Part 4: Synthesis from D-fructose of protected 2,5-dideoxy-2,5-imino-D-galactitol derivatives**

pp 2693–2697


Isidoro Izquierdo,* María T. Plaza, Miguel Rodríguez, Juan A. Tamayo and Alicia Martos



Cyclization versus oligomerization of S_P - and R_P -5'-OH- N^4 -benzoyl-2'-deoxycytidine-3'-O-(2-thio-4,4-pentamethylene-1,3,2-oxathiaphospholane)s

pp 2698–2704


Piotr Guga,* Bolesław Karwowski, Damian Błaziak, Magdalena Janicka, Andrzej Okruszek, Beata Rębowska and Wojciech J. Stec



Influence of an 8-trifluoroacetyl group on flavanol couplings

pp 2705–2714


Nour-Eddine Es-Safi,* Christine Le Guernevé, Lucien Kerhoas and Paul-Henri Ducrot



A facile chemoenzymatic approach to natural cytotoxic ellipsoidone A and natural ellipsoidone B

pp 2715–2720


Sanjib Gogoi and Narshinha P. Argade*



Excimer emission and energy transfer in cofacial boradiazaindacene (BODIPY) dimers built on a xanthene scaffold

pp 2721–2725

Neslihan Saki, Tarik Dinc and Engin U. Akkaya*



*Corresponding author

 Supplementary data available via ScienceDirect

COVER

Recent advances in the transition metal-catalyzed oxidation of alkane and arene C–H bonds are reviewed, with an emphasis on applications in organic synthesis. An elegant application of this chemistry involved Du Bois' total synthesis of tetrodotoxin, which is pictured in the background of this graphic. *Tetrahedron* **2005**, 62, 2439–2463.

© 2005 M. Sanford. Published by Elsevier Ltd.



Full text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.



This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier books and journals. You can register for **ContentsDirect** online at: <http://contentsdirect.elsevier.com>

Indexed/Abstracted in: AGRICOLA, Beilstein, BIOSIS Previews, CAB Abstracts, Chemical Abstracts. Current Contents: Life Sciences, Current Contents: Physical, Chemical and Earth Sciences, Current Contents Search, Derwent Drug File, Ei Compendex, EMBASE/Excerpta Medica, Medline, PASCAL, Research Alert, Science Citation Index, SciSearch



ELSEVIER

ISSN 0040-4020