

INDEX TO AUTHORS

A

- Abe, M. See *Funaba, Murata, Fujimura, Murata, Takahashi, and Torii*, 953
 Abe, Yasuko. See *Iwahara and Okazaki*, 360
 Abe, Yoshito. See *So, Ueda, Nakamata, and Imoto*, 1086
 Adachi, J. See *Nakamura, Hashimoto, Kamaishi, Nakamura, Okamoto, and Hasegawa*, 70
 Agarwala, K.L., Kawabata, S., Hirata, M., Miyagi, M., Tsunasawa, S., and Iwanaga, S. A Cysteine Protease Inhibitor Stored in the Large Granules of Horseshoe Crab Hemocytes: Purification, Characterization, cDNA Cloning and Tissue Localization, 85
 Aizawa, A., Kazahari, K., Yoneyama, T., and Ono, M. Significance of the Chromatin Structure in Expression of the Rat Prolactin Gene, 296
 Akagawa, K. See *Yu, Imajoh-Ohmi, and Kanegasaki*, 23
 Akama, K., Sato, H., Furihata-Yamauchi, M., Komatsu, Y., Tobita, T., and Nakano, M. Interaction of Nucleosome Core DNA with Transition Proteins 1 and 3 from Boar Late Spermatid Nuclei, 448
 Akamine, A. See *Tsukuba, Sakai, Yamada, Maeda, Hori, Azuma, and Yamamoto*, 126
 Akanuma, H. See *Shiga, Kametani, and Mizuno*, 173
 —. See *Kametani, Mizuno, and Shiga*, 180
 Akita, H. See *Imamura, Ryu, Koga, Higuchi, Otagiri, and Nozawa*, 648
 Akizawa, T. See *Itoh, Masuda, Ito, Yoshioka, Imai, Okada, Sato, and Seiki*, 667
 Ando, K., Kikugawa, K., and Beppu, M. Binding of Anti-Band 3 Autoantibody to Sialylated Poly-*N*-Acetylactosaminyl Sugar Chains of Band 3 Glycoprotein on Polyvinylidene Difluoride Membrane and Sepharose Gel: Further Evidence for Anti-Band 3 Autoantibody Binding to the Sugar Chains of Oxidized and Senescent Erythrocytes, 639
 Ando, T. See *Kunioka*, 1024
 Aoki, Y. See *Fukusen*, 633
 Aoyama, Y., Noshiro, M., Gotoh, O., Imaoka, S., Funae, Y., Kurosawa, N., Horiuchi, T., and Yoshida, Y. Sterol 14-Demethylase P450 (P45014DM*) Is One of the Most Ancient and Conserved P450 Species, 926
 Arakaki, N. See *Shao, Ohnishi, Nakamura, and Daikuhara*, 940
 Arancia, G. See *Bravo, Rivabene, Bruscalupi, Calcabrini, and Cantafora*, 240
 Arata, T. See *Murai and Inoue*, 1033
 Arisawa, M. See *Uchida, Shimmi, Sudoh, and Yamada-Okabe*, 659
 Asahi, M. See *Seo, Fujiwara, Kaneto, Fujii, and Taniguchi*, 553
 Au, L.-C. See *Chen, Lin, Wu, and Choo*, 252
 Azuma, T. See *Tsukuba, Sakai, Yamada, Maeda, Hori, Akamine, and Yamamoto*, 126

B

- Baldwin, G.S. See *Hashimoto, Shindo, and Souri*, 1196
 Bartley, G. See *Raisig, Scolnik, and Sandmann*, 559
 Bauer, B.L. See *Jennemann, Schmidt, Elsässer, and Wiegandt*, 378
 Beppu, M. See *Ando and Kikugawa*, 639
 Boonpuan, K. See *Srisomsap, Svasti, Surarit, Champattanachai, Sawangareetrakul, Subhasitanont, and Chokchaichamnankit*, 585
 Bravo, E., Rivabene, R., Bruscalupi, G., Calcabrini, A., Arancia, G., and Cantafora, A. Age-Related Changes in Lipid Secretion of Perfused Livers from Male Wistar Rats Donors, 240
 Bruscalupi, G. See *Bravo, Rivabene, Calcabrini, Arancia, and Cantafora*, 240
 Buzzell, G.R. See *Seyama, Hida, and Hayashi*, 799

C

- Caffrey, M. See *Gans, Simorre, Marion, Richaud, and Verméglio*, 1131
 Calcabrini, A. See *Bravo, Rivabene, Bruscalupi, Arancia, and Cantafora*, 240
 Cantafora, A. See *Bravo, Rivabene, Bruscalupi, Calcabrini, and Arancia*, 240
 Castagna, L., Zarzur, J., Filipetti, M., and Landa, C. Isolation and Partial Characterization of *N*-Acetyl-D-Galactosamine-Binding Lectins from *Epiphragmophora trenquelleonis* Snail, 372
 Castillo, M., Hortal, J.H., García-Fuentes, E., Zafra, M.F., and García-Peregrín, E. Coconut Oil Affects Lipoprotein Composition and Structure of Neonatal Chicks, 610
 Champattanachai, V. See *Srisomsap, Svasti, Surarit, Sawangareetrakul, Boonpuan, Subhasitanont, and Chokchaichamnankit*, 585
 Chang, G.-G. See *Tang*, 1182
 Chang, H.-Y. See *Peng, Deng, and Yang*, 1118
 Chang, I.-M. See *Hahn, Yang, Park, and Kim*, 835
 Chen, T.-Z., Lin, S.-B., Wu, J.-C., Choo, K.-B., and Au, L.-C. A Method for Screening Antisense Oligodeoxynucleotides Effective for mRNA Translation-Arrest, 252
 Choi-Miura, N.-H. See *Hashimoto, Tobe, Sumiya, Sano, Ozawa, Yasue, and Tomita*, 577
 —, Tobe, T., Sumiya, J., Nakano, Y., Sano, Y., Mazda, T., and Tomita, M. Purification and Characterization of a Novel Hyaluronan-Binding Protein (PHBP) from Human Plasma: It Has Three EGF, a Kringle and a Serine Protease Domain, Similar to Hepatocyte Growth Factor Activator, 1157
 Chokchaichamnankit, D. See *Srisomsap, Svasti, Surarit, Champattanachai, Sawan-*

gareetrakul, Boonpuan, and Subhasitanont, 585

Choo, K.-B. See *Chen, Lin, Wu, and Au*, 252
 Chowdhury, S. See *Matsuno, Gotoh, Iwase, Matsuzaki, Takatsuki, Mori, and Takiguchi*, 524

D

- Daikuhara, Y. See *Shao, Arakaki, Ohnishi, and Nakamura*, 940
 Deng, W.-L. See *Peng, Yang, and Chang*, 1118
 Doi, M. See *Morino, Tomoo, Nishi, Okabe, Ishida, and Kitamura*, 224
 Doi, S. See *Yamamoto, Matsunaga, Sakata, Nakamura, and Hanmyou*, 1056

E

- Edazawa, K. See *Tsuji, Sakiyama, Nagata, Sasaki, Nagamune, and Matsuda*, 100
 Eguchi, M. See *Pham, Hayashi, Takano, Itoh, Shibata, Tanaka, and Hara*, 428
 —. See *Pham, Hayashi, Takano, Nakazawa, Mori, Ichida, Itoh, Matsubara, and Hara*, 1080
 Elsässer, H.-P. See *Jennemann, Bauer, Schmidt, and Wiegandt*, 378
 Emi, S. See *Yamamoto, Kojima, Kikuchi, Shigyo, Sugihara, and Takashio*, 80
 Endo, I. See *Tsujimura, Odaka, Nagashima, and Yohda*, 407
 Endo, M. See *Takagaki, Nakamura, Shibata, and Higuchi*, 697
 Endo, S. See *Hosoda, Ohya, Kohno, Maeda, and Wakamatsu*, 226
 Enjyoji, K. See *Nagase, Shima, Kitazato, Yoshioka, Saito, and Kato*, 63

F

- Filipetti, M. See *Castagna, Zarzur, and Landa*, 372
 Foster, D. See *Kaetsu, Hashiguchi, and Ichinose*, 961
 Fujii, J. See *Seo, Fujiwara, Kaneto, Asahi, and Taniguchi*, 553
 —. See *Kayanoki, Islam, Suzuki, Kawata, Matsuzawa, and Taniguchi*, 817
 —. See *Ikeda and Taniguchi*, 1166
 Fujii, S. See *Miura, Nishina, and Shiga*, 512
 Fujii, Tadahiko. See *Sakai and Hayashi*, 58
 —. See *Hattori, Sakai, and Watanabe*, 400
 Fujii, Takao. See *Fukuda, Nakamura, Sukita, and Ogawa*, 314
 Fujii-Kuriyama, Y. See *Kikuchi, Sogawa, Watanabe, and Kobayashi*, 309
 Fujimura, H. See *Funaba, Murata, Murata, Abe, Takahashi, and Torii*, 953
 Fujisawa, H. See *Okuno and Kitani*, 1176
 Fujita, T. See *Suhara, Yoneyama, and Yonekawa*, 231
 Fujiwara, N. See *Seo, Kaneto, Asahi, Fujii, and Taniguchi*, 553
 Fujiwara, T. See *Hamada, Hata, Katsuya, Hiramatsu, and Katsube*, 844
 Fukasawa, M. See *Sakai, Kato, Ishiguro,*

F (cont'd)

- Furuya, and Sakakibara, 506
 Fukase, M. See *Morita, Hoshino, Fukuda, Yamaguchi, and Morita*, 711
 —. See *Morita, Yamaguchi, and Morita*, 1094
 Fukuda, H., Nakamura, K., Sukita, E., Ogawa, T., and Fujii, T. Cytochrome P450rm from *Rhodotorula minuta* Catalyzes 4-Hydroxylation of Benzoate, 314
 Fukuda, Y. See *Morita, Fukase, Hoshino, Yamaguchi, and Morita*, 711
 Fukui, Y. and Morita, F. Two Phosphorylations Specific to the Tail Region of the 204-kDa Heavy Chain Isoform of Porcine Aorta Smooth Muscle Myosin, 783
 Fukusen, N. and Aoki, Y. Purification and Characterization of Novel Trypsin-Like Serine Proteases from Mouse Spleen, 633
 Funaba, M., Murata, T., Fujimura, H., Murata, E., Abe, M., Takahashi, M., and Torii, K. Unique Recognition of Activin and Inhibin by Polyclonal Antibodies to Inhibin Subunits, 953
 Funae, Y. See *Aoyama, Noshiro, Gotoh, Imaoka, Kurosawa, Horiuchi, and Yoshida*, 926
 Funasaki, N. See *Kawamura-Konishi, Hosomi, Neya, Sugano, and Suzuki*, 857
 Furihata-Yamauchi, M. See *Akama, Sato, Komatsu, Tobita, and Nakano*, 448
 Furuichi, Y. See *Komiyama, Ohta, Urakami, Shiratori, Takasuka, Satoh, and Watanabe*, 731
 Furuya, E. See *Sakai, Kato, Fukasawa, Ishiguro, and Sakakibara*, 506
 Furuya, M. See *Hagiwara, Inoue, Tanaka, and Hirose*, 264

G

- Gans, P., Simorre, J.-P., Caffrey, M., Marion, D., Richaud, P., and Verméglio, A. Sequential ¹H and ¹⁵N NMR Resonance Assignment and Secondary Structure of Ferrocycytochrome *c*₂ from *Rhodobacter sphaeroides*, 1131
 García-Fuentes, E. See *Castillo, Hortal, Zafra, and García-Peregrín*, 610
 García-Peregrín, E. See *Castillo, Hortal, García-Fuentes, and Zafra*, 610
 Gekko, K. See *Ohmae, Iriyama, and Ichihara*, 703
 Go, M. See *Yaoi, Miyazaki, Oshima, and Komukai*, 1014
 Goto, S. See *Nakamura*, 768
 Gotoh, O. See *Aoyama, Noshiro, Imaoka, Funae, Kurosawa, Horiuchi, and Yoshida*, 926
 Gotoh, T. See *Matsuno, Chowdhury, Iwase, Matsuzaki, Takatsuki, Mori, and Taki-guchi*, 524
 Gu, J. and Wada, Y. Effect of Exogenous Decorin on Cell Morphology and Attachment of Decorin-Deficient Fibroblasts, 743

H

- Hada, H. See *Muramatsu, Song, Koide, Tsuji, Kadomatsu, Inui, Kimura, Sakakibara, and Muramatsu*, 1171
 Hagiwara, H., Inoue, A., Furuya, M., Tanaka, S., and Hirose, S. Change in the Expression

- of C-Type Natriuretic Peptide and Its Receptor, B-Type Natriuretic Peptide Receptor, during Dedifferentiation of Chondrocytes into Fibroblast-Like Cells, 264
 Hahn, B.-S., Yang, K.-Y., Park, E.-M., Chang, I.-M., and Kim, Y.-S. Purification and Molecular Cloning of Calobin, a Thrombin-Like Enzyme from *Aghistrodon caliginosus* (Korean Viper), 835
 Hamada, K., Hata, Y., Katsuya, Y., Hiramatsu, H., Fujiwara, T., and Katsube, Y. Crystal Structure of *Serratia* Protease, a Zinc-Dependent Proteinase from *Serratia* sp. E-15, Containing a β -Sheet Coil Motif at 2.0 Å Resolution, 844
 Hamagashira, N., Oku, H., Mega, T., and Hase, S. Purification and Characterization of Hen Oviduct α 1,2-Mannosidase, 998
 Hamaguchi, M. See *Takagi, Kojima, Tsuzuki, Katsumi, Yamazaki, Sugiura, and Saito*, 979
 Hamanaka, T. See *Kawaguchi and Kito*, 396
 Hanaoka, K. See *Momoeda, Hirota, Utsuki, Tsuchida, and Iwamori*, 1189
 Hanmyou, F. See *Yamamoto, Matsunaga, Sakata, Nakamura, and Doi*, 1056
 Hanyu, K. See *Kurasawa, Watanabe, and Numata*, 791
 —, Numata, O., Takahashi, M., and Watanabe, Y. Immunofluorescence Localization of a 23-kDa *Tetrahymena* Calcium-Binding Protein, TCBP-23, in the Cell Cortex, 914
 Hara, N. See *Miyaoka, Tsuchiya, Ishino, and Shimoyama*, 200
 Hara, S. See *Pham, Hayashi, Takano, Itoh, Eguchi, Shibata, and Tanaka*, 428
 —. See *Pham, Hayashi, Takano, Nakazawa, Mori, Ichida, Itoh, Eguchi, and Matsubara*, 1080
 Harada, K. See *Miyoshi, Tamaki, Murata, Ihemoto, Shibuya, Suzuki, and Iwamura*, 274
 Hase, S. See *Kumano and Omuchi*, 991
 —. See *Hamagashira, Oku, and Mega*, 998
 Hasegawa, M. See *Nakamura, Hashimoto, Kamaishi, Adachi, Nakamura, and Okamoto*, 70
 Hashiguchi, T. See *Kaetsu, Foster, and Ichinose*, 961
 Hashimoto, E. See *Liu and Kohara*, 1004
 —, Kobayashi, N., Kubota, N., Tanaka, Y., and Yamamura, H. Phosphorylated Sites of *M*_r 25,000 Protein, a Putative Protein Phosphatase 2A Modulator, and Phosphorylation of the Synthetic Peptide Containing These Sites by Protein Kinase C, 626
 Hashimoto, K. See *Saguchi, Tobe, Nagasaki, Oda, Nakano, Miura, and Tomita*, 898
 —, Tobe, T., Sumiya, J., Sano, Y., Choi-Miura, N.-H., Ozawa, A., Yasue, H., and Tomita, M. Primary Structure of the Pig Homologue of Human IHRP: Inter- α -Trypsin Inhibitor Family Heavy Chain-Related Protein, 577
 Hashimoto, Tadao. See *Ichikawa, Yoshida, and Tagawa*, 193
 Hashimoto, Takashi. See *Uchida, Kondo, and Orii*, 565
 —. See *Kobayashi and Jiang*, 775
 —, Shindo, Y., Souri, M., and Baldwin, G.S. A New Inhibitor of Mitochondrial Fatty Acid Oxidation, 1196
 Hashimoto, Tetsuo. See *Nakamura, Kamaishi, Adachi, Nakamura, Okamoto, and Hasegawa*, 70
 Hashimoto, Yasuhiro, Oshima, A., Narimatsu, H., and Suzuki, A. Expression of the Cholera Toxin B Subunit in the Golgi Apparatus of Swiss 3T3 Cells Inhibits DNA Synthesis Induced by Basic Fibroblast Growth Factor, 985
 Hashimoto, Yoshio. See *Ueda, Iwashita, and Imoto*, 157
 —, Yamada, K., Motoshima, H., Omura, T., Yamada, H., Yasukochi, T., Miki, T., Ueda, T., and Imoto, T. A Mutation Study of Catalytic Residue Asp 52 in Hen Egg Lysozyme, 145
 Hashino, K., Uemori, Y., Kimizuka, F., Kato, I., and Titani, K. A 31-kDa Recombinant Fibronectin Cell-Binding Domain Fragment: Its Binding to Receptor, Cell Adhesive Activity, and Fusion Proteins, 604
 Hata, Y. See *Hamada, Katsuya, Hiramatsu, Fujiwara, and Katsube*, 844
 Hattori, S., Sakai, K., Watanabe, K., and Fujii, T. The Induction of Metachromasia and Circular Dichroism of Coomassie Brilliant Blue R-250 with Collagen and Histone H1 Is Due to the Low Content of Hydrophobic Amino Acid Residues in These Proteins, 400
 Hayakawa, J. See *Uenaka, Kuwajima, Ono, Matsuzawa, Inohara, Kagawa, and Ohta*, 533
 Hayashi, A. See *Itoh, Nakao, Hoshino, Seki, and Shichijo*, 385
 Hayashi, K. See *Pham, Takano, Itoh, Eguchi, Shibata, Tanaka, and Hara*, 428
 —. See *Pham, Takano, Nakazawa, Mori, Ichida, Itoh, Eguchi, Matsubara, and Hara*, 1080
 Hayashi, S. See *Seyama, Hida, and Buzzell*, 799
 Hayashi, Takayuki. See *Matsukawa, Kitagawa, Katayama, Nagai, Yasuda, and Ohba*, 934
 Hayashi, Toshihiko. See *Sakai and Fujii*, 58
 —. See *Muraoka and Nakazato*, 167
 Hayatsu, H. The 5,6-Double Bond of Pyrimidine Nucleosides, a Fragile Site in Nucleic Acids, 391
 Henomatsu, N. See *Tagaya, Yoshimori, Yamamoto, Tashiro, and Mizushima*, 863
 Hida, A. See *Seyama, Hayashi, and Buzzell*, 799
 Higashi-Fujime, S. See *Hozumi and Miki*, 151
 Higuchi, D. See *Takeda, Yamamoto, Nakamura, Masuda, Hirabayashi, and Nakaya*, 29
 Higuchi, Toshiyuki. See *Imamura, Ryu, Koga, Otagiri, Nozawa, and Akita*, 648
 Higuchi, Tsuyoshi. See *Takagaki, Nakamura, Shibata, and Endo*, 697
 Hikichi, K. See *Ohki, Miura, Saito, Nakashima, Maekawa, Yazawa, and Tsuda*, 1045
 Hirabayashi, J. See *Kasai*, 1
 Hirabayashi, T. See *Takeda, Higuchi, Yamamoto, Nakamura, Masuda, and Nakaya*, 29
 Hirai, T. See *Yamaguchi, Nishimura, Takahashi, Yoshikuni, Masaki, and Saneyoshi*,

H (cont'd)

- 186
Hiraishi, H. See *Kumon, Kodama, Kondo, and Yokoi*, 719
Hiramatsu, H. See *Hamada, Hata, Katsuya, Fujiwara, and Katsube*, 844
Hirashima, A. See *Shirasawa, Sato, and Osawa*, 1070
Hirata, M. See *Agarwala, Kawabata, Miyagi, Tsunawasa, and Iwanaga*, 85
Hiratsuka, M., Matsuura, T., Watanabe, E., Sato, M., and Suzuki, Y. Sex and Strain Differences in Constitutive Expression of Fatty Acid ω -Hydroxylase (CYP4A-Related Proteins) in Mice, 340
Hiromi, K. See *Takita, Ohkubo, Shima, Muto, Shimizu, Sukata, Ito, Saito, Inouye, and Tonomura*, 680
Hirose, S. See *Hagiwara, Inoue, Furuya, and Tanaka*, 264
Hirota, K. See *Momoeda, Utsuki, Tsuchida, Hanaoka, and Iwamori*, 1189
Hirotsu, K. See *Setoyama, Miura, Nishina, Shiga, Mizutani, and Miyahara*, 1114
Honda, S. See *Iwakura*, 414
Honke, K., Yamane, M., Ishii, A., Kobayashi, T., and Makita, A. Purification and Characterization of 3'-Phosphoadenosine-5'-Phosphosulfate:GalCer Sulfotransferase from Human Renal Cancer Cells, 421
Hori, H. See *Tsukuba, Sakai, Yamada, Maeda, Azuma, Akamine, and Yamamoto*, 126
Hori, K. See *Kaiharu, Matsuhashi, Kusakabe, Kondo, and Iwanaga*, 281
Horiuchi, T. See *Aoyama, Noshiro, Gotoh, Imaoka, Funae, Kurosawa, and Yoshida*, 926
Hortal, J.H. See *Castillo, Garcia-Fuentes, Zafrá, and Garcia-Peregrín*, 610
Hoshino, K. See *Morita, Fukase, Fukuda, Yamaguchi, and Morita*, 711
Hoshino, T. See *Itoh, Hayashi, Nakao, Seki, and Shichijo*, 385
Hosoda, K., Ohya, M., Kohno, T., Maeda, T., Endo, S., and Wakamatsu, K. Structure Determination of an Immunopotentiator Peptide, Cinnamycin, Complexed with Lyso-phosphatidylethanolamine by ¹H-NMR, 226
Hosomi, N. See *Kawamura-Konishi, Neya, Sugano, Funasaki, and Suzuki*, 857
Hozumi, T., Miki, M., and Higashi-Fujime, S. Maleimidobenzoyl Actin: Its Biochemical Properties and *In Vitro* Motility, 151
- I
- Ichida, M. See *Pham, Hayashi, Takano, Nakazawa, Mori, Itoh, Eguchi, Matsubara, and Hara*, 1080
Ichihara, S. See *Ohmae, Iriyama, and Gekko*, 703
Ichikawa, N., Yoshida, Y., Hashimoto, T., and Tagawa, K. An Intrinsic ATPase Inhibitor Binds near the Active Site of Yeast Mitochondrial F₁-ATPase, 193
Ichinose, A. See *Kaetsu, Hashiguchi, and Foster*, 961
Ichiyama, A. See *Ishikawa and Kaneko*, 970
Ide, Y. See *Maeda, Shimohigashi, Ikese, Nose, Kawano, and Ohno*, 870
Ikebuchi, J. See *Yamaga, Kohara, Ogura, and Yamada*, 725
Ikeda, Y., Fujii, J., and Taniguchi, N. Effects of Substitutions of the Conserved Histidine Residues in Human γ -Glutamyl Transpeptidase, 1166
Ikeguchi, M. See *Shimizu, Kobayashi, and Sugai*, 947
Ikemoto, T. See *Miyoshi, Tamaki, Murata, Shibuya, Harada, Suzuki, and Iwamura*, 274
Ikese, K. See *Maeda, Shimohigashi, Nose, Ide, Kawano, and Ohno*, 870
Imai, K. See *Itoh, Masuda, Ito, Akizawa, Yoshioka, Okada, Sato, and Seiki*, 667
Imajoh-Ohmi, S. See *Yu, Akagawa, and Kanegasaki*, 23
Imamura, Y., Ryu, A., Koga, T., Higuchi, T., Otagiri, M., Nozawa, M., and Akita, H. Purification and Catalytic Properties of a Novel Acetohexamide-Reducing Enzyme from Rabbit Heart, 648
Imaoka, S. See *Aoyama, Noshiro, Gotoh, Funae, Kurosawa, Horiuchi, and Yoshida*, 926
Imoto, T. See *Hashimoto, Yamada, Moto-shima, Omura, Yamada, Yasukochi, Miki, and Ueda*, 145
— See *Ueda, Iwashita, and Hashimoto*, 157
— See *Motoshima and Ueda*, 1019
— See *So, Ueda, Abe, and Nakamata*, 1086
Ingendoh, A. See *Yamaoka, Tsubuki, Nagai, and Sanai*, 878
Inohara, N. See *Uenaka, Kuwajima, Ono, Matsuzawa, Hayakawa, Kagawa, and Ohta*, 533
Inokuchi, H. See *Komine and Kitabatake*, 463
Inoue, Akio. See *Murai and Arata*, 1033
Inoue, Atsuto. See *Hagiwara, Furuya, Tanaka, and Hirose*, 264
Inoue, M. See *Tanaka, Sakamoto, and Sone*, 482
Inouye, K. See *Takita, Ohkubo, Shima, Muto, Shimizu, Sukata, Ito, Saito, Hiromi, and Tonomura*, 680
Inui, T. See *Muramatsu, Song, Koide, Hada, Tsuji, Kadomatsu, Kimura, Sakakibara, and Muramatsu*, 1171
Irie, M. See *Ohgi, Takeuchi, and Iwama*, 9, 548
Iriyama, K. See *Ohmae, Ichihara, and Gekko*, 703
Isaji, M. See *Koshikawa, Nakamura, Tsuchiya, Yasumitsu, Umeda, and Miyazaki*, 334
Ishida, T. See *Morino, Tomoo, Nishi, Okabe, Doi, and Kitamura*, 224
Ishiguro, M. See *Sakai, Kato, Fukasawa, Furuya, and Sakakibara*, 506
Ishii, A. See *Honke, Yamane, Kobayashi, and Makita*, 421
Ishikawa, K., Kaneko, E., and Ichiyama, A. Pyridoxal 5'-Phosphate Binding of a Recombinant Rat Serine:Pyruvate/Alanine: Glyoxylate Aminotransferase, 970
Ishikura, H. See *Matsugi and Murao*, 811
Ishino, H. See *Miyaoka, Tsuchiya, Hara, and Shimoyama*, 200
Islam, K.N. See *Kayanoki, Fujii, Suzuki, Kawata, Matsuzawa, and Taniguchi*, 817
Isohashi, F. See *Okamoto, Liu, Yu, and Ochiai*, 920
Itagaki, E. See *Yabuuchi, Suzuki, Sato, Ohnishi, and Morimoto*, 829
Ito, Hiroshi. See *Takita, Ohkubo, Shima, Muto, Shimizu, Sukata, Saito, Inouye, Hiromi, and Tonomura*, 680
Ito, Hisashi. See *Tsubuki, Saito, Tomioka, and Kawashima*, 572
Ito, K. See *Kitazono, Kitano, Kabashima, and Yoshimoto*, 468
Ito, Y. See *Itoh, Masuda, Akizawa, Yoshioka, Imai, Okada, Sato, and Seiki*, 667
Itoh, K., Hayashi, A., Nakao, M., Hoshino, T., Seki, N., and Shichijo, S. Human Tumor Rejection Antigens MAGE, 385
Itoh, Masanobu. See *Pham, Hayashi, Takano, Eguchi, Shibata, Tanaka, and Hara*, 428
— See *Pham, Hayashi, Takano, Nakazawa, Mori, Ichida, Eguchi, Matsubara, and Hara*, 1080
Itoh, Michiyasu, Masuda, K., Ito, Y., Akizawa, T., Yoshioka, M., Imai, K., Okada, Y., Sato, H., and Seiki, M. Purification and Refolding of Recombinant Human pro-MMP-7 (pro-Matrilysin) Expressed in *Escherichia coli* and Its Characterization, 667
Iwahara, S., Abe, Y., and Okazaki, T. Identification of Five Embryonic Hemoglobins of Rat and Ontogeny of Their Constituent Globins during Fetal Development, 360
Iwakura, M. and Honda, S. Stability and Reversibility of Thermal Denaturation Are Greatly Improved by Limiting Terminal Flexibility of *Escherichia coli* Dihydrofolate Reductase, 414
Iwama, M. See *Ohgi, Takeuchi, and Irie*, 9, 548
Iwamori, M. See *Momoeda, Hirota, Utsuki, Tsuchida, and Hanaoka*, 1189
Iwamura, H. See *Miyoshi, Tamaki, Murata, Ikemoto, Shibuya, Harada, and Suzuki*, 274
Iwanaga, A. See *Kaiharu, Matsuhashi, Kusakabe, Kondo, and Hori*, 281
Iwanaga, S. See *Kumasaka, Yamamoto, Mori, Tanaka, Sato, Katsube, Yamakawa, Omori-Sato, and Ueki*, 49
— See *Agarwala, Kawabata, Hirata, Miyagi, and Tsunawasa*, 85
Iwasaki, H. See *Shida, Shinagawa, and Kyogoku*, 653
Iwase, K. See *Matsuno, Chowdhury, Gotoh, Matsuzaki, Takatsuki, Mori, and Taki-guchi*, 524
Iwashita, H. See *Ueda, Hashimoto, and Imoto*, 157
Iwawaki, Y. See *Matsunaga, Watanabe, Yamamoto, Kageyama, and Yoshimura*, 617
Izuta, S., Kohsaka-Ichikawa, M., Yamaguchi, T., and Saneyoshi, M. 3'-Deoxyribonucleotides Inhibit Eukaryotic DNA Primase, 1038
- J
- Jearanaisilavong, J. See *Nishiguchi, Sakuma, Nomura, Zou, Joh, Yasunaga, and Shimada*, 749
Jennemann, R., Bauer, B.L., Schmidt, R., Elsässer, H.-P., and Wiegandt, H. Effects

J (cont'd)

- of Monophosphoryllipid-A on the Immunization of Mice with Keyhole Limpet Hemocyanin- and Muramyl dipeptide-Ganglioside Gfpt1 Conjugates, 378
- Jiang, L.L. See *Kobayashi and Hashimoto*, 775
- Joh, T. See *Nishiguchi, Sakuma, Nomura, Zou, Jearanaisilavong, Yasunaga, and Shimada*, 749

K

- Kabashima, T. See *Kitazono, Kitano, Ito, and Yoshimoto*, 468
- Kadomatsu, K. See *Muramatsu, Song, Koide, Hada, Tsuji, Inui, Kimura, Sakakibara, and Muramatsu*, 1171
- Kadowaki, T. See *Kouzuma, Kawano, Kimura, Yamasaki, and Yamamoto*, 1106
- Kaetsu, H., Hashiguchi, T., Foster, D., and Ichinose, A. Expression and Release of the *a* and *b* Subunits for Human Coagulation Factor XIII in Baby Hamster Kidney (BHK) Cells, 961
- Kagawa, Y. See *Uenaka, Kuwajima, Ono, Matsuzawa, Hayakawa, Inohara, and Ohta*, 533
- Kageyama, T. See *Matsunaga, Iwawaki, Watanabe, Yamamoto, and Yoshimura*, 617
- Kaiharu, R., Matsushashi, S., Kusakabe, T., Kondo, T., Iwanaga, A., and Hori, K. Monoclonal Anti-Human Aldolase C Antibodies That React to the Isozyme Group-Specific Sequences and Generally Conserved Sequences of Human Aldolase C, 281
- Kakikawa, M. See *Kodaira, Oki, Kimoto, and Taketo*, 1062
- Kamaishi, T. See *Nakamura, Hashimoto, Adachi, Nakamura, Okamoto, and Hasegawa*, 70
- Kametani, S. See *Shiga, Mizuno, and Akanuma*, 173
- , Mizuno, H., Shiga, Y., and Akanuma, H. NMR of All-Carbon-13 Sugars: An Application in Development of an Analytical Method for a Novel Natural Sugar, 1,5-Anhydrofructose, 180
- Kamisaka, Y. and Nakahara, T. Activation of Detergent-Solubilized Diacylglycerol Acyltransferase by Anionic Phospholipids, 520
- Kaneda, N., Talukder, A.H., Nishiyama, H., Koizumi, S., and Muramatsu, T. Midkine, a Heparin-Binding Growth/Differentiation Factor, Exhibits Nerve Cell Adhesion and Guidance Activity for Neurite Outgrowth *In Vitro*, 1150
- Kanegasaki, S. See *Yu, Imajoh-Ohmi, and Akagawa*, 23
- Kaneko, E. See *Ishikawa and Ichiyama*, 970
- Kaneto, H. See *Seo, Fujiwara, Asahi, Fujii, and Taniguchi*, 553
- Kang, R., Yamada, K., Tanaka, T., Lu, T., and Noguchi, T. Relationship between the Concentrations of Glycolytic Intermediates and Expression of the L-Type Pyruvate Kinase Gene in Cultured Hepatocytes, 162
- Kasai, K. and Hirabayashi, J. Galectins: A Family of Animal Lectins That Decipher Glycocodes, 1
- Kasai, S. See *Matsui*, 441
- Katayama, K. See *Matsukawa, Kitagawa, Nagai, Hayashi, Yasuda, and Ohba*, 934
- Kato, H. See *Nagase, Enryoji, Shima, Kitazato, Yoshioka, and Saito*, 63
- Kato, I. See *Hashino, Uemori, Kimizuka, and Titani*, 604
- Kato, M. See *Sakai, Fukasawa, Ishiguro, Furuya, and Sakakibara*, 506
- Kato, R. See *Okamoto, Masui, Yamagishi, Oshima, and Kuramitsu*, 135
- Katsube, Y. See *Kumasaka, Yamamoto, Moriyama, Tanaka, Sato, Yamakawa, Omori-Satoh, Iwanaga, and Ueki*, 49
- , See *Hamada, Hata, Katsuya, Hiramatsu, and Fujiwara*, 844
- Katsumi, A. See *Takagi, Kojima, Tsuzuki, Yamazaki, Sugiura, Hamaguchi, and Saito*, 979
- Katsura, Y. See *Satoh, Takayama, Kojima, Ogawa, Yamori, Sato, Kawaguchi, Tsuruo, Kina, and Matsumoto*, 346
- Katsuya, Y. See *Hamada, Hata, Hiramatsu, Fujiwara, and Katsube*, 844
- Kawabata, S. See *Agarwala, Hirata, Miyagi, Tsunawawa, and Iwanaga*, 85
- Kawaguchi, Takeshi, Hamanaka, T., and Kito, Y. X-Ray Diffraction Pattern from Internal Structure of Bovine Rhodopsin, 396
- Kawaguchi, Tokuchi. See *Satoh, Takayama, Kojima, Ogawa, Yamori, Sato, Tsuruo, Katsura, Kina, and Matsumoto*, 346
- Kawamura-Konishi, Y., Hosomi, N., Neya, S., Sugano, S., Funasaki, N., and Suzuki, H. Kinetic Characterization of Antibody-Catalyzed Insertion of a Metal Ion into Porphyrin, 857
- Kawano, G. See *Maeda, Ueda, Kazami, Suzuki, and Nagamune*, 601
- Kawano, Keiichi. See *Maeda, Shimohigashi, Ikesue, Nose, Ide, and Ohno*, 870
- Kawano, Keiko. See *Kouzuma, Kimura, Yamasaki, Kadowaki, and Yamamoto*, 1106
- Kawashima, S. See *Tsubuki, Saito, Tomioka, and Ito*, 572
- Kawata, S. See *Kayanoki, Fujii, Islam, Suzuki, Matsuzawa, and Taniguchi*, 817
- Kayanoki, Y., Fujii, J., Islam, K.N., Suzuki, K., Kawata, S., Matsuzawa, Y., and Taniguchi, N. The Protective Role of Glutathione Peroxidase in Apoptosis Induced by Reactive Oxygen Species, 817
- Kazahari, K. See *Aizawa, Yoneyama, and Ono*, 296
- Kazami, J. See *Maeda, Ueda, Kawano, Suzuki, and Nagamune*, 601
- Kikuchi, K. See *Matsuda, Matsuzawa, Nakamura, and Mizuno*, 329
- Kikuchi, T. See *Yamamoto, Kojima, Shigyo, Sugihara, Takashio, and Emi*, 80
- Kikuchi, Y., Sogawa, K., Watanabe, N., Kobayashi, A., and Fujii-Kuriyama, Y. Purification and Characterization of the DNA-Binding Domain of BTEB, a GC Box-Binding Transcription Factor, Expressed in *Escherichia coli*, 309
- Kikugawa, K. See *Ando and Beppu*, 639
- Kim, Y.-S. See *Hahn, Yang, Park, and Chang*, 835
- Kimizuka, F. See *Hashino, Uemori, Kato, and Titani*, 604
- Kimoto, E. See *Yamaguchi and Yamamoto*, 95
- Kimoto, H. See *Kodaira, Oki, Kakikawa, and Taketo*, 1062
- Kimura, M. See *Kouzuma, Kawano, Yamasaki, Kadowaki, and Yamamoto*, 1106
- Kimura, S. See *Okamoto, Suzuki, and Shin-kai*, 106
- Kimura, T. See *Muramatsu, Song, Koide, Hada, Tsuji, Kadomatsu, Inui, Sakakibara, and Muramatsu*, 1171
- Kina, T. See *Satoh, Takayama, Kojima, Ogawa, Yamori, Sato, Kawaguchi, Tsuruo, Katsura, and Matsumoto*, 346
- Kinoshita, M. See *Yamauchi and Togawa*, 115
- Kishi, T. See *Takahashi and Okamoto*, 256
- Kitabatake, M. See *Komine and Inokuchi*, 463
- Kitagawa, M. See *Matsukawa, Katayama, Nagai, Hayashi, Yasuda, and Ohba*, 934
- Kitamura, K. See *Morino, Tomoo, Nishi, Okabe, Doi, and Ishida*, 224
- Kitani, T. See *Okuno and Fujisawa*, 1176
- Kitano, A. See *Kitazono, Kabashima, Ito, and Yoshimoto*, 468
- Kitazato, K. See *Nagase, Enryoji, Shima, Yoshioka, Saito, and Kato*, 63
- Kitazono, A., Kitano, A., Kabashima, T., Ito, K., and Yoshimoto, T. Prolyl Aminopeptidase Is Also Present in *Enterobacteriaceae*: Cloning and Sequencing of the *Hafnia alvei* Enzyme-Gene and Characterization of the Expressed Enzyme, 468
- Kito, Y. See *Kawaguchi and Hamanaka*, 396
- Knapp, W. See *Kniep, Peter-Katalinic, Muthing, Majdic, and Pickl*, 456
- Kniep, B., Peter-Katalinic, J., Muthing, J., Majdic, O., Pickl, W.F., and Knapp, W. The CDw65 Monoclonal Antibodies VIM-8 and VIM-11 Bind to the Neutral Glycolipid V³FucnLc₆Cer, 456
- Kobayashi, Akio, Jiang, L.L., and Hashimoto, T. Two Mitochondrial 3-Hydroxyacyl-CoA Dehydrogenases in Bovine Liver, 775
- Kobayashi, Akira. See *Kikuchi, Sogawa, Watanabe, and Fujii-Kuriyama*, 309
- Kobayashi, D., Takita, H., Mizuno, M., Totsuka, Y., and Kuboki, Y. Time-Dependent Expression of Bone Sialoprotein Fragments in Osteogenesis Induced by Bone Morphogenetic Protein, 475
- Kobayashi, N. See *Hashimoto, Kubota, Tanaka, and Yamamura*, 626
- Kobayashi, Takahiko. See *Honke, Yamane, Ishii, and Makita*, 421
- Kobayashi, Takuji. See *Shimizu, Ikeguchi, and Sugai*, 947
- Kodaira, K.-I., Oki, M., Kakikawa, M., Kimoto, H., and Taketo, A. The Virion Proteins Encoded by Bacteriophage ϕ K and Its Host-Range Mutant ϕ KhT: Host-Range Determination and DNA Binding Properties, 1062
- Kodama, H. See *Kumon, Kondo, Yokoi, and Hiraishi*, 719
- Koga, T. See *Imamura, Ryu, Higuchi, Otogiri, Nozawa, and Akita*, 648
- Kohara, H. See *Yamaga, Ikebuchi, Ogura, and Yamada*, 725
- , See *Liu and Hashimoto*, 1004

K (cont'd)

- Kohno, T. See *Hosoda, Ohya, Maeda, Endo, and Wakamatsu*, 226
- Kohsaka-Ichikawa, M. See *Izuta, Yamaguchi, and Saneyoshi*, 1038
- Koide, N. See *Muramatsu, Song, Hada, Tsuji, Kadomatsu, Inui, Kimura, Sakakibara, and Muramatsu*, 1171
- Koizumi, S. See *Kaneda, Talukder, Nishiyama, and Muramatsu*, 1150
- Kojima, Kyoko. See *Satoh, Takayama, Ogawa, Yamori, Sato, Kawaguchi, Tsuruo, Katsura, Kina, and Matsumoto*, 346
- Kojima, Tetsuhito. See *Takagi, Tsuzuki, Katsumi, Yamazaki, Sugiura, Hamaguchi, and Saito*, 979
- Kojima, Y. See *Yamamoto, Kikuchi, Shigyo, Sugihara, Takashio, and Emi*, 80
- Komatsu, Y. See *Akama, Sato, Furihata-Yamauchi, Tobita, and Nakano*, 448
- Kominami, R. See *Mishima and Suda*, 805
- Komine, Y., Kitabatake, M., and Inokuchi, H. 10S RNA Is Associated with 70S Ribosome Particles in *Escherichia coli*, 463
- Komiyama, T., Ohta, T., Urakami, H., Shiratori, Y., Takasuka, T., Satoh, M., Watanabe, T., and Furuichi, Y. Pore Formation on Proliferating Yeast *Saccharomyces cerevisiae* Cell Buds by HM-1 Killer Toxin, 731
- Komukai, Y. See *Yaoi, Miyazaki, Oshima, and Go*, 1014
- Kondo, M. See *Kumon, Kodama, Yokoi, and Hiraishi*, 719
- Kondo, N. See *Uchida, Orie, and Hashimoto*, 565
- Kondo, T. See *Kaiharu, Matsuhashi, Kusakabe, Iwanaga, and Hori*, 281
- Kontinen, V.P., Yamanaka, M., Nishiyama, K., and Tokuda, H. Roles of the Conserved Cytoplasmic Region and Non-Conserved Carboxy-Terminal Region of SecE in *Escherichia coli* Protein Translocase, 1124
- Koshikawa, N., Nakamura, T., Tsuchiya, N., Isaji, M., Yasumitsu, H., Umeda, M., and Miyazaki, K. Purification and Identification of a Novel and Four Known Serine Proteinase Inhibitors Secreted by Human Glioblastoma Cells, 334
- Kouzuma, Y., Kawano, K., Kimura, M., Yamasaki, N., Kadowaki, T., and Yamamoto, K. Purification, Characterization, and Sequencing of Two Cysteine Proteinase Inhibitors, Sca and Scb, from Sunflower (*Helianthus annuus*) Seeds, 1106
- Kubo, T., Sasaki, M., Nakamura, J., Sasa-gawa, H., Ohashi, K., Takeuchi, H., and Natori, S. Change in the Expression of Hypopharyngeal-Gland Proteins of the Worker Honeybees (*Apis mellifera* L.) with Age and/or Role, 291
- Kuboki, Y. See *Kobayashi, Takita, Mizuno, and Totsuka*, 475
- Kubota, N. See *Hashimoto, Kobayashi, Tanaka, and Yamamura*, 626
- Kumano, M., Omichi, K., and Hase, S. Substrate Specificity of Bovine Liver Cytosolic Neutral α -Mannosidase Activated by Co^{2+} , 991
- Kumasaka, T., Yamamoto, M., Moriyama, H., Tanaka, N., Sato, M., Katsube, Y., Yamakawa, Y., Omori-Satoh, T., Iwanaga, S., and Ueki, T. Crystal Structure of H_2 -Proteinase from the Venom of *Trimeresurus flavoviridis*, 49
- Kumon, A., Kodama, H., Kondo, M., Yokoi, F., and Hiraishi, H. N^{ω} -Phosphoarginine Phosphatase (17 kDa) and Alkaline Phosphatase as Protein Arginine Phosphatases, 719
- Kunioka, Y. and Ando, T. Innocuous Labeling of the Subfragment-2 Region of Skeletal Muscle Heavy Meromyosin with a Fluorescent Polyacrylamide Nanobead and Visualization of Individual Heavy Meromyosin Molecules, 1024
- Kuramitsu, S. See *Okamoto, Kato, Masui, Yamagishi, and Oshima*, 135
- Kurasawa, Y., Hanyu, K., Watanabe, Y., and Numata, O. F-Actin Bundling Activity of Tetrahymena Elongation Factor 1 α Is Regulated by Ca^{2+} /Calmodulin, 791
- Kurosawa, N. See *Aoyama, Noshiro, Gotoh, Imaoka, Funae, Horiuchi, and Yoshida*, 926
- Kurumizaka, H. and Shibata, T. Homologous Recognition by RecA Protein Using Non-Equivalent Three DNA-Strand-Binding Sites, 216
- Kusakabe, T. See *Kaiharu, Matsuhashi, Kondo, Iwanaga, and Hori*, 281
- Kuwajima, M. See *Uenaka, Ono, Matsuzawa, Hayakawa, Inohara, Kagawa, and Ohta*, 533
- Kyogoku, Y. See *Shida, Iwasaki, and Shinagawa*, 653

L

- Landa, C. See *Castagna, Zarzur, and Filipetti*, 372
- Le, W.-P., Yan, S.-X., Zhang, Y.-X., and Zhou, H.-M. Acid-Induced Folding of Yeast Alcohol Dehydrogenase under Low pH Conditions, 674
- Lee, H.-S. See *Park and Lee*, 235
- Lee, S.-T. See *Park and Lee*, 235
- Lekka, M.E. See *Tellis and Tsoukatos*, 823
- Lin, S.-B. See *Chen, Wu, Choo, and Au*, 252
- Liu, G. See *Okamoto, Yu, Ochiai, and Isohashi*, 920
- Liu, Y., Kohara, H., and Hashimoto, E. Studies on the Phosphorylation of a M_r 25,000 Protein, a Putative Protein Phosphatase 2A Modulator, by Casein Kinase I, and Analysis of Multiple Endogenous Phosphates, 1004
- Lu, T. See *Kang, Yamada, Tanaka, and Noguchi*, 162

M

- Mabuchi, I. See *Mishima*, 906
- Maeda, H. See *Tsukuba, Sakai, Yamada, Hori, Azuma, Akamine, and Yamamoto*, 126
- Maeda, I., Shimohigashi, Y., Ikesue, K., Nose, T., Ide, Y., Kawano, K., and Ohno, M. Chymotrypsin Inhibition Induced by Side Chain-Side Chain Intramolecular CH/ π Interaction in D-Thr-L-Phe Benzylamide, 870
- Maeda, T. See *Hosoda, Ohya, Kohno, Endo, and Wakamatsu*, 226
- Maeda, Y., Ueda, H., Kazami, J., Kawano, G., Suzuki, E., and Nagamune, T. Truncation of *Vargula* Luciferase Still Results in Retention of Luminescence, 601
- Maekawa, H. See *Ohki, Miura, Saito, Nakashima, Yazawa, Tsuda, and Hikichi*, 1045
- Majdic, O. See *Knip, Peter-Katalinic, Muthling, Pickl, and Knapp*, 456
- Makita, A. See *Honke, Yamane, Ishii, and Kobayashi*, 421
- Marion, D. See *Gans, Simorre, Caffrey, Richaud, and Verméglio*, 1131
- Masaki, J. See *Yamaguchi, Nishimura, Takahashi, Yoshikuni, Hirai, and Saneyoshi*, 186
- Masuda, K. See *Itoh, Ito, Akizawa, Yoshioka, Imai, Okada, Sato, and Seiki*, 667
- Masuda, Y. See *Takeda, Higuchi, Yamamoto, Nakamura, Hirabayashi, and Nakaya*, 29
- Masui, R. See *Okamoto, Kato, Yamagishi, Oshima, and Kuramitsu*, 135
- Matsubara, F. See *Pham, Hayashi, Takano, Nakazawa, Mori, Ichida, Itoh, Eguchi, and Hara*, 1080
- Matsuda, A., Matsuzawa, S., Nakamura, K., Mizuno, Y., and Kikuchi, K. Alterations in Activity of Protein Tyrosine Phosphatase SH-PTP1 in Autoimmune MRL/MpJ-lpr/lpr Mice, 329
- Matsuda, Y. See *Tsuji, Edazawa, Sakiyama, Nagata, Sasaki, and Nagamune*, 100
- Matsugi, J., Murao, K., and Ishikura, H. Characterization of a *B. subtilis* Minor Isoleucine tRNA Deduced from tDNA Having a Methionine Anticodon CAT, 811
- Matsuhashi, S. See *Kaiharu, Kusakabe, Kondo, Iwanaga, and Hori*, 281
- Matsui, K. and Kasai, S. Identification of Neflavin as 7 α -Hydroxyriboflavin, 441
- Matsukawa, T., Kitagawa, M., Katayama, K., Nagai, Y., Hayashi, T., Yasuda, H., and Ohba, Y. The Existence of Thyroid Hormone Responsive Element, TRE, Was Confirmed in the First Intron of Rat α_1 -Acid Glycoprotein Gene, 934
- Matsumoto, I. See *Satoh, Takayama, Kojima, Ogawa, Yamori, Sato, Kawaguchi, Tsuruo, Katsura, and Kina*, 346
- Matsumoto, K. and Nakamura, T. Emerging Multipotent Aspects of Hepatocyte Growth Factor, 591
- Matsunaga, T. See *Yamamoto, Sakata, Nakamura, Doi, and Hanmyou*, 1056
- , Iwawaki, Y., Watanabe, K., Yamamoto, I., Kageyama, T., and Yoshimura, H. Microsomal Aldehyde Oxygenase (MALDO): Purification and Characterization of a Cytochrome P450 Isozyme Responsible for Oxidation of 9-Anthraldehyde to 9-Anthracenecarboxylic Acid in Monkey Liver, 617
- Matsuno, F., Chowdhury, S., Gotoh, T., Iwase, K., Matsuzaki, H., Takatsuki, K., Mori, M., and Takiguchi, M. Induction of the C/EBP β Gene by Dexamethasone and Glucagon in Primary-Cultured Rat Hepatocytes, 524
- Matsuura, T. See *Hiratsuka, Watanabe, Sato, and Suzuki*, 340
- Matsuzaki, H. See *Matsuno, Chowdhury, Gotoh, Iwase, Takatsuki, Mori, and Takiguchi*, 524

M (cont'd)

- Matsuzawa, S. See *Matsuda, Nakamura, Mizuno, and Kikuchi*, 329
- Matsuzawa, Y. See *Uenaka, Kuwajima, Ono, Hayakawa, Inohara, Kagawa, and Ohta*, 533
- See *Kayanoki, Fujii, Islam, Suzuki, Kawata, and Taniguchi*, 817
- Mazda, T. See *Choi-Miura, Tobe, Sumiya, Nakano, Sano, and Tomita*, 1157
- Mega, T. See *Hamagashira, Oku, and Hase*, 998
- Miki, M. See *Hozumi and Higashi-Fujime*, 151
- Miki, T. See *Hashimoto, Yamada, Moto-shima, Omura, Yamada, Yasukochi, Ueda, and Imoto*, 145
- Mine, T. See *Otsuka, Ohuchi, and Ohmori*, 246
- Minokoshi, Y. See *Nikami, Shimizu, Sumida, Yoshida, Saito, and Shimazu*, 120
- Mishima, M. and Mabuchi, I. Cell Cycle-Dependent Phosphorylation of Smooth Muscle Myosin Light Chain in Sea Urchin Egg Extracts, 906
- Mishima, Y., Suda, T., and Kominami, R. Formation of a Triple-Stranded DNA between d(GGA:TCC) Repeats and d(GGA) Repeat Oligonucleotides, 805
- Misono, H. See *Okuda and Nagata*, 690
- Miura, K. See *Ohki, Saito, Nakashima, Maekawa, Yazawa, Tsuda, and Hikichi*, 1045
- Miura, N.-H. See *Saguchi, Tobe, Hashimoto, Nagasaki, Oda, Nakano, and Tomita*, 898
- Miura, R. See *Setoyama, Nishina, Shiga, Mizutani, Miyahara, and Hirotsu*, 1114
- , Nishina, Y., Fujii, S., and Shiga, K. ¹³C-NMR Study on the Interaction of Medium-Chain Acyl-CoA Dehydrogenase with Acetoacetyl-CoA, 512
- Miyagi, M. See *Agarwala, Kawabata, Hirata, Tsunasawa, and Iwanaga*, 85
- Miyahara, I. See *Setoyama, Miura, Nishina, Shiga, Mizutani, and Hirotsu*, 1114
- Miyaoka, T., Tsuchiya, M., Hara, N., Ishino, H., and Shimoyama, M. Activation of *Clostridium botulinum* C3 Exoenzyme-Catalyzed ADP-Ribosylation of RhoA by K⁺ in a Mg²⁺-Dependent Manner, 200
- Miyazaki, Kaoru. See *Koshikawa, Nakamura, Tsuchiya, Isaji, Yasumitsu, and Umeda*, 334
- Miyazaki, Kentaro. See *Yaoi, Oshima, Komukai, and Go*, 1014
- Miyoshi, H., Tamaki, M., Murata, H., Ikemoto, T., Shibuya, T., Harada, K., Suzuki, M., and Iwamura, H. Uncoupling Mechanism of Glycoside Antibiotic Aculeximycin in Isolated Rat-Liver Mitochondria, 274
- Mizuno, H. See *Shiga, Kametani, and Akanuma*, 173
- See *Kametani, Shiga, and Akanuma*, 180
- Mizuno, M. See *Kobayashi, Takita, Totsuka, and Kuboki*, 475
- Mizuno, Y. See *Matsuda, Matsuzawa, Nakamura, and Kikuchi*, 329
- Mizushima, S. See *Tagaya, Henomatsu, Yoshimori, Yamamoto, and Tashiro*, 863
- Mizutani, H. See *Setoyama, Miura, Nishina, Shiga, Miyahara, and Hirotsu*, 1114
- Momoeda, K., Hirota, K., Utsuki, T., Tsuchida, Y., Hanaoka, K., and Iwamori, M. Developmental Changes of Neutral Glycosphingolipids as Receptors for Pulmonary Surfactant Protein SP-A in the Alveolar Epithelium of Murine Lung, 1189
- Mori, H. See *Pham, Hayashi, Takano, Nakazawa, Ichida, Itoh, Eguchi, Matsubara, and Hara*, 1080
- Mori, M. See *Matsuno, Chowdhury, Gotoh, Iwase, Matsuzaki, Takatsuki, and Takiguchi*, 524
- Morimoto, C. See *Okuda and Tsujita*, 852
- Morimoto, S. and Ohtsuki, I. Reduced Positive Feedback Regulation between Myosin Crossbridge and Cardiac Troponin C in Fast Skeletal Myofibrils, 737
- Morimoto, Y. See *Yabuuchi, Suzuki, Sato, Ohnishi, and Itagaki*, 829
- Morino, S., Tomoo, K., Nishi, N., Okabe, K., Doi, M., Ishida, T., and Kitamura, K. Crystallization and Preliminary X-Ray Diffraction Study of Recombinant Human Eukaryotic Initiation Factor-4E, 224
- Morita, F. See *Fukui*, 783
- Morita, S., Fukase, M., Hoshino, K., Fukuda, Y., Yamaguchi, M., and Morita, Y. Partial Purification and Characterization of a Novel Soybean Protease Which Is Inhibited by Kunitz and Bowman-Birk Trypsin Inhibitors, 711
- Morita, S., Fukase, M., Yamaguchi, M., and Morita, Y. Substrate Specificity of a Novel Serine Protease from Soybean [*Glycine max* (L.) Merrill], 1094
- Morita, Y. See *Morita, Fukase, Hoshino, Fukuda, and Yamaguchi*, 711
- See *Morita, Fukase, and Yamaguchi*, 1094
- Moriyama, H. See *Kumasaka, Yamamoto, Tanaka, Sato, Katsube, Yamakawa, Omori-Sato, Iwanaga, and Ueki*, 49
- Motoshima, H. See *Hashimoto, Yamada, Omura, Yamada, Yasukochi, Miki, Ueda, and Imoto*, 145
- , Ueda, T., and Imoto, T. Analysis of the Transition State in the Unfolding of Hen Lysozyme by Introduction of Gly-Pro and Pro-Gly Sequences at the Same Site, 1019
- Mukohata, Y. See *Sugiyama*, 1143
- Murai, S., Arata, T., and Inoue, A. Structure of Heads A and B of Myosin Studied by Tryptic Digestion of Myosin Subfragment-1, 1033
- Muramatsu, H., Song, X.-J., Koide, N., Hada, H., Tsuji, T., Kadomatsu, K., Inui, T., Kimura, T., Sakakibara, S., and Muramatsu, T. Enzyme-Linked Immunoassay for Midkine, and Its Application to Evaluation of Midkine Levels in Developing Mouse Brain and Sera from Patients with Hepatocellular Carcinomas, 1171
- Muramatsu, T. See *Ozawa*, 302
- See *Kaneda, Talukder, Nishiyama, and Koizumi*, 1150
- See *Muramatsu, Song, Koide, Hada, Tsuji, Kadomatsu, Inui, Kimura, and Sakakibara*, 1171
- Muraoka, K. See *Matsugi and Ishikura*, 811
- Muraoka, M., Nakazato, K., and Hayashi, T. Gel Formation from the Type IV Collagen Isolated from Bovine Lens Capsule in Guanidine-HCl and Dithiothreitol, 167
- Murase, S., Yumoto, N., Petukhov, M.G., and Yoshikawa, S. Acylation of the α -Amino Group in Neuropeptide Y(12-36) Increases Binding Affinity for the Y₂ Receptor, 37
- Murata, E. See *Funaba, Murata, Fujimura, Abe, Takahashi, and Torii*, 953
- Murata, H. See *Miyoshi, Tamaki, Ikemoto, Shibuya, Harada, Suzuki, and Iwamura*, 274
- Murata, T. See *Funaba, Fujimura, Murata, Abe, Takahashi, and Torii*, 953
- Murayama, H. See *Yokota and Wadano*, 487
- Müthing, J. See *Kniep, Peter-Katalinic, Majdic, Pickl, and Knapp*, 456
- Muto, T. See *Takita, Ohkubo, Shima, Shimizu, Sukata, Ito, Saito, Inouye, Hiromi, and Tonomura*, 680

N

- Nagai, Yoshitaka. See *Yamaoka, Ingendoh, Tsubuki, and Sanai*, 878
- Nagai, Yukiko. See *Matsukawa, Kitagawa, Katayama, Hayashi, Yasuda, and Ohba*, 934
- Nagamune, H. See *Tsuji, Edazawa, Sakiyama, Nagata, Sasaki, and Matsuda*, 100
- Nagamune, T. See *Maeda, Ueda, Kazami, Kawano, and Suzuki*, 601
- Nagasaki, Y. See *Saguchi, Tobe, Hashimoto, Oda, Nakano, Miura, and Tomita*, 898
- Nagase, H., Enjyoji, K., Shima, M., Kitazato, K., Yoshioka, A., Saito, H., and Kato, H. Effect of Depolymerized Holothurian Glycosaminoglycan (DHG) on the Activation of Factor VIII and Factor V by Thrombin, 63
- Nagashima, S. See *Tsujimura, Odaka, Yohda, and Endo*, 407
- Nagata, K. See *Tsuji, Edazawa, Sakiyama, Sasaki, Nagamune, and Matsuda*, 100
- Nagata, S. See *Okuda and Misono*, 690
- Nagata, Y., Nakamura, J., and Yamamoto, T. Protection of Scallop Sarcoplasmic Reticulum ATPase from Thermal Inactivation by Removal of Calcium from High-Affinity Binding Sites on the Enzyme, 1100
- Nakahara, T. See *Kamisaka*, 520
- Nakamata, T. See *So, Ueda, Abe, and Imoto*, 1086
- Nakamura, A. and Goto, S. Analysis of Protein Carbonyls with 2,4-Dinitrophenyl Hydrazine and Its Antibodies by Immunoblot in Two-Dimensional Gel Electrophoresis, 768
- Nakamura, F. See *Nakamura, Hashimoto, Kamaishi, Adachi, Okamoto, and Hasegawa*, 70
- Nakamura, J. See *Kubo, Sasaki, Sasagawa, Ohashi, Takeuchi, and Natori*, 291
- See *Nagata and Yamamoto*, 1100
- Nakamura, Kiminori. See *Fukuda, Sukita, Ogawa, and Fujii*, 314
- Nakamura, Koji. See *Matsuda, Matsuzawa, Mizuno, and Kikuchi*, 329
- Nakamura, O. See *Shao, Arakaki, Ohnishi, and Daikuhara*, 940
- Nakamura, Takashi. See *Koshikawa, Tsuchiya, Isaji, Yasumitsu, Umeda, and Miyazaki*, 334
- Nakamura, Toshikazu. See *Matsumoto*, 591

N (cont'd)

- Nakamura, Toshiya. See *Takagaki, Shibata, Higuchi, and Endo*, 697
- Nakamura, Yoshihiro, Hashimoto, T., Kamaishi, T., Adachi, J., Nakamura, F., Okamoto, K., and Hasegawa, M. Phylogenetic Position of Kinetoplastid Protozoa Inferred from the Protein Phylogenies of Elongation Factors 1 α and 2, 70
- Nakamura, Yoshiko. See *Takeda, Higuchi, Yamamoto, Masuda, Hirabayashi, and Nakaya*, 29
- Nakamura, Yuko. See *Yamamoto, Matsunaga, Sakata, Doi, and Hanmyou*, 1056
- Nakano, M. See *Akama, Sato, Furihata-Yamauchi, Komatsu, and Tobita*, 448
- Nakano, Y. See *Saguchi, Tobe, Hashimoto, Nagasaki, Oda, Miura, and Tomita*, 898
- See *Choi-Miura, Tobe, Sumiya, Sano, Mazda, and Tomita*, 1157
- Nakao, M. See *Itoh, Hayashi, Hoshino, Seki, and Shichijo*, 385
- Nakashima, K. See *Ohki, Miura, Saito, Maekawa, Yazawa, Tsuda, and Hikichi*, 1045
- Nakaya, K. See *Takeda, Higuchi, Yamamoto, Nakamura, Masuda, and Hirabayashi*, 29
- Nakayama, N., Takemae, A., and Shoun, H. Cytochrome P450foxy, a Catalytically Self-Sufficient Fatty Acid Hydroxylase of the Fungus *Fusarium oxysporum*, 435
- Nakazato, K. See *Muraoka and Hayashi*, 167
- Nakazawa, H. See *Pham, Hayashi, Takano, Mori, Ichida, Itoh, Eguchi, Matsubara, and Hara*, 1080
- Narimatsu, H. See *Hashimoto, Oshima, and Suzuki*, 985
- Natori, S. See *Kubo, Sasaki, Nakamura, Sasagawa, Ohashi, and Takeuchi*, 291
- See *Sugiyama*, 354
- Neya, S. See *Kawamura-Konishi, Hosomi, Sugano, Funasaki, and Suzuki*, 857
- Nikami, H., Shimizu, Y., Sumida, M., Minokoshi, Y., Yoshida, T., Saito, M., and Shimazu, T. Expression of β 3-Adrenoceptor and Stimulation of Glucose Transport by β 3-Agonists in Brown Adipocyte Primary Culture, 120
- Nishi, Noriko. See *Morino, Tomoo, Okabe, Doi, Ishida, and Kitamura*, 224
- Nishi, Norio. See *Ohmae, Suzuki, Tokura, and Nishimura*, 367
- Nishiguchi, S., Sakuma, R., Nomura, M., Zou, Z., Jearanaisilavong, J., Joh, T., Yasunaga, T., and Shimada, K. A Catalogue of Genes in Mouse Embryonal Carcinoma F9 Cells Identified with Expressed Sequence Tags, 749
- Nishimura, S. See *Yamaguchi, Takahashi, Yoshikuni, Masaki, Hirai, and Saneyoshi*, 186
- Nishimura, S.-I. See *Ohmae, Suzuki, Tokura, and Nishi*, 367
- Nishina, Y. See *Miura, Fujii, and Shiga*, 512
- See *Setoyama, Miura, Shiga, Mizutani, Miyahara, and Hirotsu*, 1114
- Nishino, T. See *Ohnuma and Watanabe*, 541
- Nishiyama, H. See *Kaneda, Talukder, Kozumi, and Muramatsu*, 1150
- Nishiyama, K. See *Kontinen, Yamanaka, and Tokuda*, 1124
- Nitta, I. See *Nojima, Ueda, and Watanabe*, 1076
- Noguchi, T. See *Kang, Yamada, Tanaka, and Lu*, 162
- Nojima, T., Nitta, I., Ueda, T., and Watanabe, K. Pyridine-Promoted Factor- and Energy-Free Peptide Synthesis Systems Prepared from Various Organisms Including Prokaryote, Eukaryote, and Mitochondria, 1076
- Nomura, M. See *Zou, Takihara, Yasunaga, and Shimada*, 319
- See *Nishiguchi, Sakuma, Zou, Jearanaisilavong, Joh, Yasunaga, and Shimada*, 749
- Nomura, T. See *Yoshimura and Yamauchi*, 268
- Nose, T. See *Maeda, Shimohigashi, Ikesue, Ide, Kawano, and Ohno*, 870
- Noshiro, M. See *Aoyama, Gotoh, Imaoka, Funae, Kurosawa, Horiuchi, and Yoshida*, 926
- Nozawa, M. See *Imamura, Ryu, Koga, Higuchi, Otagiri, and Akita*, 648
- Numata, O. See *Kurasawa, Hanyu, and Watanabe*, 791
- See *Hanyu, Takahashi, and Watanabe*, 914
- O
- Ochiai, T. See *Okamoto, Liu, Yu, and Isohashi*, 920
- Oda, E. See *Saguchi, Tobe, Hashimoto, Nagasaki, Nakano, Miura, and Tomita*, 898
- Odaka, M. See *Tsujimura, Nagashima, Yohda, and Endo*, 407
- Ogawa, H. See *Sato, Takayama, Kojima, Yamori, Sato, Kawaguchi, Tsuruo, Katsura, Kina, and Matsumoto*, 346
- Ogawa, T. See *Fukuda, Nakamura, Sukita, and Fujii*, 314
- Ogura, Y. See *Yamaga, Ikebuchi, Kohara, and Yamada*, 725
- Ohashi, K. See *Kubo, Sasaki, Nakamura, Sasagawa, Takeuchi, and Natori*, 291
- Ohba, Y. See *Matsukawa, Kitagawa, Katayama, Nagai, Hayashi, and Yasuda*, 934
- Ohgi, K., Takeuchi, M., Iwama, M., and Irie, M. Enzymatic Properties of Mutant Enzymes at Trp49 and Tyr57 of RNase Rh from *Rhizopus niveus*, 9
- Ohgi, K., Takeuchi, M., Iwama, M., and Irie, M. Enzymatic Properties of Mutant Forms of RNase Rh from *Rhizopus niveus* as to Asp51, 548
- Ohki, S., Miura, K., Saito, M., Nakashima, K., Maekawa, H., Yazawa, M., Tsuda, S., and Hikichi, K. Secondary Structure and Ca²⁺-Binding Property of the N-Terminal Half Domain of Calmodulin from Yeast *Saccharomyces cerevisiae* as Studied by NMR, 1045
- Ohkubo, Y. See *Takita, Shima, Muto, Shimizu, Sukata, Ito, Saito, Inouye, Hiromi, and Tonomura*, 680
- Ohmae, E., Iriyama, K., Ichihara, S., and Gekko, K. Effects of Point Mutations at the Flexible Loop Glycine-67 of *Escherichia coli* Dihydrofolate Reductase on Its Stability and Function, 703
- Ohmae, M., Suzuki, S., Tokura, S., Nishi, N., and Nishimura, S.-I. Synthetic Glycogels for Affinity Electrophoresis: A Facile and Efficient Method for Investigating Sugar-Lectin Interaction, 367
- Ohmori, S. See *Otsuka, Mine, and Ohuchi*, 246
- Ohnishi, K. See *Yabuuchi, Suzuki, Sato, Itagaki, and Morimoto*, 829
- Ohnishi, T. See *Shao, Arakaki, Nakamura, and Daikuhara*, 940
- Ohno, M. See *Maeda, Shimohigashi, Ikesue, Nose, Ide, and Kawano*, 870
- Ohnuma, S., Watanabe, M., and Nishino, T. Identification and Characterization of Geranylgeraniol Kinase and Geranylgeranyl Phosphate Kinase from the Archaeobacterium *Sulfolobus acidocaldarius*, 541
- Ohta, S. See *Uenaka, Kuwajima, Ono, Matsuzawa, Hayakawa, Inohara, and Kagawa*, 533
- Ohta, T. See *Komiyama, Urakami, Shiratori, Takasuka, Satoh, Watanabe, and Furuichi*, 731
- Ohtsuki, I. See *Morimoto*, 737
- Ohuchi, K. See *Otsuka, Mine, and Ohmori*, 246
- Ohya, M. See *Hosoda, Kohno, Maeda, Endo, and Wakamatsu*, 226
- Okabe, K. See *Morino, Tomoo, Nishi, Doi, Ishida, and Kitamura*, 224
- Okada, Y. See *Itoh, Masuda, Ito, Akizawa, Yoshioka, Imai, Sato, and Seiki*, 667
- Okamoto, A., Kato, R., Masui, R., Yamagishi, A., Oshima, T., and Kuramitsu, S. An Aspartate Aminotransferase from an Extremely Thermophilic Bacterium, *Thermus thermophilus* HB8, 135
- Okamoto, Kazuki, Liu, G., Yu, W.-G., Ochiai, T., and Isohashi, F. Effect of Macromolecular-Translocation Inhibitor-III on Binding of Activated Glucocorticoid-Receptor Complex to Specific DNA, 920
- Okamoto, Ken-ichi. See *Nakamura, Hashimoto, Kamaishi, Adachi, Nakamura, and Hasegawa*, 70
- Okamoto, O., Suzuki, Y., Kimura, S., and Shinkai, H. Extracellular Matrix 22-kDa Protein Interacts with Decorin Core Protein and Is Expressed in Cutaneous Fibrosis, 106
- Okamoto, T. See *Takahashi and Kishi*, 256
- Okazaki, T. See *Iwahara and Abe*, 360
- Oki, M. See *Kodaira, Kakikawa, Kimoto, and Taketo*, 1062
- Oku, H. See *Hamagashira, Mega, and Hase*, 998
- Okuda, H., Morimoto, C., and Tsujita, T. β -Adrenergic Receptors in Rat Fat Cells and Their Relationship with Lipolysis, 852
- Okuda, H., Nagata, S., and Misono, H. A Novel Phenylserine Dehydratase from *Pseudomonas pickettii* PS22: Purification, Characterization, and Sequence of Its Phosphopyridoxyl Peptide, 690
- Okuno, S., Kitani, T., and Fujisawa, H. Evidence for the Existence of Ca²⁺/Calmodulin-Dependent Protein Kinase IV Kinase Isoforms in Rat Brain, 1176
- Omichi, K. See *Kumano and Hase*, 991
- Omori-Satoh, T. See *Kumasaka, Yamamoto, Morioka, Tanaka, Sato, Katsube, Yamakawa, Iwanaga, and Ueki*, 49

O (cont'd)

- Omura, T. See Hashimoto, Yamada, Moto-shima, Yamada, Yasukochi, Miki, Ueda, and Imoto, 145
- Ono, A. See Uenaka, Kuwajima, Matsuzawa, Hayakawa, Inohara, Kagawa, and Ohta, 533
- Ono, M. See Aizawa, Kazahari, and Yoneyama, 296
- Orii, T. See Uchida, Kondo, and Hashimoto, 565
- Osawa, T. See Shirasawa, Sato, and Hira-shima, 1070
- Oshima, A. See Hashimoto, Narimatsu, and Suzuki, 985
- Oshima, T. See Okamoto, Kato, Masui, Yamagishi, and Kuramitsu, 135
- See Yaoi, Miyazaki, Komukai, and Go, 1014
- Otagiri, M. See Imamura, Ryu, Koga, Higuchi, Nozawa, and Akita, 648
- Otsuka, M., Mine, T., Ohuchi, K., and Oh-mori, S. A Detoxication Route for Acetaldehyde: Metabolism of Diacetyl, Acetoin, and 2,3-Butanediol in Liver Homogenate and Perfused Liver of Rats, 246
- Ozawa, A. See Hashimoto, Tobe, Sumiya, Sano, Choi-Miura, Yasue, and Tomita, 577
- Ozawa, M. and Muramatsu, T. Molecular Cloning and Expression of a Mouse α -1,3 Fucosyltransferase Gene That Shows Homology with the Human α -1,3 Fucosyltransferase IV Gene, 302
- P
- Park, E.-M. See Hahn, Yang, Chang, and Kim, 835
- Park, S.-K., Lee, H.-S., and Lee, S.-T. Characterization of the Human Full-Length PTK7 cDNA Encoding a Receptor Protein Tyrosine Kinase-Like Molecule Closely Related to Chick KLG, 235
- Peng, H.-L., Deng, W.-L., Yang, Y.-H., and Chang, H.-Y. Identification and Characterization of the *acoD* Gene Encoding a Dihydroliipoamide Dehydrogenase of the *Klebsiella pneumoniae* Acetoin Dehydrogenase System, 1118
- Peter-Katalinic, J. See Kniep, Mithing, Majdic, Pickl, and Knapp, 456
- Petukhov, M.G. See Murase, Yumoto, and Yoshikawa, 37
- Pham, T.-N., Hayashi, K., Takano, R., Itoh, M., Eguchi, M., Shibata, H., Tanaka, T., and Hara, S. A New Family of Serine Protease Inhibitors (Bombyx Family) as Established from the Unique Topological Relation between the Positions of Disulfide Bridges and Reactive Site, 428
- Pham, T.-N., Hayashi, K., Takano, R., Nakazawa, H., Mori, H., Ichida, M., Itoh, M., Eguchi, M., Matsubara, F., and Hara, S. Expression of Bombyx Family Fungal Protease Inhibitor F from *Bombyx mori* by Baculovirus Vector, 1080
- Pickl, W.F. See Kniep, Peter-Katalinic, Mithing, Majdic, and Knapp, 456
- R
- Raisig, A., Bartley, G., Scolnik, P., and Sandmann, G. Purification in an Active State and Properties of the 3-Step Phyto-ene Desaturase from *Rhodobacter capsulatus* Overexpressed in *Escherichia coli*, 559
- Richaud, P. See Gans, Simorre, Caffrey, Marion, and Verméglio, 1131
- Rivabene, R. See Bravo, Bruscalupi, Calca-brini, Arancia, and Cantafora, 240
- Ryu, A. See Imamura, Koga, Higuchi, Otagiri, Nozawa, and Akita, 648
- S
- Saguchi, K., Tobe, T., Hashimoto, K., Nagasaki, Y., Oda, E., Nakano, Y., Miura, N.-H., and Tomita, M. Isolation and Characterization of the Human Inter- α -Trypsin Inhibitor Family Heavy Chain-Related Protein (IHRP) Gene (ITIH1), 898
- Saito, H. See Nagase, Enryoji, Shima, Kitazato, Yoshioka, and Kato, 63
- See Takagi, Kojima, Tsuzuki, Katsumi, Yamazaki, Sugiura, and Hamaguchi, 979
- Saito, Masayuki. See Nikami, Shimizu, Sumida, Minokoshi, Yoshida, and Shimazu, 120
- Saito, Moyoko. See Ohki, Miura, Nakashima, Maekawa, Yazawa, Tsuda, and Hikichi, 1045
- Saito, Yukiko. See Takita, Ohkubo, Shima, Muto, Shimizu, Sukata, Ito, Inouye, Hiro-mi, and Tonomura, 680
- Saito, Yumiko. See Tsubuki, Tomioka, Ito, and Kawashima, 572
- Sakai, A., Kato, M., Fukasawa, M., Ishiguro, M., Furuya, E., and Sakakibara, R. Cloning of cDNA Encoding for a Novel Isozyme of Fructose 6-Phosphate-2-Kinase/Fructose 2,6-Bisphosphatase from Human Placenta, 506
- Sakai, H. See Tsukuba, Yamada, Maeda, Hori, Azuma, Akamine, and Yamamoto, 126
- Sakai, K. See Hattori, Watanabe, and Fujii, 400
- , Fujii, T., and Hayashi, T. Conformational Change Precedes the Formation of Multi-meric Fibronectin, 58
- Sakakibara, R. See Sakai, Kato, Fukasawa, Ishiguro, and Furuya, 506
- Sakakibara, S. See Muramatsu, Song, Koide, Hada, Tsuji, Kadomatsu, Inui, Kimura, and Muramatsu, 1171
- Sakamoto, J. See Tanaka, Inoue, and Sone, 482
- Sakata, K. See Yamamoto, Matsunaga, Nakamura, Doi, and Hanmyou, 1056
- Sakiyama, K. See Tsuji, Edazawa, Nagata, Sasaki, Nagamune, and Matsuda, 100
- Sakuma, R. See Nishiguchi, Nomura, Zou, Jearanaisilavong, Joh, Yasunaga, and Shimada, 749
- Sanai, Y. See Yamaoka, Ingendoh, Tsubuki, and Nagai, 878
- Sandmann, G. See Raisig, Bartley, and Scolnik, 559
- Saneyoshi, M. See Yamaguchi, Nishimura, Takahashi, Yoshikuni, Masaki, and Hirai, 186
- See Izuta, Kohsaka-Ichikawa, and Yamaguchi, 1038
- Sano, Y. See Hashimoto, Tobe, Sumiya, Choi-Miura, Ozawa, Yasue, and Tomita, 577
- See Choi-Miura, Tobe, Sumiya, Nakano, Mazda, and Tomita, 1157
- Sasagawa, H. See Kubo, Sasaki, Nakamura, Ohashi, Takeuchi, and Natori, 291
- Sasaki, M. See Kubo, Nakamura, Sasagawa, Ohashi, Takeuchi, and Natori, 291
- Sasaki, Y. See Tsuji, Edazawa, Sakiyama, Nagata, Nagamune, and Matsuda, 100
- Sato, Hiroki. See Akama, Furihata-Yama-uchi, Komatsu, Tobita, and Nakano, 448
- Sato, Hiroshi. See Itoh, Masuda, Ito, Akizawa, Yoshioka, Imai, Okada, and Seiki, 667
- and Seiki, M. Membrane-Type Matrix Metalloproteinases (MT-MMPs) in Tumor Metastasis, 209
- Sato, Mamoru. See Kumasaka, Yamamoto, Moriyama, Tanaka, Katsube, Yamakawa, Omori-Satoh, Iwanaga, and Ueki, 49
- Sato, Masuo. See Hiratsuka, Matsuura, Watanabe, and Suzuki, 340
- Sato, Shigeo. See Satoh, Takayama, Kojima, Ogawa, Yamori, Kawaguchi, Tsuruo, Katsura, Kina, and Matsumoto, 346
- Sato, Sumie. See Shirasawa, Osawa, and Hirashima, 1070
- Sato, S.B., Taguchi, T., Yamashina, S., and Toyama, S. Wortmannin and Li⁺ Specifically Inhibit Clathrin-Independent Endocytic Internalization of Bulk Fluid, 887
- Sato, T. See Yabuuchi, Suzuki, Ohnishi, Itagaki, and Morimoto, 829
- Satoh, A., Takayama, E., Kojima, K., Ogawa, H., Yamori, T., Sato, S., Kawaguchi, T., Tsuruo, T., Katsura, Y., Kina, T., and Matsumoto, I. Expression of Carbohydrate-Binding Protein p33/41 in Human Tumor Cell Lines, 346
- Satoh, M. See Komiyama, Ohta, Urakami, Shiratori, Takasuka, Watanabe, and Furu-ichi, 731
- Sawangareetrakul, P. See Srisomsap, Svasti, Surarit, Champattanachai, Boonpuan, Subhasitanont, and Chokchaichamnankit, 585
- Schmidt, R. See Jennemann, Bauer, Elstässer, and Wiegandt, 378
- Scolnik, P. See Raisig, Bartley, and Sandmann, 559
- Seiki, M. See Sato, 209
- See Itoh, Masuda, Ito, Akizawa, Yoshioka, Imai, Okada, and Sato, 667
- Seki, N. See Itoh, Hayashi, Nakao, Hoshino, and Shichijo, 385
- Seo, H.G., Fujiwara, N., Kaneto, H., Asahi, M., Fujii, J., and Taniguchi, N. Effect of a Nitric Oxide Synthase Inhibitor, S-Ethylisothiourea, on Cultured Cells and Cardiovascular Functions of Normal and Lipopolysaccharide-Treated Rabbits, 553
- Setoyama, C., Miura, R., Nishina, Y., Shiga, K., Mizutani, H., Miyahara, I., and Hirotsu, K. Crystallization of Expressed Porcine Kidney D-Amino Acid Oxidase and Preliminary X-Ray Crystallographic Characterization, 1114
- Seyama, Y. See Wu and Yu, 42
- , Hida, A., Hayashi, S., and Buzzell, G.R. Androgenic Control of 1-Alkyl-2,3-Diacylglycerol in the Harderian Gland of the Golden Hamster, *Mesocricetus auratus*,

S (cont'd)

- 799
- Shao, Q., Arakaki, N., Ohnishi, T., Nakamura, O., and Daikuhara, Y. Effect of Hepatocyte Growth Factor/Scatter Factor on Lipogenesis in Adult Rat Hepatocytes in Primary Culture, 940
- Shibata, H. See *Pham, Hayashi, Takano, Itoh, Eguchi, Tanaka, and Hara*, 428
- Shibata, S. See *Takagaki, Nakamura, Higuchi, and Endo*, 697
- Shibata, T. See *Kurumizaka*, 216
- Shibuya, T. See *Miyoshi, Tamaki, Murata, Ikemoto, Harada, Suzuki, and Iwamura*, 274
- Shichijo, S. See *Itoh, Hayashi, Nakao, Hoshino, and Seki*, 385
- Shida, T., Iwasaki, H., Shinagawa, H., and Kyogoku, Y. Characterization and Comparison of Synthetic Immobile and Mobile Holliday Junctions, 653
- Shiga, K. See *Miura, Nishina, and Fujii*, 512
- See *Setoyama, Miura, Nishina, Mizutani, Miyahara, and Hirotsu*, 1114
- Shiga, Y. See *Kametani, Mizuno, and Akanuma*, 180
- , Kametani, S., Mizuno, H., and Akanuma, H. *Escherichia coli* Phosphorylates 1,5-Anhydroglucitol and Releases 1,5-Anhydroglucitol 6-Phosphate When Glucose Is Absent in the Medium, 173
- Shigyo, T. See *Yamamoto, Kojima, Kikuchi, Sugihara, Takashio, and Emi*, 80
- Shima, H. See *Takita, Ohkubo, Muto, Shimizu, Sukata, Ito, Saito, Inouye, Hiromi, and Tonomura*, 680
- Shima, M. See *Nagase, Enyoji, Kitazato, Yoshioka, Saito, and Kato*, 63
- Shimada, K. See *Zou, Nomura, Takihara, and Yasunaga*, 319
- See *Nishiguchi, Sakuma, Nomura, Zou, Jearanaissilavong, Joh, and Yasunaga*, 749
- Shimazu, T. See *Nikami, Shimizu, Sumida, Minokoshi, Yoshida, and Saito*, 120
- Shimizu, A., Ikeguchi, M., Kobayashi, T., and Sugai, S. A Synthetic Peptide Study on the Molten Globule of α -Lactalbumin, 947
- Shimizu, M. Detection of the Peptidyltransferase Activity of a Dipeptide, Alaninehistidine, in the Absence of Ribosomes, 832
- Shimizu, N. See *Takita, Ohkubo, Shima, Muto, Sukata, Ito, Saito, Inouye, Hiromi, and Tonomura*, 680
- Shimizu, Y. See *Nikami, Sumida, Minokoshi, Yoshida, Saito, and Shimazu*, 120
- Shimmi, O. See *Uchida, Sudoh, Arisawa, and Yamada-Okabe*, 659
- Shimohigashi, Y. See *Maeda, Ikesue, Nose, Ide, Kawano, and Ohno*, 870
- Shimoyama, M. See *Miyaoka, Tsuchiya, Hara, and Ishino*, 200
- Shinagawa, H. See *Shida, Iwasaki, and Kyogoku*, 653
- Shindo, Y. See *Hashimoto, Souri, and Baldwin*, 1196
- Shinkai, H. See *Okamoto, Suzuki, and Kimura*, 106
- Shirasawa, Y., Sato, S., Osawa, T., and Hirashima, A. Transdominant Inhibition of Moloney Murine Leukemia Virus Proliferation by Defective Mutants of Reverse Transcriptase, 1070
- Shiratori, Y. See *Komiyama, Ohta, Urakami, Takasuka, Satoh, Watanabe, and Furuichi*, 731
- Shoun, H. See *Nakayama and Takemae*, 435
- Simorre, J.-P. See *Gans, Caffrey, Marion, Richaud, and Verméglio*, 1131
- So, T., Ueda, T., Abe, Y., Nakamata, T., and Imoto, T. Situation of Monomethoxypolyethylene Glycol Covalently Attached to Lysozyme, 1086
- Sogawa, K. See *Kikuchi, Watanabe, Kobayashi, and Fujii-Kuriyama*, 309
- Sone, N. See *Tanaka, Inoue, and Sakamoto*, 482
- Song, X.-J. See *Muramatsu, Koide, Hada, Tsuji, Kadomatsu, Inui, Kimura, Sakakibara, and Muramatsu*, 1171
- Souri, M. See *Hashimoto, Shindo, and Baldwin*, 1196
- Srisomsap, C., Svasti, J., Surarit, R., Champattanachai, V., Sawangareetrakul, P., Boonpuan, K., Subhasitanont, P., and Chokchaichamnankit, D. Isolation and Characterization of an Enzyme with β -Glucosidase and β -Fucosidase Activities from *Dalbergia cochinchinensis* Pierre, 585
- Subhasitanont, P. See *Srisomsap, Svasti, Surarit, Champattanachai, Sawangareetrakul, Boonpuan, and Chokchaichamnankit*, 585
- Suda, T. See *Mishima and Kominami*, 805
- Sudoh, M. See *Uchida, Shimmi, Arisawa, and Yamada-Okabe*, 659
- Sugai, S. See *Shimizu, Ikeguchi, and Kobayashi*, 947
- Sugano, S. See *Kawamura-Konishi, Hosomi, Neya, Funasaki, and Suzuki*, 857
- Sugihara, K. See *Yamamoto, Kojima, Kikuchi, Shigyo, Takashio, and Emi*, 80
- Sugimoto, M. and Suzuki, Y. Molecular Cloning, Sequencing, and Expression of a cDNA Encoding α -Glucosidase from *Mucor javanicus*, 500
- Sugura, I. See *Takagi, Kojima, Tsuzuki, Katsumi, Yamazaki, Hamaguchi, and Saito*, 979
- Sugiyama, H. and Natori, S. Transmethylation Reaction Is Essential for *Sarcophaga* Lectin Gene Activation, 354
- Sugiyama, Y. and Mukohata, Y. Dual Roles of DMPC and CHAPS in the Refolding of Bacterial Opsins *In Vitro*, 1143
- Suhara, W., Yoneyama, M., Yonekawa, H., and Fujita, T. Structure of Mouse Interferon Stimulated Gene Factor 3 γ (ISGF3 γ /p48) cDNA and Chromosomal Localization of the Gene, 231
- Sukata, T. See *Takita, Ohkubo, Shima, Muto, Shimizu, Ito, Saito, Inouye, Hiromi, and Tonomura*, 680
- Sukita, E. See *Fukuda, Nakamura, Ogawa, and Fujii*, 314
- Sumida, M. See *Nikami, Shimizu, Minokoshi, Yoshida, Saito, and Shimazu*, 120
- Sumiya, J. See *Hashimoto, Tobe, Sano, Choi-Miura, Ozawa, Yasue, and Tomita*, 577
- See *Choi-Miura, Tobe, Nakano, Sano, Mazda, and Tomita*, 1157
- Surarit, R. See *Srisomsap, Svasti, Champattanachai, Sawangareetrakul, Boonpuan, Subhasitanont, and Chokchaichamnankit*, 585
- Suzuki, A. See *Hashimoto, Oshima, and Narimatsu*, 985
- Suzuki, E. See *Maeda, Ueda, Kazami, Kawano, and Nagamune*, 601
- Suzuki, H. See *Kawamura-Konishi, Hosomi, Neya, Sugano, and Funasaki*, 857
- Suzuki, Keiichiro. See *Kayanoki, Fujii, Islam, Kawata, Matsuzawa, and Taniguchi*, 817
- Suzuki, Kenzi. See *Yabuuchi, Sato, Ohnishi, Itagaki, and Morimoto*, 829
- Suzuki, M. See *Miyoshi, Tamaki, Murata, Ikemoto, Shibuya, Harada, and Iwamura*, 274
- Suzuki, S. See *Ohmae, Tokura, Nishi, and Nishimura*, 367
- Suzuki, Yasuo. See *Hiratsuka, Matsuura, Watanabe, and Sato*, 340
- Suzuki, Yukio. See *Sugimoto*, 500
- Suzuki, Yutaka. See *Okamoto, Kimura, and Shinkai*, 106
- Svasti, J. See *Srisomsap, Surarit, Champattanachai, Sawangareetrakul, Boonpuan, Subhasitanont, and Chokchaichamnankit*, 585

T

- Tagawa, K. See *Ichikawa, Yoshida, and Hashimoto*, 193
- Tagaya, M., Henomatsu, N., Yoshimori, T., Yamamoto, A., Tashiro, Y., and Mizushima, S. Inhibition of Vesicle-Mediated Protein Transport by Nordihydroguaiaretic Acid, 863
- Taguchi, T. See *Sato, Yamashina, and Toyama*, 887
- Takagaki, K., Nakamura, T., Shibata, S., Higuchi, T., and Endo, M. Characterization and Biological Significance of Sialyl α 2-3Galactosyl β 1-4Xylosyl β 1-(4-Methylumbelliferone) Synthesized in Cultured Human Skin Fibroblasts, 697
- Takagi, A., Kojima, T., Tsuzuki, S., Katsumi, A., Yamazaki, T., Sugura, I., Hamaguchi, M., and Saito, H. Structural Organization and Promoter Activity of the Human Ryudocan Gene, 979
- Takahashi, K. See *Yamaguchi, Nishimura, Yoshikuni, Masaki, Hirai, and Saneyoshi*, 186
- Takahashi, Michio. See *Funaba, Murata, Fujimura, Murata, Abe, and Torii*, 953
- Takahashi, Mihoko. See *Hanyu, Numata, and Watanabe*, 914
- Takahashi, T., Okamoto, T., and Kishi, T. Characterization of NADPH-Dependent Ubiquinone Reductase Activity in Rat Liver Cytosol: Effect of Various Factors on Ubiquinone-Reducing Activity and Discrimination from Other Quinone Reductases, 256
- Takano, R. See *Pham, Hayashi, Itoh, Eguchi, Shibata, Tanaka, and Hara*, 428
- See *Pham, Hayashi, Nakazawa, Mori, Ichida, Itoh, Eguchi, Matsubara, and Hara*, 1080
- Takashio, M. See *Yamamoto, Kojima, Kikuchi, Shigyo, Sugihara, and Emi*, 80
- Takasuka, T. See *Komiyama, Ohta, Urakami, Shiratori, Satoh, Watanabe, and*

T (cont'd)

- Furuichi, 731
 Takatsuki, K. See Matsuno, Chowdhury, Gotoh, Iwase, Matsuzaki, Mori, and Takiguchi, 524
 Takayama, E. See Satoh, Kojima, Ogawa, Yamori, Sato, Kawaguchi, Tsuruo, Katsura, Kina, and Matsumoto, 346
 Takeda, A., Higuchi, D., Yamamoto, T., Nakamura, Y., Masuda, Y., Hirabayashi, T., and Nakaya, K. Purification and Characterization of Bleomycin Hydrolase, Which Represents a New Family of Cysteine Proteases, from Rat Skin, 29
 Takemae, A. See Nakayama and Shoun, 435
 Taketo, A. See Kodaira, Oki, Kakikawa, and Kimoto, 1062
 Takeuchi, H. See Kubo, Sasaki, Nakamura, Sasagawa, Ohashi, and Natori, 291
 Takeuchi, M. See Ohgi, Iwama, and Irie, 9, 548
 Takiguchi, M. See Matsuno, Chowdhury, Gotoh, Iwase, Matsuzaki, Takatsuki, and Mori, 524
 Takihara, Y. See Zou, Nomura, Yasunaga, and Shimada, 319
 Takita, H. See Kobayashi, Mizuno, Totsuka, and Kuboki, 475
 Takita, T., Ohkubo, Y., Shima, H., Muto, T., Shimizu, N., Sukata, T., Ito, H., Saito, Y., Inouye, K., Hiromi, K., and Tonomura, B. Lysyl-tRNA Synthetase from *Bacillus stearothermophilus*. Purification, and Fluorometric and Kinetic Analysis of the Binding of Substrates, L-Lysine and ATP, 680
 Talukder, A.H. See Kaneda, Nishiyama, Koizumi, and Muramatsu, 1150
 Tamaki, M. See Miyoshi, Murata, Ikemoto, Shibuya, Harada, Suzuki, and Iwamura, 274
 Tanaka, N. See Kumasaka, Yamamoto, Moriyama, Sato, Katsube, Yamakawa, Omori-Satoh, Iwanaga, and Ueki, 49
 Tanaka, S. See Hagiwara, Inoue, Furuya, and Hirose, 264
 Tanaka, Takaharu. See Pham, Hayashi, Takano, Itoh, Eguchi, Shibata, and Hara, 428
 Tanaka, Takashi. See Kang, Yamada, Lu, and Noguchi, 162
 Tanaka, Takeshi, Inoue, M., Sakamoto, J., and Sone, N. Intra- and Inter-Complex Cross-Linking of Subunits in the Quinol Oxidase Super-Complex from Thermophilic *Bacillus* PS3, 482
 Tanaka, Y. See Hashimoto, Kobayashi, Kubota, and Yamamura, 626
 Tang, S.-S. and Chang, G.-G. Kinetic Characterization of the Endogenous Glutathione Transferase Activity of Octopus Lens S-Crystallin, 1182
 Taniguchi, N. See Seo, Fujiwara, Kaneto, Asahi, and Fujii, 553
 —. See Kayanoki, Fujii, Islam, Suzuki, Kawata, and Matsuzawa, 817
 —. See Ikeda and Fujii, 1166
 Tashiro, Y. See Tagaya, Henomatsu, Yoshimori, Yamamoto, and Mizushima, 863
 Tellis, C., Tsoukatos, D.C., and Lekka, M.E. Isolation, Chemical Characterization, and Subcellular Distribution of 1-O-Alkyl-2-Acetyl-sn-Glycerol in *Tetrahymena pyri-formis* Cells, 823
 Titani, K. See Hashino, Uemori, Kimizuka, and Kato, 604
 Tobie, T. See Hashimoto, Sumiya, Sano, Choi-Miura, Ozawa, Yasue, and Tomita, 577
 —. See Saguchi, Hashimoto, Nagasaki, Oda, Nakano, Miura, and Tomita, 898
 —. See Choi-Miura, Sumiya, Nakano, Sano, Mazda, and Tomita, 1157
 Tobita, T. See Akama, Sato, Furihata-Yamachi, Komatsu, and Nakano, 448
 Togawa, K. See Yamauchi and Kinoshita, 115
 Tokuda, H. See Kontinen, Yamanaka, and Nishiyama, 1124
 Tokura, S. See Ohmae, Suzuki, Nishi, and Nishimura, 367
 Tomioka, M. See Tsubuki, Saito, Ito, and Kawashima, 572
 Tomita, M. See Hashimoto, Tobie, Sumiya, Sano, Choi-Miura, Ozawa, and Yasue, 577
 —. See Saguchi, Tobie, Hashimoto, Nagasaki, Oda, Nakano, and Miura, 898
 —. See Choi-Miura, Tobie, Sumiya, Nakano, Sano, and Mazda, 1157
 Tomoo, K. See Morino, Nishi, Okabe, Doi, Ishida, and Kitamura, 224
 Tonomura, B. See Takita, Ohkubo, Shima, Muto, Shimizu, Sukata, Ito, Saito, Inouye, and Hiromi, 680
 Torii, K. See Funaba, Murata, Fujimura, Murata, Abe, and Takahashi, 953
 Totsuka, Y. See Kobayashi, Takita, Mizuno, and Kuboki, 475
 Toyama, S. See Sato, Taguchi, and Yamashina, 887
 Tsoukatos, D.C. See Tellis and Lekka, 823
 Tsubuki, S. See Yamaoka, Ingendoh, Nagai, and Sanai, 878
 —, Saito, Y., Tomioka, M., Ito, H., and Kawashima, S. Differential Inhibition of Calpain and Proteasome Activities by Peptidyl Aldehydes of Di-Leucine and Tri-Leucine, 572
 Tsuchida, Y. See Momoeda, Hirota, Utsuki, Hanaoka, and Iwamori, 1189
 Tsuchiya, M. See Miyaoaka, Hara, Ishino, and Shimoyama, 200
 Tsuchiya, N. See Koshikawa, Nakamura, Isaji, Yasumitsu, Umeda, and Miyazaki, 334
 Tsuda, S. See Ohki, Miura, Saito, Nakashima, Maekawa, Yazawa, and Hikichi, 1045
 Tsuji, A., Edazawa, K., Sakiyama, K., Nagata, K., Sasaki, Y., Nagamune, H., and Matsuda, Y. Purification and Characterization of a Novel Serine Proteinase from the Microsomal Fraction of Bovine Pancreas, 100
 Tsuji, T. See Muramatsu, Song, Koide, Hada, Kadomatsu, Inui, Kimura, Sakakibara, and Muramatsu, 1171
 Tsujimura, M., Odaka, M., Nagashima, S., Yohda, M., and Endo, I. Photoreactive Nitrile Hydratase: The Photoreaction Site Is Located on the α Subunit, 407
 Tsujita, T. See Okuda and Morimoto, 852
 Tsukuba, T., Sakai, H., Yamada, M., Maeda, H., Hori, H., Azuma, T., Akamine, A., and Yamamoto, K. Biochemical Properties of the Monomeric Mutant of Human Cathepsin E Expressed in Chinese Hamster Ovary Cells: Comparison with Dimeric Forms of the Natural and Recombinant Cathepsin E, 126
 Tsunasawa, S. See Agarwala, Kawabata, Hirata, Miyagi, and Iwanaga, 85
 Tsuruo, T. See Satoh, Takayama, Kojima, Ogawa, Yamori, Sato, Kawaguchi, Katsura, Kina, and Matsumoto, 346
 Tsuzuki, S. See Takagi, Kojima, Katsumi, Yamazaki, Sugiura, Hamaguchi, and Saito, 979

U

- Uchida, Yasushi, Kondo, N., Orii, T., and Hashimoto, T. Purification and Properties of Rat Liver Peroxisomal Very-Long-Chain Acyl-CoA Synthetase, 565
 Uchida, Yukiko, Shimmi, O., Sudoh, M., Arisawa, M., and Yamada-Okabe, H. Characterization of Chitin Synthase 2 of *Saccharomyces cerevisiae* II: Both Full Size and Processed Enzymes Are Active for Chitin Synthesis, 659
 Ueda, H. See Maeda, Kazami, Kawano, Suzuki, and Nagamune, 601
 Ueda, Tadashi. See Hashimoto, Yamada, Motoshima, Omura, Yamada, Yasukochi, Miki, and Imoto, 145
 —. See Motoshima and Imoto, 1019
 —. See So, Abe, Nakamata, and Imoto, 1086
 —, Iwashita, H., Hashimoto, Y., and Imoto, T. Stabilization of Lysozyme by Introducing N-Glycosylation Signal Sequence, 157
 Ueda, Takuya. See Nojima, Nitta, and Watanabe, 1076
 Ueki, T. See Kumasaka, Yamamoto, Moriyama, Tanaka, Sato, Katsube, Yamakawa, Omori-Satoh, and Iwanaga, 49
 Uemori, Y. See Hashino, Kimizuka, Kato, and Titani, 604
 Uenaka, R., Kuwajima, M., Ono, A., Matsuzawa, Y., Hayakawa, J., Inohara, N., Kagawa, Y., and Ohta, S. Increased Expression of Carnitine Palmitoyltransferase I Gene Is Repressed by Administering L-Carnitine in the Hearts of Carnitine-Deficient Juvenile Visceral Steatosis Mice, 533
 Umeda, M. See Koshikawa, Nakamura, Tsuchiya, Isaji, Yasumitsu, and Miyazaki, 334
 Urakami, H. See Komiyama, Ohta, Shiratori, Takasuka, Satoh, Watanabe, and Furuichi, 731
 Utsuki, T. See Momoeda, Hirota, Tsuchida, Hanaoka, and Iwamori, 1189

V

- Verméglio, A. See Gans, Simorre, Caffrey, Marion, and Richaud, 1131

W

- Wada, Y. See Gu, 743
 Wadano, A. See Yokota and Murayama, 487
 Wakamatsu, K. See Hosoda, Ohya, Kohno, Maeda, and Endo, 226
 Watanabe, E. See Hiratsuka, Matsuura, Sato, and Suzuki, 340
 Watanabe, Kazuhito. See Matsunaga, Iwa-

W (cont'd)

- waki, Yamamoto, Kageyama, and Yoshimura, 617
Watanabe, Kazuo. See Hattori, Sakai, and Fujii, 400
Watanabe, Kimitsuna. See Nojima, Nitta, and Ueda, 1076
Watanabe, M. See Ohnuma and Nishino, 541
Watanabe, N. See Kikuchi, Sogawa, Kobayashi, and Fujii-Kuriyama, 309
Watanabe, T. See Komiyama, Ohta, Urakami, Shiratori, Takasuka, Satoh, and Furuichi, 731
Watanabe, Y. See Kurasawa, Hanyu, and Numata, 791
— See Hanyu, Numata, and Takahashi, 914
Wiegandt, H. See Jennemann, Bauer, Schmidt, and Elstässer, 378
Wu, J.-C. See Chen, Lin, Choo, and Au, 252
Wu, S.-N., Yu, H.-S., and Seyama, Y. Analytical Studies of Spontaneous and Vasopressin-Induced Calcium Oscillations in Cultured Vascular Smooth Muscle Cells, 42

Y

- Yabuuchi, T., Suzuki, K., Sato, T., Ohnishi, K., Itagaki, E., and Morimoto, Y. Crystallization and Preliminary X-Ray Analysis of Salicylate Hydroxylase from *Pseudomonas putida* S-1, 829
Yamada, H. See Hashimoto, Yamada, Motoshima, Omura, Yasukochi, Miki, Ueda, and Imoto, 145
Yamada, Kazuo. See Yamaga, Ikebuchi, Kohara, and Ogura, 725
Yamada, Kazuya. See Kang, Tanaka, Lu, and Noguchi, 162
Yamada, Keiko. See Hashimoto, Motoshima, Omura, Yamada, Yasukochi, Miki, Ueda, and Imoto, 145
Yamada, M. See Tsukuba, Sakai, Maeda, Hori, Azuma, Akamine, and Yamamoto, 126
Yamada-Okabe, H. See Uchida, Shimmi, Sudoh, and Arisawa, 659
Yamaga, N., Ikebuchi, J., Kohara, H., Ogura, Y., and Yamada, K. Analysis of Bile Acids in Urine Specimens from Healthy Humans: Determination of Several Bile Acids with β -Hydroxyl and Carbonyl Groups, 725
Yamagishi, A. See Okamoto, Kato, Masui, Oshima, and Kuramitsu, 135
Yamaguchi, M. See Morita, Fukase, Hoshino, Fukuda, and Morita, 711
— See Morita, Fukase, and Morita, 1094
Yamaguchi, Takeo, Yamamoto, M., and Kimoto, E. Release of Spectrin-Containing Vesicles from Human Erythrocyte Ghosts by Dimyristoylphosphatidylcholine, 95
Yamaguchi, Toyofumi. See Izuta, Kohsaka-Ichikawa, and Saneyoshi, 1038
—, Nishimura, S., Takahashi, K., Yoshikuni, M., Masaki, J., Hirai, T., and Saneyoshi, M. DNA Polymerase β s from Liver and Testes of Cherry Salmon, *Oncorhynchus masou*: Purification and Characterization of DNA Polymerase β s with Acidic Isoelectric Points, 186
Yamakawa, Y. See Kumasaka, Yamamoto, Moriyama, Tanaka, Sato, Katsube, Omori-Satoh, Iwanaga, and Ueki, 49
Yamamoto, A. See Tagaya, Henomatsu, Yoshimori, Tashiro, and Mizushima, 863
Yamamoto, Ikuo. See Matsunaga, Iwawaki, Watanabe, Kageyama, and Yoshimura, 617
Yamamoto, Itaru, Matsunaga, T., Sakata, K., Nakamura, Y., Doi, S., and Hanmyou, F. Histone Hyperacetylation Plays a Role in Augmentation of IL-4-Induced IgE Production in LPS-Stimulated Murine B-Lymphocytes by Sodium Butyrate, 1056
Yamamoto, Kazumi, Kojima, Y., Kikuchi, T., Shigyo, T., Sugihara, K., Takashio, M., and Emi, S. Nucleotide Sequence of the Uricase Gene from *Bacillus* sp. TB-90, 80
Yamamoto, Kenji. See Kouzuma, Kawano, Kimura, Yamasaki, and Kadowaki, 1106
— See Tsukuba, Sakai, Yamada, Maeda, Hori, Azuma, and Akamine, 126
Yamamoto, Masaki. See Kumasaka, Moriyama, Tanaka, Sato, Katsube, Yamakawa, Omori-Satoh, Iwanaga, and Ueki, 49
Yamamoto, Misuzu. See Yamaguchi and Kimoto, 95
Yamamoto, Taibo. See Nagata and Nakamura, 1100
Yamamoto, Takako. See Takeda, Higuchi, Nakamura, Masuda, Hirabayashi, and Nakaya, 29
Yamamoto, Y. ¹H-NMR Study of Temperature-Induced Structure Alteration at the Active Site of Horse Heart Cytochrome c, 16
Yamamura, H. See Hashimoto, Kobayashi, Kubota, and Tanaka, 626
Yamanaka, M. See Kontinen, Nishiyama, and Tokuda, 1124
Yamane, M. See Honke, Ishii, Kobayashi, and Makita, 421
Yamaoka, K., Ingendoh, A., Tsubuki, S., Nagai, Y., and Sanai, Y. Structural and Functional Characterization of a Novel Tumor-Derived Rat Galectin-1 Having Transforming Growth Factor (TGF) Activity: The Relationship between Intramolecular Disulfide Bridges and TGF Activity, 878
Yamasaki, N. See Kouzuma, Kawano, Kimura, Kadowaki, and Yamamoto, 1106
Yamashina, S. See Sato, Taguchi, and Toyama, 887
Yamauchi, K., Togawa, K., and Kinoshita, M. Synthesis and Properties of Dimeric Glycero-phospholipid: 2,2'-Dotriacontanedioyl-bis (1-Palmitoyl-sn-Glycero-3-Phosphocholine), 115
Yamauchi, T. See Yoshimura and Nomura, 268
Yamazaki, T. See Takagi, Kojima, Tsuzuki, Katsumi, Sugiura, Hamaguchi, and Saito, 979
Yamori, T. See Satoh, Takayama, Kojima, Ogawa, Sato, Kawaguchi, Tsuruo, Katsura, Kina, and Matsumoto, 346
Yan, S.-X. See Le, Zhang, and Zhou, 674
Yang, K.-Y. See Hahn, Park, Chang, and Kim, 835
Yang, Y.-H. See Peng, Deng, and Chang, 1118
Yao, T., Miyazaki, K., Oshima, T., Komukai, Y., and Go, M. Conversion of the Coenzyme

- Specificity of Isocitrate Dehydrogenase by Module Replacement, 1014
Yasuda, H. See Matsukawa, Kitagawa, Katayama, Nagai, Hayashi, and Ohba, 934
Yasue, H. See Hashimoto, Tobe, Sumiya, Sano, Choi-Miura, Ozawa, and Tomita, 577
Yasukochi, T. See Hashimoto, Yamada, Motoshima, Omura, Yamada, Miki, Ueda, and Imoto, 145
Yasumitsu, H. See Koshikawa, Nakamura, Tsuchiya, Isaji, Umeda, and Miyazaki, 334
Yasunaga, T. See Zou, Nomura, Takihara, and Shimada, 319
— See Nishiguchi, Sakuma, Nomura, Zou, Jearanaisilavong, Joh, and Shimada, 749
Yazawa, M. See Ohki, Miura, Saito, Nakashima, Maekawa, Tsuda, and Hikichi, 1045
Yohda, M. See Tsujimura, Odaka, Nakashima, and Endo, 407
Yokoi, F. See Kumon, Kodama, Kondo, and Hiraishi, 719
Yokota, A., Wadano, A., and Murayama, H. Modeling of Continuously and Directly Analyzed Biphasic Reaction Courses of Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase, 487
Yonekawa, H. See Suhara, Yoneyama, and Fujita, 231
Yoneyama, M. See Suhara, Yonekawa, and Fujita, 231
Yoneyama, T. See Aizawa, Kazahari, and Ono, 296
Yoshida, T. See Nishikawa, Shimizu, Sumida, Minokoshi, Saito, and Shmazu, 120
Yoshida, Yukuo. See Ichikawa, Hashimoto, and Tagawa, 193
Yoshida, Yuzo. See Aoyama, Noshiro, Gotoh, Imaoka, Funae, Kurosawa, and Horiuchi, 926
Yoshikawa, S. See Murase, Yumoto, and Petukhov, 37
Yoshikuni, M. See Yamaguchi, Nishimura, Takahashi, Masaki, Hirai, and Saneyoshi, 186
Yoshimori, T. See Tagaya, Henomatsu, Yamamoto, Tashiro, and Mizushima, 863
Yoshimoto, T. See Kitazono, Kitano, Kaba-shima, and Ito, 468
Yoshimura, H. See Matsunaga, Iwawaki, Watanabe, Yamamoto, and Kageyama, 617
Yoshimura, Y., Nomura, T., and Yamauchi, T. Purification and Characterization of Active Fragment of Ca²⁺/Calmodulin-Dependent Protein Kinase II from the Post-Synaptic Density in the Rat Forebrain, 268
Yoshioka, A. See Nagase, Enryoji, Shima, Kitazato, Saito, and Kato, 63
Yoshioka, M. See Itoh, Masuda, Ito, Akizawa, Imai, Okada, Sato, and Seiki, 667
Yu, D., Imajoh-Ohmi, S., Akagawa, K., and Kanegasaki, S. Suppression of Superoxide-Generating Ability during Differentiation of Monocytes to Dendritic Cells, 23
Yu, H.-S. See Wu and Seyama, 42
Yu, W.-G. See Okamoto, Liu, Ochiai, and Isohashi, 920
Yumoto, N. See Murase, Petukhov, and Yoshikawa, 37

Z

- Zafra, M.F. See *Castillo, Hortal, García-Fuentes, and García-Peregrín*, 610
- Zarzur, J. See *Castagna, Filipetti, and Landa*, 372
- Zhang, Y.-X. See *Le, Yan, and Zhou*, 674
- Zhou, H.-M. See *Le, Yan, and Zhang*, 674
- Zou, Z. See *Nishiguchi, Sakuma, Nomura, Jearanaisilavong, Joh, Yasunaga, and Shimada*, 749
- , Nomura, M., Takihara, Y., Yasunaga, T., and Shimada, K. Isolation and Characterization of Retinoic Acid-Inducible cDNA Clones in F9 Cells: A Novel cDNA Family Encodes Cell Surface Proteins Sharing Partial Homology with MHC Class I Molecules, 319

INDEX TO KEY WORDS

A

- α -adrenoceptor, β 3-agonist, brown adipocyte, glucose transport, norepinephrine, *Nikami, Shimizu, Sumida, Minokoshi, Yoshida, Saito, Shimazu*, 120
- 7 α -aminoriboflavin, 7-cyano-7-demethyl-riboflavin, 7 α -hydroxyriboflavin, neko-flavin, *Matsui, Kasai*, 441
- abzyme, catalytic antibody, kinetics, porphyrin, *Kawamura-Konishi, Hosomi, Neya, Sugano, Funasaki, Suzuki*, 857
- acetoacetyl-CoA, acyl-CoA dehydrogenase, ^{13}C -NMR, flavoenzyme, nuclear magnetic resonance, *Miura, Nishina, Fujii, Shiga*, 512
- acetoexamide analog, acetoexamide-reducing enzyme, drug metabolism, rabbit heart, tetrameric enzyme, *Imamura, Ryu, Koga, Higuchi, Otagiri, Nozawa, Akita*, 648
- acetoexamide-reducing enzyme, acetoexamide analog, drug metabolism, rabbit heart, tetrameric enzyme, *Imamura, Ryu, Koga, Higuchi, Otagiri, Nozawa, Akita*, 648
- acetoin, 2,3-butanediol, diacetyl, metabolism, rat, *Otsuka, Mine, Ohuchi, Ohmori*, 246
- acetoin dehydrogenase, *aco* operon, dihydro-lipoamide dehydrogenase, *Peng, Deng, Yang, Chang*, 1118
- acetyl-CoA carboxylase, cell differentiation, hepatocyte, hepatocyte growth factor/scatter factor, lipogenesis, *Shao, Arakaki, Ohnishi, Nakamura, Daikuhara*, 940
- N-acetyl-D-galactosamine-binding lectins, albumin gland, *Epiphragmophora trenquell-leonis* snail, invertebrate lectins, snail, *Castagna, Zarzur, Filipetti, Landa*, 372
- N-acetylglucosamine, animal lectin, *Caenorhabditis elegans*, galectin, glycode, *Kasai, Hirabayashi*, 1
- α_1 -acid glycoprotein, acute-phase proteins, gene expression, thyroid hormone, TRE, *Matsukawa, Kitagawa, Katayama, Nagai, Hayashi, Yasuda, Ohba*, 934
- acidic denaturation, alcohol dehydrogenase, molten globule state, refolding, *Le, Yan, Zhang, Zhou*, 674
- aco* operon, acetoin dehydrogenase, dihydro-lipoamide dehydrogenase, *Peng, Deng, Yang, Chang*, 1118
- actin, avidin, biotin, fluorescent nanobead, myosin, *Kunioka, Ando*, 1024
- actin-actin interface, actin-myosin interaction, Ca^{2+} -regulation, hetero-bifunctional reagent, *in vitro* motility assay, *Hozumi, Miki, Higashi-Fujime*, 151
- actin-myosin interaction, actin-actin interface, Ca^{2+} -regulation, hetero-bifunctional reagent, *in vitro* motility assay, *Hozumi, Miki, Higashi-Fujime*, 151
- activation, ADP-ribosylation, *Clostridium botulinum* C3 exoenzyme, potassium ion, recombinant GST-RhoA fusion protein, *Miyaoka, Tsuchiya, Hara, Ishino, Shimoyama*, 200
- active catalytic fragment, Ca^{2+} /calmodulin-dependent protein kinase II, post-synaptic density, protein phosphorylation, rat fore-brain, *Yoshimura, Nomura, Yamauchi*, 268
- activin, follistatin, inhibin, polyclonal antibodies, recognition, *Funaba, Murata, Fujimura, Murata, Abe, Takahashi, Torii*, 953
- aculeximycin, antibiotic, mitochondria, oxidative phosphorylation, uncoupling, *Miyoshi, Tamaki, Murata, Ikemoto, Shibuya, Harada, Suzuki, Iwamura*, 274
- acute phase protein, ITI heavy chain, pig IHRP, primary structure, *Hashimoto, Tobe, Sumiya, Sano, Choi-Miura, Ozawa, Yasue, Tomita*, 577
- acute-phase proteins, α_1 -acid glycoprotein, gene expression, thyroid hormone, TRE, *Matsukawa, Kitagawa, Katayama, Nagai, Hayashi, Yasuda, Ohba*, 934
- acylation, α -helix stability, binding affinity, neuropeptide Y, Y_2 receptor, *Murase, Kumon, Petukhov, Yoshikawa*, 37
- acyl-CoA dehydrogenase, acetoacetyl-CoA, ^{13}C -NMR, flavoenzyme, nuclear magnetic resonance, *Miura, Nishina, Fujii, Shiga*, 512
- , alkyl diacylglycerol, androgen, golden hamster, Harderian gland, *Seyama, Hida, Hayashi, Buzzell*, 799
- adhesion molecule, cell attachment, cell spreading, decorin, fibroblast, *Gu, Wada*, 743
- adjuvant, immune response, mouse spleen, serine protease, trypsin-like, *Fukusen, Aoki*, 633
- ADP-ribosylation, activation, *Clostridium botulinum* C3 exoenzyme, potassium ion, recombinant GST-RhoA fusion protein, *Miyaoka, Tsuchiya, Hara, Ishino, Shimoyama*, 200
- adrenoleukodystrophy, long-chain acyl-CoA synthetase, peroxisome, purification, very-long-chain acyl-CoA synthetase, *Uchida, Kondo, Orii, Hashimoto*, 565
- affinity chromatography, biosynthesis of glycosphingolipids, renaturation, substrate specificity, sulfatide, *Honke, Yamane, Ishii, Kobayashi, Makita*, 421
- affinity electrophoresis, fluorometric detection, glycogel, glycomonomer, lectin-sugar interaction, *Ohmae, Suzuki, Tokura, Nishi, Nishimura*, 367
- aging, lipoprotein secretion, perfused liver, phospholipid, triacylglycerol, *Bravo, Riva-bene, Bruscalupi, Calcabrini, Arancia, Cantafora*, 240
- , immunoblot, protein oxidation, protein carbonyl, rat, *Nakamura, Goto*, 768
- Agkistrodon caliginosus*, cDNA sequence, purification, thrombin-like enzyme, *Hahn, Yang, Park, Chang, Kim*, 835
- α -glucosidase, honeybee, hypopharyngeal gland, role change, royal jelly, *Kubo, Sasaki, Nakamura, Sasagawa, Ohashi, Takeuchi, Natori*, 291
- , gene expression, *Mucor javanicus*, nucleotide sequence, *Sugimoto, Suzuki*, 500
- α -helix stability, acylation, binding affinity, neuropeptide Y, Y_2 receptor, *Murase, Yumoto, Petukhov, Yoshikawa*, 37
- 7 α -hydroxyriboflavin, 7 α -aminoriboflavin, 7-cyano-7-demethylriboflavin, neko-flavin, *Matsui, Kasai*, 441
- albumin gland, *Epiphragmophora trenquell-leonis* snail, invertebrate lectins, N-acetyl-D-galactosamine-binding lectins, snail, *Castagna, Zarzur, Filipetti, Landa*, 372
- alcohol dehydrogenase, acidic denaturation, molten globule state, refolding, *Le, Yan, Zhang, Zhou*, 674
- aldolase, ELISA, epitope mapping, immunochemistry, isozyme, *Kaihara, Matsuhashi, Kusakabe, Kondo, Iwanaga, Hori*, 281
- alkaline phosphatase, N^{ω} -phosphoarginine phosphatase, phenylglyoxal treatment, ^{31}P -NMR, protein arginine phosphatase, *Kumon, Kodama, Kondo, Yokoi, Hiraishi*, 719
- alkylacetyl glycerol, diacylglycerols, GC-MS, platelet-activating factor, *Tetrahymena pyriformis*, *Tellis, Tsoukatos, Lekka*, 823
- alkyl diacylglycerol, acyl-CoA dehydrogenase, androgen, golden hamster, Harderian gland, *Seyama, Hida, Hayashi, Buzzell*, 799
- D-amino acid oxidase, crystallization, expression, flavoenzyme, X-ray crystallography, *Setoyama, Miura, Nishina, Shiga, Mizutani, Miyahara, Hirotsu*, 1114
- amino acid sequence, chromosomal localization, interferon, interferon stimulated gene factor 3, reconstitution, *Suhara, Yoneyama, Yonekawa, Fujita*, 231
- , cysteine proteinase inhibitor, *Helianthus annuus*, phytoestatin, sunflower, *Kouzuma, Kawano, Kimura, Yamasaki, Kadowaki, Yamamoto*, 1106
- aminoacyl-tRNA synthetase, fluorescence titration, lysyl-tRNA synthetase, protein fluorescence, substrate binding order, *Takita, Ohkubo, Shima, Muto, Shimizu, Sukata, Ito, Saito, Inouye, Hiromi, Tonomura*, 680
- N(4)aminocytidine, bisulfite, permanganate, pyrimidine nucleotides, *Hayatsu*, 391
- aminopeptidase, *Hafnia alvei*, iminopeptidase, proline, *Kitazono, Kitano, Kabashima, Ito, Yoshimoto*, 468
- androgen, acyl-CoA dehydrogenase, alkyl diacylglycerol, golden hamster, Harderian gland, *Seyama, Hida, Hayashi, Buzzell*, 799
- 1,5-anhydro-D-fructose, 1,5-anhydro-D-glucitol, ^{13}C -NMR, GC-MS, polyol, *Kametani, Mizuno, Shiga, Akanuma*, 180
- 1,5-anhydro-D-glucitol, ^{13}C -NMR, *E. coli*, phosphorylation, sugar metabolism, *Shiga*,

A (cont'd)

- Kametani, Mizuno, Akanuma*, 173
 —, 1,5-anhydro-D-fructose, ^{13}C -NMR, GC-MS, polyol, *Kametani, Mizuno, Shiga, Akanuma*, 180
 animal lectin, *N*-acetylglucosamine, *Caenorhabditis elegans*, galectin, glycode, *Kasai, Hirabayashi*, 1
 annexin, lectin, monoclonal antibody, tumor cell line, *Sato, Takayama, Kojima, Ogawa, Yamori, Sato, Kawaguchi, Tsuruo, Katsura, Kina, Matsumoto*, 346
 9-anthraldehyde, cytochrome P450, microsomal aldehyde oxygenase, monkey, purification, *Matsunaga, Iwawaki, Watanabe, Yamamoto, Kageyama, Yoshimura*, 617
 antibiotic, aculexmycin, mitochondria, oxidative phosphorylation, uncoupling, *Miyoshi, Tamaki, Murata, Ikemoto, Shibuya, Harada, Suzuki, Iwamura*, 274
 antibiotics, bleomycin, bleomycin hydrolase, cysteine protease, rat skin, *Takeda, Higuruchi, Yamamoto, Nakamura, Masuda, Hirabayashi, Nakaya*, 29
 —, Mn^{2+} ion, peptide synthesis system, pyridine-promoted factor, ribosomes, *Nojima, Nitta, Ueda, Watanabe*, 1076
 anticoagulant, factor VIII, glycosaminoglycan, holothurian, thrombin, *Nagase, Enjyoji, Shima, Kitazato, Yoshioka, Saito, Kato*, 63
 antifungal drug, killer toxin, β -glucan synthase, budding, cell wall, yeast proliferation, *Komiyama, Ohta, Urakami, Shiratori, Takasuka, Sato, Watanabe, Furuchi*, 731
 antimicrobial activity, cystatin, cysteine protease, horseshoe crab, ion-spray mass spectrometry, *Agarwala, Kawabata, Hirata, Miyagi, Tsunashima, Iwanaga*, 85
 antisense oligonucleotide, *de novo* synthesis, *in vitro* screening, transcription and translation coupled system, translation-arrest, *Chen, Lin, Wu, Choo, Au*, 252
 aorta smooth muscle, casein kinase II, myosin heavy chain, phosphorylation, protein kinase, *Fukui, Morita*, 783
 apoptosis, catalase, glutathione peroxidase, hydrogen peroxide, selenium deficiency, *Kayanoki, Fujii, Islam, Suzuki, Kawata, Matsuzawa, Taniguchi*, 817
 Archaeobacterium, geranylgeraniol, isoprenoids, kinase, lipid, *Ohnuma, Watanabe, Nishino*, 541
 archaeopsin, bacterioopsin, long-range interaction, refolding process *in vitro*, retinal binding pocket, *Sugiyama, Mukohata*, 1143
 arginine-specific protease, serine protease, soybean, substrate specificity, *Morita, Fukase, Yamaguchi, Morita*, 1094
 aspartate aminotransferase, gene cloning, prolyl residue, thermostability, *Thermus thermophilus*, *Okamoto, Kato, Masui, Yamagishi, Oshima, Kuramitsu*, 135
 aspartic acid residue, base non-specific ribonuclease, mechanism of enzymatic action, *Rhizopus niveus*, ribonuclease, *Ohgi, Takeuchi, Iwama, Irie*, 548
 aspartic proteinase, cathepsin D, cathepsin E, monomer mutant, structural stabilization, *Tsukuba, Sakai, Yamada, Maeda, Hori, Azuma, Akamine, Yamamoto*, 126
 atherogenesis, coconut oil, hypercholesterolemia, lipoprotein, neonatal chick, *Castillo, Hortal, Garcia-Fuentes, Zafra, Garcia-Peregrin*, 610
 F₁ATPase, ATPase inhibitor, cross-linking, regulatory protein, subunit of F₁ATPase, *Ichikawa, Yoshida, Hashimoto, Tagawa*, 193
 ATPase inhibitor, cross-linking, F₁ATPase, regulatory protein, subunit of F₁ATPase, *Ichikawa, Yoshida, Hashimoto, Tagawa*, 193
 autoantibody, band 3 glycoprotein, lactoferrin, senescent cell antigen, sialylated poly-N-acetylglucosaminyl sugar chain, *Ando, Kikugawa, Beppu*, 639
 autoimmune disease, lpr mice, protein tyrosine phosphatase, SH-PTP1, tyrosine phosphorylation, *Matsuda, Matsuzawa, Nakamura, Mizuno, Kikuchi*, 329
 avidin, actin, biotin, fluorescent nanobead, myosin, *Kunioka, Ando*, 1024
- B
- a B₆ enzyme, pyridoxal 5'-phosphate, Lys residue, NaBH₄ reduction, serine:pyruvate/alanine:glyoxylate aminotransferase, *Ishikawa, Kaneko, Ichiyama*, 970
Bacillus sp., nucleotide sequence, processing C-terminus, thermostability, uricase, *Yamamoto, Kojima, Kikuchi, Shigyo, Sugihara, Takashio, Emi*, 80
Bacillus subtilis, FAB mass spectroscopy, lysidine, modified nucleotide, tRNA, *Matsugi, Murao, Ishikura*, 811
 bacterioopsin, archaeopsin, long-range interaction, refolding process *in vitro*, retinal binding pocket, *Sugiyama, Mukohata*, 1143
 bacteriophage, DNA-binding protein, host-range, ϕ K, virion proteins, *Kodaira, Oki, Kakikawa, Kimoto, Taketo*, 1062
 baculovirus, expression, Bombyx family inhibitor, serine protease inhibitor, silkworm, *Pham, Hayashi, Takano, Nakazawa, Mori, Ichida, Itoh, Eguchi, Matsubara, Hara*, 1080
 —, guidance molecule, heparin-binding protein, midline, neurite outgrowth, *Kaneda, Talukder, Nishiyama, Koizumi, Muramatsu*, 1150
 β 3-agonist, α -adrenoceptor, brown adipocyte, glucose transport, norepinephrine, *Nikami, Shimizu, Sumida, Minokoshi, Yoshida, Saito, Shimazu*, 120
 BALB3T3, disulfide bond, galectin, MALDI-TOF, transforming growth factor, *Yamoka, Ingendoh, Tsubuki, Nagai, Sanai*, 878
 band 3 glycoprotein, autoantibody, lactoferrin, senescent cell antigen, sialylated poly-N-acetylglucosaminyl sugar chain, *Ando, Kikugawa, Beppu*, 639
 basement membrane, gel, guanidine-HCl, self-assembly, type IV collagen, *Muraoka, Nakazato, Hayashi*, 167
 base non-specific ribonuclease, mechanism of enzymatic action, *Rhizopus niveus*, ribonuclease, tyrosine residue, tryptophan residue, *Ohgi, Takeuchi, Iwama, Irie*, 9
 —, aspartic acid residue, mechanism of enzymatic action, *Rhizopus niveus*, ribonuclease, *Ohgi, Takeuchi, Iwama, Irie*, 548
 basic fibroblast growth factor, cDNA transfection, cholera toxin B subunit, DNA synthesis, ganglioside, *Hashimoto, Oshima, Nari-matsu, Suzuki*, 985
 β -conglycinin, glycinin, serine protease, soybean, trypsin inhibitor, *Morita, Fukase, Hoshino, Fukuda, Yamaguchi, Morita*, 711
 benzoate 4-hydroxylase, cytochrome P450, formation of isobutene, P450_{rm}, *Rhodotorula minuta*, *Fukuda, Nakamura, Sukita, Ogawa, Fujii*, 314
 benzotriptyl, fatty acid oxidation, gastrin, inhibition, mitochondrial trifunctional protein, *Hashimoto, Shindo, Souri, Baldwin*, 1196
 β -fucosidase, *Dalbergia* spp., β -glucosidase, glycosidase, rosewood, *Srisomsap, Svasti, Surarit, Champattanachai, Sawangareetrakul, Boonpuan, Subhasitanont, Chokchaichamnankit*, 585
 β -glucosidase, *Dalbergia* spp., β -fucosidase, glycosidase, rosewood, *Srisomsap, Svasti, Surarit, Champattanachai, Sawangareetrakul, Boonpuan, Subhasitanont, Chokchaichamnankit*, 585
 binding affinity, acylation, α -helix stability, neuropeptide Y, Y₂ receptor, *Murase, Yumoto, Petukhov, Yoshikawa*, 37
 bioluminescence, luciferase, protein A, truncated, *Vargula hilgendorffii*, *Maeda, Ueda, Kazami, Kawano, Suzuki, Nagamune*, 601
 biosynthesis, blood coagulation, factor XIII, secretory pathway, transglutaminase, *Kaetsu, Hashiguchi, Foster, Ichinose*, 961
 biosynthesis of glycosphingolipids, affinity chromatography, renaturation, substrate specificity, sulfatide, *Honke, Yamane, Ishii, Kobayashi, Makita*, 421
 biotin, actin, avidin, fluorescent nanobead, myosin, *Kunioka, Ando*, 1024
 bisulfite, N(4)aminocytidine, permanganate, pyrimidine nucleotides, *Hayatsu*, 391
 bleomycin, antibiotics, bleomycin hydrolase, cysteine protease, rat skin, *Takeda, Higuruchi, Yamamoto, Nakamura, Masuda, Hirabayashi, Nakaya*, 29
 bleomycin hydrolase, antibiotics, bleomycin, cysteine protease, rat skin, *Takeda, Higuruchi, Yamamoto, Nakamura, Masuda, Hirabayashi, Nakaya*, 29
 blood coagulation, biosynthesis, factor XIII, secretory pathway, transglutaminase, *Kaetsu, Hashiguchi, Foster, Ichinose*, 961
 blood pressure, S-ethylisothiourea, nitric oxide, nitric oxide synthase, septic shock, *Seo, Fujiwara, Kaneto, Asahi, Fujii, Taniguchi*, 553
 blotting assay, c-type lectin, ganglio-series, glycolipid, immunohistochemistry, *Momoda, Hirota, Utsuki, Tsuchida, Hanaoka, Iwamori*, 1189
 Bombyx family inhibitor, Bombyx mori, disulfide bridge, fungal protease inhibitor, reactive site, *Pham, Hayashi, Takano, Itoh, Eguchi, Shibata, Tanaka, Hara*, 428
 —, baculovirus, expression, serine protease inhibitor, silkworm, *Pham, Hayashi, Takano, Nakazawa, Mori, Ichida, Itoh, Eguchi, Matsubara, Hara*, 1080
 Bombyx mori, Bombyx family inhibitor, disulfide bridge, fungal protease inhibitor,

B (cont'd)

reactive site, *Pham, Hayashi, Takano, Itoh, Eguchi, Shibata, Tanaka, Hara*, 428
bone morphogenetic protein, bone remodeling, bone sialoprotein, fragmentation, immunolocalization, *Kobayashi, Takita, Mizuno, Totsuka, Kuboki*, 475
bone remodeling, bone morphogenetic protein, bone sialoprotein, fragmentation, immunolocalization, *Kobayashi, Takita, Mizuno, Totsuka, Kuboki*, 475
bone sialoprotein, bone morphogenetic protein, bone remodeling, fragmentation, immunolocalization, *Kobayashi, Takita, Mizuno, Totsuka, Kuboki*, 475
bovine, 3-hydroxyacyl-CoA dehydrogenase, isozyme, mitochondria, *Kobayashi, Jiang, Hashimoto*, 775
brain, Ca^{2+} /calmodulin, CaM-kinase IV kinase, isoform, protein kinase kinase, *Okuno, Kitani, Fujisawa*, 1176
brain development, enzyme immunoassay, hepatocellular carcinoma, midkine, *Muramatsu, Song, Koide, Hada, Tsuji, Kado-matsu, Inui, Kimura, Sakakibara, Muramatsu*, 1171
brefeldin A, nordihydroguaiaretic acid, protein transport, secretion, vesicular stomatitis virus, *Tagaya, Henomatsu, Yoshimori, Yamamoto, Tashiro, Mizushima*, 863
brown adipocyte, α -adrenoceptor, β 3-agonist, glucose transport, norepinephrine, *Nikami, Shimizu, Sumida, Minokoshi, Yoshida, Saito, Shimazu*, 120
 β -sheet coil, crystal structure, metalloprotease, *Serratia* protease, *Serratia* sp. E-15, *Hamada, Hata, Katsuya, Hiramatsu, Fujiwara, Katsube*, 844
B-type natriuretic peptide receptor, chondrocyte, C-type natriuretic peptide, differentiation, proliferation, *Hagiwara, Inoue, Furuya, Tanaka, Hirose*, 264
budding, antifungal drug, killer toxin, β -glucan synthase, cell wall, yeast proliferation, *Komiyama, Ohta, Urakami, Shiratori, Takasuka, Satoh, Watanabe, Furuichi*, 731
2,3-butanediol, acetoin, diacetyl, metabolism, rat, *Otsuka, Mine, Ohuchi, Ohmori*, 246

C

Ca^{2+} -ATPase, chemiosmotic uncoupling, heat inactivation, high-affinity Ca^{2+} binding, scallop muscle sarcoplasmic reticulum, *Nagata, Nakamura, Yamamoto*, 1100
 Ca^{2+} binding, Ca^{2+} regulation, cardiac troponin C, fast skeletal myofibrils, feedback mechanism, *Morimoto, Ohtsuki*, 737
 Ca^{2+} -binding protein, cell cortex, EF-hand, localization, *Tetrahymena*, *Hanyu, Numata, Takahashi, Watanabe*, 914
 Ca^{2+} /calmodulin, brain, CaM-kinase IV kinase, isoform, protein kinase kinase, *Okuno, Kitani, Fujisawa*, 1176
 Ca^{2+} /calmodulin-dependent protein kinase II, active catalytic fragment, post-synaptic density, protein phosphorylation, rat forebrain, *Yoshimura, Nomura, Yamauchi*, 268
 Ca^{2+} -dependent enzyme, α 1,2-mannosidase, Golgi mannosidase I, hen oviduct, man-

nosidase, *Hamagashira, Oku, Mega, Hase*, 998
 Ca^{2+} -induced conformational change, NMR, N-domain of yeast calmodulin, secondary structure, *Ohki, Miura, Saito, Nakashima, Maekawa, Yazawa, Tsuda, Hikichi*, 1045
 Ca^{2+} oscillations, power spectrum, smooth muscle cell, vasopressin, *Wu, Yu, Seyama*, 42
 Ca^{2+} -regulation, actin-actin interface, actin-myosin interaction, hetero-bifunctional reagent, *in vitro* motility assay, *Hozumi, Miki, Higashi-Fujime*, 151
 Ca^{2+} regulation, Ca^{2+} binding, cardiac troponin C, fast skeletal myofibrils, feedback mechanism, *Morimoto, Ohtsuki*, 737
Caenorhabditis elegans, N-acetylglucosamine, animal lectin, galectin, glycode, *Kasai, Hirabayashi*, 1
calmodulin, cytoskeletal regulation, elongation factor 1 α , F-actin bundling, *Tetrahymena*, *Kurasawa, Hanyu, Watanabe, Numata*, 791
calpain, neurite outgrowth, peptide aldehyde, protease inhibitor, proteasome, *Tsubuki, Saito, Tomioka, Ito, Kawashima*, 572
CaM-kinase IV kinase, brain, Ca^{2+} /calmodulin, isoform, protein kinase kinase, *Okuno, Kitani, Fujisawa*, 1176
cancer, glioblastoma, reverse zymography, serine proteinase inhibitor, trypsin inhibitor, *Koshikawa, Nakamura, Tsuchiya, Isaji, Yasumitsu, Umeda, Miyazaki*, 334
cap structure, complex, crystallization, eukaryotic initiation factor-4E, m⁷GTP, *Morino, Tomoo, Nishi, Okabe, Doi, Ishida, Kitamura*, 224
carbohydrate metabolism, glycolytic metabolites, L-type pyruvate kinase gene expression, *Kang, Yamada, Tanaka, Lu, Noguchi*, 162
cardiac hypertrophy, carnitine palmitoyltransferase I, differential display, gene expression, systemic carnitine deficiency, *Uenaka, Kuwajima, Ono, Matsuzawa, Hayakawa, Inohara, Kagawa, Ohta*, 533
cardiac troponin C, Ca^{2+} binding, Ca^{2+} regulation, fast skeletal myofibrils, feedback mechanism, *Morimoto, Ohtsuki*, 737
carnitine palmitoyltransferase I, cardiac hypertrophy, differential display, gene expression, systemic carnitine deficiency, *Uenaka, Kuwajima, Ono, Matsuzawa, Hayakawa, Inohara, Kagawa, Ohta*, 533
casein kinase I, endogenous phosphate, multi-site phosphorylation, protein phosphorylation, *Xenopus laevis* oocyte, *Liu, Kohara, Hashimoto*, 1004
casein kinase II, aorta smooth muscle, myosin heavy chain, phosphorylation, protein kinase, *Fukui, Morita*, 783
catalase, apoptosis, glutathione peroxidase, hydrogen peroxide, selenium deficiency, *Kayanoki, Fujii, Islam, Suzuki, Kawata, Matsuzawa, Taniguchi*, 817
catalytic antibody, abzyme, kinetics, porphyrin, *Kawamura-Konishi, Hosomi, Neya, Sugano, Funasaki, Suzuki*, 857
catalytic mechanism, expression system, hen lysozyme, mutagenesis, X-ray analysis, *Hashimoto, Yamada, Motoshima, Omura, Yamada, Yasukochi, Miki, Ueda, Imoto*,

145

cathepsin D, aspartic proteinase, cathepsin E, monomer mutant, structural stabilization, *Tsukuba, Sakai, Yamada, Maeda, Hori, Azuma, Akamine, Yamamoto*, 126
cathepsin E, aspartic proteinase, cathepsin D, monomer mutant, structural stabilization, *Tsukuba, Sakai, Yamada, Maeda, Hori, Azuma, Akamine, Yamamoto*, 126
CD, Holliday junction, polyacrylamide gel electrophoresis, RuvC protein, UV, *Shida, Iwasaki, Shinagawa, Kyogoku*, 653
cDNA cloning, human placental fructose 6-phosphate, 2-kinase/fructose 2,6-bisphosphatase, isozyme, phosphorylation site, *Sakai, Kato, Fukasawa, Ishiguro, Furuya, Sakakibara*, 506
cDNA sequence, *Aghistrodon caliginosus*, purification, thrombin-like enzyme, *Hahn, Yang, Park, Chang, Kim*, 835
cDNA transfection, basic fibroblast growth factor, cholera toxin B subunit, DNA synthesis, ganglioside, *Hashimoto, Oshima, Narimatsu, Suzuki*, 985
CDw65, CDw65s, VIM-2, VIM-8, VIM-11, *Kniep, Peter-Katalinic, Muthing, Majdic, Pickl, Knapp*, 456
CDw65s, CDw65, VIM-2, VIM-8, VIM-11, *Kniep, Peter-Katalinic, Muthing, Majdic, Pickl, Knapp*, 456
C/EBP β , dexamethasone, glucagon, liver, primary hepatocytes, *Matsuno, Chowdhury, Gotoh, Iwase, Matsuzaki, Takatsuki, Mori, Takiguchi*, 524
cell adhesion, fibroblast growth factor, fibronectin, fibronectin receptor, integrin, *Hashino, Uemori, Kimizuka, Kato, Titani*, 604
cell attachment, adhesion molecule, cell spreading, decorin, fibroblast, *Gu, Wada*, 743
cell cortex, Ca^{2+} -binding protein, EF-hand, localization, *Tetrahymena*, *Hanyu, Numata, Takahashi, Watanabe*, 914
cell differentiation, acetyl-CoA carboxylase, hepatocyte, hepatocyte growth factor/scatter factor, lipogenesis, *Shao, Arakaki, Ohnishi, Nakamura, Daikuhara*, 940
cell division, histone H1 kinase, myosin light chain, phosphorylation, sea urchin, *Mishima, Mabuchi*, 906
cell spreading, adhesion molecule, cell attachment, decorin, fibroblast, *Gu, Wada*, 743
cell wall, antifungal drug, killer toxin, β -glucan synthase, budding, yeast proliferation, *Komiyama, Ohta, Urakami, Shiratori, Takasuka, Satoh, Watanabe, Furuichi*, 731
cephalopods, enzyme crystallin, S-crystallin, glutathione transferase, kinetics, *Tang, Chang*, 1182
chemical cross-linker, intrinsic membrane protein, quinol oxidase super-complex, respiratory chain, thermophilic bacterium, *Tanaka, Inoue, Sakamoto, Sone*, 482
chemiosmotic uncoupling, Ca^{2+} -ATPase, heat inactivation, high-affinity Ca^{2+} binding, scallop muscle sarcoplasmic reticulum, *Nagata, Nakamura, Yamamoto*, 1100
cherry salmon, DNA polymerase β , isoelectric point, N-terminal amino acid sequence, vertebrates, *Yamaguchi, Nishimura, Takahashi, Yoshikuni, Masaki, Hirai*,

C (cont'd)

- Saneyoshi, 186
 —, DNA polymerase α family, DNA primase, 3'-deoxyribonucleotides, synthetic inhibitor, Izuta, Kohsaka-Ichikawa, Yamaguchi, Saneyoshi, 1038
 CH/ π interaction, chymotrypsin, dipeptide inhibitor, enzyme inhibitor, inhibitory conformation, Maeda, Shimohigashi, Ikesue, Nose, Ide, Kawano, Ohno, 870
 chitin synthase, product entrapment, *Saccharomyces cerevisiae*, zymogen, Uchida, Shimmi, Sudoh, Arisawa, Yamada-Okabe, 659
 cholera toxin B subunit, basic fibroblast growth factor, cDNA transfection, DNA synthesis, ganglioside, Hashimoto, Oshima, Narimatsu, Suzuki, 985
 chondrocyte, B-type natriuretic peptide receptor, C-type natriuretic peptide, dedifferentiation, proliferation, Hagiwara, Inoue, Furuya, Tanaka, Hirose, 264
 chromatin structure, DNase I-hypersensitivity, gene expression, prolactin, transcription factor, Aizawa, Kazahari, Yoneyama, Ono, 296
 chromosomal localization, amino acid sequence, interferon, interferon stimulated gene factor 3, reconstitution, Suhara, Yoneyama, Yonekawa, Fujita, 231
 chymotrypsin, CH/ π interaction, dipeptide inhibitor, enzyme inhibitor, inhibitory conformation, Maeda, Shimohigashi, Ikesue, Nose, Ide, Kawano, Ohno, 870
 cinnamycin, lysophosphatidylethanolamine, nuclear magnetic resonance, peptide-lipid interaction, three-dimensional structure, Hosoda, Ohya, Kohno, Maeda, Endo, Wakamatsu, 226
 circular dichroism, collagen, Coomassie Brilliant Blue, hydrophobic amino acid residues, metachromasia, Hattori, Sakai, Watanabe, Fujii, 400
 circularized protein, dihydrofolate reductase, *Escherichia coli*, reversibility, thermal stability, Iwakura, Honda, 414
Clostridium botulinum C3 exoenzyme, activation, ADP-ribosylation, potassium ion, recombinant GST-RhoA fusion protein, Miyaoka, Tsuchiya, Hara, Ishino, Shimoyama, 200
 c-met, epithelial-mesenchymal interactions, HGF, morphogenesis, organogenesis, organ regeneration, Matsumoto, Nakamura, 591
 coconut oil, atherogenesis, hypercholesterolemia, lipoprotein, neonatal chick, Castillo, Hortal, García-Fuentes, Zafra, García-Peregrín, 610
 coenzyme specificity, exon-shuffling hypothesis, module, molecular recognition, protein engineering, Yaoi, Miyazaki, Oshima, Komukai, Go, 1014
 collagen, circular dichroism, Coomassie Brilliant Blue, hydrophobic amino acid residues, metachromasia, Hattori, Sakai, Watanabe, Fujii, 400
 complex, cap structure, crystallization, eukaryotic initiation factor-4E, m⁷GTP, Morino, Tomoo, Nishi, Okabe, Doi, Ishida, Kitamura, 224
 conformation, disulfide-bond, fibronectin, multimerization, Sakai, Fujii, Hayashi, 58
 conserved residues, *Escherichia coli*, protein translocation, SecE, SecY, Kontinen, Yamanaka, Nishiyama, Tokuda, 1124
 Coomassie Brilliant Blue, circular dichroism, collagen, hydrophobic amino acid residues, metachromasia, Hattori, Sakai, Watanabe, Fujii, 400
 core protein, gene organization, heparan sulfate proteoglycan, human ryudocan, promoter function, Takagi, Kojima, Tsuzuki, Katsumi, Yamazaki, Sugiura, Hamaguchi, Saito, 979
 cross-linking, ATPase inhibitor, F₁ATPase, regulatory protein, subunit of F₁ATPase, Ichikawa, Yoshida, Hashimoto, Tagawa, 193
 crystallization, cap structure, complex, eukaryotic initiation factor-4E, m⁷GTP, Morino, Tomoo, Nishi, Okabe, Doi, Ishida, Kitamura, 224
 —, *Pseudomonas putida*, salicylate hydroxylase, X-ray diffraction, Yabuuchi, Suzuki, Sato, Ohnishi, Itagaki, Morimoto, 829
 —, D-amino acid oxidase, expression, flavoenzyme, X-ray crystallography, Setoyama, Miura, Nishina, Shiga, Mizutani, Miyahara, Hirotsu, 1114
 crystal structure, snake venom, zinc-protease, Kumasaka, Yamamoto, Moriyama, Tanaka, Sato, Katsube, Yamakawa, Omori-Sato, Iwanaga, Ueki, 49
 —, β -sheet coil, metalloprotease, *Serratia* protease, *Serratia* sp. E-15, Hamada, Hata, Katsuya, Hiramatsu, Fujiwara, Katsube, 844
 c-type lectin, blotting assay, ganglio-series, glycolipid, immunohistochemistry, Momoda, Hirota, Utsuki, Tsuchida, Hanaoka, Iwamori, 1189
 C-type natriuretic peptide, B-type natriuretic peptide receptor, chondrocyte, dedifferentiation, proliferation, Hagiwara, Inoue, Furuya, Tanaka, Hirose, 264
 cultured human skin fibroblast, glycosaminoglycan, 4-methylumbelliferyl- β -D-xyloside, SA α 2-3Gal β 1-4Xyl β 1-(4-methylumbelliferone), Takagaki, Nakamura, Shibata, Higuchi, Endo, 697
 Curie plot, cytochrome c, hemoprotein, hyperfine shift, NMR, Yamamoto, 16
 7-cyano-7-demethylriboflavin, 7 α -aminoriboflavin, 7 α -hydroxyriboflavin, nekoflavin, Matsui, Kasai, 441
 cystatin, antimicrobial activity, cysteine protease, horseshoe crab, ion-spray mass spectrometry, Agarwala, Kawabata, Hirata, Miyagi, Tsunasawa, Iwanaga, 85
 cysteine protease, antibiotics, bleomycin, bleomycin hydrolase, rat skin, Takeda, Higuchi, Yamamoto, Nakamura, Masuda, Hirabayashi, Nakaya, 29
 —, antimicrobial activity, cystatin, horseshoe crab, ion-spray mass spectrometry, Agarwala, Kawabata, Hirata, Miyagi, Tsunasawa, Iwanaga, 85
 cysteine proteinase inhibitor, amino acid sequence, *Helianthus annuus*, phytocystatin, sunflower, Kouzuma, Kawano, Kimura, Yamasaki, Kadowaki, Yamamoto, 1106
 cytochrome c, Curie plot, hemoprotein, hyperfine shift, NMR, Yamamoto, 16
 cytochrome c₂, electron transfer, heme protein, multidimensional NMR, *Rhodobacter sphaeroides*, Gans, Simorre, Caffrey, Marion, Richaud, Verméglio, 1131
 cytochrome P450, benzoate 4-hydroxylase, formation of isobutene, P450_{rm}, *Rhodotorula minuta*, Fukuda, Nakamura, Sukita, Ogawa, Fujii, 314
 —, fatty acid hydroxylase, fungus, fused protein, NADPH-cytochrome P450 reductase, Nakayama, Takemae, Shoun, 435
 —, 9-anthraldehyde, microsomal aldehyde oxygenase, monkey, purification, Matsunaga, Iwawaki, Watanabe, Yamamoto, Kageyama, Yoshimura, 617
 cytoskeletal regulation, calmodulin, elongation factor 1 α , F-actin bundling, *Tetrahymena*, Kurasa, Hanyu, Watanabe, Numata, 791
 cytosol, liver, NADPH ubiquinone reductase, ubiquinol, ubiquinone, Takahashi, Okamoto, Kishi, 256
 —, α -mannosidase, oligomannosyl glycan, substrate specificity, Kumano, Omichi, Hase, 991

D

- Dalbergia* spp., β -fucosidase, β -glucosidase, glycosidase, rosewood, Srisomsap, Svasti, Surarit, Champattanachai, Sawangaretrakul, Boonpuan, Subhasitanont, Chokchaichamnankit, 585
 decorin, dermatopontin, PSS, TRAMP, 22 kDa protein, Okamoto, Suzuki, Kimura, Shinkai, 106
 —, adhesion molecule, cell attachment, cell spreading, fibroblast, Gu, Wada, 743
 dedifferentiation, B-type natriuretic peptide receptor, chondrocyte, C-type natriuretic peptide, proliferation, Hagiwara, Inoue, Furuya, Tanaka, Hirose, 264
 defense protein genes, NF- κ B, transmethylation, insect, *Sarcophaga* lectin, Sugiyama, Natori, 354
 dendritic cells, GM-CSF, IL-4, monocytes, superoxide-generating ability, Yu, Imajoh-Ohmi, Akagawa, Kanegasaki, 23
 de novo synthesis, antisense oligonucleotide, in vitro screening, transcription and translation coupled system, translation-arrest, Chen, Lin, Wu, Choo, Au, 252
 3'-deoxyribonucleotides, cherry salmon, DNA polymerase α family, DNA primase, synthetic inhibitor, Izuta, Kohsaka-Ichikawa, Yamaguchi, Saneyoshi, 1038
 dermatopontin, decorin, PSS, TRAMP, 22 kDa protein, Okamoto, Suzuki, Kimura, Shinkai, 106
 dexamethasone, C/EBP β , glucagon, liver, primary hepatocytes, Matsuno, Chowdhury, Gotoh, Iwase, Matsuzaki, Takatsuki, Mori, Takiguchi, 524
 diacetyl, acetoin, 2,3-butanediol, metabolism, rat, Otsuka, Mine, Ohuchi, Ohmori, 246
 diacylglycerol, diacylglycerol acyltransferase, lipid bodies, phosphatidic acid, phosphatidylserine, Kamisaka, Nakahara, 520
 diacylglycerol acyltransferase, diacylglycerol, lipid bodies, phosphatidic acid, phosphatidylserine, Kamisaka, Nakahara, 520

D (cont'd)

- diacylglycerols, alkylacetyl glycerol, GC-MS, platelet-activating factor, *Tetrahymena pyriformis*, *Tellis*, *Tsoukatos*, *Lekka*, 823
- differential display, cardiac hypertrophy, carnitine palmitoyltransferase I, gene expression, systemic carnitine deficiency, *Uenaka*, *Kuwajima*, *Ono*, *Matsuzawa*, *Hayakawa*, *Inohara*, *Kagawa*, *Ohta*, 533
- dihydrofolate reductase, circularized protein, *Escherichia coli*, reversibility, thermal stability, *Iwakura*, *Honda*, 414
- , enzyme function, point mutation, role of flexible loop, structural stability, *Ohmae*, *Iriyama*, *Ichihara*, *Gekko*, 703
- dihydrofolate dehydrogenase, acetoin dehydrogenase, *aco* operon, *Peng*, *Deng*, *Yang*, *Chang*, 1118
- 3 α ,12 β -dihydroxy-5 β -cholanoic acid, healthy humans, 3 α -hydroxy-12-oxo-5 β -cholanoic acid, 3 α ,7 α ,12 β -trihydroxy-5 β -cholanoic acid, urine specimens, *Yamaga*, *Ikebuchi*, *Kohara*, *Ogura*, *Yamada*, 725
- dimyristoylphosphatidylcholine, erythrocyte, hemoglobin, spectrin, vesiculation, *Yamaguchi*, *Yamamoto*, *Kimoto*, 95
- dipeptide catalyst, peptidyl transfer, ribosomal protein L2, template effect, tRNA, *Shimizu*, 832
- dipeptide inhibitor, CH/ π interaction, chymotrypsin, enzyme inhibitor, inhibitory conformation, *Maeda*, *Shimohigashi*, *Ikesue*, *Nose*, *Ide*, *Kawano*, *Ohno*, 870
- disulfide bond, conformation, fibronectin, multimerization, *Sakai*, *Fujii*, *Hayashi*, 58
- , BALB3T3, galectin, MALDI-TOF, transforming growth factor, *Yamaoka*, *Ingen-doh*, *Tsubuki*, *Nagai*, *Sanai*, 878
- disulfide bridge, Bombyx family inhibitor, *Bombyx mori*, fungal protease inhibitor, reactive site, *Pham*, *Hayashi*, *Takano*, *Itoh*, *Eguchi*, *Shibata*, *Tanaka*, *Hara*, 428
- D-loop-like structure, DNase I footprinting, osmium tetroxide, polypurine:polypyr-imidine stretches, triplex DNA, *Mishima*, *Suda*, *Kominami*, 805
- DNA-binding protein, GC-box, homodimerization, transcription factor, zinc finger, *Kikuchi*, *Sogawa*, *Watanabe*, *Kobayashi*, *Fujii-Kuriyama*, 309
- , bacteriophage, host-range, ϕ K, virion proteins, *Kodaira*, *Oki*, *Kakikawa*, *Kimoto*, *Taketo*, 1062
- DNA polymerase α family, cherry salmon, DNA primase, 3'-deoxyribonucleotides, synthetic inhibitor, *Izuta*, *Kohsaka-Ichikawa*, *Yamaguchi*, *Saneyoshi*, 1038
- DNA polymerase β family, cherry salmon, isoelectric point, N-terminal amino acid sequence, vertebrates, *Yamaguchi*, *Nishimura*, *Takahashi*, *Yoshikuni*, *Masaki*, *Hirai*, *Saneyoshi*, 186
- DNA primase, cherry salmon, DNA polymerase α family, 3'-deoxyribonucleotides, synthetic inhibitor, *Izuta*, *Kohsaka-Ichikawa*, *Yamaguchi*, *Saneyoshi*, 1038
- DNA-protein interaction, late spermatid nuclei, transition protein, *Akama*, *Sato*, *Furihata-Yamauchi*, *Komatsu*, *Tobita*, *Nakano*, 448
- DNase I footprinting, D-loop-like structure,

- osmium tetroxide, polypurine:polypyr-imidine stretches, triplex DNA, *Mishima*, *Suda*, *Kominami*, 805
- DNase I-hypersensitivity, chromatin structure, gene expression, prolactin, transcription factor, *Aizawa*, *Kazahari*, *Yoneyama*, *Ono*, 296
- DNA synthesis, basic fibroblast growth factor, cDNA transfection, cholera toxin B subunit, ganglioside, *Hashimoto*, *Oshima*, *Narimatsu*, *Suzuki*, 985
- dominant-negative inhibition, intracellular immunization, moloney murine leukemia virus, reverse transcriptase, YXDD motif, *Shirasawa*, *Sato*, *Osawa*, *Hirashima*, 1070
- drug metabolism, acetohexamide analog, acetohexamide-reducing enzyme, rabbit heart, tetrameric enzyme, *Imamura*, *Ryu*, *Koga*, *Higuchi*, *Otagiri*, *Nozawa*, *Akita*, 648

E

- early evolution of eukaryotes, elongation factor, kinetoplastid protozoa, protein phylogeny, *Trypanosoma cruzi*, *Nakamura*, *Hashimoto*, *Kamaishi*, *Adachi*, *Nakamura*, *Okamoto*, *Hasegawa*, 70
- EF-hand, Ca²⁺-binding protein, cell cortex, localization, *Tetrahymena*, *Hanyu*, *Numata*, *Takahashi*, *Watanabe*, 914
- elastase, microsome, pancreas, serine proteinase, trypsin-like proteinase, *Tsuji*, *Edazawa*, *Sakiyama*, *Nagata*, *Sasaki*, *Nagamune*, *Matsuda*, 100
- electron transfer, cytochrome c_2 , heme protein, multidimensional NMR, *Rhodobacter sphaeroides*, *Gans*, *Simorre*, *Caffrey*, *Marion*, *Richaud*, *Verméglio*, 1131
- ELISA, aldolase, epitope mapping, immunochemistry, isozyme, *Kaihara*, *Matsuhashi*, *Kusakabe*, *Kondo*, *Iwanaga*, *Hori*, 281
- elongation factor, early evolution of eukaryotes, kinetoplastid protozoa, protein phylogeny, *Trypanosoma cruzi*, *Nakamura*, *Hashimoto*, *Kamaishi*, *Adachi*, *Nakamura*, *Okamoto*, *Hasegawa*, 70
- elongation factor 1 α , calmodulin, cytoskeletal regulation, F-actin bundling, *Tetrahymena*, *Kurasawa*, *Hanyu*, *Watanabe*, *Numata*, 791
- embryonal carcinoma, expressed sequence tags, F9, low-abundance mRNAs, *Nishiguchi*, *Sakuma*, *Nomura*, *Zou*, *Jearanaisilavong*, *Joh*, *Yasunaga*, *Shimada*, 749
- embryonal carcinoma cells, fucosyltransferase, gene, Lewis x antigen, SSEA-1, *Ozawa*, *Muramatsu*, 302
- embryonic hemoglobin, hemoglobin switching, primary structure, rat, zeta and epsilon globins, *Iwahara*, *Abe*, *Okazaki*, 360
- endocytosis, growth factor internalization, PI-3k, PI-turnover, transferrin, *Sato*, *Taguchi*, *Yamashina*, *Toyama*, 887
- endogenous phosphate, casein kinase I, multi-site phosphorylation, protein phosphorylation, *Xenopus laevis* oocyte, *Liu*, *Kohara*, *Hashimoto*, 1004
- enzyme crystallin, S-crystallin, glutathione transferase, kinetics, cephalopods, *Tang*, *Chang*, 1182
- enzyme function, dihydrofolate reductase, point mutation, role of flexible loop, struc-

- tural stability, *Ohmae*, *Iriyama*, *Ichihara*, *Gekko*, 703
- enzyme immunoassay, brain development, hepatocellular carcinoma, midkine, *Muramatsu*, *Song*, *Koide*, *Hada*, *Tsuji*, *Kadomatsu*, *Inui*, *Kimura*, *Sakakibara*, *Muramatsu*, 1171
- enzyme inhibitor, CH/ π interaction, chymotrypsin, dipeptide inhibitor, inhibitory conformation, *Maeda*, *Shimohigashi*, *Ikesue*, *Nose*, *Ide*, *Kawano*, *Ohno*, 870
- Epiphragmophora trenquellensis* snail, albumin gland, invertebrate lectins, N-acetyl-D-galactosamine-binding lectins, snail, *Castagna*, *Zarzur*, *Filipetti*, *Landa*, 372
- epithelial-mesenchymal interactions, c-met, HGF, morphogenesis, organogenesis, organ regeneration, *Matsumoto*, *Nakamura*, 591
- epitope mapping, aldolase, ELISA, immunochemistry, isozyme, *Kaihara*, *Matsuhashi*, *Kusakabe*, *Kondo*, *Iwanaga*, *Hori*, 281
- erythrocyte, dimyristoylphosphatidylcholine, hemoglobin, spectrin, vesiculation, *Yamaguchi*, *Yamamoto*, *Kimoto*, 95
- Escherichia coli*, 1,5-anhydro-D-glucitol, ¹³C-NMR, phosphorylation, sugar metabolism, *Shiga*, *Kametani*, *Mizuno*, *Akanuma*, 173
- , circularized protein, dihydrofolate reductase, reversibility, thermal stability, *Iwakura*, *Honda*, 414
- , growth phase, 70S ribosome, S100 fraction, 10Sa RNA, *Komine*, *Kitabatake*, *Inokuchi*, 463
- , conserved residues, protein translocation, SecE, SecY, *Kontinen*, *Yamanaka*, *Nishiyama*, *Tokuda*, 1124
- S-ethylisothiourea, blood pressure, nitric oxide, nitric oxide synthase, septic shock, *Seo*, *Fujiwara*, *Kaneto*, *Asahi*, *Fujii*, *Taniguchi*, 553
- eukaryotic initiation factor-4E, cap structure, complex, crystallization, m⁷GTP, *Morino*, *Tomoo*, *Nishi*, *Okabe*, *Doi*, *Ishida*, *Kitamura*, 224
- exon-shuffling hypothesis, coenzyme specificity, module, molecular recognition, protein engineering, *Yaoi*, *Miyazaki*, *Oshima*, *Komukai*, *Go*, 1014
- expressed sequence tags, embryonal carcinoma, F9, low-abundance mRNAs, *Nishiguchi*, *Sakuma*, *Nomura*, *Zou*, *Jearanaisilavong*, *Joh*, *Yasunaga*, *Shimada*, 749
- expression, baculovirus, Bombyx family inhibitor, serine protease inhibitor, silkworm, *Pham*, *Hayashi*, *Takano*, *Nakazawa*, *Mori*, *Ichida*, *Itoh*, *Eguchi*, *Matsubara*, *Hara*, 1080
- , crystallization, D-amino acid oxidase, flavoenzyme, X-ray crystallography, *Setoyama*, *Miura*, *Nishina*, *Shiga*, *Mizutani*, *Miyahara*, *Hirotsu*, 1114
- expression system, catalytic mechanism, hen lysozyme, mutagenesis, X-ray analysis, *Hashimoto*, *Yamada*, *Motoshima*, *Omura*, *Yamada*, *Yasukochi*, *Miki*, *Ueda*, *Imoto*, 145

F

- F9, embryonal carcinoma, expressed sequence tags, low-abundance mRNAs, *Nishiguchi*, *Sakuma*, *Nomura*, *Zou*, *Jearanaisilavong*, *Joh*, *Yasunaga*, *Shimada*,

F (cont'd)

- 749
 F9 cell, membrane glycoprotein, MHC class I molecule, RA-inducible gene, retinoic acid, *Zou, Nomura, Takihara, Yasunaga, Shimada*, 319
 FAB mass spectroscopy, *Bacillus subtilis*, lysidine, modified nucleotide, tRNA, *Matsugi, Murao, Ishikura*, 811
 F-actin bundling, calmodulin, cytoskeletal regulation, elongation factor 1 α , *Tetrahymina, Kurasawa, Hanyu, Watanabe, Numata*, 791
 factor VIII, anticoagulant, glycosaminoglycan, holothurian, thrombin, *Nagase, Enryoji, Shima, Kitazato, Yoshioka, Saito, Kato*, 63
 factor XIII, biosynthesis, blood coagulation, secretory pathway, transglutaminase, *Kaetsu, Hashiguchi, Foster, Ichinose*, 961
 fast skeletal myofibrils, Ca²⁺ binding, Ca²⁺ regulation, cardiac troponin C, feedback mechanism, *Morimoto, Ohtsuki*, 737
 fat cell, lipid droplet, lipolysis, specific binding, *Okuda, Morimoto, Tsujita*, 852
 fatty acid hydroxylase, cytochrome P450, fungus, fused protein, NADPH-cytochrome P450 reductase, *Nakayama, Takemae, Shoun*, 435
 fatty acid oxidation, benzotript, gastrin, inhibition, mitochondrial trifunctional protein, *Hashimoto, Shindo, Souri, Baldwin*, 1196
 feedback mechanism, Ca²⁺ binding, Ca²⁺ regulation, cardiac troponin C, fast skeletal myofibrils, *Morimoto, Ohtsuki*, 737
 fibroblast, adhesion molecule, cell attachment, cell spreading, decorin, *Gu, Wada*, 743
 fibroblast growth factor, cell adhesion, fibronectin, fibronectin receptor, integrin, *Hashino, Uemori, Kimizuka, Kato, Titani*, 604
 fibronectin, conformation, disulfide-bond, multimerization, *Sakai, Fujii, Hayashi*, 58
 —, cell adhesion, fibroblast growth factor, fibronectin receptor, integrin, *Hashino, Uemori, Kimizuka, Kato, Titani*, 604
 fibronectin receptor, cell adhesion, fibroblast growth factor, fibronectin, integrin, *Hashino, Uemori, Kimizuka, Kato, Titani*, 604
 flavoenzyme, acetoacetyl-CoA, acyl-CoA dehydrogenase, ¹³C-NMR, nuclear magnetic resonance, *Miura, Nishina, Fujii, Shiga*, 512
 —, crystallization, D-amino acid oxidase, expression, X-ray crystallography, *Setoyama, Miura, Nishina, Shiga, Mizutani, Miyahara, Hirotsu*, 1114
 fluorescence titration, aminoacyl-tRNA synthetase, lysyl-tRNA synthetase, protein fluorescence, substrate binding order, *Takita, Ohkubo, Shima, Muto, Shimizu, Sukata, Ito, Saito, Inouye, Hiromi, Tonomura*, 680
 fluorescent nanobead, actin, avidin, biotin, myosin, *Kunioka, Ando*, 1024
 fluorometric detection, affinity electrophoresis, glyco-gel, glycomonomer, lectin-sugar interaction, *Ohmae, Suzuki, Tokura, Nishi, Nishimura*, 367
 follistatin, activin, inhibin, polyclonal anti-
- bodies, recognition, *Funaba, Murata, Fujimura, Murata, Abe, Takahashi, Torii*, 953
 formation of isobutene, benzoate 4-hydroxylase, cytochrome P450, P450rm, *Rhodotorula minuta, Fukuda, Nakamura, Sukita, Ogawa, Fujii*, 314
 fragmentation, bone morphogenetic protein, bone remodeling, bone sialoprotein, immunolocalization, *Kobayashi, Takita, Mizuno, Totsuka, Kuboki*, 475
 fucosyltransferase, embryonal carcinoma cells, gene, Lewis x antigen, SSEA-1, *Ozawa, Muramatsu*, 302
 full-length cDNA, mRNA expression, PTK7, RPTK-like molecule, transmembrane receptor, *Park, Lee, Lee*, 235
 fungal protease inhibitor, Bombyx family inhibitor, *Bombyx mori*, disulfide bridge, reactive site, *Pham, Hayashi, Takano, Itoh, Eguchi, Shibata, Tanaka, Hara*, 428
 fungus, cytochrome P450, fatty acid hydroxylase, fused protein, NADPH-cytochrome P450 reductase, *Nakayama, Takemae, Shoun*, 435
 fused protein, cytochrome P450, fatty acid hydroxylase, fungus, NADPH-cytochrome P450 reductase, *Nakayama, Takemae, Shoun*, 435
- G
- galectin, N-acetyllactosamine, animal lectin, *Caenorhabditis elegans*, glycode, *Kasai, Hirabayashi*, 1
 —, BALB3T3, disulfide bond, MALDI-TOF, transforming growth factor, *Yamaoka, Ingendoh, Tsubuki, Nagai, Sanai*, 878
 ganglio-series, blotting assay, c-type lectin, glycolipid, immunohistochemistry, *Momoda, Hirota, Utsuki, Tsuchida, Hanaoka, Iwamori*, 1189
 ganglioside, basic fibroblast growth factor, cDNA transfection, cholera toxin B subunit, DNA synthesis, *Hashimoto, Oshima, Narimatsu, Suzuki*, 985
 ganglioside IV^{Fuc}, IP^{NeuAc}-G₂C₂, keyhole limpet hemocyanin, monophosphoryl-lipid-A, muramyl dipeptide, small cell lung cancer, *Jennemann, Bauer, Schmidt, Elsässer, Wiegandt*, 378
 gastrin, benzotript, fatty acid oxidation, inhibition, mitochondrial trifunctional protein, *Hashimoto, Shindo, Souri, Baldwin*, 1196
 GC-box, DNA-binding protein, homodimerization, transcription factor, zinc finger, *Kikuchi, Sogawa, Watanabe, Kobayashi, Fujii-Kuriyama*, 309
 GC-MS, 1,5-anhydro-D-glucitol, 1,5-anhydro-D-fructose, ¹³C-NMR, polyol, *Kame-tani, Mizuno, Shiga, Akanuma*, 180
 —, alkylacetyl glycerol, diacylglycerols, platelet-activating factor, *Tetrahymina pyriformis, Tellis, Tsoukatos, Lekka*, 823
 gel, basement membrane, guanidine-HCl, self-assembly, type IV collagen, *Muraoka, Nakazato, Hayashi*, 167
 gelatinase A, gelatinase A activator, matrix metalloproteinase, MT-MMP, tumor metastasis, *Sato, Seiki*, 209
 gelatinase A activator, gelatinase A, matrix metalloproteinase, MT-MMP, tumor metastasis, *Sato, Seiki*, 209
 gel-to-liquid crystalline phase transition,
- lipid membrane, liposome, membrane morphology, phospholipase A₂, *Yamauchi, Togawa, Kinoshita*, 115
 gene, embryonal carcinoma cells, fucosyltransferase, Lewis x antigen, SSEA-1, *Ozawa, Muramatsu*, 302
 gene cloning, aspartate aminotransferase, prolyl residue, thermostability, *Thermus thermophilus, Okamoto, Kato, Masui, Yamagishi, Oshima, Kuramitsu*, 135
 gene expression, chromatin structure, DNase I-hypersensitivity, prolactin, transcription factor, *Aizawa, Kazahari, Yoneyama, Ono*, 296
 —, α -glucosidase, *Mucor javanicus*, nucleotide sequence, *Sugimoto, Suzuki*, 500
 —, cardiac hypertrophy, carnitine palmitoyltransferase I, differential display, systemic carnitine deficiency, *Uenaka, Kuwajima, Ono, Matsuzawa, Hayakawa, Inohara, Kagawa, Ohta*, 533
 —, α_1 -acid glycoprotein, acute-phase proteins, thyroid hormone, TRE, *Matsukawa, Kitagawa, Katayama, Nagai, Hayashi, Yasuda, Ohba*, 934
 gene organization, core protein, heparan sulfate proteoglycan, human ryudocan, promoter function, *Takagi, Kojima, Tsuzuki, Katsumi, Yamazaki, Sugiura, Hamaguchi, Saito*, 979
 genetic recombination, homologous pairing, non-Watson-Crick interactions, RecA protein, triplex DNA, *Kurumizaka, Shibata*, 216
 geranylgeraniol, Archaeobacterium, isoprenoids, kinase, lipid, *Ohnuma, Watanabe, Nishino*, 541
 glioblastoma, cancer, reverse zymography, serine proteinase inhibitor, trypsin inhibitor, *Koshikawa, Nakamura, Tsuchiya, Isaji, Yasumitsu, Umeda, Miyazaki*, 334
 glucagon, C/EBP β , dexamethasone, liver, primary hepatocytes, *Matsumo, Chowdhury, Gotoh, Iwase, Matsuzaki, Takatsuki, Mori, Takiguchi*, 524
 β -glucan synthase, antifungal drug, killer toxin, budding, cell wall, yeast proliferation, *Komiyama, Ohta, Urakami, Shiratori, Takasuka, Satoh, Watanabe, Furuichi*, 731
 glucocorticoid-receptor, glucocorticoid-response element, translocation-inhibitor, *Okamoto, Liu, Yu, Ochiai, Isohashi*, 920
 glucocorticoid-response element, glucocorticoid-receptor, translocation-inhibitor, *Okamoto, Liu, Yu, Ochiai, Isohashi*, 920
 glucose transport, α -adrenoceptor, β_3 -agonist, brown adipocyte, norepinephrine, *Nikami, Shimizu, Sumida, Munokoshi, Yoshida, Saito, Shimazu*, 120
 γ -glutamyl transpeptidase, histidine, *Ikeda, Fujii, Taniguchi*, 1166
 glutathione peroxidase, apoptosis, catalase, hydrogen peroxide, selenium deficiency, *Kayanoki, Fujii, Islam, Suzuki, Kawata, Matsuzawa, Taniguchi*, 817
 glutathione transferase, enzyme crystallin, S-crystallin, kinetics, cephalopods, *Tang, Chang*, 1182
 glycinin, β -conglycinin, serine protease, soybean, trypsin inhibitor, *Morita, Fukase, Hoshino, Fukuda, Yamaguchi, Morita*, 711

G (cont'd)

- glycocode, *N*-acetylglucosamine, animal lectin, *Caenorhabditis elegans*, galectin, Kasai, Hirabayashi, 1
- glycogel, affinity electrophoresis, fluorometric detection, glycomonomer, lectin-sugar interaction, Ohmae, Suzuki, Tokura, Nishi, Nishimura, 367
- glycolipid, blotting assay, c-type lectin, ganglio-series, immunohistochemistry, Momoeda, Hirota, Utsuki, Tsuchida, Hanaoka, Iwamori, 1189
- glycolytic metabolites, carbohydrate metabolism, L-type pyruvate kinase gene expression, Kang, Yamada, Tanaka, Lu, Noguchi, 162
- glycomonomer, affinity electrophoresis, fluorometric detection, glycogel, lectin-sugar interaction, Ohmae, Suzuki, Tokura, Nishi, Nishimura, 367
- glycosaminoglycan, anticoagulant, factor VIII, holothurian, thrombin, Nagase, Enjyoji, Shima, Kitazato, Yoshioka, Saito, Kato, 63
- , cultured human skin fibroblast, 4-methylumbelliferyl- β -D-xyloside, SA α 2-3Gal β 1-4Xyl β 1-(4-methylumbelliferone), Takagaki, Nakamura, Shibata, Higuchi, Endo, 697
- glycosidase, *Dalbergia* spp., β -fucosidase, β -glucosidase, rosewood, Srisomsap, Svasti, Surarit, Champattanachai, Sawangaretrakul, Boonpuan, Subhasitanont, Chokchaichamnankit, 585
- N*-glycosylation signal, lysozyme, stabilization, Ueda, Iwashita, Hashimoto, Imoto, 157
- Gly-Pro sequence, lysozyme, Pro-Gly sequence, stability, transition state, Moto-shima, Ueda, Imoto, 1019
- GM-CSF, dendritic cells, IL-4, monocytes, superoxide-generating ability, Yu, Imajoh-Ohmi, Akagawa, Kanegasaki, 23
- golden hamster, acyl-CoA dehydrogenase, alkylacylglycerol, androgen, Harderian gland, Seyama, Hida, Hayashi, Buzzell, 799
- Golgi mannosidase I, α 1,2-mannosidase, Ca²⁺-dependent enzyme, hen oviduct, mannosidase, Hamagashira, Oku, Mega, Hase, 998
- growth factor internalization, endocytosis, PI-3k, PI-turnover, transferrin, Sato, Taguchi, Yamashina, Toyama, 887
- growth phase, *Escherichia coli*, 70S ribosome, S100 fraction, 10Sa RNA, Komine, Kitabatake, Inokuchi, 463
- m⁷GTP, cap structure, complex, crystallization, eukaryotic initiation factor-4E, Morino, Tomoo, Nishi, Okabe, Doi, Ishida, Kitamura, 224
- guanidine-HCl, basement membrane, gel, self-assembly, type IV collagen, Muraoka, Nakazato, Hayashi, 167
- guidance molecule, baculovirus, heparin-binding protein, midkine, neurite outgrowth, Kaneda, Talukder, Nishiyama, Koizumi, Muramatsu, 1150
- H
- Hafnia alvei*, aminopeptidase, iminopeptidase, proline, Kitazono, Kitano, Kaba-shima, Ito, Yoshimoto, 468
- Harderian gland, acyl-CoA dehydrogenase, alkylacylglycerol, androgen, golden hamster, Seyama, Hida, Hayashi, Buzzell, 799
- healthy humans, 3 α ,12 β -dihydroxy-5 β -cholanoic acid, 3 α -hydroxy-12-oxo-5 β -cholanoic acid, 3 α ,7 α ,12 β -trihydroxy-5 β -cholanoic acid, urine specimens, Yamaga, Ikebuchi, Kohara, Ogura, Yamada, 725
- heat inactivation, Ca²⁺-ATPase, chemiosmotic uncoupling, high-affinity Ca²⁺ binding, scallop muscle sarcoplasmic reticulum, Nagata, Nakamura, Yamamoto, 1100
- Helianthus annuus*, amino acid sequence, cysteine proteinase inhibitor, phytocystatin, sunflower, Kouzuma, Kawano, Kimura, Yamasaki, Kadowaki, Yamamoto, 1106
- helix, α -lactalbumin, hydrophobic cluster, molten globule, synthetic peptide, Shimizu, Ikeguchi, Kobayashi, Sugai, 947
- heme protein, cytochrome *c*, electron transfer, multidimensional NMR, *Rhodobacter sphaeroides*, Gans, Simorre, Caffrey, Marion, Richaud, Verméglio, 1131
- hemoglobin, dimyristoylphosphatidylcholine, erythrocyte, spectrin, vesiculation, Yamaguchi, Yamamoto, Kimoto, 95
- hemoglobin switching, embryonic hemoglobin, primary structure, rat, zeta and epsilon globins, Iwahara, Abe, Okazaki, 360
- hemoprotein, Curie plot, cytochrome *c*, hyperfine shift, NMR, Yamamoto, 16
- hen lysozyme, catalytic mechanism, expression system, mutagenesis, X-ray analysis, Hashimoto, Yamada, Motoshima, Omura, Yamada, Yasukochi, Miki, Ueda, Imoto, 145
- hen oviduct, α 1,2-mannosidase, Ca²⁺-dependent enzyme, Golgi mannosidase I, mannosidase, Hamagashira, Oku, Mega, Hase, 998
- heparan sulfate proteoglycan, core protein, gene organization, human ryudocan, promoter function, Takagi, Kojima, Tsuzuki, Katsumi, Yamazaki, Sugiura, Hamaguchi, Saito, 979
- heparin-binding protein, baculovirus, guidance molecule, midkine, neurite outgrowth, Kaneda, Talukder, Nishiyama, Koizumi, Muramatsu, 1150
- hepatocellular carcinoma, brain development, enzyme immunoassay, midkine, Muramatsu, Song, Koide, Hada, Tsuji, Kadomatsu, Inui, Kimura, Sakakibara, Muramatsu, 1171
- hepatocyte, acetyl-CoA carboxylase, cell differentiation, hepatocyte growth factor/scatter factor, lipogenesis, Shao, Arakaki, Ohnishi, Nakamura, Daikuhara, 940
- hepatocyte growth factor, hyaluronic acid, macrophage-stimulating protein, plasma protein, serine protease, Choi-Miura, Tobe, Sumiya, Nakano, Sano, Mazda, Tomita, 1157
- hepatocyte growth factor/scatter factor, acetyl-CoA carboxylase, cell differentiation, hepatocyte, lipogenesis, Shao, Arakaki, Ohnishi, Nakamura, Daikuhara, 940
- hetero-bifunctional reagent, actin-actin interface, actin-myosin interaction, Ca²⁺-regulation, *in vitro* motility assay, Hozumi, Miki, Higashi-Fujime, 151
- HGF, c-met, epithelial-mesenchymal interactions, morphogenesis, organogenesis, organ regeneration, Matsumoto, Nakamura, 591
- high-affinity Ca²⁺ binding, Ca²⁺-ATPase, chemiosmotic uncoupling, heat inactivation, scallop muscle sarcoplasmic reticulum, Nagata, Nakamura, Yamamoto, 1100
- histidine, γ -glutamyl transpeptidase, Ikeda, Fujii, Taniguchi, 1166
- histone deacetylase, IgE, IL-4, sodium butyrate, trichostatin A, Yamamoto, Matsunaga, Sakata, Nakamura, Doi, Hanmyou, 1056
- histone H1 kinase, cell division, myosin light chain, phosphorylation, sea urchin, Mishima, Mabuchi, 906
- Holliday junction, CD, polyacrylamide gel electrophoresis, RuvC protein, UV, Shida, Iwasaki, Shinagawa, Kyogoku, 653
- holothurian, anticoagulant, factor VIII, glycosaminoglycan, thrombin, Nagase, Enjyoji, Shima, Kitazato, Yoshioka, Saito, Kato, 63
- homodimerization, DNA-binding protein, GC-box, transcription factor, zinc finger, Kikuchi, Sogawa, Watanabe, Kobayashi, Fujii-Kuriyama, 309
- homologous pairing, genetic recombination, non-Watson-Crick interactions, RecA protein, triplex DNA, Kurumizaka, Shibata, 216
- honeybee, hypopharyngeal gland, role change, royal jelly, α -glucosidase, Kubo, Sasaki, Nakamura, Sasagawa, Ohashi, Takeuchi, Natori, 291
- hormonal regulation, lauric acid ω -hydroxylase, mouse CYP4A, sex difference, strain difference, Hiratsuka, Matsuura, Watanabe, Sato, Suzuki, 340
- horseshoe crab, antimicrobial activity, cystatin, cysteine protease, ion-spray mass spectrometry, Agarwala, Kawabata, Hirata, Miyagi, Tsunashima, Iwanaga, 85
- host-range, bacteriophage, DNA-binding protein, ϕ K, virion proteins, Kodaira, Oki, Kakikawa, Kimoto, Taketo, 1062
- human cancer, MAGE, peptide antigen, specific immunity, tumor-rejection antigen, Itoh, Hayashi, Nakao, Hoshino, Seki, Shichijo, 385
- human placental fructose 6-phosphate, 2-kinase/fructose 2,6-bisphosphatase, cDNA cloning, isozyme, phosphorylation site, Sakai, Kato, Fukasawa, Ishiguro, Furuya, Sakakibara, 506
- human ryudocan, core protein, gene organization, heparan sulfate proteoglycan, promoter function, Takagi, Kojima, Tsuzuki, Katsumi, Yamazaki, Sugiura, Hamaguchi, Saito, 979
- hyaluronic acid, hepatocyte growth factor, macrophage-stimulating protein, plasma protein, serine protease, Choi-Miura, Tobe, Sumiya, Nakano, Sano, Mazda, Tomita, 1157
- hydrogen peroxide, apoptosis, catalase, glutathione peroxidase, selenium deficiency, Kayanoki, Fujii, Islam, Suzuki, Kawata, Matsuzawa, Taniguchi, 817
- hydrophobic amino acid residues, circular

H (cont'd)

- dichroism, collagen, Coomassie Brilliant Blue, metachromasia, *Hattori, Sakai, Watanabe, Fujii*, 400
- hydrophobic cluster, α -lactalbumin, helix, molten globule, synthetic peptide, *Shimizu, Ikeguchi, Kobayashi, Sugai*, 947
- 3 α -hydroxy-12-oxo-5 β -cholanoic acid, 3 α , 12 β -dihydroxy-5 β -cholanoic acid, healthy humans, 3 α , 7 α , 12 β -trihydroxy-5 β -cholanoic acid, urine specimens, *Yamaga, Ikebuchi, Kohara, Ogura, Yamada*, 725
- 3-hydroxyacyl-CoA dehydrogenase, bovine, isozyme, mitochondria, *Kobayashi, Jiang, Hashimoto*, 775
- hypercholesterolemia, atherogenesis, coconut oil, lipoprotein, neonatal chick, *Castillo, Hortal, García-Fuentes, Zafra, García-Peregrín*, 610
- hyperfine shift, Curie plot, cytochrome c, hemoprotein, NMR, *Yamamoto*, 16
- hypopharyngeal gland, honeybee, role change, royal jelly, α -glucosidase, *Kubo, Sasaki, Nakamura, Sasagawa, Ohashi, Takeuchi, Natori*, 291
- hysteresis, non-catalytic substrate-binding site, reaction model, ribulose 1,5-bisphosphate carboxylase/oxygenase, xylulose 1,5-bisphosphate, *Yokota, Wadano, Murayama*, 487
- I
- IgE, histone deacetylase, IL-4, sodium butyrate, trichostatin A, *Yamamoto, Matsunaga, Sakata, Nakamura, Doi, Hanmyou*, 1056
- IHRP gene, TATA-less promoter, *Saguchi, Tobe, Hashimoto, Nagasaki, Oda, Nakano, Miura, Tomita*, 898
- IL-4, dendritic cells, GM-CSF, monocytes, superoxide-generating ability, *Yu, Imajoh-Ohmi, Akagawa, Kanegasaki*, 23
- , histone deacetylase, IgE, sodium butyrate, trichostatin A, *Yamamoto, Matsunaga, Sakata, Nakamura, Doi, Hanmyou*, 1056
- iminopeptidase, aminopeptidase, *Hafnia alvei*, proline, *Kitazono, Kitano, Kashiwama, Ito, Yoshimoto*, 468
- immune response, adjuvant, mouse spleen, serine protease, trypsin-like, *Fukusen, Aoki*, 633
- immunoblot, aging, protein oxidation, protein carbonyl, rat, *Nakamura, Goto*, 768
- immunochromatography, aldolase, ELISA, epitope mapping, isozyme, *Kaijara, Matsuhashi, Kusakabe, Kondo, Iwanaga, Hori*, 281
- immunogenicity, lysozyme, monomethoxy-polyethylene glycol, NMR, structure of mPEG, *So, Ueda, Abe, Nakamata, Imoto*, 1086
- immunohistochemistry, blotting assay, c-type lectin, ganglio-series, glycolipid, *Momoeda, Hirota, Utsuki, Tsuchida, Hanaoka, Iwamori*, 1189
- immunolocalization, bone morphogenetic protein, bone remodeling, bone sialoprotein, fragmentation, *Kobayashi, Takita, Mizuno, Totsuka, Kuboki*, 475
- inhibin, activin, follistatin, polyclonal antibodies, recognition, *Funaba, Murata, Fujimura, Murata, Abe, Takahashi, Torii*, 953
- inhibition, benzotript, fatty acid oxidation,

- gastrin, mitochondrial trifunctional protein, *Hashimoto, Shindo, Souri, Baldwin*, 1196
- inhibitory conformation, CH/ π interaction, chymotrypsin, dipeptide inhibitor, enzyme inhibitor, *Maeda, Shimohigashi, Ikesue, Nose, Ide, Kawano, Ohno*, 870
- insect, defense protein genes, NF- κ B, transmethylation, *Sarcophaga* lectin, *Sugiyama, Natori*, 354
- integrin, cell adhesion, fibroblast growth factor, fibronectin, fibronectin receptor, *Hashino, Uemori, Kimizuka, Kato, Titani*, 604
- interferon, amino acid sequence, chromosomal localization, interferon stimulated gene factor 3, reconstitution, *Suhara, Yoneyama, Yonekawa, Fujita*, 231
- interferon stimulated gene factor 3, amino acid sequence, chromosomal localization, interferon, reconstitution, *Suhara, Yoneyama, Yonekawa, Fujita*, 231
- intracellular immunization, dominant-negative inhibition, moloney murine leukemia virus, reverse transcriptase, YXDD motif, *Shirasawa, Sato, Osawa, Hirashima*, 1070
- intrinsic membrane protein, chemical cross-linker, quinol oxidase super-complex, respiratory chain, thermophilic bacterium, *Tanaka, Inoue, Sakamoto, Sone*, 482
- invertebrate lectins, albumin gland, *Epiphragmophora trenquellae* snail, *N-acetyl-D-galactosamine-binding* lectins, snail, *Castagna, Zarzur, Filipetti, Landa*, 372
- in vitro motility assay, actin-actin interface, actin-myosin interaction, Ca^{2+} -regulation, hetero-bifunctional reagent, *Hozumi, Miki, Higashi-Fujime*, 151
- in vitro screening, antisense oligonucleotide, de novo synthesis, transcription and translation coupled system, translation-arrest, *Chen, Lin, Wu, Choo, Au*, 252
- ion-spray mass spectrometry, antimicrobial activity, cystatin, cysteine protease, horseshoe crab, *Agarwala, Kawabata, Hirata, Miyagi, Tsunashima, Iwanaga*, 85
- isoelectric point, cherry salmon, DNA polymerase β , N-terminal amino acid sequence, vertebrates, *Yamaguchi, Nishimura, Takahashi, Yoshikuni, Masaki, Hirai, Saneyoshi*, 186
- isoform, brain, Ca^{2+} /calmodulin, CaM-kinase IV kinase, protein kinase kinase, *Okuno, Kitani, Fujisawa*, 1176
- isoprenoids, Archaeobacterium, geranylgeraniol, kinase, lipid, *Ohnuma, Watanabe, Nishino*, 541
- isozyme, aldolase, ELISA, epitope mapping, immunochromatography, *Kaijara, Matsuhashi, Kusakabe, Kondo, Iwanaga, Hori*, 281
- , cDNA cloning, human placental fructose 6-phosphate, 2-kinase/fructose 2,6-bisphosphatase, phosphorylation site, *Sakai, Kato, Fukasawa, Ishiguro, Furuya, Sakakibara*, 506
- , bovine, 3-hydroxyacyl-CoA dehydrogenase, mitochondria, *Kobayashi, Jiang, Hashimoto*, 775
- ITI heavy chain, acute phase protein, pig IHRP, primary structure, *Hashimoto, Tobe, Sumiya, Sano, Choi-Miura, Ozawa, Yasue, Tomita*, 577

K

- keyhole limpet hemocyanin, ganglioside IV² Fuc., $\text{PI}^2\text{NeuAc-Gg,Cer}$, monophosphoryl-lipid-A, muramyl dipeptide, small cell lung cancer, *Jennemann, Bauer, Schmidt, Elsdesser, Wiegandt*, 378
- killer toxin, antifungal drug, β -glucan synthase, budding, cell wall, yeast proliferation, *Komiyama, Ohta, Urakami, Shiratori, Takasuka, Satoh, Watanabe, Furuichi*, 731
- kinase, Archaeobacterium, geranylgeraniol, isoprenoids, lipid, *Ohnuma, Watanabe, Nishino*, 541
- kinetics, abzyme, catalytic antibody, porphyrin, *Kawamura-Konishi, Hosomi, Neya, Sugano, Funasaki, Suzuki*, 857
- , enzyme crystallin, S-crystallin, glutathione transferase, cephalopods, *Tang, Chang*, 1182
- kinetoplastid protozoa, early evolution of eukaryotes, elongation factor, protein phylogeny, *Trypanosoma cruzi*, *Nakamura, Hashimoto, Kamaishi, Adachi, Nakamura, Okamoto, Hasegawa*, 70

L

- α -lactalbumin, helix, hydrophobic cluster, molten globule, synthetic peptide, *Shimizu, Ikeguchi, Kobayashi, Sugai*, 947
- lactoferrin, autoantibody, band 3 glycoprotein, senescent cell antigen, sialylated poly-N-acetyllactosaminyl sugar chain, *Ando, Kikugawa, Beppu*, 639
- late spermatid nuclei, DNA-protein interaction, transition protein, *Akama, Sato, Furihata-Yamauchi, Komatsu, Tobita, Nakano*, 448
- lauric acid ω -hydroxylase, hormonal regulation, mouse CYP4A, sex difference, strain difference, *Hiratsuka, Matsuura, Watanabe, Sato, Suzuki*, 340
- lectin, annexin, monoclonal antibody, tumor cell line, *Satoh, Takayama, Kojima, Ogawa, Yamori, Sato, Kawaguchi, Tsuruo, Katsura, Kina, Matsumoto*, 346
- lectin-sugar interaction, affinity electrophoresis, fluorometric detection, glycoligand, glycomonomer, *Ohmae, Suzuki, Tokura, Nishi, Nishimura*, 367
- Lewis x antigen, embryonal carcinoma cells, fucosyltransferase, gene, SSEA-1, *Ozawa, Muramatsu*, 302
- lipid, Archaeobacterium, geranylgeraniol, isoprenoids, kinase, *Ohnuma, Watanabe, Nishino*, 541
- lipid bodies, diacylglycerol, diacylglycerol acyltransferase, phosphatidic acid, phosphatidylserine, *Kamisaka, Nakahara*, 520
- lipid droplet, fat cell, lipolysis, specific binding, *Okuda, Morimoto, Tsujita*, 852
- lipid membrane, gel-to-liquid crystalline phase transition, liposome, membrane morphology, phospholipase A₂, *Yamauchi, Togawa, Kinoshita*, 115
- lipogenesis, acetyl-CoA carboxylase, cell differentiation, hepatocyte, hepatocyte growth factor/scatter factor, *Shao, Arakaki, Ohnishi, Nakamura, Daikuhara*, 940
- lipolysis, fat cell, lipid droplet, specific binding, *Okuda, Morimoto, Tsujita*, 852

L (cont'd)

- lipoprotein, atherogenesis, coconut oil, hypercholesterolemia, neonatal chick, *Cas-tillo, Hortal, Garcia-Fuentes, Zafra, Garcia-Peregrin*, 610
- lipoprotein secretion, aging, perfused liver, phospholipid, triacylglycerol, *Bravo, Riva-bene, Bruscalupi, Calcabrini, Arancia, Cantafora*, 240
- liposome, gel-to-liquid crystalline phase tran-sition, lipid membrane, membrane mor-phology, phospholipase A₂, *Yamauchi, Togawa, Kinoshita*, 115
- liver, cytosol, NADPH ubiquinone reductase, ubiquinol, ubiquinone, *Takahashi, Oka-moto, Kishi*, 256
- , C/EBP β , dexamethasone, glucagon, pri-mary hepatocytes, *Matsuno, Chowdhury, Gotoh, Iwase, Matsuzaki, Takatsuki, Mori, Takiguchi*, 524
- localization, Ca²⁺-binding protein, cell cortex, EF-hand, *Tetrahymena*, *Hanyu, Numata, Takahashi, Watanabe*, 914
- long-chain acyl-CoA synthetase, adrenoleu-kodystrophy, peroxisome, purification, very-long-chain acyl-CoA synthetase, *Uchida, Kondo, Orii, Hashimoto*, 565
- long-range interaction, archaeopsin, bacte-riopsin, refolding process *in vitro*, retinal binding pocket, *Sugiyama, Mukohata*, 1143
- low-abundance mRNAs, embryonal car-cinoma, expressed sequence tags, F9, *Nishiguchi, Sakuma, Nomura, Zou, Jear-anaisilavong, Joh, Yasunaga, Shimada*, 749
- lpr mice, autoimmune disease, protein tyro-sine phosphatase, SH-PTP1, tyrosine phos-phorylation, *Matsuda, Matsuzawa, Naka-mura, Mizuno, Kikuchi*, 329
- L-type pyruvate kinase gene expression, carbohydrate metabolism, glycolytic meta-bolites, *Kang, Yamada, Tanaka, Lu, Noguchi*, 162
- luciferase, bioluminescence, protein A, trun-cated, *Vargula hilgendorfii*, *Maeda, Ueda, Kazami, Kawano, Suzuki, Nagamune*, 601
- lysine, *Bacillus subtilis*, FAB mass spec-troscopy, modified nucleotide, tRNA, *Matsugi, Murao, Ishikura*, 811
- lysophosphatidylethanolamine, cinnamycin, nuclear magnetic resonance, peptide-lipid interaction, three-dimensional structure, *Hosoda, Ohya, Kohno, Maeda, Endo, Wakamatsu*, 226
- lysozyme, N-glycosylation signal, stabiliza-tion, *Ueda, Iwashita, Hashimoto, Imoto*, 157
- , Gly-Pro sequence, Pro-Gly sequence, stability, transition state, *Motoshima, Ueda, Imoto*, 1019
- , immunogenicity, monomethoxypolyeth-yleneglycol, NMR, structure of mPEG, *So, Ueda, Abe, Nakamata, Imoto*, 1086
- Lys residue, a B₅ enzyme, pyridoxal 5'-phos-phate, NaBH₄ reduction, serine:pyruvate/alanine:glyoxylate aminotransferase, *Ishi-kawa, Kaneko, Ichiyama*, 970
- lysyl-tRNA synthetase, aminoacyl-tRNA synthetase, fluorescence titration, protein fluorescence, substrate binding order, Ta-

kita, *Ohkubo, Shima, Muto, Shimizu, Su-kata, Ito, Saito, Inouye, Hiromi, Tonomura*, 680

M

- macrophage-stimulating protein, hepatocyte growth factor, hyaluronic acid, plasma protein, serine protease, *Choi-Miura, Tobe, Sumiya, Nakano, Sano, Mazda, Tomita*, 1157
- MAGE, human cancer, peptide antigen, spe-cific immunity, tumor-rejection antigen, *Itoh, Hayashi, Nakao, Hoshino, Seki, Shichijo*, 385
- MALDI-TOF, BALB3T3, disulfide bond, galectin, transforming growth factor, *Yamaoka, Ingendoh, Tsubuki, Nagai, Sanai*, 878
- mannosidase, α 1,2-mannosidase, Ca²⁺-de-pendent enzyme, Golgi mannosidase I, hen oviduct, *Hamagashira, Oku, Mega, Hase*, 998
- α -mannosidase, cytosol, oligomannosyl gly-can, substrate specificity, *Kumano, Omichi, Hase*, 991
- α 1,2-mannosidase, Ca²⁺-dependent enzyme, Golgi mannosidase I, hen oviduct, manno-sidase, *Hamagashira, Oku, Mega, Hase*, 998
- matrix metalloproteinase, gelatinase A, gela-tinase A activator, MT-MMP, tumor me-tastasis, *Sato, Seiki*, 209
- mechanism of enzymatic action, base non-specific ribonuclease, *Rhizopus niveus*, ribonuclease, tyrosine residue, tryptophan residue, *Ohgi, Takeuchi, Iwama, Irie*, 9
- , aspartic acid residue, base non-specific ribonuclease, *Rhizopus niveus*, ribonu-lease, *Ohgi, Takeuchi, Iwama, Irie*, 548
- membrane glycoprotein, F9 cell, MHC class I molecule, RA-inducible gene, retinoic acid, *Zou, Nomura, Takihara, Yasunaga, Shimada*, 319
- membrane morphology, gel-to-liquid crystal-line phase transition, lipid membrane, liposome, phospholipase A₂, *Yamauchi, Togawa, Kinoshita*, 115
- membrane protein, protein-detergent com-plex, protein structure, rhodopsin, X-ray diffraction, *Kawaguchi, Hamanaka, Kito*, 396
- metabolism, acetoin, 2,3-butanediol, diace-tyl, rat, *Otsuka, Mine, Ohuchi, Ohmori*, 246
- metachromasia, circular dichroism, collagen, Coomassie Brilliant Blue, hydrophobic amino acid residues, *Hattori, Sakai, Watanabe, Fujii*, 400
- metalloprotease, β -sheet coil, crystal struc-ture, *Serratia* protease, *Serratia* sp. E-15, *Hamada, Hata, Katsuya, Hiramatsu, Fuji-wara, Katsube*, 844
- 4-methylumbelliferyl- β -D-xyloside, cultured human skin fibroblast, glycosaminoglycan, SA α 2-3Gal β 1-4Xyl β 1-(4-methylumbel-liferone), *Takagaki, Nakamura, Shibata, Higuchi, Endo*, 697
- MHC class I molecule, F9 cell, membrane glycoprotein, RA-inducible gene, retinoic acid, *Zou, Nomura, Takihara, Yasunaga, Shimada*, 319
- microsomal aldehyde oxygenase, 9-anthral-

- dehyde, cytochrome P450, monkey, puri-fication, *Matsunaga, Iwawaki, Watanabe, Yamamoto, Kageyama, Yoshimura*, 617
- microsome, elastase, pancreas, serine pro-teinas, trypsin-like proteinase, *Tsuji, Edazawa, Sakiyama, Nagata, Sasaki, Nagamune, Matsuda*, 100
- midkine, baculovirus, guidance molecule, heparin-binding protein, neurite out-growth, *Kaneda, Talukder, Nishiyama, Koizumi, Muramatsu*, 1150
- , brain development, enzyme immunoas-say, hepatocellular carcinoma, *Muramatsu, Song, Koide, Hada, Tsuji, Kadomatsu, Inui, Kimura, Sakakibara, Muramatsu*, 1171
- mitochondria, antibiotic, aculeximycin, oxidative phosphorylation, uncoupling, *Miyoshi, Tamaki, Murata, Ikemoto, Shibuya, Harada, Suzuki, Iwamura*, 274
- , bovine, 3-hydroxyacyl-CoA dehydrogen-ase, isozyme, *Kobayashi, Jiang, Hashi-moto*, 775
- mitochondrial trifunctional protein, benzo-tripty, fatty acid oxidation, gastrin, inhibi-tion, *Hashimoto, Shindo, Souri, Baldwin*, 1196
- MMP inhibitors, Ni-NTA resin, recombinant matrylisin, recombinant MMP-7, zymogen activation, *Itoh, Masuda, Ito, Akizawa, Yoshioka, Imai, Okada, Sato, Seiki*, 667
- Mn²⁺ ion, antibiotics, peptide synthesis sys-tem, pyridine-promoted factor, ribosomes, *Nojima, Nitta, Ueda, Watanabe*, 1076
- modified nucleotide, *Bacillus subtilis*, FAB mass spectroscopy, lysidine, tRNA, *Matsu-gi, Murao, Ishikura*, 811
- module, coenzyme specificity, exon-shuffling hypothesis, molecular recognition, protein engineering, *Yaoi, Miyazaki, Oshima, Komukai, Go*, 1014
- molecular evolution, orthologous gene, P450, processed pseudogene, sterol 14-demethyl-ase, *Aoyama, Noshiro, Gotoh, Imaoka, Funae, Kurosawa, Horiuchi, Yoshida*, 926
- molecular recognition, coenzyme specificity, exon-shuffling hypothesis, module, protein engineering, *Yaoi, Miyazaki, Oshima, Komukai, Go*, 1014
- moloney murine leukemia virus, dominant-negative inhibition, intracellular immuni-zation, reverse transcriptase, YXDD motif, *Shirasawa, Sato, Osawa, Hirashima*, 1070
- molten globule, α -lactalbumin, helix, hydro-phobic cluster, synthetic peptide, *Shimizu, Ikeguchi, Kobayashi, Sugai*, 947
- molten globule state, alcohol dehydrogenase, acidic denaturation, refolding, *Le, Yan, Zhang, Zhou*, 674
- monkey, 9-anthraldehyde, cytochrome P450, microsomal aldehyde oxygenase, purifica-tion, *Matsunaga, Iwawaki, Watanabe, Yamamoto, Kageyama, Yoshimura*, 617
- monoclonal antibody, annexin, lectin, tumor cell line, *Satoh, Takayama, Kojima, Ogawa, Yamori, Sato, Kawaguchi, Tsuruo, Katsura, Kina, Matsumoto*, 346
- monocytes, dendritic cells, GM-CSF, IL-4, superoxide-generating ability, *Yu, Imajoh-Ohmi, Akagawa, Kanegasaki*, 23
- monomer mutant, aspartic proteinase, ca-thepsin D, cathepsin E, structural stabiliza-

M (cont'd)

- tion, *Tsukuba, Sakai, Yamada, Maeda, Hori, Azuma, Akamine, Yamamoto*, 126
- monomethoxypolyethylene glycol, immunogenicity, lysozyme, NMR, structure of mPEG, *So, Ueda, Abe, Nakamata, Imoto*, 1086
- monophosphoryllipid-A, ganglioside IV²Fuc-, IP²NeuAc-Gg.Cer, keyhole limpet hemocyanin, muramyl dipeptide, small cell lung cancer, *Jennemann, Bauer, Schmidt, Elstässer, Wiegandt*, 378
- morphogenesis, *c-met*, epithelial-mesenchymal interactions, HGF, organogenesis, organ regeneration, *Matsumoto, Nakamura*, 591
- mouse CYP4A, hormonal regulation, lauric acid ω -hydroxylase, sex difference, strain difference, *Hiratsuka, Matsuura, Watanabe, Sato, Suzuki*, 340
- mouse spleen, adjuvant, immune response, serine protease, trypsin-like, *Fukusen, Aoki*, 633
- mRNA expression, full-length cDNA, PTK7, RPTK-like molecule, transmembrane receptor, *Park, Lee, Lee*, 235
- MT-MMP, gelatinase A, gelatinase A activator, matrix metalloproteinase, tumor metastasis, *Sato, Seiki*, 209
- Mucor javanicus*, gene expression, α -glucosidase, nucleotide sequence, *Sugimoto, Suzuki*, 500
- multidimensional NMR, cytochrome *c*, electron transfer, heme protein, *Rhodobacter sphaeroides*, *Gans, Simorre, Caffrey, Marion, Richaud, Verméglio*, 1131
- multimerization, conformation, disulfide bond, fibronectin, *Sakai, Fujii, Hayashi*, 58
- multisite phosphorylation, casein kinase I, endogenous phosphate, protein phosphorylation, *Xenopus laevis* oocyte, *Liu, Kohara, Hashimoto*, 1004
- muramyl dipeptide, ganglioside IV²Fuc-, IP²NeuAc-Gg.Cer, keyhole limpet hemocyanin, monophosphoryllipid-A, small cell lung cancer, *Jennemann, Bauer, Schmidt, Elstässer, Wiegandt*, 378
- muscle, myosin, myosin heads, subfragment-1, *Murai, Arata, Inoue*, 1033
- mutagenesis, catalytic mechanism, expression system, hen lysozyme, X-ray analysis, *Hashimoto, Yamada, Motoshima, Omura, Yamada, Yasukochi, Miki, Ueda, Imoto*, 145
- myosin, actin, avidin, biotin, fluorescent nanobead, *Kunioka, Ando*, 1024
- , muscle, myosin heads, subfragment-1, *Murai, Arata, Inoue*, 1033
- myosin heads, muscle, myosin, subfragment-1, *Murai, Arata, Inoue*, 1033
- myosin heavy chain, aorta smooth muscle, casein kinase II, phosphorylation, protein kinase, *Fukui, Morita*, 783
- myosin light chain, cell division, histone H1 kinase, phosphorylation, sea urchin, *Mishima, Mabuchi*, 906
- N
- NaBH₄ reduction, a B₆ enzyme, pyridoxal 5'-phosphate, Lys residue, serine:pyruvate/alanine:glyoxylate aminotransferase, *Ishikawa, Kaneko, Ichiyama*, 970
- NADPH-cytochrome P450 reductase, cytochrome P450, fatty acid hydroxylase, fungus, fused protein, *Nakayama, Takemae, Shoun*, 435
- NADPH ubiquinone reductase, cytosol, liver, ubiquinol, ubiquinone, *Takahashi, Okamoto, Kishi*, 256
- N-domain of yeast calmodulin, Ca²⁺-induced conformational change, NMR, secondary structure, *Ohki, Miura, Saito, Nakashima, Maekawa, Yazawa, Tsuda, Hikichi*, 1045
- nekoflavin, 7 α -aminoriboflavin, 7-cyano-7-demethylriboflavin, 7 α -hydroxyriboflavin, *Matsui, Kasai*, 441
- neonatal chick, atherogenesis, coconut oil, hypercholesterolemia, lipoprotein, *Castillo, Hortal, García-Fuentes, Zafra, García-Peregrín*, 610
- neurite outgrowth, calpain, peptide aldehyde, protease inhibitor, proteasome, *Tsubuki, Saito, Tomioka, Ito, Kawashima*, 572
- , baculovirus, guidance molecule, heparin-binding protein, midkine, *Kaneda, Talukder, Nishiyama, Koizumi, Muramatsu*, 1150
- neuropeptide Y, acylation, α -helix stability, binding affinity, Y₂ receptor, *Murase, Yumoto, Petukhov, Yoshikawa*, 37
- neurosporene, ζ -carotene, overexpression of protein, phytoene desaturase, *Rhodobacter capsulatus*, *Raisig, Bartley, Scolnik, Sandmann*, 559
- NF- κ B, defense protein genes, transmethylation, insect, *Sarcophaga* lectin, *Sugiyama, Natori*, 354
- Ni-NTA resin, MMP inhibitors, recombinant matrylisin, recombinant MMP-7, zymogen activation, *Itoh, Masuda, Ito, Akizawa, Yoshioka, Imai, Okada, Sato, Seiki*, 667
- nitric oxide, blood pressure, S-ethylisothiourea, nitric oxide synthase, septic shock, *Seo, Fujiwara, Kaneto, Asahi, Fujii, Taniguchi*, 553
- nitric oxide synthase, blood pressure, S-ethylisothiourea, nitric oxide, septic shock, *Seo, Fujiwara, Kaneto, Asahi, Fujii, Taniguchi*, 553
- nitrile hydratase, non-heme iron center, photoreactive enzyme, reconstitution, subunit isolation, *Tsujimura, Odaka, Nagashima, Yohda, Endo*, 407
- NMR, Curie plot, cytochrome *c*, hemoprotein, hyperfine shift, *Yamamoto*, 16
- , Ca²⁺-induced conformational change, N-domain of yeast calmodulin, secondary structure, *Ohki, Miura, Saito, Nakashima, Maekawa, Yazawa, Tsuda, Hikichi*, 1045
- , immunogenicity, lysozyme, monomethoxypolyethylene glycol, structure of mPEG, *So, Ueda, Abe, Nakamata, Imoto*, 1086
- ¹³C-NMR, 1,5-anhydro-D-glucitol, *E. coli*, phosphorylation, sugar metabolism, *Shiga, Kametani, Mizuno, Akanuma*, 173
- , 1,5-anhydro-D-glucitol, 1,5-anhydro-D-fructose, GC-MS, polyol, *Kametani, Mizuno, Shiga, Akanuma*, 180
- , acetoacetyl-CoA, acyl-CoA dehydrogenase, flavoenzyme, nuclear magnetic resonance, *Miura, Nishina, Fujii, Shiga*, 512
- non-catalytic substrate-binding site, hysteresis, reaction model, ribulose 1,5-bisphosphate carboxylase/oxygenase, xylulose 1,5-bisphosphate, *Yokota, Wadano, Murayama*, 487
- non-heme iron center, nitrile hydratase, photoreactive enzyme, reconstitution, subunit isolation, *Tsujimura, Odaka, Nagashima, Yohda, Endo*, 407
- non-Watson-Crick interactions, genetic recombination, homologous pairing, RecA protein, triplex DNA, *Kurumizaka, Shibata*, 216
- nordihydroguaiaretic acid, brefeldin A, protein transport, secretion, vesicular stomatitis virus, *Tagaya, Henomatsu, Yoshimori, Yamamoto, Tashiro, Mizushima*, 863
- norepinephrine, α -adrenoceptor, β 3-agonist, brown adipocyte, glucose transport, *Nikami, Shimizu, Sumida, Minokoshi, Yoshida, Saito, Shimizu*, 120
- N-terminal amino acid sequence, cherry salmon, DNA polymerase β , isoelectric point, vertebrates, *Yamaguchi, Nishimura, Takahashi, Yoshikuni, Masaki, Hirai, Saneyoshi*, 186
- nuclear magnetic resonance, cinnamycin, lysophosphatidylethanolamine, peptide-lipid interaction, three-dimensional structure, *Hosoda, Ohya, Kohno, Maeda, Endo, Wakamatsu*, 226
- , acetoacetyl-CoA, acyl-CoA dehydrogenase, ¹³C-NMR, flavoenzyme, *Miura, Nishina, Fujii, Shiga*, 512
- nucleotide sequence, *Bacillus* sp., processing C-terminus, thermostability, uricase, *Yamamoto, Kojima, Kikuchi, Shigyo, Sugihara, Takashio, Emu*, 80
- , gene expression, α -glucosidase, *Mucor javanicus*, *Sugimoto, Suzuki*, 500
- O
- oligomannosyl glycan, α -mannosidase, cytosol, substrate specificity, *Kumano, Omichi, Hase*, 991
- organogenesis, *c-met*, epithelial-mesenchymal interactions, HGF, morphogenesis, organ regeneration, *Matsumoto, Nakamura*, 591
- organ regeneration, *c-met*, epithelial-mesenchymal interactions, HGF, morphogenesis, organogenesis, *Matsumoto, Nakamura*, 591
- orthologous gene, molecular evolution, P450, processed pseudogene, sterol 14-demethylase, *Aoyama, Noshiro, Gotoh, Imaoka, Funae, Kurosawa, Horiuchi, Yoshida*, 926
- osmium tetroxide, D-loop-like structure, DNase I footprinting, polypurine:polypurine stretches, triplex DNA, *Mishima, Suda, Kominami*, 805
- overexpression of protein, ζ -carotene, neurosporene, phytoene desaturase, *Rhodobacter capsulatus*, *Raisig, Bartley, Scolnik, Sandmann*, 559
- oxidative phosphorylation, antibiotic, aculeximycin, mitochondria, uncoupling, *Miyoshi, Tamaki, Murata, Ikemoto, Shibuya, Harada, Suzuki, Iwamura*, 274
- P
- P450, molecular evolution, orthologous gene, processed pseudogene, sterol 14-demethylase, *Aoyama, Noshiro, Gotoh, Imaoka,*

P (cont'd)

- Funae, Kurosawa, Horiuchi, Yoshida*, 926
P450^{rm}, benzoate 4-hydroxylase, cytochrome P450, formation of isobutene, *Rhodotorula minuta*, *Fukuda, Nakamura, Sukita, Ogawa, Fujii*, 314
pancreas, elastase, microsome, serine proteinase, trypsin-like proteinase, *Tsuji, Edazawa, Sakiyama, Nagata, Sasaki, Nagamune, Matsuda*, 100
peptide aldehyde, calpain, neurite outgrowth, protease inhibitor, proteasome, *Tsubuki, Saito, Tomioka, Ito, Kawashima*, 572
peptide antigen, human cancer, MAGE, specific immunity, tumor-rejection antigen, *Itoh, Hayashi, Nakao, Hoshino, Seki, Shichijo*, 385
peptide-lipid interaction, cinnamycin, lyso-phosphatidylethanolamine, nuclear magnetic resonance, three-dimensional structure, *Hosoda, Ohya, Kohno, Maeda, Endo, Wakamatsu*, 226
peptide synthesis system, antibiotics, Mn²⁺ ion, pyridine-promoted factor, ribosomes, *Nojima, Nitta, Ueda, Watanabe*, 1076
peptidyl transfer, dipeptide catalyst, ribosomal protein L2, template effect, tRNA, *Shimizu*, 832
perfused liver, aging, lipoprotein secretion, phospholipid, triacylglycerol, *Bravo, Rivabene, Bruscalupi, Calcabrini, Arancia, Cantafora*, 240
permanganate, N(4)aminocytidine, bisulfite, pyrimidine nucleotides, *Hayatsu*, 391
peroxisome, adrenoleukodystrophy, long-chain acyl-CoA synthetase, purification, very-long-chain acyl-CoA synthetase, *Uchida, Kondo, Orii, Hashimoto*, 565
phenylglyoxal treatment, alkaline phosphatase, N^ω-phosphoarginine phosphatase, ³¹P-NMR, protein arginine phosphatase, *Kumon, Kodama, Kondo, Yokoi, Hiraishi*, 719
phenylserine deaminase, phenylserine dehydratase, phosphopyridoxyl peptide, *Pseudomonas pickettii*, pyridoxal 5'-phosphate, *Okuda, Nagata, Misono*, 690
phenylserine dehydratase, phenylserine deaminase, phosphopyridoxyl peptide, *Pseudomonas pickettii*, pyridoxal 5'-phosphate, *Okuda, Nagata, Misono*, 690
phosphatidic acid, diacylglycerol, diacylglycerol acyltransferase, lipid bodies, phosphatidylserine, *Kamisaka, Nakahara*, 520
phosphatidylserine, diacylglycerol, diacylglycerol acyltransferase, lipid bodies, phosphatidic acid, *Kamisaka, Nakahara*, 520
N^ω-phosphoarginine phosphatase, alkaline phosphatase, phenylglyoxal treatment, ³¹P-NMR, protein arginine phosphatase, *Kumon, Kodama, Kondo, Yokoi, Hiraishi*, 719
phospholipase A₂, gel-to-liquid crystalline phase transition, lipid membrane, liposome, membrane morphology, *Yamauchi, Togawa, Kinoshita*, 115
phospholipid, aging, lipoprotein secretion, perfused liver, triacylglycerol, *Bravo, Rivabene, Bruscalupi, Calcabrini, Arancia, Cantafora*, 240
phosphopyridoxyl peptide, phenylserine deaminase, phenylserine dehydratase, *Pseudomonas pickettii*, pyridoxal 5'-phosphate, *Okuda, Nagata, Misono*, 690
phosphorylated site, protein kinase C, protein phosphatase 2A, synthetic peptide, *Xenopus laevis* oocytes, *Hashimoto, Kobayashi, Kubota, Tanaka, Yamamura*, 626
phosphorylation, 1,5-anhydro-D-glucitol, ¹³C-NMR, *E. coli*, sugar metabolism, *Shiga, Kametani, Mizuno, Akanuma*, 173
—, aorta smooth muscle, casein kinase II, myosin heavy chain, protein kinase, *Fukui, Morita*, 783
—, cell division, histone H1 kinase, myosin light chain, sea urchin, *Mishima, Mabuchi*, 906
phosphorylation site, cDNA cloning, human placental fructose 6-phosphate, 2-kinase/fructose 2,6-bisphosphatase, isozyme, *Sakai, Kato, Fukasawa, Ishiguro, Furuya, Sakakibara*, 506
photoreactive enzyme, nitrile hydratase, non-heme iron center, reconstitution, subunit isolation, *Tsujimura, Odaka, Nagashima, Yoshida, Endo*, 407
phytocytochrome, amino acid sequence, cysteine proteinase inhibitor, *Helianthus annuus*, sunflower, *Kouzuma, Kawano, Kimura, Yamasaki, Kadowaki, Yamamoto*, 1106
phytoene desaturase, ζ -carotene, neurosporene, overexpression of protein, *Rhodobacter capsulatus*, *Raisig, Bartley, Scolnik, Sandmann*, 559
 ϕ K, bacteriophage, DNA-binding protein, host-range, virion proteins, *Kodaira, Oki, Kakihawa, Kimoto, Taketo*, 1062
PI-3k, endocytosis, growth factor internalization, PI-turnover, transferrin, *Sato, Taguchi, Yamashina, Toyama*, 887
pig IHRP, acute phase protein, ITI heavy chain, primary structure, *Hashimoto, Tobe, Sumiya, Sano, Choi-Miura, Ozawa, Yasue, Tomita*, 577
PI-turnover, endocytosis, growth factor internalization, PI-3k, transferrin, *Sato, Taguchi, Yamashina, Toyama*, 887
plasma protein, hepatocyte growth factor, hyaluronic acid, macrophage-stimulating protein, serine protease, *Choi-Miura, Tobe, Sumiya, Nakano, Sano, Mazda, Tomita*, 1157
platelet-activating factor, alkylacetylgllycerol, diacylglycerols, GC-MS, *Tetrahymena pyriformis*, *Tellis, Tsoukatos, Lekka*, 823
³¹P-NMR, alkaline phosphatase, N^ω-phosphoarginine phosphatase, phenylglyoxal treatment, protein arginine phosphatase, *Kumon, Kodama, Kondo, Yokoi, Hiraishi*, 719
point mutation, dihydrofolate reductase, enzyme function, role of flexible loop, structural stability, *Ohmae, Iriyama, Ichihara, Gekko*, 703
polyacrylamide gel electrophoresis, CD, Holliday junction, RuvC protein, UV, *Shida, Iwasaki, Shinagawa, Kyogoku*, 653
polyclonal antibodies, activin, follistatin, inhibin, recognition, *Funaba, Murata, Fujimura, Murata, Abe, Takahashi, Torii*, 953
polyol, 1,5-anhydro-D-glucitol, 1,5-anhydro-D-fructose, ¹³C-NMR, GC-MS, *Kametani, Mizuno, Shiga, Akanuma*, 180
polypurine:polypyrimidine stretches, D-loop-like structure, DNase I footprinting, osmium tetroxide, triplex DNA, *Mishima, Suda, Kominami*, 805
porphyrin, abzyme, catalytic antibody, kinetics, *Kawamura-Konishi, Hosomi, Neya, Sugano, Funasaki, Suzuki*, 857
post-synaptic density, active catalytic fragment, Ca²⁺/calmodulin-dependent protein kinase II, protein phosphorylation, rat forebrain, *Yoshimura, Nomura, Yamauchi*, 268
potassium ion, activation, ADP-ribosylation, *Clostridium botulinum* C3 exoenzyme, recombinant GST-RhoA fusion protein, *Miyaoaka, Tsuchiya, Hara, Ishino, Shimoyama*, 200
power spectrum, Ca²⁺ oscillations, smooth muscle cell, vasopressin, *Wu, Yu, Seyama*, 42
primary hepatocytes, C/EBP β , dexamethasone, glucagon, liver, *Matsuno, Choudhury, Gotoh, Iwase, Matsuzaki, Takatsuki, Mori, Takiguchi*, 524
primary structure, embryonic hemoglobin, hemoglobin switching, rat, zeta and epsilon globins, *Iwahara, Abe, Okazaki*, 360
—, acute phase protein, ITI heavy chain, pig IHRP, *Hashimoto, Tobe, Sumiya, Sano, Choi-Miura, Ozawa, Yasue, Tomita*, 577
processed pseudogene, molecular evolution, orthologous gene, P450, sterol 14-demethylase, *Aoyama, Noshiro, Gotoh, Imaoka, Funae, Kurosawa, Horiuchi, Yoshida*, 926
processing C-terminus, *Bacillus* sp., nucleotide sequence, thermostability, uricase, *Yamamoto, Kojima, Kikuchi, Shigyo, Sugihara, Takashio, Emi*, 80
product entrapment, chitin synthase, *Saccharomyces cerevisiae*, zymogen, *Uchida, Shimmi, Sudoh, Arisawa, Yamada-Okabe*, 659
Pro-Gly sequence, Gly-Pro sequence, lysozyme, stability, transition state, *Motohira, Ueda, Imoto*, 1019
prolactin, chromatin structure, DNase I-hypersensitivity, gene expression, transcription factor, *Aizawa, Kazahari, Yoneyama, Ono*, 296
proliferation, B-type natriuretic peptide receptor, chondrocyte, C-type natriuretic peptide, dedifferentiation, *Hagiwara, Inoue, Furuya, Tanaka, Hirose*, 264
proline, aminopeptidase, *Hafnia alvei*, iminopeptidase, *Kitazono, Kitano, Kaba-shima, Ito, Yoshimoto*, 468
prolyl residue, aspartate aminotransferase, gene cloning, thermostability, *Thermus thermophilus*, *Okamoto, Kato, Masui, Yamagishi, Oshima, Kuramitsu*, 135
promoter function, core protein, gene organization, heparan sulfate proteoglycan, human ryudocan, *Takagi, Kojima, Tsuzuki, Katsumi, Yamazaki, Sugiura, Hamaguchi, Saito*, 979
protease inhibitor, calpain, neurite outgrowth, peptide aldehyde, proteasome, *Tsubuki, Saito, Tomioka, Ito, Kawashima*, 572
proteasome, calpain, neurite outgrowth, peptide aldehyde, protease inhibitor, *Tsubuki*,

P (cont'd)

- Saito, Tomioka, Ito, Kawashima, 572
- protein A, bioluminescence, luciferase, truncated, *Vargula hilgendorfi*, Maeda, Ueda, Kazami, Kawano, Suzuki, Nagamune, 601
- protein arginine phosphatase, alkaline phosphatase, *N*^{*}-phosphoarginine phosphatase, phenylglyoxal treatment, ³¹P-NMR, Kumon, Kodama, Kondo, Yokoi, Hiraishi, 719
- protein carbonyl, aging, immunoblot, protein oxidation, rat, Nakamura, Goto, 768
- protein-detergent complex, membrane protein, protein structure, rhodopsin, X-ray diffraction, Kawaguchi, Hamanaka, Kito, 396
- protein engineering, coenzyme specificity, exon-shuffling hypothesis, module, molecular recognition, Yaoi, Miyazaki, Oshima, Komukai, Go, 1014
- protein fluorescence, aminoacyl-tRNA synthetase, fluorescence titration, lysyl-tRNA synthetase, substrate binding order, Takita, Ohkubo, Shima, Muto, Shimizu, Sukata, Ito, Saito, Inouye, Hiromi, Tonomura, 680
- protein kinase, aorta smooth muscle, casein kinase II, myosin heavy chain, phosphorylation, Fukui, Morita, 783
- protein kinase C, phosphorylated site, protein phosphatase 2A, synthetic peptide, *Xenopus laevis* oocytes, Hashimoto, Kobayashi, Kubota, Tanaka, Yamamura, 626
- protein kinase kinase, brain, Ca²⁺/calmodulin, CaM-kinase IV kinase, isoform, Okuno, Kitani, Fujisawa, 1176
- protein oxidation, aging, immunoblot, protein carbonyl, rat, Nakamura, Goto, 768
- protein phosphatase 2A, phosphorylated site, protein kinase C, synthetic peptide, *Xenopus laevis* oocytes, Hashimoto, Kobayashi, Kubota, Tanaka, Yamamura, 626
- protein phosphorylation, active catalytic fragment, Ca²⁺/calmodulin-dependent protein kinase II, post-synaptic density, rat forebrain, Yoshimura, Nomura, Yamauchi, 268
- , casein kinase I, endogenous phosphate, multisite phosphorylation, *Xenopus laevis* oocyte, Liu, Kohara, Hashimoto, 1004
- protein phylogeny, early evolution of eukaryotes, elongation factor, kinetoplastid protozoa, *Trypanosoma cruzi*, Nakamura, Hashimoto, Kamaishi, Adachi, Nakamura, Okamoto, Hasegawa, 70
- protein structure, membrane protein, protein-detergent complex, rhodopsin, X-ray diffraction, Kawaguchi, Hamanaka, Kito, 396
- protein translocation, conserved residues, *Escherichia coli*, SecE, SecY, Kontinen, Yamanaka, Nishiyama, Tokuda, 1124
- protein transport, brefeldin A, nordihydroguaiaretic acid, secretion, vesicular stomatitis virus, Tagaya, Henomatsu, Yoshimori, Yamamoto, Tashiro, Mizushima, 863
- protein tyrosine phosphatase, autoimmune disease, lpr mice, SH-PTP1, tyrosine phosphorylation, Matsuda, Matsuzawa, Nakamura, Mizuno, Kikuchi, 329
- Pseudomonas pickettii*, phenylserine deaminase, phenylserine dehydratase, phosphopyridoxyl peptide, pyridoxal 5'-phosphate, Okuda, Nagata, Misono, 690
- Pseudomonas putida*, crystallization, salicylate hydroxylase, X-ray diffraction, Yabuuchi, Suzuki, Sato, Ohnishi, Itagaki, Morimoto, 829
- PSS, decorin, dermatopontin, TRAMP, 22 kDa protein, Okamoto, Suzuki, Kimura, Shinkai, 106
- PTK7, full-length cDNA, mRNA expression, RPTK-like molecule, transmembrane receptor, Park, Lee, Lee, 235
- purification, adrenoleukodystrophy, long-chain acyl-CoA synthetase, peroxisome, very-long-chain acyl-CoA synthetase, Uchida, Kondo, Orii, Hashimoto, 565
- , 9-anthraldehyde, cytochrome P450, microsomal aldehyde oxygenase, monkey, Matsunaga, Iwawaki, Watanabe, Yamamoto, Kageyama, Yoshimura, 617
- , *Agkistrodon caliginosus*, cDNA sequence, thrombin-like enzyme, Hahn, Yang, Park, Chang, Kim, 835
- pyridine-promoted factor, antibiotics, Mn²⁺ ion, peptide synthesis system, ribosomes, Nojima, Nitta, Ueda, Watanabe, 1076
- pyridoxal 5'-phosphate, phenylserine deaminase, phenylserine dehydratase, phosphopyridoxyl peptide, *Pseudomonas pickettii*, Okuda, Nagata, Misono, 690
- , a B₆ enzyme, Lys residue, NaBH₄ reduction, serine:pyruvate/alanine:glyoxylate aminotransferase, Ishikawa, Kaneko, Ichiyama, 970
- pyrimidine nucleotides, N(4)aminocytidine, bisulfite, permanganate, Hayatsu, 391
- Q
- quinol oxidase super-complex, chemical cross-linker, intrinsic membrane protein, respiratory chain, thermophilic bacterium, Tanaka, Inoue, Sakamoto, Sone, 482
- R
- rabbit heart, acetohexamide analog, acetohexamide-reducing enzyme, drug metabolism, tetrameric enzyme, Imamura, Ryu, Koga, Higuchi, Otagiri, Nozawa, Akita, 648
- RA-inducible gene, F9 cell, membrane glycoprotein, MHC class I molecule, retinoic acid, Zou, Nomura, Takiyama, Yasunaga, Shimada, 319
- rat, acetoin, 2,3-butanediol, diacetyl, metabolism, Otsuka, Mine, Ohuchi, Ohmori, 246
- , embryonic hemoglobin, hemoglobin switching, primary structure, zeta and epsilon globins, Iwahara, Abe, Okazaki, 360
- , aging, immunoblot, protein oxidation, protein carbonyl, Nakamura, Goto, 768
- rat forebrain, active catalytic fragment, Ca²⁺/calmodulin-dependent protein kinase II, post-synaptic density, protein phosphorylation, Yoshimura, Nomura, Yamauchi, 268
- rat skin, antibiotics, bleomycin, bleomycin hydrolase, cysteine protease, Takeda, Higuchi, Yamamoto, Nakamura, Masuda, Hirabayashi, Nakaya, 29
- reaction model, hysteresis, non-catalytic substrate-binding site, ribulose 1,5-bisphosphate carboxylase/oxygenase, xylulose 1,5-bisphosphate, Yokota, Wadano, Murayama, 487
- reactive site, Bombyx family inhibitor, *Bombyx mori*, disulfide bridge, fungal protease inhibitor, Pham, Hayashi, Takano, Itoh, Eguchi, Shibata, Tanaka, Hara, 428
- RecA protein, genetic recombination, homologous pairing, non-Watson-Crick interactions, triplex DNA, Kurumizaka, Shibata, 216
- recognition, activin, follistatin, inhibin, polyclonal antibodies, Funaba, Murata, Fujimura, Murata, Abe, Takahashi, Torii, 953
- recombinant GST-RhoA fusion protein, activation, ADP-ribosylation, *Clostridium botulinum* C3 exoenzyme, potassium ion, Miyaoka, Tsuchiya, Hara, Ishino, Shimoyama, 200
- recombinant matrylisin, Ni-NTA resin, MMP inhibitors, recombinant MMP-7, zymogen activation, Itoh, Masuda, Ito, Akizawa, Yoshioka, Imai, Okada, Sato, Seiki, 667
- recombinant MMP-7, Ni-NTA resin, MMP inhibitors, recombinant matrylisin, zymogen activation, Itoh, Masuda, Ito, Akizawa, Yoshioka, Imai, Okada, Sato, Seiki, 667
- reconstitution, amino acid sequence, chromosomal localization, interferon, interferon stimulated gene factor 3, Suhara, Yoneyama, Yonekawa, Fujita, 231
- , nitrile hydratase, non-heme iron center, photoreactive enzyme, subunit isolation, Tsujimura, Odaka, Nagashima, Yokota, Endo, 407
- refolding, alcohol dehydrogenase, acidic denaturation, molten globule state, Le, Yan, Zhang, Zhou, 674
- refolding process *in vitro*, archaeopsin, bacterioopsin, long-range interaction, retinal binding pocket, Sugiyama, Mukohata, 1143
- regulatory protein, ATPase inhibitor, cross-linking, F₁ATPase, subunit of F₁ATPase, Ichikawa, Yoshida, Hashimoto, Tagawa, 193
- renaturation, affinity chromatography, biosynthesis of glycosphingolipids, substrate specificity, sulfatide, Honke, Yamane, Ishii, Kobayashi, Makita, 421
- respiratory chain, chemical cross-linker, intrinsic membrane protein, quinol oxidase super-complex, thermophilic bacterium, Tanaka, Inoue, Sakamoto, Sone, 482
- retinal binding pocket, archaeopsin, bacterioopsin, long-range interaction, refolding process *in vitro*, Sugiyama, Mukohata, 1143
- retinoic acid, F9 cell, membrane glycoprotein, MHC class I molecule, RA-inducible gene, Zou, Nomura, Takiyama, Yasunaga, Shimada, 319
- reverse transcriptase, dominant-negative inhibition, intracellular immunization, moloney murine leukemia virus, YXDD motif, Shirasawa, Sato, Osawa, Hiraishima, 1070
- reverse zymography, cancer, glioblastoma, serine proteinase inhibitor, trypsin inhibitor, Koshikawa, Nakamura, Tsuchiya, Isaji, Yasumitsu, Umeda, Miyazaki, 334
- reversibility, circularized protein, dihydro-

R (cont'd)

- folate reductase, *Escherichia coli*, thermal stability, Iwakura, Honda, 414
- Rhizopus niveus*, base non-specific ribonuclease, mechanism of enzymatic action, ribonuclease, tyrosine residue, tryptophan residue, Ohgi, Takeuchi, Iwama, Irie, 9
- , aspartic acid residue, base non-specific ribonuclease, mechanism of enzymatic action, ribonuclease, Ohgi, Takeuchi, Iwama, Irie, 548
- Rhodobacter capsulatus*, ζ -carotene, neurosporene, overexpression of protein, phytoene desaturase, Raisig, Bartley, Scolnik, Sandmann, 559
- Rhodobacter sphaeroides*, cytochrome c_2 , electron transfer, heme protein, multidimensional NMR, Gans, Simorre, Caffrey, Marion, Richaud, Verméglio, 1131
- rhodopsin, membrane protein, protein-detergent complex, protein structure, X-ray diffraction, Kawaguchi, Hamanaka, Kito, 396
- Rhodotorula minuta*, benzoate 4-hydroxylase, cytochrome P450, formation of isobutene, P450rm, Fukuda, Nakamura, Sukita, Ogawa, Fujii, 314
- ribonuclease, base non-specific ribonuclease, mechanism of enzymatic action, *Rhizopus niveus*, tyrosine residue, tryptophan residue, Ohgi, Takeuchi, Iwama, Irie, 9
- , aspartic acid residue, base non-specific ribonuclease, mechanism of enzymatic action, *Rhizopus niveus*, Ohgi, Takeuchi, Iwama, Irie, 548
- ribosomal protein L2, dipeptide catalyst, peptidyl transfer, template effect, tRNA, Shimizu, 832
- ribosomes, antibiotics, Mn^{2+} ion, peptide synthesis system, pyridine-promoted factor, Nojima, Nitta, Ueda, Watanabe, 1076
- ribulose 1,5-bisphosphate carboxylase/oxygenase, hysteresis, non-catalytic substrate-binding site, reaction model, xylulose 1,5-bisphosphate, Yokota, Wadano, Murayama, 487
- role change, honeybee, hypopharyngeal gland, royal jelly, α -glucosidase, Kubo, Sasaki, Nakamura, Sasagawa, Ohashi, Takeuchi, Natori, 291
- role of flexible loop, dihydrofolate reductase, enzyme function, point mutation, structural stability, Ohmae, Iriyama, Ichihara, Gekko, 703
- rosewood, *Dalbergia* spp., β -fucosidase, β -glucosidase, glycosidase, Srisomsap, Svasti, Surarit, Champattanachai, Sawangareetrakul, Boonpuan, Subhasitanont, Chokchaichamnankit, 585
- royal jelly, honeybee, hypopharyngeal gland, role change, α -glucosidase, Kubo, Sasaki, Nakamura, Sasagawa, Ohashi, Takeuchi, Natori, 291
- RPTK-like molecule, full-length cDNA, mRNA expression, PTK7, transmembrane receptor, Park, Lee, Lee, 235
- RuvC protein, CD, Holliday junction, polyacrylamide gel electrophoresis, UV, Shida, Iwasaki, Shinagawa, Kyogoku, 653

S

- S100 fraction, *Escherichia coli*, growth phase, 70S ribosome, 10Sa RNA, Komine, Kitabatake, Inokuchi, 463
- Saccharomyces cerevisiae*, chitin synthase, product entrapment, zymogen, Uchida, Shimmi, Sudoh, Arisawa, Yamada-Okabe, 659
- SA α 2-3Gal β 1-4Xyl β 1-(4-methylumbelliferone), cultured human skin fibroblast, glycosaminoglycan, 4-methylumbelliferyl- β -D-xyloride, Takagaki, Nakamura, Shibata, Higuchi, Endo, 697
- salicylate hydroxylase, crystallization, *Pseudomonas putida*, X-ray diffraction, Yabuuchi, Suzuki, Sato, Ohnishi, Itagaki, Morimoto, 829
- Sarcophaga* lectin, defense protein genes, NF- κ B, transmethylation, insect, Sugiyama, Natori, 354
- scallop muscle sarcoplasmic reticulum, Ca^{2+} -ATPase, chemiosmotic uncoupling, heat inactivation, high-affinity Ca^{2+} binding, Nagata, Nakamura, Yamamoto, 1100
- S-crystallin, enzyme crystallin, glutathione transferase, kinetics, cephalopods, Tang, Chang, 1182
- sea urchin, cell division, histone H1 kinase, myosin light chain, phosphorylation, Mishima, Mabuchi, 906
- SecE, conserved residues, *Escherichia coli*, protein translocation, SecY, Kontinen, Yamanaka, Nishiyama, Tokuda, 1124
- secondary structure, Ca^{2+} -induced conformational change, NMR, N-domain of yeast calmodulin, Ohki, Miura, Saito, Nakashima, Maekawa, Yazawa, Tsuda, Hikichi, 1045
- secretion, brefeldin A, nordihydroguaiaretic acid, protein transport, vesicular stomatitis virus, Tagaya, Henomatsu, Yoshimori, Yamamoto, Tashiro, Mizushima, 863
- secretory pathway, biosynthesis, blood coagulation, factor XIII, transglutaminase, Kaetsu, Hashiguchi, Foster, Ichinose, 961
- SecY, conserved residues, *Escherichia coli*, protein translocation, SecE, Kontinen, Yamanaka, Nishiyama, Tokuda, 1124
- selenium deficiency, apoptosis, catalase, glutathione peroxidase, hydrogen peroxide, Kayanoki, Fujii, Islam, Suzuki, Kawata, Matsuzawa, Taniguchi, 817
- self-assembly, basement membrane, gel, guanidine-HCl, type IV collagen, Muraoka, Nakazato, Hayashi, 167
- senescent cell antigen, autoantibody, band 3 glycoprotein, lactoferrin, sialylated poly-N-acetyllactosaminyl sugar chain, Ando, Kikugawa, Beppu, 639
- septic shock, blood pressure, S-ethylisothiourea, nitric oxide, nitric oxide synthase, Seo, Fujiwara, Kaneto, Asahi, Fujii, Taniguchi, 553
- serine protease, adjuvant, immune response, mouse spleen, trypsin-like, Fukusen, Aoki, 633
- , β -conglycinin, glycinin, soybean, trypsin inhibitor, Morita, Fukase, Hoshino, Fukuda, Yamaguchi, Morita, 711
- , arginine-specific protease, soybean, substrate specificity, Morita, Fukase, Yama-

guchi, Morita, 1094

- , hepatocyte growth factor, hyaluronic acid, macrophage-stimulating protein, plasma protein, Choi-Miura, Tobe, Sumiya, Nakano, Sano, Mazda, Tomita, 1157
- serine protease inhibitor, baculovirus, expression, Bombyx family inhibitor, silkworm, Pham, Hayashi, Takano, Nakazawa, Mori, Ichida, Itoh, Eguchi, Matsubara, Hara, 1080
- serine proteinase, elastase, microsome, pancreas, trypsin-like proteinase, Tsuji, Edazawa, Sakiyama, Nagata, Sasaki, Nagamune, Matsuda, 100
- serine proteinase inhibitor, cancer, glioblastoma, reverse zymography, trypsin inhibitor, Koshikawa, Nakamura, Tsuchiya, Isaji, Yasumitsu, Umeda, Miyazaki, 334
- serine:pyruvate/alanine:glyoxylate aminotransferase, a B_6 enzyme, pyridoxal 5'-phosphate, Lys residue, NaBH₄ reduction, Ishikawa, Kaneko, Ichiyama, 970
- Serratia* protease, β -sheet coil, crystal structure, metalloprotease, *Serratia* sp. E-15, Hamada, Hata, Katsuya, Hiramatsu, Fujiwara, Katsube, 844
- Serratia* sp. E-15, β -sheet coil, crystal structure, metalloprotease, *Serratia* protease, Hamada, Hata, Katsuya, Hiramatsu, Fujiwara, Katsube, 844
- 70S ribosome, *Escherichia coli*, growth phase, S100 fraction, 10Sa RNA, Komine, Kitabatake, Inokuchi, 463
- sex difference, hormonal regulation, lauric acid ω -hydroxylase, mouse CYP4A, strain difference, Hiratsuka, Matsuura, Watanabe, Sato, Suzuki, 340
- SH-PTP1, autoimmune disease, lpr mice, protein tyrosine phosphatase, tyrosine phosphorylation, Matsuda, Matsuzawa, Nakamura, Mizuno, Kikuchi, 329
- sialylated poly-N-acetyllactosaminyl sugar chain, autoantibody, band 3 glycoprotein, lactoferrin, senescent cell antigen, Ando, Kikugawa, Beppu, 639
- silkworm, baculovirus, expression, Bombyx family inhibitor, serine protease inhibitor, Pham, Hayashi, Takano, Nakazawa, Mori, Ichida, Itoh, Eguchi, Matsubara, Hara, 1080
- small cell lung cancer, ganglioside IV^{Fuc}, II^{NeuAc-Gg.Cer}, keyhole limpet hemocyanin, monophosphoryllipid-A, muramyl-dipeptide, Jennemann, Bauer, Schmidt, Elässler, Wiegandt, 378
- smooth muscle cell, Ca^{2+} oscillations, power spectrum, vasopressin, Wu, Yu, Seyama, 42
- snail, albumin gland, *Epiphragmophora trenquellensis* snail, invertebrate lectins, N-acetyl-D-galactosamine-binding lectins, Castagna, Zarzur, Filipetti, Landa, 372
- snake venom, crystal structure, zinc-protease, Kumasaka, Yamamoto, Moriyama, Tanaka, Sato, Katsube, Yamakawa, Omori-Sato, Iwanaga, Ueki, 49
- sodium butyrate, histone deacetylase, IgE, IL-4, trichostatin A, Yamamoto, Matsunaga, Sakata, Nakamura, Doi, Hanmyou, 1056
- soybean, β -conglycinin, glycinin, serine protease, trypsin inhibitor, Morita, Fukase,

S (cont'd)

- Hoshino, Fukuda, Yamaguchi, Morita*, 711
 —, arginine-specific protease, serine protease, substrate specificity, *Morita, Fukase, Yamaguchi, Morita*, 1094
 specific binding, fat cell, lipid droplet, lipolysis, *Okuda, Morimoto, Tsujita*, 852
 specific immunity, human cancer, MAGE, peptide antigen, tumor-rejection antigen, *Itoh, Hayashi, Nakao, Hoshino, Seki, Shichijo*, 385
 spectrin, dimyristoylphosphatidylcholine, erythrocyte, hemoglobin, vesiculation, *Yamaguchi, Yamamoto, Kimoto*, 95
 SSEA-1, embryonal carcinoma cells, fucosyltransferase, gene, Lewis x antigen, *Ozawa, Muramatsu*, 302
 stability, Gly-Pro sequence, lysozyme, Pro-Gly sequence, transition state, *Motoshima, Ueda, Imoto*, 1019
 stabilization, N-glycosylation signal, lysozyme, *Ueda, Iwashita, Hashimoto, Imoto*, 157
 sterol 14-demethylase, molecular evolution, orthologous gene, P450, processed pseudogene, *Aoyama, Noshiro, Gotoh, Imaoka, Funae, Kurosawa, Horiuchi, Yoshida*, 926
 strain difference, hormonal regulation, lauric acid ω -hydroxylase, mouse CYP4A, sex difference, *Hiratsuka, Matsuura, Watanabe, Sato, Suzuki*, 340
 structural stability, dihydrofolate reductase, enzyme function, point mutation, role of flexible loop, *Ohmae, Iriyama, Ichihara, Gekko*, 703
 structural stabilization, aspartic proteinase, cathepsin D, cathepsin E, monomer mutant, *Tsukuba, Sakai, Yamada, Maeda, Hori, Azuma, Akamine, Yamamoto*, 126
 structure of mPEG, immunogenicity, lysozyme, monomethoxypolyethylene glycol, NMR, *So, Ueda, Abe, Nakamata, Imoto*, 1086
 subfragment-1, muscle, myosin, myosin heads, *Murai, Arata, Inoue*, 1033
 substrate binding order, aminoacyl-tRNA synthetase, fluorescence titration, lysyl-tRNA synthetase, protein fluorescence, *Takita, Ohkubo, Shima, Muto, Shimizu, Sukata, Ito, Saito, Inouye, Hiromi, Tonomura*, 680
 substrate specificity, affinity chromatography, biosynthesis of glycosphingolipids, renaturation, sulfatide, *Honke, Yamane, Ishii, Kobayashi, Makita*, 421
 —, α -mannosidase, cytosol, oligomannosyl glycan, *Kumano, Omichi, Hase*, 991
 —, arginine-specific protease, serine protease, soybean, *Morita, Fukase, Yamaguchi, Morita*, 1094
 subunit isolation, nitrile hydratase, non-heme iron center, photoreactive enzyme, reconstitution, *Tsujimura, Odaka, Nagashima, Yohda, Endo*, 407
 subunit of F₁ATPase, ATPase inhibitor, cross-linking, F₁ATPase, regulatory protein, *Ichikawa, Yoshida, Hashimoto, Tagawa*, 193
 sugar metabolism, 1,5-anhydro-D-glucitol, ¹³C-NMR, *E. coli*, phosphorylation, *Shiga, Kametani, Mizuno, Akanuma*, 173
 sulfatide, affinity chromatography, biosynthesis of glycosphingolipids, renaturation, substrate specificity, *Honke, Yamane, Ishii, Kobayashi, Makita*, 421
 sunflower, amino acid sequence, cysteine proteinase inhibitor, *Helianthus annuus*, phytocystatin, *Kouzuma, Kawano, Kimura, Yamasaki, Kadowaki, Yamamoto*, 1106
 superoxide-generating ability, dendritic cells, GM-CSF, IL-4, monocytes, *Yu, Imajoh-Ohmi, Akagawa, Kanegasaki*, 23
 synthetic inhibitor, cherry salmon, DNA polymerase α family, DNA primase, 3'-deoxyribonucleotides, *Izuta, Kohsaka-Ichikawa, Yamaguchi, Saneyoshi*, 1038
 synthetic peptide, phosphorylated site, protein kinase C, protein phosphatase 2A, *Xenopus laevis* oocytes, *Hashimoto, Kobayashi, Kubota, Tanaka, Yamamura*, 626
 —, α -lactalbumin, helix, hydrophobic cluster, molten globule, *Shimizu, Ikeguchi, Kobayashi, Sugai*, 947
 systemic carnitine deficiency, cardiac hypertrophy, carnitine palmitoyltransferase I, differential display, gene expression, *Uenaka, Kuwajima, Ono, Matsuzawa, Hayakawa, Inohara, Kagawa, Ohta*, 533
- T
- TATA-less promoter, IHRP gene, *Saguchi, Tobe, Hashimoto, Nagasaki, Oda, Nakano, Miura, Tomita*, 898
 template effect, dipeptide catalyst, peptidyl transfer, ribosomal protein L2, tRNA, *Shimizu*, 832
 10Sa RNA, *Escherichia coli*, growth phase, 70S ribosome, S100 fraction, *Komine, Kitabatake, Inokuchi*, 463
Tetrahymena, calmodulin, cytoskeletal regulation, elongation factor 1 α , F-actin bundling, *Kurasawa, Hanyu, Watanabe, Numata*, 791
 —, Ca²⁺-binding protein, cell cortex, EF-hand, localization, *Hanyu, Numata, Takahashi, Watanabe*, 914
Tetrahymena pyriformis, alkylacetyl glycerol, diacylglycerols, GC-MS, platelet-activating factor, *Tellis, Tsoukatos, Lekka*, 823
 tetrameric enzyme, acetohexamide analog, acetohexamide-reducing enzyme, drug metabolism, rabbit heart, *Imamura, Ryu, Koga, Higuchi, Otagiri, Nozawa, Akita*, 648
 thermal stability, circularized protein, dihydrofolate reductase, *Escherichia coli*, reversibility, *Iwakura, Honda*, 414
 thermophilic bacterium, chemical cross-linker, intrinsic membrane protein, quinol oxidase super-complex, respiratory chain, *Tanaka, Inoue, Sakamoto, Sone*, 482
 thermostability, *Bacillus* sp., nucleotide sequence, processing C-terminus, uricase, *Yamamoto, Kojima, Kikuchi, Shigyo, Sugihara, Takashio, Emi*, 80
 —, aspartate aminotransferase, gene cloning, prolyl residue, *Thermus thermophilus*, *Okamoto, Kato, Masui, Yamagishi, Oshima, Kuramitsu*, 135
Thermus thermophilus, aspartate aminotransferase, gene cloning, prolyl residue, thermostability, *Okamoto, Kato, Masui, Yamagishi, Oshima, Kuramitsu*, 135
 three-dimensional structure, cinnamycin, lysophosphatidylethanolamine, nuclear magnetic resonance, peptide-lipid interaction, *Hosoda, Ohya, Kohno, Maeda, Endo, Wakamatsu*, 226
 thrombin, anticoagulant, factor VIII, glycosaminoglycan, holothurian, *Nagase, Enjyoji, Shima, Kitazato, Yoshioka, Saito, Kato*, 63
 thrombin-like enzyme, *Agkistrodon caliginosus*, cDNA sequence, purification, *Hahn, Yang, Park, Chang, Kim*, 835
 thyroid hormone, α_1 -acid glycoprotein, acute-phase proteins, gene expression, TRE, *Matsukawa, Kitagawa, Katayama, Nagai, Hayashi, Yasuda, Ohba*, 934
 TRAMP, decorin, dermatopontin, PSS, 22 kDa protein, *Okamoto, Suzuki, Kimura, Shinkai*, 106
 transcription and translation coupled system, antisense oligonucleotide, *de novo* synthesis, *in vitro* screening, translation-arrest, *Chen, Lin, Wu, Choo, Au*, 252
 transcription factor, chromatin structure, DNase I-hypersensitivity, gene expression, prolactin, *Aizawa, Kazahari, Yoneyama, Ono*, 296
 —, DNA-binding protein, GC-box, homodimerization, zinc finger, *Kikuchi, Sogawa, Watanabe, Kobayashi, Fujii-Kuriyama*, 309
 transferrin, endocytosis, growth factor internalization, PI-3K, PI-turnover, *Sato, Taguchi, Yamashina, Toyama*, 887
 transforming growth factor, BALB3T3, disulfide bond, galectin, MALDI-TOF, *Yamamoto, Ingendoh, Tsubuki, Nagai, Sanai*, 878
 transglutaminase, biosynthesis, blood coagulation, factor XIII, secretory pathway, *Kaetsu, Hashiguchi, Foster, Ichinose*, 961
 transition protein, DNA-protein interaction, late spermatid nuclei, *Akama, Sato, Furihata, Yamauchi, Komatsu, Tobita, Nakano*, 448
 transition state, Gly-Pro sequence, lysozyme, Pro-Gly sequence, stability, *Motoshima, Ueda, Imoto*, 1019
 translation-arrest, antisense oligonucleotide, *de novo* synthesis, *in vitro* screening, transcription and translation coupled system, *Chen, Lin, Wu, Choo, Au*, 252
 translocation-inhibitor, glucocorticoid-receptor, glucocorticoid-response element, *Okamoto, Liu, Yu, Ochiai, Isohashi*, 920
 transmembrane receptor, full-length cDNA, mRNA expression, PTK7, RPTK-like molecule, *Park, Lee, Lee*, 235
 transmethylation, defense protein genes, NF- κ B, insect, *Sarcophaga* lectin, *Sugiyama, Natori*, 354
 TRE, α_1 -acid glycoprotein, acute-phase proteins, gene expression, thyroid hormone, *Matsukawa, Kitagawa, Katayama, Nagai, Hayashi, Yasuda, Ohba*, 934
 triacylglycerol, aging, lipoprotein secretion, perfused liver, phospholipid, *Bravo, Rivabene, Bruscalupi, Calcabrini, Arancia, Cantafora*, 240
 trichostatin A, histone deacetylase, IgE, IL-4, sodium butyrate, *Yamamoto, Matsunaga, Sakata, Nakamura, Doi, Hanmyou*, 1056

T (cont'd)

- 3 α ,7 α ,12 β -trihydroxy-5 β -cholanoic acid, 3 α ,12 β -dihydroxy-5 β -cholanoic acid, healthy humans, 3 α -hydroxy-12-oxo-5 β -cholanoic acid, urine specimens, Yamaga, Ikebuchi, Kohara, Ogura, Yamada, 725
- triplex DNA, genetic recombination, homologous pairing, non-Watson-Crick interactions, RecA protein, Kurumizaka, Shibata, 216
- , D-loop-like structure, DNase I footprinting, osmium tetroxide, polypurine:polypyrimidine stretches, Mishima, Suda, Komunani, 805
- tRNA, *Bacillus subtilis*, FAB mass spectrometry, lysidine, modified nucleotide, Matsugi, Murao, Ishikura, 811
- , dipeptide catalyst, peptidyl transfer, ribosomal protein L2, template effect, Shimizu, 832
- truncated, bioluminescence, luciferase, protein A, *Vargula hilgendorffii*, Maeda, Ueda, Kazami, Kawano, Suzuki, Nagamune, 601
- Trypanosoma cruzi*, early evolution of eukaryotes, elongation factor, kinetoplastid protozoa, protein phylogeny, Nakamura, Hashimoto, Kamaishi, Adachi, Nakamura, Okamoto, Hasegawa, 70
- trypsin inhibitor, cancer, glioblastoma, reverse zymography, serine proteinase inhibitor, Koshikawa, Nakamura, Tsuchiya, Isaji, Yasumitsu, Umeda, Miyazaki, 334
- , β -conglycinin, glycinin, serine protease, soybean, Morita, Fukase, Hoshino, Fukuda, Yamaguchi, Morita, 711
- trypsin-like, adjuvant, immune response, mouse spleen, serine protease, Fukusen, Aoki, 633
- trypsin-like proteinase, elastase, microsome, pancreas, serine proteinase, Tsuji, Edazawa, Sakiyama, Nagata, Sasaki, Nagamune, Matsuda, 100
- tryptophan residue, base non-specific ribonuclease, mechanism of enzymatic action, *Rhizopus niveus*, ribonuclease, tyrosine residue, Ohgi, Takeuchi, Iwama, Irie, 9
- tumor cell line, annexin, lectin, monoclonal antibody, Satoh, Takayama, Kojima, Oga-wa, Yamori, Sato, Kawaguchi, Tsuruo, Katsura, Kina, Matsumoto, 346
- tumor metastasis, gelatinase A, gelatinase A activator, matrix metalloproteinase, MT-MMP, Sato, Seiki, 209
- tumor-rejection antigen, human cancer, MAGE, peptide antigen, specific immunity, Itoh, Hayashi, Nakao, Hoshino, Seki, Shichijo, 385
- 22 kDa protein, decorin, dermatopontin, PSS, TRAMP, Okamoto, Suzuki, Kimura, Shin-hai, 106
- type IV collagen, basement membrane, gel, guanidine-HCl, self-assembly, Muraoka, Nakazato, Hayashi, 167
- tyrosine phosphorylation, autoimmune disease, lpr mice, protein tyrosine phosphatase, SH-PTP1, Matsuda, Matsuzawa, Nakamura, Mizuno, Kikuchi, 329

tyrosine residue, base non-specific ribonuclease, mechanism of enzymatic action, *Rhizopus niveus*, ribonuclease, tryptophan residue, Ohgi, Takeuchi, Iwama, Irie, 9

U

- ubiquinol, cytosol, liver, NADPH ubiquinone reductase, ubiquinone, Takahashi, Okamoto, Kishi, 256
- ubiquinone, cytosol, liver, NADPH ubiquinone reductase, ubiquinol, Takahashi, Okamoto, Kishi, 256
- uncoupling, antibiotic, aculeximycin, mitochondria, oxidative phosphorylation, Miyoshi, Tamaki, Murata, Ikemoto, Shibuya, Harada, Suzuki, Iwamura, 274
- uricase, *Bacillus* sp., nucleotide sequence, processing C-terminus, thermostability, Yamamoto, Kojima, Kikuchi, Shigyo, Sugihara, Takashio, Emi, 80
- urine specimens, 3 α ,12 β -dihydroxy-5 β -cholanoic acid, healthy humans, 3 α -hydroxy-12-oxo-5 β -cholanoic acid, 3 α ,7 α ,12 β -trihydroxy-5 β -cholanoic acid, Yamaga, Ikebuchi, Kohara, Ogura, Yamada, 725
- UV, CD, Holliday junction, polyacrylamide gel electrophoresis, RuvC protein, Shida, Iwasaki, Shinagawa, Kyogoku, 653

V

- Vargula hilgendorffii*, bioluminescence, luciferase, protein A, truncated, Maeda, Ueda, Kazami, Kawano, Suzuki, Nagamune, 601
- vasopressin, Ca²⁺ oscillations, power spectrum, smooth muscle cell, Wu, Yu, Seyama, 42
- vertebrates, cherry salmon, DNA polymerase β , isoelectric point, N-terminal amino acid sequence, Yamaguchi, Nishimura, Takahashi, Yoshikuni, Masaki, Hirai, Saneyoshi, 186
- very-long-chain acyl-CoA synthetase, adrenoleukodystrophy, long-chain acyl-CoA synthetase, peroxisome, purification, Uchida, Kondo, Orii, Hashimoto, 565
- vesicular stomatitis virus, brefeldin A, nordihydroguaiaretic acid, protein transport, secretion, Tagaya, Henomatsu, Yoshimori, Yamamoto, Tashiro, Mizushima, 863
- vesiculation, dimyristoylphosphatidylcholine, erythrocyte, hemoglobin, spectrin, Yamaguchi, Yamamoto, Kimoto, 95
- VIM-11, CDw65, CDw65s, VIM-2, VIM-8, Kniep, Peter-Katalinic, Muthing, Majdic, Pickl, Knapp, 456
- VIM-2, CDw65, CDw65s, VIM-8, VIM-11, Kniep, Peter-Katalinic, Muthing, Majdic, Pickl, Knapp, 456
- VIM-8, CDw65, CDw65s, VIM-2, VIM-11, Kniep, Peter-Katalinic, Muthing, Majdic, Pickl, Knapp, 456
- virion proteins, bacteriophage, DNA-binding protein, host-range, ϕ K, Kodaira, Oki, Kakikawa, Kimoto, Taketo, 1062

X

- Xenopus laevis* oocyte, casein kinase I, endogenous phosphate, multisite phos-

phorylation, protein phosphorylation, Liu, Kohara, Hashimoto, 1004

- , phosphorylated site, protein kinase C, protein phosphatase 2A, synthetic peptide, Hashimoto, Kobayashi, Kubota, Tanaka, Yamamura, 626
- X-ray analysis, catalytic mechanism, expression system, hen lysozyme, mutagenesis, Hashimoto, Yamada, Motoshima, Omura, Yamada, Yasukochi, Miki, Ueda, Imoto, 145
- X-ray crystallography, crystallization, D-amino acid oxidase, expression, flavoenzyme, Setoyama, Miura, Nishina, Shiga, Mizutani, Miyahara, Hirotsu, 1114
- X-ray diffraction, membrane protein, protein-detergent complex, protein structure, rhodopsin, Kawaguchi, Hamanaka, Kito, 396
- , crystallization, *Pseudomonas putida*, salicylate hydroxylase, Yabuuchi, Suzuki, Sato, Ohnishi, Itagaki, Morimoto, 829
- xylulose 1,5-bisphosphate, hysteresis, non-catalytic substrate-binding site, reaction model, ribulose 1,5-bisphosphate carboxylase/oxygenase, Yokota, Wadano, Murayama, 487

Y

- Y₂ receptor, acylation, α -helix stability, binding affinity, neuropeptide Y, Murase, Yumoto, Petukhov, Yoshikawa, 37
- yeast proliferation, antifungal drug, killer toxin, β -glucan synthase, budding, cell wall, Komiyama, Ohta, Urakami, Shiratori, Takasuka, Satoh, Watanabe, Furuichi, 731
- YXDD motif, dominant-negative inhibition, intracellular immunization, moloney murine leukemia virus, reverse transcriptase, Shirasawa, Sato, Osawa, Hirashima, 1070

Z

- ζ -carotene, neurosporene, overexpression of protein, phytoene desaturase, *Rhodobacter capsulatus*, Raisig, Bartley, Scolnik, Sandmann, 559
- zeta and epsilon globins, embryonic hemoglobin, hemoglobin switching, primary structure, rat, Iwahara, Abe, Okazaki, 360
- zinc finger, DNA-binding protein, GC-box, homodimerization, transcription factor, Kikuchi, Sogawa, Watanabe, Kobayashi, Fujii-Kuriyama, 309
- zinc-protease, crystal structure, snake venom, Kumasaka, Yamamoto, Moriyama, Tanaka, Sato, Katsube, Yamakawa, Omori-Satoh, Iwanaga, Ueki, 49
- zymogen, chitin synthase, product entrapment, *Saccharomyces cerevisiae*, Uchida, Shimmi, Sudoh, Arisawa, Yamada-Okabe, 659
- zymogen activation, Ni-NTA resin, MMP inhibitors, recombinant matrylisin, recombinant MMP-7, Itoh, Masuda, Ito, Akizawa, Yoshioka, Imai, Okada, Sato, Seiki, 667

23



