

INDEX TO AUTHORS

A

- Achse, T. and Shimura, Y. Factors Involved in the Activation of Pre-mRNA Splicing from Downstream Splicing Enhancers, 53
- Adachi, E. See Nakazato, Muraoka, and Hayashi, 889
- Adachi, N., Kubo, T., and Natori, S. Purification, Characterization, and cDNA Cloning of ABP-2 (Arylphorin Gene-Specific Binding Protein-2) That Specifically Binds to the ABP-1-Binding Sequence in the Arylphorin Gene of *Sarcophaga peregrina*, 1239
- Adachi, T., Morihara, N., Yamazaki, N., Yamada, H., Futenma, A., Kato, K., and Hirano, K. An Arginine-213 to Glycine Mutation in Human Extracellular-Superoxide Dismutase Reduces Susceptibility to Trypsin-Like Proteinases, 184
- Agarwala, K.L. See Kawabata, Nagayama, Hirata, Shigenaga, Saito, Cho, Nakajima, Takagi, and Iwanaga, 1253
- Ahmed, H., Fink, N.E., Pohl, J., and Vasta, G.R. Galectin-1 from Bovine Spleen: Biochemical Characterization, Carbohydrate Specificity and Tissue-Specific Isoform Profile, 1007
- Ahmed, T., Kelly, S.M., Lawrence, A.J., Mezna, M., and Price, N.C. Conformational Changes Associated with Activation of Bee Venom Phospholipase A₂, 1224
- Aida, T. See Asayama, Suzuki, Sato, Tanaka, Takahashi, and Shirai, 752
- Aisaka, K. See Shinkai and Hirano, 915
- Aizawa, S. See Shimoji, Itoh, Toide, Nakayama, and Kamataki, 42
- Akasaki, K., Michihara, A., Fujiwara, Y., Mibuka, K., and Tsuji, H. Biosynthetic Transport of a Major Lysosome-Associated Membrane Glycoprotein 2, Lamp-2: A Significant Fraction of Newly Synthesized Lamp-2 Is Delivered to Lysosomes by Way of Early Endosomes, 1088
- Akiba, S. See Ishimoto and Sato, 616
- See Ishimoto, Arisato, and Sato, 1247
- Alvarez, F.J., Herráez, A., Murciano, J.C., Jordán, J.A., Díez, J.C., and Tejedor, M.C. *In Vivo* Survival and Organ Uptake of Loaded Carrier Rat Erythrocytes, 286
- Alvarez-Bravo, J. See Hirakura, Kurata, Natori, and Kirino, 1130
- Amano, Y., Shiroishi, M., Nisizawa, K., Hoshino, E., and Kanda, T. Fine Substrate Specificities of Four Exo-Type Cellulases Produced by *Aspergillus niger*, *Trichoderma reesei*, and *Irpex lacteus* on (1→3), (1→4)- β -D-Glucans and Xyloglucan, 1123
- Aoki, K. See Minamida, Natsuka, Omichi, Fukase, Kusumoto, and Hase, 1002
- Aoki, S., Takahashi, K., Matsumoto, K., and Nakamura, T. Molecular Cloning of the *Xenopus* c-met/Hepatocyte Growth Factor Receptor and Its Regional Expression during Early Development, 961

- Aoyagi, M. See Inoue and Arai, 233
- Aoyama, Y., Horiuchi, T., and Yoshida, Y. Lanosterol 14-Demethylase Activity Expressed in Rat Brain Microsomes, 982
- Arahata, K. See Kobayashi, Shinozaki, Momoi, and Tsukahara, 699
- Arai, H. See Degawa, Matsuda, and Hashimoto, 547
- Arai, K. See Okamoto, Hiratani, and Ohkuma, 608
- Arai, T. See Inoue and Aoyagi, 233
- Arakawa, F., Kuroki, M., Kuwahara, M., Senba, T., Ozaki, H., Matsuoka, Y., Misumi, Y., Kanda, H., and Watanabe, T. Cloning and Sequencing of the V_H and V_K Genes of an Anti-CD3 Monoclonal Antibody, and Construction of a Mouse/Human Chimeric Antibody, 657
- Arakawa, T. See Kasahara, Hayashi, Philo, Wen, Hara, and Yamaguchi, 177
- Arao, Y., Miyatake, N., Yamamoto, E., Usiku, H., Matsuura, A., Ninomiya, Y., Masushige, S., Hasegawa, T., and Kato, S. Steroid Hormones Differentially Induce Transcription of the Chicken Ovalbumin Gene, but Stabilize the mRNA with the Same Half-Life, 710
- Arima, N. See Tsutsui, Moriyama, Ohtsubo, Tanaka, and Ozawa, 1034
- Arisato, K. See Ishimoto, Akiba, and Sato, 1247
- Aruga, J. See Kojima, Fukuda, and Miko-shiba, 671
- Asano, Y. See Kato, Makar, and Cooper, 531
- Asayama, M., Suzuki, H., Sato, A., Aida, T., Tanaka, K., Takahashi, H., and Shirai, M. The *rpoD1* Gene Product Is a Principal Sigma Factor of RNA Polymerase in *Microcystis aeruginosa* K-81, 752
- Asoh, S., Mori, T., Hayashi, J.-I., and Ohta, S. Expression of the Apoptosis-Mediator Fas Is Enhanced by Dysfunctional Mitochondria, 600
- Athauda, S.B.P. See Hirasawa and Takahashi, 407
- Atomi, H. See Kawachi, Ueda, Hashimoto, Kobayashi, Yoshida, Kamasawa, Osumi, and Tanaka, 731
- Ayusawa, D. See Miura, Ishida, Hoshino, Yamauchi, Hara, and Kawakita, 236
- Azuma, Y., Seino, H., Seki, T., Uzawa, S., Klebe, C., Ohba, T., Wittinghofer, A., Hayashi, N., and Nishimoto, T. Conserved Histidine Residues of RCC1 Are Essential for Nucleotide Exchange on Ran, 82

B

- Baba, K. See Sato, Takahashi, Uchiuni, and Odani, 908
- Badruzaman, M. See Terashima, Tsuchiya, and Shimoyama, 1209
- Barone, G. See D'Auria, Rossi, Catanzano, Del Vecchio, Graziano, and Nucci, 292
- Battchikova, N., Koivulehto, M., Denesyuk, A., Ptitsyn, L., Boretsky, Y., Hellman, J.,

- and Korpela, T. Aspartate Aminotransferase from an Alkalophilic *Bacillus* Contains an Additional 20-Amino Acid Extension at Its Functionally Important N-Terminus, 425
- Best-Belpomme, M. See Faure and Champion, 313
- Boretsky, Y. See Battchikova, Koivulehto, Denesyuk, Ptitsyn, Hellman, and Korpela, 425

C

- Cara, F.L. See D'Auria, Nazzaro, Vespa, and Rossi, 498
- Castillo, G.M., Cummings, J.A., Ngo, C., Yang, W., and Snow, A.D. Novel Purification and Detailed Characterization of Perlecan Isolated from the Engelbreth-Holm-Swarm Tumor for Use in an Animal Model of Fibrillar A β Amyloid Persistence in Brain, 433
- Catanzano, F. See D'Auria, Rossi, Barone, Del Vecchio, Graziano, and Nucci, 292
- Chaen, S., Nakaya, M., Guo, X.-F., and Watabe, S. Lower Activation Energy for Sliding of F-Actin on a Less Thermostable Isoform of Carp Myosin, 788
- Champion, S. See Faure and Best-Belpomme, 313
- Chen, J.C.F. See Chuang, Chu, and Tzen, 74
- Cho, J. See Kawabata, Nagayama, Hirata, Shigenaga, Agarwala, Saito, Nakajima, Takagi, and Iwanaga, 1253
- Choi-Miura, N.-H. See Nakano, Tobe, Mazda, and Tomita, 803
- Chu, J. See Chuang, Chen, and Tzen, 74
- Chuang, L.-M., Tai, T.-Y., Kahn, R.C., Wu, H.-P., Lee, S.-C., and Lin, B.J. Signal Transduction Pathways for Interleukin 4 and Insulin in Human Hepatoma Cells, 111
- Chuang, R.L.C., Chen, J.C.F., Chu, J., and Tzen, J.T.C. Characterization of Seed Oil Bodies and Their Surface Oleosin Isoforms from Rice Embryos, 74
- Chung, I.K. See Lee, Suh, Scheffter, and Patterson, 22
- Collinge, D.B. See Nemoto, Matsusaka, Ota, Takagi, and Walther-Larsen, 249
- Cooper, A.J.L. See Kato, Asano, and Makar, 531
- Cummings, J.A. See Castillo, Ngo, Yang, and Snow, 433

D

- D'Auria, S., Rossi, M., Barone, G., Catanzano, F., Del Vecchio, P., Graziano, G., and Nucci, R. Temperature-Induced Denaturation of β -Glycosidase from the Archaeon *Sulfolobus solfataricus*, 292
- D'Auria, S., Cara, F.L., Nazzaro, F., Vespa, N., and Rossi, M. A Thermophilic Alcohol Dehydrogenase from *Bacillus acidocaldarius* Not Reactive towards Ketones, 498
- Degawa, M., Matsuda, K., Arai, H., and Hashimoto, Y. Lead Nitrate Inhibits the

D (cont'd)

- Induction of CYP1A mRNAs by Aromatic Amines but Not by Aryl Hydrocarbons in the Rat Liver, 547
- Deguchi, A., Imoto, M., and Umezawa, K. Inhibition of G1 Cyclin Expression in Normal Rat Kidney Cells by Inostamycin, a Phosphatidylinositol Synthesis Inhibitor, 1118
- Del Vecchio, P. See *D'Auria, Rossi, Barone, Catanzano, Graziano, and Nucci*, 292
- Denesyuk, A. See *Battchikova, Koivulehto, Ptitsyn, Boretsky, Hellman, and Korpela*, 425
- Deyashiki, Y. See *Nakanishi, Kakumoto, Matsuura, Tanaka, Nonaka, Mitsui, and Hara*, 257
- Díez, J.C. See *Alvarez, Herráez, Murciano, Jordán, and Tejedor*, 286
- Dohi, Y. See *Sasaki, Yamada, Matsui, Hirakawa, Sakanashi, and Yonemasu*, 306
- Dunn, B.M. See *Ito and Oda*, 845

E

- Enami, J. See *Sasaki*, 264
- Enokido, Y. See *Satoh, Sakai, Uchiyama, and Hatanaka*, 540

F

- Faure, E., Best-Belpomme, M., and Champion, S. X-Irradiation Activates the *Drosophila* 1731 Retrotransposon LTR and Stimulates Secretion of an Extracellular Factor That Induces the 1731-LTR Transcription in Nonirradiated Cells, 313
- Fink, N.E. See *Ahmed, Pohl, and Vasta*, 1007
- Fujii, S. See *Uozumi, Teshima, Yamamoto, Nishikawa, Gao, Miyoshi, Gao, Noda, Islam, Ihara, Shiba, and Taniguchi*, 385
- Fujimoto, D. See *Mai, Jung, and Tachikawa*, 478
- See *Harumiya, Takeda, Sugiura, Fukumoto, Tachikawa, Miyazono, and Ichijo*, 745
- Fujisawa, H. See *Sugai, Takeuchi, and Okuno*, 773
- Fujita, T. See *Yoneyama, Suhara, Fukuhara, Sato, and Ozato*, 160
- Fujiwara, N. See *Matsunaga, Oka, and Yano*, 663
- Fujiwara, Y. See *Akasaki, Michihara, Mibuka, and Tsuji*, 1088
- Fujiyoshi, T. See *Ihara, Iwamatsu, Komi, Yamori, and Fukui*, 865
- Fukase, K. See *Minamida, Aoki, Natsuka, Omichi, Kusumoto, and Hase*, 1002
- Fukuda, H. See *Iritani and Tada*, 242
- Fukuda, M. See *Kojima, Aruga, and Miko-shiba*, 671
- Fukuhara, K. See *Oda, Ito, Uchida, Shibano, and Takahashi*, 564
- Fukuhara, Y. See *Yoneyama, Suhara, Sato, Ozato, and Fujita*, 160
- Fukui, Y. See *Ihara, Iwamatsu, Fujiyoshi, Komi, and Yamori*, 865
- Fukumoto, Y. See *Harumiya, Takeda, Sugiura, Tachikawa, Miyazono, Fujimoto, and Ichijo*, 745
- Fukushima, H. See *Jiang, Kobayashi, Matsuura, and Hashimoto*, 624

- Funahashi, J., Takano, K., Ogasahara, K., Yamagata, Y., and Yutani, K. The Structure, Stability, and Folding Process of Amyloidogenic Mutant Human Lysozyme, 1216
- Funatsu, J. See *Kohno, Mikami, Kugimiya, Matsuo, and Morita*, 505
- Furuta, K. See *Suzuki, Tamiya-Koizumi, Takemura, Izuta, Savoyesky, Miura, and Yoshida*, 766
- Fuse, N. See *Suzuki, Takahashi, Yasumoto, and Shibahara*, 1048
- Fusetani, N. See *Saito, Watabe, Ozaki, Kigoshi, Yamada, and Karaki*, 552
- Futenma, A. See *Adachi, Morihara, Yamazaki, Yamada, Kato, and Hirano*, 184

G

- Gao, C.-X. See *Uozumi, Teshima, Yamamoto, Nishikawa, Gao, Miyoshi, Noda, Islam, Ihara, Fujii, Shiba, and Taniguchi*, 385
- Gao, Y.-E. See *Uozumi, Teshima, Yamamoto, Nishikawa, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, Shiba, and Taniguchi*, 385
- Gekko, K. See *Ohmae, Kurumiya, and Makino*, 946
- Gotoh, O. See *Tomida*, 201
- Graziano, G. See *D'Auria, Rossi, Barone, Catanzano, Del Vecchio, and Nucci*, 292
- Guo, X.-F. See *Chaen, Nakaya, and Watabe*, 788

H

- Haga, T. See *Hayashi*, 1232
- Hamada, M. See *Kimura, Moriyama, Kanran, Shiota, Sakurada, Musashi, and Sugano*, 488
- Hara, Akira. See *Nakanishi, Kakumoto, Matsuura, Deyashiki, Tanaka, Nonaka, and Mitsui*, 257
- Hara, Atsushi. See *Taketomi, Uemura, and Sugiyama*, 573
- Hara, S. See *Kasahara, Hayashi, Arakawa, Philo, Wen, and Yamaguchi*, 177
- Hara, T. See *Miura, Ishida, Hoshino, Yamuchi, Ayusawa, and Kawakita*, 236
- Harumiya, S., Takeda, K., Sugiura, T., Fukumoto, Y., Tachikawa, H., Miyazono, K., Fujimoto, D., and Ichijo, H. Characterization of Ficolins as Novel Elastin-Binding Proteins and Molecular Cloning of Human Ficolin-1, 745
- Hase, S. See *Minamida, Aoki, Natsuka, Omichi, Fukase, and Kusumoto*, 1002
- Hasegawa, M. See *Kamaishi, Hashimoto, Nakamura, Masuda, Nakamura, Okamoto, and Shimizu*, 1095
- Hasegawa, T. See *Arao, Miyatake, Yamamoto, Usiku, Matsuura, Ninomiya, Masushige, and Kato*, 710
- Hasegawa, Y., Kikuta, T., and Okamoto, Y. Isolation and Identification of Myosin I from Porcine Aorta Media Smooth Muscle, 901
- Hashimoto, N. See *Kawachi, Atomi, Ueda, Kobayashi, Yoshida, Kamasawa, Osumi, and Tanaka*, 731
- Hashimoto, Takashi. See *Jiang, Kobayashi, Matsuura, and Fukushima*, 624
- See *Jiang and Miyazawa*, 633
- Hashimoto, Tetsuo. See *Kamaishi, Nakamura, Masuda, Nakamura, Okamoto, Shimizu, and Hasegawa*, 1095
- Hashimoto, Toshihiko. See *Mizushima, Sato, Negishi, Koushima, Okamoto, Nii, Umeda, Nawata, and Kanamori*, 929
- Hashimoto, W. See *Sakai, Sakabe, Sasaki, Suzuki, Tachi, Kumagai, and Sakabe*, 26
- See *Maru, Ohnishi, Ohta, Tsukada, Murata, and Mikami*, 481
- Hashimoto, Y. See *Degawa, Matsuda, and Arai*, 547
- Hashizume, T., Nakao, M., and Sato, T. Sphingosine Enhances Phosphatidylinositol 4-Kinase Activity in Rabbit Platelets, 61
- Hatanaka, H. See *Satoh, Sakai, Enokido, and Uchiyama*, 540
- Hatano, T. See *Yamashita, Miyoshi, and Iwamura*, 377
- Hattori, M. See *Tsukahara, Muraki, and Sakaki*, 820
- Hayakawa, Y. See *Murata, Itoh, and Usui*, 851
- Hayashi, Hideyuki. See *Ishii, Mizuguchi, Nishino, and Kagamiyama*, 369
- Hayashi, Hidetoshi. See *Miyamoto, Hayashi, Takeuchi, Okamoto, Kawashima, Takii, and Onozaki*, 725
- Hayashi, J.-I. See *Asoh, Mori, and Ohta*, 600
- Hayashi, K. See *Kasahara, Arakawa, Philo, Wen, Hara, and Yamaguchi*, 177
- Hayashi, M. See *Miyamoto, Takeuchi, Okamoto, Kawashima, Takii, Hayashi, and Onozaki*, 725
- Hayashi, M.K. and Haga, T. Purification and Functional Reconstitution with GTP-Binding Regulatory Proteins of Hexahistidine-Tagged Muscarinic Acetylcholine Receptors (m2 Subtype), 1232
- Hayashi, N. See *Azuma, Seino, Seki, Uzawa, Klebe, Ohba, Wittinghofer, and Nishimoto*, 82
- See *Seki and Nishimoto*, 207
- Hayashi, T. See *Iwata, Sado, Sasaki, Imamura, and Ninomiya*, 133
- See *Nakazato, Muraoka, and Adachi*, 889
- See *Mizuno*, 934
- Hellman, J. See *Battchikova, Koivulehto, Denesyuk, Ptitsyn, Boretsky, and Korpela*, 425
- Herráez, A. See *Alvarez, Murciano, Jordán, Díez, and Tejedor*, 286
- Hibino, T., Lee, B.H., Yajima, T., Odani, A., Yamauchi, O., and Takabe, T. Kinetic and Cross-Linking Studies on the Interactions of Negative Patch Mutant Plastocyanin from *Silene pratensis* with Photosystem I Complexes from Cyanobacteria, Green Algae, and Plants, 556
- Hidaka, H. See *Niki, Yokokura, Sudo, and Kato*, 685
- Higashi, H., Yoshida, S., Sato, K., and Yamagata, T. Interaction of Ganglioside with Specific Peptide Sequences as a Mechanism for the Modulation of Calmodulin-Dependent Enzymes, 66
- Higashinakagawa, T. See *Motaleb, Takiyara, Nomura, Matsuda, and Shimada*, 797
- Higashino, H. See *Tian, Toda, and Matsu-mura*, 1153
- Hiki, Y. See *Iwase, Tanaka, Kokubo, Ishii-Karakasa, Kobayashi, and Hotta*, 92, 393
- Himeno, M. See *Sugimoto, Yamada, and*

H (cont'd)

- Muro, 153
- Hirabayashi, T. See *Takeda, Masuda, Yamamoto, Nakamura, and Nakaya*, 353
- Hiraide, F. See *Tobita, Miyazaki, and Ishimoda-Takagi*, 922
- Hirakawa, Y. See *Sasaki, Yamada, Matsui, Dohi, Sakanashi, and Yonemasu*, 306
- Hirakura, Y., Alvarez-Bravo, J., Kurata, S., Natori, S., and Kirino, Y. Selective Interaction of Synthetic Antimicrobial Peptides Derived from Sapeicin B with Lipid Bilayers, 1130
- Hirano, Akiko. See *Shinkai and Aisaka*, 915
- Hirano, Ayako. See *Ohtani, Takagi, Murakami, and Sasaki*, 1203
- Hirano, K. See *Adachi, Morihara, Yamazaki, Yamada, Futenma, and Kato*, 184
- Hirasawa, A., Athauda, S.B.P., and Takahashi, K. Purification and Characterization of Turtle Pepsinogen and Pepsin, 407
- Hirashiki, I. See *Hiro, Tsugeno, Ogata, and Ito*, 759
- Hirata, A. See *Yamanushi, Oka, and Nakano*, 452
- Hirata, K. See *Mizuguchi, Mitaka, Kojima, Nakamura, and Mochizuki*, 511
- Hirata, M. See *Kawabata, Nagayama, Shigenaga, Agarwala, Saito, Cho, Nakajima, Takagi, and Iwanaga*, 1253
- Hiratani, N. See *Okamoto, Arai, and Ohkuma*, 608
- Hiro, I., Tsugeno, Y., Hirashiki, I., Ogata, F., and Ito, A. Characterization of Rat Monoamine Oxidase A with Noncovalently Bound FAD Expressed in Yeast Cells, 759
- Hirotsu, K. See *Mizutani, Miyahara, Nishina, Shiga, Setoyama, and Miura*, 14
- Hisabori, T. See *Muneyuki, Sasayama, Mochizuki, and Yoshida*, 940
- Honsho, M. See *Kuroda, Kinoshita, Mitoma, and Ito*, 828
- Horigome, T. See *Makifuchi, Takeuchi, Kawahire, Odani, Ichimura, and Omata*, 716
- Horiike, K. See *Ishida, Narita, and Nozaki*, 346
- Horikoshi, K. See *Kato, Tamegai, Ikegami, and Usami*, 301
- Horiuchi, T. See *Aoyama and Yoshida*, 982
- Hosaka, M., Toda, K., Takatsu, H., Torii, S., Murakami, K., and Nakayama, K. Structure and Intracellular Localization of Mouse ADP-Ribosylation Factors Type 1 to Type 6 (ARF1-ARF6), 813
- Hoshi, M. See *Matsumoto, Saito-Ohara, and Kurata*, 1079
- Hoshino, E. See *Amano, Shiroishi, Nisizawa, and Kanda*, 1123
- Hoshino, M. See *Miura, Ishida, Yamauchi, Hara, Ayusawa, and Kawakita*, 236
- Hotta, K. See *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, and Kobayashi*, 92, 393
- Hung, P. See *Yamada, Yoshimura, Taniguchi, Lim, and Sugano*, 138
- I
- Ichida, T. See *Takuma, Yokoyama, Tamura, and Obinata*, 35
- Ichijo, H. See *Harumiya, Takeda, Sugiura, Fukumoto, Tachikawa, Miyazono, and Fujimoto*, 745
- Ichikawa, T. See *Koyama and Nakano*, 969
- Ichimura, T. See *Makifuchi, Takeuchi, Kawahire, Odani, Omata, and Horigome*, 716
- Ichishima, E. See *Shintani and Kobayashi*, 974
- Ihara, S., Iwamatsu, A., Fujiyoshi, T., Komi, A., Yamori, T., and Fukui, Y. Identification of Interleukin-6 as a Factor That Induces Neurite Outgrowth by PC12 Cells Primed with NGF, 865
- Ihara, Y. See *Uozumi, Teshima, Yamamoto, Nishikawa, Gao, Miyoshi, Gao, Noda, Islam, Fujii, Shiba, and Taniguchi*, 385
- Ikedo, K., Masujima, T., and Sugiyama, M. Effects of Methionine and Cu²⁺ on the Expression of Tyrosinase Activity in *Streptomyces castaneoglobisporus*, 1141
- Ikegami, A. See *Kato, Tamegai, Usami, and Horikoshi*, 301
- Imai, K. See *Nakamura, Nukada, and Sugiyama*, 996
- Imamura, Y. See *Iwata, Sado, Sasaki, Ninomiya, and Hayashi*, 133
- Imoto, M. See *Deguchi and Umezawa*, 1118
- Inoue, A., Ojima, T., and Nishita, K. Cloning and Sequencing of a cDNA for Akazara Scallop Troponin T, 834
- Inoue, K., Arai, T., and Aoyagi, M. Real Time Observation of the Binding of Herpes Simplex Virus Type 1 (HSV-1) to Immobilized Heparan Sulfate and the Neutralization of HSV-1 by Sulfonated Human Immunoglobulin, 233
- Inoue, M. See *Okumura, Kudoh, Takashima, Sakai, and Kido*, 856
- Inoue, T. See *Shibata, Yamamoto, Uemura, Yokota, and Kai*, 1064
- Iritani, N., Fukuda, H., and Tada, K. Nutritional Regulation of Lipogenic Enzyme Gene Expression in Rat Epididymal Adipose Tissue, 242
- Ishibashi, S. See *Sasaki, Yamaguchi, Saeki, Yamane, and Okamura*, 705
- Ishida, N. See *Miura, Hoshino, Yamauchi, Hara, Ayusawa, and Kawakita*, 236
- , Miura, N., Yoshioka, S., and Kawakita, M. Molecular Cloning and Characterization of a Novel Isoform of the Human UDP-Galactose Transporter, and of Related Complementary DNAs Belonging to the Nucleotide-Sugar Transporter Gene Family, 1074
- Ishida, T., Narita, M., Nozaki, M., and Horiike, K. Selective Cleavage and Modification of the Intersubunit Disulfide Bonds of Bovine Dopamine β -Monooxygenase: Conversion of Tetramer to Active Dimer, 346
- Ishiguro, K. and Sugimoto, K. Purification and Characterization of the *Proteus vulgaris* BlaA Protein, the Activator of the β -Lactamase Gene, 98
- Ishihara, G. See *Kimura and Tajima*, 1182
- Ishii, S., Mizuguchi, H., Nishino, J., Hayashi, H., and Kagamiyama, H. Functionally Important Residues of Aromatic L-Amino Acid Decarboxylase Probed by Sequence Alignment and Site-Directed Mutagenesis, 369
- Ishii-Karakasa, I. See *Iwase, Tanaka, Hiki, Kokubo, Kobayashi, and Hotta*, 92, 393
- Ishikubo, A. See *Yashiro and Komiyama*, 1067
- Ishimizu, T. See *Norioka, Norioka, Ohnishi, Oneyama, Nakanishi, and Sakiyama*, 335
- , Sato, Y., Saito, T., Yoshimura, Y., Norioka, S., Nakanishi, T., and Sakiyama, F. Identification and Partial Amino Acid Sequences of Seven S-RNases Associated with Self-Incompatibility of Japanese Pear, *Pyrus pyrifolia* Nakai, 326
- Ishimoda-Takagi, T. See *Tobita, Hiraide, and Miyazaki*, 922
- Ishimoto, T., Akiba, S., and Sato, T. Importance of the Phospholipase D-Initiated Sequential Pathway for Arachidonic Acid Release and Prostaglandin D₂ Generation by Rat Peritoneal Mast Cells, 616
- Ishimoto, T., Arisato, K., Akiba, S., and Sato, T. Requirement of Calcium Influx for Hydrolytic Action of Membrane Phospholipids by Cytosolic Phospholipase A₂ Rather than Mitogen-Activated Protein Kinase Activation in Fc ϵ RI-Stimulated Rat Peritoneal Mast Cells, 1247
- Islam, K.N. See *Uozumi, Teshima, Yamamoto, Nishikawa, Gao, Miyoshi, Gao, Noda, Ihara, Fujii, Shiba, and Taniguchi*, 385
- Ito, A. See *Hiro, Tsugeno, Hirashiki, and Ogata*, 759
- , See *Kuroda, Kinoshita, Honsho, and Mitoma*, 828
- , See *Song, Shimokata, Kitada, and Ogi-shima*, 1163
- Ito, K. See *Kabashima and Yoshimoto*, 1111
- Ito, M. See *Oda, Uchida, Shibano, Fukuhara, and Takahashi*, 564
- , Dunn, B.M., and Oda, K. Substrate Specificities of Pepstatin-Insensitive Carboxyl Proteinases from Gram-Negative Bacteria, 845
- Itoh, H., Tomita, M., Kobayashi, T., Uchino, H., Maruyama, H., and Nawa, Y. Expression of Inter- α -Trypsin Inhibitor Light Chain (Bikunin) in Human Pancreas, 271
- Itoh, S. See *Shimoji, Toide, Nakayama, Aizawa, and Kamataki*, 42
- Itoh, T. See *Murata, Hayakawa, and Usui*, 851
- Iuchi, S. and Weiner, L. Cellular and Molecular Physiology of *Escherichia coli* in the Adaptation to Aerobic Environments, 1055
- Iwamatsu, A. See *Ihara, Fujiyoshi, Komi, Yamori, and Fukui*, 865
- and Yoshida-Kubomura, N. Systematic Peptide Fragmentation of Polyvinylidene Difluoride (PVDF)-Immobilized Proteins Prior to Microsequencing, 29
- Iwamura, H. See *Yamashita, Miyoshi, and Hatano*, 377
- Iwanaga, S. See *Kawabata, Nagayama, Hirata, Shigenaga, Agarwala, Saito, Cho, Nakajima, and Takagi*, 1253
- Iwasaki, H., Suzuki, Y., and Sinohara, H. Cloning and Sequencing of cDNAs Encoding Plasma α -Macroglobulin and Murinoglobulin from Guinea Pig: Implications for Molecular Evolution of α -Macroglobulin Family, 1167
- Iwasaki, T. See *Zhang, Wakagi, and Oshima*, 587
- Iwase, H., Tanaka, A., Hiki, Y., Kokubo, T.,

I (cont'd)

- Ishii-Karakasa, I., Kobayashi, Y., and Hotta, K. Abundance of Gal β 1,3GalNAc in O-Linked Oligosaccharide on Hinge Region of Polymerized IgA1 and Heat-Aggregated IgA1 from Normal Human Serum, 92
- Iwase, H., Tanaka, A., Hiki, Y., Kokubo, T., Ishii-Karakasa, I., Kobayashi, Y., and Hotta, K. Estimation of the Number of O-Linked Oligosaccharides per Heavy Chain of Human Serum IgA1 by Matrix-Assisted Laser Desorption Ionization Time-of-Flight Mass Spectrometry (MALDI-TOFMS) Analysis of the Hinge Glycopeptide, 393
- Iwata, M., Sado, Y., Sasaki, T., Imamura, Y., Ninomiya, Y., and Hayashi, T. The 160k α 1(IV) Chain, a Short Form of a Type IV Collagen Polypeptide, of Bovine Lens Capsule Retains the NC1 Domain, 133
- Izui, K. See Nakamura and Minoguchi, 518
- Izuta, S. See Suzuki, Tamiya-Koizumi, Take-mura, Furuta, Savoyesky, Miura, and Yoshida, 766

J

- Jacobs, F. See Luo, Mah, Wishart, Zhang, and Martin, 229
- Jiang, L.L., Kobayashi, A., Matsuura, H., Fukushima, H., and Hashimoto, T. Purification and Properties of Human D-3-Hydroxyacyl-CoA Dehydrogenase: Medium-Chain Enoyl-CoA Hydratase Is D-3-Hydroxyacyl-CoA Dehydratase, 624
- Jiang, L.L., Miyazawa, S., and Hashimoto, T. Purification and Properties of Rat D-3-Hydroxyacyl-CoA Dehydratase: D-3-Hydroxyacyl-CoA Dehydratase/Bifunctional Protein, 633
- Jing, G.-Z. See Zhou, 881
- Joh, T. See Nomura, Zou, Takihara, Matsuda, and Shimada, 987
- Jordán, J.A. See Alvarez, Herráez, Murciano, Díez, and Tejedor, 286
- Jung, S.-K. See Mai, Tachikawa, and Fujimoto, 478

K

- Kabashima, T., Ito, K., and Yoshimoto, T. Dipeptidyl Peptidase IV from *Xanthomonas maltophilia*: Sequencing and Expression of the Enzyme Gene and Characterization of the Expressed Enzyme, 1111
- Kadowaki, T. See Okamoto, Nakayama, and Yamamoto, 398
- Kagamiyama, H. See Ishii, Mizuguchi, Nishino, and Hayashi, 369
- Kageyama, T. See Tanji, Yakabe, and Takahashi, 647
- Kahn, R.C. See Chuang, Tai, Wu, Lee, and Lin, 111
- Kai, Y. See Shibata, Yamamoto, Inoue, Uemura, and Yokota, 1064
- Kajihara, Y. See Yamamoto, Nakashizuka, Kodama, and Terada, 104
- Kakumoto, M. See Nakanishi, Matsuura, Deyashiki, Tanaka, Nonaka, Mitsui, and Hara, 257
- Kamaishi, T., Hashimoto, T., Nakamura, Y., Masuda, Y., Nakamura, F., Okamoto, K.,

- Shimizu, M., and Hasegawa, M. Complete Nucleotide Sequences of the Genes Encoding Translation Elongation Factors 1 α and 2 from a Microsporidian Parasite, *Glugea plecoglossi*: Implications for the Deepest Branching of Eukaryotes, 1095
- Kamasawa, N. See Kawachi, Atomi, Ueda, Hashimoto, Kobayashi, Yoshida, Osumi, and Tanaka, 731
- Kamataki, T. See Shimoji, Itoh, Toide, Nakayama, and Aizawa, 42
- Kameyama, A., Shearman, M.S., Sekiguchi, K., and Kameyama, M. Cyclic AMP-Dependent Protein Kinase but Not Protein Kinase C Regulates the Cardiac Ca²⁺ Channel through Phosphorylation of Its α Subunit, 170
- Kameyama, M. See Kameyama, Shearman, and Sekiguchi, 170
- Kanamori, T. See Mizushima, Sato, Negishi, Koushima, Okamoto, Nii, Hashimoto, Umeda, and Nawata, 929
- Kanda, H. See Arakawa, Kuroki, Kuwahara, Senba, Ozaki, Matsuoka, Misumi, and Watanabe, 657
- Kanda, T. See Amano, Shiroishi, Nisizawa, and Hoshino, 1123
- Kannan, Y. See Kimura, Hamada, Moriyama, Shiota, Sakurada, Musashi, and Sugano, 488
- Karaki, H. See Saito, Watabe, Ozaki, Kigoshi, Yamada, and Fusetani, 552
- Karasawa, K., Kuge, O., Kawasaki, K., Nishijima, M., Nakano, Y., Tomita, M., Yokoyama, K., Setaka, M., and Nojima, S. Cloning, Expression and Characterization of Plasma Platelet-Activating Factor-Acetylhydrolase from Guinea Pig, 838
- Karino, T. See Ohyashiki, Suzuki, and Matsui, 895
- Kasahara, K., Hayashi, K., Arakawa, T., Philo, J.S., Wen, J., Hara, S., and Yamaguchi, H. Complete Sequence, Subunit Structure, and Complexes with Pancreatic α -Amylase of an α -Amylase Inhibitor from *Phaseolus vulgaris* White Kidney Beans, 177
- Kasai, K. See Shimura, 1146
- Kato, C., Tamegai, H., Ikegami, A., Usami, R., and Horikoshi, K. Open Reading Frame 3 of the Barotolerant Bacterium Strain DSS12 Is Complementary with *cydD* in *Escherichia coli*: *cydD* Functions Are Required for Cell Stability at High Pressure, 301
- Kato, K. See Adachi, Morihara, Yamazaki, Yamada, Futenma, and Hirano, 184
- Kato, M. See Niki, Yokokura, Sudo, and Hidaka, 685
- Kato, Seishi. See Yamaguchi, Kim, Sekine, Seino, Osaka, and Yamao, 494
- Kato, Shigeaki. See Arai, Miyatake, Yamamoto, Usiku, Matsuura, Ninomiya, Masushige, and Hasegawa, 710
- Kato, Y., Asano, Y., Makar, T.K., and Cooper, A.J.L. Irreversible Inactivation of Aspartate Aminotransferase by 2-Oxoglutaconic Acid and Its Dimethyl Ester, 531
- Katoh, T. and Morita, F. Binding of Myosin Subfragment 1 to Actin, 189
- Katoh, T. and Morita, F. Mapping Myosin-Binding Sites on Actin Probed by Peptides

- That Inhibit Actomyosin Interaction, 580
- Kawabata, S., Nagayama, R., Hirata, M., Shigenaga, T., Agarwala, K.L., Saito, T., Cho, J., Nakajima, H., Takagi, T., and Iwanaga, S. Tachycitin, a Small Granular Component in Horseshoe Crab Hemocytes, Is an Antimicrobial Protein with Chitin-Binding Activity, 1253
- Kawachi, H., Atomi, H., Ueda, M., Hashimoto, N., Kobayashi, K., Yoshida, T., Kamasawa, N., Osumi, M., and Tanaka, A. Individual Expression of *Candida tropicalis* Peroxisomal and Mitochondrial Carnitine Acetyltransferase-Encoding Genes and Subcellular Localization of the Products in *Saccharomyces cerevisiae*, 731
- Kawahire, S. See Makifuchi, Takeuchi, Odani, Ichimura, Omata, and Horigome, 716
- Kawai, G. See Ohtsuki, Vinayak, Watanabe, Kita, and Watanabe, 1070
- Kawakita, M. See Miura, Ishida, Hoshino, Yamauchi, Hara, and Ayusawa, 236
- See Ishida, Miura, and Yoshioka, 1074
- Kawamata, Y. See Min-Seok, Nakamura, Ohta, and Takagi, 1040
- Kawasaki, K. See Karasawa, Kuge, Nishijima, Nakano, Tomita, Yokoyama, Setaka, and Nojima, 838
- Kawashima, S. See Miyamoto, Hayashi, Takeuchi, Okamoto, Takii, Hayashi, and Onozaki, 725
- Kelly, S.M. See Ahmed, Lawrence, Mezna, and Price, 1224
- Kido, H. See Okumura, Kudoh, Takashima, Inoue, and Sakai, 856
- Kigoshi, H. See Saito, Watabe, Ozaki, Yamada, Fusetani, and Karaki, 552
- Kikkawa, Y. See Mizushima, Miyagi, Yamana, Yasumitsu, Misugi, and Miyazaki, 1196
- Kikuchi, M. See Nakamura, Matsushima, and Song, 525
- Kikuta, T. See Hasegawa and Okamoto, 901
- Kim, N.-S. See Yamaguchi, Sekine, Seino, Osaka, Yamao, and Kato, 494
- Kimura, H., Ishihara, G., and Tajima, S. Isolation and Expression of a *Xenopus laevis* DNA Methyltransferase cDNA, 1182
- Kimura, K., Hamada, M., Moriyama, M., Kannan, Y., Shiota, M., Sakurada, K., Musashi, M., and Sugano, T. Phorbol Ester, but Not Endotoxin, Desensitizes Mannan-Induced Glycogenolysis in the Perfused Rat Liver, 488
- Kinoshita, J. See Kuroda, Honsho, Mitoma, and Ito, 828
- Kirino, Y. See Hirakura, Alvarez-Bravo, Kurata, and Natori, 1130
- Kita, K. See Ohtsuki, Vinayak, Watanabe, Kawai, and Watanabe, 1070
- Kitada, S. See Song, Shimokata, Ogishima, and Ito, 1163
- Klebe, C. See Azuma, Seino, Seki, Uzawa, Ohba, Wittinghofer, Hayashi, and Nishimoto, 82
- Kobayashi, A. See Jiang, Matsuura, Fukushima, and Hashimoto, 624
- Kobayashi, K. See Kawachi, Atomi, Ueda, Hashimoto, Yoshida, Kamasawa, Osumi, and Tanaka, 731

K (cont'd)

- Kobayashi, M. See *Shintani and Ichishima*, 974
- Kobayashi, Takahiko. See *Itoh, Tomita, Uchino, Maruyama, and Nawa*, 271
- Kobayashi, Tatsuyuki, Shinozaki, A., Momoi, T., Arahata, K., and Tsukahara, T. Identification of an Interleukin-1 β Converting Enzyme-Like Activity That Increases upon Treatment of P19 Cells with Retinoic Acid as the Proteasome, 699
- Kobayashi, Yoshiro. See *Watanabe and Suzuki*, 1190
- Kobayashi, Yutaka. See *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, and Hotta*, 92, 393
- Kodama, Hiroaki. See *Yasunaga, Motoyama, Nose, Kondo, and Shimohigashi*, 459
- Kodama, Hisashi. See *Yamamoto, Nakashizuka, Kajihara, and Terada*, 104
- Kohn, M., Funatsu, J., Mikami, B., Kugimiya, W., Matsuo, T., and Morita, Y. The Crystal Structure of Lipase II from *Rhizopus niveus* at 2.2 Å Resolution, 505
- Koide, T. See *Tokunaga and Tsukamoto*, 360
- Koike, H. See *Zenno, Tanokura, and Saigo*, 736
- Koivulehto, M. See *Battchikova, Denesyuk, Ptitsyn, Boretsky, Hellman, and Korpela*, 425
- Kojima, K. See *Yoneda, Matsumoto, Yamamoto, and Ogawa*, 954
- Kojima, Takashi. See *Mizuguchi, Mitaka, Hirata, Nakamura, and Mochizuki*, 511
- Kojima, Toshio, Fukuda, M., Aruga, J., and Mikoshiba, K. Calcium-Dependent Phospholipid Binding to the C2A Domain of a Ubiquitous Form of Double C2 Protein (Doc2 β), 671
- Kokubo, T. See *Iwase, Tanaka, Hiki, Ishii-Karakasa, Kobayashi, and Hotta*, 92, 393
- Komi, A. See *Ihara, Iwamatsu, Fujiyoshi, Yamori, and Fukui*, 865
- Komiyama, M. See *Yashiro and Ishikubo*, 1067
- Konagaya, S. See *Yamashita*, 483
- Kondo, M. See *Yasunaga, Motoyama, Nose, Kodama, and Shimohigashi*, 459
- Korpela, T. See *Battchikova, Koivulehto, Denesyuk, Ptitsyn, Boretsky, and Hellman*, 425
- Koushima, H. See *Mizushima, Sato, Negishi, Okamoto, Nii, Hashimoto, Umeda, Nawa, and Kanamori*, 929
- Koyama, Y., Ichikawa, T., and Nakano, E. Cloning, Sequence Analysis, and Expression in *Escherichia coli* of the Gene Encoding the *Candida utilis* Urate Oxidase (Uricase), 969
- Kubo, T. See *Adachi and Natori*, 1239
- Kudoh, A. See *Okumura, Takashima, Inoue, Sakai, and Kido*, 856
- Kuge, O. See *Karasawa, Kawasaki, Nishijima, Nakano, Tomita, Yokoyama, Setaka, and Nojima*, 838
- Kugimiya, W. See *Kohn, Funatsu, Mikami, Matsuo, and Morita*, 505
- Kumagai, H. See *Sakai, Sakabe, Sasaki, Hashimoto, Suzuki, Tachi, and Sakabe*, 26
- Kurata, Sho-ichiro. See *Hirakura, Alvarez-Bravo, Natori, and Kirino*, 1130
- Kurata, Shun-ichi. See *Matsumoto, Saito, Ohara, and Hoshi*, 1079
- , Matsumoto, M., and Yamashita, U. Concomitant Transcriptional Activation of Nitric Oxide Synthase and Heme Oxygenase Genes during Nitric Oxide-Mediated Macrophage Cytostasis, 49
- Kuroda, R., Kinoshita, J., Honsho, M., Mitoma, J., and Ito, A. In Situ Topology of Cytochrome b_5 in the Endoplasmic Reticulum Membrane, 828
- Kuroki, M. See *Arakawa, Kuwahara, Senba, Ozaki, Matsuoka, Misumi, Kanda, and Watanabe*, 657
- Kurumiya, T. See *Ohmae, Makino, and Gekko*, 946
- Kusumoto, S. See *Minamida, Aoki, Natsuka, Omichi, Fukase, and Hase*, 1002
- Kuwahara, M. See *Arakawa, Kuroki, Senba, Ozaki, Matsuoka, Misumi, Kanda, and Watanabe*, 657

L

- Lawrence, A.J. See *Ahmed, Kelly, Mezna, and Price*, 1224
- Lee, B.H. See *Hibino, Yajima, Odani, Yamuchi, and Takabe*, 556
- Lee, S.-C. See *Chuang, Tai, Kahn, Wu, and Lin*, 111
- Lee, S.E., Suh, J.M., Scheffter, S., Patterson, J.L., and Chung, I.K. Identification of a Ribosomal Frameshift in *Leishmania* RNA Virus 1-4, 22
- Lim, B.O. See *Yamada, Hung, Yoshimura, Taniguchi, and Sugano*, 138
- Lin, B.J. See *Chuang, Tai, Kahn, Wu, and Lee*, 111
- Luo, D., Mah, N., Wishart, D., Zhang, Y., Jacobs, F., and Martin, L. Construction and Expression of Bi-Functional Proteins of Single-Chain Fv with Effector Domains, 229

M

- Mah, N. See *Luo, Wishart, Zhang, Jacobs, and Martin*, 229
- Mai, A., Jung, S.-K., Tachikawa, H., and Fujimoto, D. A Novel β -Galactoside-Binding Lectin in Cultured Murine Lymphocytic Leukemia Cells, 478
- Makar, T.K. See *Kato, Asano, and Cooper*, 531
- Makifuchi, S., Takeuchi, M., Kawahire, S., Odani, S., Ichimura, T., Omata, S., and Horigome, T. Characterization of p92, Karyopherin β , Co-Purified with *N*-Acetylglucosamine-Bearing Nucleoporins from Rat Liver Nuclear Envelopes, 716
- Makino, S. See *Ohmae, Kurumiya, and Gekko*, 946
- Mano, C. See *Nakazawa, Morita, Nakano, and Tozawa*, 117
- Martin, L. See *Luo, Mah, Wishart, Zhang, and Jacobs*, 229
- Maru, I., Ohnishi, J., Ohta, Y., Hashimoto, W., Tsukada, Y., Murata, K., and Mikami, B. Crystallization and Preliminary X-Ray Diffraction Studies of *N*-Acyl-D-glucosamine 2-Epimerase from Porcine Kidney, 481
- Maruyama, H. See *Itoh, Tomita, Kobayashi, Uchino, and Nawa*, 271

- Masuda, H., Tanaka, K., Takagi, M., Ohgami, K., Sakamaki, T., Shibata, N., and Takahashi, K. Molecular Cloning and Characterization of Human Non-Smooth Muscle Calponin, 415
- Masuda, W. See *Takenaka, Tsuyama, Tamura, Miyatake, and Nakano*, 792
- Masuda, Y. See *Takeda, Yamamoto, Hirabayashi, Nakamura, and Nakaya*, 353
- , See *Kamaishi, Hashimoto, Nakamura, Nakamura, Okamoto, Shimizu, and Hasegawa*, 1095
- Masujima, T. See *Iheda and Sugiyama*, 1141
- Masushige, S. See *Arao, Miyatake, Yamamoto, Usiku, Matsuura, Ninomiya, Hasegawa, and Kato*, 710
- Matsuda, K. See *Degawa, Arai, and Hashimoto*, 547
- Matsuda, Y. See *Motaleb, Takihara, Nomura, Higashinagawa, and Shimada*, 797
- , See *Nomura, Zou, Joh, Takihara, and Shimada*, 987
- Matsui, H. See *Sasaki, Yamada, Dohi, Hirakawa, Sakanashi, and Yonemasu*, 306
- Matsui, K. See *Ohyashiki, Karino, and Suzuki*, 895
- Matsumoto, I. See *Yoneda, Kojima, Yamamoto, and Ogawa*, 954
- Matsumoto, K. See *Aoki, Takahashi, and Nakamura*, 961
- Matsumoto, M. See *Kurata and Yamashita*, 49
- , Saito-Ohara, F., Hoshi, M., and Kurata, S. Cloning and Sequencing of Mouse Complementary DNA for Heme Oxygenase-2, 1079
- Matsumura, S. See *Tian, Toda, and Higa-shino*, 1153
- Matsunaga, I., Oka, S., Fujiwara, N., and Yano, I. Relationship between Induction of Macrophage Chemotactic Factors and Formation of Granulomas Caused by Mycoloyl Glycolipids from *Rhodococcus ruber* (*Nocardia rubra*), 663
- Matsuo, T. See *Kohn, Funatsu, Mikami, Kugimiya, and Morita*, 505
- Matsuoka, Y. See *Arakawa, Kuroki, Kuwahara, Senba, Ozaki, Misumi, Kanda, and Watanabe*, 657
- Matsusaka, T. See *Nemoto, Ota, Takagi, Collinge, and Walther-Larsen*, 249
- Matsushima, M. See *Nakamura, Song, and Kikuchi*, 525
- Matsuura, A. See *Arao, Miyatake, Yamamoto, Usiku, Ninomiya, Masushige, Hasegawa, and Kato*, 710
- Matsuura, H. See *Jiang, Kobayashi, Fukushima, and Hashimoto*, 624
- Matsuura, K. See *Nakanishi, Kakumoto, Deyashiki, Tanaka, Nonaka, Mitsui, and Hara*, 257
- Mazda, T. See *Nakano, Tobe, Choi-Miura, and Tomita*, 803
- Mezna, M. See *Ahmed, Kelly, Lawrence, and Price*, 1224
- Mibuka, K. See *Akasaki, Michihara, Fujiwara, and Tsuji*, 1088
- Michihara, A. See *Akasaki, Fujiwara, Mibuka, and Tsuji*, 1088
- Mihashi, K. See *Ooi*, 1104
- Mikami, B. See *Maru, Ohnishi, Ohta, Hashimoto, Tsukada, and Murata*, 481

M (cont'd)

- See *Kohno, Funatsu, Kugimiya, Matsuo, and Morita*, 505
- Miki, A. See *Takahashi, Tazunoki, Okada, Ohgami, Miwa, and Shibata*, 18
- Mikoshiha, K. See *Kojima, Fukuda, and Aruga*, 671
- Min-Seok, R., Kawamata, Y., Nakamura, H., Ohta, A., and Takagi, M. Isolation and Characterization of *ECT1* Gene Encoding CTP:Phosphoethanolamine Cytidyltransferase of *Saccharomyces cerevisiae*, 1040
- Minamida, S., Aoki, K., Natsuka, S., Omichi, K., Fukase, K., Kusumoto, S., and Hase, S. Detection of UDP-D-Xylose: α -D-Xyloside α 1 $\rightarrow$ 3Xylosyltransferase Activity in Human Hepatoma Cell Line HepG2, 1002
- Minoguchi, S. See *Nakamura and Izui*, 518
- Misugi, K. See *Mizushima, Miyagi, Kikkawa, Yamanaka, Yasumitsu, and Miyazaki*, 1196
- Misumi, Y. See *Arakawa, Kuroki, Kuwahara, Senba, Ozaki, Matsuoka, Kanda, and Watanabe*, 657
- Mitaka, T. See *Mizuguchi, Kojima, Hirata, Nakamura, and Mochizuki*, 511
- Mitoma, J. See *Kuroda, Kinoshita, Honsho, and Ito*, 828
- Mitsui, Y. See *Nakanishi, Kakumoto, Matsuura, Deyashiki, Tanaka, Nonaka, and Hara*, 257
- Miura, A. See *Suzuki, Tamiya-Koizumi, Takemura, Furuta, Izuta, Savoyesky, and Yoshida*, 766
- Miura, N. See *Ishida, Yoshioka, and Kawakita*, 1074
- , Ishida, N., Hoshino, M., Yamauchi, M., Hara, T., Ayusawa, D., and Kawakita, M. Human UDP-Galactose Translocator: Molecular Cloning of a Complementary DNA That Complements the Genetic Defect of a Mutant Cell Line Deficient in UDP-Galactose Translocator, 236
- Miura, R. See *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, and Setoyama*, 14
- See *Sugano and Morishima*, 780
- Miwa, T. See *Takahashi, Tazunoki, Okada, Ohgami, Miki, and Shibata*, 18
- Miyagi, Y. See *Mizushima, Kikkawa, Yamanaka, Yasumitsu, Misugi, and Miyazaki*, 1196
- Miyahara, I. See *Mizutani, Hirotsu, Nishina, Shiga, Setoyama, and Miura*, 14
- Miyamoto, T., Hayashi, M., Takeuchi, A., Okamoto, T., Kawashima, S., Takii, T., Hayashi, H., and Onozaki, K. Identification of a Novel Growth-Promoting Factor with a Wide Target Cell Spectrum from Various Tumor Cells as Catalase, 725
- Miyatake, K. See *Takenaka, Masuda, Tsuyama, Tamura, and Nakano*, 792
- Miyatake, N. See *Arao, Yamamoto, Usiku, Matsuura, Ninomiya, Masushige, Hasegawa, and Kato*, 710
- Miyazaki, J.-I. See *Tobita, Hiraide, and Ishimoda-Takagi*, 922
- Miyazaki, K. See *Mizushima, Miyagi, Kikkawa, Yamanaka, Yasumitsu, and Misugi*, 1196
- Miyazawa, S. See *Jiang and Hashimoto*, 633
- Miyazono, K. See *Harumiya, Takeda, Sugura, Fukumoto, Tachikawa, Fujimoto, and Ichijo*, 745
- Miyoshi, E. See *Uozumi, Teshima, Yamamoto, Nishikawa, Gao, Gao, Noda, Islam, Ihara, Fujii, Shiba, and Taniguchi*, 385
- Miyoshi, H. See *Yamashita, Hatano, and Iwamura*, 377
- Mizuguchi, H. See *Ishii, Nishino, Hayashi, and Kagamiyama*, 369
- Mizuguchi, T., Mitaka, T., Kojima, T., Hirata, K., Nakamura, T., and Mochizuki, Y. Recovery of mRNA Expression of Tryptophan 2,3-Dioxygenase and Serine Dehydratase in Long-Term Cultures of Primary Rat Hepatocytes, 511
- Mizuno, K. and Hayashi, T. Separation of the Subtypes of Type V Collagen Molecules, [α 1(V)] $_2$ α 2(V) and α 1(V) α 2(V) α 3(V), by Chain Composition-Dependent Affinity for Heparin: Single α 1(V) Chain Shows Intermediate Heparin Affinity between Those of the Type V Collagen Subtypes Composed of [α 1(V)] $_2$ α 2(V) and α 1(V) α 2(V) α 3(V), 934
- Mizushima, H., Miyagi, Y., Kikkawa, Y., Yamanaka, N., Yasumitsu, H., Misugi, K., and Miyazaki, K. Differential Expression of Laminin-5/Ladisin Subunits in Human Tissues and Cancer Cell Lines and Their Induction by Tumor Promoter and Growth Factors, 1196
- Mizushima, S., Sato, H., Negishi, T., Koushima, H., Okamoto, A., Nii, A., Hashimoto, T., Umeda, F., Nawata, H., and Kanamori, T. Isolation and Characterization of the Human Chromosomal Gene for Prostacyclin-Stimulating Factor, 929
- Mizutani, H., Miyahara, I., Hirotsu, K., Nishina, Y., Shiga, K., Setoyama, C., and Miura, R. Three-Dimensional Structure of Porcine Kidney D-Amino Acid Oxidase at 3.0 Å Resolution, 14
- Mochizuki, K. See *Muneyuki, Hisabori, Sasayama, and Yoshida*, 940
- Mochizuki, Y. See *Mizuguchi, Mitaka, Kojima, Hirata, and Nakamura*, 511
- Momoi, T. See *Kobayashi, Shinozaki, Arahata, and Tsukahara*, 699
- Mori, T. See *Asoh, Hayashi, and Ohta*, 600
- Morihara, N. See *Adachi, Yamazaki, Yamada, Futemba, Kato, and Hirano*, 184
- Morii, H. See *Shimizu*, 1176
- Morioka, S. See *Ogata, Ohno, and Terao*, 869
- Morishima, N. See *Sugano and Miura*, 780
- Morita, A. See *Nakazawa, Nakano, Mano, and Tozawa*, 117
- Morita, F. See *Kato*, 189, 580
- Morita, Y. See *Kohno, Funatsu, Mikami, Kugimiya, and Matsuo*, 505
- Moriyama, Maiko. See *Tsutsui, Arima, Ohtsubo, Tanaka, and Ozawa*, 1034
- Moriyama, Mitsuaki. See *Kimura, Hamada, Kannan, Shiota, Sakurada, Musashi, and Sugano*, 488
- Motaleb, M.A., Takiyama, Y., Nomura, M., Matsuda, Y., Higashinakagawa, T., and Shimada, K. Structural Organization of the *rae28* Gene, a Putative Murine Homologue of the *Drosophila polyhomeotic* Gene, 797
- Motoyama, S. See *Yasunaga, Nose, Kodama, Kondo, and Shimohigashi*, 459
- Muneyuki, E., Hisabori, T., Sasayama, T., Mochizuki, K., and Yoshida, M. The Heterogeneous Interaction of Substoichiometric TNP-ATP and F₁-ATPase from *Escherichia coli*, 940
- Murakami, J. See *Ohtani, Takagi, Hirano, and Sasaki*, 1203
- Murakami, K. See *Hosaka, Toda, Takatsu, Torii, and Nakayama*, 813
- Muraki, T. See *Tsukahara, Hattori, and Sakaki*, 820
- Muraoka, M. See *Nakazato, Adachi, and Hayashi*, 889
- Murata, K. See *Maru, Ohnishi, Ohta, Hashimoto, Tsukada, and Mikami*, 481
- Murata, T., Itoh, T., Hayakawa, Y., and Usui, T. Convenient Synthesis of β -(1 $\rightarrow$ 3)-Galactosyl Disaccharide α -Glycoside and Its Analogs as Mimic Units of Mucin-Type Carbohydrate, 851
- Murayama, O., Nishida, H., and Sekiguchi, K. Novel Peptide Ligands for Integrin α 6 β 1 Selected from a Phage Display Library, 445
- Murciano, J.C. See *Alvarez, Herráez, Jordán, Díez, and Tejedor*, 286
- Muro, Y. See *Sugimoto, Yamada, and Hime-no*, 153
- Musashi, M. See *Kimura, Hamada, Moriyama, Kannan, Shiota, Sakurada, and Sugano*, 488

N

- Nagai, Y. See *Watanabe, Nara, Takahashi, and Sanai*, 1020
- Nagayama, R. See *Kawabata, Hirata, Shigenaga, Agarwala, Saito, Cho, Nakajima, Takagi, and Iwanaga*, 1253
- Nakabayashi, Y. and Nishigaki, K. Single-Strand Conformation Polymorphism (SSCP) Can Be Explained by Semistable Conformation Dynamics of Single-Stranded DNA, 320
- Nakahara, K. and Shoun, H. N-Terminal Processing and Amino Acid Sequence of Two Isoforms of Nitric Oxide Reductase Cytochrome P450nor from *Fusarium oxysporum*, 1082
- Nakajima, H. See *Kawabata, Nagayama, Hirata, Shigenaga, Agarwala, Saito, Cho, Takagi, and Iwanaga*, 1253
- Nakamura, F. See *Kamaishi, Hashimoto, Nakamura, Masuda, Okamoto, Shimizu, and Hasegawa*, 1095
- Nakamura, H. See *Min-Seok, Kawamata, Ohta, and Takagi*, 1040
- Nakamura, K., Nukada, T., Imai, K., and Sugiyama, H. Importance of N-Terminal Regions of G Protein α Subunits for the Activation of Phospholipase C in *Xenopus* Oocytes, 996
- Nakamura, S., Matsushima, M., Song, H., and Kikuchi, M. A Role of PDI in the Reductive Cleavage of Mixed Disulfides, 525
- Nakamura, Toshikazu. See *Mizuguchi, Mitaka, Kojima, Hirata, and Mochizuki*, 511
- See *Aoki, Takahashi, and Matsumoto*, 961
- Nakamura, Tsutomu, Minoguchi, S., and Izui, K. Purification and Characterization of Recombinant Phosphoenolpyruvate Carboxylase of *Thermus* sp., 518

N (cont'd)

- Nakamura, Yoshihiro. See *Kamaishi, Hashimoto, Masuda, Nakamura, Okamoto, Shimizu, and Hasegawa*, 1095
- Nakamura, Yoshiko. See *Takeda, Masuda, Yamamoto, Hirabayashi, and Nakaya*, 353
- Nakanishi, M., Kakumoto, M., Matsuura, K., Deyashiki, Y., Tanaka, N., Nonaka, T., Mitsui, Y., and Hara, A. Involvement of Two Basic Residues (Lys-17 and Arg-39) of Mouse Lung Carbonyl Reductase in NADP-(H)-Binding and Fatty Acid Activation: Site-Directed Mutagenesis and Kinetic Analyses, 257
- Nakanishi, T. See *Ishimizu, Sato, Saito, Yoshimura, Norioka, and Sakiyama*, 326
- See *Norioka, Norioka, Ohnishi, Ishimizu, Oneyama, and Sakiyama*, 335
- Nakano, A. See *Yamanushi, Hirata, and Oka*, 452
- Identification and Characterization of Extragenic Suppressors of the Yeast *sec12* Mutation, 642
- Nakano, E. See *Koyama and Ichikawa*, 969
- Nakano, H. See *Nakazawa, Morita, Mano, and Tozawa*, 117
- Nakano, Yasuko. See *Karasawa, Kuge, Kawasaki, Nishijima, Tomita, Yokoyama, Setaka, and Nojima*, 838
- , Tobe, T., Choi-Miura, N.-H., Mazda, T., and Tomita, M. Isolation and Characterization of GBP28, a Novel Gelatin-Binding Protein Purified from Human Plasma, 803
- Nakano, Yoshihisa. See *Takenaka, Masuda, Tsuyama, Tamura, and Miyatake*, 792
- Nakao, Masahiko. See *Hashizume and Sato*, 61
- Nakao, Mitsuyoshi. and Sasaki, H. Genomic Imprinting: Significance in Development and Diseases and the Molecular Mechanisms, 467
- Nakashizuka, M. See *Yamamoto, Kodama, Kajihara, and Terada*, 104
- Nakaya, K. See *Takeda, Masuda, Yamamoto, Hirabayashi, and Nakamura*, 353
- Nakaya, M. See *Chaen, Guo, and Watabe*, 788
- Nakayama, Kazuhisa. See *Hosaka, Toda, Takatsu, Torii, and Murakami*, 813
- Nakayama, Kazuo. See *Shimoji, Itoh, Toide, Aizawa, and Kamataki*, 42
- Nakayama, Koji. See *Okamoto, Kadowaki, and Yamamoto*, 398
- Nakazato, K., Muraoka, M., Adachi, E., and Hayashi, T. Gelation of the Lens Capsule Type IV Collagen Solution at a Neutral pH, 889
- Nakazawa, K., Morita, A., Nakano, H., Mano, C., and Tozawa, N. Keratan Sulfate Synthesis by Corneal Stromal Cells within Three-Dimensional Collagen Gel Cultures, 117
- Nara, K. See *Watanabe, Takahashi, Nagai, and Sanai*, 1020
- Narita, M. See *Ishida, Nozaki, and Horiike*, 346
- Narumiya, S. The Small GTPase Rho: Cellular Functions and Signal Transduction, 215
- Natori, S. See *Hirakura, Alvarez-Bravo, Kurata, and Kirino*, 1130
- See *Adachi and Kubo*, 1239
- Natsuka, S. See *Minamida, Aoki, Omichi, Fukase, Kusumoto, and Hase*, 1002
- Nawa, Y. See *Itoh, Tomita, Kobayashi, Uchino, and Maruyama*, 271
- Nawata, H. See *Mizushima, Sato, Negishi, Koushima, Okamoto, Nii, Hashimoto, Umeda, and Kanamori*, 929
- Nazzaro, F. See *D'Auria, Cara, Vespa, and Rossi*, 498
- Negishi, T. See *Mizushima, Sato, Koushima, Okamoto, Nii, Hashimoto, Umeda, Nawata, and Kanamori*, 929
- Nemoto, T., Matsusaka, T., Ota, M., Takagi, T., Collinge, D.B., and Walther-Larsen, H. Dimerization Characteristics of the 94-kDa Glucose-Regulated Protein, 249
- Ngo, C. See *Castillo, Cummings, Yang, and Snow*, 433
- Nii, A. See *Mizushima, Sato, Negishi, Koushima, Okamoto, Hashimoto, Umeda, Nawata, and Kanamori*, 929
- Niki, I., Yokokura, H., Sudo, T., Kato, M., and Hidaka, H. Ca^{2+} Signaling and Intracellular Ca^{2+} Binding Proteins, 685
- Ninomiya, Yoshifumi. See *Iwata, Sado, Sasaki, Imamura, and Hayashi*, 133
- Ninomiya, Yuichi. See *Arao, Miyatake, Yamamoto, Usiku, Matsuura, Masushige, Hasegawa, and Kato*, 710
- Nishida, H. See *Murayama and Sekiguchi*, 445
- Nishigaki, K. See *Nakabayashi*, 320
- Nishijima, M. See *Karasawa, Kuge, Kawasaki, Nakano, Tomita, Yokoyama, Setaka, and Nojima*, 838
- Nishikawa, A. See *Uozumi, Teshima, Yamamoto, Gao, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, Shiba, and Taniguchi*, 385
- Nishimoto, T. See *Azuma, Seino, Seki, Uzawa, Klebe, Ohba, Wittinghofer, and Hayashi*, 82
- See *Seki and Hayashi*, 207
- Nishina, Y. See *Mizutani, Miyahara, Hirotsu, Shiga, Setoyama, and Miura*, 14
- See *Sato and Shiga*, 276
- Nishino, J. See *Ishii, Mizuguchi, Hayashi, and Kagamiyama*, 369
- Nishita, K. See *Inoue and Ojima*, 834
- Nisizawa, K. See *Amano, Shiroishi, Hoshino, and Kanda*, 1123
- Noda, K. See *Uozumi, Teshima, Yamamoto, Nishikawa, Gao, Miyoshi, Gao, Islam, Ihara, Fujii, Shiba, and Taniguchi*, 385
- Nojima, S. See *Karasawa, Kuge, Kawasaki, Nishijima, Nakano, Tomita, Yokoyama, and Setaka*, 838
- Nomura, M. See *Motaleb, Takiyara, Matsuda, Higashinakagawa, and Shimada*, 797
- , Zou, Z., Joh, T., Takiyara, Y., Matsuda, Y., and Shimada, K. Genomic Structures and Characterization of Rae1 Family Members Encoding GPI-Anchored Cell Surface Proteins and Expressed Predominantly in Embryonic Mouse Brain, 987
- Nonaka, T. See *Nakanishi, Kakumoto, Matsuura, Deyashiki, Tanaka, Mitsui, and Hara*, 257
- Norioka, N., Norioka, S., Ohnishi, Y., Ishimizu, T., Oneyama, C., Nakanishi, T., and Sakiyama, F. Molecular Cloning and Nucleotide Sequences of cDNAs Encoding S-Allele Specific Stylar RNases in a Self-Incompatible Cultivar and Its Self-Compatible Mutant of Japanese Pear, *Pyrus pyrifolia* Nakai, 335
- Norioka, S. See *Ishimizu, Sato, Saito, Yoshimura, Nakanishi, and Sakiyama*, 326
- See *Norioka, Ohnishi, Ishimizu, Oneyama, Nakanishi, and Sakiyama*, 335
- Nose, T. See *Yasunaga, Motoyama, Kodama, Kondo, and Shimohigashi*, 459
- Nozaki, M. See *Ishida, Narita, and Horiike*, 346
- Nucci, R. See *D'Auria, Rossi, Barone, Catanzano, Del Vecchio, and Graziano*, 292
- Nukada, T. See *Nakamura, Imai, and Sugiyama*, 996

O

- Obinata, T. See *Takuma, Ichida, Yokoyama, and Tamura*, 35
- Oda, K. See *Ito and Dunn*, 845
- , Ito, M., Uchida, K., Shibano, Y., Fukuhara, K., and Takahashi, S. Cloning and Expression of an Isovaleryl Pepstatin-Insensitive Carboxyl Proteinase Gene from *Xanthomonas* sp. T-22, 564
- Odani, A. See *Hibino, Lee, Yajima, Yamauchi, and Takabe*, 556
- Odani, S. See *Makifuchi, Takeuchi, Kawahire, Ichimura, Omata, and Horigome*, 716
- See *Sato, Baba, Takahashi, and Uchiumi*, 908
- Ogasahara, K. See *Funahashi, Takano, Yamagata, and Yutani*, 1216
- Ogata, F. See *Hiro, Tsugeno, Hirashiki, and Ito*, 759
- Ogata, K., Ohno, R., Morioka, S., and Terao, K. Further Study on Association of 5SrRNA-L5 Protein Complex and Methionyl-tRNA to Methionyl-tRNA Synthetase in the Macromolecular Aminoacyl-tRNA Synthetase Complex, 869
- Ogawa, H. See *Yoneda, Kojima, Matsumoto, and Yamamoto*, 954
- Ogishima, T. See *Song, Shimokata, Kitada, and Ito*, 1163
- Ohba, T. See *Azuma, Seino, Seki, Uzawa, Klebe, Wittinghofer, Hayashi, and Nishimoto*, 82
- Ohgami, K. See *Takahashi, Tazunoki, Okada, Miwa, Miki, and Shibata*, 18
- See *Masuda, Tanaka, Takagi, Sakamaki, Shibata, and Takahashi*, 415
- Ohkuma, S. See *Okamoto, Hiratani, and Arai*, 608
- Ohmae, E., Kurumiya, T., Makino, S., and Gekko, K. Acid and Thermal Unfolding of *Escherichia coli* Dihydrofolate Reductase, 946
- Ohnishi, J. See *Maru, Ohta, Hashimoto, Tsukada, Murata, and Mikami*, 481
- Ohnishi, Y. See *Norioka, Norioka, Ishimizu, Oneyama, Nakanishi, and Sakiyama*, 335
- Ohno, R. See *Ogata, Morioka, and Terao*, 869
- Ohshima, Y. See *Takahashi and Tani*, 677
- Ohta, A. See *Min-Seok, Kawamata, Nakamura, and Takagi*, 1040
- Ohta, S. See *Asoh, Mori, and Hayashi*, 600
- Ohta, Y. See *Maru, Ohnishi, Hashimoto, Tsukada, Murata, and Mikami*, 481
- Ohtani, A., Takagi, T., Hirano, A., Murakami, J., and Sasaki, Y. Inhibitory Effect of a New Butadiene Derivative on the Produc-

O (cont'd)

- tion of Plasminogen Activator Inhibitor-1 in Cultured Bovine Endothelial Cells, 1203
- Ohtsubo, H. See *Tsutsui, Moriyama, Arima, Tanaka, and Ozawa*, 1034
- Ohtsuki, T., Vinayak, R., Watanabe, Y., Kita, K., Kawai, G., and Watanabe, K. Automated Chemical Synthesis of Biologically Active tRNA Having a Sequence Corresponding to *Ascaris suum* Mitochondrial tRNA^{Met} toward NMR Measurements, 1070
- Ohyashiki, T., Karino, T., Suzuki, S., and Matsui, K. Effect of Aluminum Ion on Fe²⁺-Induced Lipid Peroxidation in Phospholipid Liposomes under Acidic Conditions, 895
- Ojima, T. See *Inoue and Nishita*, 834
- Oka, S. See *Matsunaga, Fujiwara, and Yano*, 663
- Oka, T. See *Yamanushi, Hirata, and Nakano*, 452
- Okada, T. See *Takahashi, Tazunoki, Ohgami, Muwa, Miki, and Shibata*, 18
- Okamoto, A. See *Mizushima, Sato, Negishi, Koushima, Nii, Hashimoto, Umeda, Nawata, and Kanamori*, 929
- Okamoto, Ken-ichi. See *Kamaishi, Hashimoto, Nakamura, Masuda, Nakamura, Shimizu, and Hasegawa*, 1095
- Okamoto, Kuniaki, Kadowaki, T., Nakayama, K., and Yamamoto, K. Cloning and Sequencing of the Gene Encoding a Novel Lysine-Specific Cysteine Proteinase (Lys-Gingipain) in *Porphyromonas gingivalis*: Structural Relationship with the Arginine-Specific Cysteine Proteinase (Arg-Gingipain), 398
- Okamoto, M., Hiratani, N., Arai, K., and Ohkuma, S. Properties of H⁺-ATPase from Rat Liver Lysosomes as Revealed by Reconstitution into Proteoliposomes, 608
- Okamoto, T. See *Miyamoto, Hayashi, Takeuchi, Kawashima, Takii, Hayashi, and Onozaki*, 725
- Okamoto, Y. See *Hasegawa and Kikuta*, 901
- Okamura, N. See *Sasaki, Yamaguchi, Saeki, Yamane, and Ishibashi*, 705
- Okumura, Y., Kudoh, A., Takashima, M., Inoue, M., Sakai, K., and Kido, H. Purification and Characterization of a Novel Isoform of Mast Cell Tryptase from Rat Tongue, 856
- Okuno, S. See *Sugai, Takeuchi, and Fujisawa*, 773
- Omata, S. See *Makifuchi, Takeuchi, Kawahire, Odani, Ichimura, and Horigome*, 716
- Omichi, K. See *Minamida, Aoki, Natsuka, Fukase, Kusumoto, and Hase*, 1002
- Oneyama, C. See *Norioka, Norioka, Ohnishi, Ishimizu, Nakanishi, and Sakiyama*, 335
- Onozaki, K. See *Miyamoto, Hayashi, Takeuchi, Okamoto, Kawashima, Takii, and Hayashi*, 725
- Ooi, A. and Mihashi, K. Effects of Subtilisin Cleavage of Monomeric Actin on Its Nucleotide Binding, 1104
- Osaka, F. See *Yamaguchi, Kim, Sekine, Seino, Yamao, and Kato*, 494
- Oshima, T. See *Zhang, Iwasaki, and Wakagi*, 587
- Osumi, M. See *Kawachi, Atomi, Ueda, Hashimoto, Kobayashi, Yoshida, Kamasawa, and Tanaka*, 731
- Ota, M. See *Nemoto, Matsusaka, Takagi, Collinge, and Walther-Larsen*, 249
- Ozaki, Hiroaki. See *Arakawa, Kuroki, Kuwahara, Senba, Matsuoka, Misumi, Kanda, and Watanabe*, 657
- Ozaki, Hiroshi. See *Saito, Watabe, Kigoshi, Yamada, Fusetani, and Karaki*, 552
- Ozato, K. See *Yoneyama, Suhara, Fukuhara, Sato, and Fujita*, 160
- Ozawa, M. See *Tsutsui, Moriyama, Arima, Ohtsubo, and Tanaka*, 1034
- P
- Patterson, J.L. See *Lee, Suh, Scheffter, and Chung*, 22
- Philo, J.S. See *Kasahara, Hayashi, Arakawa, Wen, Hara, and Yamaguchi*, 177
- Pohl, J. See *Ahmed, Fink, and Vasta*, 1007
- Price, N.C. See *Ahmed, Kelly, Lawrence, and Mezna*, 1224
- Pittsytyn, L. See *Battchikova, Koivulehto, Denesyuk, Boretsky, Hellman, and Korpela*, 425
- R
- Rinken, A. Formation of the Functional Complexes of m2 Muscarinic Acetylcholine Receptors with GTP-Binding Regulatory Proteins in Solution, 193
- Rossi, M. See *D'Auria, Barone, Catanzano, Del Vecchio, Graziano, and Nucci*, 292
- See *D'Auria, Cara, Nazzaro, and Vespa*, 498
- S
- Sado, Y. See *Iwata, Sasaki, Imamura, Ninomiya, and Hayashi*, 133
- Saeki, S. See *Sasaki, Yamaguchi, Yamane, Okamura, and Ishibashi*, 705
- Saigo, K. See *Zenno, Koike, and Tanokura*, 736
- Saito, S., Watabe, S., Ozaki, H., Kigoshi, H., Yamada, K., Fusetani, N., and Karaki, H. Novel Actin Depolymerizing Macrolide Aplyronine A, 552
- Saito, Tetsu. See *Kawabata, Nagayama, Hirata, Shigenaga, Agarwala, Cho, Nakajima, Takagi, and Iwanaga*, 1253
- Saito, Toshihiro. See *Ishimizu, Sato, Yoshimura, Norioka, Nakanishi, and Sakiyama*, 326
- Saito-Ohara, F. See *Matsumoto, Hoshi, and Kurata*, 1079
- Sakabe, K. See *Sakai, Sakabe, Sasaki, Hashimoto, Suzuki, Tachi, and Kumagai*, 26
- Sakabe, N. See *Sakai, Sasaki, Hashimoto, Suzuki, Tachi, Kumagai, and Sakabe*, 26
- Sakai, H., Sakabe, N., Sasaki, K., Hashimoto, W., Suzuki, H., Tachi, H., Kumagai, H., and Sakabe, K. A Preliminary Description of the Crystal Structure of γ -Glutamyltranspeptidase from *E. coli* K-12, 26
- Sakai, K. See *Okumura, Kudoh, Takashima, Inoue, and Kido*, 856
- Sakai, N. See *Sato, Enokido, Uchiyama, and Hatanaka*, 540
- Sakaki, Y. See *Tsukahara, Hattori, and Muraki*, 820
- Sakamaki, T. See *Masuda, Tanaka, Takagi, Ohgami, Shibata, and Takahashi*, 415
- Sakamoto, H. See *Sakashita*, 1028
- Sakanashi, T. See *Sasaki, Yamada, Matsui, Dohi, Hirakawa, and Yonemasu*, 306
- Sakashita, E. and Sakamoto, H. Protein-RNA and Protein-Protein Interactions of the *Drosophila* Sex-Lethal Mediated by Its RNA-Binding Domains, 1028
- Sakiyama, F. See *Ishimizu, Sato, Saito, Yoshimura, Norioka, and Nakanishi*, 326
- See *Norioka, Norioka, Ohnishi, Ishimizu, Oneyama, and Nakanishi*, 335
- Sakurada, K. See *Kimura, Hamada, Moriyama, Kannan, Shiota, Musashi, and Sugano*, 488
- Sanai, Y. See *Watanabe, Nara, Takahashi, and Nagai*, 1020
- Sasaki, H. See *Nakao*, 467
- Sasaki, J., Yamaguchi, M., Saeki, S., Yamane, H., Okamura, N., and Ishibashi, S. Sphingosine Inhibition of NADPH Oxidase Activation in a Cell-Free System, 705
- Sasaki, K. See *Sakai, Sakabe, Hashimoto, Suzuki, Tachi, Kumagai, and Sakabe*, 26
- Sasaki, M. and Enami, J. Structure and Expression of a Murine Homologue of *sky* Receptor Tyrosine Kinase Gene, 264
- Sasaki, Takako, Yamada, H., Matsui, H., Dohi, Y., Hirakawa, Y., Sakanashi, T., and Yonemasu, K. Effects of Transfer of Hybridomas Producing Various Isotypes of Immunoglobulins on the Clq Metabolism in Mice, 306
- Sasaki, Tasuku. See *Iwata, Sado, Imamura, Ninomiya, and Hayashi*, 133
- Sasaki, Y. See *Ohtani, Takagi, Hirano, and Murakami*, 1203
- Sasayama, T. See *Muneyuki, Hisabori, Mochizuki, and Yoshida*, 940
- Sato, A. See *Asayama, Suzuki, Aida, Tanaka, Takahashi, and Shirai*, 752
- Sato, H. See *Mizushima, Negishi, Koushima, Okamoto, Nii, Hashimoto, Umeda, Nawata, and Kanamori*, 929
- Sato, Kazuki. See *Higashi, Yoshida, and Yamagata*, 66
- Sato, Kyosuke, Nishina, Y., and Shiga, K. In Vitro Refolding and Unfolding of Subunits of Electron-Transferring Flavoprotein: Characterization of the Folding Intermediates and the Effects of FAD and AMP on the Folding Reaction, 276
- Sato, M. See *Yoneyama, Suhara, Fukuhara, Ozato, and Fujita*, 160
- Sato, Takashi. See *Hashizume and Nakao*, 61
- See *Ishimoto and Akiba*, 616
- See *Ishimoto, Arisato, and Akiba*, 1247
- Sato, Tetsuro, Baba, K., Takahashi, Y., Uchiyama, T., and Odani, S. Rat Liver Fatty Acid-Binding Protein: Identification of a Molecular Species Having a Mixed Disulfide with Cysteine at Cysteine-69 and Enhanced Protease Susceptibility, 908
- Sato, Y. See *Ishimizu, Saito, Yoshimura, Norioka, Nakanishi, and Sakiyama*, 326
- Sato, T., Sakai, N., Enokido, Y., Uchiyama, Y., and Hatanaka, H. Free Radical-Independent Protection by Nerve Growth Factor and Bcl-2 of PC12 Cells from Hydrogen Peroxide-Triggered Apoptosis, 540
- Savoysky, E. See *Suzuki, Tamiya-Koizumi,*

S (cont'd)

- Takemura, Furuta, Izuta, Miura, and Yoshida, 766
- Scheffter, S. See Lee, Suh, Patterson, and Chung, 22
- Seino, H. See Azuma, Seki, Uzawa, Klebe, Ohba, Wittinghofer, Hayashi, and Nishimoto, 82
- See Yamaguchi, Kim, Sekine, Osaka, Yamao, and Kato, 494
- Seki, T. See Azuma, Seino, Uzawa, Klebe, Ohba, Wittinghofer, Hayashi, and Nishimoto, 82
- , Hayashi, N., and Nishimoto, T. RCC1 in the Ran Pathway, 207
- Sekiguchi, Kazuo. See Kameyama, Shearman, and Kameyama, 170
- Sekiguchi, Kiyotoshi. See Murayama and Nishida, 445
- Sekine, S. See Yamaguchi, Kim, Seino, Osaka, Yamao, and Kato, 494
- Senba, T. See Arakawa, Kuroki, Kuwahara, Ozaki, Matsuoka, Misumi, Kanda, and Watanabe, 657
- Setaka, M. See Karasawa, Kuge, Kawasaki, Nishijima, Nakano, Tomita, Yokoyama, and Nojima, 838
- Setoyama, C. See Mizutani, Miyahara, Hirotsu, Nishina, Shiga, and Miura, 14
- Shearman, M.S. See Kameyama, Sekiguchi, and Kameyama, 170
- Shiba, T. See Uozumi, Teshima, Yamamoto, Nishikawa, Gao, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, and Taniguchi, 385
- Shibahara, S. See Suzuki, Takahashi, Yasumoto, and Fuse, 1048
- Shibano, Y. See Oda, Ito, Uchida, Fukuhara, and Takahashi, 564
- Shibata, Naoki, Yamamoto, H., Inoue, T., Uemura, K., Yokota, A., and Kai, Y. Crystallization and Preliminary Crystallographic Studies of Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase from a Red Alga, *Caldieria partita*, with a High Specificity Factor, 1064
- Shibata, Nobuhiko. See Takahashi, Tazunoki, Okada, Ohgami, Miwa, and Miki, 18
- See Masuda, Tanaka, Takagi, Ohgami, Sakamaki, and Takahashi, 415
- Shiga, K. See Mizutani, Miyahara, Hirotsu, Nishina, Setoyama, and Miura, 14
- See Sato and Nishina, 276
- Shigenaga, T. See Kawabata, Nagayama, Hirata, Agarwala, Saito, Cho, Nakajima, Takagi, and Iwanaga, 1253
- Shimada, K. See Motaleb, Takihara, Nomura, Matsuda, and Higashinakagawa, 797
- See Nomura, Zou, Joh, Takihara, and Matsuda, 987
- Shimizu, M. See Kamaishi, Hashimoto, Nakamura, Masuda, Nakamura, Okamoto, and Hasegawa, 1095
- Shimizu, T. and Morii, H. Comparison of ncd and Kinesin Motor Domains by Circular Dichroism Spectroscopy, 1176
- Shimohigashi, Y. See Yasunaga, Motoyama, Nose, Kodama, and Kondo, 459
- Shimoi, M., Itoh, S., Toide, K., Nakayama, K., Aizawa, S., and Kamataki, T. Application of Primary Hepatocytes from p53-Knockout Mice for Studies of Expression of Cyp3a, 42
- Shimokata, K. See Song, Kitada, Ogishima, and Ito, 1163
- Shimoyama, M. See Terashima, Badruzaman, and Tsuchiya, 1209
- Shimura, K. and Kasai, K. Determination of the Affinity Constants of Pea Lectin for Neutral Sugars by Capillary Affinophoresis with a Monoligand Affinophore, 1146
- Shimura, Y. See Achsel, 53
- Shinkai, A., Hirano, A., and Aisaka, K. Substitutions of Ser for Asn-163 and Pro for Leu-264 Are Important for Stabilization of Lipase from *Pseudomonas aeruginosa*, 915
- Shinozaki, A. See Kobayashi, Momoi, Arakata, and Tsukahara, 699
- Shintani, T., Kobayashi, M., and Ichishima, E. Characterization of the S₁ Subsite Specificity of Aspergillopepsin I by Site-Directed Mutagenesis, 974
- Shiota, M. See Kimura, Hamada, Moriyama, Kannan, Sakurada, Musashi, and Sugano, 488
- Shirai, M. See Asayama, Suzuki, Sato, Aida, Tanaka, and Takahashi, 752
- Shiroishi, M. See Amano, Nisizawa, Hoshino, and Kanda, 1123
- Shoun, H. See Nakahara, 1082
- Sinohara, H. See Yamamoto and Yamamoto, 145
- See Iwasaki and Suzuki, 1167
- Snow, A.D. See Castillo, Cummings, Ngo, and Yang, 433
- Song, H. See Nakamura, Matsushima, and Kikuchi, 525
- Song, M.-C., Shimokata, K., Kitada, S., Ogishima, T., and Ito, A. Role of Basic Amino Acids in the Cleavage of Synthetic Peptide Substrates by Mitochondrial Processing Peptidase, 1163
- Sudo, T. See Niki, Yokokura, Kato, and Hidaka, 685
- Sugai, R., Takeuchi, M., Okuno, S., and Fujisawa, H. Molecular Cloning of a Novel Protein Containing the Association Domain of Calmodulin-Dependent Protein Kinase II, 773
- Sugano, M. See Yamada, Hung, Yoshimura, Taniguchi, and Lim, 138
- Sugano, S., Miura, R., and Morishima, N. Identification of Intermediates in the Conversion of Cholesterol to Pregnenolone with a Reconstituted Cytochrome P-450_{sc} System: Accumulation of the Intermediate Modulated by the Adrenodoxin Level, 780
- Sugano, T. See Kimura, Hamada, Moriyama, Kannan, Shiota, Sakurada, and Musashi, 488
- Sugimoto, Kazunori. See Ishiguro, 98
- Sugimoto, Kenji, Yamada, T., Muro, Y., and Himeno, M. Human Homolog of *Drosophila* Heterochromatin-Associated Protein 1 (HP1) Is a DNA-Binding Protein Which Possesses a DNA-Binding Motif with Weak Similarity to That of Human Centromere Protein C (CENP-C), 153
- Sugiura, T. See Harumiya, Takeda, Fukumoto, Tachikawa, Miyazono, Fujimoto, and Ichijo, 745
- Sugiyama, E. See Taketomi, Hara, and Uemura, 573
- Sugiyama, H. See Nakamura, Nukada, and Imai, 996
- Sugiyama, M. See Ikeda and Masujima, 1141
- Suh, J.M. See Lee, Scheffter, Patterson, and Chung, 22
- Suhara, W. See Yoneyama, Fukuhara, Sato, Ozato, and Fujita, 160
- Suzuki, Hidechika. See Asayama, Sato, Aida, Tanaka, Takahashi, and Shirai, 752
- Suzuki, Hideyuki. See Sakai, Sakabe, Sasaki, Hashimoto, Tachi, Kumagai, and Sakabe, 26
- Suzuki, Hiroyuki, Takahashi, K., Yasumoto, K., Fuse, N., and Shibahara, S. Differential Tissue-Specific Expression of Neurofibromin Isoform mRNAs in Rat, 1048
- Suzuki, J. See Watanabe and Kobayashi, 1190
- Suzuki, M., Tamiya-Koizumi, K., Takemura, M., Furuta, K., Izuta, S., Savoyaky, E., Miura, A., and Yoshida, S. Replication Protein-A Mediates the Association of Calf Thymus DNA Polymerase α -DNA Primase Complex with Guanine-Rich DNA Sequence, 766
- Suzuki, S. See Ohyashiki, Karino, and Matsui, 895
- Suzuki, Y. See Iwasaki and Sinohara, 1167

T

- Tachi, H. See Sakai, Sakabe, Sasaki, Hashimoto, Suzuki, Kumagai, and Sakabe, 26
- Tachikawa, H. See Mai, Jung, and Fujimoto, 478
- See Harumiya, Takeda, Sugiura, Fukumoto, Miyazono, Fujimoto, and Ichijo, 745
- Tada, K. See Iritani and Fukuda, 242
- Tai, T.-Y. See Chuang, Kahn, Wu, Lee, and Lin, 111
- Tajima, S. See Kimura and Ishihara, 1182
- Takabe, T. See Hibino, Lee, Yajima, Odani, and Yamauchi, 556
- Takagi, Masamichi. See Min-Seok, Kawamata, Nakamura, and Ohta, 1040
- Takagi, Michiko. See Masuda, Tanaka, Ohgami, Sakamaki, Shibata, and Takahashi, 415
- Takagi, Takashi. See Nemoto, Matsusaka, Ota, Collinge, and Walther-Larsen, 249
- Takagi, Tamotsu. See Ohtani, Hirano, Murakami, and Sasaki, 1203
- Takagi, Toshio. See Kawabata, Nagayama, Hirata, Shigenaga, Agarwala, Saito, Cho, Nakajima, and Iwanaga, 1253
- Takahashi, Hideo. See Asayama, Suzuki, Sato, Aida, Tanaka, and Shirai, 752
- Takahashi, Hiroshi. See Watanabe, Nara, Nagai, and Sanai, 1020
- Takahashi, Katsuhito. See Masuda, Tanaka, Takagi, Ohgami, Sakamaki, and Shibata, 415
- , Tazunoki, T., Okada, T., Ohgami, K., Miwa, T., Miki, A., and Shibata, N. The 5'-Flanking Region of the Human Smooth Muscle Cell Calponin Gene Contains a cis-Acting Domain for Interaction with a Methylated DNA-Binding Transcription Repressor, 18
- Takahashi, Kazuhiro. See Suzuki, Yasumoto, Fuse, and Shibahara, 1048
- Takahashi, Kenji. See Hirasawa and Athauda, 407

T (cont'd)

- . See *Tanji, Yakabe, and Kageyama*, 647
Takahashi, Kuniaki. See *Aoki, Matsumoto, and Nakamura*, 961
Takahashi, S. See *Oda, Ito, Uchida, Shibano, and Fukuhara*, 564
Takahashi, Yoshiaki. See *Sato, Baba, Uchi-umi, and Odani*, 908
Takahashi, Yuzi, Tani, T., and Ohshima, Y. Spliceosomal Introns in Conserved Sequences of U1 and U5 Small Nuclear RNA Genes in Yeast *Rhodotorula hasegawae*, 677
Takano, K. See *Funahashi, Ogasahara, Yamagata, and Yutani*, 1216
Takashima, M. See *Okumura, Kudoh, Inoue, Sakai, and Kido*, 856
Takatsu, H. See *Hosaka, Toda, Torii, Murakami, and Nakayama*, 813
Takeda, A., Masuda, Y., Yamamoto, T., Hirabayashi, T., Nakamura, Y., and Nakaya, K. Cloning and Analysis of cDNA Encoding Rat Bleomycin Hydrolase, a DNA-Binding Cysteine Protease, 353
Takeda, K. See *Harumiya, Sugiura, Fukumoto, Tachikawa, Miyazono, Fujimoto, and Ichijo*, 745
Takemura, M. See *Suzuki, Tamiya-Koizumi, Furuta, Izuta, Savovskiy, Miura, and Yoshida*, 766
Takenaka, S., Masuda, W., Tsuyama, S., Tamura, Y., Miyatake, K., and Nakano, Y. Purification and Characterization of Arginine-Mono-ADP-Ribosylhydrolase from *Euglena gracilis* Z, 792
Taketomi, T., Hara, A., Uemura, K., and Sugiyama, E. Rapid Method of Preparation of Lysoglycosphingolipids and Their Confirmation by Delayed Extraction Matrix-Assisted Laser Desorption Ionization Time-of-Flight Mass Spectrometry, 573
Takeuchi, A. See *Miyamoto, Hayashi, Okamoto, Kawashima, Takii, Hayashi, and Onozaki*, 725
Takeuchi, Masaki. See *Makifuchi, Kawahire, Odani, Ichimura, Omata, and Horigome*, 716
Takeuchi, Masayuji. See *Sugai, Okuno, and Fujisawa*, 773
Takahara, Y. See *Motaleb, Nomura, Matsuda, Higashinakagawa, and Shimada*, 797
 — . See *Nomura, Zou, Joh, Matsuda, and Shimada*, 987
Takii, T. See *Miyamoto, Hayashi, Takeuchi, Okamoto, Kawashima, Hayashi, and Onozaki*, 725
Takuma, T., Ichida, T., Yokoyama, N., Tamura, S., and Obinata, T. Dephosphorylation of Cofilin in Parotid Acinar Cells, 35
Tamegai, H. See *Kato, Ikegami, Usami, and Horikoshi*, 301
Tamiya-Koizumi, K. See *Suzuki, Takemura, Furuta, Izuta, Savovskiy, Miura, and Yoshida*, 766
Tamura, S. See *Takuma, Ichida, Yokoyama, and Obinata*, 35
Tamura, Y. See *Takenaka, Masuda, Tsuyama, Miyatake, and Nakano*, 792
Tanaka, Atsuo. See *Kawachi, Atomi, Ueda, Hashimoto, Kobayashi, Yoshida, Kama-sawa, and Osumi*, 731
Tanaka, Atsushi. See *Iwase, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, and Hotta*, 92, 393
Tanaka, H. See *Tsutsui, Moriyama, Arima, Ohtsubo, and Ozawa*, 1034
Tanaka, Kan. See *Asayama, Suzuki, Sato, Aida, Takahashi, and Shirai*, 752
Tanaka, Kazuhiko. See *Masuda, Takagi, Ohgami, Sakamaki, Shibata, and Takahashi*, 415
Tanaka, N. See *Nakanishi, Kakumoto, Matsuura, Deyashiki, Nonaka, Mitsui, and Hara*, 257
Tani, T. See *Takahashi and Ohshima*, 677
Taniguchi, N. See *Uozumi, Teshima, Yamamoto, Nishikawa, Gao, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, and Shiba*, 385
Taniguchi, S. See *Yamada, Hung, Yoshimura, Lim, and Sugano*, 138
Tanji, M., Yakabe, E., Kageyama, T., and Takahashi, K. The Primary Structure of the Major Pepsinogen from the Gastric Mucosa of Tuna Stomach, 647
Tanokura, M. See *Zenno, Koike, and Saigo*, 736
Tazunoki, T. See *Takahashi, Okada, Ohgami, Miwa, Miki, and Shibata*, 18
Tejedor, M.C. See *Alvarez, Herráez, Murciano, Jordán, and Díez*, 286
Terada, I. See *Yamamoto, Nakashizuka, Kodama, and Kajihara*, 104
Terao, K. See *Ogata, Ohno, and Morioka*, 869
Terashima, M., Badruzzaman, M., Tsuchiya, M., and Shimoyama, M. Exocytosis of Arginine-Specific ADP-Ribosyltransferase and p33 Induced by A23187 and Calcium or Serum-Opsonized Zymosan in Chicken Polymorphonuclear Leukocytes, 1209
Teshima, T. See *Uozumi, Yamamoto, Nishikawa, Gao, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, Shiba, and Taniguchi*, 385
Tian, S.-F., Toda, S., Higashino, H., and Matsumura, S. Glycation Decreases the Stability of the Triple-Helical Strands of Fibrous Collagen against Proteolytic Degradation by Pepsin in a Specific Temperature Range, 1153
Tobe, T. See *Nakano, Choi-Miura, Mazda, and Tomita*, 803
Tobita, T., Hiraide, F., Miyazaki, J.-I., and Ishimoda-Takagi, T. Muscle-Type Troponin of Sea Urchin Egg Increases the Actin-Binding of Nonmuscle-Type Troponin, 922
Toda, K. See *Hosaka, Takatsu, Torii, Murakami, and Nakayama*, 813
Toda, S. See *Tian, Higashino, and Matsumura*, 1153
Toide, K. See *Shimoji, Itoh, Nakayama, Aizawa, and Kamataki*, 42
Tokunaga, F., Tsukamoto, T., and Koide, T. Cellular Basis for Protein C Deficiency Caused by a Single Amino Acid Substitution at Arg15 in the γ -Carboxyglutamic Acid Domain, 360
Tomida, M. and Gotoh, O. Structure of the Gene Encoding the Human Differentiation-Stimulating Factor/Leukemia Inhibitory Factor Receptor, 201
Tomita, Masaki. See *Itoh, Kobayashi, Uchi-no, Maruyama, and Nawa*, 271
Tomita, Motowo. See *Nakano, Tobe, Choi-Miura, and Mazda*, 803
 — . See *Karasawa, Kuge, Kawasaki, Nishijima, Nakano, Yokoyama, Setaka, and Nojima*, 838
Torii, S. See *Hosaka, Toda, Takatsu, Murakami, and Nakayama*, 813
Tozawa, N. See *Nakazawa, Morita, Nakano, and Mano*, 117
Tsuchiya, M. See *Terashima, Badruzzaman, and Shimoyama*, 1209
Tsugeno, Y. See *Hiro, Hirashiki, Ogata, and Ito*, 759
Tsuji, H. See *Akasaki, Michihara, Fujiwara, and Mibuka*, 1088
Tsuji, S. Molecular Cloning and Functional Analysis of Sialyltransferases, 1
Tsukada, Y. See *Maru, Ohnishi, Ohta, Hashimoto, Murata, and Mikami*, 481
Tsukahara, F., Hattori, M., Muraki, T., and Sakaki, Y. Identification and Cloning of a Novel cDNA Belonging to Tetratricopeptide Repeat Gene Family from Down Syndrome-Critical Region 21q22.2, 820
Tsukahara, T. See *Kobayashi, Shinozaki, Momoi, and Arahata*, 699
Tsukamoto, T. See *Tokunaga and Koide*, 360
Tsutsui, J., Moriyama, M., Arima, N., Ohtsubo, H., Tanaka, H., and Ozawa, M. Expression of Cadherin-Catenin Complexes in Human Leukemia Cell Lines, 1034
Tsuyama, S. See *Takenaka, Masuda, Tamura, Miyatake, and Nakano*, 792
Tzen, J.T.C. See *Chuang, Chen, and Chu*, 74

U

- Uchida, K.* See *Oda, Ito, Shibano, Fukuhara, and Takahashi*, 564
Uchida, M. See *Yamaguchi*, 474
Uchino, H. See *Itoh, Tomita, Kobayashi, Maruyama, and Nawa*, 271
Uchiumi, T. See *Sato, Baba, Takahashi, and Odani*, 908
Uchiyama, Y. See *Satoh, Sakai, Enokido, and Hatanaka*, 540
Ueda, M. See *Kawachi, Atomi, Hashimoto, Kobayashi, Yoshida, Kamasawa, Osumi, and Tanaka*, 731
Uemura, Kei-ichi. See *Taketomi, Hara, and Sugiyama*, 573
Uemura, Koichi. See *Shibata, Yamamoto, Inoue, Yokota, and Kai*, 1064
Umeda, F. See *Mizushima, Sato, Negishi, Koushima, Okamoto, Nii, Hashimoto, Nawata, and Kanamori*, 929
Umezawa, K. See *Deguchi and Imoto*, 1118
Uozumi, N., Teshima, T., Yamamoto, T., Nishikawa, A., Gao, Y.-E., Miyoshi, E., Gao, C.-X., Noda, K., Islam, K.N., Ihara, Y., Fujii, S., Shiba, T., and Taniguchi, N. A Fluorescent Assay Method for GDP-L-Fuc: N-Acetyl- β -D-Glucosaminide α 1-6Fucosyltransferase Activity, Involving High Performance Liquid Chromatography, 385
Usami, R. See *Kato, Tamegai, Ikegami, and Horikoshi*, 301
Usiku, H. See *Arao, Miyatake, Yamamoto, Matsuura, Ninomiya, Masushige, Hasegawa, and Kato*, 710
Usui, T. See *Murata, Itoh, and Hayakawa*, 851

U (cont'd)

- Uzawa, S. See *Azuma, Seino, Seki, Klebe, Ohba, Wittinghofer, Hayashi, and Nishimoto*, 82

V

- Vasta, G.R. See *Ahmed, Fink, and Pohl*, 1007
 Vespa, N. See *D'Auria, Cara, Nazzaro, and Rossi*, 498
 Vinayak, R. See *Ohtsuki, Watanabe, Kita, Kawai, and Watanabe*, 1070

W

- Wakagi, T. See *Zhang, Iwasaki, and Oshima*, 587
 Walther-Larsen, H. See *Nemoto, Matsusaka, Ota, Takagi, and Collinge*, 249
 Watabe, S. See *Saito, Ozaki, Kigoshi, Yamada, Fusetani, and Karaki*, 552
 —. See *Choen, Nakaya, and Guo*, 788
 Watanabe, K. See *Ohtsuki, Vinayak, Watanabe, Kita, and Kawai*, 1070
 Watanabe, N., Suzuki, J., and Kobayashi, Y. Role of Calcium in Tumor Necrosis Factor- α Production by Activated Macrophages, 1190
 Watanabe, T. See *Arakawa, Kuroki, Kuwahara, Senba, Ozaki, Matsuoka, Misumi, and Kanda*, 657
 Watanabe, Yoh-ichi. See *Ohtsuki, Vinayak, Kita, Kawai, and Watanabe*, 1070
 Watanabe, Yumiko, Nara, K., Takahashi, H., Nagai, Y., and Sanai, Y. The Molecular Cloning and Expression of α 2,8-Sialyltransferase (GD3 Synthase) in a Rat Brain, 1020
 Weiner, L. See *Iuchi*, 1055
 Wen, J. See *Kasahara, Hayashi, Arakawa, Philo, Hara, and Yamaguchi*, 177
 Wishart, D. See *Luo, Mah, Zhang, Jacobs, and Martin*, 229
 Wittinghofer, A. See *Azuma, Seino, Seki, Uzawa, Klebe, Ohba, Hayashi, and Nishimoto*, 82
 Wu, H.-P. See *Chuang, Tai, Kahn, Lee, and Lin*, 111
- Yajima, T. See *Hibino, Lee, Odani, Yamaguchi, and Takabe*, 556
 Yakabe, E. See *Tanji, Kageyama, and Takahashi*, 647
 Yamada, Harutaka. See *Adachi, Morihara, Yamazaki, Futenma, Kato, and Hirano*, 184
 Yamada, Hideki. See *Sasaki, Matsui, Dohi, Hirakawa, Sakanashi, and Yonemasu*, 306
 Yamada, Kiyoyuki. See *Saito, Watabe, Ozaki, Kigoshi, Fusetani, and Karaki*, 552
 Yamada, Koji, Hung, P., Yoshimura, K., Taniguchi, S., Lim, B.O., and Sugano, M. Effect of Unsaturated Fatty Acids and Antioxidants on Immunoglobulin Production by Mesenteric Lymph Node Lymphocytes of Sprague-Dawley Rats, 138
 Yamada, T. See *Sugimoto, Muro, and Hime-no*, 153
 Yamagata, T. See *Higashi, Yoshida, and Sato*, 66
 Yamagata, Y. See *Funahashi, Takano, Ogasahara, and Yutani*, 1216
 Yamaguchi, H. See *Kasahara, Hayashi, Arakawa, Philo, Wen, and Hara*, 177
 — and Uchida, M. A Chaperone-Like Function of Intramolecular High-Mannose Chains in the Oxidative Refolding of Bovine Pancreatic RNase B, 474
 Yamaguchi, M. See *Sasaki, Saeki, Yamane, Okamura, and Ishibashi*, 705
 Yamaguchi, T., Kim, N.-S., Sekine, S., Seino, H., Osaka, F., Yamao, F., and Kato, S. Cloning and Expression of cDNA Encoding a Human Ubiquitin-Conjugating Enzyme Similar to the *Drosophila bendless* Gene Product, 494
 Yamamoto, E. See *Arao, Miyatake, Usiku, Matsuura, Ninomiya, Masushige, Hasegawa, and Kato*, 710
 Yamamoto, H. See *Shibata, Inoue, Uemura, Yokota, and Kai*, 1064
 Yamamoto, Kazuhiko. See *Yamamoto and Sinohara*, 145
 Yamamoto, Kazuo. See *Yoneda, Kojima, Matsumoto, and Ogawa*, 954
 Yamamoto, Kenji. See *Okamoto, Kadowaki, and Nakayama*, 398
 Yamamoto, Takako. See *Takeda, Masuda, Hirabayashi, Nakamura, and Nakaya*, 353
 Yamamoto, Takashi, Yamamoto, K., and Sinohara, H. Inter- α -Trypsin Inhibitor and Its Related Proteins in Syrian Hamster Urine and Plasma, 145
 Yamamoto, Takeshi, Nakashizuka, M., Kodama, H., Kajihara, Y., and Terada, I. Purification and Characterization of a Marine Bacterial β -Galactoside α 2,6-Sialyltransferase from *Photobacterium damsela* JT0160, 104
 Yamamoto, Toshihiro. See *Uozumi, Teshima, Nishikawa, Gao, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, Shiba, and Taniguchi*, 385
 Yamamoto, Y. ¹H NMR Probes for Inter-Segmental Hydrogen Bonds in Myoglobins, 126
 Yamanaka, N. See *Mizushima, Miyagi, Kikkawa, Yasumitsu, Misugi, and Miyazaki*, 1196
 Yamane, H. See *Sasaki, Yamaguchi, Saeki, Okamura, and Ishibashi*, 705
 Yamanashi, T., Hirata, A., Oka, T., and Nakano, A. Characterization of Yeast *sarl* Temperature-Sensitive Mutants, Which Are Defective in Protein Transport from the Endoplasmic Reticulum, 452
 Yamao, F. See *Yamaguchi, Kim, Sekine, Seino, Osaka, and Kato*, 494
 Yamashita, A., Miyoshi, H., Hatano, T., and Iwamura, H. Direct Interaction between Mitochondrial Succinate-Ubiquinone and Ubiquinol-Cytochrome c Oxidoreductases Probed by Sensitivity to Quinone-Related Inhibitors, 377
 Yamashita, M. and Konagaya, S. Molecular Cloning and Gene Expression of Chum Salmon Cystatin, 483
 Yamashita, U. See *Kurata and Matsumoto*, 49
 Yamauchi, M. See *Miura, Ishida, Hoshino, Hara, Ayusawa, and Kawakita*, 236
 Yamauchi, O. See *Hibino, Lee, Yajima, Odani, and Takabe*, 556
 Yamazaki, N. See *Adachi, Morihara, Yamada, Futenma, Kato, and Hirano*, 184
 Yamori, T. See *Ihara, Iwamatsu, Fujiyoshi, Komi, and Fukui*, 865
 Yang, W. See *Castillo, Cummings, Ngo, and Snow*, 433
 Yano, I. See *Matsunaga, Oka, and Fujiwara*, 663
 Yashiro, M., Ishikubo, A., and Komiya, M. Dinuclear Lanthanum(III) Complex for Efficient Hydrolysis of RNA, 1067
 Yasumitsu, H. See *Mizushima, Miyagi, Kikkawa, Yamanaka, Misugi, and Miyazaki*, 1196
 Yasumoto, K. See *Suzuki, Takahashi, Fuse, and Shibahara*, 1048
 Yasunaga, T., Motoyama, S., Nose, T., Kodama, H., Kondo, M., and Shimohigashi, Y. Reversible Affinity Labeling of Opioid Receptors via Disulfide Bonding: Discriminative Labeling of μ and δ Subtypes by Chemically Activated Thiol-Containing Enkephalin Analogs, 459
 Yokokura, H. See *Niki, Sudo, Kato, and Hidaka*, 685
 Yokota, A. See *Shibata, Yamamoto, Inoue, Uemura, and Kai*, 1064
 Yokoyama, K. See *Karasawa, Kuge, Kawasaki, Nishijima, Nakano, Tomita, Setaka, and Nojima*, 838
 Yokoyama, N. See *Takuma, Ichida, Tamura, and Obinata*, 35
 Yoneda, A., Kojima, K., Matsumoto, I., Yamamoto, K., and Ogawa, H. Porcine Vitronectin, the Most Compact Form of Single-Chain Vitronectin: The Smallest Molecular Mass among Vitronectins Was Ascribed to Deletion and Substitution of Base Pairs, and Proteolytic Trimming of the Peptide, 954
 Yonemasu, K. See *Sasaki, Yamada, Matsui, Dohi, Hirakawa, and Sakanashi*, 306
 Yoneyama, M., Suhara, W., Fukuhara, Y., Sato, M., Ozato, K., and Fujita, T. Autocrine Amplification of Type I Interferon Gene Expression Mediated by Interferon Stimulated Gene Factor 3 (ISGF3), 160
 Yoshida, M. See *Muneyuki, Hisabori, Sasa-yama, and Mochizuki*, 940
 Yoshida, Sachiyo. See *Higashi, Sato, and Yamagata*, 66
 Yoshida, Shonen. See *Suzuki, Tamiya-Koizumi, Takemura, Furuta, Izuta, Savoyesky, and Miura*, 766
 Yoshida, T. See *Kawachi, Atomi, Ueda, Hashimoto, Kobayashi, Kamasawa, Osumi, and Tanaka*, 731
 Yoshida, Y. See *Aoyama and Horiuchi*, 982
 Yoshida-Kubomura, N. See *Iwamatsu*, 29
 Yoshimoto, T. See *Kabashima and Ito*, 1111
 Yoshimura, K. See *Yamada, Hung, Taniguchi, Lim, and Sugano*, 138
 Yoshimura, Y. See *Ishimizu, Sato, Saito, Norioka, Nakanishi, and Sahiyama*, 326
 Yoshioka, S. See *Ishida, Miura, and Kawakita*, 1074
 Yutani, K. See *Funahashi, Takano, Ogasahara, and Yamagata*, 1216

Z

- Zenno, S., Koike, H., Tanokura, M., and Saigo, K. Gene Cloning, Purification, and

- Z (cont'd)
- Characterization of NfsB, a Minor Oxygen-Insensitive Nitroreductase from *Escherichia coli*, Similar in Biochemical Properties to FRase I, the Major Flavin Reductase in *Vibrio fischeri*, 736
- Zhang, Q., Iwasaki, T., Wakagi, T., and Oshima, T. 2-Oxoacid:Ferredoxin Oxidoreductase from the Thermoacidophilic Archaeon, *Sulfolobus* sp. Strain 7, 587
- Zhang, Y. See *Luo, Mah, Wishart, Jacobs, and Martin*, 229
- Zhou, B. and Jing, G.-Z. Unfolding and Refolding of the N-Terminal Fragments of Staphylococcal Nuclease R in Guanidine Hydrochloride, 881
- Zou, Z. See *Nomura, Joh, Takiyara, Matsuda, and Shimada*, 987

INDEX TO KEY WORDS

A

- ABP-1, ABP-2, arylphorin gene, *Sarcophaga peregrina*, transcription factor, *Adachi, Kubo, Natori*, 1239
- ABP-2, ABP-1, arylphorin gene, *Sarcophaga peregrina*, transcription factor, *Adachi, Kubo, Natori*, 1239
- acidosis, Al^{3+} effect, lipid peroxidation, liposome, *Ohyashiki, Karino, Suzuki, Matsui*, 895
- acid proteinase, carboxyl proteinase, cloning, pepstatin, *Xanthomonas*, *Oda, Ito, Uchida, Shibano, Fukuhara, Takahashi*, 564
- acid unfolding, dihydrofolate reductase, intermediate, molten globule, thermal unfolding, *Ohmae, Kurumiya, Makino, Gekko*, 946
- actin, actomyosin, actomyosin ATPase, acto-S1, myosin, *Katoh, Morita*, 189
- , actin depolymerization, aplyronine A, macrolide, mycalolide B, *Saito, Watabe, Ozaki, Kigoshi, Yamada, Fusetani, Karaki*, 552
- , actomyosin, acto-S1, acto-S1 ATPase, myosin, *Katoh, Morita*, 580
- , divalent cation, nucleotide, subtilisin, surface loop, *Ooi, Mihashi*, 1104
- actin-binding ability, head-to-tail interaction, muscle-type tropomyosin, nonmuscle-type tropomyosin, sea urchin egg tropomyosin, *Tobita, Hiraide, Miyazaki, Ishimoda-Takagi*, 922
- actin-binding protein, *Alu* repetitive sequence, calponin, CpG island, DNA methylation, smooth muscle-specific gene, *Takahashi, Tazunoki, Okada, Ohgami, Miwa, Miki, Shibata*, 18
- , *Alu* sequence, calponin, cardiac muscle, *vav* protooncogene, *Masuda, Tanaka, Takagi, Ohgami, Sakamaki, Shibata, Takahashi*, 415
- actin cytoskeleton, *botulinum* C3 exoenzyme, cell adhesion, GTPase, Rho, *Narumiya*, 215
- actin depolymerization, actin, aplyronine A, macrolide, mycalolide B, *Saito, Watabe, Ozaki, Kigoshi, Yamada, Fusetani, Karaki*, 552
- activated thiol, affinity labeling, disulfide bond, enkephalin, opioid receptor, *Yasunaga, Motoyama, Nose, Kodama, Kondo, Shimohigashi*, 459
- activation energy, carp myosin, *in vitro* motility assay, temperature acclimation, thermostability, *Chaen, Nakaya, Guo, Watabe*, 788
- active site, amino acid decarboxylase, evolution, pyridoxal 5'-phosphate, site-directed mutagenesis, *Ishii, Mizuguchi, Nishino, Hayashi, Kagamiyama*, 369
- actomyosin, actin, actomyosin ATPase, acto-S1, myosin, *Katoh, Morita*, 189
- , actin, acto-S1, acto-S1 ATPase, myosin, *Katoh, Morita*, 580
- actomyosin ATPase, actin, actomyosin, acto-S1, myosin, *Katoh, Morita*, 189
- , actin, actomyosin, acto-S1 ATPase, myosin, *Katoh, Morita*, 580
- actomyosin, actin, actomyosin, acto-S1, myosin, *Katoh, Morita*, 580
- acylation of phospholipase A_2 , circular dichroism, conformational change, hydrophobic anchor, phospholipase A_2 , *Ahmed, Kelly, Lawrence, Mezna, Price*, 1224
- N-acyl-D-glucosamine 2-epimerase, crystallization, porcine kidney, renin-binding protein, X-ray crystallography, *Maru, Ohnishi, Ohta, Hashimoto, Tsukada, Murata, Mikami*, 481
- adipocyte, collagen-like domain, extracellular matrix, GBP28, gelatin-binding, *Nakano, Tobe, Choi-Miura, Mazda, Tomita*, 803
- adipose tissue, lipogenic enzyme gene expression, nutritional regulation, *Iritani, Fukuda, Tada*, 242
- ADP-ribosylation factor, epitope tagging, Golgi complex, small GTP-binding protein, vesicular trafficking, *Hosaka, Toda, Takatsu, Torii, Murakami, Nakayama*, 813
- ADP-ribosylhydrolase, cell cycle, *Euglena gracilis*, mono-ADP-ribosylation, NAD^+ , *Takenaka, Masuda, Tsuyama, Tamura, Miyatake, Nakano*, 792
- ADP-ribosyltransferase, calcium, exocytosis, polymorphonuclear leukocyte, zymosan, *Terashima, Badruzzaman, Tsuchiya, Shimoyama*, 1209
- adrenodoxin, cytochrome P-450_{cc}, 20R, 22R-dihydroxycholesterol, 22R-hydroxycholesterol, intermediate, *Sugano, Miura, Morishima*, 780
- advanced glycation end product, collagen, cross-link, glycation, pepsin digestion, *Tian, Toda, Higashino, Matsumura*, 1153
- affinity chromatography, heparin binding, heparin column, triple-helical structure, type V collagen, *Mizuno, Hayashi*, 934
- affinity electrophoresis, capillary electrophoresis, lectin, ligand binding, molecular recognition, *Shimura, Kasai*, 1146
- affinity labeling, activated thiol, disulfide bond, enkephalin, opioid receptor, *Yasunaga, Motoyama, Nose, Kodama, Kondo, Shimohigashi*, 459
- agglutinin, antimicrobial activity, chitin binding, horseshoe crab, host defense, *Kawabata, Nagayama, Hirata, Shigenaga, Agarwala, Saito, Cho, Nakajima, Takagi, Iwanaga*, 1253
- Al^{3+} effect, acidosis, lipid peroxidation, liposome, *Ohyashiki, Karino, Suzuki, Matsui*, 895
- alanine scanning, mantGDP, Ran, RanGEF, RCC1, *Azuma, Seino, Seki, Uzawa, Klebe, Ohba, Wittinghofer, Hayashi, Nishimoto*, 82
- alcohol dehydrogenase, *Bacillus acidocaldarius*, circular dichroism, enzymatic activity, thermophilic enzyme, *D'Auria, Cara, Nazzaro, Vespa, Rossi*, 498
- alkalophile, aspartate aminotransferase, *Bacillus circulans*, cloning, protein sequence analysis, *Battchikova, Koivulehto, Denesyuk, Ptitsyn, Boretsky, Hellman, Korpela*, 425
- allosteric effector, guanidine hydrochloride, phosphoenolpyruvate carboxylase, thermostable enzyme, *Thermus* sp, *Nakamura, Minoguchi, Izui*, 518
- alternative splicing, brain, neurofibromatosis type 1, ras GTPase-activating protein, testis, *Suzuki, Takahashi, Yasumoto, Fuse, Shibahara*, 1048
- Alu* repetitive sequence, actin-binding protein, calponin, CpG island, DNA methylation, smooth muscle-specific gene, *Takahashi, Tazunoki, Okada, Ohgami, Miwa, Miki, Shibata*, 18
- Alu* sequence, actin-binding protein, calponin, cardiac muscle, *vav* protooncogene, *Masuda, Tanaka, Takagi, Ohgami, Sakamaki, Shibata, Takahashi*, 415
- Alzheimer's disease, EHS tumor, heparan sulfate, perlecan, proteoglycan, *Castillo, Cummings, Ngo, Yang, Snow*, 433
- amino acid decarboxylase, active site, evolution, pyridoxal 5'-phosphate, site-directed mutagenesis, *Ishii, Mizuguchi, Nishino, Hayashi, Kagamiyama*, 369
- D-amino acid oxidase, enzyme-ligand interaction, flavoenzyme, three dimensional structure, X-ray crystallography, *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, Setoyama, Miura*, 14
- amino acid sequence, coexpression system, dimerization, 94-kDa glucose-regulated protein, 90-kDa heat-shock protein, *Nemoto, Matsusaka, Ota, Takagi, Collinge, Walther-Larsen*, 249
- , bleomycin hydrolase, cDNA cloning, cysteine protease, DNA-binding protein, *Takeda, Masuda, Yamamoto, Hirabayashi, Nakamura, Nakaya*, 353
- , cDNA sequence, pepsin, pepsinogen, turtle, *Hirasawa, Athauda, Takahashi*, 407
- , pepsin, pepsinogen, phylogenetic tree, tuna, *Tanji, Yakabe, Kageyama, Takahashi*, 647
- , amino-terminal processing, cytochrome P450_{nor}, *Fusarium oxysporum*, P450_{nor} isoform, *Nakahara, Shoun*, 1082
- amino-terminal processing, amino acid sequence, cytochrome P450_{nor}, *Fusarium oxysporum*, P450_{nor} isoform, *Nakahara, Shoun*, 1082
- AMP, electron-transferring flavoprotein, folding intermediate, subunit, urea denaturation, *Sato, Nishina, Shiga*, 276
- amphiphilicity, antimicrobial peptide, liposome, planar bilayer, selective toxicity, *Hirakura, Alvarez-Bravo, Kurata, Natori*,

A (cont'd)

Kirino, 1130
 amylase exocytosis, cofilin dephosphorylation, parotid gland, protein phosphatase, Takuma, Ichida, Yokoyama, Tamura, Obinata, 35
 α -amylase inhibitor, complete structure, inhibition stoichiometry, kidney bean, subunit structure of α -amylase inhibitor, Kasahara, Hayashi, Arakawa, Philo, Wen, Hara, Yamaguchi, 177
 amyloid formation, denatured state of a protein, human lysozyme, mutant protein, stability of amyloidogenic protein, Funahashi, Takano, Ogasahara, Yamagata, Yutani, 1216
 ancient divergence of eukaryote, elongation factor, *Glugea plecoglossi*, microsporidian, mitochondrion-lacking protozoa, Kamaishi, Hashimoto, Nakamura, Masuda, Nakamura, Okamoto, Shimizu, Hasegawa, 1095
 anion-sensitivity, H⁺-pump, lysosome, reconstitution, vacuolar H⁺-ATPase, Okamoto, Hiratani, Arai, Ohkuma, 608
 annexin, C2 region protein, Ca²⁺ storage protein, Ca²⁺ signaling, EF-hand protein, Niki, Yokokura, Sudo, Kato, Hidaka, 685
 antibody engineering, bi-functional, disulfide bond, *Pichia pastoris*, single-chain Fv, Luo, Mah, Wishart, Zhang, Jacobs, Martin, 229
 antimicrobial activity, agglutinin, chitin binding, horseshoe crab, host defense, Kawabata, Nagayama, Hirata, Shigenaga, Agarwala, Saito, Cho, Nakajima, Takagi, Iwanaga, 1253
 antimicrobial peptide, amphiphilicity, liposome, planar bilayer, selective toxicity, Hirakura, Alvarez-Bravo, Kurata, Natori, Kirino, 1130
 aorta smooth muscle, calmodulin, isoform, myosin I, Hasegawa, Kikuta, Okamoto, 901
 aplyronine A, actin, actin depolymerization, macrolide, mycalolide B, Saito, Watabe, Ozaki, Kigoshi, Yamada, Fusetani, Karaki, 552
 apomyoglobin, hydrogen bond, myoglobin, NMR, protein folding, Yamamoto, 126
 apoptosis, Bcl-2, hydrogen peroxide, NGF, reactive oxygen species, Satoh, Sakai, Enokido, Uchiyama, Hatanaka, 540
 —, Fas antigen, gene expression, mitochondria disease, respiratory inhibitor, Asoh, Mori, Hayashi, Ohta, 600
 —, ICE-like activity, neural differentiation, P19 cell, proteasome, Kobayashi, Shinozaki, Momoi, Arahata, Tsukahara, 699
 arachidonic acid, mast cell, phospholipase A₂, phospholipase D, prostaglandin D₂, Ishimoto, Akiba, Sato, 616
 ArcAB, Fnr, iron-sulfur cluster, oxidative damage, respiration, Iuchi, Weiner, 1055
 archaea (archaeobacteria), evolution, 2-oxoacid:ferredoxin oxidoreductase, primary structure, *Sulfolobus*, Zhang, Iwasaki, Wakagi, Oshima, 587
 Arg-gingipain, Lys-gingipain, lysine-specific cysteine proteinase, *Porphyromonas gingivalis*, precursor structure, Okamoto, Kadowaki, Nakayama, Yamamoto, 398

aromatic amine, aryl hydrocarbon, CYP1A, cytochrome P450, lead nitrate, Degawa, Matsuda, Arai, Hashimoto, 547
 artificial metalloenzyme, dinuclear metal complex, hydrolysis, ribonucleotide dimer, Yashiro, Ishikubo, Komiyama, 1067
 aryl hydrocarbon, aromatic amine, CYP1A, cytochrome P450, lead nitrate, Degawa, Matsuda, Arai, Hashimoto, 547
 arylphorin gene, ABP-1, ABP-2, *Sarcophaga peregrina*, transcription factor, Adachi, Kubo, Natori, 1239
Ascaris suum, chemical synthesis, mitochondria, NMR, tRNA, Ohtsuki, Vinayak, Watanabe, Kita, Kawai, Watanabe, 1070
 Asn-linked oligosaccharide, Asn-linked oligosaccharide function, glycoprotein, protein folding, ribonuclease B, Yamaguchi, Uchida, 474
 Asn-linked oligosaccharide function, Asn-linked oligosaccharide, glycoprotein, protein folding, ribonuclease B, Yamaguchi, Uchida, 474
 aspartate aminotransferase, alkalophile, *Bacillus circulans*, cloning, protein sequence analysis, Battchikova, Koivulehto, Deneszyuk, Ptitsyn, Boretsky, Hellman, Korpela, 425
 —, glutamate dehydrogenase, 2-oxoglutarate, 2-oxoglutarate dimethylester, syn catalytic inactivation, Kato, Asano, Makar, Cooper, 531
 aspartic proteinase, aspergillopepsin I, site-directed mutagenesis, substrate specificity, trypsinogen activation, Shintani, Kobayashi, Ichishima, 974
 aspergillopepsin I, aspartic proteinase, site-directed mutagenesis, substrate specificity, trypsinogen activation, Shintani, Kobayashi, Ichishima, 974
 ATL, N-cadherin, α -catenin, β -catenin, leukemia, Tsutsui, Moriyama, Arima, Ohtsuo, Tanaka, Ozawa, 1034
 autoantibody, centromere, DNA binding, heterochromatin, HP1, Sugimoto, Yamada, Muro, Himeno, 153

B

Bacillus acidocaldarius, alcohol dehydrogenase, circular dichroism, enzymatic activity, thermophilic enzyme, D'Auria, Cara, Nazzaro, Vespa, Rossi, 498
Bacillus circulans, aspartate aminotransferase, alkalophile, cloning, protein sequence analysis, Battchikova, Koivulehto, Deneszyuk, Ptitsyn, Boretsky, Hellman, Korpela, 425
 bacterial sialyltransferase, β -galactoside α 2,6-sialyltransferase, *Photobacterium damsela*, Yamamoto, Nakashizuka, Kodama, Kajihara, Terada, 104
 barley glucan, exo-cellulase, fungi, substrate specificity, xyloglucan, Amano, Shiroishi, Nisizawa, Hoshino, Kanda, 1123
 barotolerant bacterium, *cydD*, *Escherichia coli*, high pressure, respiratory system, Kato, Tamegai, Ikegami, Usami, Hori-koshi, 301
 basement membrane, α 1(IV) collagen, bovine lens capsule, collagen IV, noncollagenous domain, Iwata, Sado, Sasaki, Imamura, Nunomiya, Hayashi, 133

—, gel, lens capsule, self-assembly, type IV collagen, Nakazato, Muraoka, Adachi, Hayashi, 889
 Bcl-2, apoptosis, hydrogen peroxide, NGF, reactive oxygen species, Satoh, Sakai, Enokido, Uchiyama, Hatanaka, 540
 bi-functional, antibody engineering, disulfide bond, *Pichia pastoris*, single-chain Fv, Luo, Mah, Wishart, Zhang, Jacobs, Martin, 229
 bifunctional protein, D-3-hydroxyacyl-CoA dehydratase, D-3-hydroxyacyl-CoA dehydrogenase, peroxisomal, rat enzyme, Jiang, Miyazawa, Hashimoto, 633
 bikunin, inter- α -trypsin inhibitor, pancreatic carcinogenesis, trypstatin, hamster, Yamamoto, Yamamoto, Sinohara, 145
 —, human, inter- α -trypsin inhibitor light chain, pancreas, urinary trypsin inhibitor (UTI), Itoh, Tomita, Kobayashi, Uchino, Maruyama, Nawa, 271
 biosynthesis, endocytosis, endosome, lysosome, membrane glycoprotein, Akasaki, Michihara, Fujiwara, Mibuka, Tsuji, 1088
 BlaA, β -lactamase, DNA-binding protein, LysR family, Ishiguro, Sugimoto, 98
 bleomycin hydrolase, amino acid sequence, cDNA cloning, cysteine protease, DNA-binding protein, Takeda, Masuda, Yamamoto, Hirabayashi, Nakamura, Nakaya, 353
botulinum C3 exoenzyme, actin cytoskeleton, cell adhesion, GTPase, Rho, Narumiya, 215
 bovine lens capsule, α 1(IV) collagen, basement membrane, collagen IV, noncollagenous domain, Iwata, Sado, Sasaki, Imamura, Nunomiya, Hayashi, 133
 bovine spleen, carbohydrate specificity, conserved CRD, galectin-1, isoform, Ahmed, Fink, Pohl, Vasta, 1007
 brain, mammary tumor, promoter, receptor tyrosine kinase, sky, Sasaki, Enami, 264
 —, cholesterol, P450, sterol synthesis, sterol 14-demethylase, Aoyama, Horiuchi, Yoshida, 982
 —, alternative splicing, neurofibromatosis type 1, ras GTPase-activating protein, testis, Suzuki, Takahashi, Yasumoto, Fuse, Shibahara, 1048

C

C2 domain, Ca²⁺ sensor, Doc2, rabphilin 3A, synaptotagmin, Kojima, Fukuda, Aruga, Mikoshiba, 671
 C2 region protein, annexin, Ca²⁺ storage protein, Ca²⁺ signaling, EF-hand protein, Niki, Yokokura, Sudo, Kato, Hidaka, 685
 Ca²⁺ channel, cAMP-dependent protein kinase, protein kinase C, protein phosphorylation, reconstitution, Kameyama, Shearman, Sekiguchi, Kameyama, 170
 Ca²⁺-regulation, invertebrate, scallop, striated muscle, troponin T, Inoue, Ojima, Nishita, 834
 Ca²⁺ sensor, C2 domain, Doc2, rabphilin 3A, synaptotagmin, Kojima, Fukuda, Aruga, Mikoshiba, 671
 Ca²⁺ signaling, annexin, C2 region protein, Ca²⁺ storage protein, EF-hand protein, Niki, Yokokura, Sudo, Kato, Hidaka, 685
 Ca²⁺ storage protein, annexin, C2 region protein, Ca²⁺ signaling, EF-hand protein, Niki, Yokokura, Sudo, Kato, Hidaka, 685

C (cont'd)

- calcineurin, calcium pump, calmodulin, ganglioside, phosphodiesterase, *Higashi, Yoshida, Sato, Yamagata*, 66
- calcium, calcium chelator, lipopolysaccharide (LPS), macrophage, tumor necrosis factor- α (TNF- α), *Watanabe, Suzuki, Kobayashi*, 1190
- , ADP-ribosyltransferase, exocytosis, polymorphonuclear leukocyte, zymosan, *Tera-shima, Badruzzaman, Tsuchiya, Shimoyama*, 1209
- calcium chelator, calcium, lipopolysaccharide (LPS), macrophage, tumor necrosis factor- α (TNF- α), *Watanabe, Suzuki, Kobayashi*, 1190
- calcium pump, calcineurin, calmodulin, ganglioside, phosphodiesterase, *Higashi, Yoshida, Sato, Yamagata*, 66
- calmodulin, calcineurin, calcium pump, ganglioside, phosphodiesterase, *Higashi, Yoshida, Sato, Yamagata*, 66
- , aorta smooth muscle, isoform, myosin I, *Hasegawa, Kikuta, Okamoto*, 901
- calponin, actin-binding protein, *Alu* repetitive sequence, CpG island, DNA methylation, smooth muscle-specific gene, *Takahashi, Tazunoki, Okada, Ohgami, Miwa, Miki, Shibata*, 18
- , actin-binding protein, *Alu* sequence, cardiac muscle, *vav* protooncogene, *Masuda, Tanaka, Takagi, Ohgami, Sakamaki, Shibata, Takahashi*, 415
- CaM-kinase II, cDNA sequence, α KAP, signal sequence, skeletal muscle, *Sugai, Takeuchi, Okuno, Fujisawa*, 773
- cAMP-dependent protein kinase, Ca²⁺ channel, protein kinase C, protein phosphorylation, reconstitution, *Kameyama, Shearman, Sekiguchi, Kameyama*, 170
- Candida tropicalis*, carnitine acetyltransferase, initiation of translation, mitochondria, peroxisome, *Kawachi, Atomi, Ueda, Hashimoto, Kobayashi, Yoshida, Kamasawa, Osumi, Tanaka*, 731
- Candida utilis*, nucleotide sequence analysis, overexpression in *E. coli*, oxidation of cysteine residue, uricase, *Koyama, Ichikawa, Nakano*, 969
- capillary electrophoresis, affinity electrophoresis, lectin, ligand binding, molecular recognition, *Shimura, Kasai*, 1146
- capsid protein, *Leishmania* RNA virus, pseudoknot structure, ribosomal frameshift, RNA-dependent RNA polymerase, *Lee, Suh, Scheffter, Patterson, Chung*, 22
- carbohydrate specificity, bovine spleen, conserved CRD, galectin-1, isoform, *Ahmed, Fink, Pohl, Vasta*, 1007
- carbohydrate structure, fluorescent labeling, α 1-6fucosyltransferase, glycosyltransferase activity, HPLC, *Uozumi, Teshima, Yamamoto, Nishikawa, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, Shiba, Taniguchi*, 385
- carbon monoxide, cytostasis, heme oxygenase, nitric oxide, nitric oxide synthase, *Kurata, Matsumoto, Yamashita*, 49
- carbonyl reductase, fatty acid activation, NADP(H) specificity, short-chain dehydrogenase/reductase family, site-directed mutagenesis, *Nakanishi, Kakumoto, Matsuura, Deyashiki, Tanaka, Nonaka, Mitsui, Hara*, 257
- γ -carboxyglutamic acid domain, inherited deficiency, protein C, secretion, vitamin K-dependent factor, *Tokunaga, Tsukamoto, Koide*, 360
- carboxyl proteinase, acid proteinase, cloning, pepstatin, *Xanthomonas*, *Oda, Ito, Uchida, Shibano, Fukuhara, Takahashi*, 564
- , Gram-negative bacteria, kinetic property, pepstatin, substrate specificity, *Ito, Dunn, Oda*, 845
- cardiac muscle, actin-binding protein, *Alu* sequence, calponin, *vav* protooncogene, *Masuda, Tanaka, Takagi, Ohgami, Sakamaki, Shibata, Takahashi*, 415
- carnitine acetyltransferase, *Candida tropicalis*, initiation of translation, mitochondria, peroxisome, *Kawachi, Atomi, Ueda, Hashimoto, Kobayashi, Yoshida, Kamasawa, Osumi, Tanaka*, 731
- carp myosin, activation energy, *in vitro* motility assay, temperature acclimation, thermostability, *Chaen, Nakaya, Guo, Watabe*, 788
- carrier erythrocyte, cell targeting, encapsulated carbonic anhydrase, organ uptake, sustained release, *Alvarez, Herráez, Murciano, Jordán, Díez, Tejedor*, 286
- catalase, growth factor, H₂O₂, reactive oxygen, tumor cell, *Miyamoto, Hayashi, Takeuchi, Okamoto, Kawashima, Takii, Hayashi, Onozaki*, 725
- catalytic triad, crystal structure, hydrolase fold, *Rhizopus niveus*, triacylglycerol acylhydrolase, *Kohno, Funatsu, Mikami, Kugimiya, Matsuo, Morita*, 505
- α -catenin, ATL, N-cadherin, β -catenin, leukemia, *Tsutsui, Moriyama, Arima, Ohtsubo, Tanaka, Ozawa*, 1034
- β -catenin, ATL, N-cadherin, α -catenin, leukemia, *Tsutsui, Moriyama, Arima, Ohtsubo, Tanaka, Ozawa*, 1034
- CD, kinesin, molecular motor, *ncd*, *Shimizu, Morii*, 1176
- CD3, chimeric antibody, monoclonal antibody, OKT3, *Arakawa, Kuroki, Kuwahara, Senba, Ozaki, Matsuoka, Misumi, Kanda, Watanabe*, 657
- CDC91, Golgi apparatus, UDP-galactose, UDP-galactose translocator, ZK370.7, *Miura, Ishida, Hoshino, Yamauchi, Hara, Ayusawa, Kawakita*, 236
- cdk2, cyclin D, cyclin E, inostamycin, phosphatidylinositol, *Deguchi, Imoto, Umezawa*, 1118
- cDNA, cloning, Japanese pear, nucleotide sequence, self-incompatibility, S-RNase, *Norioka, Norioka, Ohnishi, Ishimizu, Oneyama, Nakanishi, Sakiyama*, 335
- , *Drosophila bendless* gene product, human homolog, ubiquitin-conjugating enzyme, *Yamaguchi, Kim, Sekine, Seino, Osaka, Yamao, Kato*, 494
- cDNA cloning, amino acid sequence, bleomycin hydrolase, cysteine protease, DNA-binding protein, *Takeda, Masuda, Yamamoto, Hirabayashi, Nakamura, Nakaya*, 353
- , Down syndrome, exon trapping, tetrapeptide repeat, *Tsukahara, Hattori, Muraki, Sakaki*, 820
- , guinea pig, PAF, PAF-acetylhydrolase, purification, *Karasawa, Kuge, Kawasaki, Nishijima, Nakano, Tomita, Yokoyama, Setaka, Nojima*, 838
- , C-terminal analysis, glycosylation site, vitronectin, *Yoneda, Kojima, Matsumoto, Yamamoto, Ogawa*, 954
- , heme oxygenase-2, mouse, *Matsumoto, Saito-Ohara, Hoshi, Kurata*, 1079
- , DNA methyltransferase, *Xenopus laevis*, *Kimura, Ishihara, Tajima*, 1182
- cDNA sequence, amino acid sequence, pepsin, pepsinogen, turtle, *Hirasawa, Athauda, Takahashi*, 407
- , CaM-kinase II, α KAP, signal sequence, skeletal muscle, *Sugai, Takeuchi, Okuno, Fujisawa*, 773
- CDP-ethanolamine, Kennedy pathway, phosphatidylethanolamine, phosphoethanolamine cytidylyltransferase, *Saccharomyces cerevisiae*, *Min-Seok, Kawamata, Nakamura, Ohta, Takagi*, 1040
- cell adhesion, actin cytoskeleton, *botulinum* C3 exoenzyme, GTPase, Rho, *Narumiya*, 215
- , integrin α 6 β 1, laminin-1, phage display library, synthetic peptide, *Murayama, Nishida, Sekiguchi*, 445
- , epidermal growth factor, gastric cancer, laminin-5, tumor promoter, *Mizushima, Miyagi, Kikkawa, Yamanaka, Yasumitsu, Misugi, Miyazaki*, 1196
- cell cycle, ADP-ribosylhydrolase, *Euglena gracilis*, mono-ADP-ribosylation, NAD⁺, *Takenaka, Masuda, Tsuyama, Tamura, Miyatake, Nakano*, 792
- cell surface protein, early mouse embryo, gene family, GPI-anchor, *Rae1, Nomura, Zou, Joh, Takiyama, Matsuda, Shimada*, 987
- cell targeting, carrier erythrocyte, encapsulated carbonic anhydrase, organ uptake, sustained release, *Alvarez, Herráez, Murciano, Jordán, Díez, Tejedor*, 286
- central nervous system, ganglioside, GD3 synthase, sialyltransferase, *Watanabe, Nara, Takahashi, Nagai, Sanai*, 1020
- centromere, autoantibody, DNA binding, heterochromatin, HP1, *Sugimoto, Yamada, Muro, Himeno*, 153
- chemical modification, disulfide bond, dithiothreitol, dopamine β -monooxygenase, intersubunit interaction, *Ishida, Narita, Nozaki, Horiike*, 346
- chemical synthesis, *Ascaris suum*, mitochondria, NMR, tRNA, *Ohisuki, Vinayak, Watanabe, Kita, Kawai, Watanabe*, 1070
- chemotactic factor, granuloma, macrophage, mycoloyl glycolipid, *Matsunaga, Oka, Fujiwara, Yano*, 663
- chimera, glutamate receptor, G protein, *Xenopus* oocyte, phospholipase C, *Nakamura, Nukada, Imai, Sugiyama*, 996
- chimeric antibody, CD3, monoclonal antibody, OKT3, *Arakawa, Kuroki, Kuwahara, Senba, Ozaki, Matsuoka, Misumi, Kanda, Watanabe*, 657
- chitin binding, agglutinin, antimicrobial activity, horseshoe crab, host defense, *Kawabata, Nagayama, Hirata, Shigenaga, Agarwala, Saito, Cho, Nakajima, Takagi*

C (cont'd)

- Iwanaga*, 1253
cholesterol, brain, P450, sterol synthesis, sterol 14-demethylase, *Aoyama*, *Horiuchi*, *Yoshida*, 982
chromosomal domain, DNA methylation, loss of imprinting, replication timing, uniparental disomy, *Nakao*, *Sasaki*, 467
chum salmon, cystatin, cysteine protease, *Yamashita*, *Konagaya*, 483
circular dichroism, alcohol dehydrogenase, *Bacillus acidocaldarius*, enzymatic activity, thermophilic enzyme, *D'Auria*, *Cara*, *Nazzaro*, *Vespa*, *Rossi*, 498
—, acylation of phospholipase A₂, conformational change, hydrophobic anchor, phospholipase A₂, *Ahmed*, *Kelly*, *Lawrence*, *Mezna*, *Price*, 1224
cloning, differentiation, glycosyltransferase, sialic acid, sialyltransferase, *Tsuji*, 1
—, cDNA, Japanese pear, nucleotide sequence, self-incompatibility, S-RNase, *Norioka*, *Norioka*, *Ohnishi*, *Ishumizu*, *Oneyama*, *Nakanishi*, *Sakiyama*, 335
—, aspartate aminotransferase, alkalophile, *Bacillus circulans*, protein sequence analysis, *Battchikova*, *Koivulehto*, *Denesyuk*, *Ptitsyn*, *Boretsky*, *Hellman*, *Korpela*, 425
—, acid proteinase, carboxyl proteinase, pepstatin, *Xanthomonas*, *Oda*, *Ito*, *Uchida*, *Shibano*, *Fukuhara*, *Takahashi*, 564
—, α/β hydrolase fold family, crystallization, dipeptidyl peptidase IV, serine protease, *Kabashima*, *Ito*, *Yoshimoto*, 1111
c-met, embryogenesis, epithelial-mesenchymal interaction, hepatocyte growth factor, *Xenopus laevis*, *Aoki*, *Takahashi*, *Matsumoto*, *Nakamura*, 961
CMP-sialic acid transporter, nucleotide-sugar transporter, UDP-galactose transporter, UDP-N-acetylglucosamine transporter, *Ishida*, *Miura*, *Yoshioka*, *Kawakita*, 1074
coexpression system, amino acid sequence, dimerization, 94-kDa glucose-regulated protein, 90-kDa heat-shock protein, *Nemoto*, *Matsusaka*, *Ota*, *Takagi*, *Collinge*, *Walther-Larsen*, 249
cofilin dephosphorylation, amylase exocytosis, parotid gland, protein phosphatase, *Takuma*, *Ichida*, *Yokoyama*, *Tamura*, *Obinata*, 35
collagen, advanced glycation end product, cross-link, glycation, pepsin digestion, *Tian*, *Toda*, *Higashino*, *Matsumura*, 1153
 $\alpha 1(IV)$ collagen, basement membrane, bovine lens capsule, collagen IV, noncollagenous domain, *Iwata*, *Sado*, *Sasaki*, *Imamura*, *Ninomiya*, *Hayashi*, 133
collagen IV, $\alpha 1(IV)$ collagen, basement membrane, bovine lens capsule, noncollagenous domain, *Iwata*, *Sado*, *Sasaki*, *Imamura*, *Ninomiya*, *Hayashi*, 133
collagen-like domain, adipocyte, extracellular matrix, GBP28, gelatin-binding, *Nakano*, *Tobe*, *Choi-Miura*, *Mazda*, *Tomita*, 803
complete structure, α -amylase inhibitor, inhibition stoichiometry, kidney bean, subunit structure of α -amylase inhibitor, *Kasahara*, *Hayashi*, *Arakawa*, *Philo*, *Wen*, *Hara*, *Yamaguchi*, 177
conformational change, acylation of phospholipase A₂, circular dichroism, hydrophobic anchor, phospholipase A₂, *Ahmed*, *Kelly*, *Lawrence*, *Mezna*, *Price*, 1224
conformation dynamics, point mutation, SSCP, ssDNA, solution structure, *Nakabayashi*, *Nishigaki*, 320
conserved CRD, bovine spleen, carbohydrate specificity, galectin-1, isoform, *Ahmed*, *Fink*, *Pohl*, *Vasta*, 1007
corneal stromal cell, culture in collagen gel, growth factor, keratan sulfate, proteoglycan, *Nakazawa*, *Morita*, *Nakano*, *Mano*, *Tozawa*, 117
covalently-bound flavin, flavoprotein, monoamine oxidase A, pargyline, site-directed mutagenesis, *Hiro*, *Tsugeno*, *Hirashiki*, *Ogata*, *Ito*, 759
CpG island, actin-binding protein, *Alu* repetitive sequence, calponin, DNA methylation, smooth muscle-specific gene, *Takahashi*, *Tazunoki*, *Okada*, *Ohgami*, *Miwa*, *Miki*, *Shibata*, 18
cross-link, advanced glycation end product, collagen, glycation, pepsin digestion, *Tian*, *Toda*, *Higashino*, *Matsumura*, 1153
crystallization, N-acyl-D-glucosamine 2-epimerase, porcine kidney, renin-binding protein, X-ray crystallography, *Maru*, *Ohnishi*, *Ohta*, *Hashimoto*, *Tsukada*, *Murata*, *Mikami*, 481
—, high specificity factor, red alga, ribulose 1,5-bisphosphate carboxylase/oxygenase, X-ray crystallography, *Shibata*, *Yamamoto*, *Inoue*, *Uemura*, *Yokota*, *Kai*, 1064
—, α/β hydrolase fold family, cloning, dipeptidyl peptidase IV, serine protease, *Kabashima*, *Ito*, *Yoshimoto*, 1111
crystal structure, catalytic triad, hydrolase fold, *Rhizopus niveus*, triacylglycerol acylhydrolase, *Kohno*, *Funatsu*, *Mikami*, *Kugimiya*, *Matsuo*, *Morita*, 505
crystal structure analysis, density modification, γ -glutamyltranspeptidase, *Sakai*, *Sakabe*, *Sasaki*, *Hashimoto*, *Suzuki*, *Tachi*, *Kumagai*, *Sakabe*, 26
C-terminal analysis, cDNA cloning, glycosylation site, vitronectin, *Yoneda*, *Kojima*, *Matsumoto*, *Yamamoto*, *Ogawa*, 954
Cu²⁺-carrier protein, induction by methionine, melanin pigment, *Streptomyces castaneoglobisporus*, tyrosinase from *Streptomyces*, *Ikeda*, *Masujima*, *Sugiyama*, 1141
culture in collagen gel, corneal stromal cell, growth factor, keratan sulfate, proteoglycan, *Nakazawa*, *Morita*, *Nakano*, *Mano*, *Tozawa*, 117
cyanobacteria, RNA polymerase, sigma factor, transcription initiation, *Asayama*, *Suzuki*, *Sato*, *Aida*, *Tanaka*, *Takahashi*, *Shirai*, 752
cyclin D, cdk2, cyclin E, inostamycin, phosphatidylinositol, *Deguchi*, *Imoto*, *Umezawa*, 1118
cyclin E, cdk2, cyclin D, inostamycin, phosphatidylinositol, *Deguchi*, *Imoto*, *Umezawa*, 1118
cydD, barotolerant bacterium, *Escherichia coli*, high pressure, respiratory system, *Kato*, *Tamegai*, *Ikegami*, *Usami*, *Horiuchi*, 301
CYP1A, aromatic amine, aryl hydrocarbon, cytochrome P450, lead nitrate, *Degawa*, *Matsuda*, *Arai*, *Hashimoto*, 547
Cyp3a, dexamethasone, hepatocyte, p53, primary culture, *Shimoji*, *Itoh*, *Toide*, *Nakayama*, *Aizawa*, *Kamataki*, 42
cystatin, chum salmon, cysteine protease, *Yamashita*, *Konagaya*, 483
cysteine protease, amino acid sequence, bleomycin hydrolase, cDNA cloning, DNA-binding protein, *Takeda*, *Masuda*, *Yamamoto*, *Hirabayashi*, *Nakamura*, *Nakaya*, 353
—, chum salmon, cystatin, *Yamashita*, *Konagaya*, 483
cysteine-thiolation, fatty acid-binding protein, mixed disulfide, post-translational modification, proteolysis, *Sato*, *Baba*, *Takahashi*, *Uchiumi*, *Odani*, 908
cytochrome b₆, endoplasmic reticulum, immunofluorescence microscopy, membrane topology, tail-anchored protein, *Kuroda*, *Kinoshita*, *Honsho*, *Mitoma*, *Ito*, 828
cytochrome P450, aromatic amine, aryl hydrocarbon, CYP1A, lead nitrate, *Degawa*, *Matsuda*, *Arai*, *Hashimoto*, 547
cytochrome P450nor, amino acid sequence, amino-terminal processing, *Fusarium oxysporum*, P450nor isoform, *Nakahara*, *Shoun*, 1082
cytochrome P-450_{cc}, adrenodoxin, 20R,22R-dihydroxycholesterol, 22R-hydroxycholesterol, intermediate, *Sugano*, *Miura*, *Morishima*, 780
cytosolic phospholipase A₂, intracellular calcium concentration, lysophosphatidylcholine, mast cell, mitogen-activated protein kinase, *Ishimoto*, *Arisato*, *Akiba*, *Sato*, 1247
cytostasis, carbon monoxide, heme oxygenase, nitric oxide, nitric oxide synthase, *Kurata*, *Matsumoto*, *Yamashita*, 49

D

- deducible amino acid residue, PVDF membrane, recoveries of digests from PVDF, S-alkylation of protein, sequential *in situ* digestion, *Iwamatsu*, *Yoshida-Kubomura*, 29
denatured state of a protein, amyloid formation, human lysozyme, mutant protein, stability of amyloidogenic protein, *Funahashi*, *Takano*, *Ogasahara*, *Yamagata*, *Yutani*, 1216
density modification, crystal structure analysis, γ -glutamyltranspeptidase, *Sakai*, *Sakabe*, *Sasaki*, *Hashimoto*, *Suzuki*, *Tachi*, *Kumagai*, *Sakabe*, 26
detergent, G protein, muscarinic receptor, receptor-G protein complex, solubilization, *Rinken*, 193
dexamethasone, Cyp3a, hepatocyte, p53, primary culture, *Shimoji*, *Itoh*, *Toide*, *Nakayama*, *Aizawa*, *Kamataki*, 42
D-factor/LIF receptor, gene structure, TATA box, *Tomida*, *Gotoh*, 201
differentiation, cloning, glycosyltransferase, sialic acid, sialyltransferase, *Tsuji*, 1
—, IL6, neurite, NGF, PC12 cell, *Ihara*, *Iwamatsu*, *Fujiyoshi*, *Komi*, *Yamori*, *Fukui*, 865
dihydrofolate reductase, acid unfolding,

D (cont'd)

- intermediate, molten globule, thermal unfolding, *Ohmae, Kurumiya, Makino, Gekko*, 946
- 20R,22R-dihydroxycholesterol, adrenodoxin, cytochrome P-450_{scd}, 22R-hydroxycholesterol, intermediate, *Sugano, Miura, Morishima*, 780
- dimerization, amino acid sequence, coexpression system, 94-kDa glucose-regulated protein, 90-kDa heat-shock protein, *Nemoto, Matsusaka, Ota, Takagi, Collinge, Walther-Larsen*, 249
- dimethyl sulfoxide, primary rat hepatocyte, re-expression, serine dehydratase, tryptophan 2,3-dioxygenase, *Mizuguchi, Mitaka, Kojima, Hirata, Nakamura, Mochizuki*, 511
- dinuclear metal complex, artificial metalloenzyme, hydrolysis, ribonucleotide dimer, *Yashiro, Ishikubo, Komiyama*, 1067
- dipeptidyl peptidase IV, α/β hydrolase fold family, cloning, crystallization, serine protease, *Kabashima, Ito, Yoshimoto*, 1111
- disulfide bond, antibody engineering, bifunctional, *Pichia pastoris*, single-chain Fv, *Luo, Mah, Wishart, Zhang, Jacobs, Martin*, 229
- , chemical modification, dithiothreitol, dopamine β -monooxygenase, intersubunit interaction, *Ishida, Narita, Nozaki, Horiike*, 346
- , activated thiol, affinity labeling, enkephalin, opioid receptor, *Yasunaga, Motoyama, Nose, Kodama, Kondo, Shimohigashi*, 459
- dithiothreitol, chemical modification, disulfide bond, dopamine β -monooxygenase, intersubunit interaction, *Ishida, Narita, Nozaki, Horiike*, 346
- divalent cation, actin, nucleotide, subtilisin, surface loop, *Ooi, Mihashi*, 1104
- DNA binding, autoantibody, centromere, heterochromatin, HP1, *Sugimoto, Yamada, Muro, Himeno*, 153
- DNA-binding protein, β -lactamase, BlaA, LysR family, *Ishiguro, Sugimoto*, 98
- , amino acid sequence, bleomycin hydrolase, cDNA cloning, cysteine protease, *Takeda, Masuda, Yamamoto, Hirabayashi, Nakamura, Nakaya*, 353
- DNA methylation, actin-binding protein, *Alu* repetitive sequence, calponin, CpG island, smooth muscle-specific gene, *Takahashi, Tazunoki, Okada, Ohgami, Miwa, Miki, Shibata*, 18
- , chromosomal domain, loss of imprinting, replication timing, uniparental disomy, *Nakao, Sasaki*, 467
- DNA methyltransferase, cDNA cloning, *Xenopus laevis*, *Kimura, Ishihara, Tajima*, 1182
- DNA polymerase α -primase, DNA replication, replication protein A, *Suzuki, Tamaiya-Koizumi, Takemura, Furuta, Izuta, Savoyesky, Miura, Yoshida*, 766
- DNA replication, DNA polymerase α -primase, replication protein A, *Suzuki, Tamaiya-Koizumi, Takemura, Furuta, Izuta, Savoyesky, Miura, Yoshida*, 766
- Doc2, C2 domain, Ca^{2+} sensor, rabphilin 3A, synaptotagmin, *Kojima, Fukuda, Aruga, Mikoshiba*, 671
- dopamine β -monooxygenase, chemical modification, disulfide bond, dithiothreitol, intersubunit interaction, *Ishida, Narita, Nozaki, Horiike*, 346
- dorsal, retrotransposon 1731, X-irradiation, *Faure, Best-Belpomme, Champion*, 313
- Down syndrome, cDNA cloning, exon trapping, tetratricopeptide repeat, *Tsukahara, Hattori, Muraki, Sakaki*, 820
- Drosophila bendless* gene product, cDNA, human homolog, ubiquitin-conjugating enzyme, *Yamaguchi, Kim, Sekine, Seino, Osaka, Yamao, Kato*, 494

E

- early mouse embryo, cell surface protein, gene family, GPI-anchor, *Rae1, Nomura, Zou, Joh, Takihara, Matsuda, Shimada*, 987
- EF-hand protein, annexin, C2 region protein, Ca^{2+} storage protein, Ca^{2+} signaling, *Niki, Yokokura, Sudo, Kato, Hidaka*, 685
- EHS tumor, Alzheimer's disease, heparan sulfate, perlecan, proteoglycan, *Castillo, Cummings, Ngo, Yang, Snow*, 433
- elastin, elastin-binding protein, ficolin, plasma, transforming growth factor- β 1, *Harumiya, Takeda, Sugiura, Fukumoto, Tachikawa, Miyazono, Fujimoto, Ichijo*, 745
- elastin-binding protein, elastin, ficolin, plasma, transforming growth factor- β 1, *Harumiya, Takeda, Sugiura, Fukumoto, Tachikawa, Miyazono, Fujimoto, Ichijo*, 745
- electron transfer, photosynthesis, photosystem I, plastocyanin, site-directed mutagenesis, *Hibino, Lee, Yajima, Odani, Yamauchi, Takabe*, 556
- electron-transfer inhibitor, mitochondrial electron-transfer, succinate-ubiquinone oxidoreductase, ubiquinol-cytochrome *c* oxidoreductase, ubiquinone-pool, *Yamashita, Miyoshi, Hatano, Iwamura*, 377
- electron-transferring flavoprotein, AMP, folding intermediate, subunit, urea denaturation, *Sato, Nishina, Shiga*, 276
- elongation factor, ancient divergence of eukaryote, *Glugea plecoglossi*, microsporidian, mitochondrion-lacking protozoa, *Kamaishi, Hashimoto, Nakamura, Masuda, Nakamura, Okamoto, Shimizu, Hasegawa*, 1095
- embryogenesis, F9 cell, genomic organization, nucleotide sequence, *polycomb* group gene, *Motaleb, Takihara, Nomura, Matsuda, Higashinakagawa, Shimada*, 797
- , c-met, epithelial-mesenchymal interaction, hepatocyte growth factor, *Xenopus laevis*, *Aoki, Takahashi, Matsumoto, Nakamura*, 961
- encapsulated carbonic anhydrase, carrier erythrocyte, cell targeting, organ uptake, sustained release, *Alvarez, Herráez, Murciano, Jordán, Díez, Tejedor*, 286
- endocytosis, biosynthesis, endosome, lysosome, membrane glycoprotein, *Akasaki, Michihara, Fujiwara, Mibuka, Tsuji*, 1088
- endo- α -N-acetylgalactosaminidase, β -D-galactosidase, β -D-Gal-(1 $\rightarrow$ 3)- α -D-GalNAc- $\text{OC}_6\text{H}_4\text{NO}_2$ -*p*, mucin-type oligosaccharide, transglycosylation, *Murata, Itoh, Hayakawa, Usui*, 851
- endoplasmic reticulum, RST, *Saccharomyces cerevisiae*, SEC12, vesicular transport, *Nakano*, 642
- , cytochrome *b₆*, immunofluorescence microscopy, membrane topology, tail-anchored protein, *Kuroda, Kinoshita, Honsho, Mitoma, Ito*, 828
- endosome, biosynthesis, endocytosis, lysosome, membrane glycoprotein, *Akasaki, Michihara, Fujiwara, Mibuka, Tsuji*, 1088
- endothelial cell, fibrinolysis, plasminogen activator, plasminogen activator inhibitor-1, T-686, *Ohtani, Takagi, Hirano, Murakami, Sasaki*, 1203
- enkephalin, activated thiol, affinity labeling, disulfide bond, opioid receptor, *Yasunaga, Motoyama, Nose, Kodama, Kondo, Shimohigashi*, 459
- enoyl-CoA hydratase, human enzyme, D-3-hydroxyacyl-CoA dehydratase, medium-chain, peroxisomal, *Jiang, Kobayashi, Matsuura, Fukushima, Hashimoto*, 624
- enzymatic activity, alcohol dehydrogenase, *Bacillus acidocaldarius*, circular dichroism, thermophilic enzyme, *D'Auria, Cara, Nazzaro, Vespa, Rossi*, 498
- enzyme-ligand interaction, D-amino acid oxidase, flavoenzyme, three dimensional structure, X-ray crystallography, *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, Setoyama, Miura*, 14
- epidermal growth factor, cell adhesion, gastric cancer, laminin-5, tumor promoter, *Mizushima, Miyagi, Kikkawa, Yamanaka, Yasumitsu, Misugi, Miyazaki*, 1196
- epithelial-mesenchymal interaction, c-met, embryogenesis, hepatocyte growth factor, *Xenopus laevis*, *Aoki, Takahashi, Matsumoto, Nakamura*, 961
- epitope tagging, ADP-ribosylation factor, Golgi complex, small GTP-binding protein, vesicular trafficking, *Hosaka, Toda, Takatsu, Torii, Murakami, Nakayama*, 813
- Escherichia coli*, barotolerant bacterium, *cydD*, high pressure, respiratory system, *Kato, Tamegai, Ikegami, Usami, Horikoshi*, 301
- , flavin reductase, flavoenzyme, *nfsB*, nitroreductase, *Zenno, Koike, Tanokura, Saigo*, 736
- , F₁-ATPase, nucleotide binding, TNP-ATP, uni-site catalysis, *Muneyuki, Hisabori, Sasayama, Mochizuki, Yoshida*, 940
- Euglena gracilis*, ADP-ribosylhydrolase, cell cycle, mono-ADP-ribosylation, NAD^+ , *Takenaka, Masuda, Tsuyama, Tamura, Miyatake, Nakano*, 792
- evolution, active site, amino acid decarboxylase, pyridoxal 5'-phosphate, site-directed mutagenesis, *Ishii, Mizuguchi, Nishino, Hayashi, Kagamiyama*, 369
- , archaea (archaeobacteria), 2-oxoacid:ferredoxin oxidoreductase, primary structure, *Sulfolobus*, *Zhang, Iwasaki, Wakagi, Oshima*, 587
- exo-cellulase, barley glucan, fungi, substrate specificity, xyloglucan, *Amano, Shiroishi, Nisizawa, Hoshino, Kanda*, 1123
- exocytosis, ADP-ribosyltransferase, calcium,

E (cont'd)

- polymorphonuclear leukocyte, zymosan, *Terashima, Badruzzaman, Tsuchiya, Shimoyama*, 1209
- exonic enhancer, pre-mRNA splicing, SR protein, transacting factor, U1 snRNP, *Achsel, Shumura*, 53
- exon-intron structure, genomic DNA, promoter structure, prostacyclin (PGI₂)-stimulating factor, transcription initiation site, *Mizushima, Sato, Negishi, Koushima, Okamoto, Nii, Hashimoto, Umeda, Nawata, Kanamori*, 929
- exon trapping, cDNA cloning, Down syndrome, tetratricopeptide repeat, *Tsukahara, Hattori, Muraki, Sakaki*, 820
- extracellular matrix, adipocyte, collagen-like domain, GBP28, gelatin-binding, *Nakano, Tobe, Choi-Miura, Mazda, Tomita*, 803
- extracellular-superoxide dismutase, hemodialysis patient, heparin, neutrophil, trypsin, *Adachi, Morihara, Yamazaki, Yamada, Futenma, Kato, Hirano*, 184

F

- F₁-ATPase, *Escherichia coli*, nucleotide binding, TNP-ATP, uni-site catalysis, *Muneyuki, Hisabori, Sasayama, Mochizuki, Yoshida*, 940
- F9 cell, embryogenesis, genomic organization, nucleotide sequence, *polycomb* group gene, *Motaleb, Takihara, Nomura, Matsuda, Higashinakagawa, Shimada*, 797
- Fas antigen, apoptosis, gene expression, mitochondria disease, respiratory inhibitor, *Asoh, Mori, Hayashi, Ohta*, 600
- fatty acid activation, carbonyl reductase, NADP(H) specificity, short-chain dehydrogenase/reductase family, site-directed mutagenesis, *Nakanishi, Kakumoto, Matsuura, Deyashiki, Tanaka, Nonaka, Mitsu, Hara*, 257
- fatty acid-binding protein, cysteine-thiolation, mixed disulfide, post-translational modification, proteolysis, *Sato, Baba, Takahashi, Uchiumi, Odani*, 908
- fibrinolysis, endothelial cell, plasminogen activator, plasminogen activator inhibitor-1, T-686, *Ohtani, Takagi, Hirano, Murakami, Sasaki*, 1203
- ficolin, elastin, elastin-binding protein, plasma, transforming growth factor- β 1, *Harumiya, Takeda, Sugiura, Fukumoto, Tachikawa, Miyazono, Fujimoto, Ichijo*, 745
- flavin reductase, *Escherichia coli*, flavoenzyme, *nfsB*, nitroreductase, *Zenno, Koike, Tanokura, Saigo*, 736
- flavoenzyme, D-amino acid oxidase, enzyme-ligand interaction, three dimensional structure, X-ray crystallography, *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, Setoyama, Miura*, 14
- , *Escherichia coli*, flavin reductase, *nfsB*, nitroreductase, *Zenno, Koike, Tanokura, Saigo*, 736
- flavoprotein, covalently-bound flavin, monoamine oxidase A, pargyline, site-directed mutagenesis, *Hiro, Tsugeno, Hirashiki, Ogata, Ito*, 759
- fluorescent labeling, carbohydrate structure, α 1-6fucosyltransferase, glycosyltransferase activity, HPLC, *Uozumi, Teshima, Yamamoto, Nishikawa, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, Shiba, Taniguchi*, 385
- fluorogenic acceptor, α -1,3-xylosyltransferase, human hepatoma HepG2 cell line, Xyl α 1-3Xyl α 1-3Glc, *Minamida, Aoki, Natsuka, Omichi, Fukase, Kusumoto, Hase*, 1002
- Fnr, ArcAB, iron-sulfur cluster, oxidative damage, respiration, *Iuchi, Weiner*, 1055
- folding intermediate, AMP, electron-transferring flavoprotein, subunit, urea denaturation, *Sato, Nishina, Shiga*, 276
- food allergy, IgA antibody, IgE antibody, α -tocopherol, unsaturated fatty acid, *Yamada, Hung, Yoshimura, Taniguchi, Lim, Sugano*, 138
- α 1-6fucosyltransferase, carbohydrate structure, fluorescent labeling, glycosyltransferase activity, HPLC, *Uozumi, Teshima, Yamamoto, Nishikawa, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, Shiba, Taniguchi*, 385
- fungi, barley glucan, exo-cellulase, substrate specificity, xyloglucan, *Amano, Shiroishi, Nisizawa, Hoshino, Kanda*, 1123
- Fusarium oxysporum*, amino acid sequence, amino-terminal processing, cytochrome P450nor, P450nor isoform, *Nakahara, Shoun*, 1082

G

- β -D-Gal-(1 $\rightarrow$ 3)- α -D-GalNAc-OC₆H₄NO₂-p, endo- α -N-actylgalactosaminidase, β -D-galactosidase, mucin-type oligosaccharide, transglycosylation, *Murata, Itoh, Hayakawa, Usui*, 851
- β -D-galactosidase, endo- α -N-actylgalactosaminidase, β -D-Gal-(1 $\rightarrow$ 3)- α -D-GalNAc-OC₆H₄NO₂-p, mucin-type oligosaccharide, transglycosylation, *Murata, Itoh, Hayakawa, Usui*, 851
- β -galactoside-binding lectin, galectin, L1210, leukemic cell, *Mai, Jung, Tachikawa, Fujimoto*, 478
- β -galactoside α 2,6-sialyltransferase, bacterial sialyltransferase, *Photobacterium damselae*, *Yamamoto, Nakashizuka, Kodama, Kajihara, Terada*, 104
- galectin, β -galactoside-binding lectin, L1210, leukemic cell, *Mai, Jung, Tachikawa, Fujimoto*, 478
- galectin-1, bovine spleen, carbohydrate specificity, conserved CRD, isoform, *Ahmed, Fink, Pohl, Vasta*, 1007
- ganglioside, calcineurin, calcium pump, calmodulin, phosphodiesterase, *Higashi, Yoshida, Sato, Yamagata*, 66
- , central nervous system, GD3 synthase, sialyltransferase, *Watanabe, Nara, Takahashi, Nagai, Sanai*, 1020
- gas-phase hydrazinolysis, IgA1, IgA nephropathy, MALDI-TOFMS, O-linked oligosaccharide, *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, Hotta*, 92
- gastric cancer, cell adhesion, epidermal growth factor, laminin-5, tumor promoter, *Mizushima, Miyagi, Kikkawa, Yamanaka, Yasumitsu, Misugi, Miyazaki*, 1196
- GBP28, adipocyte, collagen-like domain, extracellular matrix, gelatin-binding, *Nakano, Tobe, Choi-Miura, Mazda, Tomita*, 803
- GD3 synthase, central nervous system, ganglioside, sialyltransferase, *Watanabe, Nara, Takahashi, Nagai, Sanai*, 1020
- GEF, G protein, nuclear pore transport, Ran pathway, RCC1, RNA1, *Seki, Hayashi, Nishimoto*, 207
- gel, basement membrane, lens capsule, self-assembly, type IV collagen, *Nakazato, Muraoka, Adachi, Hayashi*, 889
- gelatin-binding, adipocyte, collagen-like domain, extracellular matrix, GBP28, *Nakano, Tobe, Choi-Miura, Mazda, Tomita*, 803
- gene expression, apoptosis, Fas antigen, mitochondria disease, respiratory inhibitor, *Asoh, Mori, Hayashi, Ohta*, 600
- gene family, cell surface protein, early mouse embryo, GPI-anchor, *Rael, Nomura, Zou, Joh, Takihara, Matsuda, Shimada*, 987
- gene regulation, IRF, ISGF3, type I interferon, viral induction, *Yoneyama, Suhara, Fukuhara, Sato, Ozato, Fujita*, 160
- gene structure, D-factor/LIF receptor, TATA box, *Tomida, Gotoh*, 201
- genomic DNA, exon-intron structure, promoter structure, prostacyclin (PGI₂)-stimulating factor, transcription initiation site, *Mizushima, Sato, Negishi, Koushima, Okamoto, Nii, Hashimoto, Umeda, Nawata, Kanamori*, 929
- genomic organization, embryogenesis, F9 cell, nucleotide sequence, *polycomb* group gene, *Motaleb, Takihara, Nomura, Matsuda, Higashinakagawa, Shimada*, 797
- 94-kDa glucose-regulated protein, amino acid sequence, coexpression system, dimerization, 90-kDa heat-shock protein, *Nemoto, Matsusaka, Ota, Takagi, Collinge, Walther-Larsen*, 249
- Glugea plecoglossi*, ancient divergence of eukaryote, elongation factor, microsporidian, mitochondrion-lacking protozoa, *Kamaishi, Hashimoto, Nakamura, Masuda, Nakamura, Okamoto, Shimizu, Hasegawa*, 1095
- glutamate dehydrogenase, aspartate aminotransferase, 2-oxoglutarate, 2-oxoglutaric acid dimethyl ester, syncatalytic inactivation, *Kato, Asano, Makar, Cooper*, 531
- glutamate receptor, chimera, G protein, *Xenopus* oocyte, phospholipase C, *Nakamura, Nukada, Imai, Sugiyama*, 996
- γ -glutamyltranspeptidase, crystal structure analysis, density modification, *Sakai, Sakabe, Sasaki, Hashimoto, Suzuki, Tachi, Kumagai, Sakabe*, 26
- glutathione, human lysozyme, protein disulfide isomerase, protein folding, reductive cleavage of disulfide bond, *Nakamura, Matsushima, Song, Kikuchi*, 525
- glycation, advanced glycation end product, collagen, cross-link, pepsin digestion, *Tian, Toda, Higashino, Matsumura*, 1153
- glycoprotein, Asn-linked oligosaccharide, Asn-linked oligosaccharide function, protein folding, ribonuclease B, *Yamaguchi, Uchida*, 474
- β -glycosidase, *Sulfolobus solfataricus*, thermophilic enzyme, protein denaturation, scanning calorimetry, *D'Auria, Rossi*,

G (cont'd)

- Barone, Catanzano, Del Vecchio, Graziano, Nucci, 292
- glycosphingolipid, lysoglycosphingolipid, matrix-assisted laser desorption ionization time-of-flight mass spectrometry, sphingolipid, sphingosine, Taketomi, Hara, Uemura, Sugiyama, 573
- glycosylation, mast cell, N-terminal amino acid sequence, rat tongue, tryptase, Okumura, Kudoh, Takashima, Inoue, Sakai, Kido, 856
- glycosylation site, cDNA cloning, C-terminal analysis, vitronectin, Yoneda, Kojima, Matsumoto, Yamamoto, Ogawa, 954
- glycosyltransferase, cloning, differentiation, sialic acid, sialyltransferase, Tsuji, 1
- glycosyltransferase activity, carbohydrate structure, fluorescent labeling, α 1-6fucosyltransferase, HPLC, Uozumi, Teshima, Yamamoto, Nishikawa, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, Shiba, Taniguchi, 385
- Golgi apparatus, CDC91, UDP-galactose, UDP-galactose translocator, ZK370.7, Miura, Ishida, Hoshino, Yamauchi, Hara, Ayusawa, Kawakita, 236
- , protein secretion, small GTPase, *Saccharomyces cerevisiae*, vesicular transport, Yamanushi, Hirata, Oka, Nakano, 452
- Golgi complex, ADP-ribosylation factor, epitope tagging, small GTP-binding protein, vesicular trafficking, Hosaka, Toda, Takatsu, Torii, Murakami, Nakayama, 813
- GPI-anchor, cell surface protein, early mouse embryo, gene family, Rael, Nomura, Zou, Joh, Takihara, Matsuda, Shimada, 987
- G protein, detergent, muscarinic receptor, receptor-G protein complex, solubilization, Rinke, 193
- , GEF, nuclear pore transport, Ran pathway, RCC1, RNA1, Seki, Hayashi, Nishimoto, 207
- , chimera, glutamate receptor, *Xenopus* oocyte, phospholipase C, Nakamura, Nukada, Imai, Sugiyama, 996
- , histidine-tag, muscarinic receptor, purification, Hayashi, Haga, 1232
- Gram-negative bacteria, carboxyl proteinase, kinetic property, pepstatin, substrate specificity, Ito, Dunn, Oda, 845
- granuloma, chemotactic factor, macrophage, mycoloyl glycolipid, Matsunaga, Oka, Fujiwara, Yano, 663
- growth factor, corneal stromal cell, culture in collagen gel, keratan sulfate, proteoglycan, Nakazawa, Morita, Nakano, Mano, Tozawa, 117
- , catalase, H_2O_2 , reactive oxygen, tumor cell, Miyamoto, Hayashi, Takeuchi, Okamoto, Kawashima, Takii, Hayashi, Onozaki, 725
- GTPase, actin cytoskeleton, *botulinum* C3 exoenzyme, cell adhesion, Rho, Narumiya, 215
- guanidine hydrochloride, allosteric effector, phosphoenolpyruvate carboxylase, thermostable enzyme, *Thermus* sp, Nakamura, Minoguchi, Izui, 518
- guinea pig, cDNA cloning, PAF, PAF-acetylhydrolase, purification, Karasawa, Kuge, Kawasaki, Nishijima, Nakano, Tomita, Yokoyama, Setaka, Nojima, 838
- guinea pig α -macroglobulin, molecular evolution, murinoglobulin, rodent phylogeny, Iwasaki, Suzuki, Sinohara, 1167
- H
- H^+ -pump, anion-sensitivity, lysosome, reconstitution, vacuolar H^+ -ATPase, Okamoto, Hiratani, Arai, Ohkuma, 608
- H_2O_2 , catalase, growth factor, reactive oxygen, tumor cell, Miyamoto, Hayashi, Takeuchi, Okamoto, Kawashima, Takii, Hayashi, Onozaki, 725
- hamster, bikunin, inter- α -trypsin inhibitor, pancreatic carcinogenesis, trypstatin, Yamamoto, Yamamoto, Sinohara, 145
- head-to-tail interaction, actin-binding ability, muscle-type tropomyosin, nonmuscle-type tropomyosin, sea urchin egg tropomyosin, Tobita, Hiraide, Miyazaki, Ishimoda-Takagi, 922
- 90-kDa heat-shock protein, amino acid sequence, coexpression system, dimerization, 94-kDa glucose-regulated protein, Nemoto, Matsusaka, Ota, Takagi, Collinge, Walther-Larsen, 249
- heme oxygenase, carbon monoxide, cyto-stasis, nitric oxide, nitric oxide synthase, Kurata, Matsumoto, Yamashita, 49
- heme oxygenase-2, cDNA cloning, mouse, Matsumoto, Saito-Ohara, Hoshi, Kurata, 1079
- hemodialysis patient, extracellular-superoxide dismutase, heparin, neutrophil, trypsin, Adachi, Morihara, Yamazaki, Yamada, Futenma, Kato, Hirano, 184
- heparan sulfate, Alzheimer's disease, EHS tumor, perlecan, proteoglycan, Castillo, Cummings, Ngo, Yang, Snow, 433
- heparin, extracellular-superoxide dismutase, hemodialysis patient, neutrophil, trypsin, Adachi, Morihara, Yamazaki, Yamada, Futenma, Kato, Hirano, 184
- heparin binding, affinity chromatography, heparin column, triple-helical structure, type V collagen, Mizuno, Hayashi, 934
- heparin column, affinity chromatography, heparin binding, triple-helical structure, type V collagen, Mizuno, Hayashi, 934
- hepatocyte, Cyp3a, dexamethasone, p53, primary culture, Shimoji, Itoh, Toide, Nakayama, Aizawa, Kamataki, 42
- hepatocyte growth factor, c-met, embryogenesis, epithelial-mesenchymal interaction, *Xenopus laevis*, Aoki, Takahashi, Matsumoto, Nakamura, 961
- hepatoma cell, insulin, interleukin 4, JAK kinase, signal transduction, Chuang, Tai, Kahn, Wu, Lee, Lin, 111
- herpes simplex virus type 1, human immunoglobulin, molecular interaction, optical biosensor, Inoue, Arai, Aoyagi, 233
- heterochromatin, autoantibody, centromere, DNA binding, HP1, Sugimoto, Yamada, Muro, Himeno, 153
- high pressure, barotolerant bacterium, *cydD*, *Escherichia coli*, respiratory system, Kato, Tamegai, Ikegami, Usami, Horikoshi, 301
- high specificity factor, crystallization, red alga, ribulose 1,5-bisphosphate carboxylase/oxygenase, X-ray crystallography, Shibata, Yamamoto, Inoue, Uemura, Yokota, Kai, 1064
- histidine-tag, G protein, muscarinic receptor, purification, Hayashi, Haga, 1232
- horseshoe crab, agglutinin, antimicrobial activity, chitin binding, host defense, Kawabata, Nagayama, Hirata, Shigenaga, Agarwala, Saito, Cho, Nakajima, Takagi, Iwanaga, 1253
- host defense, agglutinin, antimicrobial activity, chitin binding, horseshoe crab, Kawabata, Nagayama, Hirata, Shigenaga, Agarwala, Saito, Cho, Nakajima, Takagi, Iwanaga, 1253
- HP1, autoantibody, centromere, DNA binding, heterochromatin, Sugimoto, Yamada, Muro, Himeno, 153
- HPLC, carbohydrate structure, fluorescent labeling, α 1-6fucosyltransferase, glycosyltransferase activity, Uozumi, Teshima, Yamamoto, Nishikawa, Miyoshi, Gao, Noda, Islam, Ihara, Fujii, Shiba, Taniguchi, 385
- human, bikunin, inter- α -trypsin inhibitor light chain, pancreas, urinary trypsin inhibitor (UTI), Itoh, Tomita, Kobayashi, Uchino, Maruyama, Nawa, 271
- human enzyme, enoyl-CoA hydratase, D-3-hydroxyacyl-CoA dehydratase, medium-chain, peroxisomal, Jiang, Kobayashi, Matsuura, Fukushima, Hashimoto, 624
- human hepatoma HepG2 cell line, α -1,3-xylosyltransferase, fluorogenic acceptor, Xyl α 1-3Xyl α 1-3Glc, Minamida, Aoki, Natsuka, Omichi, Fukase, Kusumoto, Hase, 1002
- human homolog, cDNA, *Drosophila bendless* gene product, ubiquitin-conjugating enzyme, Yamaguchi, Kim, Sekine, Seino, Osaka, Yamao, Kato, 494
- human immunoglobulin, herpes simplex virus type 1, molecular interaction, optical biosensor, Inoue, Arai, Aoyagi, 233
- human lysozyme, glutathione, protein disulfide isomerase, protein folding, reductive cleavage of disulfide bond, Nakamura, Matsushima, Song, Kikuchi, 525
- , amyloid formation, denatured state of a protein, mutant protein, stability of amyloidogenic protein, Funahashi, Takano, Ogasahara, Yamagata, Yutani, 1216
- hydrogen bond, apomyoglobin, myoglobin, NMR, protein folding, Yamamoto, 126
- hydrogen peroxide, apoptosis, Bcl-2, NGF, reactive oxygen species, Satoh, Sakai, Enokido, Uchiyama, Hatanaka, 540
- hydrolase fold, catalytic triad, crystal structure, *Rhizopus niveus*, triacylglycerol acylhydrolase, Kohno, Funatsu, Mikami, Kugimiya, Matsuo, Morita, 505
- α/β hydrolase fold family, cloning, crystallization, dipeptidyl peptidase IV, serine protease, Kabashima, Ito, Yoshimoto, 1111
- hydrolysis, artificial metalloenzyme, dinuclear metal complex, ribonucleotide dimer, Yashiro, Ishikubo, Komiyama, 1067
- hydrophobic anchor, acylation of phospholipase A_2 , circular dichroism, conformational change, phospholipase A_2 , Ahmed, Kelly, Lawrence, Mezna, Price, 1224
- D-3-hydroxyacyl-CoA dehydratase, enoyl-CoA hydratase, human enzyme, medium-

H (cont'd)

- chain, peroxisomal, *Jiang, Kobayashi, Matsuura, Fukushima, Hashimoto*, 624
 —, bifunctional protein, D-3-hydroxyacyl-CoA dehydrogenase, peroxisomal, rat enzyme, *Jiang, Miyazawa, Hashimoto*, 633
 D-3-hydroxyacyl-CoA dehydrogenase, bifunctional protein, D-3-hydroxyacyl-CoA dehydratase, peroxisomal, rat enzyme, *Jiang, Miyazawa, Hashimoto*, 633
 22R-hydroxycholesterol, adrenodoxin, cytochrome P-450_{acc}, 20R,22R-dihydroxycholesterol, intermediate, *Sugano, Miura, Morishima*, 780

I

- ICE-like activity, apoptosis, neural differentiation, P19 cell, proteasome, *Kobayashi, Shinozaki, Momoi, Arahata, Tsukahara*, 699
 IgA1, gas-phase hydrazinolysis, IgA nephropathy, MALDI-TOFMS, O-linked oligosaccharide, *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, Hotta*, 92
 —, IgA nephropathy, IgA1 myeloma, MALDI-TOFMS, O-linked oligosaccharide, *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, Hotta*, 393
 IgA1 myeloma, IgA1, IgA nephropathy, MALDI-TOFMS, O-linked oligosaccharide, *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, Hotta*, 393
 IgA antibody, food allergy, IgE antibody, α -tocopherol, unsaturated fatty acid, *Yamada, Hung, Yoshimura, Taniguchi, Lim, Sugano*, 138
 IgA nephropathy, gas-phase hydrazinolysis, IgA1, MALDI-TOFMS, O-linked oligosaccharide, *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, Hotta*, 92
 —, IgA1, IgA1 myeloma, MALDI-TOFMS, O-linked oligosaccharide, *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, Hotta*, 393
 IgE antibody, food allergy, IgA antibody, α -tocopherol, unsaturated fatty acid, *Yamada, Hung, Yoshimura, Taniguchi, Lim, Sugano*, 138
 IgG2b- or IgG3-producing hybridoma, isotype dependent serum C1q-fluctuation, mouse C1q metabolism, mRNA of the C1q B-chain, *Sasaki, Yamada, Matsui, Dohi, Hirakawa, Sakanashi, Yonemasu*, 306
 IL6, differentiation, neurite, NGF, PC12 cell, *Ihara, Iwamatsu, Fujiyoshi, Komi, Yamori, Fukui*, 865
 immunofluorescence microscopy, cytochrome b₆, endoplasmic reticulum, membrane topology, tail-anchored protein, *Kuroda, Kinoshita, Honsho, Mitoma, Ito*, 828
 importin β , karyopherin β , NLS receptor, nuclear transport, PTAC97, *Makifuchi, Takeuchi, Kawahire, Odani, Ichimura, Omata, Horigome*, 716
 induction by methionine, Cu²⁺-carrier protein, melanin pigment, *Streptomyces castaneoglobisporus*, tyrosinase from *Streptomyces*, *Ikeda, Masujima, Sugiyama*, 1141
 inherited deficiency, γ -carboxyglutamic acid domain, protein C, secretion, vitamin K-

- dependent factor, *Tokunaga, Tsukamoto, Koide*, 360
 inhibition stoichiometry, α -amylase inhibitor, complete structure, kidney bean, subunit structure of α -amylase inhibitor, *Kasahara, Hayashi, Arakawa, Philo, Wen, Hara, Yamaguchi*, 177
 initiation of translation, *Candida tropicalis*, carnitine acetyltransferase, mitochondria, peroxisome, *Kawachi, Atomi, Ueda, Hashimoto, Kobayashi, Yoshida, Kamasawa, Osumi, Tanaka*, 731
 inostamycin, cdk2, cyclin D, cyclin E, phosphatidylinositol, *Deguchi, Imoto, Umezawa*, 1118
 insulin, hepatoma cell, interleukin 4, JAK kinase, signal transduction, *Chuang, Tai, Kahn, Wu, Lee, Lin*, 111
 integrin $\alpha 6 \beta 1$, cell adhesion, laminin-1, phage display library, synthetic peptide, *Murayama, Nishida, Sekiguchi*, 445
 inter- α -trypsin inhibitor, bikunin, pancreatic carcinogenesis, trypstatin, hamster, *Yamamoto, Yamamoto, Sinohara*, 145
 inter- α -trypsin inhibitor light chain, bikunin, human, pancreas, urinary trypsin inhibitor (UTI), *Itoh, Tomita, Kobayashi, Uchino, Maruyama, Nawa*, 271
 interleukin 4, hepatoma cell, insulin, JAK kinase, signal transduction, *Chuang, Tai, Kahn, Wu, Lee, Lin*, 111
 intermediate, adrenodoxin, cytochrome P-450_{acc}, 20R,22R-dihydroxycholesterol, 22R-hydroxycholesterol, *Sugano, Miura, Morishima*, 780
 —, acid unfolding, dihydrofolate reductase, molten globule, thermal unfolding, *Ohmae, Kurumiya, Makino, Gekko*, 946
 intersubunit interaction, chemical modification, disulfide bond, dithiothreitol, dopamine β -monooxygenase, *Ishida, Narita, Nozaki, Horiike*, 346
 intracellular calcium concentration, cytosolic phospholipase A₂, lysophosphatidylcholine, mast cell, mitogen-activated protein kinase, *Ishimoto, Arisato, Akiba, Sato*, 1247
 invertebrate, Ca²⁺-regulation, scallop, striated muscle, troponin T, *Inoue, Ojima, Nishita*, 834
in vitro motility assay, activation energy, carp myosin, temperature acclimation, thermostability, *Chaen, Nakaya, Guo, Watabe*, 788
 IRF, gene regulation, ISGF3, type I interferon, viral induction, *Yoneyama, Suhara, Fukuhara, Sato, Ozato, Fujita*, 160
 iron-sulfur cluster, ArcAB, Fnr, oxidative damage, respiration, *Iuchi, Weiner*, 1055
 ISGF3, gene regulation, IRF, type I interferon, viral induction, *Yoneyama, Suhara, Fukuhara, Sato, Ozato, Fujita*, 160
 isoform, oil body, oleosin, rice, structure-function, *Chuang, Chen, Chu, Tzen*, 74
 —, aorta smooth muscle, calmodulin, myosin I, *Hasegawa, Kikuta, Okamoto*, 901
 —, bovine spleen, carbohydrate specificity, conserved CRD, galectin-1, *Ahmed, Fink, Pohl, Vasta*, 1007
 isotype dependent serum C1q-fluctuation, IgG2b- or IgG3-producing hybridoma, mouse C1q metabolism, mRNA of the C1q B-chain, *Sasaki, Yamada, Matsui, Dohi,*

Hirakawa, Sakanashi, Yonemasu, 306

J

- JAK kinase, hepatoma cell, insulin, interleukin 4, signal transduction, *Chuang, Tai, Kahn, Wu, Lee, Lin*, 111
 Japanese pear, S-allele, self-incompatibility, S-RNase, two-dimensional gel electrophoresis, *Ishimizu, Sato, Saito, Yoshimura, Norioka, Nakanishi, Sakiyama*, 326
 —, cDNA, cloning, nucleotide sequence, self-incompatibility, S-RNase, *Norioka, Norioka, Ohnishi, Ishimizu, Oneyama, Nakanishi, Sakiyama*, 335

K

- α KAP, CaM-kinase II, cDNA sequence, signal sequence, skeletal muscle, *Sugai, Takeuchi, Okuno, Fujisawa*, 773
 karyopherin β , importin β , NLS receptor, nuclear transport, PTAC97, *Makifuchi, Takeuchi, Kawahire, Odani, Ichimura, Omata, Horigome*, 716
 Kennedy pathway, CDP-ethanolamine, phosphatidylethanolamine, phosphoethanolamine cytidylyltransferase, *Saccharomyces cerevisiae*, *Min-Seok, Kawamata, Nakamura, Ohta, Takagi*, 1040
 keratan sulfate, corneal stromal cell, culture in collagen gel, growth factor, proteoglycan, *Nakazawa, Morita, Nakano, Mano, Tozawa*, 117
 kidney bean, α -amylase inhibitor, complete structure, inhibition stoichiometry, subunit structure of α -amylase inhibitor, *Kasahara, Hayashi, Arakawa, Philo, Wen, Hara, Yamaguchi*, 177
 kinesin, CD, molecular motor, *ncd*, *Shimizu, Morii*, 1176
 kinetic property, carboxyl proteinase, Gram-negative bacteria, pepstatin, substrate specificity, *Ito, Dunn, Oda*, 845

L

- L1210, β -galactoside-binding lectin, galectin, leukemic cell, *Mai, Jung, Tachikawa, Fujimoto*, 478
 β -lactamase, BlaA, DNA-binding protein, LysR family, *Ishiguro, Sugimoto*, 98
 laminin-1, cell adhesion, integrin $\alpha 6 \beta 1$, phage display library, synthetic peptide, *Murayama, Nishida, Sekiguchi*, 445
 laminin-5, cell adhesion, epidermal growth factor, gastric cancer, tumor promoter, *Mizushima, Miyagi, Kikkawa, Yamanaka, Yasumitsu, Misugi, Miyazaki*, 1196
 lead nitrate, aromatic amine, aryl hydrocarbon, CYP1A, cytochrome P450, *Degawa, Matsuda, Arai, Hashimoto*, 547
 lectin, affinity electrophoresis, capillary electrophoresis, ligand binding, molecular recognition, *Shimura, Kasai*, 1146
 Leishmania RNA virus, capsid protein, pseudoknot structure, ribosomal frameshift, RNA-dependent RNA polymerase, *Lee, Suh, Scheffler, Patterson, Chung*, 22
 lens capsule, basement membrane, gel, self-assembly, type IV collagen, *Nakazato, Muraoka, Adachi, Hayashi*, 889
 leukemia, ATL, N-cadherin, α -catenin, β -catenin, *Tsutsui, Moriyama, Arima, Ohsubo, Tanaka, Ozawa*, 1034

L (cont'd)

- leukemic cell, β -galactoside-binding lectin, galectin, L1210, *Mai, Jung, Tachikawa, Fujimoto*, 478
- ligand binding, affinity electrophoresis, capillary electrophoresis, lectin, molecular recognition, *Shimura, Kasai*, 1146
- lipase, pH-stabilization, *Pseudomonas aeruginosa*, random mutagenesis, thermal stabilization, *Shinkai, Hirano, Aisaka*, 915
- lipid peroxidation, acidosis, Al^{3+} effect, liposome, *Ohyashiki, Karino, Suzuki, Matsui*, 895
- lipogenic enzyme gene expression, adipose tissue, nutritional regulation, *Iritani, Fukuda, Tada*, 242
- lipopolysaccharide (LPS), calcium, calcium chelator, macrophage, tumor necrosis factor- α (TNF- α), *Watanabe, Suzuki, Kobayashi*, 1190
- liposome, acidosis, Al^{3+} effect, lipid peroxidation, *Ohyashiki, Karino, Suzuki, Matsui*, 895
- , amphiphilicity, antimicrobial peptide, planar bilayer, selective toxicity, *Hirakura, Alvarez-Bravo, Kurata, Natori, Kirino*, 1130
- loss of imprinting, chromosomal domain, DNA methylation, replication timing, uniparental disomy, *Nakao, Sasaki*, 467
- LPS, mannose/GlcNAc receptor, protein kinase C, *Kimura, Hamada, Moriyama, Kannan, Shiota, Sakurada, Musashi, Sugano*, 488
- Lys-gingipain, Arg-gingipain, lysine-specific cysteine proteinase, *Porphyromonas gingivalis*, precursor structure, *Okamoto, Kadowaki, Nakayama, Yamamoto*, 398
- lysine-specific cysteine proteinase, Arg-gingipain, Lys-gingipain, *Porphyromonas gingivalis*, precursor structure, *Okamoto, Kadowaki, Nakayama, Yamamoto*, 398
- lysoglycosphingolipid, glycosphingolipid, matrix-assisted laser desorption ionization time-of-flight mass spectrometry, sphingolipid, sphingosine, *Taketomi, Hara, Uemura, Sugiyama*, 573
- lysophosphatidylcholine, cytosolic phospholipase A_2 , intracellular calcium concentration, mast cell, mitogen-activated protein kinase, *Ishimoto, Arisato, Akiba, Sato*, 1247
- lysosome, anion-sensitivity, H^+ -pump, reconstitution, vacuolar H^+ -ATPase, *Okamoto, Hiratani, Arai, Ohkuma*, 608
- , biosynthesis, endocytosis, endosome, membrane glycoprotein, *Akasaki, Michihara, Fujiwara, Mibuka, Tsuji*, 1088
- LysR family, β -lactamase, BlaA, DNA-binding protein, *Ishiguro, Sugimoto*, 98
- M
- macrolide, actin, actin depolymerization, aplyronine A, mycalolide B, *Saito, Watabe, Ozaki, Kigoshi, Yamada, Fusetani, Karaki*, 552
- macrophage, chemotactic factor, granuloma, mycoloyl glycolipid, *Matsunaga, Oka, Fujiwara, Yano*, 663
- , calcium, calcium chelator, lipopolysaccharide (LPS), tumor necrosis factor- α (TNF- α), *Watanabe, Suzuki, Kobayashi*, 1190
- MALDI-TOFMS, gas-phase hydrazinolysis, IgA1, IgA nephropathy, O-linked oligosaccharide, *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, Hotta*, 92
- , IgA1, IgA nephropathy, IgA1 myeloma, O-linked oligosaccharide, *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, Hotta*, 393
- mammary tumor, brain, promoter, receptor tyrosine kinase, *sky, Sasaki, Enami*, 264
- mannose/GlcNAc receptor, LPS, protein kinase C, *Kimura, Hamada, Moriyama, Kannan, Shiota, Sakurada, Musashi, Sugano*, 488
- mantGDP, alanine scanning, Ran, RanGEF, RCC1, *Azuma, Seino, Seki, Uzawa, Klebe, Ohba, Wittinghofer, Hayashi, Nishimoto*, 82
- mast cell, arachidonic acid, phospholipase A_2 , phospholipase D, prostaglandin D_2 , *Ishimoto, Akiba, Sato*, 616
- , glycosylation, N-terminal amino acid sequence, rat tongue, tryptase, *Okumura, Kudoh, Takashima, Inoue, Sakai, Kido*, 856
- , cytosolic phospholipase A_2 , intracellular calcium concentration, lysophosphatidylcholine, mitogen-activated protein kinase, *Ishimoto, Arisato, Akiba, Sato*, 1247
- matrix-assisted laser desorption ionization time-of-flight mass spectrometry, glycosphingolipid, lysoglycosphingolipid, sphingolipid, sphingosine, *Taketomi, Hara, Uemura, Sugiyama*, 573
- medium-chain, enoyl-CoA hydratase, human enzyme, D-3-hydroxyacyl-CoA dehydratase, peroxisomal, *Jiang, Kobayashi, Matsuura, Fukushima, Hashimoto*, 624
- melanin pigment, Cu^{2+} -carrier protein, induction by methionine, *Streptomyces castaneoglobisporus*, tyrosinase from *Streptomyces*, *Ikeda, Masujima, Sugiyama*, 1141
- membrane glycoprotein, biosynthesis, endocytosis, endosome, lysosome, *Akasaki, Michihara, Fujiwara, Mibuka, Tsuji*, 1088
- membrane topology, cytochrome b_6 , endoplasmic reticulum, immunofluorescence microscopy, tail-anchored protein, *Kuroda, Kinoshita, Honsho, Mitoma, Ito*, 828
- methionyl-tRNA, methionyl-tRNA synthetase, ribosomal protein L5, 5S ribosomal RNA, 5SrRNA-L5 complex, *Ogata, Ohno, Morioka, Terao*, 869
- methionyl-tRNA synthetase, methionyl-tRNA, ribosomal protein L5, 5S ribosomal RNA, 5SrRNA-L5 complex, *Ogata, Ohno, Morioka, Terao*, 869
- microsporidian, ancient divergence of eukaryote, elongation factor, *Glugea plecoglossi*, mitochondrion-lacking protozoa, *Kamaishi, Hashimoto, Nakamura, Masuda, Nakamura, Okamoto, Shimizu, Hasegawa*, 1095
- mitochondria, *Candida tropicalis*, carnitine acetyltransferase, initiation of translation, peroxisome, *Kawachi, Atomi, Ueda, Hashimoto, Kobayashi, Yoshida, Kamasawa, Osumi, Tanaka*, 731
- , *Ascaris suum*, chemical synthesis, NMR, tRNA, *Ohtsuki, Vinayak, Watanabe, Kita, Kawai, Watanabe*, 1070
- mitochondria disease, apoptosis, Fas antigen, gene expression, respiratory inhibitor, *Asoh, Mori, Hayashi, Ohta*, 600
- mitochondrial electron-transfer, electron-transfer inhibitor, succinate-ubiquinone oxidoreductase, ubiquinol-cytochrome c oxidoreductase, ubiquinone-pool, *Yama-shita, Miyoshi, Hatano, Iwamura*, 377
- mitochondrial processing peptidase, substrate specificity, *Song, Shimokata, Kitada, Ogishima, Ito*, 1163
- mitochondrion-lacking protozoa, ancient divergence of eukaryote, elongation factor, *Glugea plecoglossi*, microsporidian, *Kamaishi, Hashimoto, Nakamura, Masuda, Nakamura, Okamoto, Shimizu, Hasegawa*, 1095
- mitogen-activated protein kinase, cytosolic phospholipase A_2 , intracellular calcium concentration, lysophosphatidylcholine, mast cell, *Ishimoto, Arisato, Akiba, Sato*, 1247
- mixed disulfide, cysteine-thiolation, fatty acid-binding protein, post-translational modification, proteolysis, *Sato, Baba, Takahashi, Uchiuni, Odani*, 908
- molecular evolution, guinea pig α -macroglobulin, murinoglobulin, rodent phylogeny, *Iwasaki, Suzuki, Sinohara*, 1167
- molecular interaction, herpes simplex virus type 1, human immunoglobulin, optical biosensor, *Inoue, Arai, Aoyagi*, 233
- molecular motor, CD, kinesin, ncd, *Shimizu, Morii*, 1176
- molecular recognition, affinity electrophoresis, capillary electrophoresis, lectin, ligand binding, *Shimura, Kasai*, 1146
- molten globule, acid unfolding, dihydrofolate reductase, intermediate, thermal unfolding, *Ohmae, Kurumiya, Makino, Gekko*, 946
- mono-ADP-ribosylation, ADP-ribosylhydrolase, cell cycle, *Euglena gracilis*, NAD^+ , *Takenaka, Masuda, Tsuyama, Tamura, Miyatake, Nakano*, 792
- monoamine oxidase A, covalently-bound flavin, flavoprotein, pargyline, site-directed mutagenesis, *Hiro, Tsugeno, Hirashiki, Ogata, Ito*, 759
- monoclonal antibody, CD3, chimeric antibody, OKT3, *Arakawa, Kuroki, Kuwahara, Senba, Ozaki, Matsuoka, Misumi, Kanda, Watanabe*, 657
- mouse, cDNA cloning, heme oxygenase-2, *Matsumoto, Saito-Ohara, Hoshi, Kurata*, 1079
- mouse C1q metabolism, IgG2b- or IgG3-producing hybridoma, isotype dependent serum C1q-fluctuation, mRNA of the C1q B-chain, *Sasaki, Yamada, Matsui, Dohi, Hirakawa, Sakanashi, Yonemasu*, 306
- mRNA of the C1q B-chain, IgG2b- or IgG3-producing hybridoma, isotype dependent serum C1q-fluctuation, mouse C1q metabolism, *Sasaki, Yamada, Matsui, Dohi, Hirakawa, Sakanashi, Yonemasu*, 306
- mRNA stability, nuclear receptor, post-transcriptional regulation, steroid hormone, *Arao, Miyatake, Yamamoto, Usiku, Matsura, Ninomiya, Masushige, Hasegawa, Kato*, 710

M (cont'd)

- mucin-type oligosaccharide, endo- α -N-actyl-galactosaminidase, β -D-galactosidase, β -D-Gal-(1 $\rightarrow$ 3)- α -D-GalNAc-OC₆H₄NO₂-p, transglycosylation, *Murata, Itoh, Hayakawa, Usui*, 851
- murinoglobulin, guinea pig α -macroglobulin, molecular evolution, rodent phylogeny, *Iwasaki, Suzuki, Sinohara*, 1167
- muscarinic receptor, detergent, G protein, receptor-G protein complex, solubilization, *Rinken*, 193
- , G protein, histidine-tag, purification, *Hayashi, Haga*, 1232
- muscle-type tropomyosin, actin-binding ability, head-to-tail interaction, nonmuscle-type tropomyosin, sea urchin egg tropomyosin, *Tobita, Hiraide, Miyazaki, Ishimoda-Takagi*, 922
- mutant protein, amyloid formation, denatured state of a protein, human lysozyme, stability of amyloidogenic protein, *Funahashi, Takano, Ogasahara, Yamagata, Yutani*, 1216
- mycalolide B, actin, actin depolymerization, aplyronine A, macrolide, *Saito, Watabe, Ozaki, Kigoshi, Yamada, Fusetani, Karaki*, 552
- mycoloyl glycolipid, chemotactic factor, granuloma, macrophage, *Matsunaga, Oka, Fujiwara, Yano*, 663
- myoglobin, apomyoglobin, hydrogen bond, NMR, protein folding, *Yamamoto*, 126
- myosin, actin, actomyosin, actomyosin ATPase, acto-S1, *Kato, Morita*, 189
- , actin, actomyosin, acto-S1, acto-S1 ATPase, *Kato, Morita*, 580
- myosin I, aorta smooth muscle, calmodulin, isoform, *Hasegawa, Kikuta, Okamoto*, 901
- N
- NAD⁺, ADP-ribosylhydrolase, cell cycle, *Euglena gracilis*, mono-ADP-ribosylation, *Takenaka, Masuda, Tsuyama, Tamura, Miyatake, Nakano*, 792
- NADPH oxidase, neutrophil, sphingolipid, sphingosine, superoxide anion, *Sasaki, Yamaguchi, Saeki, Yamane, Okamura, Ishibashi*, 705
- NAD(P)H specificity, fatty acid activation, carbonyl reductase, short-chain dehydrogenase/reductase family, site-directed mutagenesis, *Nakanishi, Kakumoto, Matsuura, Deyashiki, Tanaka, Nonaka, Mitsui, Hara*, 257
- N-cadherin, ATL, α -catenin, β -catenin, leukemia, *Tsutsui, Moriyama, Arima, Oh-tsubo, Tanaka, Ozawa*, 1034
- nod, CD, kinesin, molecular motor, *Shimizu, Morii*, 1176
- neural differentiation, apoptosis, ICE-like activity, P19 cell, proteasome, *Kobayashi, Shinozaki, Momoi, Arahata, Tsukahara*, 699
- neurite, differentiation, IL6, NGF, PC12 cell, *Ihara, Iwamatsu, Fujiyoshi, Komi, Yamori, Fukui*, 865
- neurofibromatosis type 1, alternative splicing, brain, ras GTPase-activating protein, testis, *Suzuki, Takahashi, Yasumoto, Fuse, Shibahara*, 1048
- neutrophil, extracellular-superoxide dismutase, hemodialysis patient, heparin, trypsin, *Adachi, Morihara, Yamazaki, Yamada, Futenma, Kato, Hirano*, 184
- , NADPH oxidase, sphingolipid, sphingosine, superoxide anion, *Sasaki, Yamaguchi, Saeki, Yamane, Okamura, Ishibashi*, 705
- nfsB*, *Escherichia coli*, flavin reductase, flavoenzyme, nitroreductase, *Zenno, Koike, Tanokura, Saigo*, 736
- NGF, apoptosis, Bcl-2, hydrogen peroxide, reactive oxygen species, *Sato, Sakai, Enokido, Uchiyama, Hatanaka*, 540
- , differentiation, IL6, neurite, PC12 cell, *Ihara, Iwamatsu, Fujiyoshi, Komi, Yamori, Fukui*, 865
- nitric oxide, carbon monoxide, cytoskeleton, heme oxygenase, nitric oxide synthase, *Kurata, Matsumoto, Yamashita*, 49
- nitric oxide synthase, carbon monoxide, cytoskeleton, heme oxygenase, nitric oxide, *Kurata, Matsumoto, Yamashita*, 49
- nitroreductase, *Escherichia coli*, flavin reductase, flavoenzyme, *nfsB*, *Zenno, Koike, Tanokura, Saigo*, 736
- NLS receptor, importin β , karyopherin β , nuclear transport, PTAC97, *Makifuchi, Takeuchi, Kawahire, Odani, Ichimura, Omata, Horigome*, 716
- NMR, apomyoglobin, hydrogen bond, myoglobin, protein folding, *Yamamoto*, 126
- , *Ascaris suum*, chemical synthesis, mitochondria, tRNA, *Ohtsuki, Vinayak, Watanabe, Kita, Kawai, Watanabe*, 1070
- noncollagenous domain, α 1(IV) collagen, basement membrane, bovine lens capsule, collagen IV, *Iwata, Sado, Sasaki, Imamura, Ninomiya, Hayashi*, 133
- nonmuscle-type tropomyosin, actin-binding ability, head-to-tail interaction, muscle-type tropomyosin, sea urchin egg tropomyosin, *Tobita, Hiraide, Miyazaki, Ishimoda-Takagi*, 922
- N-terminal amino acid sequence, glycosylation, mast cell, rat tongue, trypsin, *Okumura, Kudoh, Takashima, Inoue, Sakai, Kido*, 866
- N-terminal fragment, nuclease, peptide folding, unfolding and refolding, *Staphylococcus*, *Zhou, Jing*, 881
- nuclear pore transport, GEF, G protein, Ran pathway, RCC1, RNA1, *Seki, Hayashi, Nishimoto*, 207
- nuclear receptor, mRNA stability, post-transcriptional regulation, steroid hormone, *Arao, Miyatake, Yamamoto, Usiku, Matsuura, Ninomiya, Masushige, Hasegawa, Kato*, 710
- nuclear transport, importin β , karyopherin β , NLS receptor, PTAC97, *Makifuchi, Takeuchi, Kawahire, Odani, Ichimura, Omata, Horigome*, 716
- nuclease, N-terminal fragment, peptide folding, unfolding and refolding, *Staphylococcus*, *Zhou, Jing*, 881
- nucleotide, actin, divalent cation, subtilisin, surface loop, *Ooi, Mihashi*, 1104
- nucleotide binding, *Escherichia coli*, F₁-ATPase, TNP-ATP, uni-site catalysis, *Muneyuki, Hisabori, Sasayama, Mochizuki, Yoshida*, 940
- nucleotide sequence, cDNA, cloning, Japanese pear, self-incompatibility, S-RNase, *Norioka, Norioka, Ohnishi, Ishimizu, One-yama, Nakanishi, Sakiyama*, 335
- , embryogenesis, F9 cell, genomic organization, *polycomb* group gene, *Motaleb, Takihara, Nomura, Matsuda, Higashinaka-gawa, Shimada*, 797
- nucleotide sequence analysis, *Candida utilis*, overexpression in *E. coli*, oxidation of cysteine residue, uricase, *Koyama, Ichikawa, Nakano*, 969
- nucleotide-sugar transporter, CMP-sialic acid transporter, UDP-galactose transporter, UDP-N-acetylglucosamine transporter, *Ishida, Miura, Yoshioka, Kawakita*, 1074
- nutritional regulation, adipose tissue, lipogenic enzyme gene expression, *Iritani, Fukuda, Tada*, 242
- O
- oil body, isoform, oleosin, rice, structure-function, *Chuang, Chen, Chu, Tzen*, 74
- OKT3, CD3, chimeric antibody, monoclonal antibody, *Arakawa, Kuroki, Kuwahara, Senba, Ozaki, Matsuoka, Misumi, Kanda, Watanabe*, 657
- oleosin, isoform, oil body, rice, structure-function, *Chuang, Chen, Chu, Tzen*, 74
- O-linked oligosaccharide, gas-phase hydrazinolysis, IgA1, IgA nephropathy, MALDI-TOFMS, *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, Hotta*, 92
- , IgA1, IgA nephropathy, IgA1 myeloma, MALDI-TOFMS, *Iwase, Tanaka, Hiki, Kokubo, Ishii-Karakasa, Kobayashi, Hotta*, 393
- opioid receptor, activated thiol, affinity labeling, disulfide bond, enkephalin, *Yasunaga, Motoyama, Nose, Kodama, Kondo, Shimohigashi*, 459
- optical biosensor, herpes simplex virus type 1, human immunoglobulin, molecular interaction, *Inoue, Arai, Aoyagi*, 233
- organ uptake, carrier erythrocyte, cell targeting, encapsulated carbonic anhydrase, sustained release, *Alvarez, Herráez, Murciano, Jordán, Díez, Tejedor*, 286
- overexpression in *E. coli*, *Candida utilis*, nucleotide sequence analysis, oxidation of cysteine residue, uricase, *Koyama, Ichikawa, Nakano*, 969
- oxidation of cysteine residue, *Candida utilis*, nucleotide sequence analysis, overexpression in *E. coli*, uricase, *Koyama, Ichikawa, Nakano*, 969
- oxidative damage, ArcAB, Fnr, iron-sulfur cluster, respiration, *Iuchi, Weiner*, 1055
- 2-oxoacid:ferredoxin oxidoreductase, archaea (archaeobacteria), evolution, primary structure, *Sulfolobus*, *Zhang, Iwasaki, Wakagi, Oshima*, 587
- 2-oxoglutaconate, aspartate aminotransferase, glutamate dehydrogenase, 2-oxoglutaconic acid dimethylester, syncatalytic inactivation, *Kato, Asano, Makar, Cooper*, 531
- 2-oxoglutaconic acid dimethylester, aspartate aminotransferase, glutamate dehydrogenase, 2-oxoglutaconate, syncatalytic inactivation, *Kato, Asano, Makar, Cooper*, 531

P

- P19 cell, apoptosis, ICE-like activity, neural differentiation, proteasome, Kobayashi, Shinozaki, Momoi, Arahata, Tsukahara, 699
- P450, brain, cholesterol, sterol synthesis, sterol 14-demethylase, Aoyama, Horiuchi, Yoshida, 982
- P450nor isoform, amino acid sequence, amino-terminal processing, cytochrome P450nor, *Fusarium oxysporum*, Nakahara, Shoun, 1082
- p53, Cyp3a, dexamethasone, hepatocyte, primary culture, Shimoji, Itoh, Toide, Nakayama, Aizawa, Kamataki, 42
- PAF, cDNA cloning, guinea pig, PAF-acetylhydrolase, purification, Karasawa, Kuge, Kawasaki, Nishijima, Nakano, Tomita, Yokoyama, Setaka, Nojima, 838
- PAF-acetylhydrolase, cDNA cloning, guinea pig, PAF, purification, Karasawa, Kuge, Kawasaki, Nishijima, Nakano, Tomita, Yokoyama, Setaka, Nojima, 838
- pancreas, bikunin, human, inter- α -trypsin inhibitor light chain, urinary trypsin inhibitor (UTI), Itoh, Tomita, Kobayashi, Uchino, Maruyama, Nawa, 271
- pancreatic carcinogenesis, bikunin, inter- α -trypsin inhibitor, trypstatin, hamster, Yamamoto, Yamamoto, Sinohara, 145
- pargyline, covalently-bound flavin, flavoprotein, monoamine oxidase A, site-directed mutagenesis, Hiro, Tsugen, Hirashiki, Ogata, Ito, 759
- parotid gland, amylase exocytosis, cofilin dephosphorylation, protein phosphatase, Takuma, Ichida, Yokoyama, Tamura, Obinata, 35
- PC12 cell, differentiation, IL6, neurite, NGF, Ihara, Iwamatsu, Fujiyoshi, Komi, Yamori, Fukui, 865
- pepsin, amino acid sequence, cDNA sequence, pepsinogen, turtle, Hirasawa, Athauda, Takahashi, 407
- , amino acid sequence, pepsinogen, phylogenetic tree, tuna, Tanji, Yakabe, Kageyama, Takahashi, 647
- pepsin digestion, advanced glycation end product, collagen, cross-link, glycation, Tian, Toda, Higashino, Matsumura, 1153
- pepsinogen, amino acid sequence, cDNA sequence, pepsin, turtle, Hirasawa, Athauda, Takahashi, 407
- , amino acid sequence, pepsin, phylogenetic tree, tuna, Tanji, Yakabe, Kageyama, Takahashi, 647
- pepstatin, acid proteinase, carboxyl proteinase, cloning, *Xanthomonas*, Oda, Ito, Uchida, Shibano, Fukuhara, Takahashi, 564
- , carboxyl proteinase, Gram-negative bacteria, kinetic property, substrate specificity, Ito, Dunn, Oda, 845
- peptide folding, N-terminal fragment, nuclease, unfolding and refolding, *Staphylococcus*, Zhou, Jing, 881
- perlecan, Alzheimer's disease, EHS tumor, heparan sulfate, proteoglycan, Castillo, Cummings, Ngo, Yang, Snow, 433
- peroxisomal, enoyl-CoA hydratase, human enzyme, D-3-hydroxyacyl-CoA dehydratase, medium-chain, Jiang, Kobayashi, Matsuura, Fukushima, Hashimoto, 624
- , bifunctional protein, D-3-hydroxyacyl-CoA dehydratase, D-3-hydroxyacyl-CoA dehydrogenase, rat enzyme, Jiang, Miyazawa, Hashimoto, 633
- peroxisome, *Candida tropicalis*, carnitine acetyltransferase, initiation of translation, mitochondria, Kawachi, Atomi, Ueda, Hashimoto, Kobayashi, Yoshida, Kamasawa, Osumi, Tanaka, 731
- phage display library, cell adhesion, integrin $\alpha 6 \beta 1$, laminin-1, synthetic peptide, Murayama, Nishida, Sekiguchi, 445
- phosphatidylethanolamine, CDP-ethanolamine, Kennedy pathway, phosphoethanolamine cytidyltransferase, *Saccharomyces cerevisiae*, Min-Seok, Kawamata, Nakamura, Ohta, Takagi, 1040
- phosphatidylinositol, cdk2, cyclin D, cyclin E, inostamycin, Deguchi, Imoto, Umezawa, 1118
- phosphatidylinositol 4-kinase, phosphatidylinositol 4-phosphate, platelet, sphingolipid, sphingosine, Hashizume, Nakao, Sato, 61
- phosphatidylinositol 4-phosphate, phosphatidylinositol 4-kinase, platelet, sphingolipid, sphingosine, Hashizume, Nakao, Sato, 61
- phosphodiesterase, calcineurin, calcium pump, calmodulin, ganglioside, Higashi, Yoshida, Sato, Yamagata, 66
- phosphoenolpyruvate carboxylase, allosteric effector, guanidine hydrochloride, thermostable enzyme, *Thermus* sp, Nakamura, Minoguchi, Izui, 518
- phosphoethanolamine cytidyltransferase, CDP-ethanolamine, Kennedy pathway, phosphatidylethanolamine, *Saccharomyces cerevisiae*, Min-Seok, Kawamata, Nakamura, Ohta, Takagi, 1040
- phospholipase A₂, arachidonic acid, mast cell, phospholipase D, prostaglandin D₂, Ishimoto, Akiba, Sato, 616
- , acylation of phospholipase A₂, circular dichroism, conformational change, hydrophobic anchor, Ahmed, Kelly, Lawrence, Mezna, Price, 1224
- phospholipase C, chimera, glutamate receptor, G protein, *Xenopus* oocyte, Nakamura, Nukada, Imai, Sugiyama, 996
- phospholipase D, arachidonic acid, mast cell, phospholipase A₂, prostaglandin D₂, Ishimoto, Akiba, Sato, 616
- Photobacterium damsela*, bacterial sialyltransferase, β -galactoside $\alpha 2,6$ -sialyltransferase, Yamamoto, Nakashizuka, Kodama, Kajihara, Terada, 104
- photosynthesis, electron transfer, photosystem I, plastocyanin, site-directed mutagenesis, Hibino, Lee, Yajima, Odani, Yamauchi, Takabe, 556
- photosystem I, electron transfer, photosynthesis, plastocyanin, site-directed mutagenesis, Hibino, Lee, Yajima, Odani, Yamauchi, Takabe, 556
- pH-stabilization, lipase, *Pseudomonas aeruginosa*, random mutagenesis, thermal stabilization, Shinkai, Hirano, Aisaka, 915
- phylogenetic tree, amino acid sequence, pepsin, pepsinogen, tuna, Tanji, Yakabe, Kageyama, Takahashi, 647
- Pichia pastoris*, antibody engineering, bifunctional, disulfide bond, single-chain Fv, Luo, Mah, Wishart, Zhang, Jacobs, Martin, 229
- planar bilayer, amphiphilicity, antimicrobial peptide, liposome, selective toxicity, Hirakura, Alvarez-Bravo, Kurata, Natori, Kirino, 1130
- plasma, elastin, elastin-binding protein, ficolin, transforming growth factor- $\beta 1$, Harumiya, Takeda, Sugiura, Fukumoto, Tachikawa, Miyazono, Fujimoto, Ichijo, 745
- plasminogen activator, endothelial cell, fibrinolysis, plasminogen activator inhibitor-1, T-686, Ohtani, Takagi, Hirano, Murakami, Sasaki, 1203
- plasminogen activator inhibitor-1, endothelial cell, fibrinolysis, plasminogen activator, T-686, Ohtani, Takagi, Hirano, Murakami, Sasaki, 1203
- plastocyanin, electron transfer, photosynthesis, photosystem I, site-directed mutagenesis, Hibino, Lee, Yajima, Odani, Yamauchi, Takabe, 556
- platelet, phosphatidylinositol 4-kinase, phosphatidylinositol 4-phosphate, sphingolipid, sphingosine, Hashizume, Nakao, Sato, 61
- point mutation, conformation dynamics, SSCP, ssDNA, solution structure, Nakabayashi, Nishigaki, 320
- polycomb group gene, embryogenesis, F9 cell, genomic organization, nucleotide sequence, Motaleb, Takiyama, Nomura, Matsuda, Higashinakagawa, Shimada, 797
- polymorphonuclear leukocyte, ADP-ribosyltransferase, calcium, exocytosis, zymosan, Terashima, Badruzzaman, Tsuchiya, Shimoyama, 1209
- porcine kidney, N-acetyl-D-glucosamine 2-epimerase, crystallization, renin-binding protein, X-ray crystallography, Maru, Ohnishi, Ohta, Hashimoto, Tsukada, Murata, Mikami, 481
- Porphyromonas gingivalis*, Arg-gingipain, Lys-gingipain, lysine-specific cysteine proteinase, precursor structure, Okamoto, Kadowaki, Nakayama, Yamamoto, 398
- post-transcriptional regulation, mRNA stability, nuclear receptor, steroid hormone, Arao, Miyatake, Yamamoto, Usiku, Matsura, Ninomiya, Masushige, Hasegawa, Kato, 710
- post-translational modification, cysteine-thiolation, fatty acid-binding protein, mixed disulfide, proteolysis, Sato, Baba, Takahashi, Uchiyama, Odani, 908
- precursor structure, Arg-gingipain, Lys-gingipain, lysine-specific cysteine proteinase, *Porphyromonas gingivalis*, Okamoto, Kadowaki, Nakayama, Yamamoto, 398
- pre-mRNA splicing, exonic enhancer, SR protein, transacting factor, U1 snRNP, Achsel, Shimura, 53
- , spliceosomal intron, U1 snRNA, U4 snRNA, U5 snRNA, Takahashi, Tani, Ohshima, 677
- primary culture, Cyp3a, dexamethasone, hepatocyte, p53, Shimoji, Itoh, Toide, Nakayama, Aizawa, Kamataki, 42
- primary rat hepatocyte, dimethyl sulfoxide,

P (cont'd)

- re-expression, serine dehydratase, tryptophan 2,3-dioxygenase, Mizuguchi, Mitaka, Kojima, Hirata, Nakamura, Mochizuki, 511
- primary structure, archaea (archaeobacteria), evolution, 2-oxoacid:ferredoxin oxidoreductase, *Sulfolobus*, Zhang, Iwasaki, Waki, Oshima, 587
- promoter, brain, mammary tumor, receptor tyrosine kinase, sky, Sasaki, Enami, 264
- promoter structure, exon-intron structure, genomic DNA, prostacyclin (PGI₂)-stimulating factor, transcription initiation site, Mizushima, Sato, Negishi, Koushima, Okamoto, Nii, Hashimoto, Umeda, Nawata, Kanamori, 929
- prostacyclin (PGI₂)-stimulating factor, exon-intron structure, genomic DNA, promoter structure, transcription initiation site, Mizushima, Sato, Negishi, Koushima, Okamoto, Nii, Hashimoto, Umeda, Nawata, Kanamori, 929
- prostaglandin D₂, arachidonic acid, mast cell, phospholipase A₂, phospholipase D, Ishimoto, Akiba, Sato, 616
- proteasome, apoptosis, ICE-like activity, neural differentiation, P19 cell, Kobayashi, Shinozaki, Momoi, Arahata, Tsukahara, 699
- protein C, γ -carboxyglutamic acid domain, inherited deficiency, secretion, vitamin K-dependent factor, Tokunaga, Tsukamoto, Koide, 360
- protein denaturation, β -glycosidase, *Sulfolobus solfataricus*, thermophilic enzyme, scanning calorimetry, D'Auria, Rossi, Barone, Catanzano, Del Vecchio, Graziano, Nucci, 292
- protein disulfide isomerase, glutathione, human lysozyme, protein folding, reductive cleavage of disulfide bond, Nakamura, Matsushima, Song, Kikuchi, 525
- protein folding, apomyoglobin, hydrogen bond, myoglobin, NMR, Yamamoto, 126
- , Asn-linked oligosaccharide, Asn-linked oligosaccharide function, glycoprotein, ribonuclease B, Yamaguchi, Uchida, 474
- , glutathione, human lysozyme, protein disulfide isomerase, reductive cleavage of disulfide bond, Nakamura, Matsushima, Song, Kikuchi, 525
- protein kinase C, Ca²⁺ channel, cAMP-dependent protein kinase, protein phosphorylation, reconstitution, Kameyama, Shearman, Sekiguchi, Kameyama, 170
- , LPS, mannose/GlcNAc receptor, Kimura, Hamada, Moriyama, Kannan, Shiota, Sakurada, Musashi, Sugano, 488
- protein phosphatase, amylase exocytosis, cofilin dephosphorylation, parotid gland, Takuma, Ichida, Yokoyama, Tamura, Obinata, 35
- protein phosphorylation, Ca²⁺ channel, cAMP-dependent protein kinase, protein kinase C, reconstitution, Kameyama, Shearman, Sekiguchi, Kameyama, 170
- protein-protein interaction, RNA-binding domain (RBD), RNA recognition motif (RRM), Sex-lethal (Sxl), two-hybrid analysis, Sakashita, Sakamoto, 1028
- protein secretion, Golgi apparatus, small GTPase, *Saccharomyces cerevisiae*, vesicular transport, Yamanushi, Hirata, Oka, Nakano, 452
- protein sequence analysis, aspartate aminotransferase, alkalophile, *Bacillus circulans*, cloning, Batchikova, Koivulehto, Denesyuk, Ptitsyn, Boretsky, Hellman, Korpela, 425
- proteoglycan, corneal stromal cell, culture in collagen gel, growth factor, keratan sulfate, Nakazawa, Morita, Nakano, Mano, Tozawa, 117
- , Alzheimer's disease, EHS tumor, heparan sulfate, perlecan, Castillo, Cummings, Ngo, Yang, Snow, 433
- proteolysis, cysteine-thiolation, fatty acid-binding protein, mixed disulfide, post-translational modification, Sato, Baba, Takahashi, Uchiyumi, Odani, 908
- pseudoknot structure, capsid protein, *Leishmania* RNA virus, ribosomal frameshift, RNA-dependent RNA polymerase, Lee, Suh, Scheffter, Patterson, Chung, 22
- Pseudomonas aeruginosa*, lipase, pH-stabilization, random mutagenesis, thermal stabilization, Shinkai, Hirano, Aisaka, 915
- PTAC97, importin β , karyopherin β , NLS receptor, nuclear transport, Makifuchi, Takeuchi, Kawahire, Odani, Ichimura, Omata, Horigome, 716
- purification, cDNA cloning, guinea pig, PAF, PAF-acetylhydrolase, Karasawa, Kuge, Kawasaki, Nishijima, Nakano, Tomita, Yokoyama, Setaka, Nojima, 838
- , G protein, histidine-tag, muscarinic receptor, Hayashi, Haga, 1232
- PVDF membrane, deducible amino acid residue, recoveries of digests from PVDF, S-alkylation of protein, sequential *in situ* digestion, Iwamatsu, Yoshida-Kubomura, 29
- pyridoxal 5'-phosphate, active site, amino acid decarboxylase, evolution, site-directed mutagenesis, Ishii, Mizuguchi, Nishino, Hayashi, Kagamiyama, 369

R

- rabphilin 3A, C2 domain, Ca²⁺ sensor, Doc2, synaptotagmin, Kojima, Fukuda, Aruga, Mikoshiba, 671
- Rae1, cell surface protein, early mouse embryo, gene family, GPI-anchor, Nomura, Zou, Joh, Takiyara, Matsuda, Shimada, 987
- Ran, alanine scanning, mantGDP, RanGEF, RCC1, Azuma, Seino, Seki, Uzawa, Klebe, Ohba, Wittinghofer, Hayashi, Nishimoto, 82
- random mutagenesis, lipase, pH-stabilization, *Pseudomonas aeruginosa*, thermal stabilization, Shinkai, Hirano, Aisaka, 915
- RanGEF, alanine scanning, mantGDP, Ran, RCC1, Azuma, Seino, Seki, Uzawa, Klebe, Ohba, Wittinghofer, Hayashi, Nishimoto, 82
- Ran pathway, GEF, G protein, nuclear pore transport, RCC1, RNA1, Seki, Hayashi, Nishimoto, 207
- ras GTPase-activating protein, alternative splicing, brain, neurofibromatosis type 1, testis, Suzuki, Takahashi, Yasumoto, Fuse, Shibahara, 1048
- rat enzyme, bifunctional protein, D-3-hydroxyacyl-CoA dehydratase, D-3-hydroxyacyl-CoA dehydrogenase, peroxisomal, Jiang, Miyazawa, Hashimoto, 633
- rat tongue, glycosylation, mast cell, N-terminal amino acid sequence, tryptase, Okumura, Kudoh, Takashima, Inoue, Sakai, Kido, 856
- RCC1, alanine scanning, mantGDP, Ran, RanGEF, Azuma, Seino, Seki, Uzawa, Klebe, Ohba, Wittinghofer, Hayashi, Nishimoto, 82
- , GEF, G protein, nuclear pore transport, Ran pathway, RNA1, Seki, Hayashi, Nishimoto, 207
- reactive oxygen, catalase, growth factor, H₂O₂, tumor cell, Miyamoto, Hayashi, Takeuchi, Okamoto, Kawashima, Takii, Hayashi, Onozaki, 725
- reactive oxygen species, apoptosis, Bcl-2, hydrogen peroxide, NGF, Satoh, Sakai, Enokido, Uchiyama, Hatanaka, 540
- receptor-G protein complex, detergent, G protein, muscarinic receptor, solubilization, Rinken, 193
- receptor tyrosine kinase, brain, mammary tumor, promoter, sky, Sasaki, Enami, 264
- reconstitution, Ca²⁺ channel, cAMP-dependent protein kinase, protein kinase C, protein phosphorylation, Kameyama, Shearman, Sekiguchi, Kameyama, 170
- , anion-sensitivity, H⁺-pump, lysosome, vacuolar H⁺-ATPase, Okamoto, Hiratani, Arai, Ohkuma, 608
- recoveries of digests from PVDF, deducible amino acid residue, PVDF membrane, S-alkylation of protein, sequential *in situ* digestion, Iwamatsu, Yoshida-Kubomura, 29
- red alga, crystallization, high specificity factor, ribulose 1,5-bisphosphate carboxylase/oxygenase, X-ray crystallography, Shibata, Yamamoto, Inoue, Uemura, Yokota, Kai, 1064
- reductive cleavage of disulfide bond, glutathione, human lysozyme, protein disulfide isomerase, protein folding, Nakamura, Matsushima, Song, Kikuchi, 525
- re-expression, dimethyl sulfoxide, primary rat hepatocyte, serine dehydratase, tryptophan 2,3-dioxygenase, Mizuguchi, Mitaka, Kojima, Hirata, Nakamura, Mochizuki, 511
- renin-binding protein, N-acyl-D-glucosamine 2-epimerase, crystallization, porcine kidney, X-ray crystallography, Maru, Ohnishi, Ohta, Hashimoto, Tsukada, Murata, Mikami, 481
- replication protein A, DNA polymerase α -primase, DNA replication, Suzuki, Tamaiya-Koizumi, Takemura, Furuta, Izuta, Savoyesky, Miura, Yoshida, 766
- replication timing, chromosomal domain, DNA methylation, loss of imprinting, uniparental disomy, Nakao, Sasaki, 467
- respiration, ArcAB, Fnr, iron-sulfur cluster, oxidative damage, Iuchi, Weiner, 1055
- respiratory inhibitor, apoptosis, Fas antigen, gene expression, mitochondria disease, Asoh, Mori, Hayashi, Ohta, 600
- respiratory system, barotolerant bacterium,

R (cont'd)

- cydD*, *Escherichia coli*, high pressure, Kato, Tamagai, Ikegami, Usami, Hori-koshi, 301
- retrotransposon 1731, dorsal, X-irradiation, Faure, Best-Belpomme, Champion, 313
- Rhizopus niveus*, catalytic triad, crystal structure, hydrolase fold, triacylglycerol acylhydrolase, Kohno, Funatsu, Mikami, Kugimiya, Matsuo, Morita, 505
- Rho, actin cytoskeleton, *botulinum* C3 exoenzyme, cell adhesion, GTPase, Narumiya, 215
- ribonuclease B, Asn-linked oligosaccharide, Asn-linked oligosaccharide function, glycoprotein, protein folding, Yamaguchi, Uchida, 474
- ribonucleotide dimer, artificial metalloenzyme, dinuclear metal complex, hydrolysis, Yashiro, Ishikubo, Komiyama, 1067
- ribosomal frameshift, capsid protein, *Leishmania* RNA virus, pseudoknot structure, RNA-dependent RNA polymerase, Lee, Suh, Scheffter, Patterson, Chung, 22
- ribosomal protein L5, methionyl-tRNA, methionyl-tRNA synthetase, 5S ribosomal RNA, 5SrRNA-L5 complex, Ogata, Ohno, Morioka, Terao, 869
- 5S ribosomal RNA, methionyl-tRNA, methionyl-tRNA synthetase, ribosomal protein L5, 5SrRNA-L5 complex, Ogata, Ohno, Morioka, Terao, 869
- ribulose 1,5-bisphosphate carboxylase/oxygenase, crystallization, high specificity factor, red alga, X-ray crystallography, Shibata, Yamamoto, Inoue, Uemura, Yokota, Kai, 1064
- rice, isoform, oil body, oleosin, structure-function, Chuang, Chen, Chu, Tzen, 74
- RNA1, GEF, G protein, nuclear pore transport, Ran pathway, RCC1, Seki, Hayashi, Nishimoto, 207
- RNA-binding domain (RBD), protein-protein interaction, RNA recognition motif (RRM), Sex-lethal (Sxl), two-hybrid analysis, Sakashita, Sakamoto, 1028
- RNA-dependent RNA polymerase, capsid protein, *Leishmania* RNA virus, pseudoknot structure, ribosomal frameshift, Lee, Suh, Scheffter, Patterson, Chung, 22
- RNA polymerase, cyanobacteria, sigma factor, transcription initiation, Asayama, Suzuki, Sato, Aida, Tanaka, Takahashi, Shirai, 752
- RNA recognition motif (RRM), protein-protein interaction, RNA-binding domain (RBD), Sex-lethal (Sxl), two-hybrid analysis, Sakashita, Sakamoto, 1028
- rodent phylogeny, guinea pig α -macroglobulin, molecular evolution, murinoglobulin, Iwasaki, Suzuki, Sinohara, 1167
- RST, endoplasmic reticulum, *Saccharomyces cerevisiae*, SEC12, vesicular transport, Nakano, 642
- S
- Saccharomyces cerevisiae*, Golgi apparatus, protein secretion, small GTPase, vesicular transport, Yamanushi, Hirata, Oka, Nakano, 452
- , endoplasmic reticulum, RST, SEC12, vesicular transport, Nakano, 642
- , CDP-ethanolamine, Kennedy pathway, phosphatidylethanolamine, phosphoethanolamine cytidyltransferase, Min-Seok, Kawamata, Nakamura, Ohta, Takagi, 1040
- S-alkylation of protein, deducible amino acid residue, PVDF membrane, recoveries of digests from PVDF, sequential *in situ* digestion, Iwamatsu, Yoshida-Kubomura, 29
- S-allele, Japanese pear, self-incompatibility, S-RNase, two-dimensional gel electrophoresis, Ishimizu, Sato, Saito, Yoshimura, Norioka, Nakanishi, Sakiyama, 326
- Sarcophaga peregrina*, ABP-1, ABP-2, arylphorin gene, transcription factor, Adachi, Kubo, Natori, 1239
- scallop, Ca²⁺-regulation, invertebrate, striated muscle, troponin T, Inoue, Ojima, Nishita, 834
- scanning calorimetry, β -glycosidase, *Sulfolobus solfataricus*, thermophilic enzyme, protein denaturation, D'Auria, Rossi, Barone, Catanzano, Del Vecchio, Graziano, Nucci, 292
- sea urchin egg tropomyosin, actin-binding ability, head-to-tail interaction, muscle-type tropomyosin, nonmuscle-type tropomyosin, Tobita, Hiraide, Miyazaki, Ishimoda-Takagi, 922
- SEC12, endoplasmic reticulum, RST, *Saccharomyces cerevisiae*, vesicular transport, Nakano, 642
- secretion, γ -carboxyglutamic acid domain, inherited deficiency, protein C, vitamin K-dependent factor, Tokunaga, Tsukamoto, Koide, 360
- selective toxicity, amphiphilicity, antimicrobial peptide, liposome, planar bilayer, Hirakura, Alvarez-Bravo, Kurata, Natori, Kirino, 1130
- self-assembly, basement membrane, gel, lens capsule, type IV collagen, Nakazato, Muraoka, Adachi, Hayashi, 889
- self-incompatibility, Japanese pear, S-allele, S-RNase, two-dimensional gel electrophoresis, Ishimizu, Sato, Saito, Yoshimura, Norioka, Nakanishi, Sakiyama, 326
- , cDNA, cloning, Japanese pear, nucleotide sequence, S-RNase, Norioka, Norioka, Ohnishi, Ishimizu, Oneyama, Nakanishi, Sakiyama, 335
- sequential *in situ* digestion, deducible amino acid residue, PVDF membrane, recoveries of digests from PVDF, S-alkylation of protein, Iwamatsu, Yoshida-Kubomura, 29
- serine dehydratase, dimethyl sulfoxide, primary rat hepatocyte, re-expression, tryptophan 2,3-dioxygenase, Mizuguchi, Mitaka, Kojima, Hirata, Nakamura, Mochizuki, 511
- serine protease, α/β hydrolase fold family, cloning, crystallization, dipeptidyl peptidase IV, Kabashima, Ito, Yoshimoto, 1111
- Sex-lethal (Sxl), protein-protein interaction, RNA-binding domain (RBD), RNA recognition motif (RRM), two-hybrid analysis, Sakashita, Sakamoto, 1028
- short-chain dehydrogenase/reductase family, fatty acid activation, carbonyl reductase, NAD(P)H specificity, site-directed mutagenesis, Nakanishi, Kakumoto, Matsuura, Deyashiki, Tanaka, Nonaka, Mitsui, Hara, 257
- sialic acid, cloning, differentiation, glycosyltransferase, sialyltransferase, Tsuji, 1
- sialyltransferase, cloning, differentiation, glycosyltransferase, sialic acid, Tsuji, 1
- , central nervous system, ganglioside, GD3 synthase, Watanabe, Nara, Takahashi, Nagai, Sanai, 1020
- sigma factor, cyanobacteria, RNA polymerase, transcription initiation, Asayama, Suzuki, Sato, Aida, Tanaka, Takahashi, Shirai, 752
- signal sequence, CaM-kinase II, cDNA sequence, α KAP, skeletal muscle, Sugai, Takeuchi, Okuno, Fujisawa, 773
- signal transduction, hepatoma cell, insulin, interleukin 4, JAK kinase, Chuang, Tai, Kahn, Wu, Lee, Lin, 111
- single-chain Fv, antibody engineering, bifunctional, disulfide bond, *Pichia pastoris*, Luo, Mah, Wishart, Zhang, Jacobs, Martin, 229
- site-directed mutagenesis, fatty acid activation, carbonyl reductase, NAD(P)H specificity, short-chain dehydrogenase/reductase family, Nakanishi, Kakumoto, Matsuura, Deyashiki, Tanaka, Nonaka, Mitsui, Hara, 257
- , active site, amino acid decarboxylase, evolution, pyridoxal 5'-phosphate, Ishii, Mizuguchi, Nishino, Hayashi, Kagamiyama, 369
- , electron transfer, photosynthesis, photosystem I, plastocyanin, Hibino, Lee, Yajima, Odani, Yamauchi, Takabe, 556
- , covalently-bound flavin, flavoprotein, monoamine oxidase A, pargyline, Hiro, Tsugeno, Hirashiki, Ogata, Ito, 759
- , aspartic proteinase, aspergillopepsin I, substrate specificity, trypsinogen activation, Shintani, Kobayashi, Ichishima, 974
- skeletal muscle, CaM-kinase II, cDNA sequence, α KAP, signal sequence, Sugai, Takeuchi, Okuno, Fujisawa, 773
- sky, brain, mammary tumor, promoter, receptor tyrosine kinase, Sasaki, Enami, 264
- small GTPase, Golgi apparatus, protein secretion, *Saccharomyces cerevisiae*, vesicular transport, Yamanushi, Hirata, Oka, Nakano, 452
- small GTP-binding protein, ADP-ribosylation factor, epitope tagging, Golgi complex, vesicular trafficking, Hosaka, Toda, Takatsu, Torii, Murakami, Nakayama, 813
- smooth muscle-specific gene, actin-binding protein, *Alu* repetitive sequence, calponin, CpG island, DNA methylation, Takahashi, Tazunoki, Okada, Ohgami, Miwa, Miki, Shibata, 18
- solubilization, detergent, G protein, muscarinic receptor, receptor-G protein complex, Rinken, 193
- solution structure, conformation dynamics, point mutation, SSCP, ssDNA, Nakabayashi, Nishigaki, 320
- sphingolipid, phosphatidylinositol 4-kinase, phosphatidylinositol 4-phosphate, platelet, sphingosine, Hashizume, Nakao, Sato, 61
- , glycosphingolipid, lysoglycosphingolipid,

S (cont'd)

- matrix-assisted laser desorption ionization time-of-flight mass spectrometry, sphingosine, *Taketomi, Hara, Uemura, Sugiyama*, 573
- , NADPH oxidase, neutrophil, sphingosine, superoxide anion, *Sasaki, Yamaguchi, Saeki, Yamane, Okamura, Ishibashi*, 705
- sphingosine, phosphatidylinositol 4-kinase, phosphatidylinositol 4-phosphate, platelet, sphingolipid, *Hashizume, Nakao, Sato*, 61
- , glycosphingolipid, lysoglycosphingolipid, matrix-assisted laser desorption ionization time-of-flight mass spectrometry, sphingolipid, *Taketomi, Hara, Uemura, Sugiyama*, 573
- , NADPH oxidase, neutrophil, sphingolipid, superoxide anion, *Sasaki, Yamaguchi, Saeki, Yamane, Okamura, Ishibashi*, 705
- spliceosomal intron, pre-mRNA splicing, U1 snRNA, U4 snRNA, U5 snRNA, *Takahashi, Tani, Ohshima*, 677
- S-RNase, Japanese pear, S-allele, self-incompatibility, two-dimensional gel electrophoresis, *Ishimizu, Sato, Saito, Yoshimura, Norioka, Nakanishi, Sakiyama*, 326
- , cDNA, cloning, Japanese pear, nucleotide sequence, self-incompatibility, *Norioka, Norioka, Ohnishi, Ishimizu, Oneyama, Nakanishi, Sakiyama*, 335
- SR protein, exonic enhancer, pre-mRNA splicing, transacting factor, U1 snRNP, *Achsel, Shimura*, 53
- 5SrRNA-L5 complex, methionyl-tRNA, methionyl-tRNA synthetase, ribosomal protein L5, 5S ribosomal RNA, *Ogata, Ohno, Morioka, Terao*, 869
- SSCP, conformation dynamics, point mutation, ssDNA, solution structure, *Nakabayashi, Nishigaki*, 320
- ssDNA, conformation dynamics, point mutation, SSCP, solution structure, *Nakabayashi, Nishigaki*, 320
- stability of amyloidogenic protein, amyloid formation, denatured state of a protein, human lysozyme, mutant protein, *Funahashi, Takano, Ogasahara, Yamagata, Yutani*, 1216
- Staphylococcus*, N-terminal fragment, nuclease, peptide folding, unfolding and refolding, *Zhou, Jing*, 881
- steroid hormone, mRNA stability, nuclear receptor, post-transcriptional regulation, *Arao, Miyatake, Yamamoto, Usiku, Matsuura, Ninomiya, Masushige, Hasegawa, Kato*, 710
- sterol 14-demethylase, brain, cholesterol, P450, sterol synthesis, *Aoyama, Horiuchi, Yoshida*, 982
- sterol synthesis, brain, cholesterol, P450, sterol 14-demethylase, *Aoyama, Horiuchi, Yoshida*, 982
- Streptomyces castaneoglobisporus*, Cu²⁺-carrier protein, induction by methionine, melanin pigment, tyrosinase from *Streptomyces*, *Ikeda, Masujima, Sugiyama*, 1141
- striated muscle, Ca²⁺-regulation, invertebrate, scallop, troponin T, *Inoue, Ojima, Nishita*, 834
- structure-function, isoform, oil body, oleosin, rice, *Chuang, Chen, Chu, Tzen*, 74
- substrate specificity, carboxyl proteinase, Gram-negative bacteria, kinetic property, pepstatin, *Ito, Dunn, Oda*, 845
- , aspartic proteinase, aspergillopepsin I, site-directed mutagenesis, trypsinogen activation, *Shintani, Kobayashi, Ichishima*, 974
- , barley glucan, exo-cellulase, fungi, xyloglucan, *Amano, Shirosaki, Nisizawa, Hoshino, Kanda*, 1123
- , mitochondrial processing peptidase, *Song, Shimokata, Kitada, Ogishima, Ito*, 1163
- subtilisin, actin, divalent cation, nucleotide, surface loop, *Ooi, Mihashi*, 1104
- subunit, AMP, electron-transferring flavoprotein, folding intermediate, urea denaturation, *Sato, Nishina, Shiga*, 276
- subunit structure of α -amylase inhibitor, α -amylase inhibitor, complete structure, inhibition stoichiometry, kidney bean, *Kasahara, Hayashi, Arakawa, Philo, Wen, Hara, Yamaguchi*, 177
- succinate-ubiquinone oxidoreductase, electron-transfer inhibitor, mitochondrial electron-transfer, ubiquinol-cytochrome c oxidoreductase, ubiquinone-pool, *Yamashita, Miyoshi, Hatano, Iwamura*, 377
- Sulfolobus*, archaea (archaeobacteria), evolution, 2-oxoacid:ferredoxin oxidoreductase, primary structure, *Zhang, Iwasaki, Wakagi, Oshima*, 587
- Sulfolobus solfataricus*, β -glycosidase, thermophilic enzyme, protein denaturation, scanning calorimetry, *D'Auria, Rossi, Barone, Catanzano, Del Vecchio, Graziano, Nucci*, 292
- superoxide anion, NADPH oxidase, neutrophil, sphingolipid, sphingosine, *Sasaki, Yamaguchi, Saeki, Yamane, Okamura, Ishibashi*, 705
- surface loop, actin, divalent cation, nucleotide, subtilisin, *Ooi, Mihashi*, 1104
- sustained release, carrier erythrocyte, cell targeting, encapsulated carbonic anhydrase, organ uptake, *Alvarez, Herráez, Murciano, Jordán, Díez, Tejedor*, 286
- synaptotagmin, C2 domain, Ca²⁺ sensor, Doc2, rabphilin 3A, *Kojima, Fukuda, Aruga, Mikoshiba*, 671
- syncatalytic inactivation, aspartate aminotransferase, glutamate dehydrogenase, 2-oxoglutaconate, 2-oxoglutaconic acid dimethylester, *Kato, Asano, Makar, Cooper*, 531
- synthetic peptide, cell adhesion, integrin $\alpha 6 \beta 1$, laminin-1, phage display library, *Murayama, Nishida, Sekiguchi*, 445
- T
- T-686, endothelial cell, fibrinolysis, plasminogen activator, plasminogen activator inhibitor-1, *Ohtani, Takagi, Hirano, Murakami, Sasaki*, 1203
- tail-anchored protein, cytochrome *b_L*, endoplasmic reticulum, immunofluorescence microscopy, membrane topology, *Kuroda, Kinoshita, Honsho, Mitoma, Ito*, 828
- TATA box, D-factor/LIF receptor, gene structure, *Tomida, Gotoh*, 201
- temperature acclimation, activation energy, carp myosin, *in vitro* motility assay, thermostability, *Chaen, Nakaya, Guo, Watabe*, 788
- testis, alternative splicing, brain, neurofibromatosis type 1, ras GTPase-activating protein, *Suzuki, Takahashi, Yasumoto, Fuse, Shibahara*, 1048
- tetrapeptide repeat, cDNA cloning, Down syndrome, exon trapping, *Tsukahara, Hattori, Muraki, Sakaki*, 820
- thermal stabilization, lipase, pH-stabilization, *Pseudomonas aeruginosa*, random mutagenesis, *Shinkai, Hirano, Aisaka*, 915
- thermal unfolding, acid unfolding, dihydrofolate reductase, intermediate, molten globule, *Ohmae, Kurumiya, Makino, Gekko*, 946
- thermophilic enzyme, β -glycosidase, *Sulfolobus solfataricus*, protein denaturation, scanning calorimetry, *D'Auria, Rossi, Barone, Catanzano, Del Vecchio, Graziano, Nucci*, 292
- , alcohol dehydrogenase, *Bacillus acidocaldarius*, circular dichroism, enzymatic activity, *D'Auria, Cara, Nazzaro, Vespa, Rossi*, 498
- thermostability, activation energy, carp myosin, *in vitro* motility assay, temperature acclimation, *Chaen, Nakaya, Guo, Watabe*, 788
- thermostable enzyme, allosteric effector, guanidine hydrochloride, phosphoenolpyruvate carboxylase, *Thermus* sp, *Nakamura, Minoguchi, Izui*, 518
- Thermus* sp, allosteric effector, guanidine hydrochloride, phosphoenolpyruvate carboxylase, thermostable enzyme, *Nakamura, Minoguchi, Izui*, 518
- three dimensional structure, D-amino acid oxidase, enzyme-ligand interaction, flavoenzyme, X-ray crystallography, *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, Setoyama, Miura*, 14
- TNP-ATP, *Escherichia coli*, F₁-ATPase, nucleotide binding, uni-site catalysis, *Muneyuki, Hisabori, Sasayama, Mochizuki, Yoshida*, 940
- α -tocopherol, food allergy, IgA antibody, IgE antibody, unsaturated fatty acid, *Yamada, Hung, Yoshimura, Taniguchi, Lim, Sugano*, 138
- transacting factor, exonic enhancer, pre-mRNA splicing, SR protein, U1 snRNP, *Achsel, Shimura*, 53
- transcription factor, ABP-1, ABP-2, arylphorin gene, *Sarcophaga peregrina*, *Adachi, Kubo, Natori*, 1239
- transcription initiation, cyanobacteria, RNA polymerase, sigma factor, *Asayama, Suzuki, Sato, Aida, Tanaka, Takahashi, Shirai*, 752
- transcription initiation site, exon-intron structure, genomic DNA, promoter structure, prostacyclin (PGI₂)-stimulating factor, *Mizushima, Sato, Negishi, Koushima, Okamoto, Nii, Hashimoto, Umeda, Nawata, Kanamori*, 929
- transforming growth factor- β 1, elastin, elastin-binding protein, ficolin, plasma, *Harumiya, Takeda, Sugiyama, Fukumoto, Tachikawa, Miyazono, Fujimoto, Ichijo*, 745
- transglycosylation, endo- α -N-acetylgalactosaminidase, β -D-galactosidase, β -D-Gal-

T (cont'd)

- (1→3)- α -D-GalNAc-OC₆H₄NO₂-p, mucin-type oligosaccharide, *Murata, Itoh, Hayakawa, Usui*, 851
- triacylglycerol acylhydrolase, catalytic triad, crystal structure, hydrolase fold, *Rhizopus niveus*, *Kohno, Funatsu, Mikami, Kugimiya, Matsuo, Morita*, 505
- triple-helical structure, affinity chromatography, heparin binding, heparin column, type V collagen, *Mizuno, Hayashi*, 934
- tRNA, *Ascaris suum*, chemical synthesis, mitochondria, NMR, *Ohtsuki, Vinayak, Watanabe, Kita, Kawai, Watanabe*, 1070
- troponin T, Ca²⁺-regulation, invertebrate, scallop, striated muscle, *Inoue, Ojima, Nishida*, 834
- trypsin, extracellular-superoxide dismutase, hemodialysis patient, heparin, neutrophil, *Adachi, Morihara, Yamazaki, Yamada, Futenma, Kato, Hirano*, 184
- trypsinogen activation, aspartic proteinase, aspergillopepsin I, site-directed mutagenesis, substrate specificity, *Shintani, Kobayashi, Ichishima*, 974
- trypstatin, bikunin, inter- α -trypsin inhibitor, pancreatic carcinogenesis, hamster, *Yamamoto, Yamamoto, Sinohara*, 145
- tryptase, glycosylation, mast cell, N-terminal amino acid sequence, rat tongue, *Okumura, Kudoh, Takashima, Inoue, Sakai, Kido*, 856
- tryptophan 2,3-dioxygenase, dimethyl sulfoxide, primary rat hepatocyte, re-expression, serine dehydratase, *Mizuguchi, Mitaka, Kojima, Hirata, Nakamura, Mochizuki*, 511
- tumor cell, catalase, growth factor, H₂O₂, reactive oxygen, *Miyamoto, Hayashi, Takeuchi, Okamoto, Kawashima, Takii, Hayashi, Onozaki*, 725
- tumor necrosis factor- α (TNF- α), calcium, calcium chelator, lipopolysaccharide (LPS), macrophage, *Watanabe, Suzuki, Kobayashi*, 1190
- tumor promoter, cell adhesion, epidermal growth factor, gastric cancer, laminin-5, *Mizushima, Miyagi, Kikkawa, Yamanaka, Yasumitsu, Misugi, Miyazaki*, 1196
- tuna, amino acid sequence, pepsin, pepsinogen, phylogenetic tree, *Tanji, Yakabe, Kageyama, Takahashi*, 647
- turtle, amino acid sequence, cDNA sequence, pepsin, pepsinogen, *Hirasawa, Athauda, Takahashi*, 407
- two-dimensional gel electrophoresis, Japanese pear, S-allele, self-incompatibility, S-RNase, *Ishimizu, Sato, Saito, Yoshimura, Norioka, Nakanishi, Sakiyama*, 326
- two-hybrid analysis, protein-protein interaction, RNA-binding domain (RBD), RNA recognition motif (RRM), Sex-lethal (Sxl), *Sakashita, Sakamoto*, 1028
- type I interferon, gene regulation, IRF, ISGF3, viral induction, *Yoneyama, Suhara, Fukuhara, Sato, Ozato, Fujita*, 160
- type IV collagen, basement membrane, gel, lens capsule, self-assembly, *Nakazato, Muraoka, Adachi, Hayashi*, 889
- type V collagen, affinity chromatography, heparin binding, heparin column, triple-

helical structure, *Mizuno, Hayashi*, 934

tyrosinase from *Streptomyces*, Cu²⁺-carrier protein, induction by methionine, melanin pigment, *Streptomyces castaneoglobisporus*, *Ikeda, Masujima, Sugiyama*, 1141

U

- U1 snRNA, pre-mRNA splicing, spliceosomal intron, U4 snRNA, U5 snRNA, *Takahashi, Tani, Ohshima*, 677
- U1 snRNP, exonic enhancer, pre-mRNA splicing, SR protein, transacting factor, *Achsel, Shimura*, 53
- U4 snRNA, pre-mRNA splicing, spliceosomal intron, U1 snRNA, U5 snRNA, *Takahashi, Tani, Ohshima*, 677
- U5 snRNA, pre-mRNA splicing, spliceosomal intron, U1 snRNA, U4 snRNA, *Takahashi, Tani, Ohshima*, 677
- ubiquinol-cytochrome c oxidoreductase, electron-transfer inhibitor, mitochondrial electron-transfer, succinate-ubiquinone oxidoreductase, ubiquinone-pool, *Yamashita, Miyoshi, Hatano, Iwamura*, 377
- ubiquinone-pool, electron-transfer inhibitor, mitochondrial electron-transfer, succinate-ubiquinone oxidoreductase, ubiquinol-cytochrome c oxidoreductase, *Yamashita, Miyoshi, Hatano, Iwamura*, 377
- ubiquitin-conjugating enzyme, cDNA, *Drosophila bendless* gene product, human homolog, *Yamaguchi, Kim, Sekine, Seino, Osaka, Yamao, Kato*, 494
- UDP-galactose, CDC91, Golgi apparatus, UDP-galactose translocator, ZK370.7, *Miura, Ishida, Hoshino, Yamauchi, Hara, Ayusawa, Kawakita*, 236
- UDP-galactose translocator, CDC91, Golgi apparatus, UDP-galactose, ZK370.7, *Miura, Ishida, Hoshino, Yamauchi, Hara, Ayusawa, Kawakita*, 236
- UDP-galactose transporter, CMP-sialic acid transporter, nucleotide-sugar transporter, UDP-N-acetylglucosamine transporter, *Ishida, Miura, Yoshioka, Kawakita*, 1074
- UDP-N-acetylglucosamine transporter, CMP-sialic acid transporter, nucleotide-sugar transporter, UDP-galactose transporter, *Ishida, Miura, Yoshioka, Kawakita*, 1074
- unfolding and refolding, N-terminal fragment, nuclease, peptide folding, *Staphylococcus*, *Zhou, Jing*, 881
- uniparental disomy, chromosomal domain, DNA methylation, loss of imprinting, replication timing, *Nakao, Sasaki*, 467
- uni-site catalysis, *Escherichia coli*, F₁-ATPase, nucleotide binding, TNP-ATP, *Muneyuki, Hisabori, Sasayama, Mochizuki, Yoshida*, 940
- unsaturated fatty acid, food allergy, IgA antibody, IgE antibody, α -tocopherol, *Yamada, Hung, Yoshimura, Taniguchi, Lim, Sugano*, 138
- urea denaturation, AMP, electron-transferring flavoprotein, folding intermediate, subunit, *Sato, Nishina, Shiga*, 276
- uricase, *Candida utilis*, nucleotide sequence analysis, overexpression in *E. coli*, oxidation of cysteine residue, *Koyama, Ichikawa, Nakano*, 969
- urinary trypsin inhibitor (UTI), bikunin,

human, inter- α -trypsin inhibitor light chain, pancreas, *Itoh, Tomita, Kobayashi, Uchino, Maruyama, Nawa*, 271

V

- vacuolar H⁺-ATPase, anion-sensitivity, H⁺-pump, lysosome, reconstitution, *Okamoto, Hiratani, Arai, Ohkuma*, 608
- vav protooncogene, actin-binding protein, Alu sequence, calponin, cardiac muscle, *Masuda, Tanaka, Takagi, Ohgami, Sakamaki, Shibata, Takahashi*, 415
- vesicular trafficking, ADP-ribosylation factor, epitope tagging, Golgi complex, small GTP-binding protein, *Hosaka, Toda, Takatsu, Torii, Murakami, Nakayama*, 813
- vesicular transport, Golgi apparatus, protein secretion, small GTPase, *Saccharomyces cerevisiae*, *Yamanushi, Hirata, Oka, Nakano*, 452
- , endoplasmic reticulum, *RST, Saccharomyces cerevisiae*, *SEC12, Nakano*, 642
- viral induction, gene regulation, IRF, ISGF3, type I interferon, *Yoneyama, Suhara, Fukuhara, Sato, Ozato, Fujita*, 160
- vitamin K-dependent factor, γ -carboxyglutamic acid domain, inherited deficiency, protein C, secretion, *Tokunaga, Tsukamoto, Koide*, 360
- vitronectin, cDNA cloning, C-terminal analysis, glycosylation site, *Yoneda, Kojima, Matsumoto, Yamamoto, Ogawa*, 954

X

- Xanthomonas*, acid proteinase, carboxyl proteinase, cloning, pepstatin, *Oda, Ito, Uchida, Shubano, Fukuhara, Takahashi*, 564
- Xenopus laevis*, c-met, embryogenesis, epithelial-mesenchymal interaction, hepatocyte growth factor, *Aoki, Takahashi, Matsumoto, Nakamura*, 961
- , cDNA cloning, DNA methyltransferase, *Kimura, Ishihara, Tajima*, 1182
- Xenopus* oocyte, chimera, glutamate receptor, G protein, phospholipase C, *Nakamura, Nukada, Imai, Sugiyama*, 996
- X-irradiation, dorsal, retrotransposon 1731, *Faure, Best-Belpomme, Champion*, 313
- X-ray crystallography, crystallization, high specificity factor, red alga, ribulose 1,5-bisphosphate carboxylase/oxygenase, *Shibata, Yamamoto, Inoue, Uemura, Yokota, Kai*, 1064
- X-ray crystallography, D-amino acid oxidase, enzyme-ligand interaction, flavoenzyme, three dimensional structure, *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, Setoyama, Miura*, 14
- , N-acyl-D-glucosamine 2-epimerase, crystallization, porcine kidney, renin-binding protein, *Maru, Ohnishi, Ohta, Hashimoto, Tsukada, Murata, Mikami*, 481
- Xyl1-3Xyl1-3Glc, α -1,3-xylosyltransferase, fluorogenic acceptor, human hepatoma HepG2 cell line, *Minamida, Aoki, Natsuka, Omichi, Fukase, Kusumoto, Hase*, 1002
- xyloglucan, barley glucan, exo-cellulase, fungi, substrate specificity, *Amano, Shiroishi, Nisizawa, Hoshino, Kanda*, 1123
- α -1,3-xylosyltransferase, fluorogenic acceptor, human hepatoma HepG2 cell line,

N

X (cont'd)

Xyl α 1-3Xyl α 1-3Glc, *Minamida, Aoki, Natsuka, Omichi, Fukase, Kusumoto, Hase*, 1002

Z

ZK370.7, CDC91, Golgi apparatus, UDP-galactose, UDP-galactose translocator, *Miura, Ishida, Hoshino, Yamauchi, Hara,*

Ayusawa, Kawakita, 236
zymosan, ADP-ribosyltransferase, calcium, exocytosis, polymorphonuclear leukocyte, *Terashima, Badruzzaman, Tsuchiya, Shimoyama*, 1209