

INDEX TO KEY WORDS

A

- ab initio* molecular orbital calculation, acyl phosphate bond, hydroxylamine, (Na⁺,K⁺)-ATPase, nucleophilic substitution, *Ushimaru*, *Shinohara*, *Fukushima*, 666
- acetoacetyl-CoA thiolase, *Candida tropicalis*, cytosol, isozyme, peroxisome, *Kanayama*, *Himeda*, *Atomi*, *Ueda*, *Tanaka*, 616
- β -N-acetylgalactosamine, bovine mammary gland, functional differentiation, N-linked sugar chains, *Sato*, *Taka*, *Aoki*, *Matsuda*, *Furukawa*, 1068
- β -N-acetylgalactosaminidase, β -N-acetylglucosaminidase, β -N-acetylhexosaminidase, *Bacillus* sp. AT173-1, *Tanaka*, *Ozaki*, 330
- β -N-acetylglucosaminidase, β -N-acetylglactosaminidase, β -N-acetylhexosaminidase, *Bacillus* sp. AT173-1, *Tanaka*, *Ozaki*, 330
- β -N-acetylhexosaminidase, β -N-acetylglactosaminidase, β -N-acetylglucosaminidase, *Bacillus* sp. AT173-1, *Tanaka*, *Ozaki*, 330
- N-acetylmuramoyl-L-alanine amidase, *Achromobacter lyticus*, Achropeptidase, α -lytic protease, *Staphylococcus aureus*, *Li*, *Norioka*, *Sakiyama*, 772
- Achromobacter lyticus*, N-acetylmuramoyl-L-alanine amidase, Achropeptidase, α -lytic protease, *Staphylococcus aureus*, *Li*, *Norioka*, *Sakiyama*, 772
- Achropeptidase, N-acetylmuramoyl-L-alanine amidase, *Achromobacter lyticus*, α -lytic protease, *Staphylococcus aureus*, *Li*, *Norioka*, *Sakiyama*, 772
- acousto-optic tunable filter, macrophage, microspectrophotometry, nitric oxide, red blood cells, *Tsuji*, *Shiraishi*, *Kakinuma*, 264
- acrolein, 1,3-diaminopropane, elimination and addition, norspermidine, polyamine aminotransferase, *Yorifuji*, *Kondo*, *Naka*, *Ishihara*, *Shimizu*, 544
- actin filament, cleavage furrow, contractile ring, cytokinesis, mitotic apparatus, *Fujimoto*, *Mabuchi*, 518
- α -actin, calponin, CARG box, CpG, differentiation, DNA methylation, smooth muscle, SM22 α gene, *Yamamura*, *Masuda*, *Iheda*, *Tokuyama*, *Takagi*, *Shibata*, *Tatsuta*, *Takahashi*, 157
- actin-related proteins, coronin, F-actin affinity chromatography, myosin VI, sea urchin egg, *Terasaki*, *Ohnuma*, *Mabuchi*, 226
- active center, D-lactate dehydrogenase, *Lactobacillus*, stereospecificity, *Taguchi*, *Ohta*, *Matsuzawa*, 802
- active site, cysteine protease, endoplasmic reticulum, retention signal, site-directed mutagenesis, *Urade*, *Oda*, *Ito*, *Moriyama*, *Utsumi*, *Kito*, 834
- acyl-CoA, acyltransferase, arachidonic acid, fatty acid remodeling, lysophospholipid, *Yamashita*, *Sugiura*, *Waku*, 1
- acyl-CoA synthetase, alternative translation initiation, brain, fatty acid, subcellular localization, *Fujino*, *Kang*, *Minekura*, *Suzuki*, *Yamamoto*, 212
- 2-acyl LPC, bonito muscle, fatty acid remodeling, phospholipase A₁, transacylase, *Hirano*, *Tanaka*, *Yoshizumi*, *Tanaka*, *Satouchi*, 1160
- acyl phosphate bond, *ab initio* molecular orbital calculation, hydroxylamine, (Na⁺,K⁺)-ATPase, nucleophilic substitution, *Ushimaru*, *Shinohara*, *Fukushima*, 666
- acyltransferase, acyl-CoA, arachidonic acid, fatty acid remodeling, lysophospholipid, *Yamashita*, *Sugiura*, *Waku*, 1
- ADP-ribosylation, bacterial toxins, small subunit, soluble guanylate cyclase, *Tomita*, *Tsuyama*, *Imai*, *Kitagawa*, 531
- β_2 -adrenoceptor, β_2 -agonist, glucose transport, insulin, skeletal muscle, *Tanishita*, *Shimizu*, *Minokoshi*, *Shimazu*, 90
- aggregation, B cell, morphology, PP1, protein phosphatase, *Takizawa*, *Komatsu*, *Mizuno*, *Kawamura*, *Ito*, *Nakano*, *Kikuchi*, 723
- β_2 -agonist, β_2 -adrenoceptor, glucose transport, insulin, skeletal muscle, *Tanishita*, *Shimizu*, *Minokoshi*, *Shimazu*, 90
- alanyl aminopeptidase, characterization, immunohistochemistry, purification, seminal plasma, *Huang*, *Takahara*, *Kinouchi*, *Takeyama*, *Ishida*, *Ueyama*, *Nishi*, *Ohkubo*, 779
- aldolase C, central nervous system, chromatin structure, copy number-dependent expression, transgenic mice, *Arai*, *Sugama*, *Hashido*, *Ohishi*, *Mukai*, 927
- alkaline cellulase, crystallization, detergent enzyme, endo-1,4- β -glucanase, X-ray crystallography, *Shirai*, *Yamane*, *Hidaka*, *Kuyama*, *Suzuki*, *Ashida*, *Ozaki*, *Ito*, 683
- alkaline phosphatase, antibody engineering, fusion protein, NP, single-chain Fv, *Suzuki*, *Ueda*, *Suzuki*, *Nagamune*, 322
- alternative splicing, isoform, kexin, PACE4, SPC4, *Tsuji*, *Hine*, *Tamai*, *Yonemoto*, *Mori*, *Yoshida*, *Bando*, *Sakai*, *Mori*, *Akamatsu*, *Matsuda*, 438
- , circular dichroism, c-Myc, protein structure, sedimentation equilibrium, *Horiuchi*, *Kurihara*, *Katahira*, *Maeda*, *Saito*, *Uesugi*, 711
- alternative translation initiation, acyl-CoA synthetase, brain, fatty acid, subcellular localization, *Fujino*, *Kang*, *Minekura*, *Suzuki*, *Yamamoto*, 212
- D-amino acid aminotransferase, carboxyl-binding site for substrates, site-directed mutagenesis, inhibition by α -ketoglutarate, *Kishimoto*, *Yoshimura*, *Soda*, *Esaki*, 1182
- D-amino acid oxidase, enzyme-substrate complex, flavoenzyme, molecular mechanics, tertiary structure, *Miura*, *Setoyama*, *Nishina*, *Shiga*, *Mizutani*, *Miyahara*, *Hirotsu*, 825
- amino acid sequence, hyperthermostable enzyme, ionspray mass spectrometry, methionine aminopeptidase, *Pyrococcus furiosus*, *Tsunasawa*, *Izu*, *Miyagi*, *Kato*, 843
- , evolutionary divergence, genomic structure, snoRNA gene, Taiwan cobra neurotoxin, *Chang*, *Chou*, *Lin*, *Wu*, *Lin*, *Hong*, *Sun*, *Hsiao*, 1252
- γ -aminobutyric acid, L-ornithine decarboxylase, L-ornithine oxidation, pyridoxal 5'-phosphate, side reaction, *Sakai*, *Miyasako*, *Nagatomo*, *Watanabe*, *Wakayama*, *Moriguchi*, 961
- 5-aminoimidazole-4-carboxamide ribonucleotide transformylase, cDNA cloning, protein sequencing, purine biosynthetic enzyme, site-directed mutagenesis, *Sugita*, *Aya*, *Ueno*, *Ishizuka*, *Kawashima*, 309
- amphipathic α -helix, oleosin isoform, seed oil body, sesame, *Chen*, *Lin*, *Huang*, *Tzen*, 819
- α -amylase inhibitor, hairpin structure, recombinant, synthetic gene, wheat kernel, *Okuda*, *Satoh*, *Sakurai*, *Shibuya*, *Kaji*, *Samejima*, 918
- anandamide, 2-arachidonoylglycerol, Ca²⁺ transient, cannabinoids, Δ^9 -tetrahydrocannabinol, *Sugiura*, *Kodaka*, *Kondo*, *Nakane*, *Kondo*, *Waku*, *Ishima*, *Watanabe*, *Yamamoto*, 890
- 8-anilinoanthracene-1-sulfonic acid, ATPase, hydrogen exchange, protein-lipid interaction, *SecA*, *Song*, *Kim*, 1010
- ankyrin isoform, calpain, ischemia-reperfusion, membrane-skeleton, *Yoshida*, *Harada*, 279
- antibody-antigen interactions, murine antibody, nuclear magnetic resonance, paraquat (1,1'-dimethyl-4,4'-bipyridinium dichloride), pH dependence, single chain antibody, site-directed mutagenesis, *Bowles*, *Mulhern*, *Gordon*, *Inglis*, *Sharpe*, *Cogill*, *Pond*, 101
- antibody engineering, alkaline phosphatase, fusion protein, NP, single-chain Fv, *Suzuki*, *Ueda*, *Suzuki*, *Nagamune*, 322
- antisense oligonucleotide, growth inhibition, human hepatoma cell lines, IGF-II, *Lin*, *Hsieh*, *Hsu*, *Lai*, *Kan*, *Au*, 717
- 2APB, calcium release, cytosolic calcium concentration, inositol 1,4,5-trisphosphate, membrane-penetrable modulator, *Maruyama*, *Kanaji*, *Nakade*, *Kanno*, *Mikoshiba*, 498
- aphid, *Buchnera*, DnaJ, DnaK, symbiosis, *Sato*, *Ishikawa*, 41
- apoptosis, cellular proliferation, CLL-I, galectins, immunomodulators, *Rabinovich*, *Modesti*, *Castagna*, *Landa*, *Riera*, *Sotomayor*, 365
- , ceramide, inflammation, methylsphingosines sphingolipid signaling pathway,

A (cont'd)

- sphingosine, sphingosine 1-phosphate, *Igarashi*, 1080
- arabis mosaic virus, hairpin ribozyme, ribozyme, RNA enzyme, satellite RNA, *Hisamatsu*, *Morikawa*, *Tomita*, *Tanaka*, *Sonoki*, *Kikuchi*, 352
- arachidonic acid, acyl-CoA, acyltransferase, fatty acid remodeling, lysophospholipid, *Yamashita*, *Sugiura*, *Waku*, 1
- , lipid peroxidation, platelet, secretory phospholipase A₂, *Akiba*, *Nagatomo*, *Hayama*, *Sato*, 859
- , mitogen-activated protein kinase, phospholipase A₂, platelet, sphingosine, *Hashizume*, *Nakao*, *Kageura*, *Sato*, 1034
- 2-arachidonoylglycerol, anandamide, Ca²⁺ transient, cannabinoids, Δ⁹-tetrahydrocannabinol, *Sugiura*, *Kodaka*, *Kondo*, *Nakane*, *Kondo*, *Waku*, *Ishima*, *Watanabe*, *Yamamoto*, 890
- arachidonoyl phosphatidylcholine, phospholipase A₂, site-directed mutagenesis, snake venom, *Ogawa*, *Shimohigashi*, *Ohno*, 955
- archaea, ether lipid, glycerophosphate dehydrogenase, *Methanobacterium thermoautotrophicum*, lipid biosynthesis, *Nishihara*, *Koga*, 572
- A-rich bulge, *in vivo* selection, P5abc, ribozyme, *Tetrahyena*, *Ikawa*, *Okada*, *Imahori*, *Shiraishi*, *Inoue*, 878
- aromatic amino acid aminotransferase, aspartate aminotransferase, hydrophobic interaction, protein dynamics, substrate specificity, *Kawaguchi*, *Nobe*, *Yasuoka*, *Wakamiya*, *Kusumoto*, *Kuramitsu*, 55
- Arthrobacter*, 1,3-diaminopropane, polyamine aminotransferase, pyruvate, spermidine, *Yorifuji*, *Ishihara*, *Naka*, *Kondo*, *Shimizu*, 537
- artificial proteins, biomaterials, crystallization, fibrous proteins, X-ray diffraction, *Cantor*, *Atkins*, *Cooper*, *Fournier*, *Mason*, *Tirrell*, 217
- aryl sulfotransferase, molecular cloning, new gene subfamily, recombinant form, thyroid hormone, *Fujita*, *Nagata*, *Ozawa*, *Sasano*, *Yamazoe*, 1052
- ascorbic acid, cysteine, glutathione, nitric oxide, S-nitrosothiol, *Kashiba-Iwatsuki*, *Kitoh*, *Kasahara*, *Yu*, *Nisikawa*, *Matsuo*, *Inoue*, 1208
- aspartate aminotransferase, aromatic amino acid aminotransferase, hydrophobic interaction, protein dynamics, substrate specificity, *Kawaguchi*, *Nobe*, *Yasuoka*, *Wakamiya*, *Kusumoto*, *Kuramitsu*, 55
- A-stretch site, cis-elements, GC-rich site, glyceraldehyde 3-phosphate dehydrogenase, trans-acting factors, *Aki*, *Yanagisawa*, *Akanuma*, 271
- astrocyte, cerebral cortex, extracellular matrix, neurite outgrowth, tenascin-C, *Wakatsuki*, *Ho*, *Arioka*, *Yamasaki*, *Kitamoto*, 1146
- ATPase, 8-anilino-1-naphthalene-1-sulfonic acid, hydrogen exchange, protein-lipid interaction, *SecA*, *Song*, *Kim*, 1010
- H⁺,K⁺-ATPase, conformation change, fluorescence change, rapid quenching, stopped flow, *Eguchi*, *Kaya*, *Shimada*, *Ootomo*, *Nomoto*, *Kikuchi*, *Usida*, *Taniguchi*, 659
- (Na⁺,K⁺)-ATPase, *ab initio* molecular orbital calculation, acyl phosphate bond, hydroxylamine, nucleophilic substitution, *Ushimaru*, *Shinohara*, *Fukushima*, 666
- ATP-binding domain, ATP replaceability, ATP-requiring enzyme, ligase, stringency as to ATP-requirement, *Kinoshita*, *Nishigaki*, 205
- ATP replaceability, ATP-binding domain, ATP-requiring enzyme, ligase, stringency as to ATP-requirement, *Kinoshita*, *Nishigaki*, 205
- ATP-requiring enzyme, ATP-binding domain, ATP replaceability, ligase, stringency as to ATP-requirement, *Kinoshita*, *Nishigaki*, 205

B

- ba₂-type cytochrome c oxidase, *Bacillus stearothermophilus*, ba₃-type oxidase, cytochrome c-551, thermophilic bacteria, *Sakamoto*, *Handa*, *Sone*, 764
- Bacillus brevis*, gramicidin S, gramicidin S synthetase, peptide antibiotic, peptide synthetase, *Hori*, *Kurotsu*, 606
- , cytochrome c oxidase, electron transfer chain, proton translocation, quinol oxidase, *Yaginuma*, *Tsukita*, *Sakamoto*, *Sone*, 969
- Bacillus* sp. AT173-1, β-N-acetylgalactosaminidase, β-N-acetylglucosaminidase, β-N-acetylhexosaminidase, *Tanaka*, *Ozaki*, 330
- Bacillus stearothermophilus*, ba₂-type cytochrome c oxidase, ba₃-type oxidase, cytochrome c-551, thermophilic bacteria, *Sakamoto*, *Handa*, *Sone*, 764
- bacterial-expression, calpain, *Drosophila*, EF-1α, limited-proteolysis, *Amano*, *Kawasaki*, *Ishiura*, *Kawashima*, *Suzuki*, *Emori*, 865
- bacterial toxins, ADP-ribosylation, small subunit, soluble guanylate cyclase, *Tomita*, *Tsuyama*, *Imai*, *Kitagawa*, 531
- band 3 protein, category for transmembrane segments, classification of transmembrane peptide portions, fidelity of hydropathy prediction, proteolytic cleavage sites, *Hamasaki*, *Okubo*, *Kuma*, *Kang*, *Yae*, 577
- basidiomycete, binding-site selection, DNase I footprinting, gel mobility-shift, zinc-cluster, *Miyazaki*, *Tsunoka*, *Shishido*, 1088
- basolateral membrane, bovine kidney cortex, brush-border membrane, ethylisopropylamiloride, Na⁺/H⁺-exchanger, *Yoshioka*, *Suzuki*, *Kawakita*, 641
- B cell, aggregation, morphology, PP1, protein phosphatase, *Takizawa*, *Komatsu*, *Mizuno*, *Kawamura*, *Ito*, *Nakano*, *Kikuchi*, 723
- , B-cell receptor, PKC, PP1, protein phosphatase, *Takizawa*, *Mizuno*, *Komatsu*, *Matsuzawa*, *Kawamura*, *Inagaki*, *Inagaki*, *Kikuchi*, 730
- B-cell receptor, B-cell, PKC, PP1, protein phosphatase, *Takizawa*, *Mizuno*, *Komatsu*, *Matsuzawa*, *Kawamura*, *Inagaki*, *Inagaki*, *Kikuchi*, 730
- bHLH domain, carcinogenesis, PAS domain, transcription factor, xenobiotics, *Sogawa*, *Fujii-Kuriyama*, 1075
- bifunctional enzyme, fructose-6-phosphate, 2-kinase/fructose-2,6-bisphosphatase, human placenta, isozyme, phosphorylation, *Sakakibara*, *Kato*, *Okamura*, *Nakagawa*, *Komada*, *Tominaga*, *Shimojo*, *Fukasawa*, 122
- D-bifunctional protein, bile acid, bile acid intermediates, peroxisomal disorder, β-oxidation, *Une*, *Konishi*, *Suzuki*, *Akaboshi*, *Yoshii*, *Kuramoto*, *Fujimura*, 655
- bile acid, bile acid intermediates, D-bifunctional protein, peroxisomal disorder, β-oxidation, *Une*, *Konishi*, *Suzuki*, *Akaboshi*, *Yoshii*, *Kuramoto*, *Fujimura*, 655
- bile acid intermediates, bile acid, D-bifunctional protein, peroxisomal disorder, β-oxidation, *Une*, *Konishi*, *Suzuki*, *Akaboshi*, *Yoshii*, *Kuramoto*, *Fujimura*, 655
- binding-site selection, basidiomycete, DNase I footprinting, gel mobility-shift, zinc-cluster, *Miyazaki*, *Tsunoka*, *Shishido*, 1088
- binding system, catechol 2,3-dioxygenase, frontal gel chromatography, ligand, serum albumin, *Honjo*, *Ishida*, *Horiike*, 258
- biomaterials, artificial proteins, crystallization, fibrous proteins, X-ray diffraction, *Cantor*, *Atkins*, *Cooper*, *Fournier*, *Mason*, *Tirrell*, 217
- biosynthesis, endoplasmic reticulum, GPI anchor, paroxysmal nocturnal hemoglobinuria, posttranslational modification, *Kinoshita*, *Ohishi*, *Takeda*, 251
- bo₂-type oxidase, *Bacillus stearothermophilus*, ba₂-type cytochrome c oxidase, cytochrome c-551, thermophilic bacteria, *Sakamoto*, *Handa*, *Sone*, 764
- Bombyx*, DNA replication, PCNA, promoter region, transcriptional regulation, *Takahashi*, *Yamaguchi*, *Hirose*, *Kobayashi*, *Miyajima*, *Matsukage*, 1215
- bone, collagen, modification, osteopenia, *Böttge*, *Winter*, *Notbohm*, *Acil*, *Brinckmann*, *Müller*, 109
- bonito muscle, 2-acyl LPC, fatty acid remodeling, phospholipase A₁, transacylase, *Hirano*, *Tanaka*, *Yoshizumi*, *Tanaka*, *Satouchi*, 1160
- bovine kidney cortex, basolateral membrane, brush-border membrane, ethylisopropylamiloride, Na⁺/H⁺-exchanger, *Yoshioka*, *Suzuki*, *Kawakita*, 641
- bovine mammary gland, functional differentiation, N-linked sugar chains, β-N-acetylgalactosamine, *Sato*, *Taka*, *Aoki*, *Matsuda*, *Furukawa*, 1068
- brain, acyl-CoA synthetase, alternative translation initiation, fatty acid, subcellular localization, *Fujino*, *Kang*, *Minekura*, *Suzuki*, *Yamamoto*, 212
- , Ca²⁺/calmodulin, CaM-kinase kinase, cDNA, isoform, *Kitani*, *Okuno*, *Fujisawa*, 243
- brush-border membrane, basolateral membrane, bovine kidney cortex, ethylisopropylamiloride, Na⁺/H⁺-exchanger, *Yoshioka*, *Suzuki*, *Kawakita*, 641
- Buchnera*, aphid, DnaJ, DnaK, symbiosis, *Sato*, *Ishikawa*, 41

C

- Ca²⁺/calmodulin, brain, CaM-kinase kinase, cDNA, isoform, *Kitani*, *Okuno*, *Fujisawa*, 243
- , CaM-kinase I, CaM-kinase IV, CaM-ki-

C (cont'd)

- nase kinase, substrate specificity, *Okuno, Kitani, Fujisawa*, 337
- Ca²⁺/calmodulin-dependent protein kinase, CaM-kinase IV, CaM-kinase kinase, protein phosphorylation, regulation of enzyme activity, *Okuno, Kitani, Fujisawa*, 897
- Ca²⁺ release, sarcoplasmic reticulum, skeletal muscle, triphenyltin, *Kang, Chen, Cheng*, 173
- Ca²⁺ transient, anandamide, 2-arachidonoyl-glycerol, cannabinoids, Δ⁹-tetrahydrocannabinol, *Sugiura, Kodaka, Kondo, Nakane, Kondo, Waku, Ishima, Watanabe, Yamamoto*, 890
- CAAX-motif-specific protease, endoprotease, isoprenylated protein, novel fluorometric assay, *Ras, Nishii, Muramatsu, Kuchino, Yokoyama, Takahashi*, 402
- calcium, prothrombin time, prothrombin activator, venom metalloprotease, warfarin, *Yamada, Morita*, 991
- , phosphorylation, photoreceptor, rhodopsin kinase, S-modulin (recoverin), *Sato, Kawamura*, 1139
- calcium-binding protein, calponin, calponin-binding protein, interaction, microtubule, *Fujii, Hiromori, Hamamoto, Suzuki*, 344
- calcium release, 2APB, cytosolic calcium concentration, inositol 1,4,5-trisphosphate, membrane-penetrable modulator, *Maruyama, Kanaji, Nakade, Kanno, Mikoshiba*, 498
- calpain, ankyrin isoform, ischemia-reperfusion, membrane-skeleton, *Yoshida, Harada*, 279
- , calpastatin, ischemia, myocardium, reperfusion, *Sorimachi, Harada, Saido, Ono, Kawashima, Yoshida*, 743
- , bacterial-expression, *Drosophila*, EF-1α, limited-proteolysis, *Amano, Kawasaki, Ishiura, Kawashima, Suzuki, Emori*, 865
- calpastatin, calpain, ischemia, myocardium, reperfusion, *Sorimachi, Harada, Saido, Ono, Kawashima, Yoshida*, 743
- calponin, α-actin, CARG box, CpG, differentiation, DNA methylation, smooth muscle, SM22α gene, *Yamamura, Masuda, Ikeda, Tokuyama, Takagi, Shibata, Tatsuta, Takahashi*, 157
- , calcium-binding protein, calponin-binding protein, interaction, microtubule, *Fujii, Hiromori, Hamamoto, Suzuki*, 344
- calponin-binding protein, calcium-binding protein, calponin, interaction, microtubule, *Fujii, Hiromori, Hamamoto, Suzuki*, 344
- CaM-kinase I, Ca²⁺/calmodulin, CaM-kinase IV, CaM-kinase kinase, substrate specificity, *Okuno, Kitani, Fujisawa*, 337
- CaM-kinase II, αKAP, nuclear membrane, signal sequence, skeletal muscle, *Takeuchi, Fujisawa*, 494
- CaM-kinase IV, Ca²⁺/calmodulin, CaM-kinase I, CaM-kinase kinase, substrate specificity, *Okuno, Kitani, Fujisawa*, 337
- , Ca²⁺/calmodulin-dependent protein kinase, CaM-kinase kinase, protein phosphorylation, regulation of enzyme activity, *Okuno, Kitani, Fujisawa*, 897
- CaM-kinase kinase, brain, Ca²⁺/calmodulin, cDNA, isoform, *Kitani, Okuno, Fujisawa*, 243
- , Ca²⁺/calmodulin, CaM-kinase I, CaM-kinase IV, substrate specificity, *Okuno, Kitani, Fujisawa*, 337
- , Ca²⁺/calmodulin-dependent protein kinase, CaM-kinase IV, protein phosphorylation, regulation of enzyme activity, *Okuno, Kitani, Fujisawa*, 897
- Candida tropicalis*, acetoacetyl-CoA thiolase, cytosol, isozyme, peroxisome, *Kanayama, Himeda, Atomi, Ueda, Tanaka*, 616
- cannabinoids, anandamide, 2-arachidonoyl-glycerol, Ca²⁺ transient, Δ⁹-tetrahydrocannabinol, *Sugiura, Kodaka, Kondo, Nakane, Kondo, Waku, Ishima, Watanabe, Yamamoto*, 890
- capsid protein, cleavage site mapping, *Leishmania* RNA virus, site-specific RNA endonuclease activity, substrate specificity, *MacBeth, Ro, Gehrke, Patterson*, 193
- carbonic anhydrase, erythrocyte, 4-hydroxy-2-nonenal, protein sulphydryl group, *Uchida, Hasui, Osawa*, 1246
- carboxyl-binding site for substrates, D-amino acid aminotransferase, site-directed mutagenesis, inhibition by α-ketoglutarate, *Kishimoto, Yoshimura, Soda, Esaki*, 1182
- carcinogenesis, bHLH domain, PAS domain, transcription factor, xenobiotics, *Sogawa, Fujii-Kuriyama*, 1075
- CAR-G box, α-actin, calponin, CpG, differentiation, DNA methylation, smooth muscle, SM22α gene, *Yamamura, Masuda, Ikeda, Tokuyama, Takagi, Shibata, Tatsuta, Takahashi*, 157
- carp, cDNA cloning, JNK, MAP kinase superfamily, stress-activated protein kinase, *Hashimoto, Matsuo, Yokoyama, Toyohara, Sakaguchi*, 381
- cartilage, collagen, interleukin-1α, matrix metalloproteinase, plasminogen, *Saito, Kato, Masumoto, Matsumoto, Masuho*, 49
- catalytic domain, H⁺-pyrophosphatase, peptide antibody, proton pump, vacuole, *Takasu, Nakanishi, Yamauchi, Maeshima*, 883
- catechol 2,3-dioxygenase, crystallization, metapyrocatechase, non-heme iron dioxygenase, X-ray crystallography, *Kita, Kita, Inaka, Ishida, Horiike, Nozaki, Miki*, 201
- , binding system, frontal gel chromatography, ligand, serum albumin, *Honjo, Ishida, Horiike*, 258
- category for transmembrane segments, band 3 protein, classification of transmembrane peptide portions, fidelity of hydropathy prediction, proteolytic cleavage sites, *Hamasaki, Okubo, Kuma, Kang, Yae*, 577
- cathepsin, degenerative myopathy, interleukin-6, interleukin-6 receptor antibody, turpentine oil, *Tsujinaka, Kishibuchi, Yano, Morimoto, Ebisui, Fujita, Ogawa, Shiozaki, Kominami, Monden*, 595
- cathepsin D, chymosin, dansyl-pepstatin, determination of carboxyl proteases, *pepsin, Yonezawa, Uchikoba, Kaneda*, 294
- CD, lead ribozyme, metal binding, RNA, RNA cleavage, *Kim, Katahira, Sugiyama, Uesugi*, 1062
- CD9 antigen, Chinese hamster ovary cells, heparan-sulfate proteoglycan, heparin-binding EGF-like growth factor (HB-EGF), surface plasmon resonance, *Sakuma, Higashiyama, Hosoe, Hayashi, Taniguchi*, 474
- cdc2 kinase, cdk 5, molecular dynamics and molecular mechanics simulations, peptide synthesis, phosphorylation, *Ando, Ikuhara, Kamata, Sasaki, Hisanaga, Kishimoto, Ito, Inagaki*, 409
- cdk 5, cdc2 kinase, molecular dynamics and molecular mechanics simulations, peptide synthesis, phosphorylation, *Ando, Ikuhara, Kamata, Sasaki, Hisanaga, Kishimoto, Ito, Inagaki*, 409
- cDNA, gene organization, heparan sulfate proteoglycan, promoter function, rydodcan, *Tsuzuki, Kojima, Katsumi, Yamazaki, Sugiura, Saito*, 17
- , inter-α-trypsin inhibitor heavy chains, inter-α-trypsin inhibitor family, molecular evolution, Syrian hamster, *Nakatani, Suzuki, Yamamoto, Sinohara*, 71
- , brain, Ca²⁺/calmodulin, CaM-kinase kinase, isoform, *Kitani, Okuno, Fujisawa*, 243
- , *Halocynthia roretzi*, isoforms, troponin I, *Yuasa, Sato, Yamamoto, Takagi*, 374
- cDNA cloning, 5-aminoimidazole-4-carboxamide ribonucleotide transformylase, protein sequencing, purine biosynthetic enzyme, site-directed mutagenesis, *Sugita, Aya, Ueno, Ishizuka, Kawashima*, 309
- , carp, JNK, MAP kinase superfamily, stress-activated protein kinase, *Hashimoto, Matsuo, Yokoyama, Toyohara, Sakaguchi*, 381
- , secretory protein, TGF-β superfamily, *Yokoyama-Kobayashi, Saeki, Sekine, Kato*, 622
- , glycoprotein, lysosome, membrane, mouse liver, *Tabuchi, Akasaki, Sasaki, Kanda, Tsuji*, 756
- , chromosome 21, computer-aided exon prediction, Down syndrome, *Nakamura, Hattori, Sakaki*, 872
- , insulin receptor, SH2 domain association, splice variants, yeast two-hybrid system, *Riedel, Wang, Hansen, Youssaf*, 1105
- cell-adhesion, electroporation, fibronectin, gene transfer, mammalian cell, *Hashino, Matsushita, Kato*, 490
- cell growth, inhibitor, receptor, second messenger, synthetic peptide, *Homma, Yamasaki, Ohmi, Homma*, 738
- cellular proliferation, apoptosis, CLL-I, galectins, immunomodulators, *Rabinovich, Modesti, Castagna, Landa, Riera, Sotomayor*, 365
- cell volume, hypertonic stress, intracellular pH, osmotic response, proton secretion, *Oyama, Kubota*, 64
- central nervous system, aldolase C, chromatin structure, copy number-dependent expression, transgenic mice, *Arai, Sugama, Hashido, Ohishi, Mukai*, 927
- ceramide, apoptosis, inflammation, methylsphingosines sphingolipid signaling pathway, sphingosine, sphingosine 1-phosphate, *Igarashi*, 1080
- cerebral cortex, astrocyte, extracellular matrix, neurite outgrowth, tenascin-C, *Wakatsuki, Ho, Arioka, Yamasaki, Kitamoto*, 1146
- characterization, decarboxylase, mevalonate

C (cont'd)

- pyrophosphate, pravastatin, purification, Michihara, Sawamura, Nara, Ikeda, Yamori, 647
- , alanyl aminopeptidase, immunohistochemistry, purification, seminal plasma, Huang, Takahara, Kinouchi, Takeyama, Ishida, Ueyama, Nishi, Ohkubo, 779
- chemical modification, depression of deamidation, isotope labeling, lysozyme, NMR, Abe, Ueda, Imoto, 1153
- chemical probing, MCS4 RNA, *Mycoplasma capricolum*, RNA secondary structure, small stable RNA, Ushida, Sasamura, Muto, 1202
- chemotaxis, inflammation, midkine, neutrophil, synovitis, Takada, Toriyama, Muramatsu, Song, Torii, Muramatsu, 453
- chimera enzyme, Cu_A center, cytochrome *c* oxidase, heme-copper terminal oxidase, ubiquinol oxidase, Uchida, Kusano, Mogi, Anraku, Sone, 1004
- Chinese hamster ovary cells, CD9 antigen, heparan-sulfate proteoglycan, heparin-binding EGF-like growth factor (HB-EGF), surface plasmon resonance, Sakuma, Higashiyama, Hosoe, Hayashi, Taniguchi, 474
- Chlamydomonas reinhardtii*, complementation, desaturation mutation, heat stability, photosystem II, Sato, Fujiwara, Kawaguchi, Tsuzuki, 1224
- chloride binding site, cytochrome *bo*, electron transfer, heme-copper binuclear center, terminal oxidase, Hirano, Mogi, Tsubaki, Hori, Orii, Anraku, 430
- chondroitin sulfate/dermatan sulfate, co-culture, corneal cells, keratan sulfate, proteoglycan synthesis, Nakazawa, Takahashi, Ohno, Sato, 851
- chorion hardening, egg envelope, purification, rainbow trout, transglutaminase, Ha, Iuchi, 947
- chromatin structure, aldolase C, central nervous system, copy number-dependent expression, transgenic mice, Arai, Sugama, Hashido, Ohishi, Mukai, 927
- chromosome 10q25-q26, gene structure, hyaluronan-binding protein, hepatocyte growth factor activator, serine protease, Sumiya, Asakawa, Tobe, Hashimoto, Saguchi, Choi-Miura, Shimizu, Minoshima, Shimizu, Tomita, 983
- chromosome 21, cDNA cloning, computer-aided exon prediction, Down syndrome, Nakamura, Hattori, Sakaki, 872
- chymosin, cathepsin D, dansyl-peptatin, determination of carboxyl proteases, pepsin, Yonezawa, Uchikoba, Kaneda, 294
- circular dichroism, alternative splicing, c-Myc, protein structure, sedimentation equilibrium, Horiuchi, Kurihara, Katahira, Maeda, Saito, Uesugi, 711
- cis-elements, A-stretch site, GC-rich site, glyceraldehyde 3-phosphate dehydrogenase, trans-acting factors, Aki, Yanagisawa, Akanuma, 271
- citrate synthase, 14-nm filament protein, multifunctional protein, posttranslational modification, *Tetrahymena*, Kojima, Watanabe, Numata, 998
- classification of transmembrane peptide portions, band 3 protein, category for transmembrane segments, fidelity of hydrophathy prediction, proteolytic cleavage sites, Hamasaki, Okubo, Kuma, Kang, Yae, 577
- cleavage furrow, actin filament, contractile ring, cytokinesis, mitotic apparatus, Fujimoto, Mabuchi, 518
- cleavage site mapping, capsid protein, *Leishmania* RNA virus, site-specific RNA endonuclease activity, substrate specificity, MacBeth, Ro, Gehrke, Patterson, 193
- CLL-I, apoptosis, cellular proliferation, galectins, immunomodulators, Rabinovich, Modesti, Castagna, Landa, Riera, Sotomayor, 365
- c-Myc, alternative splicing, circular dichroism, protein structure, sedimentation equilibrium, Horiuchi, Kurihara, Katahira, Maeda, Saito, Uesugi, 711
- coactivator, drug-inducible expression, heterodimer, transcriptional activation, Kobayashi, Numayama-Tsuruta, Sogawa, Fujii-Kuriyama, 703
- cobalt ion, cytosol, hen oviduct, α -mannosidase, oligosaccharide, Yamashiro, Itoh, Yamagishi, Natsuka, Mega, Hase, 1174
- co-culture, chondroitin sulfate/dermatan sulfate, corneal cells, keratan sulfate, proteoglycan synthesis, Nakazawa, Takahashi, Ohno, Sato, 851
- cold denaturation, protein stability, peptide-water interaction, Graziano, Catanzano, Riccio, Barone, 395
- collagen, cartilage, interleukin-1 α , matrix metalloproteinase, plasminogen, Saito, Katoh, Masumoto, Matsumoto, Masuho, 49
- , bone, modification, osteopenia, Bötge, Winter, Notbohm, Acil, Brinckmann, Müller, 109
- complement activation, human hepatoma cell lines, liver MBP, recombinant vaccinia virus, serum MBP, Ma, Shida, Kawasaki, 810
- complementation, *Chlamydomonas reinhardtii*, desaturation mutation, heat stability, photosystem II, Sato, Fujiwara, Kawaguchi, Tsuzuki, 1224
- complex aggregates, heterologous components, nucleotide inhibition, phosphoribosylpyrophosphate synthetase, phosphoribosylpyrophosphate synthetase-associated proteins, Sonoda, Kita, Ishijima, Ishizuka, Ahmad, Tatibana, 635
- computer-aided exon prediction, cDNA cloning, chromosome 21, Down syndrome, Nakamura, Hattori, Sakaki, 872
- conformation change, fluorescence change, H⁺, K⁺-ATPase, rapid quenching, stopped flow, Eguchi, Kaya, Shimada, Ootomo, Nomoto, Kikuchi, Usida, Taniguchi, 659
- contractile ring, actin filament, cleavage furrow, cytokinesis, mitotic apparatus, Fujimoto, Mabuchi, 518
- copy number-dependent expression, aldolase C, central nervous system, chromatin structure, transgenic mice, Arai, Sugama, Hashido, Ohishi, Mukai, 927
- corneal cells, chondroitin sulfate/dermatan sulfate, co-culture, keratan sulfate, proteoglycan synthesis, Nakazawa, Takahashi, Ohno, Sato, 851
- coronin, actin-related proteins, F-actin affinity chromatography, myosin VI, sea urchin egg, Terasaki, Ohnuma, Mabuchi, 226
- CpG, α -actin, calponin, CARG box, differentiation, DNA methylation, smooth muscle, SM22 α gene, Yamamura, Masuda, Ikeda, Tokuyama, Takagi, Shibata, Tatsuta, Takahashi, 157
- Cre recombinase, embryonic stem cells, expression vectors, loxP site-specific recombination, transient expression, Araki, Imazumi, Okuyama, Oike, Yamamura, 977
- cross-linking, influenza virus, RNA polymerase, substrate binding, Asano, Ishihama, 627
- crystallization, catechol 2,3-dioxygenase, metapyrocatechase, non-heme iron dioxygenase, X-ray crystallography, Kita, Kita, Inaka, Ishida, Horiike, Nozaki, Miki, 201
- , artificial proteins, biomaterials, fibrous proteins, X-ray diffraction, Cantor, Atkins, Cooper, Fournier, Mason, Tirrell, 217
- , α/β hydrolase fold family, nucleotide sequence, prolyl aminopeptidase, *Serratia marcescens*, Kabashima, Kitazono, Kitano, Ito, Yoshimoto, 601
- , alkaline cellulase, detergent enzyme, endo-1,4- β -glucanase, X-ray crystallography, Shirai, Yamane, Hidaka, Kuyama, Suzuki, Ashida, Ozaki, Ito, 683
- crystal structure, 3-isopropylmalate dehydrogenase, protein thermostability, structural redundancy, X-ray analysis, Tsuchiya, Sekiguchi, Takenaka, 1092
- CT-motif, pBR322, regulation of gene expression, S1-sensitive sites, superhelical density, Yamazaki, Hasebe, Shouguchi, Amano, Kajiwar, Shishido, 696
- Cu_A center, chimera enzyme, cytochrome *c* oxidase, heme-copper terminal oxidase, ubiquinol oxidase, Uchida, Kusano, Mogi, Anraku, Sone, 1004
- cysteine, ascorbic acid, glutathione, nitric oxide, S-nitrosothiol, Kashiba-Iwatsuki, Kitoh, Kasahara, Yu, Nisikawa, Matsuo, Inoue, 1208
- cysteine protease, active site, endoplasmic reticulum, retention signal, site-directed mutagenesis, Urade, Oda, Ito, Moriyama, Utsumi, Kito, 834
- cytochrome *bo*, deletion analysis, minicell, single copy vector, terminal oxidase, Nakamura, Saiki, Mogi, Anraku, 415
- , proton pump, redox metal center, site-directed mutagenesis, terminal oxidase, Kawasaki, Mogi, Anraku, 422
- , chloride binding site, electron transfer, heme-copper binuclear center, terminal oxidase, Hirano, Mogi, Tsubaki, Hori, Orii, Anraku, 430
- cytochrome *c*-551, *Bacillus stearothermophilus*, *ba*₂-type cytochrome *c* oxidase, *bo*₂-type oxidase, thermophilic bacteria, Sakamoto, Handa, Sone, 764
- cytochrome *c* oxidase, *Bacillus brevis*, electron transfer chain, proton translocation, quinol oxidase, Yaginuma, Tsukita, Sakamoto, Sone, 969
- , chimera enzyme, Cu_A center, heme-copper terminal oxidase, ubiquinol oxidase, Uchida, Kusano, Mogi, Anraku, Sone, 1004
- cytokine, dopachrome, isomerase, macro-

C (cont'd)

- phage, macrophage migration inhibitory factor, *Suzuki, Sugimoto, Tanaka, Nishihira*, 1040
- cytokinesis, actin filament, cleavage furrow, contractile ring, mitotic apparatus, *Fujimoto, Mabuchi*, 518
- cytosol, acetoacetyl-CoA thiolase, *Candida tropicalis*, isozyme, peroxisome, *Kanayama, Himeda, Atomi, Ueda, Tanaka*, 616
- , endo- β -N-acetylglucosaminidase, hen oviduct, oligosaccharide, *Kato, Hatanaka, Mega, Hase*, 1167
- , cobalt ion, hen oviduct, α -mannosidase, oligosaccharide, *Yamashiro, Itoh, Yamagishi, Natsuka, Mega, Hase*, 1174
- cytosolic calcium concentration, 2APB, calcium release, inositol 1,4,5-trisphosphate, membrane-penetrable modulator, *Maruyama, Kanaji, Nakade, Kanno, Mikoshiba*, 498
- cytosolic phospholipase A₂, high glucose level, mesangial cells, mitogen-activated protein kinase, prostaglandin E₂, *Hayama, Akiba, Fukuzumi, Sato*, 1196

D

- dansyl-pepstatin, cathepsin D, chymosin, determination of carboxyl proteases, pepsin, *Yonezawa, Uchikoba, Kaneda*, 294
- decarboxylase, characterization, mevalonate pyrophosphate, pravastatin, purification, *Michihara, Sawamura, Nara, Ikeda, Yamori*, 647
- degenerative myopathy, cathepsin, interleukin-6, interleukin-6 receptor antibody, turpentine oil, *Tsujinaka, Kishibuchi, Yano, Morimoto, Ebisui, Fujita, Ogawa, Shiozaki, Kominami, Monden*, 595
- deletion analysis, cytochrome *bo*, minicell, single copy vector, terminal oxidase, *Nakamura, Saiki, Mogi, Anraku*, 415
- de novo fatty acid synthesis, eicosapentaenoic acid, fatty acid chain elongation, fatty acid desaturation, marine bacterium, *Watanabe, Yazawa, Kondo, Kawaguchi*, 467
- dense body, dense plaque, filamin/ABP-related protein, immunogold, smooth muscle, *Tachikawa, Nakagawa, Terasaki, Mori, Ohashi*, 314
- dense plaque, dense body, filamin/ABP-related protein, immunogold, smooth muscle, *Tachikawa, Nakagawa, Terasaki, Mori, Ohashi*, 314
- depression of deamidation, chemical modification, isotope labeling, lysozyme, NMR, *Abe, Ueda, Imoto*, 1153
- desaturation mutation, *Chlamydomonas reinhardtii*, complementation, heat stability, photosystem II, *Sato, Fujiwara, Kawaguchi, Tsuzuki*, 1224
- detergent enzyme, alkaline cellulase, crystallization, endo-1,4- β -glucanase, X-ray crystallography, *Shirai, Yamane, Hidaka, Kuyama, Suzuki, Ashida, Ozaki, Ito*, 683
- determination of carboxyl proteases, cathepsin D, chymosin, dansyl-pepstatin, pepsin, *Yonezawa, Uchikoba, Kaneda*, 294
- development, differentiation, gene, MEF2, transcription, *Morisaki, Sermsuivitayawong, Byun, Matsuda, Hidaka, Morisaki,*

Mukai, 939

- 1,3-diaminopropane, *Arthrobacter*, polyamine aminotransferase, pyruvate, spermidine, *Yorifuji, Ishihara, Naka, Kondo, Shimizu*, 537
- , acrolein, elimination and addition, norspermidine, polyamine aminotransferase, *Yorifuji, Kondo, Naka, Ishihara, Shimizu*, 544
- differentiation, α -actin, calponin, CARG box, CpG, DNA methylation, smooth muscle, SM22 α gene, *Yamamura, Masuda, Ikeda, Tokuyama, Takagi, Shibata, Tatsuta, Takahashi*, 157
- , development, gene, MEF2, transcription, *Morisaki, Sermsuivitayawong, Byun, Matsuda, Hidaka, Morisaki, Mukai*, 939
- digoxigenin, embryonal carcinoma cells, expressed sequence tags, hierarchical cluster analysis, unidentified EST, *Nomura, Nishiguchi, Motaleb, Takiyara, Takagi, Yasunaga, Shimada*, 129
- disulfide rearrangement, folding intermediate, ovalbumin, protein folding, refolding, *Onda, Tatsumi, Takahashi, Hirose*, 83
- DNA-binding protein, HMG proteins, surface plasmon resonance, *Yamamoto, Ando, Yoshioka, Saito, Tanabe, Shirakawa, Yoshida*, 586
- DnaJ, aphid, *Buchnera*, DnaK, symbiosis, *Sato, Ishikawa*, 41
- DnaK, aphid, *Buchnera*, DnaJ, symbiosis, *Sato, Ishikawa*, 41
- DNA methylation, α -actin, calponin, CARG box, CpG, differentiation, smooth muscle, SM22 α gene, *Yamamura, Masuda, Ikeda, Tokuyama, Takagi, Shibata, Tatsuta, Takahashi*, 157
- DNA replication, *Bombyx*, PCNA, promoter region, transcriptional regulation, *Takahashi, Yamaguchi, Hirose, Kobayashi, Miyajima, Matsukage*, 1215
- DNase I footprinting, basidiomycete, binding-site selection, gel mobility-shift, zinc-cluster, *Miyazaki, Tsunoka, Shishido*, 1088
- DNA transformation, *Escherichia coli* cells, electrotransfer, voltage pulse, *Kimoto, Taketo*, 237
- dopachrome, cytokine, isomerase, macrophage, macrophage migration inhibitory factor, *Suzuki, Sugimoto, Tanaka, Nishihira*, 1040

Down syndrome, cDNA cloning, chromosome 21, computer-aided exon prediction, *Nakamura, Hattori, Sakaki*, 872

Drosophila, bacterial-expression, calpain, EF-1 α , limited-proteolysis, *Amano, Kawasaki, Ishiura, Kawashima, Suzuki, Emori*, 865

drug-inducible expression, coactivator, heterodimer, transcriptional activation, *Kobayashi, Numayama-Tsuruta, Sogawa, Fujii-Kuriyama*, 703

dynammin, epitope tagging, GTP-binding protein, vesicular transport, Vps1, *Shin, Shinotsuka, Torii, Murakami, Nakayama*, 525

E

EF-1 α , bacterial-expression, calpain, *Drosophila*, limited-proteolysis, *Amano, Kawasaki, Ishiura, Kawashima, Suzuki, Emori,*

865

EGF, ErbB, neuregulin, NTA, PC-12, *Higashiyama, Horikawa, Yamada, Ichino, Nakano, Nakagawa, Miyagawa, Matsushita, Nagatsu, Taniguchi, Ishiguro*, 675

egg envelope, chorion hardening, purification, rainbow trout, transglutaminase, *Ha, Iuchi*, 947

eicosapentaenoic acid, de novo fatty acid synthesis, fatty acid chain elongation, fatty acid desaturation, marine bacterium, *Watanabe, Yazawa, Kondo, Kawaguchi*, 467

electron paramagnetic resonance spectroscopy, muscle, myosin, nucleotide analog, vanadate, *Wilson, Shull, Naber, Cooke*, 563

electron transfer, chloride binding site, cytochrome *bo*, heme-copper binuclear center, terminal oxidase, *Hirano, Mogi, Tsubaki, Hori, Orii, Anraku*, 430

electron transfer chain, *Bacillus brevis*, cytochrome *c* oxidase, proton translocation, quinol oxidase, *Yaginuma, Tsukita, Sakamoto, Sone*, 969

electroporation, cell-adhesion, fibronectin, gene transfer, mammalian cell, *Hashino, Matsushita, Kato*, 490

electrostatic interaction, halophilicity, metalloproteinase, salt-activation, thermolysin, *Inouye, Lee, Nambu, Tonomura*, 358

electrotransfer, DNA transformation, *Escherichia coli* cells, voltage pulse, *Kimoto, Taketo*, 237

elimination and addition, acrolein, 1,3-diaminopropane, norspermidine, polyamine aminotransferase, *Yorifuji, Kondo, Naka, Ishihara, Shimizu*, 544

embryonal carcinoma cells, digoxigenin, expressed sequence tags, hierarchical cluster analysis, unidentified EST, *Nomura, Nishiguchi, Motaleb, Takiyara, Takagi, Yasunaga, Shimada*, 129

embryonic fibroblast, genomic imprinting, growth arrest, *Hayashida, Eversole-Cire, Jones, Sasaki*, 901

embryonic stem cells, expression vectors, Cre recombinase, loxP site-specific recombination, transient expression, *Araki, Imazumi, Okuyama, Oike, Yamamura*, 977

endo-1,4- β -glucanase, alkaline cellulase, crystallization, detergent enzyme, X-ray crystallography, *Shirai, Yamane, Hidaka, Kuyama, Suzuki, Ashida, Ozaki, Ito*, 683

endo- β -N-acetylglucosaminidase, cytosol, hen oviduct, oligosaccharide, *Kato, Hatanaka, Mega, Hase*, 1167

endoplasmic reticulum, biosynthesis, GPI anchor, paroxysmal nocturnal hemoglobinuria, posttranslational modification, *Kinoshita, Ohishi, Takeda*, 251

—, active site, cysteine protease, retention signal, site-directed mutagenesis, *Urade, Oda, Ito, Moriyama, Utsumi, Kito*, 834

endoprotease, CAAX-motif-specific protease, isoprenylated protein, novel fluorometric assay, *Ras, Nishii, Muramatsu, Kuchino, Yokoyama, Takahashi*, 402

enzyme-substrate complex, D-amino acid oxidase, flavoenzyme, molecular mechanics, tertiary structure, *Miura, Setoyama, Nishina, Shiga, Mizutani, Miyahara,*

E (cont'd)

- Hirotsu*, 825
- epidermal growth factor, epidermal growth factor receptor, ligand-induced dimerization, ligand-receptor binding stoichiometry, laser light scattering, *Odaka, Kohda, Lax, Schlessinger, Inagaki*, 116
- , epidermal growth factor receptor, phage library, *Tang, Dallaire, Hoyt, Sykes, O'Connor-McCourt, Malcolm*, 686
- epidermal growth factor receptor, epidermal growth factor, ligand-induced dimerization, ligand-receptor binding stoichiometry, laser light scattering, *Odaka, Kohda, Lax, Schlessinger, Inagaki*, 116
- , epidermal growth factor, phage library, *Tang, Dallaire, Hoyt, Sykes, O'Connor-McCourt, Malcolm*, 686
- epitope tagging, dynamin, GTP-binding protein, vesicular transport, Vps1, *Shin, Shinotsuka, Torii, Murakami, Nakayama*, 525
- ErbB, EGF, neuregulin, NTAk, PC-12, *Higashiyama, Horikawa, Yamada, Ichino, Nakano, Nakagawa, Miyagawa, Matsushita, Nagatsu, Taniguchi, Ishiguro*, 675
- erythrocyte, carbonic anhydrase, 4-hydroxy-2-nonenal, protein sulfhydryl group, *Uchida, Hasui, Osawa*, 1246
- Escherichia coli*, gene cloning, serine transporter, *tdcC*, transport mutant, *Ogawa, Kayahara, Tsuda, Mizushima, Tsuchiya*, 1241
- Escherichia coli* cells, DNA transformation, electrotransfer, voltage pulse, *Kimoto, Taketo*, 237
- ether lipid, archaea, glycerophosphate dehydrogenase, *Methanobacterium thermoautotrophicum*, lipid biosynthesis, *Nishihara, Koga*, 572
- ethylisopropylamiloride, basolateral membrane, bovine kidney cortex, brush-border membrane, Na⁺/H⁺-exchanger, *Yoshioka, Suzuki, Kawakita*, 641
- evolutionary divergence, amino acid sequence, genomic structure, snoRNA gene, Taiwan cobra neurotoxin, *Chang, Chou, Lin, Wu, Lin, Hong, Sun, Hsiao*, 1252
- exon/intron, gene cloning, genomic structure, nuclear factor 1, promoter, *Xu, Osada, Imagawa, Nishihara*, 795
- expressed sequence tags, digoxigenin, embryonal carcinoma cells, hierarchical cluster analysis, unidentified EST, *Nomura, Nishiguchi, Motaleb, Takiyama, Takagi, Yasunaga, Shimada*, 129
- expression vectors, embryonic stem cells, Cre recombinase, *loxP* site-specific recombination, transient expression, *Araki, Imazumi, Okuyama, Oike, Yamamura*, 977
- extension peptide, malate dehydrogenase precursor, mitochondrial processing peptidase, peptide substrate, substrate recognition, *Shimokata, Nishio, Song, Kitada, Ogishima, Ito*, 1019
- extracellular matrix, astrocyte, cerebral cortex, neurite outgrowth, tenascin-C, *Wakatsuki, Ho, Arioka, Yamasaki, Kitamoto*, 1146
- extreme thermophile, extrinsic thermostabilization factor, phosphoenolpyruvate carboxylase, *Rhodothermus obamensis*, thermostability, *Takai, Sako, Uchida, Ishida*, 32
- extrinsic thermostabilization factor, extreme thermophile, phosphoenolpyruvate carboxylase, *Rhodothermus obamensis*, thermostability, *Takai, Sako, Uchida, Ishida*, 32
- F
- F-actin affinity chromatography, actin-related proteins, coronin, myosin VI, sea urchin egg, *Terasaki, Ohnuma, Mabuchi*, 226
- fatty acid, acyl-CoA synthetase, alternative translation initiation, brain, subcellular localization, *Fujino, Kang, Minekura, Suzuki, Yamamoto*, 212
- fatty acid chain elongation, *de novo* fatty acid synthesis, eicosapentaenoic acid, fatty acid desaturation, marine bacterium, *Watanabe, Yazawa, Kondo, Kawaguchi*, 467
- fatty acid desaturation, *de novo* fatty acid synthesis, eicosapentaenoic acid, fatty acid chain elongation, marine bacterium, *Watanabe, Yazawa, Kondo, Kawaguchi*, 467
- fatty acid remodeling, acyl-CoA, acyltransferase, arachidonic acid, lysophospholipid, *Yamashita, Sugiura, Waku*, 1
- , 2-acyl LPC, bonito muscle, phospholipase A₁, transacylase, *Hirano, Tanaka, Yoshizumi, Tanaka, Satouchi*, 1160
- fibronectin, cell-adhesion, electroporation, gene transfer, mammalian cell, *Hashino, Matsushita, Kato*, 490
- fibrous proteins, artificial proteins, biomaterials, crystallization, X-ray diffraction, *Cantor, Atkins, Cooper, Fournier, Mason, Tirrell*, 217
- fidelity of hydropathy prediction, band 3 protein, category for transmembrane segments, classification of transmembrane peptide portions, proteolytic cleavage sites, *Hamasaki, Okubo, Kuma, Kang, Yae*, 577
- 14-nm filament protein, citrate synthase, multifunctional protein, posttranslational modification, *Tetrahymena*, *Kojima, Watanabe, Numata*, 998
- filamin/ABP-related protein, dense body, dense plaque, immunogold, smooth muscle, *Tachikawa, Nakagawa, Terasaki, Mori, Ohashi*, 314
- flavoenzyme, D-amino acid oxidase, enzyme-substrate complex, molecular mechanics, tertiary structure, *Miura, Setoyama, Nishina, Shiga, Mizutani, Miyahara, Hirotsu*, 825
- fluorescence change, conformation change, H⁺/K⁺-ATPase, rapid quenching, stopped flow, *Eguchi, Kaya, Shimada, Ootomo, Nomoto, Kikuchi, Usida, Taniguchi*, 659
- fluorescence quenching, inhibition, nitroso-compounds, porcine neutrophils, respiratory burst, *Nasuda-Kouyama, Nakata, Iizuka, Isogai*, 550
- folding intermediate, disulfide rearrangement, ovalbumin, protein folding, refolding, *Onda, Tatsumi, Takahashi, Hirose*, 83
- frontal gel chromatography, binding system, catechol 2,3-dioxygenase, ligand, serum albumin, *Honjo, Ishida, Horiike*, 258
- fructose-6-phosphate, 2-kinase/fructose-2,6-bisphosphatase, bifunctional enzyme, human placenta, isozyme, phosphorylation, *Sakakibara, Kato, Okamura, Nakagawa, Komada, Tominaga, Shimojo, Fukasawa*, 122
- functional differentiation, bovine mammary gland, N-linked sugar chains, β -N-acetyl-galactosamine, *Sato, Taka, Aoki, Matsuda, Furukawa*, 1068
- fusion protein, alkaline phosphatase, antibody engineering, NP, single-chain Fv, *Suzuki, Ueda, Suzuki, Nagamune*, 322
- G
- galectins, apoptosis, cellular proliferation, CLL-I, immunomodulators, *Rabinovich, Modesti, Castagna, Landa, Riera, Sotomayor*, 365
- G:A pair, hairpin, NMR, ribozyme, RNA, *Sakamoto, Kawai, Katahira, Kim, Tanaka, Kurihara, Kohno, Watanabe, Yokoyama, Watanabe, Uesugi*, 556
- gastric epithelial cell, GSM06 cell line, hyaluronan, immortalized cell line, temperature-sensitive SV40 large T-antigen, *Goso, Nakano, Sugiyama, Tabuchi, Horiuchi, Hotta*, 96
- GC-rich site, A-stretch site, cis-elements, glyceraldehyde 3-phosphate dehydrogenase, trans-acting factors, *Aki, Yanagisawa, Akanuma*, 271
- gel mobility-shift, basidiomycete, binding-site selection, DNase I footprinting, zinc-cluster, *Miyazaki, Tsunoka, Shishido*, 1088
- gene, development, differentiation, MEF2, transcription, *Morisaki, Sermisuvitayawong, Byun, Matsuda, Hidaka, Morisaki, Mukai*, 939
- gene cloning, exon/intron, genomic structure, nuclear factor 1, promoter, *Xu, Osada, Imagawa, Nishihara*, 795
- , *Escherichia coli*, serine transporter, *tdcC*, transport mutant, *Ogawa, Kayahara, Tsuda, Mizushima, Tsuchiya*, 1241
- gene organization, cDNA, heparan sulfate proteoglycan, promoter function, ryudocan, *Tsuzuki, Kojima, Katsumi, Yamazaki, Sugiura, Saito*, 17
- general transcription factors, promoter clearance, RNA polymerase II, TFIIE, TFIIH, *Ohkuma*, 481
- gene structure, chromosome 10q25-q26, hyaluronan-binding protein, hepatocyte growth factor activator, serine protease, *Sumiya, Asakawa, Tobe, Hashimoto, Saguchi, Choi-Miura, Shimizu, Minoshima, Shimizu, Tomita*, 983
- , P450, processed pseudogene, sterol 14-demethylase, transcription-initiation site, *Noshiro, Aoyama, Kawamoto, Gotoh, Horiuchi, Yoshida*, 1114
- , human sarcomas, OS-9 gene, 5' upstream region, transcription start sites, *Kimura, Nakazawa, Tsuchiya, Asakawa, Shimizu, Yamada*, 1190
- gene transfer, cell-adhesion, electroporation, fibronectin, mammalian cell, *Hashino, Matsushita, Kato*, 490
- genomic imprinting, embryonic fibroblast, growth arrest, *Hayashida, Eversole-Cire, Jones, Sasaki*, 901
- genomic structure, exon/intron, gene cloning, nuclear factor 1, promoter, *Xu, Osada*,

G (cont'd)

- Imagawa, Nishihara*, 795
- , amino acid sequence, evolutionary divergence, snoRNA gene, Taiwan cobra neurotoxin, *Chang, Chou, Lin, Wu, Lin, Hong, Sun, Hsiao*, 1252
- glucose transport, β_3 -adrenoceptor, β_3 -agonist, insulin, skeletal muscle, *Tanishita, Shimizu, Minokoshi, Shimazu*, 90
- glutathione, ascorbic acid, cysteine, nitric oxide, S-nitrosothiol, *Kashiba-Iwatsuki, Kitoh, Kasahara, Yu, Nisikawa, Matsuo, Inoue*, 1208
- , reactive oxygen species, snake venom, superoxide dismutase, vascular endothelial cells, *Suzuki, Nakamura, Hatanaka, Kayanoki, Tatsumi, Taniguchi*, 1260
- glyceraldehyde 3-phosphate dehydrogenase, A-stretch site, cis-elements, GC-rich site, trans-acting factors, *Aki, Yanagisawa, Akanuma*, 271
- glyceraldehyde-3-phosphate dehydrogenase, membrane fusion, phosphatidylethanolamine, phosphatidylserine, surface plasmon resonance, *Kaneda, Takeuchi, Inoue, Umeda*, 1233
- glycerophosphate dehydrogenase, archaea, ether lipid, *Methanobacterium thermoautotrophicum*, lipid biosynthesis, *Nishihara, Koga*, 572
- glycoprotein, macrophage colony-stimulating factor, structure, sugar chain, *Ushida, Natsuka, Shimokawa, Takatsu, Shimamura, Hase*, 148
- , cDNA cloning, lysosome, membrane, mouse liver, *Tabuchi, Akasaki, Sasaki, Kanda, Tsuji*, 756
- glycosaminoglycan, 4-methylumbelliferyl- β -D-xyloside, human skin fibroblast, monensin, *Takagaki, Tazawa, Munakata, Nakamura, Endo*, 1129
- Golgi apparatus, immunofluorescence microscopy, nucleotide-sugar transporter, peptide antibody, UDP-galactose transporter, *Yoshioka, Sun-Wada, Ishida, Kawakita*, 691
- GPI anchor, biosynthesis, endoplasmic reticulum, paroxysmal nocturnal hemoglobinuria, posttranslational modification, *Kinoshita, Ohishi, Takeda*, 251
- gramicidin S, *Bacillus brevis*, gramicidin S synthetase, peptide antibiotic, peptide synthetase, *Hori, Kurotsu*, 606
- gramicidin S synthetase, *Bacillus brevis*, gramicidin S, peptide antibiotic, peptide synthetase, *Hori, Kurotsu*, 606
- growth arrest, embryonic fibroblast, genomic imprinting, *Hayashida, Eversole-Cire, Jones, Sasaki*, 901
- growth inhibition, antisense oligonucleotide, human hepatoma cell lines, IGF-II, *Lin, Hsieh, Hsu, Lai, Kan, Au*, 717
- GSM06 cell line, gastric epithelial cell, hyaluronan, immortalized cell line, temperature-sensitive SV40 large T-antigen, *Goso, Nakano, Sugiyama, Tabuchi, Horiuchi, Hotta*, 96
- GTP-binding protein, dynamin, epitope tagging, vesicular transport, *Vps1, Shin, Shinotsuka, Torii, Murakami, Nakayama*, 525
- guanine nucleotide exchange, Ra, RCC1, *Azuma, Hachiya, Nishimoto*, 1133
- H
- hairpin, G:A pair, NMR, ribozyme, RNA, *Sakamoto, Kawai, Katahira, Kim, Tanaka, Kurihara, Kohno, Watanabe, Yokoyama, Watanabe, Uesugi*, 556
- hairpin ribozyme, arabis mosaic virus, ribozyme, RNA enzyme, satellite RNA, *Hisamatsu, Morikawa, Tomita, Tanaka, Sonoki, Kikuchi*, 352
- hairpin structure, α -amylase inhibitor, recombinant, synthetic gene, wheat kernel, *Okuda, Satoh, Sakurai, Shibuya, Kaji, Samejima*, 918
- Halocynthia roretzi*, cDNA, isoforms, tropomyosin I, *Yuasa, Sato, Yamamoto, Takagi*, 374
- halophilicity, electrostatic interaction, metalloproteinase, salt-activation, thermolysin, *Inouye, Lee, Nambu, Tonomura*, 358
- heat stability, *Chlamydomonas reinhardtii*, complementation, desaturation mutation, photosystem II, *Sato, Fujiwara, Kawaguchi, Tsuzuki*, 1224
- helix, lysozyme, site-directed mutagenesis, stability, X-ray crystallography, *Motoshima, Ueda, Masumoto, Hashimoto, Chijiwa, Imoto*, 25
- α -helix, sigma factor, structural stability, transcription activity, temperature sensitivity, *Liao, Wen, Wang, Tsai, Doi, Chang*, 911
- heme-copper binuclear center, chloride binding site, cytochrome b₀, electron transfer, terminal oxidase, *Hirano, Mogi, Tsubaki, Hori, Orie, Anraku*, 430
- heme-copper terminal oxidase, chimera enzyme, Cu_A center, cytochrome c oxidase, ubiquinol oxidase, *Uchida, Kusano, Mogi, Anraku, Sone*, 1004
- hen lysozyme, hydrogen bond, hydrophobicity, protein stability, X-ray crystallography, *Ohmura, Ueda, Motoshima, Tamura, Imoto*, 512
- hen oviduct, cytosol, endo- β -N-acetylglucosaminidase, oligosaccharide, *Kato, Hatanaka, Mega, Hase*, 1167
- , cobalt ion, cytosol, α -mannosidase, oligosaccharide, *Yamashiro, Itoh, Yamagishi, Natsuka, Mega, Hase*, 1174
- heparan sulfate proteoglycan, cDNA, gene organization, promoter function, ryudocan, *Tsuzuki, Kojima, Katsumi, Yamazaki, Sugiura, Saito*, 17
- heparan-sulfate proteoglycan, CD9 antigen, Chinese hamster ovary cells, heparin-binding EGF-like growth factor (HB-EGF), surface plasmon resonance, *Sakuma, Higashiyama, Hosoe, Hayashi, Taniguchi*, 474
- heparin-binding EGF-like growth factor (HB-EGF), CD9 antigen, Chinese hamster ovary cells, heparan-sulfate proteoglycan, surface plasmon resonance, *Sakuma, Higashiyama, Hosoe, Hayashi, Taniguchi*, 474
- hepatitis C virus, protease inhibitor, serine proteinase, substrate specificity, synthetic peptide, *Kakiuchi, Komoda, Hijikata, Shimotohno*, 749
- hepatocyte growth factor activator, chromosome 10q25-q26, gene structure, hyaluronan-binding protein, serine protease, *Sumiya, Asakawa, Tobe, Hashimoto, Saguchi, Choi-Miura, Shimizu, Minoshima, Shimizu, Tomita*, 983
- heterodimer, coactivator, drug-inducible expression, transcriptional activation, *Kobayashi, Numayama-Tsuruta, Sogawa, Fujii-Kuriyama*, 703
- heterologous components, complex aggregates, nucleotide inhibition, phosphoribosylpyrophosphate synthetase, phosphoribosylpyrophosphate synthetase-associated proteins, *Sonoda, Kita, Ishijima, Ishizuka, Ahmad, Tabibana*, 635
- hierarchical cluster analysis, digoxigenin, embryonal carcinoma cells, expressed sequence tags, unidentified EST, *Nomura, Nishiguchi, Motaleh, Takihara, Takagi, Yasunaga, Shimada*, 129
- high glucose level, cytosolic phospholipase A₂, mesangial cells, mitogen-activated protein kinase, prostaglandin E₂, *Hayama, Akiba, Fukuzumi, Sato*, 1196
- HMG proteins, DNA-binding protein, surface plasmon resonance, *Yamamoto, Ando, Yoshioka, Saito, Tanabe, Shirakawa, Yoshida*, 586
- HPLC-flow reactor, nanomolar quantification, nitrosothiols, nitrosoglutathione formation, *Akaike, Inoue, Okamoto, Nishino, Otagiri, Fujii, Maeda*, 459
- HSP70, NGF, PC12 cells, stress response, *Hatayama, Takahashi, Yamagishi*, 904
- human hepatoma cell lines, antisense oligonucleotide, growth inhibition, IGF-II, *Lin, Hsieh, Hsu, Lai, Kan, Au*, 717
- , complement activation, liver MBP, recombinant vaccinia virus, serum MBP, *Ma, Shida, Kawasaki*, 810
- human placenta, bifunctional enzyme, fructose-6-phosphate, 2-kinase/fructose-2,6-bisphosphatase, isozyme, phosphorylation, *Sakakibara, Kato, Okamura, Nakagawa, Komada, Tominaga, Shimojo, Fukasawa*, 122
- human sarcomas, OS-9 gene, gene structure, 5' upstream region, transcription start sites, *Kimura, Nakazawa, Tsuchiya, Asakawa, Shimizu, Yamada*, 1190
- human skin fibroblast, glycosaminoglycan, 4-methylumbelliferyl- β -D-xyloside, monensin, *Takagaki, Tazawa, Munakata, Nakamura, Endo*, 1129
- hyaluronan, gastric epithelial cell, GSM06 cell line, immortalized cell line, temperature-sensitive SV40 large T-antigen, *Goso, Nakano, Sugiyama, Tabuchi, Horiuchi, Hotta*, 96
- hyaluronan-binding protein, chromosome 10q25-q26, gene structure, hepatocyte growth factor activator, serine protease, *Sumiya, Asakawa, Tobe, Hashimoto, Saguchi, Choi-Miura, Shimizu, Minoshima, Shimizu, Tomita*, 983
- hydrogen bond, hen lysozyme, hydrophobicity, protein stability, X-ray crystallography, *Ohmura, Ueda, Motoshima, Tamura, Imoto*, 512
- hydrogen exchange, 8-anilinoanthracene-1-sulfonic acid, ATPase, protein-lipid interaction, *SecA, Song, Kim*, 1010
- α/β hydrolase fold family, crystallization, nucleotide sequence, prolyl aminopep-

H (cont'd)

- tidase, *Serratia marcescens*, Kabashima, Kitazono, Kitano, Ito, Yoshimoto, 601
- hydrophobic interaction, aromatic amino acid aminotransferase, aspartate aminotransferase, protein dynamics, substrate specificity, Kawaguchi, Nobe, Yasuoka, Wakamiya, Kusumoto, Kuramitsu, 55
- hydrophobicity, hen lysozyme, hydrogen bond, protein stability, X-ray crystallography, Ohmura, Ueda, Motoshima, Tamura, Imoto, 512
- 4-hydroxy-2-nonenal, carbonic anhydrase, erythrocyte, protein sulfhydryl group, Uchida, Hasui, Osawa, 1246
- hydroxylamine, *ab initio* molecular orbital calculation, acyl lysophosphate bond, (Na⁺,K⁺)-ATPase, nucleophilic substitution, Ushimaru, Shinohara, Fukushima, 666
- hyperthermostable enzyme, amino acid sequence, ion spray mass spectrometry, methionine aminopeptidase, *Pyrococcus furiosus*, Tsunasawa, Izu, Miyagi, Kato, 843
- hypertonic stress, cell volume, intracellular pH, osmotic response, proton secretion, Oyama, Kubota, 64

I

- IGF-II, antisense oligonucleotide, growth inhibition, human hepatoma cell lines, Lin, Hsieh, Hsu, Lai, Kan, Au, 717
- immortalized cell line, gastric epithelial cell, GSM06 cell line, hyaluronan, temperature-sensitive SV40 large T-antigen, Goso, Nakano, Sugiyama, Tabuchi, Horiuchi, Hotta, 96
- immunofluorescence microscopy, Golgi apparatus, nucleotide-sugar transporter, peptide antibody, UDP-galactose transporter, Yoshioka, Sun-Wada, Ishida, Kawakita, 691
- immunogold, dense body, dense plaque, filamin/ABP-related protein, smooth muscle, Tachikawa, Nakagawa, Terasaki, Mori, Ohashi, 314
- immunohistochemistry, alanyl aminopeptidase, characterization, purification, seminal plasma, Huang, Takahara, Kinouchi, Takeyama, Ishida, Ueyama, Nishi, Ohkubo, 779
- immunomodulators, apoptosis, cellular proliferation, CLL-I, galectins, Rabinovich, Modesti, Castagna, Landa, Riera, Sotomayor, 365
- inflammation, chemotaxis, midkine, neutrophil, synovitis, Takada, Toriyama, Muramatsu, Song, Torii, Muramatsu, 453
- , apoptosis, ceramide, methylsphingosines sphingolipid signaling pathway, sphingosine, sphingosine 1-phosphate, Igarashi, 1080
- influenza virus, cross-linking, RNA polymerase, substrate binding, Asano, Ishihama, 627
- inhibition, neutrophils, nitroso-compounds, respiratory burst, Nakata, Nasuda-Kouyama, Isogai, Kanegasaki, Iizuka, 188
- , fluorescence quenching, nitroso-compounds, porcine neutrophils, respiratory

- burst, Nasuda-Kouyama, Nakata, Iizuka, Isogai, 550
- inhibition by α -ketoglutarate, D-amino acid aminotransferase, carboxyl-binding site for substrates, site-directed mutagenesis, Kishimoto, Yoshimura, Soda, Esaki, 1182
- inhibitor, cell growth, receptor, second messenger, synthetic peptide, Homma, Yamasaki, Ohmi, Homma, 738
- inositol 1,4,5-trisphosphate, 2APB, calcium release, cytosolic calcium concentration, membrane-penetrable modulator, Maruyama, Kanaji, Nakade, Kanno, Mikoshiba, 498
- insulin, β_1 -adrenoceptor, β_2 -agonist, glucose transport, skeletal muscle, Tanishita, Shimizu, Minokoshi, Shimazu, 90
- insulin receptor, cDNA cloning, SH2 domain association, splice variants, yeast two-hybrid system, Riedel, Wang, Hansen, Yousaf, 1105
- interaction, calcium-binding protein, calponin, calponin-binding protein, microtubule, Fujii, Hiromori, Hamamoto, Suzuki, 344
- inter- α -trypsin inhibitor family, cDNA, inter- α -trypsin inhibitor heavy chains, molecular evolution, Syrian hamster, Nakatani, Suzuki, Yamamoto, Sinohara, 71
- inter- α -trypsin inhibitor heavy chains, cDNA, inter- α -trypsin inhibitor family, molecular evolution, Syrian hamster, Nakatani, Suzuki, Yamamoto, Sinohara, 71
- interleukin-1 α , cartilage, collagen, matrix metalloproteinase, plasminogen, Saito, Katoh, Masumoto, Matsumoto, Masuho, 49
- interleukin-6, cathepsin, degenerative myopathy, interleukin-6 receptor antibody, turpentine oil, Tsujinaka, Kishibuchi, Yano, Morimoto, Ebisui, Fujita, Ogawa, Shiozaki, Kominami, Monden, 595
- interleukin-6 receptor antibody, cathepsin, degenerative myopathy, interleukin-6, turpentine oil, Tsujinaka, Kishibuchi, Yano, Morimoto, Ebisui, Fujita, Ogawa, Shiozaki, Kominami, Monden, 595
- intracellular pH, cell volume, hypertonic stress, osmotic response, proton secretion, Oyama, Kubota, 64
- in vivo*, oocyte maturation, protease, proteasome, starfish, Chiba, Sato, Hoshi, 286
- in vivo* selection, A-rich bulge, P5abc, ribozyme, Tetrahymena, Ikawa, Okada, Imahori, Shiraishi, Inoue, 878
- ionspray mass spectrometry, amino acid sequence, hyperthermostable enzyme, methionine aminopeptidase, *Pyrococcus furiosus*, Tsunasawa, Izu, Miyagi, Kato, 843
- ischemia, calpain, calpastatin, myocardium, reperfusion, Sorimachi, Harada, Saido, Ono, Kawashima, Yoshida, 743
- ischemia-reperfusion, ankyrin isoform, calpain, membrane-skeleton, Yoshida, Harada, 279
- , ischemic preconditioning, myocardium, PKC inhibitor, protein kinase C isoform, Yoshida, Kawamura, Mizukami, Kitakaze, 506
- ischemic preconditioning, ischemia-reperfusion, myocardium, PKC inhibitor, pro-

- tein kinase C isoform, Yoshida, Kawamura, Mizukami, Kitakaze, 506
- isoform, brain, Ca²⁺/calmodulin, CaM-kinase kinase, cDNA, Kitani, Okuno, Fujisawa, 243
- , alternative splicing, kexin, PACE4, SPC4, Tsuji, Hine, Tamai, Yonemoto, Mori, Yoshida, Bando, Sakai, Mori, Akamatsu, Matsuda, 438
- isoforms, cDNA, *Halocynthia roretzi*, tropomyosin I, Yuasa, Sato, Yamamoto, Takagi, 374
- isomerase, cytokine, dopachrome, macrophage, macrophage migration inhibitory factor, Suzuki, Sugimoto, Tanaka, Nishihira, 1040
- isoprenylated protein, CAAX-motif-specific protease, endoprotease, novel fluorometric assay, Ras, Nishii, Muramatsu, Kuchino, Yokoyama, Takahashi, 402
- 3-isopropylmalate dehydrogenase, crystal structure, protein thermostability, structural redundancy, X-ray analysis, Tsuchiya, Sekiguchi, Takenaka, 1092
- isotope labeling, chemical modification, depression of deamidation, lysozyme, NMR, Abe, Ueda, Imoto, 1153
- isozyme, bifunctional enzyme, fructose-6-phosphate, 2-kinase/fructose-2,6-bisphosphatase, human placenta, phosphorylation, Sakakibara, Kato, Okamura, Nakagawa, Komada, Tominaga, Shimojo, Fukasawa, 122
- , acetoacetyl-CoA thiolase, *Candida tropicalis*, cytosol, peroxisome, Kanayama, Himeda, Atomi, Ueda, Tanaka, 616

J

- JNK, carp, cDNA cloning, MAP kinase superfamily, stress-activated protein kinase, Hashimoto, Matsuo, Yokoyama, Toyohara, Sakaguchi, 381

K

- α KAP, CaM-kinase II, nuclear membrane, signal sequence, skeletal muscle, Takeuchi, Fujisawa, 494
- keratan sulfate, chondroitin sulfate/dermatan sulfate, co-culture, corneal cells, proteoglycan synthesis, Nakazawa, Takahashi, Ohno, Sato, 851
- kexin, alternative splicing, isoform, PACE4, SPC4, Tsuji, Hine, Tamai, Yonemoto, Mori, Yoshida, Bando, Sakai, Mori, Akamatsu, Matsuda, 438

L

- D-lactate dehydrogenase, active center, *Lactobacillus*, stereospecificity, Taguchi, Ohta, Matsuzawa, 802
- Lactobacillus*, active center, D-lactate dehydrogenase, stereospecificity, Taguchi, Ohta, Matsuzawa, 802
- lanthanide ion, lutetium(III) ion, metal hydroxo-cluster, RNA hydrolysis, ytterbium(III) ion, Matsumura, Komiyama, 387
- laser light scattering, epidermal growth factor, epidermal growth factor receptor, ligand-induced dimerization, ligand-receptor binding stoichiometry, Odaka, Kohda, Lax, Schlessinger, Inagaki, 116
- lead ribozyme, CD, metal binding, RNA, RNA cleavage, Kim, Katahira, Sugiyama,

L (cont'd)

- Uesugi*, 1062
- Leishmania* RNA virus, capsid protein, cleavage site mapping, site-specific RNA endonuclease activity, substrate specificity, *MacBeth, Ro, Gehrke, Patterson*, 193
- ligand, binding system, catechol 2,3-dioxygenase, frontal gel chromatography, serum albumin, *Honjo, Ishida, Horiike*, 258
- ligand-induced dimerization, epidermal growth factor, epidermal growth factor receptor, ligand-receptor binding stoichiometry, laser light scattering, *Odaka, Kohda, Lax, Schlessinger, Inagaki*, 116
- ligand-receptor binding stoichiometry, epidermal growth factor, epidermal growth factor receptor, ligand-induced dimerization, laser light scattering, *Odaka, Kohda, Lax, Schlessinger, Inagaki*, 116
- ligase, ATP-binding domain, ATP replaceability, ATP-requiring enzyme, stringency as to ATP-requirement, *Kinoshita, Nishigaki*, 205
- limited-proteolysis, bacterial-expression, calpain, *Drosophila*, EF-1 α , *Amano, Kawasaki, Ishiura, Kawashima, Suzuki, Emori*, 865
- lipid biosynthesis, archaea, ether lipid, glycerophosphate dehydrogenase, *Methanobacterium thermoautotrophicum*, *Nishihara, Koga*, 572
- lipid peroxidation, arachidonic acid, platelet, secretory phospholipase A₂, *Akiba, Nagatomo, Hayama, Sato*, 859
- liver MBP, complement activation, human hepatoma cell lines, recombinant vaccinia virus, serum MBP, *Ma, Shida, Kawasaki*, 810
- loxP site-specific recombination, embryonic stem cells, expression vectors, Cre recombinase, transient expression, *Araki, Imazumi, Okuyama, Oike, Yamamura*, 977
- lutetium(III) ion, lanthanide ion, metal hydroxo-cluster, RNA hydrolysis, ytterbium (III) ion, *Matsumura, Komiyama*, 387
- lysophospholipid, acyl-CoA, acyltransferase, arachidonic acid, fatty acid remodeling, *Yamashita, Sugiura, Waku*, 1
- lysosome, cDNA cloning, glycoprotein, membrane, mouse liver, *Tabuchi, Akasaki, Sasaki, Kanda, Tsuji*, 756
- lysozyme, helix, site-directed mutagenesis, stability, X-ray crystallography, *Motohara, Ueda, Masumoto, Hashimoto, Chijiwa, Imoto*, 25
- , chemical modification, depression of deamidation, isotope labeling, NMR, *Abe, Ueda, Imoto*, 1153
- α -lytic protease, *N*-acetylmuramoyl-L-alanine amidase, *Achromobacter lyticus*, *Achromopeptidase*, *Staphylococcus aureus*, *Li, Norioka, Sakiyama*, 772

M

- macrophage, acousto-optic tunable filter, microspectrophotometry, nitric oxide, red blood cells, *Tsujita, Shiraishi, Kakinuma*, 264
- , cytokine, dopachrome, isomerase, macrophage migration inhibitory factor, *Suzuki, Sugimoto, Tanaka, Nishihara*, 1040

- macrophage colony-stimulating factor, glycoprotein, structure, sugar chain, *Ushida, Natsuka, Shimokawa, Takatsu, Shimamura, Hase*, 148
- macrophage migration inhibitory factor, cytokine, dopachrome, isomerase, macrophage, *Suzuki, Sugimoto, Tanaka, Nishihara*, 1040
- malate dehydrogenase precursor, extension peptide, mitochondrial processing peptidase, peptide substrate, substrate recognition, *Shimokata, Nishio, Song, Kitada, Ogishima, Ito*, 1019
- mammalian cell, cell-adhesion, electroporation, fibronectin, gene transfer, *Hashino, Matsushita, Kato*, 490
- α -mannosidase, cobalt ion, cytosol, hen oviduct, oligosaccharide, *Yamashiro, Itoh, Yamagishi, Natsuka, Mega, Hase*, 1174
- MAP kinase, PC12 cells, protein kinase, protein phosphorylation, *Kameshita, Ishida, Fujisawa*, 168
- MAP kinase superfamily, carp, cDNA cloning, JNK, stress-activated protein kinase, *Hashimoto, Matsuo, Yokoyama, Toyohara, Sakaguchi*, 381
- marine bacterium, *de novo* fatty acid synthesis, eicosapentaenoic acid, fatty acid chain elongation, fatty acid desaturation, *Watanabe, Yazawa, Kondo, Kawaguchi*, 467
- matrix metalloproteinase, cartilage, collagen, interleukin-1 α , plasminogen, *Saito, Kato, Masumoto, Matsumoto, Masuho*, 49
- MCS4 RNA, chemical probing, *Mycoplasma capricolum*, RNA secondary structure, small stable RNA, *Ushida, Sasamura, Muto*, 1202
- MEF2, development, differentiation, gene, transcription, *Morisaki, Sermawitayawong, Byun, Matsuda, Hidaka, Morisaki, Mukai*, 939
- megakaryocyte, peptide mimic, phage display library, synthetic peptides, thrombopoietin, *Kimura, Kaburaki, Miyamoto, Katayama, Watanabe*, 1046
- membrane, cDNA cloning, glycoprotein, lysosome, mouse liver, *Tabuchi, Akasaki, Sasaki, Kanda, Tsuji*, 756
- membrane fusion, glyceraldehyde-3-phosphate dehydrogenase, phosphatidylethanolamine, phosphatidylserine, surface plasmon resonance, *Kaneda, Takeuchi, Inoue, Umeda*, 1233
- membrane-penetrable modulator, 2APB, calcium release, cytosolic calcium concentration, inositol 1,4,5-trisphosphate, *Maruyama, Kanaji, Nakade, Kanno, Mikoshiba*, 498
- membrane-skeleton, ankyrin isoform, calpain, ischemia-reperfusion, *Yoshida, Harada*, 279
- mesangial cells, cytosolic phospholipase A₂, high glucose level, mitogen-activated protein kinase, prostaglandin E₂, *Hayama, Akiba, Fukuzumi, Sato*, 1196
- metal binding, CD, lead ribozyme, RNA, RNA cleavage, *Kim, Katahira, Sugiyama, Uesugi*, 1062
- metal hydroxo-cluster, lanthanide ion, lutetium(III) ion, RNA hydrolysis, ytterbium (III) ion, *Matsumura, Komiyama*, 387
- metalloproteinase, electrostatic interaction, halophilicity, salt-activation, thermolysin, *Inouye, Lee, Nambu, Tonomura*, 358
- , reactive site, resynthesis, SMPI, temporary inhibition, *Seeram, Hiraga, Oda*, 788
- metapyrocatechase, catechol 2,3-dioxygenase, crystallization, non-heme iron dioxygenase, X-ray crystallography, *Kita, Kita, Inaka, Ishida, Horiike, Nozaki, Miki*, 201
- Methanobacterium thermoautotrophicum*, archaea, ether lipid, glycerophosphate dehydrogenase, lipid biosynthesis, *Nishihara, Koga*, 572
- methionine aminopeptidase, amino acid sequence, hyperthermostable enzyme, ion-spray mass spectrometry, *Pyrococcus furiosus*, *Tsunasawa, Izu, Miyagi, Kato*, 843
- methylsphingosines sphingolipid signaling pathway, apoptosis, ceramide, inflammation, sphingosine, sphingosine 1-phosphate, *Igarashi*, 1080
- 4-methylumbelliferyl- β -D-xyloside, glycosaminoglycan, human skin fibroblast, monensin, *Takagaki, Tazawa, Munakata, Nakamura, Endo*, 1129
- mevalonate pyrophosphate, characterization, decarboxylase, pravastatin, purification, *Michihara, Sawamura, Nara, Ikeda, Yamori*, 647
- microspectrophotometry, acousto-optic tunable filter, macrophage, nitric oxide, red blood cells, *Tsujita, Shiraishi, Kakinuma*, 264
- microtubule, calcium-binding protein, calponin, calponin-binding protein, interaction, *Fujii, Hiromori, Hamamoto, Suzuki*, 344
- midkine, chemotaxis, inflammation, neutrophil, synovitis, *Takada, Toriyama, Muramatsu, Song, Torii, Muramatsu*, 453
- minicell, cytochrome *bo*, deletion analysis, single copy vector, terminal oxidase, *Nakamura, Saiki, Mogi, Anraku*, 415
- mitochondrial processing peptidase, extension peptide, malate dehydrogenase precursor, peptide substrate, substrate recognition, *Shimokata, Nishio, Song, Kitada, Ogishima, Ito*, 1019
- mitogen-activated protein kinase, arachidonic acid, phospholipase A₂, platelet, sphingosine, *Hashizume, Nakao, Kageura, Sato*, 1034
- , cytosolic phospholipase A₂, high glucose level, mesangial cells, prostaglandin E₂, *Hayama, Akiba, Fukuzumi, Sato*, 1196
- mitotic apparatus, actin filament, cleavage furrow, contractile ring, cytokinesis, *Fujimoto, Mabuchi*, 518
- modification, bone, collagen, osteopenia, *Büttge, Winter, Notbohm, Acil, Brinckmann, Müller*, 109
- molecular cloning, aryl sulfotransferase, new gene subfamily, recombinant form, thyroid hormone, *Fujita, Nagata, Ozawa, Sasano, Yamazoe*, 1052
- molecular dynamics and molecular mechanics simulations, cdc2 kinase, cdk 5, peptide synthesis, phosphorylation, *Ando, Ikuhara, Kamata, Sasaki, Hisanaga, Kishimoto, Ito, Inagaki*, 409
- molecular evolution, cDNA, inter- α -trypsin inhibitor heavy chains, inter- α -trypsin inhibitor family, Syrian hamster, *Nakatani, Suzuki, Yamamoto, Sinohara*, 71

M (cont'd)

- , P450, phylogenetic tree, processed pseudogene, sterol 14-demethylase, *Yoshida, Noshiro, Aoyama, Kawamoto, Horiuchi, Gotoh*, 1122
- molecular mechanics, D-amino acid oxidase, enzyme-substrate complex, flavoenzyme, tertiary structure, *Miura, Setoyama, Nishina, Shiga, Mizutani, Miyahara, Hirotsu*, 825
- molten globule state, ovalbumin, protein conformation, protein fragmentation, serpin superfamily, *Tatsumi, Hirose*, 300
- monensin, glycosaminoglycan, 4-methylumbelliferyl- β -D-xyloside, human skin fibroblast, *Takagaki, Tazawa, Munakata, Nakamura, Endo*, 1129
- morphology, aggregation, B cell, PP1, protein phosphatase, *Takizawa, Komatsu, Mizuno, Kawamura, Ito, Nakano, Kikuchi*, 723
- mouse liver, cDNA cloning, glycoprotein, lysosome, membrane, *Tabuchi, Akasaki, Sasaki, Kanda, Tsuji*, 756
- multifunctional protein, 14-nm filament protein, citrate synthase, posttranslational modification, *Tetrahymena*, *Kojima, Watanabe, Numata*, 998
- murine antibody, antibody-antigen interactions, nuclear magnetic resonance, paraquat (1,1'-dimethyl-4,4'-bipyridinium dichloride), pH dependence, single chain antibody, site-directed mutagenesis, *Bowles, Mulhern, Gordon, Inglis, Sharpe, Cogill, Pond*, 101
- muscle, electron paramagnetic resonance spectroscopy, myosin, nucleotide analog, vanadate, *Wilson, Shull, Naber, Cooke*, 563
- Mycoplasma capricolum*, chemical probing, MCS4 RNA, RNA secondary structure, small stable RNA, *Ushida, Sasamura, Muto*, 1202
- myocardium, ischemia-reperfusion, ischemic preconditioning, PKC inhibitor, protein kinase C isoform, *Yoshida, Kawamura, Mizukami, Kitakaze*, 506
- , calpain, calpastatin, ischemia, reperfusion, *Sorimachi, Harada, Saido, Ono, Kawashima, Yoshida*, 743
- myosin, electron paramagnetic resonance spectroscopy, muscle, nucleotide analog, vanadate, *Wilson, Shull, Naber, Cooke*, 563
- myosin VI, actin-related proteins, coronin, F-actin affinity chromatography, sea urchin egg, *Terasaki, Ohnuma, Mabuchi*, 226
- N
- Na⁺/H⁺-exchanger, basolateral membrane, bovine kidney cortex, brush-border membrane, ethylisopropylamiloride, *Yoshioka, Suzuki, Kawakita*, 641
- nanomolar quantification, HPLC-flow reactor, nitrosothiols, nitrosogluthathione formation, *Akaike, Inoue, Okamoto, Nishino, Otagiri, Fujii, Maeda*, 459
- neural cell adhesion molecule, neuroblastoma cells, polysialic acid, polysialic acid synthase, sialyltransferase, *Kojima, Tachida, Tsuji*, 1265
- neuregulin, EGF, ErbB, NTAK, PC-12, *Higashiyama, Horikawa, Yamada, Ichino, Nakano, Nakagawa, Miyagawa, Matsushita, Nagatsu, Taniguchi, Ishiguro*, 675
- neurite outgrowth, astrocyte, cerebral cortex, extracellular matrix, tenascin-C, *Wakatsuki, Ho, Arioka, Yamasaki, Kitamoto*, 1146
- neuroblastoma cells, neural cell adhesion molecule, polysialic acid, polysialic acid synthase, sialyltransferase, *Kojima, Tachida, Tsuji*, 1265
- neutrophil, chemotaxis, inflammation, midkine, synovitis, *Takada, Toriyama, Muramatsu, Song, Torii, Muramatsu*, 453
- , inhibition, nitroso-compounds, respiratory burst, *Nakata, Nasuda-Kouyama, Isogai, Kanegasaki, Izuka*, 188
- new gene subfamily, aryl sulfotransferase, molecular cloning, recombinant form, thyroid hormone, *Fujita, Nagata, Ozawa, Sasano, Yamazoe*, 1052
- NGF, HSP70, PC12 cells, stress response, *Hatayama, Takahashi, Yamagishi*, 904
- nitric oxide, acousto-optic tunable filter, macrophage, microspectrophotometry, red blood cells, *Tsujita, Shiraishi, Kakinuma*, 264
- , ascorbic acid, cysteine, glutathione, S-nitrosothiol, *Kashiba-Iwatsuki, Kitoh, Kasahara, Yu, Nisikawa, Matsuo, Inoue*, 1208
- nitroso-compounds, inhibition, neutrophils, respiratory burst, *Nakata, Nasuda-Kouyama, Isogai, Kanegasaki, Izuka*, 188
- , fluorescence quenching, inhibition, porcine neutrophils, respiratory burst, *Nasuda-Kouyama, Nakata, Izuka, Isogai*, 550
- nitrosogluthathione formation, HPLC-flow reactor, nanomolar quantification, nitrosothiols, *Akaike, Inoue, Okamoto, Nishino, Otagiri, Fujii, Maeda*, 459
- nitrosothiols, HPLC-flow reactor, nanomolar quantification, nitrosogluthathione formation, *Akaike, Inoue, Okamoto, Nishino, Otagiri, Fujii, Maeda*, 459
- S-nitrosothiol, ascorbic acid, cysteine, glutathione, nitric oxide, *Kashiba-Iwatsuki, Kitoh, Kasahara, Yu, Nisikawa, Matsuo, Inoue*, 1208
- N-linked sugar chains, bovine mammary gland, functional differentiation, β -N-acetylgalactosamine, *Sato, Taka, Aoki, Matsuda, Furukawa*, 1068
- NMR, G:A pair, hairpin, ribozyme, RNA, *Sakamoto, Kawai, Katahira, Kim, Tanaka, Kurihara, Kohno, Watanabe, Yokoyama, Watanabe, Uesugi*, 556
- , chemical modification, depression of deamidation, isotope labeling, lysozyme, *Abe, Ueda, Imoto*, 1153
- non-heme iron dioxygenase, catechol 2,3-dioxygenase, crystallization, metapyrocatechase, X-ray crystallography, *Kita, Kita, Inaka, Ishida, Horiike, Nozaki, Miki*, 201
- norspermidine, acrolein, 1,3-diaminopropane, elimination and addition, polyamine aminotransferase, *Yorifuji, Kondo, Naka, Ishihara, Shimizu*, 544
- novel fluorometric assay, CAAX-motif-specific protease, endoprotease, isoprenylated protein, Ras, *Nishii, Muramatsu, Kuchino, Yokoyama, Takahashi*, 402
- NP, alkaline phosphatase, antibody engineering, fusion protein, single-chain Fv, *Suzuki, Ueda, Suzuki, Nagamune*, 322
- NTAK, EGF, ErbB, neuregulin, PC-12, *Higashiyama, Horikawa, Yamada, Ichino, Nakano, Nakagawa, Miyagawa, Matsushita, Nagatsu, Taniguchi, Ishiguro*, 675
- nuclear envelope, nuclear envelope precursor vesicle, nuclear envelope reconstitution, nuclear membrane, *Xenopus* egg extract, *Imai, Sasagawa, Yamamoto, Kikuchi, Sekiya, Ichimura, Omata, Horigome*, 1024
- nuclear envelope precursor vesicle, nuclear envelope, nuclear envelope reconstitution, nuclear membrane, *Xenopus* egg extract, *Imai, Sasagawa, Yamamoto, Kikuchi, Sekiya, Ichimura, Omata, Horigome*, 1024
- nuclear envelope reconstitution, nuclear envelope, nuclear envelope precursor vesicle, nuclear membrane, *Xenopus* egg extract, *Imai, Sasagawa, Yamamoto, Kikuchi, Sekiya, Ichimura, Omata, Horigome*, 1024
- nuclear factor 1, exon/intron, gene cloning, genomic structure, promoter, *Xu, Osada, Imagawa, Nishihara*, 795
- nuclear magnetic resonance, antibody-antigen interactions, murine antibody, paraquat (1,1'-dimethyl-4,4'-bipyridinium dichloride), pH dependence, single chain antibody, site-directed mutagenesis, *Bowles, Mulhern, Gordon, Inglis, Sharpe, Cogill, Pond*, 101
- nuclear membrane, CaM-kinase II, α KAP, signal sequence, skeletal muscle, *Takeuchi, Fujisawa*, 494
- , nuclear envelope, nuclear envelope precursor vesicle, nuclear envelope reconstitution, *Xenopus* egg extract, *Imai, Sasagawa, Yamamoto, Kikuchi, Sekiya, Ichimura, Omata, Horigome*, 1024
- nucleophilic substitution, *ab initio* molecular orbital calculation, acyl phosphate bond, hydroxylamine, (Na⁺,K⁺)-ATPase, *Ushimaru, Shinohara, Fukushima*, 666
- nucleotide analog, electron paramagnetic resonance spectroscopy, muscle, myosin, vanadate, *Wilson, Shull, Naber, Cooke*, 563
- nucleotide inhibition, complex aggregates, heterologous components, phosphoribosylpyrophosphate synthetase, phosphoribosylpyrophosphate synthetase-associated proteins, *Sonoda, Kita, Ishijima, Ishizuka, Ahmad, Tatibana*, 635
- nucleotide sequence, α/β hydrolase fold family, crystallization, prolyl aminopeptidase, *Serratia marcescens*, *Kabashima, Kitazono, Kitano, Ito, Yoshimoto*, 601
- nucleotide-sugar transporter, Golgi apparatus, immunofluorescence microscopy, peptide antibody, UDP-galactose transporter, *Yoshioka, Sun-Wada, Ishida, Kawakita*, 691
- O
- oleosin isoform, amphipathic α -helix, seed oil body, sesame, *Chen, Lin, Huang, Tzen*, 819
- oligosaccharide, cytosol, endo- β -N-acetylglucosaminidase, hen oviduct, *Kato, Hatanaka, Mega, Hase*, 1167
- , cobalt ion, cytosol, hen oviduct, α -mannosidase, *Yamashiro, Itoh, Yamagishi*,

O (cont'd)

- Natsuka, Mega, Hase*, 1174
- oocyte maturation, *in vivo*, protease, proteasome, starfish, *Chiba, Sato, Hoshi*, 286
- L-ornithine decarboxylase, γ -aminobutyric acid, L-ornithine oxidation, pyridoxal 5'-phosphate, side reaction, *Sakai, Miyasako, Nagatomo, Watanabe, Wakayama, Moriguchi*, 961
- L-ornithine oxidation, γ -aminobutyric acid, L-ornithine decarboxylase, pyridoxal 5'-phosphate, side reaction, *Sakai, Miyasako, Nagatomo, Watanabe, Wakayama, Moriguchi*, 961
- OS-9 gene, human sarcomas, gene structure, 5' upstream region, transcription start sites, *Kimura, Nakazawa, Tsuchiya, Asakawa, Shimizu, Yamada*, 1190
- osmotic response, cell volume, hypertonic stress, intracellular pH, proton secretion, *Oyama, Kubota*, 64
- osteopenia, bone, collagen, modification, *Bölge, Winter, Notbohm, Acil, Brinckmann, Müller*, 109
- ovalbumin, disulfide rearrangement, folding intermediate, protein folding, refolding, *Onda, Tatsumi, Takahashi, Hirose*, 83
- , molten globule state, protein conformation, protein fragmentation, serpin superfamily, *Tatsumi, Hirose*, 300
- β -oxidation, bile acid, bile acid intermediates, D-bifunctional protein, peroxisomal disorder, *Une, Konishi, Suzuki, Akaboshi, Yoshii, Kuramoto, Fujimura*, 655

P

- P450, gene structure, processed pseudogene, sterol 14-demethylase, transcription-initiation site, *Noshiro, Aoyama, Kawamoto, Gotoh, Horiuchi, Yoshida*, 1114
- , molecular evolution, phylogenetic tree, processed pseudogene, sterol 14-demethylase, *Yoshida, Noshiro, Aoyama, Kawamoto, Horiuchi, Gotoh*, 1122
- P5abc, A-rich bulge, *in vivo* selection, ribozyme, *Tetrahymena*, *Ikawa, Okada, Imahori, Shiraishi, Inoue*, 878
- PACE4, alternative splicing, isoform, kexin, SPC4, *Tsuji, Hine, Tamai, Yonemoto, Mori, Yoshida, Bando, Sakai, Mori, Akamatsu, Matsuda*, 438
- paraquat (1,1'-dimethyl-4,4'-bipyridinium dichloride), antibody-antigen interactions, murine antibody, nuclear magnetic resonance, pH dependence, single chain antibody, site-directed mutagenesis, *Bowles, Mulhern, Gordon, Inglis, Sharpe, Cogill, Pond*, 101
- paroxysmal nocturnal hemoglobinuria, biosynthesis, endoplasmic reticulum, GPI anchor, posttranslational modification, *Kinoshita, Ohishi, Takeda*, 251
- PAS domain, bHLH domain, carcinogenesis, transcription factor, xenobiotics, *Sogawa, Fujii-Kuriyama*, 1075
- pBR322, CT-motif, regulation of gene expression, S1-sensitive sites, superhelical density, *Yamazaki, Hasebe, Shounguchi, Amano, Kajiura, Shishido*, 696
- PC-12, EGF, ErbB, neuregulin, NTAk, *Higashiyama, Horikawa, Yamada, Ichino, Nakano, Nakagawa, Miyagawa, Matsushita, Nagatsu, Taniguchi, Ishiguro*, 675
- PC12 cells, MAP kinase, protein kinase, protein phosphorylation, *Kameshita, Ishida, Fujisawa*, 168
- , HSP70, NGF, stress response, *Hatayama, Takahashi, Yamagishi*, 904
- PCNA, *Bombyx*, DNA replication, promoter region, transcriptional regulation, *Takahashi, Yamaguchi, Hirose, Kobayashi, Miyajima, Matsukage*, 1215
- pepsin, cathepsin D, chymosin, dansyl-pepsin, determination of carboxyl proteases, *Yonezawa, Uchikoba, Kaneda*, 294
- peptide antibiotic, *Bacillus brevis*, gramicidin S, gramicidin S synthetase, peptide synthetase, *Hori, Kurotsu*, 606
- peptide antibody, Golgi apparatus, immunofluorescence microscopy, nucleotide-sugar transporter, UDP-galactose transporter, *Yoshioka, Sun-Wada, Ishida, Kawakita*, 691
- , catalytic domain, H⁺-pyrophosphatase, proton pump, vacuole, *Takasu, Nakanishi, Yamauchi, Maeshima*, 883
- peptide mimic, megakaryocyte, phage display library, synthetic peptides, thrombopoietin, *Kimura, Kaburaki, Miyamoto, Katayama, Watanabe*, 1046
- peptide substrate, extension peptide, malate dehydrogenase precursor, mitochondrial processing peptidase, substrate recognition, *Shimokata, Nishio, Song, Kitada, Ogishima, Ito*, 1019
- peptide synthesis, cdc2 kinase, cdk 5, molecular dynamics and molecular mechanics simulations, phosphorylation, *Ando, Ikuhara, Kamata, Sasaki, Hisanaga, Kishimoto, Ito, Inagaki*, 409
- peptide synthetase, *Bacillus brevis*, gramicidin S, gramicidin S synthetase, peptide antibiotic, *Hori, Kurotsu*, 606
- peptide-water interaction, protein stability, cold denaturation, *Graziano, Catanzano, Riccio, Barone*, 395
- peroxisomal disorder, bile acid, bile acid intermediates, D-bifunctional protein, β -oxidation, *Une, Konishi, Suzuki, Akaboshi, Yoshii, Kuramoto, Fujimura*, 655
- peroxisome, acetoacetyl-CoA thiolase, *Candida tropicalis*, cytosol, isozyme, *Kanayama, Himeda, Atomi, Ueda, Tanaka*, 616
- phage display library, megakaryocyte, peptide mimic, synthetic peptides, thrombopoietin, *Kimura, Kaburaki, Miyamoto, Katayama, Watanabe*, 1046
- phage library, epidermal growth factor, epidermal growth factor receptor, *Tang, Dallaire, Hoyt, Sykes, O'Connor-McCourt, Malcolm*, 686
- pH dependence, antibody-antigen interactions, murine antibody, nuclear magnetic resonance, paraquat (1,1'-dimethyl-4,4'-bipyridinium dichloride), single chain antibody, site-directed mutagenesis, *Bowles, Mulhern, Gordon, Inglis, Sharpe, Cogill, Pond*, 101
- phosphatidylethanolamine, glyceraldehyde-3-phosphate dehydrogenase, membrane fusion, phosphatidylserine, surface plasmon resonance, *Kaneda, Takeuchi, Inoue, Umeda*, 1233
- phosphatidylserine, glyceraldehyde-3-phosphate dehydrogenase, membrane fusion, phosphatidylethanolamine, surface plasmon resonance, *Kaneda, Takeuchi, Inoue, Umeda*, 1233
- phosphoenolpyruvate carboxylase, extreme thermophile, extrinsic thermostabilization factor, *Rhodothermus obamensis*, thermostability, *Takai, Sako, Uchida, Ishida*, 32
- phospholipase A₁, 2-acyl LPC, bonito muscle, fatty acid remodeling, transacylase, *Hirano, Tanaka, Yoshizumi, Tanaka, Satouchi*, 1160
- phospholipase A₂, arachidonoyl phosphatidylcholine, site-directed mutagenesis, snake venom, *Ogawa, Shimohigashi, Ohno*, 955
- , arachidonic acid, mitogen-activated protein kinase, platelet, sphingosine, *Hashizume, Nakao, Kageura, Sato*, 1034
- phosphoribosylpyrophosphate synthetase, complex aggregates, heterologous components, nucleotide inhibition, phosphoribosylpyrophosphate synthetase-associated proteins, *Sonoda, Kita, Ishijima, Ishizuka, Ahmad, Tatibana*, 635
- phosphoribosylpyrophosphate synthetase-associated proteins, complex aggregates, heterologous components, nucleotide inhibition, phosphoribosylpyrophosphate synthetase, *Sonoda, Kita, Ishijima, Ishizuka, Ahmad, Tatibana*, 635
- phosphorylation, bifunctional enzyme, fructose-6-phosphate, 2-kinase/fructose-2,6-bisphosphatase, human placenta, isozyme, *Sakakibara, Kato, Okamura, Nakagawa, Komada, Tominaga, Shimojo, Fukasawa*, 122
- , protein phosphatase 2A, rat brain, regulatory subunit 72-kDa δ/B' , tissue and subcellular distributions, *Nagase, Murakami, Nozaki, Inoue, Nishito, Tanabe, Usui, Takeda*, 178
- , cdc2 kinase, cdk 5, molecular dynamics and molecular mechanics simulations, peptide synthesis, *Ando, Ikuhara, Kamata, Sasaki, Hisanaga, Kishimoto, Ito, Inagaki*, 409
- , calcium, photoreceptor, rhodopsin kinase, S-modulin (recoverin), *Sato, Kawamura*, 1139
- photoreceptor, calcium, phosphorylation, rhodopsin kinase, S-modulin (recoverin), *Sato, Kawamura*, 1139
- photosystem II, *Chlamydomonas reinhardtii*, complementation, desaturation mutation, heat stability, *Sato, Fujiwara, Kawaguchi, Tsuzuki*, 1224
- phylogenetic tree, molecular evolution, P450, processed pseudogene, sterol 14-demethylase, *Yoshida, Noshiro, Aoyama, Kawamoto, Horiuchi, Gotoh*, 1122
- PKC, B-cell, B-cell receptor, PP1, protein phosphatase, *Takizawa, Mizuno, Komatsu, Matsuzawa, Kawamura, Inagaki, Inagaki, Kikuchi*, 730
- PKC inhibitor, ischemia-reperfusion, ischemic preconditioning, myocardium, protein kinase C isoform, *Yoshida, Kawamura, Mizukami, Kitakaze*, 506
- plasminogen, cartilage, collagen, interleukin-1 α , matrix metalloproteinase, *Saito*,

P (cont'd)

- Kato, Masumoto, Matsumoto, Masuho*, 49
platelet, arachidonic acid, lipid peroxidation, secretory phospholipase A₂, *Akiba, Nagatomo, Hayama, Sato*, 859
—, arachidonic acid, mitogen-activated protein kinase, phospholipase A₂, sphingosine, *Hashizume, Nakao, Kageura, Sato*, 1034
polyamine aminotransferase, *Arthrobacter*, 1,3-diaminopropane, pyruvate, spermidine, *Yorifuji, Ishihara, Naka, Kondo, Shimizu*, 537
—, acrolein, 1,3-diaminopropane, elimination and addition, norspermidine, *Yorifuji, Kondo, Naka, Ishihara, Shimizu*, 544
polysialic acid, neural cell adhesion molecule, neuroblastoma cells, polysialic acid synthase, sialyltransferase, *Kojima, Tachida, Tsuji*, 1265
—, polysialic acid synthase, neural cell adhesion molecule, neuroblastoma cells, polysialic acid, sialyltransferase, *Kojima, Tachida, Tsuji*, 1265
porcine neutrophils, fluorescence quenching, inhibition, nitroso-compounds, respiratory burst, *Nasuda-Kouyama, Nakata, Iizuka, Isogai*, 550
postranslational modification, biosynthesis, endoplasmic reticulum, GPI anchor, paroxysmal nocturnal hemoglobinuria, *Kino-shita, Ohishi, Takeda*, 251
—, 14-nm filament protein, citrate synthase, multifunctional protein, *Tetrahymena*, *Kojima, Watanabe, Numata*, 998
PP1, aggregation, B cell, morphology, protein phosphatase, *Takizawa, Komatsu, Mizuno, Kawamura, Ito, Nakano, Kikuchi*, 723
—, B-cell, B-cell receptor, PKC, protein phosphatase, *Takizawa, Mizuno, Komatsu, Matsuzawa, Kawamura, Inagaki, Inagaki, Kikuchi*, 730
pravastatin, characterization, decarboxylase, mevalonate pyrophosphate, purification, *Michihara, Sawamura, Nara, Ikeda, Yamori*, 647
processed pseudogene, gene structure, P450, sterol 14-demethylase, transcription-initiation site, *Noshiro, Aoyama, Kawamoto, Gotoh, Horiuchi, Yoshida*, 1114
—, molecular evolution, P450, phylogenetic tree, sterol 14-demethylase, *Yoshida, Noshiro, Aoyama, Kawamoto, Horiuchi, Gotoh*, 1122
prolyl aminopeptidase, α/β hydrolase fold family, crystallization, nucleotide sequence, *Serratia marcescens*, *Kabashima, Kitazono, Kitano, Ito, Yoshimoto*, 601
promoter, exon/intron, gene cloning, genomic structure, nuclear factor 1, *Xu, Osada, Imagawa, Nishihara*, 795
promoter clearance, general transcription factors, RNA polymerase II, TFIIE, TFIIH, *Ohkuma*, 481
promoter function, cDNA, gene organization, heparan sulfate proteoglycan, ryudocan, *Tsuzuki, Kojima, Katsumi, Yamazaki, Sugiura, Saito*, 17
promoter region, *Bombyx*, DNA replication, PCNA, transcriptional regulation, *Takahashi, Yamaguchi, Hirose, Kobayashi, Miyajima, Matsukage*, 1215
prostaglandin E₂, cytosolic phospholipase A₂, high glucose level, mesangial cells, mitogen-activated protein kinase, *Hayama, Akiba, Fukuzumi, Sato*, 1196
protease, *in vivo*, oocyte maturation, proteasome, starfish, *Chiba, Sato, Hoshi*, 286
protease inhibitor, hepatitis C virus, serine proteinase, substrate specificity, synthetic peptide, *Kakiuchi, Komoda, Hijikata, Shimotohno*, 749
proteasome, *in vivo*, oocyte maturation, protease, starfish, *Chiba, Sato, Hoshi*, 286
protein conformation, molten globule state, ovalbumin, protein fragmentation, serpin superfamily, *Tatsumi, Hirose*, 300
protein dynamics, aromatic amino acid aminotransferase, aspartate aminotransferase, hydrophobic interaction, substrate specificity, *Kawaguchi, Nobe, Yasuoka, Wakamiya, Kusumoto, Kuramitsu*, 55
protein folding, disulfide rearrangement, folding intermediate, ovalbumin, refolding, *Onda, Tatsumi, Takahashi, Hirose*, 83
protein fragmentation, molten globule state, ovalbumin, protein conformation, serpin superfamily, *Tatsumi, Hirose*, 300
protein kinase, MAP kinase, PC12 cells, protein phosphorylation, *Kameshita, Ishida, Fujisawa*, 168
protein kinase C isoform, ischemia-reperfusion, ischemic preconditioning, myocardium, PKC inhibitor, *Yoshida, Kawamura, Mizukami, Kitakaze*, 506
protein-lipid interaction, 8-anilinoanthracene-1-sulfonic acid, ATPase, hydrogen exchange, *SecA, Song, Kim*, 1010
protein phosphatase, aggregation, B cell, morphology, PP1, *Takizawa, Komatsu, Mizuno, Kawamura, Ito, Nakano, Kikuchi*, 723
—, B-cell, B-cell receptor, PKC, PP1, *Takizawa, Mizuno, Komatsu, Matsuzawa, Kawamura, Inagaki, Inagaki, Kikuchi*, 730
protein phosphatase 2A, ATPase, phosphorylation, rat brain, regulatory subunit 72-kDa δ/B'' , tissue and subcellular distributions, *Nagase, Murakami, Nozaki, Inoue, Nishito, Tanabe, Usui, Takeda*, 178
protein phosphorylation, MAP kinase, PC12 cells, protein kinase, *Kameshita, Ishida, Fujisawa*, 168
—, Ca²⁺/calmodulin-dependent protein kinase, CaM-kinase IV, CaM-kinase kinase, regulation of enzyme activity, *Okuno, Kitani, Fujisawa*, 897
protein sequencing, 5-aminoimidazole-4-carboxamide ribonucleotide transformylase, cDNA cloning, purine biosynthetic enzyme, site-directed mutagenesis, *Sugita, Aya, Ueno, Ishizuka, Kawashima*, 309
protein stability, cold denaturation, peptide-water interaction, *Graziano, Catanzano, Riccio, Barone*, 395
—, hen lysozyme, hydrogen bond, hydrophobicity, X-ray crystallography, *Ohmura, Ueda, Motoshima, Tamura, Imoto*, 512
protein structure, alternative splicing, circular dichroism, c-Myc, sedimentation equilibrium, *Horiuchi, Kurihara, Katahira, Maeda, Saito, Uesugi*, 711
protein sulfhydryl group, carbonic anhydrase, erythrocyte, 4-hydroxy-2-nonenal, *Uchi-da, Hasui, Osawa*, 1246
protein thermostability, crystal structure, 3-isopropylmalate dehydrogenase, structural redundancy, X-ray analysis, *Tsuchiya, Sekiguchi, Takenaka*, 1092
proteoglycan synthesis, chondroitin sulfate/dermatan sulfate, co-culture, corneal cells, keratan sulfate, *Nakazawa, Takahashi, Ohno, Sato*, 851
proteolytic cleavage sites, band 3 protein, category for transmembrane segments, classification of transmembrane peptide portions, fidelity of hydropathy prediction, *Hamasaki, Okubo, Kuma, Kang, Yae*, 577
prothrombin activator, calcium, prothrombin time, venom metalloprotease, warfarin, *Yamada, Morita*, 991
prothrombin time, calcium, prothrombin activator, venom metalloprotease, warfarin, *Yamada, Morita*, 991
proton pump, cytochrome *bo*, redox metal center, site-directed mutagenesis, terminal oxidase, *Kawasaki, Mogi, Anraku*, 422
—, catalytic domain, H⁺-pyrophosphatase, peptide antibody, vacuole, *Takasu, Nakanishi, Yamauchi, Maeshima*, 883
proton secretion, cell volume, hypertonic stress, intracellular pH, osmotic response, *Oyama, Kubota*, 64
proton translocation, *Bacillus brevis*, cytochrome c oxidase, electron transfer chain, quinol oxidase, *Yaginuma, Tsukita, Sakamoto, Sone*, 969
purification, characterization, decarboxylase, mevalonate pyrophosphate, pravastatin, *Michihara, Sawamura, Nara, Ikeda, Yamori*, 647
—, alanyl aminopeptidase, characterization, immunohistochemistry, seminal plasma, *Huang, Takahara, Kinouchi, Takeyama, Ishida, Ueyama, Nishi, Ohkubo*, 779
—, chorion hardening, egg envelope, rainbow trout, transglutaminase, *Ha, Iuchi*, 947
purine biosynthetic enzyme, 5-aminoimidazole-4-carboxamide ribonucleotide transformylase, cDNA cloning, protein sequencing, site-directed mutagenesis, *Sugita, Aya, Ueno, Ishizuka, Kawashima*, 309
pyridoxal 5'-phosphate, γ -aminobutyric acid, L-ornithine decarboxylase, L-ornithine oxidation, side reaction, *Sakai, Miyasaka, Nagatomo, Watanabe, Wakayama, Moriguchi*, 961
Pyrococcus furiosus, amino acid sequence, hyperthermostable enzyme, ionspray mass spectrometry, methionine aminopeptidase, *Tsunasawa, Izu, Miyagi, Kato*, 843
H⁺-pyrophosphatase, catalytic domain, peptide antibody, proton pump, vacuole, *Takasu, Nakanishi, Yamauchi, Maeshima*, 883
pyruvate, *Arthrobacter*, 1,3-diaminopropane, polyamine aminotransferase, spermidine, *Yorifuji, Ishihara, Naka, Kondo, Shimizu*, 537

Q

quinol oxidase, *Bacillus brevis*, cytochrome c oxidase, electron transfer chain, proton translocation, *Yaginuma, Tsukita, Sakamoto, Sone*, 969

R

- Ra, guanine nucleotide exchange, RCC1, Azuma, Hachiya, Nishimoto, 1133
- rainbow trout, chorion hardening, egg envelope, purification, transglutaminase, Ha, Iuchi, 947
- rapid quenching, conformation change, fluorescence change, H^+ , K^+ -ATPase, stopped flow, Eguchi, Kaya, Shimada, Ootomo, Nomoto, Kikuchi, Usida, Taniguchi, 659
- Ras, CAAX-motif-specific protease, endoprotease, isoprenylated protein, novel fluorometric assay, Nishii, Muramatsu, Kuchino, Yokoyama, Takahashi, 402
- rat brain, phosphorylation, protein phosphatase 2A, regulatory subunit 72-kDa δ/B' , tissue and subcellular distributions, Nagase, Murakami, Nozaki, Inoue, Nishito, Tanabe, Usui, Takeda, 178
- RCC1, guanine nucleotide exchange, Ra, Azuma, Hachiya, Nishimoto, 1133
- reactive oxygen species, glutathione, snake venom, superoxide dismutase, vascular endothelial cells, Suzuki, Nakamura, Hatanaka, Kayanoki, Tatsumi, Taniguchi, 1260
- reactive site, metalloproteinase, resynthesis, SMPI, temporary inhibition, Seeram, Hiraga, Oda, 788
- receptor, cell growth, inhibitor, second messenger, synthetic peptide, Homma, Yamasaki, Ohmi, Homma, 738
- recombinant, α -amylase inhibitor, hairpin structure, synthetic gene, wheat kernel, Okuda, Satoh, Sakurai, Shibuya, Kaji, Samejima, 918
- recombinant form, aryl sulfotransferase, molecular cloning, new gene subfamily, thyroid hormone, Fujita, Nagata, Ozawa, Sasano, Yamazoe, 1052
- recombinant vaccinia virus, complement activation, human hepatoma cell lines, liver MBP, serum MBP, Ma, Shida, Kawasaki, 810
- red blood cells, acousto-optic tunable filter, macrophage, microspectrophotometry, nitric oxide, Tsujita, Shiraishi, Kakinuma, 264
- redox metal center, cytochrome *bo*, proton pump, site-directed mutagenesis, terminal oxidase, Kawasaki, Mogi, Anraku, 422
- refolding, disulfide rearrangement, folding intermediate, ovalbumin, protein folding, Onda, Tatsumi, Takahashi, Hirose, 83
- regulation of enzyme activity, Ca^{2+} /calmodulin-dependent protein kinase, CaM-kinase IV, CaM-kinase kinase, protein phosphorylation, Okuno, Kitani, Fujisawa, 897
- regulation of gene expression, CT-motif, pBR322, S1-sensitive sites, superhelical density, Yamazaki, Hasebe, Shouguchi, Amano, Kajiura, Shishido, 696
- regulatory subunit 72-kDa δ/B' , phosphorylation, protein phosphatase 2A, rat brain, tissue and subcellular distributions, Nagase, Murakami, Nozaki, Inoue, Nishito, Tanabe, Usui, Takeda, 178
- reperfusion, calpain, calpastatin, ischemia, myocardium, Sorimachi, Harada, Saido, Ono, Kawashima, Yoshida, 743
- respiratory burst, inhibition, neutrophils, nitroso-compounds, Nakata, Nasuda-Kouyama, Isogai, Kanegasaki, Izuka, 188
- , fluorescence quenching, inhibition, nitroso-compounds, porcine neutrophils, Nasuda-Kouyama, Nakata, Izuka, Isogai, 550
- resynthesis, metalloproteinase, reactive site, SMPI, temporary inhibition, Seeram, Hiraga, Oda, 788
- retention signal, active site, cysteine protease, endoplasmic reticulum, site-directed mutagenesis, Urade, Oda, Ito, Moriyama, Utsumi, Kito, 834
- rhodopsin kinase, calcium, phosphorylation, photoreceptor, S-modulin (recoverin), Sato, Kawamura, 1139
- Rhodothermus obamensis*, extreme thermophile, extrinsic thermostabilization factor, phosphoenolpyruvate carboxylase, thermostability, Takai, Sako, Uchida, Ishida, 32
- ribozyme, arabis mosaic virus, hairpin ribozyme, RNA enzyme, satellite RNA, Hisamatsu, Morikawa, Tomita, Tanaka, Sonoki, Kikuchi, 352
- , G:A pair, hairpin, NMR, RNA, Sakamoto, Kawai, Katahira, Kim, Tanaka, Kurihara, Kohno, Watanabe, Yokoyama, Watanabe, Uesugi, 556
- , A-rich bulge, *in vivo* selection, P5abc, *Tetrahymena*, Ikawa, Okada, Imahori, Shiraishi, Inoue, 878
- RNA, G:A pair, hairpin, NMR, ribozyme, Sakamoto, Kawai, Katahira, Kim, Tanaka, Kurihara, Kohno, Watanabe, Yokoyama, Watanabe, Uesugi, 556
- , CD, lead ribozyme, metal binding, RNA cleavage, Kim, Katahira, Sugiyama, Uesugi, 1062
- RNA cleavage, CD, lead ribozyme, metal binding, RNA, Kim, Katahira, Sugiyama, Uesugi, 1062
- RNA enzyme, arabis mosaic virus, hairpin ribozyme, ribozyme, satellite RNA, Hisamatsu, Morikawa, Tomita, Tanaka, Sonoki, Kikuchi, 352
- RNA hydrolysis, lanthanide ion, lutetium(III) ion, metal hydroxo-cluster, ytterbium(III) ion, Matsumura, Komiyama, 387
- RNA polymerase, cross-linking, influenza virus, substrate binding, Asano, Ishihama, 627
- RNA polymerase II, general transcription factors, promoter clearance, TFIIE, TFIIH, Ohkuma, 481
- RNA secondary structure, chemical probing, MCS4 RNA, *Mycoplasma capricolum*, small stable RNA, Ushida, Sasamura, Muto, 1202
- ryudocan, cDNA, gene organization, heparan sulfate proteoglycan, promoter function, Tsuzuki, Kojima, Katsumi, Yamazaki, Sugiura, Saito, 17

S

- S1-sensitive sites, CT-motif, pBR322, regulation of gene expression, superhelical density, Yamazaki, Hasebe, Shouguchi, Amano, Kajiura, Shishido, 696
- salt-activation, electrostatic interaction, halophilicity, metalloproteinase, thermolysin, Inouye, Lee, Nambu, Tonomura, 358
- sarcoplasmic reticulum, Ca^{2+} release, skeletal

- muscle, triphenyltin, Kang, Chen, Cheng, 173
- satellite RNA, arabis mosaic virus, hairpin ribozyme, ribozyme, RNA enzyme, Hisamatsu, Morikawa, Tomita, Tanaka, Sonoki, Kikuchi, 352
- sea urchin egg, actin-related proteins, coronin, F-actin affinity chromatography, myosin VI, Terasaki, Ohnuma, Mabuchi, 226
- SecA, 8-anilinoanthracene-1-sulfonic acid, ATPase, hydrogen exchange, protein-lipid interaction, Song, Kim, 1010
- second messenger, cell growth, inhibitor, receptor, synthetic peptide, Homma, Yamasaki, Ohmi, Homma, 738
- secretory phospholipase A₂, arachidonic acid, lipid peroxidation, platelet, Akiba, Nagatomo, Hayama, Sato, 859
- secretory protein, cDNA cloning, TGF- β superfamily, Yokoyama-Kobayashi, Saeki, Sekine, Kato, 622
- sedimentation equilibrium, alternative splicing, circular dichroism, c-Myc, protein structure, Horiuchi, Kurihara, Katahira, Maeda, Saito, Uesugi, 711
- seed oil body, amphipathic α -helix, oleosin isoform, sesame, Chen, Lin, Huang, Tzen, 819
- seminal plasma, alanyl aminopeptidase, characterization, immunohistochemistry, purification, Huang, Takahara, Kinouchi, Takeyama, Ishida, Ueyama, Nishi, Ohkubo, 779
- serine protease, chromosome 10q25-q26, gene structure, hyaluronan-binding protein, hepatocyte growth factor activator, Sumiya, Asakawa, Tobe, Hashimoto, Saguchi, Choi-Miura, Shimizu, Minoshima, Shimizu, Tomita, 983
- serine proteinase, hepatitis C virus, protease inhibitor, substrate specificity, synthetic peptide, Kakiuchi, Komoda, Hijikata, Shimotohno, 749
- serine transporter, *Escherichia coli*, gene cloning, *tdcC*, transport mutant, Ogawa, Kayahara, Tsuda, Mizushima, Tsuchiya, 1241
- serpin superfamily, molten globule state, ovalbumin, protein conformation, protein fragmentation, Tatsumi, Hirose, 300
- Serratia marcescens*, α/β hydrolase fold family, crystallization, nucleotide sequence, prolyl aminopeptidase, Kabashima, Kitazono, Kitano, Ito, Yoshimoto, 601
- serum albumin, binding system, catechol 2,3-dioxygenase, frontal gel chromatography, ligand, Honjo, Ishida, Horiike, 258
- serum MBP, complement activation, human hepatoma cell lines, liver MBP, recombinant vaccinia virus, Ma, Shida, Kawasaki, 810
- sesame, amphipathic α -helix, oleosin isoform, seed oil body, Chen, Lin, Huang, Tzen, 819
- SH2 domain association, cDNA cloning, insulin receptor, splice variants, yeast two-hybrid system, Riedel, Wang, Hansen, Yousaf, 1105
- sialyltransferase, neural cell adhesion molecule, neuroblastoma cells, polysialic acid, polysialic acid synthase, Kojima, Tachida,

S (cont'd)

- Tsuji*, 1265
- side reaction, γ -aminobutyric acid, L-ornithine decarboxylase, L-ornithine oxidation, pyridoxal 5'-phosphate, *Sakai, Miyasako, Nagatomo, Watanabe, Wakayama, Moriguchi*, 961
- sigma factor, α -helix, structural stability, transcription activity, temperature sensitivity, *Liao, Wen, Wang, Tsai, Doi, Chang*, 911
- signal sequence, CaM-kinase II, α KAP, nuclear membrane, skeletal muscle, *Takeuchi, Fujisawa*, 494
- single chain antibody, antibody-antigen interactions, murine antibody, nuclear magnetic resonance, paraquat (1,1'-dimethyl-4,4'-bipyridinium dichloride), pH dependence, site-directed mutagenesis, *Bowles, Mulhern, Gordon, Inglis, Sharpe, Cogill, Pond*, 101
- single-chain Fv, alkaline phosphatase, antibody engineering, fusion protein, NP, *Suzuki, Ueda, Suzuki, Nagamune*, 322
- single copy vector, cytochrome *bo*, deletion analysis, minicell, terminal oxidase, *Nakamura, Saiki, Mogi, Anraku*, 415
- site-directed mutagenesis, helix, lysozyme, stability, X-ray crystallography, *Motoshima, Ueda, Masumoto, Hashimoto, Chijiwa, Imoto*, 25
- , antibody-antigen interactions, murine antibody, nuclear magnetic resonance, paraquat (1,1'-dimethyl-4,4'-bipyridinium dichloride), pH dependence, single chain antibody, *Bowles, Mulhern, Gordon, Inglis, Sharpe, Cogill, Pond*, 101
- , 5-aminoimidazole-4-carboxamide ribonucleotide transferase, cDNA cloning, protein sequencing, purine biosynthetic enzyme, *Sugita, Aya, Ueno, Ishizuka, Kawashima*, 309
- , cytochrome *bo*, proton pump, redox metal center, terminal oxidase, *Kawasaki, Mogi, Anraku*, 422
- , active site, cysteine protease, endoplasmic reticulum, retention signal, *Urade, Oda, Ito, Moriyama, Utsumi, Kito*, 834
- , arachidonoyl phosphatidylcholine, phospholipase A_2 , snake venom, *Ogawa, Shimohigashi*, Ohno, 955
- , D-amino acid aminotransferase, carboxyl-binding site for substrates, inhibition by α -ketoglutarate, *Kishimoto, Yoshimura, Soda, Esaki*, 1182
- site-specific RNA endonuclease activity, capsid protein, cleavage site mapping, *Leishmania* RNA virus, substrate specificity, *MacBeth, Ro, Gehrke, Patterson*, 193
- skeletal muscle, β_2 -adrenoceptor, β_2 -agonist, glucose transport, insulin, *Tanishita, Shimizu, Minokoshi, Shimazu*, 90
- , Ca^{2+} release, sarcoplasmic reticulum, triphenyltin, *Kang, Chen, Cheng*, 173
- , CaM-kinase II, α KAP, nuclear membrane, signal sequence, *Takeuchi, Fujisawa*, 494
- SM22 α gene, α -actin, calponin, CARG box, CpG, differentiation, DNA methylation, smooth muscle, *Yamamura, Masuda, Ikeda, Tokuyama, Takagi, Shibata, Tatsuta, Takahashi*, 157
- small stable RNA, chemical probing, MCS4 RNA, *Mycoplasma capricolum*, RNA secondary structure, *Ushida, Sasamura, Muto*, 1202
- small subunit, ADP-ribosylation, bacterial toxins, soluble guanylate cyclase, *Tomita, Tsuyama, Imai, Kitagawa*, 531
- S-modulin (recoverin), calcium, phosphorylation, photoreceptor, rhodopsin kinase, *Sato, Kawamura*, 1139
- smooth muscle, α -actin, calponin, CARG box, CpG, differentiation, DNA methylation, SM22 α gene, *Yamamura, Masuda, Ikeda, Tokuyama, Takagi, Shibata, Tatsuta, Takahashi*, 157
- , dense body, dense plaque, filamin/ABP-related protein, immunogold, *Tachikawa, Nakagawa, Terasaki, Mori, Ohashi*, 314
- SMPI, metalloproteinase, reactive site, re-synthesis, temporary inhibition, *Seeram, Hiraga, Oda*, 788
- snake venom, arachidonoyl phosphatidylcholine, phospholipase A_2 , site-directed mutagenesis, *Ogawa, Shimohigashi, Ohno*, 955
- , glutathione, reactive oxygen species, superoxide dismutase, vascular endothelial cells, *Suzuki, Nakamura, Hatanaka, Kayanoki, Tatsumi, Taniguchi*, 1260
- snoRNA gene, amino acid sequence, evolutionary divergence, genomic structure, Taiwan cobra neurotoxin, *Chang, Chou, Lin, Wu, Lin, Hong, Sun, Hsiao*, 1252
- soluble guanylate cyclase, ADP-ribosylation, bacterial toxins, small subunit, *Tomita, Tsuyama, Imai, Kitagawa*, 531
- SPC4, alternative splicing, isoform, kexin, PACE4, *Tsuji, Hine, Tamai, Yonemoto, Mori, Yoshida, Bando, Sakai, Mori, Akamatsu, Matsuda*, 438
- spermidine, *Arthrobacter*, 1,3-diaminopropane, polyamine aminotransferase, pyruvate, *Yorifuji, Ishihara, Naka, Kondo, Shimizu*, 537
- sphingosine, arachidonic acid, mitogen-activated protein kinase, phospholipase A_2 , platelet, *Hashizume, Nakao, Kageura, Sato*, 1034
- , apoptosis, ceramide, inflammation, methylsphingosines sphingolipid signaling pathway, sphingosine 1-phosphate, *Igarashi*, 1080
- sphingosine 1-phosphate, apoptosis, ceramide, inflammation, methylsphingosines sphingolipid signaling pathway, sphingosine, *Igarashi*, 1080
- splice variants, cDNA cloning, insulin receptor, SH2 domain association, yeast two-hybrid system, *Riedel, Wang, Hansen, Yousaf*, 1105
- stability, helix, lysozyme, site-directed mutagenesis, X-ray crystallography, *Motoshima, Ueda, Masumoto, Hashimoto, Chijiwa, Imoto*, 25
- Staphylococcus aureus*, N-acetylmuramoyl-L-alanine amidase, *Achromobacter lyticus*, Achromopeptidase, α -lytic protease, *Li, Norioka, Sakiyama*, 772
- starfish, *in vivo*, oocyte maturation, protease, proteasome, *Chiba, Sato, Hoshi*, 286
- stereospecificity, active center, D-lactate dehydrogenase, *Lactobacillus*, *Taguchi, Ohta, Matsuzawa*, 802
- sterol 14-demethylase, gene structure, P450, processed pseudogene, transcription-initiation site, *Noshiro, Aoyama, Kawamoto, Gotoh, Horiuchi, Yoshida*, 1114
- , molecular evolution, P450, phylogenetic tree, processed pseudogene, *Yoshida, Noshiro, Aoyama, Kawamoto, Horiuchi, Gotoh*, 1122
- stopped flow, conformation change, fluorescence change, H^+ , K^+ -ATPase, rapid quenching, *Eguchi, Kaya, Shimada, Ootomo, Nomoto, Kikuchi, Usida, Taniguchi*, 659
- stress-activated protein kinase, carp, cDNA cloning, JNK, MAP kinase superfamily, *Hashimoto, Matsuo, Yokoyama, Toyohara, Sakaguchi*, 381
- stress response, HSP70, NGF, PC12 cells, *Hatayama, Takahashi, Yamagishi*, 904
- stringency as to ATP-requirement, ATP-binding domain, ATP replaceability, ATP-requiring enzyme, ligase, *Kinoshita, Nishigaki*, 205
- structural redundancy, crystal structure, 3-isopropylmalate dehydrogenase, protein thermostability, X-ray analysis, *Tsuchiya, Sekiguchi, Takenaka*, 1092
- structural stability, sigma factor, α -helix, transcription activity, temperature sensitivity, *Liao, Wen, Wang, Tsai, Doi, Chang*, 911
- structure, glycoprotein, macrophage colony-stimulating factor, sugar chain, *Ushida, Natsuka, Shimokawa, Takatsu, Shimamura, Hase*, 148
- subcellular localization, acyl-CoA synthetase, alternative translation initiation, brain, fatty acid, *Fujino, Kang, Minekura, Suzuki, Yamamoto*, 212
- substrate binding, cross-linking, influenza virus, RNA polymerase, *Asano, Ishihama*, 627
- substrate recognition, extension peptide, malate dehydrogenase precursor, mitochondrial processing peptidase, peptide substrate, *Shimokata, Nishio, Song, Kitada, Ogishima, Ito*, 1019
- substrate specificity, aromatic amino acid aminotransferase, aspartate aminotransferase, hydrophobic interaction, protein dynamics, *Kawaguchi, Nobe, Yasuoka, Wakamiya, Kusumoto, Kuramitsu*, 55
- , capsid protein, cleavage site mapping, *Leishmania* RNA virus, site-specific RNA endonuclease activity, *MacBeth, Ro, Gehrke, Patterson*, 193
- , Ca^{2+} /calmodulin, CaM-kinase I, CaM-kinase IV, CaM-kinase kinase, *Okuno, Kitani, Fujisawa*, 337
- , hepatitis C virus, protease inhibitor, serine proteinase, synthetic peptide, *Kakiuchi, Komoda, Hijikata, Shimotohno*, 749
- sugar chain, glycoprotein, macrophage colony-stimulating factor, structure, *Ushida, Natsuka, Shimokawa, Takatsu, Shimamura, Hase*, 148
- superhelical density, CT-motif, pBR322, regulation of gene expression, S1-sensitive sites, *Yamazaki, Hasebe, Shouguichi, Amano, Kajiwara, Shishido*, 696
- superoxide dismutase, glutathione, reactive oxygen species, snake venom, vascular

S (cont'd)

- endothelial cells, *Suzuki, Nakamura, Hatanaka, Kayanoki, Tatsumi, Taniguchi*, 1260
- surface plasmon resonance, CD9 antigen, Chinese hamster ovary cells, heparan-sulfate proteoglycan, heparin-binding EGF-like growth factor (HB-EGF), *Sakuma, Higashiyama, Hosoe, Hayashi, Taniguchi*, 474
- , DNA-binding protein, HMG proteins, *Yamamoto, Ando, Yoshioka, Saito, Tanabe, Shirakawa, Yoshida*, 586
- , glyceraldehyde-3-phosphate dehydrogenase, membrane fusion, phosphatidylethanolamine, phosphatidylserine, *Kaneda, Takeuchi, Inoue, Umeda*, 1233
- symbiosis, aphid, *Buchnera*, DnaJ, DnaK, *Sato, Ishikawa*, 41
- synovitis, chemotaxis, inflammation, midkine, neutrophil, *Takada, Toriyama, Muramatsu, Song, Torii, Muramatsu*, 453
- synthetic gene, α -amylase inhibitor, hairpin structure, recombinant, wheat kernel, *Okuda, Satoh, Sakurai, Shibuya, Kaji, Samejima*, 918
- synthetic peptide, cell growth, inhibitor, receptor, second messenger, *Homma, Yamasaki, Ohmi, Homma*, 738
- , hepatitis C virus, protease inhibitor, serine proteinase, substrate specificity, *Kakiuchi, Komoda, Hijikata, Shimotohno*, 749
- , megakaryocyte, peptide mimic, phage display library, thrombopoietin, *Kimura, Kaburaki, Miyamoto, Katayama, Watanabe*, 1046
- Syrian hamster, cDNA, inter- α -trypsin inhibitor heavy chains, inter- α -trypsin inhibitor family, molecular evolution, *Nakatani, Suzuki, Yamamoto, Sinozaki*, 71
- T
- Taiwan cobra neurotoxin, amino acid sequence, evolutionary divergence, genomic structure, snoRNA gene, *Chang, Chou, Lin, Wu, Lin, Hong, Sun, Hsiao*, 1252
- tdcC*, *Escherichia coli*, gene cloning, serine transporter, transport mutant, *Ogawa, Kayahara, Tsuda, Mizushima, Tsuchiya*, 1241
- temperature-sensitive SV40 large T-antigen, gastric epithelial cell, GSM06 cell line, hyaluronan, immortalized cell line, *Goso, Nakano, Sugiyama, Tabuchi, Horiuchi, Hotta*, 96
- temperature sensitivity, sigma factor, α -helix, structural stability, transcription activity, *Liao, Wen, Wang, Tsai, Doi, Chang*, 911
- temporary inhibition, metalloproteinase, reactive site, resynthesis, SMPI, *Seeram, Hiraga, Oda*, 788
- tenascin-C, astrocyte, cerebral cortex, extracellular matrix, neurite outgrowth, *Wakatsuki, Ho, Arioka, Yamasaki, Kitamoto*, 1146
- terminal oxidase, cytochrome *bo*, deletion analysis, minicell, single copy vector, *Nakamura, Saiki, Mogi, Anraku*, 415
- , cytochrome *bo*, proton pump, redox metal center, site-directed mutagenesis, *Kawasaki, Mogi, Anraku*, 422
- , chloride binding site, cytochrome *bo*, electron transfer, heme-copper binuclear center, *Hirano, Mogi, Tsubaki, Hori, Orii, Anraku*, 430
- tertiary structure, D-amino acid oxidase, enzyme-substrate complex, flavoenzyme, molecular mechanics, *Miura, Setoyama, Nishina, Shiga, Mizutani, Miyahara, Hirotsu*, 825
- Δ^8 -tetrahydrocannabinol, anandamide, 2-arachidonoylglycerol, Ca^{2+} transient, cannabinoids, *Sugiura, Kodaka, Kondo, Nakane, Kondo, Waku, Ishima, Watanabe, Yamamoto*, 890
- Tetrahymena*, A-rich bulge, *in vivo* selection, P5abc, ribozyme, *Ikawa, Okada, Imahori, Shiraishi, Inoue*, 878
- , 14-nm filament protein, citrate synthase, multifunctional protein, posttranslational modification, *Kojima, Watanabe, Numata*, 998
- TFIIIE, general transcription factors, promoter clearance, RNA polymerase II, *TFIIH, Ohkuma*, 481
- TFIIH, general transcription factors, promoter clearance, RNA polymerase II, *TFIIE, Ohkuma*, 481
- TGF- β superfamily, cDNA cloning, secretory protein, *Yokoyama-Kobayashi, Saeki, Sekine, Kato*, 622
- thermolysin, electrostatic interaction, halophilicity, metalloproteinase, salt-activation, *Inouye, Lee, Nambu, Tonomura*, 358
- thermophilic bacteria, *Bacillus stearothermophilus*, bo_2 -type cytochrome *c* oxidase, bo_2 -type oxidase, cytochrome *c*-551, *Sakamoto, Handa, Sone*, 764
- thermostability, extreme thermophile, extrinsic thermostabilization factor, phosphoenolpyruvate carboxylase, *Rhodothermus obamensis*, *Takai, Sato, Uchida, Ishida*, 32
- thrombopoietin, megakaryocyte, peptide mimic, phage display library, synthetic peptides, *Kimura, Kaburaki, Miyamoto, Katayama, Watanabe*, 1046
- thyroid hormone, aryl sulfotransferase, molecular cloning, new gene subfamily, recombinant form, *Fujita, Nagata, Ozawa, Sasano, Yamazoe*, 1052
- tissue and subcellular distributions, phosphorylation, protein phosphatase 2A, rat brain, regulatory subunit 72-kDa δ/B' , *Nagase, Murakami, Nozaki, Inoue, Nishito, Tanabe, Usui, Takeda*, 178
- trans-acting factors, A-stretch site, cis-elements, GC-rich site, glyceraldehyde 3-phosphate dehydrogenase, *Aki, Yanagisawa, Akanuma*, 271
- transacylase, 2-acyl LPC, bonito muscle, fatty acid remodeling, phospholipase A₁, *Hirano, Tanaka, Yoshizumi, Tanaka, Satouchi*, 1160
- transcription, development, differentiation, gene, MEF2, *Morisaki, Sermsuwitayawong, Byun, Matsuda, Hidaka, Morisaki, Mukai*, 939
- transcription activity, sigma factor, α -helix, structural stability, temperature sensitivity, *Liao, Wen, Wang, Tsai, Doi, Chang*, 911

- transcriptional activation, coactivator, drug-inducible expression, heterodimer, *Kobayashi, Numayama-Tsuruta, Sogawa, Fujii-Kuriyama*, 703
- transcriptional regulation, *Bombyx*, DNA replication, PCNA, promoter region, *Takahashi, Yamaguchi, Hirose, Kobayashi, Miyajima, Matsukage*, 1215
- transcription factor, bHLH domain, carcinogenesis, PAS domain, xenobiotics, *Sogawa, Fujii-Kuriyama*, 1075
- transcription-initiation site, gene structure, P450, processed pseudogene, sterol 14-demethylase, *Noshiro, Aoyama, Kawamoto, Gotoh, Horiuchi, Yoshida*, 1114
- transcription start sites, human sarcomas, OS-9 gene, gene structure, 5' upstream region, *Kimura, Nakazawa, Tsuchiya, Asakawa, Shimizu, Yamada*, 1190
- transgenic mice, aldolase C, central nervous system, chromatin structure, copy number-dependent expression, *Arai, Sugama, Hashido, Ohishi, Mukai*, 927
- transglutaminase, chorion hardening, egg envelope, purification, rainbow trout, *Ha, Iuchi*, 947
- transient expression, embryonic stem cells, expression vectors, Cre recombinase, loxP site-specific recombination, *Araki, Imazumi, Okuyama, Oike, Yamamura*, 977
- transport mutant, *Escherichia coli*, gene cloning, serine transporter, *tdcC*, *Ogawa, Kayahara, Tsuda, Mizushima, Tsuchiya*, 1241
- triphenyltin, Ca^{2+} release, sarcoplasmic reticulum, skeletal muscle, *Kang, Chen, Cheng*, 173
- troponin I, cDNA, *Halocynthia roretzi*, isoforms, *Yuasa, Sato, Yamamoto, Takagi*, 374
- turpentine oil, cathepsin, degenerative myopathy, interleukin-6, interleukin-6 receptor antibody, *Tsujinaka, Kishibuchi, Yano, Morimoto, Ebisui, Fujita, Ogawa, Shiozaki, Kominami, Monden*, 595

U

- ubiquinol oxidase, chimera enzyme, Cu₂ center, cytochrome *c* oxidase, heme-copper terminal oxidase, *Uchida, Kusano, Mogi, Anraku, Sone*, 1004
- UDP-galactose transporter, Golgi apparatus, immunofluorescence microscopy, nucleotide-sugar transporter, peptide antibody, *Yoshioka, Sun-Wada, Ishida, Kawakita*, 691
- unidentified EST, digoxigenin, embryonal carcinoma cells, expressed sequence tags, hierarchical cluster analysis, *Nomura, Nishiguchi, Motaleb, Takihara, Takagi, Yasunaga, Shimada*, 129
- 5' upstream region, human sarcomas, OS-9 gene, gene structure, transcription start sites, *Kimura, Nakazawa, Tsuchiya, Asakawa, Shimizu, Yamada*, 1190

V

- vacuole, catalytic domain, H⁺-pyrophosphatase, peptide antibody, proton pump, *Takasu, Nakanishi, Yamauchi, Maeshima*, 883

V (cont'd)

- vanadate, electron paramagnetic resonance spectroscopy, muscle, myosin, nucleotide analog, *Wilson, Shull, Naber, Cooke*, 563
- vascular endothelial cells, glutathione, reactive oxygen species, snake venom, superoxide dismutase, *Suzuki, Nakamura, Hatanaka, Kayanoki, Tatsumi, Taniguchi*, 1260
- venom metalloprotease, calcium, prothrombin time, prothrombin activator, warfarin, *Yamada, Morita*, 991
- vesicular transport, dynamin, epitope tagging, GTP-binding protein, Vps1, *Shin, Shinotsuka, Torii, Murakami, Nakayama*, 525
- voltage pulse, DNA transformation, *Escherichia coli* cells, electrotransfer, *Kimoto, Taketo*, 237
- Vps1, dynamin, epitope tagging, GTP-binding protein, vesicular transport, *Shin, Shinotsuka, Torii, Murakami, Nakayama*, 525
- W
- warfarin, calcium, prothrombin time, prothrombin activator, venom metallopro-

- tease, *Yamada, Morita*, 991
- wheat kernel, α -amylase inhibitor, hairpin structure, recombinant, synthetic gene, *Okuda, Satoh, Sakurai, Shibuya, Kaji, Samejima*, 918

X

- xenobiotics, bHLH domain, carcinogenesis, PAS domain, transcription factor, *Sogawa, Fujii-Kuriyama*, 1075
- Xenopus* egg extract, nuclear envelope, nuclear envelope precursor vesicle, nuclear envelope reconstitution, nuclear membrane, *Imai, Sasagawa, Yamamoto, Kikuchi, Sekiya, Ichimura, Omata, Horigome*, 1024
- X-ray analysis, crystal structure, 3-isopropylmalate dehydrogenase, protein thermostability, structural redundancy, *Tsuchiya, Sekiguchi, Takenaka*, 1092
- X-ray crystallography, helix, lysozyme, site-directed mutagenesis, stability, *Motoshima, Ueda, Masumoto, Hashimoto, Chijiwa, Imoto*, 25
- , catechol 2,3-dioxygenase, crystallization, metapyrocatechase, non-heme iron dioxygenase, *Kita, Kita, Inaka, Ishida, Horiike, Nozaki, Miki*, 201

- , hen lysozyme, hydrogen bond, hydrophobicity, protein stability, *Ohmura, Ueda, Motoshima, Tamura, Imoto*, 512
- , alkaline cellulase, crystallization, detergent enzyme, endo-1,4- β -glucanase, *Shirai, Yamane, Hidaka, Kuyama, Suzuki, Ashida, Ozaki, Ito*, 683
- X-ray diffraction, artificial proteins, biomaterials, crystallization, fibrous proteins, *Cantor, Atkins, Cooper, Fournier, Mason, Tirrell*, 217

Y

- yeast two-hybrid system, cDNA cloning, insulin receptor, SH2 domain association, splice variants, *Riedel, Wang, Hansen, Yousaf*, 1105
- ytterbium(III) ion, lanthanide ion, lutetium(III) ion, metal hydroxo-cluster, RNA hydrolysis, *Matsumura, Komiyama*, 387

Z

- zinc-cluster, basidiomycete, binding-site selection, DNase I footprinting, gel mobility-shift, *Miyazaki, Tsunoka, Shishido*, 1088