

CONTENTS Rearranged According to Subject Categories, Vol. 143, No. 6

JB MINIREVIEWS—New Paradigm in Glycobiology

Expression and Function of the HNK-1 Carbohydrate	I. Morita, Y. Kizuka, S. Kakuda and S. Oka	719
Biological Function of Fucosylation in Cancer Biology	E. Miyoshi, K. Moriwaki and T. Nakagawa	725

BIOCHEMISTRY

Biochemistry General

Facilitation of Dissociation Reaction of Nucleotides Bound to <i>Mycobacterium tuberculosis</i> DnaA	K. Yamamoto, M. Moomey, M. Rajagopalan and M.V.V.S. Madiraju	759
--	--	-----

Protein Structure

Structural bases for the specific interactions between the E2 and E3 components of the <i>Thermus thermophilus</i> 2-oxo acid dehydrogenase complexes	T. Nakai, S. Kuramitsu and N. Kamiya	747
---	--------------------------------------	-----

Protein Interaction and Recognition

Affinity Modulation of Human Placental Insulin and Insulin-Like Growth Factor Receptors by Lectins	R. Masnikosa, A. Nikolić and O. Nedić	813
Establishment of cell–cell junctions depends on the oligomeric states of VE-cadherin	S. Bibert, H. Ayari, D. Riveline, E. Concord, B. Hermant, T. Vernet and D. Gulino-Debrac	821

Enzyme Inhibitors

Inhibition of DNA Helicase, ATPase and DNA-Binding Activities of <i>E. coli</i> RecQ Helicase by Chemotherapeutic Agents	B. Zhang, A.-h. Zhang, L. Chen and X.G. Xi	773
--	--	-----

Biochemistry of Proteolysis

Human Calpain 7/PalBH Associates with a Subset of ESCRT-III-related Proteins in its N-terminal Region and Partly Localizes to Endocytic Membrane Compartments	C. Yorikawa, E. Takaya, Y. Osako, R. Tanaka, Y. Terasawa, T. Hamakubo, Y. Mochizuki, H. Iwanari, T. Kodama, T. Maeda, K. Hitomi, H. Shibata and M. Maki	731
---	---	-----

Analytical Biochemistry

Direct Measure of Fluorescence Intensity for Efficient Receptor-binding Assay: Conjugates of Ethinylcarboxyestradiol and 5(and 6)-Carboxyfluorescein via α,ω -Diaminoalkanes as a Tracer for Estrogen Receptor	D. Asai, T. Tokunaga, K. Kondo, T. Kawaguchi, S. Takayanagi, T. Shinmyozu, M. Nakai, Y. Yakabe and Y. Shimohigashi	781
--	--	-----

CELL

Biomembranes, Organelles, and Protein Sorting

<i>In vitro</i> Formation of a Novel Type of Membrane Vesicles Containing Dpm1p: Putative Transport Vesicles for Lipid Droplets in Budding Yeast	Y. Takeda and A. Nakano	803
--	-------------------------	-----

Cell Death

ErbB-regulated Sensitivity of MCF-7 Breast Cancer Cells to TRAIL via ErbB2/AKT/NF- κ B Pathway	N. Liu, J. Zhang, J. Zhang, S. Liu, Y. Liu and D. Zheng	793
---	---	-----

BIOTECHNOLOGY

Biotechnology General

- | | | |
|---|--|-----|
| Specific Regulation of Cytokine-Dependent p38 MAP Kinase Activation by p62/SQSTM1 | K. Kawai, A. Saito, T. Sudo and H. Osada | 765 |
|---|--|-----|

Glycotechnology

- | | | |
|---|---|-----|
| One-Step Purification of Lectins from Banana Pulp Using Sugar-Immobilized Gold Nano-Particles | S. Nakamura-Tsuruta, Y. Kishimoto, T. Nishimura and Y. Suda | 833 |
|---|---|-----|

- | | | |
|----------------|--|-----|
| ERRATUM | | 841 |
|----------------|--|-----|

INDEX TO AUTHORS

A

- Abe, K. See *Takahata, Tamura, Mihara, Kurokawa, Yamamoto, Nakano, Esaki, and Inagaki*, 467
- Abe, Y., Shimada, H., and Kitada, S. Raft-targeting and Oligomerization of Parasporin-2, a *Bacillus thuringiensis* Crystal Protein with Anti-Tumour Activity, 269
- Akimitsu, N. Messenger RNA Surveillance Systems Monitoring Proper Translation Termination, 1
- Akimoto, T. See *Misawa, Amarume, Murata, and Usui*, 21
- Akter, Mst.H, Chano, T., Okabe, H., Yamaguchi, T., Hirose, F., and Osumi, T. Target Specificities of Estrogen Receptor-Related receptors: Analysis of Binding Sequences and Identification of Rb1-Inducible Coiled-Coil 1 (*Rb1cc1*) as a Target Gene, 395
- Amarume, S. See *Misawa, Akimoto, Murata, and Usui*, 21
- Amaya, Y., Nakai, T., Komaru, K., Tsuneki, M., and Miura, S. Cleavage of the ER-Targeting Signal Sequence of Parathyroid Hormone-related Protein is Cell-Type-Specific and Regulated in *Cis* by its Nuclear Localization Signal, 569
- Ando, M. See *Kannappan, Satoh, Iriyama, Sawada, Takahashi, Furuhashi, and Uda*, 117
- Arai, S. See *Hashimoto, Taniguchi, Yoshino, and Sato*, 87
- Ariga, T. See *Harashima, Harada, Ito, Hyuga, Seki, Yamaguchi, and Niimi*, 537
- Asai, D., Tokunaga, T., Kondo, K., Kawaguchi, T., Takayanagi, S., Shinmyozu, T., Nakai, M., Yakabe, Y., and Shimohigashi, Y. Direct Measure of Fluorescence Intensity for Efficient Receptor-binding Assay: Conjugates of Ethinylcarboxyestradiol and 5(and 6)-Carboxyfluorescein via α,ω -Diaminoalkanes as a Tracer for Estrogen Receptor, 781
- Asano, T. See *Makise, Matsui, Yamairi, Takahashi, Takehara, and Mizushima*, 455
- Asanuma, H. See *Kusada, Morizono, Matsumoto-Takasaki, Sakai, Sato, Takayanagi, and Fujita-Yamaguchi*, 9
- Ayari, H. See *Bibert, Riveline, Concord, Hermant, Vernet, and Gulino-Debrac*, 821
- Azuma, T. See *Nakagawa, Ohmido, Ishikawa, Uchiyama, and Fukui*, 325

B

- Bai, H. See *Kong, Wu, Han, Chen, Chen, Hu, Jiang, and Shen*, 59
- Balestrieri, A. See *Balestrieri, Schiano, Felice, Casamassimi, Milone, Servillo, and Napoli*, 179
- Balestrieri, M.L., Schiano, C., Felice, F., Casamassimi, A., Balestrieri, A., Milone, L., Servillo, L., and Napoli, C. Effect of Low Doses of Red Wine and Pure Resveratrol on Circulating Endothelial Progenitor Cells, 179
- Bibert, S., Ayari, H., Riveline, D., Concord, E., Hermant, B., Vernet, T., and Gulino-Debrac, D. Establishment of cell-cell junctions depends on the oligomeric states of VE-cadherin, 821

C

- Capasso, R., Di Maro, A., Cristinzio, G., De Martino, A., Chambery, A., Daniele, A., Sannino, F., Testa, A., and Parente, A. Isolation, Characterization and Structure-Elicitor Activity Relationships of Hibernalin and its Two Oxidized Forms from *Phytophthora hibernalis* Carne 1925, 131
- Casamassimi, A. See *Balestrieri, Schiano, Felice, Balestrieri, Milone, Servillo, and Napoli*, 179
- Castagnola, M. See *Podda, Manconi, Orianas, Pellegrini, Messana, Mura, Giardina, and Sanna*, 207
- Chambery, A. See *Capasso, Di Maro, Cristinzio, De Martino, Daniele, Sannino, Testa, and Parente*, 131
- Chandra, A. See *Itakura, Yang, Xue, Wang, Kimura, Hikosaka, Inohaya, Kudo, Uezato, and Miura*, 407
- Chano, T. See *Akter, Okabe, Yamaguchi, Hirose, and Osumi*, 395
- Chen, B. See *Zhang, Li, Chen, Lou, Chen, and Zhou*, 675
- Chen, Jian. See *Zhang, Chen, Li, Lou, Chen, and Zhou*, 675
- Chen, Jing. See *Kong, Wu, Bai, Han, Chen, Hu, Jiang, and Shen*, 59
- Chen, K. See *Feng, Lin, Shen, Jiang, and Liu*, 243
- . See *Chen, Zhang, Hu, Jiang, and Shen*, 525
- Chen, Lei. See *Zhang, Zhang, and Guang Xi*, 773
- Chen, Lili. See *Kong, Wu, Bai, Han, Chen, Hu, Jiang, and Shen*, 59
- Chen, M. See *Zhang, Chen, Li, Chen, Lou, and Zhou*, 675
- Chen, S., Zhang, J., Hu, T., Chen, K., Jiang, H., and Shen, X. Residues on the Dimer Interface of SARS Coronavirus

3C-like Protease: Dimer Stability Characterization and Enzyme Catalytic Activity Analysis, 525

- Choi, W.S. See *Won, Seo, Ko, and Lee*, 163
- Concord, E. See *Bibert, Ayari, Riveline, Hermant, Vernet, and Gulino-Debrac*, 821
- Cristinzio, G. See *Capasso, Di Maro, De Martino, Chambery, Daniele, Sannino, Testa, and Parente*, 131
- Cui, S.-Y., Jin, H., Kim, S.-J., Kumar, A.P., and Lee, Y.-I. Interaction of Glutathione and Sodium Selenite *In vitro* Investigated by Electrospray Ionization Tandem Mass Spectrometry, 685

D

- Dang, M.T. See *Yokoi, Mitsui, Li, and Li*, 39
- Daniele, A. See *Capasso, Di Maro, Cristinzio, De Martino, Chambery, Sannino, Testa, and Parente*, 131
- De Michelis, M.I. See *Meneghelli, and Luoni*, 253
- Dohmae, N. See *Yokoyama, Nakagawa, Satoh, Saitoh, Harada, Satoh, Karasawa, Takio, Yanagida, and Inoue*, 369
- Doshita, M. See *Habara, Hirozawa, Yokono, Yagi, Takeshima, and Matsuo*, 303

E

- Eltsov, M. See *Maeshima*, 145
- Emori, Y. See *Park*, 217
- Esaki, N. See *Takahata, Tamura, Abe, Mihara, Kurokawa, Yamamoto, Nakano, and Inagaki*, 467

F

- Felice, F. See *Balestrieri, Schiano, Casamassimi, Balestrieri, Milone, Servillo, and Napoli*, 179
- Feng, Y., Lin, Z., Shen, X., Chen, K., Jiang, H., and Liu, D. Bcl-x_L Forms Two Distinct Homodimers at Non-ionic Detergents: Implications in the Dimerization of Bcl-2 Family Proteins, 243
- Fujita-Yamaguchi, Y. See *Kusada, Morizono, Matsumoto-Takasaki, Sakai, Sato, Asanuma, and Takayanagi*, 9
- Fujita, M. See *Hirayama, Yoko-o, and Jigami*, 555
- Fujita, T. See *Nakashima, Iwashita, Sato, Niwano, Kohno, Kuwahara, Harada, Takeshita, and Oda*, 107
- Fukami, Y. See *Morita, Matsuzaki, Yamamoto, and Kikkawa*, 31
- Fukamizo, T. See *Mizuno, Sugiyama, Nishizawa, Kezuka, Nonaka, Suzuki, and Watanabe*, 487

- Fukuda, H. See *Ishii, Tanaka, Matsumura, Tatematsu, Kuroda, Ogino, and Kondo*, 667
- Fukui, K. See *Nakagawa, Ohmido, Ishikawa, Uchiyama, and Azuma*, 325
- Fukuzawa, M. See *Matsunami, Okura, Uchida, Otsuka, and Miyagawa*, 641
- Furuhata, K. See *Kannappan, Satoh, Iriyama, Ando, Sawada, Takahashi, and Uda*, 117
- Furuyama, T. See *Yamashita, Wang, Wang, Kontani, Sato, and Mori*, 385

G

- Ge, F., Yokochi, N., Yoshikane, Y., Ohnishi, K., and Yagi, T. Gene Identification and Characterization of the Pyridoxine Degradative Enzyme 4-Pyridoxic Acid Dehydrogenase from the Nitrogen-fixing Symbiotic Bacterium *Mesorhizobium loti* MAFF303099, 603
- Ge, X. See *Zhou, Wei, Liu, Zhou, Yun, Jiang, and Gu*, 547
- Gerrard, J.A. See *Pearce and Sprissler*, 617
- Giardina, B. See *Podda, Manconi, Olanas, Pellegrini, Messana, Mura, Castagnola, and Sanna*, 207
- Goda, S. See *Hisamatsu, Tsuda, and Hatakeyama*, 79
- Godde, J.S., and Ura, K. Cracking the Enigmatic Linker Histone Code, 287
- Gordiyenko, Y. See *Grela, Sawa-Makarska, Robinson, Grankowski, and Tchórzewski*, 169
- Grankowski, N. See *Grela, Sawa-Makarska, Gordiyenko, Robinson, and Tchórzewski*, 169
- Grela, P., Sawa-Makarska, J., Gordiyenko, Y., Robinson, C.V., Grankowski, N., and Tchórzewski, M. Structural Properties of the Human Acidic Ribosomal P Proteins Forming the P1-P2 Heterocomplex, 169
- Gu, J. See *Zhou, Wei, Liu, Ge, Zhou, Yun, and Jiang*, 547
- Guang Xi, X. See *Zhang, Zhang, and Chen*, 773
- Gulino-Debrac, D. See *Bibert, Ayari, Riveline, Concord, Hermant, and Vernet*, 821

H

- Habara, Y., Doshita, M., Hirozawa, S., Yokono, Y., Yagi, M., Takeshima, Y., and Matsuo, M. A Strong Exonic Splicing Enhancer in Dystrophin Exon 19 Achieve Proper Splicing Without an Upstream Polypyrimidine Tract, 303
- Hamakubo, T. See *Yorikawa, Takaya, Osako, Tanaka, Terasawa, Mochizuki,*

Iwanari, Kodama, Maeda, Hitomi, Shibata, and Maki, 731

- Han, C. See *Kong, Wu, Bai, Chen, Chen, Hu, Jiang, and Shen*, 59
- Harada, A. See *Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Satoh, Karasawa, Takio, Yanagida, and Inoue*, 369
- Harada, K. See *Harashima, Ito, Hyuga, Seki, Ariga, Yamaguchi, and Niimi*, 537
- Harada, N. See *Nakashima, Iwashita, Fujita, Sato, Niwano, Kohno, Kuwahara, Takeshita, and Oda*, 107
- Harashima, M., Harada, K., Ito, Y., Hyuga, M., Seki, T., Ariga, T., Yamaguchi, T., and Niimi, S. Annexin A3 Expression Increases in Hepatocytes and is Regulated by Hepatocyte Growth Factor in Rat Liver Regeneration, 537
- Hashiguchi, S. See *Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Ito, Hashimoto, Iwatsubo, Tsuyama, Nakashima, and Sugimura*, 475
- See *Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Nogami, Matsumoto, Ito, Nakashima, and Sugimura*, 593
- Hashimoto, K. See *Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Yokoi, Nakanishi, Shimizu, Okayama, and Oguri*, 581
- Hashimoto, M., Taniguchi, M., Yoshino, S., Arai, S., and Sato, K. S Phase-preferential Cre-recombination in Mammalian Cells Revealed by HIV-TAT-PTD-mediated Protein Transduction, 87
- Hashimoto, T. See *Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Iwatsubo, Tsuyama, Nakashima, and Sugimura*, 475
- Hatakeyama, T. See *Hisamatsu, Tsuda, and Goda*, 79
- Hazeki, K. See *Kubo-Murai, Nigorikawa, Omoto, Inoue, and Hazeki*, 295
- Hazeki, O. See *Kubo-Murai, Hazeki, Nigorikawa, Omoto, and Inoue*, 295
- Hermant, B. See *Bibert, Ayari, Riveline, Concord, Vernet, and Gulino-Debrac*, 821
- Hikosaka, K. See *Itakura, Chandra, Yang, Xue, Wang, Kimura, Inohaya, Kudo, Uezato, and Miura*, 407
- Hirai, H., Noi, K., Hongo, K., Mizobata, T., and Kawata, Y. Functional Characterization of the Recombinant Group II Chaperonin α from *Thermoplasma acidophilum*, 505
- Hirashima, M. See *Yamamoto, Nishi, Shoji, Itoh, Lu, and Nakamura*, 311
- Hirayama, H., Fujita, M., Yoko-o, T., and Jigami, Y. O-Mannosylation is Required for Degradation of the Endoplasmic Reticulum-associated Degradation Substrate Gas1^p via

the Ubiquitin/Proteasome Pathway in *Saccharomyces cerevisiae*, 555

- Hirose, F. See *Akter, Chano, Okabe, Yamaguchi, and Osumi*, 395
- Hirozawa, S. See *Habara, Doshita, Yokono, Yagi, Takeshima, and Matsuo*, 303
- Hisajima, S. See *Kaku, Kaneko, Minamihara, Iwata, Jordan, Rojo, Minami-Ishii, Minami, and Shibuya*, 143
- Hisamatsu, K., Tsuda, N., Goda, S., and Hatakeyama, T. Characterization of the α -Helix Region in Domain 3 of the Haemolytic Lectin CEL-III: Implications for Self-Oligomerization and Haemolytic Processes, 79
- Hitomi, K. See *Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Shibata, and Maki*, 731
- Hongo, K. See *Hirai, Noi, Mizobata, and Kawata*, 505
- Horii, T. See *Tokuoka, Kusakari, Krungkrai, Matsumura, Kai, Krungkrai, and Inoue*, 69
- Horiike, K. See *Tanaka, Yamamoto, and Ishida*, 49
- Hosono, K. See *Someya, Morimura, Takaku, and Kawai*, 339
- Hu, L. See *Kong, Wu, Bai, Han, Chen, Chen, Jiang, and Shen*, 59
- Hu, T. See *Chen, Zhang, Chen, Jiang, and Shen*, 525
- Hyuga, M. See *Harashima, Harada, Ito, Seki, Ariga, Yamaguchi, and Niimi*, 537

I

- Ichishita, R., Tanaka, K., Sugiura, Y., Sayano, T., Mihara, K., and Oka, T. An RNAi Screen for Mitochondrial Proteins Required to Maintain the Morphology of the Organelle in *Caenorhabditis elegans*, 449
- Iketani, S. See *Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Maeda, Okamoto, Urban, Onoue, and Seyama*, 633
- Ikuta, K. See *Ogawa, and Satake*, 695
- Inagaki, K. See *Takahata, Tamura, Abe, Mihara, Kurokawa, Yamamoto, Nakano, and Esaki*, 467
- Inohaya, K. See *Itakura, Chandra, Yang, Xue, Wang, Kimura, Hikosaka, Kudo, Uezato, and Miura*, 407
- Inoue, K. See *Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Harada, Satoh, Karasawa, Takio, and Yanagida*, 369
- Inoue, N. See *Kubo-Murai, Hazeki, Nigorikawa, Omoto, and Hazeki*, 295
- Inoue, T. See *Tokuoka, Kusakari, Krungkrai, Matsumura, Kai, Krungkrai, and Horii*, 69
- Inouye, K. See *Yasukawa, and Nemoto*, 261
- Inouye, S. Cloning, Expression, Purification and Characterization of an Isotype

- of Clytin, a Calcium-Binding Photoprotein from the Luminous Hydromedusa *Clytia gregarium*, 711
- Iriyama, N. See Kannappan, Satoh, Ando, Sawada, Takahashi, Furuhashi, and Uda, 117
- Ishibashi, M. See Kurokawa, Nishida, Mizumura, Ueno, Yutsudo, Maki, Murakami, and Sekimizu, 417
- Ishida, M. See Wachi, Nonaka, Sato, Shibata-Sato, Iketani, Maeda, Okamoto, Urban, Onoue, and Seyama, 633
- Ishida, T. See Tanaka, Yamamoto, and Horiike, 49
- Ishii, J., Tanaka, T., Matsumura, S., Tatematsu, K., Kuroda, S., Ogino, C., Fukuda, H., and Kondo, A. Yeast-Based Fluorescence Reporter Assay of G Protein-coupled Receptor Signalling for Flow Cytometric Screening: *FAR1*-Disruption Recovers Loss of Episomal Plasmid Caused by Signalling in Yeast, 667
- Ishikawa, K. See Nakagawa, Ohmido, Uchiyama, Fukui, and Azuma, 325
- Ishiura, S. See Mori, Sasagawa, and Kino, 377
- Itakura, T., Chandra, A., Yang, Z., Xue, X., Wang, B., Kimura, W., Hikosaka, K., Inohaya, K., Kudo, A., Uezato, T., and Miura, N. The Medaka FoxP2, a Homologue of Human Language Gene *FOXP2*, has a Diverged Structure and Function, 407
- Itaya, M. See Kuroki, Toda, Matsui, Uotsu-Tomita, and Tomita, 97
- Ito, H. See Kim, Yoshida, Kojima, Kurita, Nishii, Muramatsu, Park, and Takahashi, 237
- Ito, J.-i. See Nagayasu, Nishida, and Yokoyama, 611
- Ito, Yoshimasa. See Harashima, Harada, Hyuga, Seki, Ariga, Yamaguchi, and Niimi, 537
- Ito, Yuji. See Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Hashimoto, Iwatsubo, Tsuyama, Nakashima, and Sugimura, 475
- Ito, Y. See Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Nogami, Matsumoto, Hashiguchi, Nakashima, and Sugimura, 593
- Itoh, A. See Yamamoto, Nishi, Shoji, Lu, Hirashima, and Nakamura, 311
- Iwanari, H. See Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Kodama, Maeda, Hitomi, Shibata, and Maki, 731
- Iwashita, T. See Nakashima, Fujita, Sato, Niwano, Kohno, Kuwahara, Harada, Takeshita, and Oda, 107
- Iwata, K. See Kaku, Kaneko, Minamihara, Jordan, Rojo, Minami-Ishii, Minami, Hisajima, and Shibuya, 143
- Iwatsubo, T. See Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Tsuyama, Nakashima, and Sugimura, 475
- ### J
- Jiang, H. See Kong, Wu, Bai, Han, Chen, Chen, Hu, and Shen, 59
- . See Feng, Lin, Shen, Chen, and Liu, 243
- . See Chen, Zhang, Hu, Chen, and Shen, 525
- Jiang, J. See Zhou, Wei, Liu, Ge, Zhou, Yun, and Gu, 547
- Jigami, Y. See Hirayama, Fujita, and Yoko-o, 555
- Jin, H. See Cui, Kim, Kumar, and Lee, 685
- Jordan, E.T. See Kaku, Kaneko, Minamihara, Iwata, Rojo, Minami-Ishii, Minami, Hisajima, and Shibuya, 143
- ### K
- Kai, Y. See Tokuoka, Kusakari, Krungkrai, Matsumura, Krungkrai, Horii, and Inoue, 69
- Kaku, H., Kaneko, H., Minamihara, N., Iwata, K., Jordan, E.T., Rojo, M.A., Minami-Ishii, N., Minami, E., Hisajima, S., and Shibuya, N. Elderberry Bark Lectins Evolved to Recognize Neu5Ac α 2,6Gal/GalNAc Sequence from a Gal/GalNAc Binding Lectin Through the Substitution of Amino-Acid Residues Critical for the Binding to Sialic Acid, 143
- Kakuda, S. See Morita, Kizuka, and Oka, 719
- Kamiya, N. See Nakai, and Kuramitsu, 747
- Kanazawa, H. See Kuwahara, and Nishizaki, 349
- Kaneko, H. See Kaku, Minamihara, Iwata, Jordan, Rojo, Minami-Ishii, Minami, Hisajima, and Shibuya, 143
- Kannappan, R., Satoh, Y., Iriyama, N., Ando, M., Sawada, M.T., Takahashi, N., Furuhashi, K., and Uda, Y. Identification and Characterization of Cathepsin D in a Highly Purified Sialidase from Starfish *A. pectinifera*, 117
- Karasawa, K. See Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Harada, Satoh, Takio, Yanagida, and Inoue, 369
- Katoh, S.-Y., Ueno, M., and Takakura, N. Involvement of MDR1 Function in Proliferation of Tumour Cells, 517
- Kawaguchi, T. See Asai, Tokunaga, Kondo, Takayanagi, Shinmyozu, Nakai, Yakabe, and Shimohigashi, 781
- Kawai, G. See Someya, Hosono, Morimura, and Takaku, 339
- Kawai, K., Saito, A., Sudo, T., and Osada, H. Specific Regulation of Cytokine-Dependent p38 MAP Kinase Activation by p62/SQSTM1, 765
- Kawakami, F., Yamaguchi, A., Suzuki, K., Yamamoto, T., and Ohtsuki, K. Biochemical Characterization of Phospholipids, Sulfatide and Heparin as Potent Stimulators for Auto-phosphorylation of GSK-3 β and the GSK-3 β -Mediated Phosphorylation of Myelin Basic Protein *in vitro*, 359
- Kawakita, M. See Sakaguchi, Takezawa, Nakazawa, Nozawa, Kusakawa, Nagasawa, and Sugahara, 625
- Kawata, Y. See Hirai, Noi, Hongo, and Mizobata, 505
- Ke, R., Sakiyama, N., Sawada, R., Sonoyama, M., and Mitaku, S. Vertebrate Genomes Code Excess Proteins with Charge Periodicity of 28 Residues, 661
- Kezuka, Y. See Mizuno, Fukamizo, Sugiyama, Nishizawa, Nonaka, Suzuki, and Watanabe, 487
- Kikkawa, U. See Morita, Matsuzaki, Yamamoto, and Fukami, 31
- Kim, J.-W. See Kim, Sun, Oh, Yoon, and Lee, 497
- Kim, M.S., Kim, J.-W., Sun, C., Oh, S.T., Yoon, K.H., and Lee, S.K. Induction of Efficient Differentiation and Survival of Porcine Neonatal Pancreatic Cell Clusters Using an EBV-based Plasmid Expressing HGF, 497
- Kim, S.-J. See Cui, Jin, Kumar, and Lee, 685
- Kim, Y.-T., Yoshida, H., Kojima, M., Kurita, R., Nishii, W., Muramatsu, T., Ito, H., Park, S.J., and Takahashi, K. The Effects of Mutations in the Carboxyl-Terminal Region on the Catalytic Activity of *Escherichia coli* Signal Peptidase I, 237
- Kimura, W. See Itakura, Chandra, Yang, Xue, Wang, Hikosaka, Inohaya, Kudo, Uezato, and Miura, 407
- Kimura, M., and Takemori, S. CH₂-Units on (Poly-)ethylene Glycol Radially Dehydrate Cytoplasm of Resting Skinned Skeletal Muscle, 123
- . and Takemori, S. CH₂-Units on (Poly-)ethylene Glycol Radially Dehydrate Cytoplasm of Resting Skinned Skeletal Muscle, 841
- Kino, Y. See Mori, Sasagawa, and Ishiura, 377
- Kishimoto, Y. See Nakamura-Tsuruta, Nishimura, and Suda, 833
- Kitada, S. See Abe and Shimada, 269
- Kiyono, S. See Koyama, Naruo, Yoshitomi, Munesue, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, Okayama, and Oguri, 581

- Kizuka, Y. See *Morita, Kakuda, and Oka*, 719
- Ko, H.-S. See *Won, Seo, Choi, and Lee*, 163
- Kodama, T. See *Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Maeda, Hitomi, Shibata, and Maki*, 731
- Kohno, M. See *Nakashima, Iwashita, Fujita, Sato, Niwano, Kuwahara, Harada, Takeshita, and Oda*, 107
- Kojima, M. See *Kim, Yoshida, Kurita, Nishii, Muramatsu, Ito, Park, and Takahashi*, 237
- Komaru, K. See *Amaya, Nakai, Tsuneki, and Miura*, 569
- Komba, S. See *Kumano-Kuramochi, Xie, Sakakibara, Niimi, Sekizawa, and Machida*, 229
- Kondo, A. See *Ishii, Tanaka, Matsumura, Tatematsu, Kuroda, Ogino, and Fukuda*, 667
- Kondo, K. See *Asai, Tokunaga, Kawaguchi, Takayanagi, Shinmyozu, Nakai, Yakabe, and Shimohigashi*, 781
- Kong, Y., Wu, D., Bai, H., Han, C., Chen, J., Chen, L., Hu, L., Jiang, H., and Shen, X. Enzymatic Characterization and Inhibitor Discovery of a New Cystathionine γ -Synthase from *Helicobacter pylori*, 59
- Konishi, H. See *Omi, Nakata, Okamura-Ikeda, and Taniguchi*, 649
- Kontani, Y. See *Yamashita, Wang, Wang, Furuyama, Sato, and Mori*, 385
- Koyama, Y., Naruo, H., Yoshitomi, Y., Munesue, S., Kiyono, S., Kusano, Y., Hashimoto, K., Yokoi, T., Nakanishi, H., Shimizu, S., Okayama, M., and Oguri, K. Matrix Metalloproteinase-9 Associated with Heparan Sulphate Chains of GPI-Anchored Cell Surface Proteoglycans Mediates Motility of Murine Colon Adenocarcinoma Cells, 581
- Krungkrai, J. See *Tokuoka, Kusakari, Krungkrai, Matsumura, Kai, Horii, and Inoue*, 69
- Krungkrai, S.R. See *Tokuoka, Kusakari, Matsumura, Kai, Krungkrai, Horii, and Inoue*, 69
- Kuba, S. See *Yoshihara, Takiguchi, Kyuno, Tanaka, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, Nakashima, and Sugimura*, 475
- Kubo-Murai, M., Hazeki, K., Nigorikawa, K., Omoto, T., Inoue, N., and Hazeki, O. IRAK-4-dependent Degradation of IRAK-1 is a Negative Feedback Signal for TLR-mediated NF- κ B Activation, 295
- Kudo, A. See *Itakura, Chandra, Yang, Xue, Wang, Kimura, Hikosaka, Inohaya, Uezato, and Miura*, 407
- Kumano-Kuramochi, M., Xie, Q., Sakakibara, Y., Niimi, S., Sekizawa, K., Komba, S., and Machida, S. Expression and Characterization of Recombinant C-Terminal Biotinylated Extracellular Domain of Human Receptor for Advanced Glycation End Products (hsRAGE) in *Escherichia coli*, 229
- Kumar, A.P. See *Cui, Jin, Kim, and Lee*, 685
- Kuramitsu, S. See *Nakai, and Kamiya*, 747
- Kurita, R. See *Kim, Yoshida, Kojima, Nishii, Muramatsu, Ito, Park, and Takahashi*, 237
- Kuroda, S. See *Ishii, Tanaka, Matsumura, Tatematsu, Ogino, Fukuda, and Kondo*, 667
- Kurokawa, S. See *Takahata, Tamura, Abe, Mihara, Yamamoto, Nakano, Esaki, and Inagaki*, 467
- Kurokawa, K., Nishida, S., Ishibashi, M., Mizumura, H., Ueno, K., Yutsudo, T., Maki, H., Murakami, K., and Sekimizu, K. *Staphylococcus aureus* MurC Participates in L-Alanine Recognition via Histidine 343, a Conserved Motif in the Shallow Hydrophobic Pocket, 417
- Kuroki, S. See *Yoshinaga, Matsumoto, Torikai, Sugyo, Nogami, Matsumoto, Hashiguchi, Ito, Nakashima, and Sugimura*, 593
- Kuroki, A., Toda, T., Matsui, K., Uotsu-Tomita, R., Tomita, M., and Itaya, M. Reshuffling of the *Bacillus subtilis* 168 Genome by Multifold Inversion, 97
- Kusada, Y., Morizono, T., Matsumoto-Takasaki, A., Sakai, K., Sato, S., Asanuma, H., Takayanagi, A., and Fujita-Yamaguchi, Y. Construction and Characterization of Single-chain Antibodies Against Human Insulin-like Growth Factor-I Receptor from Hybridomas Producing 1H7 or 3B7 Monoclonal Antibody, 9
- Kusakari, Y. See *Tokuoka, Krungkrai, Matsumura, Kai, Krungkrai, Horii, and Inoue*, 69
- Kusakawa, T. See *Sakaguchi, Takezawa, Nakazawa, Nozawa, Nagasawa, Sugahara, and Kawakita*, 625
- Kusano, Y. See *Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Hashimoto, Yokoi, Nakanishi, Shimizu, Okayama, and Oguri*, 581
- Kuwahara, H., Nishizaki, M., and Kanazawa, H. Nuclear Localization Signal and Phosphorylation of Serine350 Specify Intracellular Localization of DRAK2, 349
- Kuwahara, S. See *Nakashima, Iwashita, Fujita, Sato, Niwano, Kohno, Harada, Takeshita, and Oda*, 107
- Kyuno, A. See *Yoshihara, Takiguchi, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, Nakashima, and Sugimura*, 475
- L
- Lee, B.-J. See *Won, Seo, Ko, and Choi*, 163
- Lee, S.K. See *Kim, Kim, Sun, Oh, and Yoon*, 497
- Lee, Y.-I. See *Cui, Jin, Kim, and Kumar*, 685
- Li, J. See *Yokoi, Dang, Mitsui, and Li*, 39
- Li, Y.-x. See *Liu, Zhou, and Zhao*, 333
- Li, Yuping. See *Zhang, Chen, Chen, Lou, Chen, and Zhou*, 675
- Li, Yuqing. See *Yokoi, Dang, Mitsui, and Li*, 39
- Lin, Z. See *Feng, Shen, Chen, Jiang, and Liu*, 243
- Liu, Dan. See *Zhou, Wei, Ge, Zhou, Yun, Jiang, and Gu*, 547
- Liu, Dongxiang. See *Feng, Lin, Shen, Chen, and Jiang*, 243
- Liu, M.-l., Li, Y.-x., Zhou, X.-m., and Zhao, D.-m. Copper(II) Inhibits *In vitro* Conformational Conversion of Ovine Prion Protein Triggered by Low pH, 333
- Liu, N., Zhang, J., Zhang, J., Liu, S., Liu, Y., and Zheng, D. Erbin-regulated Sensitivity of MCF-7 Breast Cancer Cells to TRAIL via ErbB2/AKT/NF- κ B Pathway, 793
- Liu, S. See *Liu, Zhang, Zhang, Liu, and Zheng*, 793
- Liu, Y. See *Liu, Zhang, Zhang, Liu, and Zheng*, 793
- Lou, G. See *Zhang, Chen, Li, Chen, Chen, and Zhou*, 675
- Lu, L.-H. See *Yamamoto, Nishi, Shoji, Itoh, Hirashima, and Nakamura*, 311
- Luoni, L. See *Meneghelli, and De Michelis*, 253
- M
- Machida, S. See *Kumano-Kuramochi, Xie, Sakakibara, Niimi, Sekizawa, and Komba*, 229
- Madiraju, M.V.V.S. See *Yamamoto, Moomey, and Rajagopalan*, 759
- Maeda, I. See *Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Iketani, Okamoto, Urban, Onoue, and Seyama*, 633
- Maeda, T. See *Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Hitomi, Shibata, and Maki*, 731
- Maeshima, K., and Eltsov, M. Packaging the Genome: the Structure of Mitotic Chromosomes, 145
- Maki, H. See *Kurokawa, Nishida, Ishibashi, Mizumura, Ueno, Yutsudo, Murakami, and Sekimizu*, 417
- Maki, M. See *Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, and Shibata*, 731
- Maki, Y. See *Ueta, Ohniwa, Yoshida, Wada, and Wada*, 425

- Makino, Y. See *Watanabe, and Omichi*, 435
- Makise, M., Matsui, N., Yamairi, F., Takahashi, N., Takehara, M., Asano, T., and Mizushima, T. Analysis of Origin Recognition Complex in *Saccharomyces cerevisiae* by Use of Degron Mutants, 455
- Manconi, B. See *Podda, Olinas, Pellegrini, Messana, Mura, Castagnola, Giardina, and Sanna*, 207
- Maro, A.D. See *Capasso, Cristinzio, Martino, Chambery, Daniele, Sannino, Testa, and Parente*, 131
- Martino, A.D. See *Capasso, Maro, Cristinzio, Chambery, Daniele, Sannino, Testa, and Parente*, 131
- Masnikosa, R., Nikolić, A., and Nedić, O. Affinity Modulation of Human Placental Insulin and Insulin-Like Growth Factor Receptors by Lectins, 813
- Matsui, K. See *Kuroki, Toda, Uotsu-Tomita, Tomita, and Itaya*, 97
- Matsui, N. See *Makise, Yamairi, Takahashi, Takehara, Asano, and Mizushima*, 455
- Matsumoto-Takasaki, A. See *Kusada, Morizono, Sakai, Sato, Asanuma, Takayanagi, and Fujita-Yamaguchi*, 9
- Matsumoto, M. See *Yoshinaga, Torikai, Sugyo, Kuroki, Nogami, Matsumoto, Hashiguchi, Ito, Nakashima, and Sugimura*, 593
- Matsumoto, R. See *Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Nogami, Hashiguchi, Ito, Nakashima, and Sugimura*, 593
- Matsumura, H. See *Tokuoka, Kusakari, Krungkrai, Kai, Krungkrai, Horii, and Inoue*, 69
- Matsumura, S. See *Ishii, Tanaka, Tatematsu, Kuroda, Ogino, Fukuda, and Kondo*, 667
- Matsunami, K., Okura, E., Uchida, H., Otsuka, H., Fukuzawa, M., and Miyagawa, S. Identification of Amino Acid Positions Involved in HLA-E Expression, 641
- Matsuo, M. See *Habara, Doshita, Hirozawa, Yokono, Yagi, and Takeshima*, 303
- Matsuzaki, H. See *Morita, Yamamoto, Fukami, and Kikkawa*, 31
- Meneghelli, S., Luoni, L., and De Michelis, M.I. Heparin Stimulates a Plasma Membrane Ca^{2+} -ATPase of *Arabidopsis thaliana*, 253
- Messana, I. See *Podda, Manconi, Olinas, Pellegrini, Mura, Castagnola, Giardina, and Sanna*, 207
- Mihara, K. See *Ichishita, Tanaka, Sugiura, Sayano, and Oka*, 449
- Mihara, H. See *Takahata, Tamura, Abe, Kurokawa, Yamamoto, Nakano, Esaki, and Inagaki*, 467
- Milone, L. See *Balestrieri, Schiano, Felice, Casamassimi, Balestrieri, Servillo, and Napoli*, 179
- Minami-Ishii, N. See *Kaku, Kaneko, Minamihara, Iwata, Jordan, Rojo, Minami, Hisajima, and Shibuya*, 143
- Minami, E. See *Kaku, Kaneko, Minamihara, Iwata, Jordan, Rojo, Minami-Ishii, Hisajima, and Shibuya*, 143
- Minamihara, N. See *Kaku, Kaneko, Iwata, Jordan, Rojo, Minami-Ishii, Minami, Hisajima, and Shibuya*, 143
- Mine, T. See *Tsukamoto, Takakura, and Yamamoto*, 187
- Misawa, Y., Akimoto, T., Amarume, S., Murata, T., and Usui, T. Enzymatic Synthesis of Spacer-Linked Divalent Glycosides Carrying N-Acetylglucosamine and N-Acetylactosamine: Analysis of Cross-Linking Activities with WGA, 21
- Mitaku, S. See *Ke, Sakiyama, Sawada, and Sonoyama*, 661
- See *Yokoyama, Sonoyama, and Nakano*, 277
- Mitsui, S. See *Yokoi, Dang, Li, and Li*, 39
- Miura, N. See *Itakura, Chandra, Yang, Xue, Wang, Kimura, Hikosaka, Inohaya, Kudo, and Uezato*, 407
- Miura, S. See *Amaya, Nakai, Komaru, and Tsuneki*, 569
- Miyagawa, S. See *Matsunami, Okura, Uchida, Otsuka, and Fukuzawa*, 641
- Miyazono, K. See *Suzuki, Montagne, Nishihara, and Watabe*, 199
- Miyoshi, E., Moriwaki, K., and Nakagawa, T. Biological Function of Fucosylation in Cancer Biology, 725
- Mizobata, T. See *Hirai, Noi, Hongo, and Kawata*, 505
- Mizumura, H. See *Kurokawa, Nishida, Ishibashi, Ueno, Yutsudo, Maki, Murakami, and Sekimizu*, 417
- Mizuno, R., Fukamizo, T., Sugiyama, S., Nishizawa, Y., Kezuka, Y., Nonaka, T., Suzuki, K., and Watanabe, T. Role of the Loop Structure of the Catalytic Domain in Rice Class I Chitinase, 487
- Mizushima, T. See *Makise, Matsui, Yamairi, Takahashi, Takehara, and Asano*, 455
- Mochizuki, Y. See *Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Iwanari, Kodama, Maeda, Hitomi, Shibata, and Maki*, 731
- Montagne, K. See *Suzuki, Nishihara, Watabe, and Miyazono*, 199
- Moomey, M. See *Yamamoto, Rajagopalan, and Madiraju*, 759
- Mori, D., Sasagawa, N., Kino, Y., and Ishiura, S. Quantitative Analysis of CUG-BP1 Binding to RNA Repeats, 377
- Mori, N. See *Yamashita, Wang, Wang, Furuyama, Kontani, and Sato*, 385
- Morimura, K. See *Someya, Hosono, Takaku, and Kawai*, 339
- Morita, I., Kizuka, Y., Kakuda, S., and Oka, S. Expression and Function of the HNK-1 Carbohydrate, 719
- Morita, M., Matsuzaki, H., Yamamoto, T., Fukami, Y., and Kikkawa, U. Epidermal Growth Factor Receptor Phosphorylates Protein Kinase C δ at Tyr332 to form a Trimeric Complex with p66Shc in the H_2O_2 -stimulated Cells, 31
- Moriwaki, K. See *Miyoshi, and Nakagawa*, 725
- Morizono, T. See *Kusada, Matsumoto-Takasaki, Sakai, Sato, Asanuma, Takayanagi, and Fujita-Yamaguchi*, 9
- Munesue, S. See *Koyama, Naruo, Yoshitomi, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, Okayama, and Oguri*, 581
- Mura, M., and Castagnola, M. See *Podda, Manconi, Olinas, Pellegrini, Messana, Giardina, and Sanna*, 207
- Murakami, K. See *Kurokawa, Nishida, Ishibashi, Mizumura, Ueno, Yutsudo, Maki, and Sekimizu*, 417
- Muramatsu, T. See *Kim, Yoshida, Kojima, Kurita, Nishii, Ito, Park, and Takahashi*, 237
- Murata, T. See *Misawa, Akimoto, Amarume, and Usui*, 21

N

- Nagasawa, T. See *Sakaguchi, Takezawa, Nakazawa, Nozawa, Kusakawa, Sugahara, and Kawakita*, 625
- Nagayasu, Y., Ito, J.-i., Nishida, T., and Yokoyama, S. Reactivity of Astrocytes to Fibroblast Growth Factor-1 for Biogenesis of Apolipoprotein E-High Density Lipoprotein is Down-regulated by Long-time Secondary Culture, 611
- Nakagawa, Masatoshi., Ohmido, N., Ishikawa, K., Uchiyama, S., Fukui, K., and Azuma, T. Anti-Peptide Antibodies for Examining the Conformation, Molecular Assembly and Localization of an Intracellular Protein, Ribosomal Protein S6, In vivo, 325
- Nakagawa, Miyuki. See *Yokoyama, Satoh, Saitoh, Dohmae, Harada, Satoh, Karasawa, Takio, Yanagida, and Inoue*, 369
- Nakagawa, T. See *Miyoshi, and Moriwaki*, 725
- Nakai, M. See *Asai, Tokunaga, Kondo, Kawaguchi, Takayanagi, Shinmyozu, Yakabe, and Shimohigashi*, 781
- Nakai, Tadashi., Kuramitsu, S., and Kamiya, N. Structural bases for the specific interactions between the E2 and E3 components of the *Thermus thermophilus* 2-oxo acid dehydrogenase complexes, 747
- Nakai, Toshiki. See *Amaya, Komaru, Tsuneki, and Miura*, 569

- Nakamura-Tsuruta, S., Kishimoto, Y., Nishimura, T., and Suda, Y. One-Step Purification of Lectins from Banana Pulp Using Sugar-Immobilized Gold Nano-Particles, 833
- Nakamura, T. See Yamamoto, Nishi, Shoji, Itoh, Lu, and Hirashima, 311
- Nakanishi, H. See Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Shimizu, Okayama, and Oguri, 581
- Nakano, A. See Takeda, 803
- Nakano, R. See Takahata, Tamura, Abe, Mihara, Kurokawa, Yamamoto, Esaki, and Inagaki, 467
- Nakano, T. See Yokoyama, Sonoyama, and Mitaku, 277
- Nakashima, Takuji., Iwashita, T., Fujita, T., Sato, E., Niwano, Y., Kohno, M., Kuwahara, S., Harada, N., Takeshita, S., and Oda, T. A Prodigiosin Analogue Inactivates NADPH Oxidase in Macrophage Cells by Inhibiting Assembly of p47phox and Rac, 107
- Nakashima, Toshihiro. See Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, and Sugimura, 475
- See Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Nogami, Matsumoto, Hashiguchi, Ito, and Sugimura, 593
- Nakata, R. See Omi, Okamura-Ikeda, Konishi, and Taniguchi, 649
- Nakazawa, R. See Sakaguchi, Takezawa, Nozawa, Kusakawa, Nagasawa, Sugahara, and Kawakita, 625
- Napoli, C. See Balestrieri, Schiano, Felice, Casamassimi, Balestrieri, Milone, and Servillo, 179
- Naruo, H. See Koyama, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, Okayama, and Oguri, 581
- Nedić, O. See Masnikosa, and Nikolić, 813
- Nemoto, D. See Yasukawa, and Inouye, 261
- Nigorikawa, K. See Kubo-Murai, Hazeki, Omoto, Inoue, and Hazeki, 295
- Niimi, Setsuko. See Kumano-Kuramochi, Xie, Sakakibara, Sekizawa, Komba, and Machida, 229
- Niimi, Shingo. See Harashima, Harada, Ito, Hyuga, Seki, Ariga, and Yamaguchi, 537
- Nikolić, A. See Masnikosa, and Nedić, 813
- Nishi, N. See Yamamoto, Shoji, Itoh, Lu, Hirashima, and Nakamura, 311
- Nishida, S. See Kurokawa, Ishibashi, Mizumura, Ueno, Yutsudo, Maki, Murakami, and Sekimizu, 417
- Nishida, T. See Nagayasu, Ito, and Yokoyama, 611
- Nishihara, A. See Suzuki, Montagne, Watabe, and Miyazono, 199
- Nishii, W. See Kim, Yoshida, Kojima, Kurita, Muramatsu, Ito, Park, and Takahashi, 237
- Nishimura, T. See Nakamura-Tsuruta, Kishimoto, and Suda, 833
- Nishizaki, M. See Kuwahara, and Kanazawa, 349
- Nishizawa, Y. See Mizuno, Fukamizo, Sugiyama, Kezuka, Nonaka, Suzuki, and Watanabe, 487
- Niwano, Y. See Nakashima, Iwashita, Fujita, Sato, Kohno, Kuwahara, Harada, Takeshita, and Oda, 107
- Nogami, K. See Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Matsumoto, Hashiguchi, Ito, Nakashima, and Sugimura, 593
- Noi, K. See Hirai, Hongo, Mizobata, and Kawata, 505
- Nonaka, R. See Wachi, Sato, Shibata-Sato, Ishida, Iketani, Maeda, Okamoto, Urban, Onoue, and Seyama, 633
- Nonaka, T. See Mizuno, Fukamizo, Sugiyama, Nishizawa, Kezuka, Suzuki, and Watanabe, 487
- Nozawa, K. See Sakaguchi, Takezawa, Nakazawa, Kusakawa, Nagasawa, Sugahara, and Kawakita, 625
- O
- Oda, T. See Nakashima, Iwashita, Fujita, Sato, Niwano, Kohno, Kuwahara, Harada, and Takeshita, 107
- Ogawa, S., Satake, M., and Ikuta, K. Physical and Functional Interactions between STAT5 and Runx Transcription Factors, 695
- Ogino, C. See Ishii, Tanaka, Matsumura, Tatematsu, Kuroda, Fukuda, and Kondo, 667
- Oguri, K. See Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, and Okayama, 581
- Oh, S.T. See Kim, Kim, Sun, Yoon, and Lee, 497
- Ohmido, N. See Nakagawa, Ishikawa, Uchiyama, Fukui, and Azuma, 325
- Ohnishi, K. See Ge, Yokochi, Yoshikane, and Yagi, 603
- Ohniwa, R.L. See Ueta, Yoshida, Maki, Wada, and Wada, 425
- Ohtsuki, K. See Kawakami, Yamaguchi, Suzuki, and Yamamoto, 359
- Oka, S. See Morita, Kizuka, and Kakuda, 719
- Oka, T. See Ichishita, Tanaka, Sugiura, Sayano, and Mihara, 449
- Okabe, H. See Akter, Chano, Yamaguchi, Hirose, and Osumi, 395
- Okamoto, K. See Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Iketani, Maeda, Urban, Onoue, and Seyama, 633
- Okamura-Ikeda, K. See Omi, Nakata, Konishi, and Taniguchi, 649
- Okayama, M. See Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, and Oguri, 581
- Okura, E. See Matsunami, Uchida, Otsuka, Fukuzawa, and Miyagawa, 641
- Okuwaki, M. The Structure and Functions of NPM1/Nucleophsmin/B23, a Multifunctional Nucleolar Acidic Protein, 441
- Olianas, A. See Podda, Manconi, Pellegrini, Messana, Mura, Castagnola, Giardina, and Sanna, 207
- Omi, S., Nakata, R., Okamura-Ikeda, K., Konishi, H., and Taniguchi, H. Contribution of Peroxisome-specific Isoform of Lon Protease in Sorting PTS1 Proteins to Peroxisomes, 649
- Omichi, K. See Watanabe, and Makino, 435
- Omoto, T. See Kubo-Murai, Hazeki, Nigorikawa, Inoue, and Hazeki, 295
- Onoue, S. See Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Iketani, Maeda, Okamoto, Urban, and Seyama, 633
- Osada, H. See Kawai, Saito, and Sudo, 765
- Osako, Y. See Yorikawa, Takaya, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, Shibata, and Maki, 731
- Osumi, T. See Akter, Chano, Okabe, Yamaguchi, and Hirose, 395
- Otsuka, H. See Matsunami, Okura, Uchida, Fukuzawa, and Miyagawa, 641
- P
- Parente, A. See Capasso, Maro, Cristinzio, Martino, Chambery, Daniele, Sannino, and Testa, 131
- Park, M.W., and Emori, Y. Drosophila Calpain B is Monomeric and Autolyzes Intramolecularly, 217
- Park, S.J. See Kim, Yoshida, Kojima, Kurita, Nishii, Muramatsu, Ito, and Takahashi, 237
- Pearce, F. Grant, Sprissler, C., and Gerrard, J.A. Characterization of Dihydrodipicolinate Reductase from *Thermotoga maritima* Reveals Evolution of Substrate Binding Kinetics, 617
- Pellegrini, M. See Podda, Manconi, Olianas, Messana, Mura, Castagnola, Giardina, and Sanna, 207
- Podda, G., Manconi, B., Olianas, A., Pellegrini, M., Messana, I., Mura, M., Castagnola, M., Giardina, B., and Sanna, M.T. Structural and Functional Characterization of Haemocyanin from the Anemone Hermit Crab *Dardanus calidus*, 207
- R
- Rajagopalan, M. See Yamamoto, Moomey, and Madiraju, 759
- Riveline, D. See Bibert, Ayari, Concord, Hermant, Vernet, and Gulino-Debrac, 821
- Robinson, C.V. See Grela, Sawa-Makarska, Gordiyenko, Grankowski, and Tchórzewski, 169

Rojo, M.A. See *Kaku, Kaneko, Minamihara, Iwata, Jordan, Minami-Ishii, Minami, Hisajima, and Shibuya*, 143

S

Saito, A. See *Kawai, Sudo, and Osada*, 765
 Saitoh, S. See *Yokoyama, Nakagawa, Satoh, Dohmae, Harada, Satoh, Karasawa, Takio, Yanagida, and Inoue*, 369
 Sakaguchi, M., Takezawa, M., Nakazawa, R., Nozawa, K., Kusakawa, T., Nagasawa, T., Sugahara, Y., and Kawakita, M. Role of Disulphide Bonds in a Thermophilic Serine Protease Aqualysin I from *Thermus aquaticus* YT-1, 625
 Sakai, K. See *Kusada, Morizono, Matsumoto-Takasaka, Sato, Asanuma, Takayanagi, and Fujita-Yamaguchi*, 9
 Sakakibara, Y. See *Kumano-Kuramochi, Xie, Niimi, Sekizawa, Komba, and Machida*, 229
 Sakiyama, N. See *Ke, Sawada, Sonoyama, and Mitaku*, 661
 Sanna, M.T. See *Podda, Manconi, Olinas, Pellegrini, Messana, Mura, Castagnola, and Giardina*, 207
 Sannino, F. See *Capasso, Maro, Cristinzio, Martino, Chambery, Daniele, Testa, and Parente*, 131
 Sasagawa, N. See *Mori, Kino, and Ishiura*, 377
 Satake, M. See *Ogawa, and Ikuta*, 695
 Sato, E. See *Nakashima, Iwashita, Fujita, Niwano, Kohno, Kuwahara, Harada, Takeshita, and Oda*, 107
 Sato, F. See *Wachi, Nonaka, Shibata-Sato, Ishida, Iketani, Maeda, Okamoto, Urban, Onoue, and Seyama*, 633
 Sato, K. See *Hashimoto, Taniguchi, Yoshino, and Arai*, 87
 Sato, S. See *Kusada, Morizono, Matsumoto-Takasaka, Sakai, Asanuma, Takayanagi, and Fujita-Yamaguchi*, 9
 Sato, Y. See *Yamashita, Wang, Wang, Furuyama, Kontani, and Mori*, 385
 Satoh, M. See *Yokoyama, Nakagawa, Saitoh, Dohmae, Harada, Satoh, Karasawa, Takio, Yanagida, and Inoue*, 369
 Satoh, N. See *Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Harada, Karasawa, Takio, Yanagida, and Inoue*, 369
 Satoh, Y. See *Kannappan, Iriyama, Ando, Sawada, Takahashi, Furuhashi, and Uda*, 117
 Sawa-Makarska, J. See *Grela, Gordiyenko, Robinson, Grankowski, and Tchórzewski*, 169
 Sawada, M.T. See *Kannappan, Satoh, Iriyama, Ando, Takahashi, Furuhashi, and Uda*, 117
 Sawada, R. See *Ke, Sakiyama, Sonoyama, and Mitaku*, 661

Sayano, T. See *Ichishita, Tanaka, Sugiura, Mihara, and Oka*, 449
 Schiano, C. See *Balestrieri, Felice, Casamassimi, Balestrieri, Milone, Servillo, and Napoli*, 179
 Seki, T. See *Harashima, Harada, Ito, Hyuga, Ariga, Yamaguchi, and Niimi*, 537
 Sekimizu, K. See *Kurokawa, Nishida, Ishibashi, Mizumura, Ueno, Yutsudo, Maki, and Murakami*, 417
 Sekizawa, K. See *Kumano-Kuramochi, Xie, Sakakibara, Niimi, Komba, and Machida*, 229
 Seo, M.-D. See *Won, Ko, Choi, and Lee*, 163
 Servillo, L. See *Balestrieri, Schiano, Felice, Casamassimi, Balestrieri, Milone, and Napoli*, 179
 Seyama, Y. See *Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Iketani, Maeda, Okamoto, Urban, and Onoue*, 633
 Shen, X. See *Chen, Zhang, Hu, Chen, and Jiang*, 525
 —. See *Feng, Lin, Chen, Jiang, and Liu*, 243
 —. See *Kong, Wu, Bai, Han, Chen, Chen, Hu, and Jiang*, 59
 Shibata-Sato, K. See *Wachi, Nonaka, Sato, Ishida, Iketani, Maeda, Okamoto, Urban, Onoue, and Seyama*, 633
 Shibata, H. See *Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, and Maki*, 731
 Shibuya, N. See *Kaku, Kaneko, Minamihara, Iwata, Jordan, Rojo, Minami-Ishii, Minami, and Hisajima*, 143
 Shimada, H. See *Abe, and Kitada*, 269
 Shimizu, S. See *Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Okayama, and Oguri*, 581
 Shimohigashi, Y. See *Asai, Tokunaga, Kondo, Kawaguchi, Takayanagi, Shinmyozu, Nakai, and Yakabe*, 781
 Shinmyozu, T. See *Asai, Tokunaga, Kondo, Kawaguchi, Takayanagi, Nakai, Yakabe, and Shimohigashi*, 781
 Shoji, H. See *Yamamoto, Nishi, Itoh, Lu, Hirashima, and Nakamura*, 311
 Someya, T., Hosono, K., Morimura, K., Takaku, H., and Kawai, G. Recognition of a Bulged RNA by Peptides Derived from the Influenza NS1 Protein, 339
 Sonoyama, M. See *Yokoyama, Nakano, and Mitaku*, 277
 —. See *Ke, Sakiyama, Sawada, and Mitaku*, 661
 Sprissler, C. See *Pearce, and Gerrard*, 617
 Suda, Y. See *Nakamura-Tsuruta, Kishimoto, and Nishimura*, 833
 Sudo, T. See *Kawai, Saito, and Osada*, 765

Sugahara, Y. See *Sakaguchi, Takezawa, Nakazawa, Nozawa, Kusakawa, Nagasawa, and Kawakita*, 625
 Sugimura, K. See *Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, and Nakashima*, 475
 —. See *Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Nogami, Matsumoto, Hashiguchi, Ito, and Nakashima*, 593
 Sugiura, Y. See *Ichishita, Tanaka, Sayano, Mihara, and Oka*, 449
 Sugiyama, S. See *Mizuno, Fukamizo, Nishizawa, Kezuka, Nonaka, Suzuki, and Watanabe*, 487
 Sugyo, K. See *Yoshinaga, Matsumoto, Torikai, Kuroki, Nogami, Matsumoto, Hashiguchi, Ito, Nakashima, and Sugimura*, 593
 Sun, C. See *Kim, Kim, Oh, Yoon, and Lee*, 497
 Suzuki, Kanzo. See *Kawakami, Yamaguchi, Yamamoto, and Ohtsuki*, 359
 Suzuki, Kazushi. See *Mizuno, Fukamizo, Sugiyama, Nishizawa, Kezuka, Nonaka, and Watanabe*, 487
 Suzuki, Y., Montagne, K., Nishihara, A., Watabe, T., and Miyazono, K. BMPs Promote Proliferation and Migration of Endothelial Cells via Stimulation of VEGF-A/VEGFR2 and Angiopoietin-1/Tie2 Signalling, 199

T

Takahashi, K. See *Kim, Yoshida, Kojima, Kurita, Nishii, Muramatsu, Ito, and Park*, 237
 Takahashi, Naoko. See *Makise, Matsui, Yamairi, Takehara, Asano, and Mizushima*, 455
 Takahashi, Nobuaki. See *Kannappan, Satoh, Iriyama, Ando, Sawada, Furuhashi, and Uda*, 117
 Takahata, M., Tamura, T., Abe, K., Mihara, H., Kurokawa, S., Yamamoto, Y., Nakano, R., Esaki, N., and Inagaki, K. Selenite Assimilation into Formate Dehydrogenase H Depends on Thioredoxin Reductase in *Escherichia coli*, 467
 Takaku, H. See *Someya, Hosono, Morimura, and Kawai*, 339
 Takakura, N. See *Katoh, and Ueno*, 517
 Takakura, Y. See *Tsukamoto, Mine, and Yamamoto*, 187
 Takaya, E. See *Yorikawa, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, Shibata, and Maki*, 731
 Takayanagi, A. See *Kusada, Morizono, Matsumoto-Takasaka, Sakai, Sato, Asanuma, and Fujita-Yamaguchi*, 9
 Takayanagi, S. See *Asai, Tokunaga, Kondo, Kawaguchi, Shinmyozu, Nakai, Yakabe, and Shimohigashi*, 781

- Takeda, Y., and Nakano, A. *In vitro* Formation of a Novel Type of Membrane Vesicles Containing Dpmlp: Putative Transport Vesicles for Lipid Droplets in Budding Yeast, 803
- Takehara, M. See *Makise, Matsui, Yamairi, Takahashi, Asano, and Mizushima*, 455
- Takemori, S. See *Kimura*, 123
- See *Kimura*, 841
- Takeshima, Y. See *Habara, Doshita, Hirozawa, Yokono, Yagi, and Matsuo*, 303
- Takeshita, S. See *Nakashima, Iwashita, Fujita, Sato, Niwano, Kohno, Kuwahara, Harada, and Oda*, 107
- Takezawa, M. See *Sakaguchi, Nakazawa, Nozawa, Kusakawa, Nagasawa, Sugahara, and Kawakita*, 625
- Takiguchi, S. See *Yoshihara, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, Nakashima, and Sugimura*, 475
- Takio, K. See *Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Harada, Satoh, Karasawa, Yanagida, and Inoue*, 369
- Tamura, T. See *Takahata, Abe, Mihara, Kurokawa, Yamamoto, Nakano, Esaki, and Inagaki*, 467
- Tanaka, H., Yamamoto, A., Ishida, T., and Horiike, K. D-Serine Dehydratase from Chicken Kidney: A Vertebral Homologue of the Cryptic Enzyme from *Burkholderia cepacia*, 49
- Tanaka, Koichi. See *Yoshihara, Takiguchi, Kyuno, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, Nakashima, and Sugimura*, 475
- Tanaka, Kousuke. See *Ichishita, Sugiura, Sayano, Mihara, and Oka*, 449
- Tanaka, R. See *Yorikawa, Takaya, Osako, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, Shibata, and Maki*, 731
- Tanaka, T. See *Ishii, Matsumura, Tatematsu, Kuroda, Ogino, Fukuda, and Kondo*, 667
- Taniguchi, H. See *Omi, Nakata, Okamura-Ikeda, and Konishi*, 649
- Taniguchi, M. See *Hashimoto, Yoshino, Arai, and Sato*, 87
- Tatematsu, K. See *Ishii, Tanaka, Matsumura, Kuroda, Ogino, Fukuda, and Kondo*, 667
- Tchórzewski, M. See *Grela, Sawa-Makarska, Gordiyenko, Robinson, and Grankowski*, 169
- Terasawa, Y. See *Yorikawa, Takaya, Osako, Tanaka, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, Shibata, and Maki*, 731
- Testa, A. See *Capasso, Maro, Cristinzio, Martino, Chambery, Daniele, Sannino, and Parente*, 131
- Toda, T. See *Kuroki, Matsui, Uotsu-Tomita, Tomita, and Itaya*, 97
- Tokunaga, T. See *Asai, Kondo, Kawaguchi, Takayanagi, Shinmyozu, Nakai, Yakabe, and Shimohigashi*, 781
- Tokuoka, K., Kusakari, Y., Krungkrai, S.R., Matsumura, H., Kai, Y., Krungkrai, J., Horii, T., and Inoue, T. Structural Basis for the Decarboxylation of Orotidine 5'-Monophosphate (OMP) by *Plasmodium falciparum* OMP Decarboxylase, 69
- Tomita, M. See *Kuroki, Toda, Matsui, Uotsu-Tomita, and Itaya*, 97
- Torikai, M. See *Yoshinaga, Matsumoto, Sugyo, Kuroki, Nogami, Matsumoto, Hashiguchi, Ito, Nakashima, and Sugimura*, 593
- Tsuchiya, Y. Till Disassembly Do Us Part: A Happy Marriage of Nuclear Envelope and Chromatin, 155
- Tsuda, N. See *Hisamatsu, Goda, and Hatakeyama*, 79
- Tsukamoto, H., Takakura, Y., Mine, T., and Yamamoto, T. *Photobacterium* sp. JT-ISH-224 Produces Two Sialyltransferases, α - β -Galactoside α 2,3-Sialyltransferase and β -Galactoside α 2,6-Sialyltransferase, 187
- Tsuneki, M. See *Amaya, Nakai, Komaru, and Miura*, 569
- Tsuyama, S. See *Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Nakashima, and Sugimura*, 475
- U
- Uchida, H. See *Matsunami, Okura, Otsuka, Fukuzawa, and Miyagawa*, 641
- Uchiyama, S. See *Nakagawa, Ohmido, Ishikawa, Fukui, and Azuma*, 325
- Uda, Y. See *Kannappan, Satoh, Iriyama, Ando, Sawada, Takahashi, and Furuhashi*, 117
- Ueno, K. See *Kurokawa, Nishida, Ishibashi, Mizumura, Yutsudo, Maki, Murakami, and Sekimizu*, 417
- Ueno, M. See *Katoh, and Takakura*, 517
- Ueta, M., Ohniwa, R.L., Yoshida, H., Maki, Y., Wada, C., and Wada, A. Role of HPF (Hibernation Promoting Factor) in Translational Activity in *Escherichia coli*, 425
- Uezato, T. See *Itakura, Chandra, Yang, Xue, Wang, Kimura, Hikosaka, Inohaya, Kudo, and Miura*, 407
- Uotsu-Tomita, R. See *Kuroki, Toda, Matsui, Tomita, and Itaya*, 97
- Ura, K. See *Godde*, 287
- Urban, Z. See *Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Iketani, Maeda, Okamoto, Onoue, and Seyama*, 633
- Usui, T. See *Misawa, Akimoto, Amarume, and Murata*, 21
- V
- Vernet, T. See *Bibert, Ayari, Riveline, Concord, Hermant, and Gulino-Debrac*, 821
- W
- Wachi, H., Nonaka, R., Sato, F., Shibata-Sato, K., Ishida, M., Iketani, S., Maeda, I., Okamoto, K., Urban, Z., Onoue, S., and Seyama, Y. Characterization of the Molecular Interaction between Tropoelastin and DANCE/Fibulin-5, 633
- Wada, A. See *Ueta, Ohniwa, Yoshida, Maki, and Wada*, 425
- Wada, C. See *Ueta, Ohniwa, Yoshida, Maki, and Wada*, 425
- Wang, B. See *Itakura, Chandra, Yang, Xue, Kimura, Hikosaka, Inohaya, Kudo, Uezato, and Miura*, 407
- Wang, Y. See *Yamashita, Wang, Furuyama, Kontani, Sato, and Mori*, 385
- Wang, Z. See *Yamashita, Wang, Furuyama, Kontani, Sato, and Mori*, 385
- Watabe, T., and Miyazono, K. See *Suzuki, Montagne, and Nishihara*, 199
- Watanabe, T. See *Mizuno, Fukamizo, Sugiyama, Nishizawa, Kezuka, Nonaka, and Suzuki*, 487
- Watanabe, Y., Makino, Y., and Omichi, K. Donor Substrate Specificity of 4- α -Glucanotransferase of Porcine Liver Glycogen Debranching Enzyme and Complementary Action to Glycogen Phosphorylase on Debranching, 435
- Wei, Y. See *Zhou, Liu, Ge, Zhou, Yun, Jiang, and Gu*, 547
- Won, H.-S., Seo, M.-D., Ko, H.-S., Choi, W.S., and Lee, B.-J. Interdomain interaction of cyclic AMP receptor protein in the absence of cyclic AMP, 163
- Wu, D. See *Kong, Bai, Han, Chen, Chen, Hu, Jiang, and Shen*, 59
- X
- Xie, Q. See *Kumano-Kuramochi, Sakakibara, Niimi, Sekizawa, Komba, and Machida*, 229
- Xue, X. See *Itakura, Chandra, Yang, Wang, Kimura, Hikosaka, Inohaya, Kudo, Uezato, and Miura*, 407
- Y
- Yagi, M. See *Habara, Doshita, Hirozawa, Yokono, Takeshima, and Matsuo*, 303
- Yagi, T. See *Ge, Yokochi, Yoshikane, and Ohnishi*, 603
- Yakabe, Y. See *Asai, Tokunaga, Kondo, Kawaguchi, Takayanagi, Shinmyozu, Nakai, and Shimohigashi*, 781
- Yamagata, K. Capturing Epigenetic Dynamics During Pre-implantation Development Using Live Cell Imaging, 279

- Yamaguchi, A. See *Kawakami, Suzuki, Yamamoto, and Ohtsuki*, 359
- Yamaguchi, Teruhide. See *Harashima, Harada, Ito, Hyuga, Seki, Ariga, and Niimi*, 537
- Yamaguchi, Tomohiro. See *Akter, Chano, Okabe, Hirose, and Osumi*, 395
- Yamairi, F. See *Makise, Matsui, Takahashi, Takehara, Asano, and Mizushima*, 455
- Yamamoto, A. See *Tanaka, Ishida, and Horiike*, 49
- Yamamoto, H., Nishi, N., Shoji, H., Itoh, A., Lu, L.-H., Hirashima, M., and Nakamura, T. Induction of Cell Adhesion by Galectin-8 and its Target Molecules in Jurkat T-Cells, 311
- Yamamoto, K., Moomey, M., Rajagopalan, M., and Madiraju, M.V.V.S. Facilitation of Dissociation Reaction of Nucleotides Bound to *Mycobacterium tuberculosis* DnaA, 759
- Yamamoto, Takayuki. See *Kawakami, Yamaguchi, Suzuki, and Ohtsuki*, 359
- Yamamoto, Takeshi. See *Tsukamoto, Takakura, and Mine*, 187
- Yamamoto, Toshiyoshi. See *Morita, Matsuzaki, Fukami, and Kikkawa*, 31
- Yamamoto, Y. See *Takahata, Tamura, Abe, Mihara, Kurokawa, Nakano, Esaki, and Inagaki*, 467
- Yamashita, H., Wang, Z., Wang, Y., Furuyama, T., Kontani, Y., Sato, Y., and Mori, N. Impaired Basal Thermal Homeostasis in Rats Lacking Capsaicin-sensitive Peripheral Small Sensory Neurons, 385
- Yanagida, M. See *Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Harada, Satoh, Karasawa, Takio, and Inoue*, 369
- Yang, Z. See *Itakura, Chandra, Xue, Wang, Kimura, Hikosaka, Inohaya, Kudo, Uezato, and Miura*, 407
- Yasukawa, K., Nemoto, D., and Inouye, K. Comparison of the Thermal Stabilities of Reverse Transcriptases from Avian Myeloblastosis Virus and Moloney Murine Leukaemia Virus, 261
- Yoko-o, T. See *Hirayama, Fujita, and Jigami*, 555
- Yokochi, N. See *Ge, Yoshikane, Ohnishi, and Yagi*, 603
- Yokoi, F., Dang, M.T., Mitsui, S., Li, J., and Li, Y. Motor Deficits and Hyperactivity in Cerebral Cortex-specific *Dyt1* Conditional Knockout Mice, 39
- Yokoi, T. See *Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Nakanishi, Shimizu, Okayama, and Oguri*, 581
- Yokono, Y. See *Habara, Doshita, Hirozawa, Yagi, Takeshima, and Matsuo*, 303
- Yokoyama, K., Nakagawa, M., Satoh, M., Saitoh, S., Dohmae, N., Harada, A., Satoh, N., Karasawa, K., Takio, K., Yanagida, M., and Inoue, K. Expression of a Novel 90-kDa Protein, Lsd90, Involved in the Metabolism of Very Long-chain Fatty Acid-containing Phospholipids in a Mitosis-defective Fission Yeast Mutant, 369
- Yokoyama, S. See *Nagayasu, Ito, and Nishida*, 611
- Yokoyama, Y., Sonoyama, M., Nakano, T., and Mitaku, S. Structural Change of Bacteriorhodopsin in the Purple Membrane above pH 10 Decreases Heterogeneity of the Irreversible Photobleaching Components, 277
- Yoon, K.H. See *Kim, Kim, Sun, Oh, and Lee*, 497
- Yorikawa, C., Takaya, E., Osako, Y., Tanaka, R., Terasawa, Y., Hamakubo, T., Mochizuki, Y., Iwanari, H., Kodama, T., Maeda, T., Hitomi, K., Shibata, H., and Maki, M. Human Calpain 7/PalBH Associates with a Subset of ESCRT-III-related Proteins in its N-terminal Region and Partly Localizes to Endocytic Membrane Compartments, 731
- Yoshida, Hideji. See *Ueta, Ohniwa, Maki, Wada, and Wada*, 425
- Yoshida, Hisashi. See *Kim, Kojima, Kurita, Nishii, Muramatsu, Ito, Park, and Takahashi*, 237
- Yoshihara, T., Takiguchi, S., Kyuno, A., Tanaka, K., Kuba, S., Hashiguchi, S., Ito, Y., Hashimoto, T., Iwatsubo, T., Tsuyama, S., Nakashima, T., and Sugimura, K. Immunoreactivity of Phage Library-derived Human Single-Chain Antibodies to Amyloid Beta Conformers *In Vitro*, 475
- Yoshikane, Y. See *Ge, Yokochi, Ohnishi, and Yagi*, 603
- Yoshinaga, K., Matsumoto, M., Torikai, M., Sugyo, K., Kuroki, S., Nogami, K., Matsumoto, R., Hashiguchi, S., Ito, Y., Nakashima, T., and Sugimura, K. Ig L-chain Shuffling for Affinity Maturation of Phage Library-derived Human Anti-human MCP-1 Antibody Blocking its Chemotactic Activity, 593
- Yoshino, S. See *Hashimoto, Taniguchi, Arai, and Sato*, 87
- Yoshitomi, Y. See *Koyama, Naruo, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, Okayama, and Oguri*, 581
- Yun, X. See *Zhou, Wei, Liu, Ge, Zhou, Jiang, and Gu*, 547
- Yutsudo, T. See *Kurokawa, Nishida, Ishibashi, Mizumura, Ueno, Maki, Murakami, and Sekimizu*, 417

Z

- Zhang, A.-h. See *Zhang, Chen, and Guang Xi*, 773
- Zhang, B., Zhang, A.-h., Chen, L., and Guang Xi, X. Inhibition of DNA Helicase, ATPase and DNA-Binding Activities of *E. coli* RecQ Helicase by Chemotherapeutic Agents, 773
- Zhang, Jian. See *Chen, Hu, Chen, Jiang, and Shen*, 525
- Zhang, Jindan. See *Liu, Zhang, Liu, Liu, and Zheng*, 793
- Zhang, Jinchun. See *Liu, Zhang, Liu, Liu, and Zheng*, 793
- Zhang, Y., Chen, B., Li, Y., Chen, J., Lou, G., Chen, M., and Zhou, D. Transcriptional Regulation of the Human PNRC Promoter by NFY in HepG2 Cells, 675
- Zhao, D.-m. See *Liu, Li, and Zhou*, 333
- Zheng, D. See *Liu, Zhang, Zhang, Liu, and Liu*, 793
- Zhou, D. See *Zhang, Chen, Li, Chen, Lou, and Chen*, 675
- Zhou, F. See *Zhou, Wei, Liu, Ge, Yun, Jiang, and Gu*, 547
- Zhou, J., Wei, Y., Liu, D., Ge, X., Zhou, F., Yun, X., Jiang, J., and Gu, J. Identification of β 1,4GalT II as a Target Gene of p53-mediated HeLa Cell Apoptosis, 547
- Zhou, X.-m. See *Liu, Li, and Zhao*, 333

INDEX TO KEY WORDS

A

- α -ketoacid dehydrogenase, glycine cleavage system, 2-oxo acid dehydrogenase, protein-protein interaction complex, *Thermus thermophilus*, Nakai, Kuramitsu, Kamiya, 747
- β -oxidation, peroxisome, PTS1, protease, proteomics, Omi, Nakata, Okamura-Ikeda, Konishi, Taniguchi, 649
- β 1,4-galactosyltransferase II, adriamycin, apoptosis, p53, transcription regulation, Zhou, Wei, Liu, Ge, Zhou, Yun, Jiang, Gu, 547
- 100S ribosome, hibernation promoting factor (HPF), ribosomal hibernation, stationary phase, translation, Ueta, Ohniwa, Yoshida, Maki, Wada, Wada, 425
- 2-oxo acid dehydrogenase, α -ketoacid dehydrogenase, glycine cleavage system, protein-protein interaction complex, *Thermus thermophilus*, Nakai, Kuramitsu, Kamiya, 747
- 4- α -glucanotransferase, branched malto-oligosaccharide, fluorogenic substrate, glycogen debranching enzyme, phosphorylase, substrate specificity, Watanabe, Makino, Omichi, 435
- 4-pyridoxic acid dehydrogenase, membrane-bound enzyme, pyridoxine-degradation, *Mesorhizobium loti*, vitamin B₆, Ge, Yokochi, Yoshikane, Ohnishi, Yagi, 603
- acceptor site sequences, dystrophin, exonic splicing enhancer, polypyrimidine tract, splicing, Habara, Doshita, Hirozawa, Yokono, Yagi, Takeshima, Matsuo, 303
- activity, disulphide bond, serine protease, subtilase, thermostability, Sakaguchi, Takezawa, Nakazawa, Nozawa, Kusakawa, Nagasawa, Sugahara, Kawakita, 625
- acute rejection, HLA-E, NK, porcine endothelial cell, xenotransplantation, Matsunami, Okura, Uchida, Otsuka, Fukuzawa, Miyagawa, 641
- adhesion, cell-cell junctions, endothelium, hexamer, VE-cadherin, Bibert, Ayari, Riveline, Concord, Hermant, Vernet, Gulino-Debrac, 821
- , cytoskeleton arrangement, galectin-8, integrin, leucocyte, Yamamoto, Nishi, Shoji, Itoh, Lu, Hirashima, Nakamura, 311
- ADP, ATP, ATPase, DNA replication, mycobacteria, Yamamoto, Moomey, Rajagopalan, Madiraju, 759
- adriamycin, apoptosis, β 1,4-galactosyltransferase II, p53, transcription regulation, Zhou, Wei, Liu, Ge, Zhou, Yun, Jiang, Gu, 547
- advanced glycation end products (AGE), AviTag, *in vivo* biotinylation, receptor for advanced glycation end products (RAGE), receptor-ligand interaction, Kumano-Kuramochi, Xie, Sakakibara, Niimi, Sekizawa, Komba, Machida, 229
- aequorin, coelenterazine, luminescence spectrum, protein secretion, isotype clytin, Inouye, 711
- affinity maturation, human antibody, L-chain shuffling, MCP-1, phage display library, Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Nogami, Matsumoto, Hashiguchi, Ito, Nakashima, Sugimura, 593
- AFP-L3, fucosylation, HCC, fucosyltransferase, GDP-fucose, Miyoshi, Moriawaki, Nakagawa, 725
- allostery, cyclic AMP receptor protein, heteronuclear single quantum coherence, interdomain interaction, nuclear magnetic resonance, Won, Seo, Ko, Choi, Lee, 163
- amino acid sequence, biological activity, citrus lemon, hibernals, Phytophthora hibernalis, Capasso, Di Maro, Cristinzio, De Martino, Chambery, Daniele, Sannino, Testa, Parente, 131
- , autocorrelation function, charge periodicity, nuclear protein, vertebrate, Ke, Sakiyama, Sawada, Sonoyama, Mitaku, 661
- Amycolatopsis orientalis, cross-linking, divalent glycoside, enzymatic synthesis, WGA, Misawa, Akimoto, Amarume, Murata, Usui, 21
- amyloid beta 1–42, conformation, human antibody, single-chain variable fragment, scFv, Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, Nakashima, Sugimura, 475
- annexin A3, carbon tetrachloride, hepatocyte growth factor, parenchymal hepatocytes, partial hepatectomy, Harashima, Harada, Ito, Hyuga, Seki, Ariga, Yamaguchi, Niimi, 537
- anti-peptide antibody, conformation, peptides, ribosomal protein S6, epitope, Nakagawa, Ohmido, Ishikawa, Uchiyama, Fukui, Azuma, 325
- antibacterial peptide, Ca²⁺-dependent lectin, haemolysin, oligomerization, small-angle X-ray scattering, Hisamatsu, Tsuda, Goda, Hatakeyama, 79
- antibiotic resistance, competence, inversion, homologous recombination, translocation, transformation, Kuroki, Toda, Matsui, Uotsu-Tomita, Tomita, Itaya, 97
- antioxidants, endothelial progenitor cells, red wine, resveratrol, Balestrieri, Schiano, Felice, Casamassimi, Balestrieri, Milone, Servillo, Napoli, 179
- apo form, OMP-complex, orotidine 5'-monophosphate decarboxylase, structural comparison, UMP-complex, x-ray structural analysis, Tokuoka, Kusakari, Krungkrai, Matsumura, Kai, Krungkrai, Horii, Inoue, 69
- apolipoprotein E, astrocytes, high-density lipoprotein, cholesterol, fibroblast growth factor-1, Nagayasu, Ito, Nishida, Yokoyama, 611
- apoptosis, Bcl-2 family protein, dimerization, domain swapping, non-ionic detergent, Feng, Lin, Shen, Chen, Jiang, Liu, 243
- , adriamycin, β 1,4-galactosyltransferase II, p53, transcription regulation, Zhou, Wei, Liu, Ge, Zhou, Yun, Jiang, Gu, 547
- , breast cancer, erbin, ErbB2, rsTRAIL, Liu, Zhang, Zhang, Liu, Liu, Zheng, 793
- Arabidopsis thaliana*, Ca²⁺-ATPase, calmodulin, heparin, plasma membrane, Meneghelli, Luoni, De Michelis, 253
- archaeal chaperonin, chaperonin activity, metal ion, protein folding, *Thermoplasma acidophilum*, Hirai, Noi, Hongo, Mizobata, Kawata, 505
- Asterina pectinifera, cathepsin D, enzymatic properties, sialidase, ovary of starfish, Kannappan, Satoh, Iriyama, Ando, Sawada, Takahashi, Furuhashi, Uda, 117
- astrocytes, apolipoprotein E, high-density lipoprotein, cholesterol, fibroblast growth factor-1, Nagayasu, Ito, Nishida, Yokoyama, 611
- ATP, ADP, ATPase, DNA replication, mycobacteria, Yamamoto, Moomey, Rajagopalan, Madiraju, 759
- ATPase, ADP, ATP, DNA replication, mycobacteria, Yamamoto, Moomey, Rajagopalan, Madiraju, 759
- autocorrelation function, amino acid sequence, charge periodicity, nuclear protein, vertebrate, Ke, Sakiyama, Sawada, Sonoyama, Mitaku, 661
- autolysis, calpain, *Drosophila*, intramolecular, monomer, Park, Emori, 217
- avian myeloblastosis virus, Moloney murine leukaemia virus, reverse transcriptase, template-primer, thermal stability, Yasukawa, Nemoto, Inouye, 261
- AviTag, advanced glycation end products (AGE), *in vivo* biotinylation, receptor for advanced glycation end products (RAGE), receptor-ligand interaction, Kumano-Kuramochi, Xie, Sakakibara, Niimi, Sekizawa, Komba, Machida, 229

B

- Bacillus thuringiensis*, Cry protein, lipid raft, parasporin, pore-forming toxin, Abe, Shimada, Kitada, 269
- bacterial sialyltransferase, glycosyltransferase family 80, photobacterium, sialic acid, Tsukamoto, Takakura, Mine, Yamamoto, 187
- Bcl-2 family protein, apoptosis, dimerization, domain swapping, non-ionic detergent, Feng, Lin, Shen, Chen, Jiang, Liu, 243
- binding constant, CUG-BP1, myotonic dystrophy, surface plasmon resonance, triplet-repeat, Mori, Sasagawa, Kino, Ishiura, 377
- biological activity, amino acid sequence, citrus lemon, hibernals, Phytophthora hibernalis, Capasso, Di Maro, Cristinzio, De Martino, Chambery, Daniele, Sannino, Testa, Parente, 131
- Bohr effect, enthalpy of oxygenation, lactate binding, oxygen affinity, subunit heterogeneity, Podda, Manconi, Olanas, Pellegrini, Messana, Mura, Castagnola, Giardina, Sanna, 207
- branched maltooligosaccharide, 4- α -glucanotransferase, fluorogenic substrate, glycogen debranching enzyme, phosphorylase, substrate specificity, Watanabe, Makino, Omichi, 435
- breast cancer, apoptosis, erbin, ErbB2, rsTRAIL, Liu, Zhang, Zhang, Liu, Liu, Zheng, 793

C

- Ca²⁺-ATPase, *Arabidopsis thaliana*, calmodulin, heparin, plasma membrane, Meneghelli, Luoni, De Michelis, 253
- Ca²⁺-dependent lectin, antibacterial peptide, haemolysis, oligomerization, small-angle X-ray scattering, Hisamatsu, Tsuda, Goda, Hatakeyama, 79
- Caenorhabditis elegans*, elongation, fragmentation, mitochondrial morphology, RNAi screening, Ichishita, Tanaka, Sugiura, Sayano, Mihara, Oka, 449
- calmodulin, *Arabidopsis thaliana*, Ca²⁺-ATPase, heparin, plasma membrane, Meneghelli, Luoni, De Michelis, 253
- calpain, autolysis, *Drosophila*, intramolecular, monomer, Park, Emori, 217
- , CHMP, endosome, ESCRT, MIT domain, Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, Shibata, Maki, 731
- carbon tetrachloride, annexin A3, hepatocyte growth factor, parenchymal hepatocytes, partial hepatectomy, Harashima, Harada, Ito, Hyuga, Seki, Ariga, Yamaguchi, Niimi, 537
- carboxyl-terminal residues, deletion, *Escherichia coli*, signal peptidase I,

- site-directed mutagenesis, Kim, Yoshida, Kojima, Kurita, Nishii, Muramatsu, Ito, Park, Takahashi, 237
- catalytic mechanism, dimerization-activity relationship, dimer interface, residue-residue interactions, site-directed mutagenesis, Chen, Zhang, Hu, Chen, Jiang, Shen, 525
- cathepsin D, *Asterina pectinifera*, enzymatic properties, sialidase, ovary of starfish, Kannappan, Satoh, Iriyama, Ando, Sawada, Takahashi, Furuhashi, Uda, 117
- cell cycle, Cre recombinase, GFP, protein transduction, synchronized cell culture, Hashimoto, Taniguchi, Yoshino, Arai, Sato, 87
- cell motility, cell surface heparan sulphate, glypican, invasion, matrix metalloproteinase-9, Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, Okayama, Oguri, 581
- cell surface heparan sulphate, cell motility, glypican, invasion, matrix metalloproteinase-9, Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, Okayama, Oguri, 581
- cell-cell junctions, adhesion, endothelium, hexamer, VE-cadherin, Bibert, Ayari, Riveline, Concord, Hermant, Vernet, Gulino-Debrac, 821
- cerebral cortex, conditional knockout mouse, DYT1 dystonia, early-onset dystonia, torsinA, Yokoi, Dang, Mitsui, Li, Li, 39
- chaperonin activity, archaeal chaperonin, metal ion, protein folding, *Thermoplasma acidophilum*, Hirai, Noi, Hongo, Mizobata, Kawata, 505
- charge periodicity, amino acid sequence, autocorrelation function, nuclear protein, vertebrate, Ke, Sakiyama, Sawada, Sonoyama, Mitaku, 661
- chicken kidney, D-serine, D-serine dehydratase, pyridoxal 5'-phosphate, proximal tubules, Tanaka, Yamamoto, Ishida, Horiike, 49
- CHMP, calpain, endosome, ESCRT, MIT domain, Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, Shibata, Maki, 731
- cholesterol, astrocytes, apolipoprotein E, high-density lipoprotein, fibroblast growth factor-1, Nagayasu, Ito, Nishida, Yokoyama, 611
- chromatin, lamin, nuclear envelope, nuclear membrane, nucleus, Tsuchiya, 155
- chromosome, genome DNA, condensins, scaffold, Maeshima, Eltsov, 145
- circular dichroism spectra, conformational conversion, copper, ovine prion protein, pH, protease K, Liu, Li, Zhou, Zhao, 333

- citrus lemon, amino acid sequence, biological activity, hibernals, *Phytophthora hibernalis*, Capasso, Di Maro, Cristinzio, De Martino, Chambery, Daniele, Sannino, Testa, Parente, 131
- coacervation, DANCE/fibulin-5, extracellular matrix, molecular interaction, tropoelastin, Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Iketani, Maeda, Okamoto, Urban, Onoue, Seyama, 633
- coelenterazine, aequorin, luminescence spectrum, protein secretion, isotype clytin, Inouye, 711
- competence, antibiotic resistance, inversion, homologous recombination, translocation, transformation, Kuroki, Toda, Matsui, Uotsu-Tomita, Tomita, Itaya, 97
- complex formation, EGF receptor, hydrogen peroxide, PKC δ , Shc, Morita, Matsuzaki, Yamamoto, Fukami, Kikkawa, 31
- Con A, IGF1R, IR, WGA, PHA, Masnikosa, Nikolic, Nedic, 813
- condensins, genome DNA, chromosome, scaffold, Maeshima, Eltsov, 145
- conditional knockout mouse, cerebral cortex, DYT1 dystonia, early-onset dystonia, torsinA, Yokoi, Dang, Mitsui, Li, Li, 39
- conformation, amyloid beta 1–42, human antibody, single-chain variable fragment, scFv, Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, Nakashima, Sugimura, 475
- , anti-peptide antibody, peptides, ribosomal protein S6, epitope, Nakagawa, Ohmido, Ishikawa, Uchiyama, Fukui, Azuma, 325
- conformational conversion, circular dichroism spectra, copper, ovine prion protein, pH, protease K, Liu, Li, Zhou, Zhao, 333
- copper, circular dichroism spectra, conformational conversion, ovine prion protein, pH, protease K, Liu, Li, Zhou, Zhao, 333
- Cre recombinase, cell cycle, GFP, protein transduction, synchronized cell culture, Hashimoto, Taniguchi, Yoshino, Arai, Sato, 87
- cross-linking, Amycolatopsis orientalis, divalent glycoside, enzymatic synthesis, WGA, Misawa, Akimoto, Amarume, Murata, Usui, 21
- Cry protein, *Bacillus thuringiensis*, lipid raft, parasporin, pore-forming toxin, Abe, Shimada, Kitada, 269
- CUG-BP1, binding constant, myotonic dystrophy, surface plasmon resonance, triplet-repeat, Mori, Sasagawa, Kino, Ishiura, 377
- cyclic AMP receptor protein, allostery, heteronuclear single quantum coherence, interdomain interaction, nuclear

- magnetic resonance, Won, Seo, Ko, Choi, Lee, 163
- cystathionine γ -synthase, *Helicobacter pylori*, inhibitor, inhibitor type, minimum inhibition concentration, trans-sulfuration, Kong, Wu, Bai, Han, Chen, Chen, Hu, Jiang, Shen, 59
- cytokine, p38, p62, Paget's disease of bone, safety catch, Kawai, Saito, Sudo, Osada, 765
- cytoplasm, hydration, polyethylene glycol, skeletal muscle, skinned fibre, Kimura, Takemori, 123
- , hydration, polyethylene glycol, skeletal muscle, skinned fibre, Kimura, Takemori, 841
- cytoskeleton arrangement, adhesion, galectin-8, integrin, leucocyte, Yamamoto, Nishi, Shoji, Itoh, Lu, Hirashima, Nakamura, 311
- D
- D-serine dehydratase, chicken kidney, D-serine, pyridoxal 5'-phosphate, proximal tubules, Tanaka, Yamamoto, Ishida, Horiike, 49
- D-serine, chicken kidney, D-serine dehydratase, pyridoxal 5'-phosphate, proximal tubules, Tanaka, Yamamoto, Ishida, Horiike, 49
- DANCE/fibulin-5, coacervation, extracellular matrix, molecular interaction, tropoelastin, Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Iketani, Maeda, Okamoto, Urban, Onoue, Seyama, 633
- deletion, carboxyl-terminal residues, *Escherichia coli*, signal peptidase I, site-directed mutagenesis, Kim, Yoshida, Kojima, Kurita, Nishii, Muramatsu, Ito, Park, Takahashi, 237
- dihydrodipicolinate reductase, lysine biosynthesis, pyridine nucleotide specificity, thermophilic enzymes, *Thermotoga maritima*, Pearce, Sprissler, Gerrard, 617
- dimer interface, catalytic mechanism, dimerization-activity relationship, residue-residue interactions, site-directed mutagenesis, Chen, Zhang, Hu, Chen, Jiang, Shen, 525
- dimerization-activity relationship, catalytic mechanism, dimer interface, residue-residue interactions, site-directed mutagenesis, Chen, Zhang, Hu, Chen, Jiang, Shen, 525
- dimerization, apoptosis, Bcl-2 family protein, domain swapping, non-ionic detergent, Feng, Lin, Shen, Chen, Jiang, Liu, 243
- disulphide bond, serine protease, subtilase, thermostability, activity, Sakaguchi, Takezawa, Nakazawa, Nozawa, Kusakawa, Nagasawa, Sugahara, Kawakita, 625
- divalent glycoside, Amycolatopsis orientalis, cross-linking, enzymatic synthesis, WGA, Misawa, Akimoto, Amarume, Murata, Usui, 21
- DNA methylation, epigenetics, live cell imaging, pre-implantation development, somatic cell nuclear transfer, Yamagata, 279
- DNA modification, helicase, human diseases, minor groove binder, molecular motor, Zhang, Zhang, Chen, Xi, 773
- DNA replication, ADP, ATP, ATPase, mycobacteria, Yamamoto, Moomey, Rajagopalan, Madiraju, 759
- , heat inducible degron mutant, ORC, Orc5p, pre-replicative complex, Makise, Matsui, Yamairi, Takahashi, Takehara, Asano, Mizushima, 455
- domain swapping, apoptosis, Bcl-2 family protein, dimerization, non-ionic detergent, Feng, Lin, Shen, Chen, Jiang, Liu, 243
- dorsal root ganglion, sensory neuron, thermoregulation, transient receptor potential channel, uncoupling protein 1, Yamashita, Wang, Wang, Furuyama, Kontani, Sato, Mori, 385
- Dpm1p, Erg6p, lipid droplet, *Saccharomyces cerevisiae*, vesicle transport, Takeda, Nakano, 803
- Drosophila, autolysis, calpain, intramolecular, monomer, Park, Emori, 217
- drug resistance, Mdr1, tumour, proliferation, RNAi, Katoh, Ueno, Takakura, 517
- dual localization, endoplasmic reticulum, nuclear localization signal, parathyroid hormone-related protein, signal sequence, Amaya, Nakai, Komaru, Tsuneki, Miura, 569
- dystrophin, acceptor site sequences, exonic splicing enhancer, polypyrimidine tract, splicing, Habara, Doshita, Hirozawa, Yokono, Yagi, Takeshima, Matsuo, 303
- DYT1 dystonia, cerebral cortex, conditional knockout mouse, early-onset dystonia, torsinA, Yokoi, Dang, Mitsui, Li, Li, 39
- E
- early-onset dystonia, cerebral cortex, conditional knockout mouse, DYT1 dystonia, torsinA, Yokoi, Dang, Mitsui, Li, Li, 39
- EGF receptor, complex formation, hydrogen peroxide, PKC δ , Shc, Morita, Matsuzaki, Yamamoto, Fukami, Kikkawa, 31
- electrospray ionization tandem mass spectrometry, selenium, glutathione, sodium selenite; selenodiglutathione, Cui, Jin, Kim, Kumar, Lee, 685
- elongation, *Caenorhabditis elegans*, fragmentation, mitochondrial morphology, RNAi screening, Ichishita, Tanaka, Sugiura, Sayano, Mihara, Oka, 449
- embryonic stem (ES) cell, Flk1, human microvascular endothelial cell (HMEC), Tie2, VEGFR2, Suzuki, Montagne, Nishihara, Watabe, Miyazono, 199
- endocrine disruptors, estrogen receptor, fluorescence intensity, fluorescent tracer, receptor-binding assay, Asai, Tokunaga, Kondo, Kawaguchi, Takayanagi, Shinmyozu, Nakai, Yakabe, Shimohigashi, 781
- endoplasmic reticulum, dual localization, nuclear localization signal, parathyroid hormone-related protein, signal sequence, Amaya, Nakai, Komaru, Tsuneki, Miura, 569
- endosome, calpain, CHMP, ESCRT, MIT domain, Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, Shibata, Maki, 731
- endothelial progenitor cells, antioxidants, red wine, resveratrol, Balestrieri, Schiano, Felice, Casamassimi, Balestrieri, Milone, Servillo, Napoli, 179
- endothelium, adhesion, cell-cell junctions, hexamer, VE-cadherin, Bibert, Ayari, Riveline, Concord, Hermant, Vernet, Gulino-Debrac, 821
- enhanced green fluorescent protein, G protein-coupled receptor, yeast, signaling, flow cytometer, Ishii, Tanaka, Matsumura, Tatematsu, Kuroda, Ogino, Fukuda, Kondo, 667
- enthalpy of oxygenation, Bohr effect, lactate binding, oxygen affinity, subunit heterogeneity, Podda, Manconi, Olinas, Pellegrini, Messana, Mura, Castagnola, Giardina, Sanna, 207
- enzymatic properties, *Asterina pectinifera*, cathepsin D, sialidase, ovary of starfish, Kannappan, Satoh, Iriyama, Ando, Sawada, Takahashi, Furuhashi, Uda, 117
- enzymatic synthesis, Amycolatopsis orientalis, cross-linking, divalent glycoside, WGA, Misawa, Akimoto, Amarume, Murata, Usui, 21
- enzyme complex, glucuronyltransferase, HNK-1, long-term potentiation, substrate specificity, Morita, Kizuka, Kakuda, Oka, 719
- epigenetic code, histone H1, histone modification, histone variant, linker histone, Godde, Ura, 287
- epigenetics, DNA methylation, live cell imaging, pre-implantation development, somatic cell nuclear transfer, Yamagata, 279
- epitope specificity, insulin-like growth factor I receptor, insulin receptor, phage display, single-chain antibody, Kusada, Morizono, Matsumoto-Takasaki, Sakai, Sato, Asanuma, Takayanagi, Fujita-Yamaguchi, 9
- epitope, anti-peptide antibody, conformation, peptides, ribosomal protein

- S6, Nakagawa, Ohmido, Ishikawa, Uchiyama, Fukui, Azuma, 325
- Epstein-Barr virus-based plasmids, hepatocyte growth factor, insulin, porcine neonatal pancreatic cell clusters, Kim, Kim, Sun, Oh, Yoon, Lee, 497
- ERAD, Gas1^p, O-mannosylation, PMT, post-ER degradation, Hirayama, Fujita, Yoko-o, Jigami, 555
- ErbB2, apoptosis, breast cancer, erbin, rsTRAIL, Liu, Zhang, Zhang, Liu, Liu, Zheng, 793
- erbin, apoptosis, breast cancer, ErbB2, rsTRAIL, Liu, Zhang, Zhang, Liu, Liu, Zheng, 793
- Erg6p, Dpm1p, lipid droplet, *Saccharomyces cerevisiae*, vesicle transport, Takeda, Nakano, 803
- Escherichia coli*, carboxyl-terminal residues, deletion, signal peptidase I, site-directed mutagenesis, Kim, Yoshida, Kojima, Kurita, Nishii, Muramatsu, Ito, Park, Takahashi, 237
- ESCRT, calpain, CHMP, endosome, MIT domain, Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, Shibata, Maki, 731
- estrogen receptor-related receptor, nuclear hormone receptor, Rb1-inducible coiled-coil 1, response element, target gene, transcriptional regulation, Akter, Chano, Okabe, Yamaguchi, Hirose, Osumi, 395
- estrogen receptor, endocrine disruptors, fluorescence intensity, fluorescent tracer, receptor-binding assay, Asai, Tokunaga, Kondo, Kawaguchi, Takayanagi, Shinmyozu, Nakai, Yakabe, Shimohigashi, 781
- exonic splicing enhancer, acceptor site sequences, dystrophin, polypyrimidine tract, splicing, Habara, Doshita, Hirozawa, Yokono, Yagi, Takeshima, Matsuo, 303
- extracellular matrix, coacervation, DANCE/fibulin-5, molecular interaction, tropoelastin, Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Iketani, Maeda, Okamoto, Urban, Onoue, Seyama, 633
- F
- family 19 chitinase, loop structure, *Oryza sativa*, Mizuno, Fukamizo, Sugiyama, Nishizawa, Kezuka, Nonaka, Suzuki, Watanabe, 487
- fatty acid synthase mutant *lsd1/fas2*, Lsd90 (SPBC16E9.16c), proteome analysis, two-dimensional electrophoresis, very-long-chain fatty-acid-containing phospholipids, Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Harada, Satoh, Karasawa, Takio, Yanagida, Inoue, 369
- fibroblast growth factor-1, astrocytes, apolipoprotein E, high-density lipoprotein, cholesterol, Nagayasu, Ito, Nishida, Yokoyama, 611
- Flk1, embryonic stem (ES) cell, human microvascular endothelial cell (HMEC), Tie2, VEGFR2, Suzuki, Montagne, Nishihara, Watabe, Miyazono, 199
- flow cytometer, G protein-coupled receptor, yeast, enhanced green fluorescent protein, signalling, Ishii, Tanaka, Matsumura, Tatematsu, Kuroda, Ogino, Fukuda, Kondo, 667
- fluorescence intensity, endocrine disruptors, estrogen receptor, fluorescent tracer, receptor-binding assay, Asai, Tokunaga, Kondo, Kawaguchi, Takayanagi, Shinmyozu, Nakai, Yakabe, Shimohigashi, 781
- fluorescent tracer, endocrine disruptors, estrogen receptor, fluorescence intensity, receptor-binding assay, Asai, Tokunaga, Kondo, Kawaguchi, Takayanagi, Shinmyozu, Nakai, Yakabe, Shimohigashi, 781
- fluorogenic substrate, 4- α -glucanotransferase, branched maltooligosaccharide, glycogen debranching enzyme, phosphorylase, substrate specificity, Watanabe, Makino, Omichi, 435
- forkhead domain, FoxP2, language gene, medaka, molecular evolution, Itakura, Chandra, Yang, Xue, Wang, Kimura, Hikosaka, Inohaya, Kudo, Uezato, Miura, 407
- formate dehydrogenase H, selenite assimilation, thioredoxin reductase, Takahata, Tamura, Abe, Mihara, Kurokawa, Yamamoto, Nakano, Esaki, Inagaki, 467
- FoxP2, forkhead domain, language gene, medaka, molecular evolution, Itakura, Chandra, Yang, Xue, Wang, Kimura, Hikosaka, Inohaya, Kudo, Uezato, Miura, 407
- fragmentation, *Caenorhabditis elegans*, elongation, mitochondrial morphology, RNAi screening, Ichishita, Tanaka, Sugiura, Sayano, Mihara, Oka, 449
- fucosylation, HCC, AFP-L3, fucosyltransferase, GDP-fucose, Miyoshi, Moriwaki, Nakagawa, 725
- fucosyltransferase, fucosylation, HCC, AFP-L3, GDP-fucose, Miyoshi, Moriwaki, Nakagawa, 725
- G protein-coupled receptor, yeast, enhanced green fluorescent protein, signalling, flow cytometer, Ishii, Tanaka, Matsumura, Tatematsu, Kuroda, Ogino, Fukuda, Kondo, 667
- G
- galectin-8, adhesion, cytoskeleton arrangement, integrin, leucocyte, Yamamoto, Nishi, Shoji, Itoh, Lu, Hirashima, Nakamura, 311
- Gas1^p, ERAD, O-mannosylation, PMT, post-ER degradation, Hirayama, Fujita, Yoko-o, Jigami, 555
- GDP-fucose, fucosylation, HCC, AFP-L3, fucosyltransferase, Miyoshi, Moriwaki, Nakagawa, 725
- gel shift, influenza virus, NMR, NS1 protein, RNA-binding protein, U6 snRNA, Someya, Hosono, Morimura, Takaku, Kawai, 339
- genome DNA, chromosome, condensins, scaffold, Maeshima, Eltsov, 145
- GFP, cell cycle, Cre recombinase, protein transduction, synchronized cell culture, Hashimoto, Taniguchi, Yoshino, Arai, Sato, 87
- glucuronyltransferase, enzyme complex, HNK-1, long-term potentiation, substrate specificity, Morita, Kizuka, Kakuda, Oka, 719
- glutathione, selenium, sodium selenite; selenodiglutathione, electrospray ionization tandem mass spectrometry, Cui, Jin, Kim, Kumar, Lee, 685
- glycine cleavage system, α -ketoacid dehydrogenase, 2-oxo acid dehydrogenase, protein-protein interaction complex, *Thermus thermophilus*, Nakai, Kuramitsu, Kamiya, 747
- glycogen debranching enzyme, 4- α -glucanotransferase, branched maltooligosaccharide, fluorogenic substrate, phosphorylase, substrate specificity, Watanabe, Makino, Omichi, 435
- glycogen synthase, glycogen synthase kinase 3, heparin, myelin basic protein, phospholipid, sulfatide, tau-kinase, tau protein, Kawakami, Yamaguchi, Suzuki, Yamamoto, Ohtsuki, 359
- glycogen synthase kinase 3, glycogen synthase, heparin, myelin basic protein, phospholipid, sulfatide, tau-kinase, tau protein, Kawakami, Yamaguchi, Suzuki, Yamamoto, Ohtsuki, 359
- glycosyltransferase family 80, bacterial sialyltransferase, photobacterium, sialic acid, Tsukamoto, Takakura, Mine, Yamamoto, 187
- glypican, cell motility, cell surface heparan sulphate, invasion, matrix metalloproteinase-9, Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, Okayama, Oguri, 581
- gold nano particle, lectin, peptide MS fingerprinting, purification, sugar chain, Nakamura-Tsuruta, Kishimoto, Nishimura, Suda, 833
- Gram-positive bacteria, MurC, peptidoglycan, *Staphylococcus aureus*, UDP-N-acetylmuramic acid:L-alanine ligase, Kurokawa, Nishida, Ishibashi, Mizumura, Ueno, Yutsudo, Maki, Murakami, Sekimizu, 417

H

- haemolysin, antibacterial peptide, Ca^{2+} -dependent lectin, oligomerization, small-angle X-ray scattering, *Hisamatsu, Tsuda, Goda, Hatakeyama*, 79
- HCC, fucosylation, AFP-L3, fucosyltransferase, GDP-fucose, *Miyoshi, Moriawaki, Nakagawa*, 725
- heat inducible degran mutant, DNA replication, ORC, Orc5p, pre-replicative complex, *Makise, Matsui, Yamairi, Takahashi, Takehara, Asano, Mizushima*, 455
- helicase, human diseases, DNA modification, minor groove binder, molecular motor, *Zhang, Zhang, Chen, Xi*, 773
- Helicobacter pylori*, cystathionine γ -synthase, inhibitor, inhibitor type, minimum inhibition concentration, transsulfuration, *Kong, Wu, Bai, Han, Chen, Chen, Hu, Jiang, Shen*, 59
- heparin, *Arabidopsis thaliana*, Ca^{2+} -ATPase, calmodulin, plasma membrane, *Meneghelli, Luoni, De Michelis*, 253
- heparin, glycogen synthase, glycogen synthase kinase 3, myelin basic protein, phospholipid, sulfate, tau-kinase, tau protein, *Kawakami, Yamaguchi, Suzuki, Yamamoto, Ohtsuki*, 359
- hepatocyte growth factor, annexin A3, carbon tetrachloride, parenchymal hepatocytes, partial hepatectomy, *Harashima, Harada, Ito, Hyuga, Seki, Ariga, Yamaguchi, Niimi*, 537
- , Epstein–Barr virus-based plasmids, insulin, porcine neonatal pancreatic cell clusters, *Kim, Kim, Sun, Oh, Yoon, Lee*, 497
- heteronuclear single quantum coherence, allosteric, cyclic AMP receptor protein, interdomain interaction, nuclear magnetic resonance, *Won, Seo, Ko, Choi, Lee*, 163
- hexamer, adhesion, cell–cell junctions, endothelium, VE-cadherin, *Bibert, Ayari, Riveline, Concord, Hermant, Vernet, Gulino-Debrac*, 821
- hibernalins, amino acid sequence, biological activity, citrus lemon, *Phytophthora* hibernalis, *Capasso, Di Maro, Cristinzio, De Martino, Chambery, Daniele, Sannino, Testa, Parente*, 131
- hibernation promoting factor (HPF), 100S ribosome, ribosomal hibernation, stationary phase, translation, *Ueta, Ohniwa, Yoshida, Maki, Wada, Wada*, 425
- high-density lipoprotein, astrocytes, apolipoprotein E, cholesterol, fibroblast growth factor-1, *Nagayasu, Ito, Nishida, Yokoyama*, 611
- histone chaperone, nucleoplasmin, nucleolus, phosphorylation, RNA, *Okuwaki*, 441
- histone H1, epigenetic code, histone modification, histone variant, linker histone, *Godde, Ura*, 287
- histone modification, epigenetic code, histone H1, histone variant, linker histone, *Godde, Ura*, 287
- histone variant, epigenetic code, histone H1, histone modification, linker histone, *Godde, Ura*, 287
- HLA-E, acute rejection, NK, porcine endothelial cell, xenotransplantation, *Matsunami, Okura, Uchida, Otsuka, Fukuzawa, Miyagawa*, 641
- HNK-1, enzyme complex, glucuronyltransferase, long-term potentiation, substrate specificity, *Morita, Kizuka, Kakuda, Oka*, 719
- homologous recombination, antibiotic resistance, competence, inversion, translocation, transformation, *Kuroki, Toda, Matsui, Uotsu-Tomita, Tomita, Itaya*, 97
- human antibody, affinity maturation, L-chain shuffling, MCP-1, phage display library, *Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Nogami, Matsumoto, Hashiguchi, Ito, Nakashima, Sugimura*, 593
- , amyloid beta 1–42, conformation, single-chain variable fragment, scFv, *Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, Nakashima, Sugimura*, 475
- human diseases, helicase, DNA modification, minor groove binder, molecular motor, *Zhang, Zhang, Chen, Xi*, 773
- human microvascular endothelial cell (HMEC), embryonic stem (ES) cell, Flk1, Tie2, VEGFR2, *Suzuki, Montagne, Nishihara, Watabe, Miyazono*, 199
- hydration, cytoplasm, polyethylene glycol, skeletal muscle, skinned fibre, *Kimura, Takemori*, 123
- , cytoplasm, polyethylene glycol, skeletal muscle, skinned fibre, *Kimura, Takemori*, 841
- hydrogen peroxide, complex formation, EGF receptor, PKC δ , Shc, *Morita, Matsuzaki, Yamamoto, Fukami, Kikkawa*, 31

I

- IGF1R, IR, WGA, Con A, PHA, *Masnikosa, Nikolic, Nedic*, 813
- in vivo* biotinylation, advanced glycation end products (AGE), AviTag, receptor for advanced glycation end products (RAGE), receptor–ligand interaction, *Kumano-Kuramochi, Xie, Sakakibara, Niimi, Sekizawa, Komba, Machida*, 229
- influenza virus, gel shift, NMR, NS1 protein, RNA-binding protein, U6 snRNA, *Someya, Hosono, Morimura, Takaku, Kawai*, 339

- inhibitor type, cystathionine γ -synthase, *Helicobacter pylori*, inhibitor, minimum inhibition concentration, transsulfuration, *Kong, Wu, Bai, Han, Chen, Chen, Hu, Jiang, Shen*, 59
- inhibitor, cystathionine γ -synthase, *Helicobacter pylori*, inhibitor type, minimum inhibition concentration, transsulfuration, *Kong, Wu, Bai, Han, Chen, Chen, Hu, Jiang, Shen*, 59
- insulin receptor, epitope specificity, insulin-like growth factor I receptor, phage display, single-chain antibody, *Kusada, Morizono, Matsumoto-Takasaki, Sakai, Sato, Asanuma, Takayanagi, Fujita-Yamaguchi*, 9
- insulin-like growth factor I receptor, epitope specificity, insulin receptor, phage display, single-chain antibody, *Kusada, Morizono, Matsumoto-Takasaki, Sakai, Sato, Asanuma, Takayanagi, Fujita-Yamaguchi*, 9
- insulin, Epstein–Barr virus-based plasmids, hepatocyte growth factor, porcine neonatal pancreatic cell clusters, *Kim, Kim, Sun, Oh, Yoon, Lee*, 497
- integrin, adhesion, cytoskeleton arrangement, galectin-8, leucocyte, *Yamamoto, Nishi, Shoji, Itoh, Lu, Hirashima, Nakamura*, 311
- interdomain interaction, allosteric, cyclic AMP receptor protein, heteronuclear single quantum coherence, nuclear magnetic resonance, *Won, Seo, Ko, Choi, Lee*, 163
- interleukin-7, Runx, signal transduction, STAT5, transcription factor, *Ogawa, Satake, Ikuta*, 695
- intramolecular, autolysis, calpain, *Drosophila*, monomer, *Park, Emori*, 217
- invasion, cell motility, cell surface heparan sulfate, glypican, matrix metalloproteinase-9, *Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, Okayama, Oguri*, 581
- inversion, antibiotic resistance, competence, homologous recombination, translocation, transformation, *Kuroki, Toda, Matsui, Uotsu-Tomita, Tomita, Itaya*, 97
- IR, IGF1R, WGA, Con A, PHA, *Masnikosa, Nikolic, Nedic*, 813
- IRAK, LPS, NF- κ B, phosphorylation, TLR, *Kubo-Murai, Hazeki, Nigorikawa, Omoto, Inoue, Hazeki*, 295
- isotype clytin, aequorin, coelenterazine, luminescence spectrum, protein secretion, *Inouye*, 711

L

- L-chain shuffling, affinity maturation, human antibody, MCP-1, phage display library, *Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Nogami*,

- Matsumoto, Hashiguchi, Ito, Nakashima, Sugimura, 593
- lactate binding, Bohr effect, enthalphy of oxygenation, oxygen affinity, subunit heterogeneity, Podda, Manconi, Olinas, Pellegrini, Messana, Mura, Castagnola, Giardina, Sanna, 207
- lamin, chromatin, nuclear envelope, nuclear membrane, nucleus, Tsuchiya, 155
- language gene, forkhead domain, FoxP2, medaka, molecular evolution, Itakura, Chandra, Yang, Xue, Wang, Kimura, Hikosaka, Inohaya, Kudo, Uezato, Miura, 407
- lectin, gold nano particle, peptide MS fingerprinting, purification, sugar chain, Nakamura-Tsuruta, Kishimoto, Nishimura, Suda, 833
- leucocyte, adhesion, cytoskeleton arrangement, galectin-8, integrin, Yamamoto, Nishi, Shoji, Itoh, Lu, Hirashima, Nakamura, 311
- linker histone, epigenetic code, histone H1, histone modification, histone variant, Godde, Ura, 287
- lipid droplet, Dpm1p, Erg6p, *Saccharomyces cerevisiae*, vesicle transport, Takeda, Nakano, 803
- lipid raft, *Bacillus thuringiensis*, Cry protein, parasporin, pore-forming toxin, Abe, Shimada, Kitada, 269
- live cell imaging, DNA methylation, epigenetics, pre-implantation development, somatic cell nuclear transfer, Yamagata, 279
- loop structure, family 19 chitinase, *Oryza sativa*, Mizuno, Fukamizo, Sugiyama, Nishizawa, Kezuka, Nonaka, Suzuki, Watanabe, 487
- LPS, IRAK, NF- κ B, phosphorylation, TLR, Kubo-Murai, Hazeki, Nigorikawa, Omoto, Inoue, Hazeki, 295
- Lsd90 (SPBC16E9.16c), fatty acid synthase mutant *lsd1/fas2*, proteome analysis, two-dimensional electrophoresis, very-long-chain fatty-acid-containing phospholipids, Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Harada, Satoh, Karasawa, Takio, Yanagida, Inoue, 369
- luminescence spectrum, aequorin, coelenterazine, protein secretion, isotype clytin, Inouye, 711
- lysine biosynthesis, dihydrodipicolinate reductase, pyridine nucleotide specificity, thermophilic enzymes, *Thermotoga maritima*, Pearce, Sprissler, Gerrard, 617
- M**
- matrix metalloproteinase-9, cell motility, cell surface heparan sulphate, glypican, invasion, Koyama, Naruo, Yoshitomi, Munesue, Kiyono, Kusano, Hashimoto, Yokoi, Nakanishi, Shimizu, Okayama, Oguri, 581
- MCP-1, affinity maturation, human antibody, L-chain shuffling, phage display library, Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Nogami, Matsumoto, Hashiguchi, Ito, Nakashima, Sugimura, 593
- Mdr1, tumour, proliferation, RNAi, drug resistance, Katoh, Ueno, Takakura, 517
- medaka, forkhead domain, FoxP2, language gene, molecular evolution, Itakura, Chandra, Yang, Xue, Wang, Kimura, Hikosaka, Inohaya, Kudo, Uezato, Miura, 407
- membrane-bound enzyme, 4-pyridoxic acid dehydrogenase, pyridoxine-degradation, *Mesorhizobium loti*, vitamin B₆, Ge, Yokochi, Yoshikane, Ohnishi, Yagi, 603
- Mesorhizobium loti*, membrane-bound enzyme, 4-pyridoxic acid dehydrogenase, pyridoxine-degradation, vitamin B₆, Ge, Yokochi, Yoshikane, Ohnishi, Yagi, 603
- metal ion, archaeal chaperonin, chaperonin activity, protein folding, *Thermoplasma acidophilum*, Hirai, Noi, Hongo, Mizobata, Kawata, 505
- minimum inhibition concentration, cystathionine γ -synthase, *Helicobacter pylori*, inhibitor, inhibitor type, trans-sulfuration, Kong, Wu, Bai, Han, Chen, Chen, Hu, Jiang, Shen, 59
- minor groove binder, helicase, human diseases, DNA modification, molecular motor, Zhang, Zhang, Chen, Xi, 773
- MIT domain, calpain, CHMP, endosome, ESCRT, Yorikawa, Takaya, Osako, Tanaka, Terasawa, Hamakubo, Mochizuki, Iwanari, Kodama, Maeda, Hitomi, Shibata, Maki, 731
- mitochondrial morphology, *Caenorhabditis elegans*, elongation, fragmentation, RNAi screening, Ichishita, Tanaka, Sugiura, Sayano, Mihara, Oka, 449
- molecular evolution, forkhead domain, FoxP2, language gene, medaka, Itakura, Chandra, Yang, Xue, Wang, Kimura, Hikosaka, Inohaya, Kudo, Uezato, Miura, 407
- molecular interaction, coacervation, DANCE/fibulin-5, extracellular matrix, tropoelastin, Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Iketani, Maeda, Okamoto, Urban, Onoue, Seyama, 633
- molecular motor, helicase, human diseases, DNA modification, minor groove binder, Zhang, Zhang, Chen, Xi, 773
- Moloney murine leukaemia virus, avian myeloblastosis virus, reverse transcriptase, template-primer, thermal stability, Yasukawa, Nemoto, Inouye, 261
- monomer, autolysis, calpain, *Drosophila*, intramolecular, Park, Emori, 217
- mRNA quality control, mRNA surveillance, ribosome, stop codon, translation, Akimitsu, 1
- mRNA surveillance, mRNA quality control, ribosome, stop codon, translation, Akimitsu, 1
- MurC, Gram-positive bacteria, peptidoglycan, *Staphylococcus aureus*, UDP-N-acetylmuramic acid:L-alanine ligase, Kurokawa, Nishida, Ishibashi, Mizumura, Ueno, Yutsudo, Maki, Murakami, Sekimizu, 417
- mycobacteria, ADP, ATP, ATPase, DNA replication, Yamamoto, Moomey, Rajagopalan, Madiraju, 759
- myelin basic protein, glycogen synthase, glycogen synthase kinase 3, heparin, phospholipid, sulfatide, tau-kinase, tau protein, Kawakami, Yamaguchi, Suzuki, Yamamoto, Ohtsuki, 359
- myotonic dystrophy, binding constant, CUG-BP1, surface plasmon resonance, triplet-repeat, Mori, Sasagawa, Kino, Ishiura, 377
- N**
- NADPH oxidase inhibitor, prodigiosin, p47phox, Rac protein, superoxide, Nakashima, Iwashita, Fujita, Sato, Niwano, Kohn, Kuwahara, Harada, Takeshita, Oda, 107
- NF- κ B, IRAK, LPS, phosphorylation, TLR, Kubo-Murai, Hazeki, Nigorikawa, Omoto, Inoue, Hazeki, 295
- NFY, nuclear receptor co-activator, PNRC, promoter analysis, transcriptional regulation, Zhang, Chen, Li, Chen, Lou, Chen, Zhou, 675
- NK, acute rejection, HLA-E, porcine endothelial cell, xenotransplantation, Matsunami, Okura, Uchida, Otsuka, Fukuzawa, Miyagawa, 641
- NMR, gel shift, influenza virus, NS1 protein, RNA-binding protein, U6 snRNA, Someya, Hosono, Morimura, Takaku, Kawai, 339
- non-ionic detergent, apoptosis, Bcl-2 family protein, dimerization, domain swapping, Feng, Lin, Shen, Chen, Jiang, Liu, 243
- NS1 protein, gel shift, influenza virus, NMR, RNA-binding protein, U6 snRNA, Someya, Hosono, Morimura, Takaku, Kawai, 339
- nuclear envelope, chromatin, lamin, nuclear membrane, nucleus, Tsuchiya, 155
- nuclear hormone receptor, estrogen receptor-related receptor, Rb1-inducible coiled-coil 1, response element, target gene, transcriptional regulation, Akter, Chano, Okabe, Yamaguchi, Hirose, Osumi, 395
- nuclear localization signal, dual localization, endoplasmic reticulum,

- parathyroid hormone-related protein, signal sequence, *Amaya, Nakai, Komaru, Tsuneki, Miura*, 569
- , phosphorylation, protein kinase C (PKC), serine/threonine kinase, *Kuwahara, Nishizaki, Kanazawa*, 349
- nuclear magnetic resonance, allostery, cyclic AMP receptor protein, heteronuclear single quantum coherence, interdomain interaction, *Won, Seo, Ko, Choi, Lee*, 163
- nuclear membrane, chromatin, lamin, nuclear envelope, nucleus, *Tsuchiya*, 155
- nuclear protein, amino acid sequence, autocorrelation function, charge periodicity, vertebrate, *Ke, Sakiyama, Sawada, Sonoyama, Mitaku*, 661
- nuclear receptor co-activator, NFY, PNRC, promoter analysis, transcriptional regulation, *Zhang, Chen, Li, Chen, Lou, Chen, Zhou*, 675
- nucleolus, histone chaperone, nucleoplasm, phosphorylation, RNA, *Okuwaki*, 441
- nucleoplasmin, histone chaperone, nucleolus, phosphorylation, RNA, *Okuwaki*, 441
- nucleus, chromatin, lamin, nuclear envelope, nuclear membrane, *Tsuchiya*, 155
- O
- oligomerization, antibacterial peptide, Ca²⁺-dependent lectin, haemolysin, small-angle X-ray scattering, *Hisamatsu, Tsuda, Goda, Hatakeyama*, 79
- O-mannosylation, ERAD, Gas1**p*, PMT, post-ER degradation, *Hirayama, Fujita, Yoko-o, Jigami*, 555
- OMP-complex, apo form, orotidine 5'-monophosphate decarboxylase, structural comparison, UMP-complex, x-ray structural analysis, *Tokuoka, Kusakari, Krungrai, Matsumura, Kai, Krungrai, Horii, Inoue*, 69
- Orc5p, DNA replication, heat inducible degron mutant, ORC, pre-replicative complex, *Makise, Matsui, Yamairi, Takahashi, Takehara, Asano, Mizushima*, 455
- ORC, DNA replication, heat inducible degron mutant, Orc5p, pre-replicative complex, *Makise, Matsui, Yamairi, Takahashi, Takehara, Asano, Mizushima*, 455
- orotidine 5'-monophosphate decarboxylase, apo form, OMP-complex, structural comparison, UMP-complex, x-ray structural analysis, *Tokuoka, Kusakari, Krungrai, Matsumura, Kai, Krungrai, Horii, Inoue*, 69
- Oryza sativa*, family 19 chitinase, loop structure, *Mizuno, Fukamizo, Sugiyama, Nishizawa, Kezuka, Nonaka, Suzuki, Watanabe*, 487
- ovary of starfish, *Asterina pectinifera*, cathepsin D, enzymatic properties, sialidase, *Kannappan, Satoh, Iriyama, Ando, Sawada, Takahashi, Furuhashi, Uda*, 117
- ovine prion protein, circular dichroism spectra, conformational conversion, copper, pH, protease K, *Liu, Li, Zhou, Zhao*, 333
- oxygen affinity, Bohr effect, enthalpy of oxygenation, lactate binding, subunit heterogeneity, *Podda, Manconi, Olinas, Pellegrini, Messina, Mura, Castagnola, Giardina, Sanna*, 207
- P
- p38, cytokine, p62, Paget's disease of bone, safety catch, *Kawai, Saito, Sudo, Osada*, 765
- p47phox, NADPH oxidase inhibitor, prodigiosin, Rac protein, superoxide, *Nakashima, Iwashita, Fujita, Sato, Niwano, Kohno, Kuwahara, Harada, Takeshita, Oda*, 107
- p53, adriamycin, apoptosis, β 1,4-galactosyltransferase II, transcription regulation, *Zhou, Wei, Liu, Ge, Zhou, Yun, Jiang, Gu*, 547
- p62, cytokine, p38, Paget's disease of bone, safety catch, *Kawai, Saito, Sudo, Osada*, 765
- Paget's disease of bone, cytokine, p38, p62, safety catch, *Kawai, Saito, Sudo, Osada*, 765
- parasporin, *Bacillus thuringiensis*, Cry protein, lipid raft, pore-forming toxin, *Abe, Shimada, Kitada*, 269
- parathyroid hormone-related protein, dual localization, endoplasmic reticulum, nuclear localization signal, signal sequence, *Amaya, Nakai, Komaru, Tsuneki, Miura*, 569
- parenchymal hepatocytes, annexin A3, carbon tetrachloride, hepatocyte growth factor, partial hepatectomy, *Harashima, Harada, Ito, Hyuga, Seki, Ariga, Yamaguchi, Niimi*, 537
- partial hepatectomy, annexin A3, carbon tetrachloride, hepatocyte growth factor, parenchymal hepatocytes, *Harashima, Harada, Ito, Hyuga, Seki, Ariga, Yamaguchi, Niimi*, 537
- peptide MS fingerprinting, gold nano particle, lectin, purification, sugar chain, *Nakamura-Tsuruta, Kishimoto, Nishimura, Suda*, 833
- peptides, anti-peptide antibody, conformation, ribosomal protein S6, epitope, *Nakagawa, Ohmido, Ishikawa, Uchiyama, Fukui, Azuma*, 325
- peptidoglycan, Gram-positive bacteria, MurC, *Staphylococcus aureus*, UDP-N-acetylmuramic acid:L-alanine ligase, *Kurokawa, Nishida, Ishibashi, Mizumura, Ueno, Yutsudo, Maki, Murakami, Sekimizu*, 417
- peroxisome, β -oxidation, PTS1, protease, proteomics, *Omi, Nakata, Okamura-Ikeda, Konishi, Taniguchi*, 649
- pH, circular dichroism spectra, conformational conversion, copper, ovine prion protein, protease K, *Liu, Li, Zhou, Zhao*, 333
- PHA, IGF1R, IR, WGA, Con A, *Masnikosa, Nikolić, Nedić*, 813
- phage display library, affinity maturation, human antibody, L-chain shuffling, MCP-1, *Yoshinaga, Matsumoto, Torikai, Sugyo, Kuroki, Nogami, Matsumoto, Hashiguchi, Ito, Nakashima, Sugimura*, 593
- phage display, epitope specificity, insulin-like growth factor I receptor, insulin receptor, single-chain antibody, *Kusada, Morizono, Matsumoto-Takasaki, Sakai, Sato, Asanuma, Takayanagi, Fujita-Yamaguchi*, 9
- phospholipid, glycogen synthase, glycogen synthase kinase 3, heparin, myelin basic protein, sulfatide, tau-kinase, tau protein, *Kawakami, Yamaguchi, Suzuki, Yamamoto, Ohtsuki*, 359
- phosphorylase, 4- α -glucanotransferase, branched maltooligosaccharide, fluorogenic substrate, glycogen debranching enzyme, substrate specificity, *Watanabe, Makino, Omichi*, 435
- phosphorylation, histone chaperone, nucleoplasmin, nucleolus, RNA, *Okuwaki*, 441
- , IRAK, LPS, NF- κ B, TLR, *Kubo-Murai, Hazeke, Nigorikawa, Omoto, Inoue, Hazeke*, 295
- , nuclear localization signal, protein kinase C (PKC), serine/threonine kinase, *Kuwahara, Nishizaki, Kanazawa*, 349
- photobacterium, bacterial sialyltransferase, glycosyltransferase family 80, sialic acid, *Tsukamoto, Takakura, Mine, Yamamoto*, 187
- Phytophthora hibernalis, amino acid sequence, biological activity, citrus lemon, hibernalsins, *Capasso, Di Maro, Cristinzio, De Martino, Chambery, Daniele, Sannino, Testa, Parente*, 131
- PKC δ , complex formation, EGF receptor, hydrogen peroxide, Shc, *Morita, Matsuzaki, Yamamoto, Fukami, Kikkawa*, 31
- plasma membrane, *Arabidopsis thaliana*, Ca²⁺-ATPase, calmodulin, heparin, *Meneghelli, Luoni, De Michelis*, 253
- PMT, ERAD, Gas1**p*, O-mannosylation, post-ER degradation, *Hirayama, Fujita, Yoko-o, Jigami*, 555
- PNRC, nuclear receptor co-activator, NFY, promoter analysis, transcriptional regulation, *Zhang, Chen, Li, Chen, Lou, Chen, Zhou*, 675

- polyethylene glycol, cytoplasm, hydration, skeletal muscle, skinned fibre, *Kimura, Takemori*, 123
- , cytoplasm, hydration, skeletal muscle, skinned fibre, *Kimura, Takemori*, 841
- polypyrimidine tract, acceptor site sequences, dystrophin, exonic splicing enhancer, splicing, *Habara, Doshita, Hirozawa, Yokono, Yagi, Takeshima, Matsuo*, 303
- porcine endothelial cell, acute rejection, HLA-E, NK, xenotransplantation, *Matsunami, Okura, Uchida, Otsuka, Fukuzawa, Miyagawa*, 641
- porcine neonatal pancreatic cell clusters, Epstein–Barr virus-based plasmids, hepatocyte growth factor, insulin, *Kim, Kim, Sun, Oh, Yoon, Lee*, 497
- pore-forming toxin, *Bacillus thuringiensis*, Cry protein, lipid raft, parasporin, *Abe, Shimada, Kitada*, 269
- post-ER degradation, ERAD, Gas1^p, O-mannosylation, *PMT, Hirayama, Fujita, Yoko-o, Jigami*, 555
- pre-implantation development, DNA methylation, epigenetics, live cell imaging, somatic cell nuclear transfer, *Yamagata*, 279
- pre-replicative complex, DNA replication, heat inducible degron mutant, ORC, Orc5p, *Makise, Matsui, Yamairi, Takahashi, Takehara, Asano, Mizushima*, 455
- prodigiosin, NADPH oxidase inhibitor, p47phox, Rac protein, superoxide, *Nakashima, Iwashita, Fujita, Sato, Niwano, Kohno, Kuwahara, Harada, Takeshita, Oda*, 107
- proliferation, Mdr1, tumour, RNAi, drug resistance, *Kato, Ueno, Takakura*, 517
- promoter analysis, nuclear receptor co-activator, NFY, PNRC, transcriptional regulation, *Zhang, Chen, Li, Chen, Lou, Chen, Zhou*, 675
- protease K, circular dichroism spectra, conformational conversion, copper, ovine prion protein, pH, *Liu, Li, Zhou, Zhao*, 333
- protease, peroxisome, β -oxidation, PTS1, proteomics, *Omi, Nakata, Okamura-Ikeda, Konishi, Taniguchi*, 649
- protein folding, archaeal chaperonin, chaperonin activity, metal ion, *Thermoplasma acidophilum, Hirai, Noi, Hongo, Mizobata, Kawata*, 505
- protein kinase C (PKC), nuclear localization signal, phosphorylation, serine/threonine kinase, *Kuwahara, Nishizaki, Kanazawa*, 349
- protein secretion, aequorin, coelenterazine, luminescence spectrum, isotype clytin, *Inouye*, 711
- protein transduction, cell cycle, Cre recombinase, GFP, synchronized cell culture, *Hashimoto, Taniguchi, Yoshino, Arai, Sato*, 87
- protein-protein interaction complex, α -ketoacid dehydrogenase, glycine cleavage system, 2-oxo acid dehydrogenase, *Thermus thermophilus, Nakai, Kuramitsu, Kamiya*, 747
- proteome analysis, fatty acid synthase mutant *lsd1/fas2*, Lsd90 (SPBC16E9.16c), two-dimensional electrophoresis, very-long-chain fatty-acid-containing phospholipids, *Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Harada, Satoh, Karasawa, Takio, Yanagida, Inoue*, 369
- proteomics, peroxisome, β -oxidation, PTS1, protease, *Omi, Nakata, Okamura-Ikeda, Konishi, Taniguchi*, 649
- proximal tubules, chicken kidney, D-serine, D-serine dehydratase, pyridoxal 5'-phosphate, *Tanaka, Yamamoto, Ishida, Horiike*, 49
- PTS1, peroxisome, β -oxidation, protease, proteomics, *Omi, Nakata, Okamura-Ikeda, Konishi, Taniguchi*, 649
- purification, gold nano particle, lectin, peptide MS fingerprinting, sugar chain, *Nakamura-Tsuruta, Kishimoto, Nishimura, Suda*, 833
- pyridine nucleotide specificity, dihydrodipicolinate reductase, lysine biosynthesis, thermophilic enzymes, *Thermotoga maritima, Pearce, Sprissler, Gerrard*, 617
- pyridoxal 5'-phosphate, chicken kidney, D-serine, D-serine dehydratase, proximal tubules, *Tanaka, Yamamoto, Ishida, Horiike*, 49
- pyridoxine-degradation, membrane-bound enzyme, 4-pyridoxic acid dehydrogenase, *Mesorhizobium loti*, vitamin B₆, *Ge, Yokochi, Yoshikane, Ohnishi, Yagi*, 603
- R
- Rac protein, NADPH oxidase inhibitor, prodigiosin, p47phox, superoxide, *Nakashima, Iwashita, Fujita, Sato, Niwano, Kohno, Kuwahara, Harada, Takeshita, Oda*, 107
- Rb1-inducible coiled-coil 1, estrogen receptor-related receptor, nuclear hormone receptor, response element, target gene, transcriptional regulation, *Akter, Chano, Okabe, Yamaguchi, Hirose, Osumi*, 395
- receptor for advanced glycation end products (RAGE), advanced glycation end products (AGE), AviTag, *in vivo* biotinylation, receptor–ligand interaction, *Kumano-Kuramochi, Xie, Sakakibara, Niimi, Sekizawa, Komba, Machida*, 229
- receptor–ligand interaction, advanced glycation end products (AGE), AviTag, *in vivo* biotinylation, receptor for advanced glycation end products (RAGE), *Kumano-Kuramochi, Xie, Sakakibara, Niimi, Sekizawa, Komba, Machida*, 229
- receptor-binding assay, endocrine disruptors, estrogen receptor, fluorescence intensity, fluorescent tracer, *Asai, Tokunaga, Kondo, Kawaguchi, Takayanagi, Shinmyozu, Nakai, Yakabe, Shimohigashi*, 781
- red wine, antioxidants, endothelial progenitor cells, resveratrol, *Balestrieri, Schiano, Felice, Casamassimi, Balestrieri, Milone, Servillo, Napoli*, 179
- residue–residue interactions, catalytic mechanism, dimerization–activity relationship, dimer interface, site-directed mutagenesis, *Chen, Zhang, Hu, Chen, Jiang, Shen*, 525
- response element, estrogen receptor-related receptor, nuclear hormone receptor, Rb1-inducible coiled-coil 1, target gene, transcriptional regulation, *Akter, Chano, Okabe, Yamaguchi, Hirose, Osumi*, 395
- resveratrol, antioxidants, endothelial progenitor cells, red wine, *Balestrieri, Schiano, Felice, Casamassimi, Balestrieri, Milone, Servillo, Napoli*, 179
- reverse transcriptase, avian myeloblastosis virus, Moloney murine leukaemia virus, template-primer, thermal stability, *Yasukawa, Nemoto, Inouye*, 261
- ribosomal hibernation, hibernation promoting factor (HPF), 100S ribosome, stationary phase, translation, *Ueta, Ohniwa, Yoshida, Maki, Wada, Wada*, 425
- ribosomal P protein, ribosome, stalk, *Grela, Sawa-Makarska, Gordiyenko, Robinson, Grankowski, Tchorzewski*, 169
- ribosomal protein S6, anti-peptide antibody, conformation, peptides, epitope, *Nakagawa, Ohmido, Ishikawa, Uchiyama, Fukui, Azuma*, 325
- ribosome, mRNA quality control, mRNA surveillance, stop codon, translation, *Akimitsu*, 1
- ribosome, ribosomal P protein, stalk, *Grela, Sawa-Makarska, Gordiyenko, Robinson, Grankowski, Tchorzewski*, 169
- RNA-binding protein, gel shift, influenza virus, NMR, NS1 protein, U6 snRNA, *Someya, Hosono, Morimura, Takaku, Kawai*, 339
- RNA, histone chaperone, nucleoplasmin, nucleolus, phosphorylation, *Okuwaki*, 441
- RNAi screening, *Caenorhabditis elegans*, elongation, fragmentation, mitochondrial morphology, *Ichishita, Tanaka, Sugiura, Sayano, Mihara, Oka*, 449

- RNAi, Mdr1, tumour, proliferation, drug resistance, *Katoh, Ueno, Takakura*, 517
- rsTRAIL, apoptosis, breast cancer, erbin, ErbB2, *Liu, Zhang, Zhang, Liu, Liu, Zheng*, 793
- Runx, interleukin-7, signal transduction, STAT5, transcription factor, *Ogawa, Satake, Ikuta*, 695
- S**
- Saccharomyces cerevisiae*, Dpm1p, Erg6p, lipid droplet, vesicle transport, *Takeda, Nakano*, 803
- safety catch, cytokine, p38, p62, Paget's disease of bone, *Kawai, Saito, Sudo, Osada*, 765
- scaffold, genome DNA, chromosome, condensins, *Maeshima, Eltsov*, 145
- scFv, amyloid beta 1–42, conformation, human antibody, single-chain variable fragment, *Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, Nakashima, Sugimura*, 475
- selenite assimilation, formate dehydrogenase H, thioredoxin reductase, *Takahata, Tamura, Abe, Mihara, Kurokawa, Yamamoto, Nakano, Esaki, Inagaki*, 467
- selenium, glutathione, sodium selenite; selenodiglutathione, electrospray ionization tandem mass spectrometry, *Cui, Jin, Kim, Kumar, Lee*, 685
- sensory neuron, dorsal root ganglion, thermoregulation, transient receptor potential channel, uncoupling protein 1, *Yamashita, Wang, Wang, Furuyama, Kontani, Sato, Mori*, 385
- serine protease, disulphide bond, subtilase, thermostability, activity, *Sakaguchi, Takezawa, Nakazawa, Nozawa, Kusakawa, Nagasawa, Sugahara, Kawakita*, 625
- serine/threonine kinase, nuclear localization signal, phosphorylation, protein kinase C (PKC), *Kuwahara, Nishizaki, Kanazawa*, 349
- Shc, complex formation, EGF receptor, hydrogen peroxide, PKC δ , *Morita, Matsuzaki, Yamamoto, Fukami, Kikkawa*, 31
- sialic acid, bacterial sialyltransferase, glycosyltransferase family 80, photobacterium, *Tsakamoto, Takakura, Mine, Yamamoto*, 187
- sialidase, *Asterina pectinifera*, cathepsin D, enzymatic properties, ovary of starfish, *Kannappan, Satoh, Iriyama, Ando, Sawada, Takahashi, Furuhashi, Uda*, 117
- signal peptidase I, carboxyl-terminal residues, deletion, *Escherichia coli*, site-directed mutagenesis, *Kim, Yoshida, Kojima, Kurita, Nishii, Muramatsu, Ito, Park, Takahashi*, 237
- signal sequence, dual localization, endoplasmic reticulum, nuclear localization signal, parathyroid hormone-related protein, *Amaya, Nakai, Komaru, Tsuneki, Miura*, 569
- signal transduction, interleukin-7, Runx, STAT5, transcription factor, *Ogawa, Satake, Ikuta*, 695
- signalling, G protein-coupled receptor, yeast, enhanced green fluorescent protein, flow cytometer, *Ishii, Tanaka, Matsumura, Tatematsu, Kuroda, Ogino, Fukuda, Kondo*, 667
- single-chain antibody, epitope specificity, insulin-like growth factor I receptor, insulin receptor, phage display, *Kusada, Morizono, Matsumoto, Takasaki, Sakai, Sato, Asanuma, Takayanagi, Fujita-Yamaguchi*, 9
- single-chain variable fragment, amyloid beta 1–42, conformation, human antibody, scFv, *Yoshihara, Takiguchi, Kyuno, Tanaka, Kuba, Hashiguchi, Ito, Hashimoto, Iwatsubo, Tsuyama, Nakashima, Sugimura*, 475
- site-directed mutagenesis, carboxyl-terminal residues, deletion, *Escherichia coli*, signal peptidase I, *Kim, Yoshida, Kojima, Kurita, Nishii, Muramatsu, Ito, Park, Takahashi*, 237
- site-directed mutagenesis, catalytic mechanism, dimerization-activity relationship, dimer interface, residue-residue interactions, *Chen, Zhang, Hu, Chen, Jiang, Shen*, 525
- skeletal muscle, cytoplasm, hydration, polyethylene glycol, skinned fibre, *Kimura, Takemori*, 123
- , cytoplasm, hydration, polyethylene glycol, skinned fibre, *Kimura, Takemori*, 841
- skinned fibre, cytoplasm, hydration, polyethylene glycol, skeletal muscle, *Kimura, Takemori*, 123
- , cytoplasm, hydration, polyethylene glycol, skeletal muscle, *Kimura, Takemori*, 841
- small-angle X-ray scattering, antibacterial peptide, Ca²⁺-dependent lectin, haemolysin, oligomerization, *Hisamatsu, Tsuda, Goda, Hatakeyama*, 79
- sodium selenite; selenodiglutathione, selenium, glutathione, electrospray ionization tandem mass spectrometry, *Cui, Jin, Kim, Kumar, Lee*, 685
- somatic cell nuclear transfer, DNA methylation, epigenetics, live cell imaging, preimplantation development, *Yamagata*, 279
- splicing, acceptor site sequences, dystrophin, exonic splicing enhancer, polypyrimidine tract, *Habara, Doshita, Hirozawa, Yokono, Yagi, Takeshima, Matsuo*, 303
- stalk, ribosome, ribosomal P protein, *Grela, Sawa-Makarska, Gordiyenko, Robinson, Grankowski, Tchórzewski*, 169
- Staphylococcus aureus*, Gram-positive bacteria, MurC, peptidoglycan, UDP-N-acetylmuramic acid:L-alanine ligase, *Kurokawa, Nishida, Ishibashi, Mizumura, Ueno, Yutsudo, Maki, Murakami, Sekimizu*, 417
- STAT5, interleukin-7, Runx, signal transduction, transcription factor, *Ogawa, Satake, Ikuta*, 695
- stationary phase, hibernation promoting factor (HPF), 100S ribosome, ribosomal hibernation, translation, *Ueta, Ohniwa, Yoshida, Maki, Wada, Wada*, 425
- stop codon, mRNA quality control, mRNA surveillance, ribosome, translation, *Akimitsu*, 1
- structural comparison, apo form, OMP-complex, orotidine 5'-monophosphate decarboxylase, UMP-complex, x-ray structural analysis, *Tokuoka, Kusakari, Krungkrai, Matsumura, Kai, Krungkrai, Horii, Inoue*, 69
- substrate specificity, 4- α -glucanotransferase, branched maltooligosaccharide, fluorogenic substrate, glycogen debanching enzyme, phosphorylase, *Watanabe, Makino, Omichi*, 435
- , enzyme complex, glucuronyltransferase, HNK-1, long-term potentiation, *Morita, Kizuka, Kakuda, Oka*, 719
- subtilase, disulphide bond, serine protease, thermostability, activity, *Sakaguchi, Takezawa, Nakazawa, Nozawa, Kusakawa, Nagasawa, Sugahara, Kawakita*, 625
- subunit heterogeneity, Bohr effect, enthalphy of oxygenation, lactate binding, oxygen affinity, *Podda, Manconi, Olinas, Pellegrini, Messana, Mura, Castagnola, Giardina, Sanna*, 207
- sugar chain, gold nano particle, lectin, peptide MS fingerprinting, purification, *Nakamura-Tsuruta, Kishimoto, Nishimura, Suda*, 833
- sulfatide, glycogen synthase, glycogen synthase kinase 3, heparin, myelin basic protein, phospholipid, tau-kinase, tau protein, *Kawakami, Yamaguchi, Suzuki, Yamamoto, Ohtsuki*, 359
- superoxide, NADPH oxidase inhibitor, prodigiosin, p47phox, Rac protein, *Nakashima, Iwashita, Fujita, Sato, Niwano, Kohno, Kuwahara, Harada, Takeshita, Oda*, 107
- surface plasmon resonance, binding constant, CUG-BP1, myotonic dystrophy, triplet-repeat, *Mori, Sasagawa, Kino, Ishiura*, 377
- synchronized cell culture, cell cycle, Cre recombinase, GFP, protein transduction, *Hashimoto, Taniguchi, Yoshino, Arai, Sato*, 87

T

- target gene, estrogen receptor-related receptor, nuclear hormone receptor, Rb1-inducible coiled-coil 1, response element, transcriptional regulation, *Akter, Chano, Okabe, Yamaguchi, Hirose, Osumi*, 395
- tau protein, glycogen synthase, glycogen synthase kinase 3, heparin, myelin basic protein, phospholipid, sulfatide, tau-kinase, *Kawakami, Yamaguchi, Suzuki, Yamamoto, Ohtsuki*, 359
- tau-kinase, glycogen synthase, glycogen synthase kinase 3, heparin, myelin basic protein, phospholipid, sulfatide, tau protein, *Kawakami, Yamaguchi, Suzuki, Yamamoto, Ohtsuki*, 359
- template-primer, avian myeloblastosis virus, Moloney murine leukaemia virus, reverse transcriptase, thermal stability, *Yasukawa, Nemoto, Inouye*, 261
- thermal stability, avian myeloblastosis virus, Moloney murine leukaemia virus, reverse transcriptase, template-primer, *Yasukawa, Nemoto, Inouye*, 261
- thermophilic enzymes, dihydrodipicolinate reductase, lysine biosynthesis, pyridine nucleotide specificity, *Thermotoga maritima*, *Pearce, Sprissler, Gerrard*, 617
- Thermoplasma acidophilum*, archaeal chaperonin, chaperonin activity, metal ion, protein folding, *Hirai, Noi, Hongo, Mizobata, Kawata*, 505
- thermoregulation, dorsal root ganglion, sensory neuron, transient receptor potential channel, uncoupling protein 1, *Yamashita, Wang, Wang, Furuyama, Kontani, Sato, Mori*, 385
- thermostability, disulphide bond, serine protease, subtilase, activity, *Sakaguchi, Takezawa, Nakazawa, Nozawa, Kusakawa, Nagasawa, Sugahara, Kawakita*, 625
- Thermotoga maritima*, dihydrodipicolinate reductase, lysine biosynthesis, pyridine nucleotide specificity, thermophilic enzymes, *Pearce, Sprissler, Gerrard*, 617
- Thermus thermophilus*, α -ketoacid dehydrogenase, glycine cleavage system, 2-oxo acid dehydrogenase, protein-protein interaction complex, *Nakai, Kuramitsu, Kamiya*, 747
- thioredoxin reductase, formate dehydrogenase H, selenite assimilation, *Takahata, Tamura, Abe, Mihara, Kurokawa, Yamamoto, Nakano, Esaki, Inagaki*, 467
- Tie2, embryonic stem (ES) cell, Flk1, human microvascular endothelial cell (HMEC), VEGFR2, *Suzuki, Montagne, Nishihara, Watabe, Miyazono*, 199
- TLR, IRAK, LPS, NF- κ B, phosphorylation, *Kubo-Murai, Hazeki, Nigorikawa, Omoto, Inoue, Hazeki*, 295
- torsinA, cerebral cortex, conditional knockout mouse, DYT1 dystonia, early-onset dystonia, *Yokoi, Dang, Mitsui, Li, Li*, 39
- transcription factor, interleukin-7, Runx, signal transduction, STAT5, *Ogawa, Satake, Ikuta*, 695
- transcription regulation, adriamycin, apoptosis, β 1,4-galactosyltransferase II, p53, *Zhou, Wei, Liu, Ge, Zhou, Yun, Jiang, Gu*, 547
- transcriptional regulation, estrogen receptor-related receptor, nuclear hormone receptor, Rb1-inducible coiled-coil 1, response element, target gene, *Akter, Chano, Okabe, Yamaguchi, Hirose, Osumi*, 395
- , nuclear receptor co-activator, NFY, PNRC, promoter analysis, *Zhang, Chen, Li, Chen, Lou, Chen, Zhou*, 675
- transformation, antibiotic resistance, competence, inversion, homologous recombination, translocation, *Kuroki, Toda, Matsui, Uotsu-Tomita, Tomita, Itaya*, 97
- transient receptor potential channel, dorsal root ganglion, sensory neuron, thermoregulation, uncoupling protein 1, *Yamashita, Wang, Wang, Furuyama, Kontani, Sato, Mori*, 385
- translation, hibernation promoting factor (HPF), 100S ribosome, ribosomal hibernation, stationary phase, *Ueta, Ohniwa, Yoshida, Maki, Wada, Wada*, 425
- , mRNA quality control, mRNA surveillance, ribosome, stop codon, *Akimitsu*, 1
- translocation, antibiotic resistance, competence, inversion, homologous recombination, transformation, *Kuroki, Toda, Matsui, Uotsu-Tomita, Tomita, Itaya*, 97
- transsulfuration, cystathionine γ -synthase, *Helicobacter pylori*, inhibitor, inhibitor type, minimum inhibition concentration, *Kong, Wu, Bai, Han, Chen, Chen, Hu, Jiang, Shen*, 59
- triplet-repeat, binding constant, CUG-BP1, myotonic dystrophy, surface plasmon resonance, *Mori, Sasagawa, Kino, Ishiura*, 377
- tropoelastin, coacervation, DANCE/fibulin-5, extracellular matrix, molecular interaction, *Wachi, Nonaka, Sato, Shibata-Sato, Ishida, Iketani, Maeda, Okamoto, Urban, Onoue, Seyama*, 633
- tumour, Mdr1, proliferation, RNAi, drug resistance, *Katoh, Ueno, Takakura*, 517
- two-dimensional electrophoresis, fatty acid synthase mutant *lsd1/fas2*, Lsd90 (SPBC16E9.16c), proteome analysis,

very-long-chain fatty-acid-containing phospholipids, *Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Harada, Satoh, Karasawa, Takio, Yanagida, Inoue*, 369

U

- U6 snRNA, gel shift, influenza virus, NMR, NS1 protein, RNA-binding protein, *Someya, Hosono, Morimura, Takaku, Kawai*, 339
- UDP-N-acetylmuramic acid:L-alanine ligase, Gram-positive bacteria, MurC, peptidoglycan, *Staphylococcus aureus*, *Kurokawa, Nishida, Ishibashi, Mizumura, Ueno, Yutsudo, Maki, Murakami, Sekimizu*, 417
- UMP-complex, apo form, OMP-complex, orotidine 5'-monophosphate decarboxylase, structural comparison, x-ray structural analysis, *Tokuoka, Kusakari, Krungkrai, Matsumura, Kai, Krungkrai, Horii, Inoue*, 69
- uncoupling protein 1, dorsal root ganglion, sensory neuron, thermoregulation, transient receptor potential channel, *Yamashita, Wang, Wang, Furuyama, Kontani, Sato, Mori*, 385

V

- VE-cadherin, adhesion, cell-cell junctions, endothelium, hexamer, *Bibert, Ayari, Riveline, Concord, Hermant, Vernet, Gulino-Debrac*, 821
- VEGFR2, embryonic stem (ES) cell, Flk1, human microvascular endothelial cell (HMEC), Tie2, *Suzuki, Montagne, Nishihara, Watabe, Miyazono*, 199
- vertebrate, amino acid sequence, autocorrelation function, charge periodicity, nuclear protein, *Ke, Sakiyama, Sawada, Sonoyama, Mitaku*, 661
- very-long-chain fatty-acid-containing phospholipids, fatty acid synthase mutant *lsd1/fas2*, Lsd90 (SPBC16E9.16c), proteome analysis, two-dimensional electrophoresis, *Yokoyama, Nakagawa, Satoh, Saitoh, Dohmae, Harada, Satoh, Karasawa, Takio, Yanagida, Inoue*, 369
- vesicle transport, Dpm1p, lipid droplet, *Saccharomyces cerevisiae*, *Takeda, Nakano*, 803
- vitamin B₆, membrane-bound enzyme, 4-pyridoxic acid dehydrogenase, pyridoxine-degradation, *Mesorhizobium loti*, *Ge, Yokochi, Yoshikane, Ohnishi, Yagi*, 603

W

- WGA, Amycolatopsis orientalis, cross-linking, divalent glycoside, enzymatic synthesis, *Misawa, Akimoto, Amarume, Murata, Usui*, 21

WGA, IGF1R, IR, Con A, PHA, *Masnikosa*,
Nikolic, Nedic, 813

X

x-ray structural analysis, apo form, OMP-
complex, orotidine 5'-monophosphate
decarboxylase, structural comparison,

UMP-complex, *Tokuoka, Kusakari*,
Krungrai, Matsumura, Kai,
Krungrai, Horii, Inoue, 69
xenotransplantation, acute rejection,
HLA-E, NK, porcine endothelial cell,
Matsunami, Okura, Uchida, Otsuka,
Fukuzawa, Miyagawa, 641

Y

yeast, G protein-coupled receptor,
enhanced green fluorescent protein,
signalling, flow cytometer, *Ishii*,
Tanaka, Matsumura, Tatematsu,
Kuroda, Ogino, Fukuda, Kondo, 667

THE JOURNAL OF BIOCHEMISTRY

EDITED FOR
THE JAPANESE BIOCHEMICAL SOCIETY
VOLUME 143, 2008

E D I T O R I A L B O A R D

Editor-in-Chief

Naoyuki TANIGUCHI (Suita)

Editors

<i>JB Reviews</i>	Sen-itiroh HAKOMORI (Seattle) Atsushi MIYAJIMA (Tokyo)
<i>Biochemistry</i>	Gerald W. HART (Baltimore) Seiki KURAMITSU (Toyonaka) Bettie Sue MASTERS (San Antonio) Akemi SUZUKI (Hiratsuka)
<i>Molecular Biology</i>	Walter NEUPERT (München) Yoshihide TSUJIMOTO (Suita)
<i>Cell</i>	Frank D. BÖHMER (Jena) Kohei MIYAZONO (Tokyo)
<i>Biotechnology</i>	Chris Y. H. TAN (Vancouver, Canada) Takuya UEDA (Tokyo)

Managing Editors

Ikuko HARA-NISHIMURA (Kyoto) Yoshinobu NAKANISHI (Kanazawa)

Associate Editors

<i>JB Reviews</i>	Anindya DUTTA (Charlottesville) Tatsuro IRIMURA (Tokyo) Shigeaki KATO (Tokyo)	Hisao MASAI (Tokyo) Hiroshi OHNO (Yokohama)
<i>Biochemistry</i>	Fumio ARISAKA (Yokohama) Vytautas A. BANKAITIS (Chapel Hill) Junichi FUJII (Yamagata) Yuji GOTO (Suita) Koichi HONKE (Nankoku) Shoichi ISHIURA (Tokyo) Johannis P. KAMERLING (Utrecht)	Nobuo KAMIYA (Osaka) Makoto KIMURA (Fukuoka) Ken KITAJIMA (Nagoya) Katsuyuki TANIZAWA (Ibaraki) Masato UMEDA (Uji) Yuriko YAMAGATA (Kumamoto) Takehiko YOKOMIZO (Fukuoka) Pradman K. QASBA (Frederick) Takashi SUDA (Kanazawa) Takeshi TODO (Suita)
<i>Molecular Biology</i>	Yukio FUJIKI (Fukuoka) Kenji KOHNO (Ikoma) Bok Luel LEE (Busan) Shoko NISHIHARA (Hachioji) Suk-Chul BAE (Gaesindong) Nils BROSE (Gottingen) Yutaka HATA (Tokyo) Shigeki HIGASHIYAMA (Toon) Takeshi IWATSUBO (Tokyo) Akira KIKUCHI (Hiroshima)	Eunjoon KIM (Daejeon) Tohru KOZASA (Chicago) Aristidis MOUSTAKAS (Uppsala) Atsuko SEHARA-FUJISAWA (Kyoto) Toshiyuki TAKAI (Sendai)
<i>Cell</i>		
<i>Biotechnology</i>	Yo KIKUCHI (Toyohashi) Sunghoon KIM (Seoul) Włodzimierz J. KRZYŻOSIAK (Poznań) Keiko MIZUTA (Higashihiroshima)	Ken-ichi NISHIYAMA (Tokyo) Kouhei TSUMOTO (Kashiwa) Kazuo YAMAMOTO (Tokyo)

Advisory Board

Biochemistry

Junken AOKI (Sendai)
Jin Won CHO (Seoul)
Catherine E. COSTELLO (Boston)
Jeffrey D. ESKO (La Jolla)
Jianguo GU (Sendai)
Yann GUÉRADEL (Villeneuve d'Ascq)
Robert S. HALTIWANGER (Stony Brook)
Toshiharu HASE (Suita)
Yasuhiro HASHIMOTO (Fukuoka)
Kihachiro HORIKE (Otsu)
Yoshizumi ISHINO (Fukuoka)
Makoto ITO (Fukuoka)
Kenji KADOMATSU (Nagoya)

Molecular Biology

Masato ENARI (Tokyo)
Toshiya ENDO (Nagoya)
Masatoshi FUJITA (Tokyo)
Tetsuro KOKUBO (Yokohama)
Won-Jae LEE (Seoul)
Roland LILL (Marburg)

Cell

Tomoichiro ASANO (Hiroshima)
Mitsunori FUKUDA (Sendai)
Masato HASEGAWA (Tokyo)
Thorsten HEINZEL (Jena)
Hidenori ICHJO (Tokyo)
Yasuki ISHIZAKI (Maebashi)
Bong-Kiun KAANG (Seoul)
Dimitris KARDASSIS (Heraklion)

Biotechnology

Toshihiko EKI (Toyohashi)
Yoshihisa HAGIHARA (Ikeda)
Jun HIRABAYASHI (Tsukuba)

Reiji KANNAGI (Nagoya)
Shun-ichiro KAWABATA (Fukuoka)
Ikuro KAWAGISHI (Koganei)
Gota KAWAI (Narashino)
Hiroshi KITAGAWA (Kobe)
Masayasu KOJIMA (Kurume)
Hiroki KONDO (Iizuka)
Michiko KONNO (Tokyo)
Yasunori KOZUTSUMI (Kyoto)
Ryoji MASUI (Toyonaka)
Catharina Taiko MIGITA (Yamaguchi)
Toru NAKAYAMA (Sendai)
Hisashi NARIMATSU (Tsukuba)

Katsuyoshi MIHARA (Fukuoka)
Masayuki MIURA (Tokyo)
Masamichi MURAMATSU (Kanazawa)
Kazuhiro NAGATA (Kyoto)
Kunihiro OHTA (Tokyo)
Takashi OSUMI (Hyogo)

Michael KLAGSBRUN (Boston)
Hitoshi KUROSE (Fukuoka)
Noboru MIZUSHIMA (Tokyo)
Tatsushi MUTA (Sendai)
Hideaki NAGASE (London)
Koh-ichi NAGATA (Kasugai)
Kazuhisa NAKAYAMA (Kyoto)
Hitoshi OHMORI (Okayama)

Mitsuhiro ITAYA (Tsuruoka)
Yasushi KAWATA (Tottori)
Katsumi MAENAKA (Fukuoka)

Takeshi NIKAWA (Tokushima)
Haruko OGAWA (Tokyo)
Toshihisa OHSHIMA (Fukuoka)
Michael PIERCE (Athens)
Yoshihiro SAMBONGI
(Higashi-Hiroshima)
Ryo TAGUCHI (Tokyo)
Yoshinao WADA (Izumi)
Keisuke WAKASUGI (Tokyo)
Akihiko YOSHIMURA (Fukuoka)
Tohru YOSHIMURA (Nagoya)
Junn YANAGISAWA (Tsukuba)

Kazuhiro SAKAMAKI (Kyoto)
Shigeomi SHIMIZU (Tokyo)
Kaoru SUGASAWA (Kobe)
Minoru TAKATA (Kyoto)
Tohru YOSHIHISA (Nagoya)

Chie SAKANAKA (South San Francisco)
Takuya SASAKI (Tokushima)
Kiyotoshi SEKIGUCHI (Suita)
Roger K. SUNAHARA (Ann Arbor)
Kazuma TANAKA (Sapporo)
Keiko UDAKA (Nankoku)
Tamotsu YOSHIMORI (Suita)

Makoto MAKISHIMA (Tokyo)
Tomoaki MATSUURA (Suita)
Hiroshi UEDA (Tokyo)

COPYRIGHT, 2008 © BY THE JAPANESE BIOCHEMICAL SOCIETY

PUBLISHED

BY

THE JAPANESE BIOCHEMICAL SOCIETY

CONTENTS OF VOLUME 143

No. 1, January, 2008

PAGE

JB Review

Messenger RNA Surveillance Systems Monitoring Proper Translation Termination	N. Akimitsu	1
--	-------------	---

Regular Papers

Construction and Characterization of Single-chain Antibodies Against Human Insulin-like Growth Factor-I Receptor from Hybridomas Producing 1H7 or 3B7 Monoclonal Antibody	Y. Kusada, T. Morizono, A. Matsumoto-Takasaki, K. Sakai, S. Sato, H. Asanuma, A. Takayanagi and Y. Fujita-Yamaguchi	9
Enzymatic Synthesis of Spacer-Linked Divalent Glycosides Carrying <i>N</i> -Acetylglucosamine and <i>N</i> -Acetylglucosamine: Analysis of Cross-Linking Activities with WGA	Y. Misawa, T. Akimoto, S. Amarume, T. Murata and T. Usui	21
Epidermal Growth Factor Receptor Phosphorylates Protein Kinase C δ at Tyr332 to form a Trimeric Complex with p66Shc in the H ₂ O ₂ -stimulated Cells	M. Morita, H. Matsuzaki, T. Yamamoto, Y. Fukami and U. Kikkawa	31
Motor Deficits and Hyperactivity in Cerebral Cortex-specific <i>Dyt1</i> Conditional Knockout Mice	F. Yokoi, M.T. Dang, S. Mitsui, J. Li and Y. Li	39
D-Serine Dehydratase from Chicken Kidney: A Vertebral Homologue of the Cryptic Enzyme from <i>Burkholderia cepacia</i>	H. Tanaka, A. Yamamoto, T. Ishida and K. Horiike	49
Enzymatic Characterization and Inhibitor Discovery of a New Cystathionine γ -Synthase from <i>Helicobacter pylori</i>	Y. Kong, D. Wu, H. Bai, C. Han, J. Chen, L. Chen, L. Hu, H. Jiang and X. Shen	59
Structural Basis for the Decarboxylation of Orotidine 5'-Monophosphate (OMP) by <i>Plasmodium Falciparum</i> OMP Decarboxylase	K. Tokuoka, Y. Kusakari, S.R. Krungkrai, H. Matsumura, Y. Kai, J. Krungkrai, T. Horii and T. Inoue	69
Characterization of the α -Helix Region in Domain 3 of the Haemolytic Lectin CEL-III: Implications for Self-Oligomerization and Haemolytic Processes	K. Hisamatsu, N. Tsuda, S. Goda and T. Hatakeyama	79
S Phase-preferential Cre-recombination in Mammalian Cells Revealed by HIV-TAT-PTD-mediated Protein Transduction	M. Hashimoto, M. Taniguchi, S. Yoshino, S. Arai and K. Sato	87
Reshuffling of the <i>Bacillus subtilis</i> 168 Genome by Multifold Inversion	A. Kuroki, T. Toda, K. Matsui, R. Uotsu-Tomita, M. Tomita and M. Itaya	97
A Prodigiosin Analogue Inactivates NADPH Oxidase in Macrophage Cells by Inhibiting Assembly of p47phox and Rac	T. Nakashima, T. Iwashita, T. Fujita, E. Sato, Y. Niwano, M. Kohno, S. Kuwahara, N. Harada, S. Takeshita and T. Oda	107
Identification and Characterization of Cathepsin D in a Highly Purified Sialidase from Starfish <i>A. pectinifera</i>	R. Kannappan, Y. Satoh, N. Iriyama, M. Ando, M.T. Sawada, N. Takahashi, K. Furuhashi and Y. Uda	117

		PAGE
CH ₂ -Units on (Poly-)ethylene Glycol Radially Dehydrate Cytoplasm of Resting Skinned Skeletal Muscle	M. Kimura and S. Takemori	123
Isolation, Characterization and Structure-Elicitor Activity Relationships of Hibernalin and its Two Oxidized Forms from <i>Phytophthora hibernalis</i> Carne 1925	R. Capasso, A. Di Maro, G. Cristinzio, A. De Martino, A. Chambery, A. Daniele, F. Sannino, A. Testa and A. Parente	131
Erratum		143

No. 2, February, 2008

JB Minireviews—Functional Dynamics of the Nucleus

Packaging the Genome: the Structure of Mitotic Chromosomes	K. Maeshima and M. Eltsov	145
Till Disassembly Do Us Part: A Happy Marriage of Nuclear Envelope and Chromatin	Y. Tsuchiya	155

Rapid Communication

Interdomain interaction of cyclic AMP receptor protein in the absence of cyclic AMP	H.-S. Won, M.-D. Seo, H.-S. Ko, W.S. Choi and B.-J. Lee	163
--	--	-----

Regular Papers

Structural Properties of the Human Acidic Ribosomal P Proteins Forming the P1–P2 Heterocomplex	P. Grela, J. Sawa-Makarska, Y. Gordiyenko, C.V. Robinson, N. Grankowski and M. Tchórzewski	169
Effect of Low Doses of Red Wine and Pure Resveratrol on Circulating Endothelial Progenitor Cells	M.L. Balestrieri, C. Schiano, F. Felice, A. Casamassimi, A. Balestrieri, L. Milone, L. Servillo and C. Napoli	179
<i>Photobacterium</i> sp. JT-ISH-224 Produces Two Sialyltransferases, α - β -Galactoside α 2,3-Sialyltransferase and β -Galactoside α 2,6-Sialyltransferase	H. Tsukamoto, Y. Takakura, T. Mine and T. Yamamoto	187
BMPs Promote Proliferation and Migration of Endothelial Cells via Stimulation of VEGF-A/VEGFR2 and Angiopoietin-1/Tie2 Signalling	Y. Suzuki, K. Montagne, A. Nishihara, T. Watabe and K. Miyazono	199
Structural and Functional Characterization of Haemocyanin from the Anemone Hermit Crab <i>Dardanus calidus</i>	G. Podda, B. Manconi, A. Olinas, M. Pellegrini, I. Messana, M. Mura, M. Castagnola, B. Giardina and M.T. Sanna	207
<i>Drosophila</i> Calpain B is Monomeric and Autolyzes Intramolecularly	M.W. Park and Y. Emori	217
Expression and Characterization of Recombinant C-Terminal Biotinylated Extracellular Domain of Human Receptor for Advanced Glycation End Products (hsRAGE) in <i>Escherichia coli</i>	M. Kumano-Kuramochi, Q. Xie, Y. Sakakibara, S. Niimi, K. Sekizawa, S. Komba and S. Machida	229
The Effects of Mutations in the Carboxyl-Terminal Region on the Catalytic Activity of <i>Escherichia coli</i> Signal Peptidase I	Y.-T. Kim, H. Yoshida, M. Kojima, R. Kurita, W. Nishii, T. Muramatsu, H. Ito, S.J. Park and K. Takahashi	237

Bcl-x _L Forms Two Distinct Homodimers at Non-ionic Detergents: Implications in the Dimerization of Bcl-2 Family Proteins	Y. Feng, Z. Lin, X. Shen, K. Chen, H. Jiang and D. Liu	243
Heparin Stimulates a Plasma Membrane Ca ²⁺ -ATPase of <i>Arabidopsis thaliana</i>	S. Meneghelli, L. Luoni and M.I. De Michelis	253
Comparison of the Thermal Stabilities of Reverse Transcriptases from Avian Myeloblastosis Virus and Moloney Murine Leukaemia Virus	K. Yasukawa, D. Nemoto and K. Inouye	261
Raft-targeting and Oligomerization of Parasporin-2, a <i>Bacillus thuringiensis</i> Crystal Protein with Anti-Tumour Activity	Y. Abe, H. Shimada and S. Kitada	269
Erratum		277

No. 3, March, 2008

JB Minireviews—Functional Dynamics of the Nucleus

Capturing Epigenetic Dynamics During Pre-implantation Development Using Live Cell Imaging	K. Yamagata	279
Cracking the Enigmatic Linker Histone Code	J.S. Godde and K. Ura	287

Regular Papers

IRAK-4-dependent Degradation of IRAK-1 is a Negative Feedback Signal for TLR-mediated NF- κ B Activation	M. Kubo-Murai, K. Hazeki, K. Nigorikawa, T. Omoto, N. Inoue and O. Hazeki	295
A Strong Exonic Splicing Enhancer in Dystrophin Exon 19 Achieve Proper Splicing Without an Upstream Polypyrimidine Tract	Y. Habara, M. Doshita, S. Hirozawa, Y. Yokono, M. Yagi, Y. Takeshima and M. Matsuo	303
Induction of Cell Adhesion by Galectin-8 and its Target Molecules in Jurkat T-Cells	H. Yamamoto, N. Nishi, H. Shoji, A. Itoh, L.-H. Lu, M. Hirashima and T. Nakamura	311
Anti-Peptide Antibodies for Examining the Conformation, Molecular Assembly and Localization of an Intracellular Protein, Ribosomal Protein S6, In Vivo	M. Nakagawa, N. Ohmido, K. Ishikawa, S. Uchiyama, K. Fukui and T. Azuma	325
Copper(II) Inhibits <i>In vitro</i> Conformational Conversion of Ovine Prion Protein Triggered by Low pH	M.-l. Liu, Y.-x. Li, X.-m. Zhou and D.-m. Zhao	333
Recognition of a Bulged RNA by Peptides Derived from the Influenza NS1 Protein	T. Someya, K. Hosono, K. Morimura, H. Takaku and G. Kawai	339
Nuclear Localization Signal and Phosphorylation of Serine350 Specify Intracellular Localization of DRAK2	H. Kuwahara, M. Nishizaki and H. Kanazawa	349
Biochemical Characterization of Phospholipids, Sulfatide and Heparin as Potent Stimulators for Autophosphorylation of GSK-3 β and the GSK-3 β -Mediated Phosphorylation of Myelin Basic Protein <i>in vitro</i>	F. Kawakami, A. Yamaguchi, K. Suzuki, T. Yamamoto and K. Ohtsuki	359

		PAGE
Expression of a Novel 90-kDa Protein, Lsd90, Involved in the Metabolism of Very Long-chain Fatty Acid-containing Phospholipids in a Mitosis-defective Fission Yeast Mutant	K. Yokoyama, M. Nakagawa, M. Satoh, S. Saitoh, N. Dohmae, A. Harada, N. Satoh, K. Karasawa, K. Takio, M. Yanagida and K. Inoue	369
Quantitative Analysis of CUG-BP1 Binding to RNA Repeats	D. Mori, N. Sasagawa, Y. Kino and S. Ishiura	377
Impaired Basal Thermal Homeostasis in Rats Lacking Capsaicin-sensitive Peripheral Small Sensory Neurons	H. Yamashita, Z. Wang, Y. Wang, T. Furuyama, Y. Kontani, Y. Sato and N. Mori	385
Target Specificities of Estrogen Receptor-Related receptors: Analysis of Binding Sequences and Identification of Rb1-Inducible Coiled-Coil 1 (<i>Rb1cc1</i>) as a Target Gene	Mst. H. Akter, T. Chano, H. Okabe, T. Yamaguchi, F. Hirose and T. Osumi	395
The Medaka FoxP2, a Homologue of Human Language Gene <i>FOXP2</i> , has a Diverged Structure and Function	T. Itakura, A. Chandra, Z. Yang, X. Xue, B. Wang, W. Kimura, K. Hikosaka, K. Inohaya, A. Kudo, T. Uezato and N. Miura	407
<i>Staphylococcus aureus</i> MurC Participates in L-Alanine Recognition via Histidine 343, a Conserved Motif in the Shallow Hydrophobic Pocket	K. Kurokawa, S. Nishida, M. Ishibashi, H. Mizumura, K. Ueno, T. Yutsudo, H. Maki, K. Murakami and K. Sekimizu	417
Role of HPF (Hibernation Promoting Factor) in Translational Activity in <i>Escherichia coli</i>	M. Ueta, R.L. Ohniwa, H. Yoshida, Y. Maki, C. Wada and A. Wada	425
Donor Substrate Specificity of 4- α -Glucanotransferase of Porcine Liver Glycogen Debranching Enzyme and Complementary Action to Glycogen Phosphorylase on Debranching	Y. Watanabe, Y. Makino and K. Omichi	435

No. 4, April, 2008

JB Minireview—Functional Dynamics of the Nucleus

The Structure and Functions of NPM1/Nucleophsmin/B23, a Multifunctional Nucleolar Acidic Protein	M. Okuwaki	441
--	------------	-----

Regular Papers

An RNAi Screen for Mitochondrial Proteins Required to Maintain the Morphology of the Organelle in <i>Caenorhabditis elegans</i>	R. Ichishita, K. Tanaka, Y. Sugiura, T. Sayano, K. Mihara and T. Oka	449
Analysis of Origin Recognition Complex in <i>Saccharomyces cerevisiae</i> by Use of Degron Mutants	M. Makise, N. Matsui, F. Yamairi, N. Takahashi, M. Takehara, T. Asano and T. Mizushima	455
Selenite Assimilation into Formate Dehydrogenase H Depends on Thioredoxin Reductase in <i>Escherichia coli</i>	M. Takahata, T. Tamura, K. Abe, H. Mihara, S. Kurokawa, Y. Yamamoto, R. Nakano, N. Esaki and K. Inagaki	467

Immunoreactivity of Phage Library-derived Human Single-Chain Antibodies to Amyloid Beta Conformers <i>In Vitro</i>	T. Yoshihara, S. Takiguchi, A. Kyuno, K. Tanaka, S. Kuba, S. Hashiguchi, Y. Ito, T. Hashimoto, T. Iwatsubo, S. Tsuyama, T. Nakashima and K. Sugimura	475
Role of the Loop Structure of the Catalytic Domain in Rice Class I Chitinase	R. Mizuno, T. Fukamizo, S. Sugiyama, Y. Nishizawa, Y. Kezuka, T. Nonaka, K. Suzuki and T. Watanabe	487
Induction of Efficient Differentiation and Survival of Porcine Neonatal Pancreatic Cell Clusters Using an EBV-based Plasmid Expressing HGF	M.S. Kim, J.-W. Kim, C. Sun, S.T. Oh, K.H. Yoon and S.K. Lee	497
Functional Characterization of the Recombinant Group II Chaperonin α from <i>Thermoplasma acidophilum</i>	H. Hirai, K. Noi, K. Hongo, T. Mizobata and Y. Kawata	505
Involvement of MDR1 Function in Proliferation of Tumour Cells	S.-Y. Katoh, M. Ueno and N. Takakura	517
Residues on the Dimer Interface of SARS Coronavirus 3C-like Protease: Dimer Stability Characterization and Enzyme Catalytic Activity Analysis	S. Chen, J. Zhang, T. Hu, K. Chen, H. Jiang and X. Shen	525
Annexin A3 Expression Increases in Hepatocytes and is Regulated by Hepatocyte Growth Factor in Rat Liver Regeneration	M. Harashima, K. Harada, Y. Ito, M. Hyuga, T. Seki, T. Ariga, T. Yamaguchi and S. Niimi	537
Identification of β 1,4GalT II as a Target Gene of p53-mediated HeLa Cell Apoptosis	J. Zhou, Y. Wei, D. Liu, X. Ge, F. Zhou, X. Yun, J. Jiang and J. Gu	547
O-Mannosylation is Required for Degradation of the Endoplasmic Reticulum-associated Degradation Substrate Gas1* <i>p</i> via the Ubiquitin/Proteasome Pathway in <i>Saccharomyces cerevisiae</i>	H. Hirayama, M. Fujita, T. Yoko-o and Y. Jigami	555
Cleavage of the ER-Targeting Signal Sequence of Parathyroid Hormone-related Protein is Cell-Type-Specific and Regulated in <i>Cis</i> by its Nuclear Localization Signal	Y. Amaya, T. Nakai, K. Komaru, M. Tsuneki and S. Miura	569

No. 5, May, 2008

Regular Papers

Matrix Metalloproteinase-9 Associated with Heparan Sulphate Chains of GPI-Anchored Cell Surface Proteoglycans Mediates Motility of Murine Colon Adenocarcinoma Cells	Y. Koyama, H. Naruo, Y. Yoshitomi, S. Munesue, S. Kiyono, Y. Kusano, K. Hashimoto, T. Yokoi, H. Nakanishi, S. Shimizu, M. Okayama and K. Oguri	581
Ig L-chain Shuffling for Affinity Maturation of Phage Library-derived Human Anti-human MCP-1 Antibody Blocking its Chemotactic Activity	K. Yoshinaga, M. Matsumoto, M. Torikai, K. Sugyo, S. Kuroki, K. Nogami, R. Matsumoto, S. Hashiguchi, Y. Ito, T. Nakashima and K. Sugimura	593

	PAGE
Gene Identification and Characterization of the Pyridoxine Degradative Enzyme 4-Pyridoxic Acid Dehydrogenase from the Nitrogen-fixing Symbiotic Bacterium <i>Mesorhizobium loti</i> MAFF303099	F. Ge, N. Yokochi, Y. Yoshikane, K. Ohnishi and T. Yagi 603
Reactivity of Astrocytes to Fibroblast Growth Factor-1 for Biogenesis of Apolipoprotein E-High Density Lipoprotein is Down-regulated by Long-time Secondary Culture	Y. Nagayasu, J.-i. Ito, T. Nishida and S. Yokoyama 611
Characterization of Dihydropicolinate Reductase from <i>Thermotoga maritima</i> Reveals Evolution of Substrate Binding Kinetics	F.G. Pearce, C. Sprissler and J.A. Gerrard 617
Role of Disulphide Bonds in a Thermophilic Serine Protease Aqualysin I from <i>Thermus aquaticus</i> YT-1	M. Sakaguchi, M. Takezawa, R. Nakazawa, K. Nozawa, T. Kusakawa, T. Nagasawa, Y. Sugahara and M. Kawakita 625
Characterization of the Molecular Interaction between Tropoelastin and DANCE/Fibulin-5	H. Wachi, R. Nonaka, F. Sato, K. Shibata-Sato, M. Ishida, S. Iketani, I. Maeda, K. Okamoto, Z. Urban, S. Onoue and Y. Seyama 633
Identification of Amino Acid Positions Involved in HLA-E Expression	K. Matsunami, E. Okura, H. Uchida, H. Otsuka, M. Fukuzawa and S. Miyagawa 641
Contribution of Peroxisome-specific Isoform of Lon Protease in Sorting PTS1 Proteins to Peroxisomes	S. Omi, R. Nakata, K. Okamura-Ikeda, H. Konishi and H. Taniguchi 649
Vertebrate Genomes Code Excess Proteins with Charge Periodicity of 28 Residues	R. Ke, N. Sakiyama, R. Sawada, M. Sonoyama and S. Mitaku 661
Yeast-Based Fluorescence Reporter Assay of G Protein-coupled Receptor Signalling for Flow Cytometric Screening: <i>FAR1</i> -Disruption Recovers Loss of Episomal Plasmid Caused by Signalling in Yeast	J. Ishii, T. Tanaka, S. Matsumura, K. Tatematsu, S. Kuroda, C. Ogino, H. Fukuda and A. Kondo 667
Transcriptional Regulation of the Human PNRC Promoter by NFY in HepG2 Cells	Y. Zhang, B. Chen, Y. Li, J. Chen, G. Lou, M. Chen and D. Zhou 675
Interaction of Glutathione and Sodium Selenite <i>In vitro</i> Investigated by Electrospray Ionization Tandem Mass Spectrometry	S.-Y. Cui, H. Jin, S.-J. Kim, A.P. Kumar and Y.-I. Lee 685
Physical and Functional Interactions between STAT5 and Runx Transcription Factors	S. Ogawa, M. Satake and K. Ikuta 695
Cloning, Expression, Purification and Characterization of an Isotype of Clytin, a Calcium-Binding Photoprotein from the Luminous Hydromedusa <i>Clytia gregarium</i>	S. Inouye 711

No. 6, June, 2008**JB Minireview—New Paradigm in Glycobiology**

Expression and Function of the HNK-1 Carbohydrate	I. Morita, Y. Kizuka, S. Kakuda and S. Oka	719
Biological Function of Fucosylation in Cancer Biology	E. Miyoshi, K. Moriwaki and T. Nakagawa	725

Regular Papers

Human Calpain 7/PalBH Associates with a Subset of ESCRT-III-related Proteins in its N-terminal Region and Partly Localizes to Endocytic Membrane Compartments	C. Yorikawa, E. Takaya, Y. Osako, R. Tanaka, Y. Terasawa, T. Hamakubo, Y. Mochizuki, H. Iwanari, T. Kodama, T. Maeda, K. Hitomi, H. Shibata and M. Maki	731
Structural bases for the specific interactions between the E2 and E3 components of the <i>Thermus thermophilus</i> 2-oxo acid dehydrogenase complexes	T. Nakai, S. Kuramitsu and N. Kamiya	747
Facilitation of Dissociation Reaction of Nucleotides Bound to <i>Mycobacterium tuberculosis</i> DnaA	K. Yamamoto, M. Moomey, M. Rajagopalan and M.V.V.S. Madiraju	759
Specific Regulation of Cytokine-Dependent p38 MAP Kinase Activation by p62/SQSTM1	K. Kawai, A. Saito, T. Sudo and H. Osada	765
Inhibition of DNA Helicase, ATPase and DNA-Binding Activities of <i>E. coli</i> RecQ Helicase by Chemotherapeutic Agents	B. Zhang, A.-h. Zhang, L. Chen and X.G. Xi	773
Direct Measure of Fluorescence Intensity for Efficient Receptor-binding Assay: Conjugates of Ethinylcarboxyestradiol and 5(and 6)-Carboxyfluorescein via α,ω -Diaminoalkanes as a Tracer for Estrogen Receptor	D. Asai, T. Tokunaga, K. Kondo, T. Kawaguchi, S. Takayanagi, T. Shinmyozu, M. Nakai, Y. Yakabe and Y. Shimohigashi	781
ErbB-regulated Sensitivity of MCF-7 Breast Cancer Cells to TRAIL via ErbB2/AKT/NF- κ B Pathway	N. Liu, J. Zhang, J. Zhang, S. Liu, Y. Liu and D. Zheng	793
<i>In vitro</i> Formation of a Novel Type of Membrane Vesicles Containing Dpm1p: Putative Transport Vesicles for Lipid Droplets in Budding Yeast	Y. Takeda and A. Nakano	803
Affinity Modulation of Human Placental Insulin and Insulin-Like Growth Factor Receptors by Lectins	R. Masnikosa, A. Nikolić and O. Nedić	813
Establishment of cell–cell junctions depends on the oligomeric states of VE-cadherin	S. Bibert, H. Ayari, D. Riveline, E. Concord, B. Hermant, T. Vernet and D. Gulino-Debrac	821
One-Step Purification of Lectins from Banana Pulp Using Sugar-Immobilized Gold Nano-Particles	S. Nakamura-Tsuruta, Y. Kishimoto, T. Nishimura and Y. Suda	833
Erratum		841

