

I. Fallows, Spoon. Nº48,164. Patented June 13,1865





Witnesses: Charles Drew

Vanus Hallowes

## UNITED STATES PATENT OFFICE.

JAMES FALLOWS, OF PHILADELPHIA, PENNSYLVANIA, ASSIGNOR TO PORTER & BOOTH.

## IMPROVEMENT IN SHEET-METAL SPOONS.

Specification forming part of Letters Patent No. 48,164, dated June 13, 1865.

To all whom it may concern:

Be it known that I, JAMES FALLOWS, of the city of Philadelphia, in the State of Pennsylvania, have invented a certain new and useful Improvement in Sheet-Metal Spoons; and I do hereby declare that the following is a full, clear, and exact description of the same, reference being had to the accompanying drawings, making a part of this specification, in which-

Figure 1 is a vertical longitudinal section, and Fig. 2 a top view, of the said improved spoon, Fig. 3 being a transverse section, in the dotted line x y of Fig. 2, and like letters of reference indicating the same parts when

in the different figures.

The nature of my invention consists, substantially as hereinafter described, in making the handle of a sheet-metal spoon or fork of two distinct pieces of comparatively thin sheetiron or tin-plate by lapping the edges of the one piece over upon the edges of the other, attaching the bowl thereto, and finally dipping the whole together into or passing it through melted tin or alloy, so as to cement all the joints securely together at one operation, and at the same time thoroughly cover the whole exterior surface of the article with a bright coat of the tin or alloy, for the purpose of producing a light, cheap, strong, and more merchantable article of sheet metal.

In the drawings, A is the bowl of the spoon,

and B the handle.

In constructing my invention, I take comparatively thin tin-plate and cut out the blanks for the handle B and compress them between suitable dies, so as to give them any curved and ornamented form that may be desired, and at the same time turn the edges of the wider or upper side blank, b', inward to an angle of about ninety degrees, except at the bowl end. I then adjust the two distinct pieces of sheet metal or blanks b' and  $b^2$  together with their general convex or raised sides outward, and press the turned edges of the blank b' closely down over the edge of the other,  $b^2$ , as represented in Fig. 3, thus securing them tightly and permanently together and leaving a hol-

low space between.

The blank for the bowl A, I usually cut out of thicker sheet metal. It has a short projection. tion or shank, a', left on its inner end. It is stamped or formed up between dies in the usual manner, and then attached to the hollow handle B by inserting its shank a' into the

cavity left open at the inner end of the handle B, and the whole together then pressed be tween dies made for the purpose of accurately closing the joints and giving the spoon or forlits proper shape or set. It is then taken out and dipped into the melted tin or alloy, thus ce menting all the joints or seams closely, and covering the whole with a brilliant coat of the metal.

For spoons or forks intended to be used in boiling oils or fats a small rivet,  $a^2$ , is secured through the bowl and handle, as indicated in

Fig. 2.

It will be readily understood that the peculity will be readily understood the peculity will be readily will be readily understood the peculity will be readily will be readily will be readily be readily will be readily be readily be readily will be readily by the readily be readily be readily be readily by the readily be readily by the readily be readily by the readil scribed gives it great stiffness, and hence a lows it to be made of thinner tin-plate than i required for the bowl, thus giving the articl lightness with strength, and allowing the har dle to be more sharply and accurately orns mented by stamping in dies; and the parts be ing all made of sheet iron or tin-plate and fixe permanently together before being dipped the latter operation can be performed withou any danger of destroying or separating the sai parts, which is a very important feature, b cause the stamping process deadens and in pairs the brightness of the surface of tin-plat

I am aware that hollow handles of shee metal for knives and forks are old and wel known; but, having generally been made sheet-zine or soft-alloy blanks abutted ar then soldered together at their edges by a sc dering-tool, they could not be subjected to tl rapidly-finishing process of dipping herein d

scribed.

I am aware, also, that spoons and spoon-ha dles have each been made before of a single pie of tin or sheet-iron plate. Therefore I do n desire to claim, broadly, spoons or forks ha ing hollow sheet-metal handles, nor, broadl the making of spoon or fork handles of ti plate or sheet-iron; but,

Having fully described my improved spo or fork, what I claim as new, and desire to

cure by Letters Patent, is-

A sheet-iron or tin-plate spoon or fork he ing a hollow handle constructed and finish substantially in the manner described, as improved article of manufacture.

JAMES FALLOWS.

Witnesses:

WM. STECK. C. DREW.