


*Berry & Sheldrake*

*Syrup Fountain*


*Nº 49,335,*

*Patented Aug. 8, 1865.*

*Fig. 1*



*Fig. 2*



*Witnesses:*

*Stephen W. H. S.*  
*Wm. R. W. H. S.*

*Inventor:*

*Leah M. Berry*  
*C. E. Sheldrake*

# UNITED STATES PATENT OFFICE.

C. M. BERRY AND CHAS. C. SHELDRAKE, OF PHILADELPHIA, PENNSYLVANIA, ASSIGNORS TO THEMSELVES AND J. BREADY, OF SAME PLACE.

## IMPROVED SIRUP-STAND FOR SODA-FOUNTAINS.

Specification forming part of Letters Patent No. 49,335, dated August 8, 1865.

*To all whom it may concern:*

Be it known that we, CASPER M. BERRY and CHARLES C. SHELDRAKE, of the city and county of Philadelphia, and State of Pennsylvania, have invented a new and Improved Mineral-Water-Sirup Stand; and we do hereby declare that the following is a full, clear, and exact description of the construction and operation of the same, reference being had to the annexed drawings, making a part of this specification, in which—

Figure 1 is a perspective view of the sirup-stand with the lid B thrown up to show the construction of the interior parts. Fig. 2 is a vertical longitudinal section of the same with the lid B in its downward position.

Like letters in both the figures represent the same parts of the stand.

The nature of our invention and improvement mainly consists in constructing a stand for containing mineral-water sirups of cast-iron and enameling the inner and outer surfaces of the same to protect them from the action of the acid.

To enable others skilled in the art to make and use our invention, we will proceed to describe its construction and operation.

A is the stand, which we usually place on the slab of a mineral-water fountain, so as to have the sirups convenient for use. We construct the stand with a plurality of compartments, *a*, to hold different kinds of sirup, each compart-

ment being provided with a faucet, *b*, for drawing the same.

There is a hinged lid, B, which lies flat on the top of the stand, to exclude the external atmosphere from the sirups, as represented in Fig. 2, but is thrown up to provide for filling the compartments, as represented in Fig. 1. We enamel both the inner and outer surfaces of the stand to protect them from the acid contained in the sirups. We usually plate the faucets *b* with silver, for the double purpose of protecting them from the acids and to improve their appearance. We arrange the bottom *c* of the compartments on an angle downward toward the front of the stand, for the purpose of readily drawing the sirups clean from the bottom.

What we claim as new, and desire to secure by Letters Patent, is—

Constructing mineral-water-sirup stands of cast-iron and enameling the interior and exterior surfaces of the same to protect them from the action of the acid contained in the sirups.

In testimony that the above is our invention we have hereunto set our hands and affixed our seals this 15th day of June, 1865.

CASPER M. BERRY. [L. S.]  
C. C. SHELDRAKE. [L. S.]

Witnesses:

STEPHEN USTICK,  
WM. P. HAYWOOD.