

E. H. ELDRIDGE & T. LEACH.
MACHINE FOR EMBOSSEING NAPKIN RINGS.

No. 54,515.

Patented May 8, 1866.




Fig. 2.




Fig. 4.




Fig. 1.




Fig. 3.

Witnesses;
Phitander Williams
Elisha J. Jackson

Inventors;
Eli H. Eldridge
Thomas Leach

UNITED STATES PATENT OFFICE.

ELI H. ELDRIDGE AND THOMAS LEACH, OF TAUNTON, MASSACHUSETTS.

IMPROVED MACHINE FOR EMBOSSING NAPKIN-RINGS.

Specification forming part of Letters Patent No. 54,515, dated May 8, 1866.

To all whom it may concern:

Be it known that we, ELI H. ELDRIDGE and THOMAS LEACH, of Taunton, county of Bristol, and State of Massachusetts, have invented a new and useful machine for performing the chased or embossed work on napkin-rings and other articles to imitate engine-turning; and we do hereby declare the same is fully described and represented in the following specification and accompanying drawings, of which—

Figure 1 represents a top view of our invention; Fig. 2, a horizontal section, Fig. 3 a side elevation, and Fig. 4 a vertical section, of same.

The nature of our invention consists in the construction of two plain rollers with appropriate appendages, on one of which we place the article to be embossed, and through which we convey the power to revolve both. On the other, which is also adjustable, we place a metallic ring, on the periphery of which, or on the roller itself, is engraved the device or pattern to be chased or embossed on the said article. We now, by turning the set-screw, bring up both rollers in close contact, and by means of the crank revolve both rollers, when the device is transferred to the article to be embossed.

In the drawings, A is the block or frame, with bearing B for sustaining the crank O and roller D, on which the article D' to be embossed is placed. E is an adjustable stand or bearing for sustaining the roller F, on which the pattern-ring is placed, said roller F being placed a little above the roller D for the purpose of sustaining the latter in position. G is a set-screw, for the purpose of adjusting the

pattern-ring roller in relation to the roller containing the article to be embossed; H H, slots in the legs of the slide-bearing E, which straddles the block A; and I I are pins in the block A, both pins and slots tending to secure the horizontal movements of the pattern-roller.

It is well known to persons acquainted with the art of engine-turning that the machinery used for the purpose is not only very expensive, but very liable to get out of order on account of its being very complicated. Besides this, a design or configuration is seldom completed by the engine alone without resorting to hand-labor, consuming both time and profit.

By our invention these difficulties are obviated, inasmuch as our invention, being simple, requires no complicated machinery, is not liable to get out of order, can be built for a fraction of the cost of a turning-engine, and will, by simply revolving the crank, perform the work of twenty engines, at the same time imparting to the napkin-ring or other article a superior accuracy and elegance of ornamentation, whereby we are enabled not only to compete with the best in the market, but to sell for fifty per cent. of their cost.

What we claim, and desire to secure by Letters Patent, is—

The above-described chasing or embossing machine, constructed and arranged substantially as and for the purposes set forth.

In testimony whereof we have hereunto set our signatures.

ELI H. ELDRIDGE.
THOMAS LEACH.

Witnesses:

PHILANDER WILLIAMS,
ELISHA T. JACKSON.