

(No Model.)

S. A. PHILLIPS.
WINDOW MIRROR.

No. 345,074.

Patented July 6, 1886.

Fig: 1.




Fig: 2.





Fig: 3.



WITNESSES:
Chas. Nida
& Sedgwick

BY

INVENTOR:
S. A. Phillips
Munn & Co
ATTORNEYS.

UNITED STATES PATENT OFFICE.

SYDNEY A. PHILLIPS, OF NEW YORK, N. Y.

WINDOW-MIRROR.

SPECIFICATION forming part of Letters Patent No. 345,074, dated July 6, 1886.

Application filed May 10, 1886. Serial No. 201,705. (No model.)

To all whom it may concern:

Be it known that I, SYDNEY A. PHILLIPS, of the city, county, and State of New York, have invented a new and useful Improvement in Adjustable Window Shaving-Mirrors, of which the following is a full, clear, and exact description.

Reference is to be had to the accompanying drawings, forming a part of this specification, in which similar letters of reference indicate corresponding parts in all the figures.

Figure 1 is a front elevation of my improvement, shown as applied to a window. Fig. 2 is a side elevation of the improvement, the lower sash, and part of the upper sash, part of the lower sash being broken away. Fig. 3 is a plan view of the improvement, and showing a part of the lower sash in section through the line *x x*, Fig. 1.

The object of this invention is to provide shaving-mirrors constructed in such a manner that they can be readily applied to the sashes of windows, and can be readily adjusted as the height of those using them may require.

The invention consists in the combination, with a shaving-mirror, of a U-shaped clamping-bar and a hand-screw, as will be hereinafter fully described.

A represents the frame, and B the sashes, of a window. C is a mirror, which can be of any desired or convenient size or form. To the back of the mirror C, preferably near a lower corner, is secured a U-shaped bar, D, through one of the arms of which is formed a screw-hole to receive a hand-screw, E.

In using the improvement the screw E is turned back, the mirror is adjusted with the ends of the arms of the clamping-bar D upon the opposite sides of the stile of the window-sash, and the screw E is turned forward, clamping the said stile between the end of the screw E and the other arm of the bar D, as illustrated in Fig. 3, so that the mirror C will be firmly secured to the said stile. With this construction, by loosening the screw E the mirror C can be readily adjusted at such an elevation and inclination as the height or convenience of the person using the mirror may require.

Having thus described my invention, what I claim as new, and desire to secure by Letters Patent, is—

1. As an improved article of manufacture, a mirror provided with a clamp rigidly secured to its back, to adapt it to be secured to a window-sash, as set forth.

2. The combination, with a mirror, of a U-shaped clamping-bar, D, rigidly secured to the back of the mirror, with its arms projecting therefrom, and having a screw-threaded hole in one of its arms, and a hand-screw, E, working in the screw-threaded hole of the arm of the said bar, substantially as herein shown and described.

SYDNEY A. PHILLIPS.

Witnesses:

JAMES T. GRAHAM,
C. SEDGWICK.